THE

REGISTRAR-GENERAL'S

STATISTICAL REVIEW

OF

ENGLAND AND WALES,

FOR THE YEAR

1925.

14 OCT. 1926

(New Annual Series, No. 5)

TABLES. PART I. MEDICAL.

LONDON:
PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; York Street, Manchester;
1, St. Andrew's Crescent, Cardiff; or 120, George Street, Edinburgh;
or through any Bookseller.

1926.

Price 15*s*. 0*d*. net.

TABLE OF CONTENTS.

PART I.—Medical.

		Page
Table 1.	Deaths, Death-rates and Infant Mortality, England and Wales, 1838–1925	1
Table 2.	Deaths and Death-rates in Quarters, England and Wales, 1838–1925	3
Table 3.	Standardized Death-rates, Death-rates for Twelve Age-groups, and Infant Mortality, England and Wales, 1838–1925	4
Table 4.	Deaths according to Causes, England and Wales, 1915–1925	7
Table 5.	Death-rates according to Causes of Death, England and Wales, 1915–1925	23
Table 6.	Death-rates from the principal Epidemic Diseases, from Tuberculosis and from Cancer, England and Wales, 1838–1925	35
Table 7.	Mortality from the principal Epidemic Diseases and from certain other causes, Administrative Counties and County Boroughs, 1924 and 1925	36
Table 8.	Deaths of Infants by Cause in each Year 1915 to 1925, England and Wales	41
Table 9.	Infant Mortality by Cause in each Year 1915 to 1925, England and Wales	42
Table 10.	Infant Mortality by Sex, Age, Cause and Legitimacy, England and Wales, 1925	43
Table 11.	Infant Mortality by Age, Cause and Legitimacy and by Class of Administrative Area, 1925	48
Table 12.	Infant Mortality in Different Parts of England and Wales and in Different Classes of Administrative Area, 1925	54
Table 13.	Deaths of Infants by Legitimacy and Age in Administrative Areas, 1925	57
Table 14.	Population, Births, Deaths, Total and Infant Mortality and Natural Increase in Administrative Areas, 1925	62
Table 15.	Deaths at each Year of Age, England and Wales, 1925	113
Table 16.	Deaths at Ages in Sections of the Country and Classes of Area, Greater London, Metropolitan Boroughs, County Boroughs and Administrative Counties, 1925	114
Table 17.	Deaths by Cause, Sex and Age, 1925	131

Page.

Table 17*a*. Deaths by Cause and by Ages under Five Years, England and Wales, 1925 216

Table 18. Deaths by Cause and by Month of Occurrence, England and Wales, October, 1924—September, 1925 220

Table 19. Deaths of Non-Civilians by Cause and by Age, England and Wales, 1925 233

Table 20. Deaths by Condensed List of Causes and by Sex and Age, 1925 234

Table 21. Deaths by Cause in certain Administrative Areas, 1925 373

Table 22. Violent Deaths by Sex, Age and Form of Violence, England and Wales, 1925 423

Table 23. Infectious Diseases, Cases Notified per 1,000 Population, England and Wales, in each year 1915–1925 .. 433

Table 24. Infectious Diseases, Seasonal Incidence, England and Wales, 1925 436

Table 25. Tuberculosis, Notifications in each year 1916–1925 .. 437

Table 26. Infectious Diseases, Cases notified in the larger Administrative Areas, 1925 438

Table 27. Infectious Diseases, Cases notified, England and Wales, in each year 1915-1925 445

Table 28. Infectious Diseases, Cases notified in all Administrative Areas in England and Wales, 1925 448

Table 29. Air Temperature, Rainfall and Sunshine, England and Wales, 1925 490

Table 30. Quarterly Meteorological Elements, Greenwich, 1925 491

Table 31. Meteorological Elements, Greenwich, 1876–1925 .. 492

Appendix A1. Infant Mortality by Sex, Age, Cause and Legitimacy, England and Wales, 1921–1925 495

Appendix A2. Infant Mortality by Age, Cause and Legitimacy, and by Class of Administrative Area, 1921–1925 .. 500

Appendix B. Deaths by Cause and Place of Occurrence, and by Class of Administrative Area, 1921–1925 506

General Register Office,
Somerset House,
London, W.C.2.

September, 1926.

(21762) Wt. 28410/1388/2127 1,500 10/26 Harrow G.94/14A A 2

TABLE I.—ENGLAND AND WALES.—DEATHS, DEATH-RATES AND INFANT MORTALITY, 1838–1925.

Period.	Deaths.			Crude rates per 1,000 living.			Standardized rates per 1,000 living.*			Ratio of Standardized Male to Female mortality, the latter taken as 1,000.*	Deaths of Infants under 1 year per 1,000 births.		
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.		Total.	Legitimate.	Illegitimate.
1838–1925	†42,587,592	21,861,187	20,726,405	18·2	19·4	17·1	17·7	19·0	16·4	1,158	137	—	—
1841–1850	3,769,396	1,909,125	1,860,271	22·4	23·1	21·6	21·6	22·5	20·7	1,085	153	—	—
1851–1860	4,210,715	2,138,536	2,072,179	22·2	23·1	21·4	21·2	22·1	20·3	1,092	154	—	—
1861–1870	4,794,498	2,459,489	2,335,009	22·5	23·7	21·4	21·3	22·6	20·2	1,119	154	—	—
1871–1880	5,178,311	2,679,416	2,498,895	21·4	22·7	20·1	20·3	21·8	19·0	1,150	149	—	—
1881–1890	5,244,770	2,698,316	2,546,454	19·1	20·3	18·1	18·6	20·0	17·3	1,154	142	—	—
1891–1900	5,575,375	2,865,226	2,710,149	18·2	19·3	17·1	18·1	19·5	16·7	1,167	153	—	—
1901–1910	5,248,774	2,706,356	2,542,418	15·4	16·4	14·4	15·2	16·6	13·9	1,190	128	—	—
1911–1920	† 5,188,052	2,684,511	2,503,541	14·3	15·9	13·0	13·5	15·1	12·1	1,246	100	96	194
1841–1845	1,746,110	885,168	860,942	21·4	22·1	20·6	20·6	21·6	19·8	1,089	148	—	—
1846–1850	2,023,286	1,023,957	999,329	23·3	24·1	22·6	22·4	23·4	21·6	1,084	157	—	—
1851–1855	2,087,236	1,061,271	1,025,965	22·7	23·5	21·8	21·7	22·7	20·7	1,097	156	—	—
1856–1860	2,123,479	1,077,265	1,046,214	21·8	22·6	21·0	20·7	21·6	19·9	1,090	152	—	—
1861–1865	2,331,957	1,192,943	1,139,014	22·6	23·7	21·5	21·4	22·6	20·3	1,113	151	—	—
1866–1870	2,462,541	1,266,546	1,195,995	22·4	23·7	21·2	21·2	22·6	20·0	1,130	157	—	—
1871–1875	2,572,749	1,330,063	1,242,686	22·0	23·3	20·7	20·9	22·4	19·5	1,149	153	—	—
1876–1880	2,605,562	1,349,353	1,256,209	20·8	22·1	19·5	19·8	21·3	18·4	1,158	145	—	—
1881–1885	2,585,164	1,330,461	1,254,703	19·4	20·5	18·3	18·7	20·1	17·5	1,151	139	—	—
1886–1890	2,659,606	1,367,855	1,291,751	18·9	20·0	17·8	18·5	20·0	17·2	1,163	145	—	—
1891–1895	2,785,391	1,427,164	1,358,227	18·7	19·8	17·7	18·5	20·0	17·2	1,161	151	—	—
1896–1900	2,789,984	1,438,062	1,351,922	17·7	18·8	16·6	17·6	19·1	16·2	1,178	156	—	—
1901–1905	2,671,566	1,379,931	1,291,635	16·0	17·1	15·0	16·0	17·4	14·6	1,192	138	—	—
1906–1910	2,577,208	1,326,425	1,250,783	14·7	15·6	13·8	14·4	15·8	13·2	1,196	117	113	224
1911–1915	† 2,598,719	1,344,171	1,254,548	14·3	15·4	13·2	13·7	15·2	12·4	1,226	110	105	210
1916–1920	† 2,589,333	1,340,340	1,248,993	14·4	16·5	12·8	13·4	15·2	11·9	1,284	90	85	179
1921–1925	2,336,270	1,189,865	1,146,405	12·2	13·0	11·4	10·9	12·1	9·9	1,223	76	73	140
1881	491,935	253,605	238,330	18·9	20·0	17·8	18·2	19·6	17·0	1,154	130	—	—
1882	516,654	265,767	250,887	19·6	20·7	18·5	18·8	20·2	17·6	1,145	141	—	—
1883	522,997	269,262	253,735	19·6	20·8	18·5	19·0	20·4	17·7	1,153	137	—	—
1884	530,828	273,522	257,306	19·7	20·8	18·5	19·0	20·4	17·7	1,152	147	—	—
1885	522,750	268,305	254,445	19·2	20·3	18·2	18·7	20·0	17·4	1,151	138	—	—
1886	537,276	275,874	261,402	19·5	20·6	18·5	19·0	20·4	17·7	1,155	149	—	—
1887	530,758	272,137	258,621	19·1	20·2	18·1	18·6	20·0	17·3	1,152	145	—	—
1888	510,971	263,294	247,677	18·1	19·2	17·0	17·7	19·2	16·4	1,168	136	—	—
1889	518,353	266,102	252,251	18·2	19·3	17·2	17·9	19·2	16·6	1,159	144	—	—
1890	562,248	290,448	271,800	19·5	20·8	18·3	19·3	21·0	17·8	1,181	151	—	—
1891	587,925	302,494	285,431	20·2	21·5	19·0	20·0	21·7	18·5	1,174	149	—	—
1892	559,684	286,062	273,622	19·0	20·0	18·0	18·8	20·2	17·5	1,158	148	—	—
1893	569,958	291,889	278,069	19·2	20·3	18·1	18·9	20·4	17·6	1,157	159	—	—
1894	498,827	256,015	242,812	16·6	17·6	15·6	16·4	17·7	15·2	1,165	137	—	—
1895	568,997	290,704	278,293	18·7	19·7	17·7	18·5	19·9	17·3	1,155	161	—	—

* The Standardized death-rates are those which would have been recorded if the sex and age onstitution of the population had been the same as in 1901. The rates for Males and Females are tandardized for differences of age constitution in each sex, and also between the two sexes.

† For the years 1915–20 the mortality rates are based upon civilians only, but, as in other years, ne numbers of deaths include those of non-civilians registered in England and Wales.

TABLE 1.—ENGLAND AND WALES.—DEATHS, DEATH-RATES AND INFANT MORTALITY, 1838–1925—*continued.*

Year.	Deaths.			Crude rates per 1,000 living.			Standardized rates per 1,000 living.*			Ratio of Standardized Male to Female Mortality, the latter taken as 1,000.*	Deaths of Infants under 1 year per 1,000 births.		
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.		Total.	Legitimate.	Illegitimate.
1896	526,727	270,575	256,152	17·1	18·1	16·1	16·9	18·3	15·7	1,163	148	—	—
1897	541,487	280,211	261,276	17·4	18·6	16·2	17·3	18·8	15·9	1,187	156	—	—
1898	552,141	283,981	268,160	17·5	18·6	16·5	17·4	18·9	16·1	1,172	160	—	—
1899	581,799	299,472	282,327	18·2	19·4	17·2	18·2	19·8	16·8	1,176	163	—	—
1900	587,830	303,823	284,007	18·2	19·5	17·1	18·2	19·9	16·7	1,189	154	—	—
1901	551,585	285,618	265,967	16·9	18·1	15·8	16·9	18·5	15·5	1,192	151	—	—
1902	535,538	277,216	258,322	16·3	17·4	15·2	16·2	17·7	14·8	1,195	133	—	—
1903	514,628	266,290	248,338	15·5	16·5	14·4	15·4	16·8	14·1	1,196	132	—	—
1904	549,784	283,206	266,578	16·3	17·4	15·3	16·2	17·6	14·9	1,185	145	—	—
1905	520,031	267,601	252,430	15·3	16·3	14·4	15·2	16·5	13·9	1,188	128	—	—
1906	531,281	274,233	257,048	15·5	16·5	14·5	15·3	16·8	14·0	1,195	132	127	261
1907	524,221	269,259	254,962	15·1	16·0	14·2	14·9	16·2	13·6	1,190	118	113	220
1908	520,456	268,714	251,742	14·8	15·8	13·9	14·5	16·0	13·3	1,204	120	116	233
1909	518,003	265,203	252,800	14·6	15·5	13·8	14·3	15·6	13·1	1,192	109	104	211
1910	483,247	249,016	234,231	13·5	14·4	12·7	13·2	14·5	12·0	1,205	105	102	195
1911	527,810	272,512	255,298	14·6	15·6	13·7	14·2	15·7	12·9	1,211	130	125	245
1912	486,939	250,232	236,707	13·4	14·2	12·6	12·9	14·2	11·7	1,212	95	91	181
1913	504,975	261,687	243,288	13·8	14·8	12·9	13·3	14·8	12·0	1,228	108	104	213
1914	516,742	267,359	249,383	14·0	14·9	13·1	13·5	14·9	12·2	1,225	105	100	207
1915†	562,253	292,381	269,872	15·7	17·7	14·0	14·6	16·4	13·0	1,267	110	105	203
1916†	508,217	265,030	243,187	14·3	16·6	12·5	13·1	15·1	11·4	1,315	91	87	183
1917†	498,922	262,215	236,707	14·2	17·1	12·1	13·1	15·3	11·1	1,373	96	90	201
1918†	611,861	314,704	297,157	17·3	20·1	15·2	16·8	19·4	14·5	1,335	97	91	186
1919†	504,203	258,089	246,114	14·0	15·7	12·6	13·0	14·7	11·6	1,269	89	84	173
1920†	466,130	240,302	225,828	12·4	13·5	11·5	11·9	13·2	10·6	1,243	80	76	156
1921	458,629	234,291	224,338	12·1	13·0	11·3	11·3	12·5	10·2	1,223	83	79	158
1922	486,780	247,221	239,559	12·8	13·6	12·0	11·6	12·9	10·6	1,215	77	74	139
1923	444,785	226,858	217,927	11·6	12·4	10·9	10·3	11·4	9·3	1,229	69	67	132
1924	473,235	240,620	232,615	12·2	12·9	11·5	10·7	11·8	9·7	1,222	75	73	133
1925	472,841	240,875	231,966	12·2	12·9	11·4	10·7	11·9	9·7	1,227	75	72	136

* The Standardized death-rates are those which would have been recorded if the sex and age constitution of the population had been the same as in 1901. The rates for Males and Females are standardized for differences of age constitution in each sex, and also between the two sexes.

† For the years 1915–20 the mortality rates are based upon civilians only, but, as in other years, the numbers of deaths include those of non-civilians registered in England and Wales.

TABLE 2.—ENGLAND AND WALES.—NUMBERS OF DEATHS AND ANNUAL DEATH-RATES IN EACH QUARTER IN GROUPS OF YEARS, 1838–1925, AND IN EACH YEAR 1916–1925.

Period.	Quarter ended.							
	March.	June.	Sept.	Dec.	March.	June.	Sept.	Dec.
	Deaths: Males.				Deaths: Females.			
1838–1925*	6,104,356	5,336,041	4,990,952	5,429,838	5,878,529	4,962,856	4,651,698	5,233,322
1841–50	522,415	471,969	452,208	462,533	507,070	454,122	440,756	458,323
1851–60	587,846	532,002	491,400	527,288	570,070	508,594	474,524	518,991
1861–70	677,517	597,458	578,694	605,820	645,889	559,376	547,594	582,150
1871–80	731,877	658,545	621,924	667,070	690,899	600,519	573,079	634,398
1881–90	744,679	661,355	618,271	674,011	714,871	610,420	575,831	645,332
1891–1900	790,553	697,093	682,542	695,038	771,792	640,661	629,133	668,563
1901–10	756,871	648,442	621,683	679,360	733,364	598,293	563,732	647,029
1911–20*	785,560	638,473	565,071	695,407	746,774	582,169	509,764	664,834
1916*	74,250	66,324	54,643	69,813	68,733	60,210	47,792	66,452
1917*	85,443	68,193	50,131	58,448	78,476	59,514	44,429	54,288
1918*	71,528	63,051	60,088	120,037	66,467	55,511	54,074	121,105
1919*	97,572	55,605	46,214	58,698	94,345	52,834	42,873	56,062
1920*	70,073	62,017	48,712	59,500	67,543	57,254	44,960	56,071
1921	65,716	55,782	51,405	61,388	63,557	52,687	47,691	60,403
1922	82,552	61,439	47,323	55,907	82,941	58,863	43,604	54,151
1923	63,362	58,237	47,239	58,020	61,349	55,807	44,011	56,760
1924	79,690	58,954	46,692	55,284	80,584	55,234	43,446	53,351
1925	69,409	58,545	49,285	63,636	68,890	54,673	45,769	62,634
	Deaths: Persons.				Death-Rates per 1,000 persons living.			
1838–1925*	11,982,885	10,298,897	9,642,650	10,663,160	21·6	18·6	17·3	19·0
1841–50	1,029,485	926,091	892,964	920,856	24·7	22·0	21·0	21·7
1851–60	1,157,916	1,040,596	965,924	1,046,279	24·7	22·1	20·3	21·9
1861–70	1,323,406	1,156,834	1,126,288	1,187,970	25·2	21·8	21·0	22·1
1871–80	1,422,776	1,259,064	1,195,003	1,301,468	23·7	20·9	19·6	21·3
1881–90	1,459,550	1,271,775	1,194,102	1,319,343	21·6	18·7	17·3	19·1
1891–1900	1,562,345	1,337,754	1,311,675	1,363,601	20·7	17·6	17·0	17·7
1901–10	1,490,235	1,246,735	1,185,415	1,326,389	17·7	14·6	13·8	15·4
1911–20*	1,532,334	1,220,642	1,074,835	1,360,241	17·2	13·6	11·8	15·0
1916*	142,983	126,534	102,435	136,265	16·3	14·4	11·3	15·3
1917*	163,919	127,707	94,560	112,736	19·0	14·6	10·7	12·8
1918*	137,995	118,562	114,162	241,142	16·1	13·5	12·8	26·6
1919*	191,917	108,439	89,087	114,760	21·3	12·1	9·9	12·8
1920*	137,616	119,271	93,672	115,571	14·7	12·8	10·0	12·3
1921	129,273	108,469	99,096	121,791	13·8	11·5	10·4	12·8
1922	165,493	120,302	90,927	110,058	17·6	12·6	9·5	11·4
1923	124,711	114,044	91,250	114,780	13·2	11·9	9·4	11·9
1924	160,274	114,188	90,138	108,635	16·6	11·8	9·2	11·1
1925	138,299	113,218	95,054	126,270	14·4	11·7	9·7	12·9

* *See* Note † to Table 1.

TABLE 3.—ENGLAND AND WALES.—ANNUAL STANDARDIZED DEATH-RATES, DEATH-RATES AT TWELVE GROUPS OF AGES, AND INFANT MORTALITY, 1838–1925*—MALES.

Period.	Deaths of Males per 1,000 living at subjoined Ages.													Deaths of Male Infants under 1 year of age per 1,000 Male Births.
	All Ages. (Standardized).†	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.	
1838–1925‡	19·0	58·9	5·6	3·2	4·5	6·2	7·5	10·9	17·0	31·6	66·4	143·9	294·9	151
1841–50	22·5	71·2	9·2	5·1	7·1	9·5	9·9	12·9	18·2	31·8	67·5	148·3	312·3	167
1851–60	22·1	72·4	8·5	4·9	6·7	8·8	9·6	12·5	18·0	30·9	65·3	146·7	308·2	168
1861–70	22·6	73·5	8·2	4·5	6·2	8·5	9·9	13·5	19·3	33·1	67·1	147·2	315·0	168
1871–80	21·8	68·4	6·7	3·7	5·3	7·4	9·3	13·8	20·1	34·9	69·7	150·8	327·4	163
1881–90	20·0	61·6	5·3	3·0	4·3	5·7	7·8	12·4	19·4	34·7	70·5	146·6	305·8	155
1891–1900	19·5	62·7	4·3	2·4	3·8	5·1	6·8	11·5	18·9	34·9	70·4	146·1	286·8	168
1901–10	16·6	50·0	3·5	2·1	3·1	4·2	5·6	9·2	16·2	31·8	64·8	137·7	279·2	140
1911–20‡	15·1	37·8	3·6	2·2	3·4	4·9	6·5	8·6	14·4	29·0	64·6	140·7	269·9	112
1841–45	21·6	68·7	8·8	4·8	6·8	9·0	9·4	12·2	17·2	30·3	65·5	143·7	305·1	162
1846–50	23·4	73·7	9·5	5·4	7·4	10·0	10·5	13·6	19·2	33·2	69·5	152·9	319·5	172
1851–55	22·7	73·9	8·8	5·2	7·0	9·2	10·0	12·9	18·6	31·6	66·7	150·9	310·9	172
1856–60	21·6	71·5	8·3	4·6	6·4	8·4	9·2	12·2	17·5	30·4	64·3	142·7	305·3	166
1861–65	22·6	74·1	8·5	4·7	6·4	8·6	9·8	13·2	18·9	32·8	66·4	145·9	316·6	166
1866–70	22·6	72·9	7·9	4·3	6·0	8·3	10·1	13·7	19·6	33·5	67·8	148·7	313·5	170
1871–75	22·4	69·9	7·1	4·0	5·7	8·1	10·0	14·3	20·3	34·8	70·1	149·6	323·3	167
1876–80	21·3	67·1	6·3	3·4	4·8	6·7	8·7	13·4	19·8	34·9	69·4	152·2	331·5	159
1881–85	20·1	61·3	5·8	3·2	4·5	6·0	8·2	12·8	19·3	34·2	68·8	145·4	297·9	152
1886–90	20·0	61·9	4·9	2·8	4·1	5·5	7·4	12·1	19·4	35·2	72·1	147·9	313·7	159
1891–95	20·0	62·9	4·5	2·6	4·0	5·2	7·1	11·9	19·5	35·8	72·5	149·2	290·8	165
1896–1900	19·1	62·4	4·1	2·3	3·6	4·9	6·5	11·1	18·4	34·1	68·3	143·1	282·8	170
1901–05	17·4	54·7	3·7	2·1	3·2	4·4	5·9	9·7	17·0	32·4	65·3	137·6	274·6	151
1906–10	15·8	45·4	3·3	2·0	3·0	4·0	5·3	8·6	15·5	31·2	64·4	137·7	283·0	129
1911–15‡	15·2	40·8	3·4	2·0	3·0	4·0	5·1	8·2	14·9	30·2	65·4	141·3	274·5	121
1916–20‡	15·2	34·3	3·8	2·4	3·9	6·6	8·6	9·0	14·0	27·9	64·0	140·1	265·6	101
1921–25	12·1	27·3	2·5	1·7	2·6	3·5	4·1	6·5	11·6	24·8	58·6	136·2	271·6	86
1885	20·0	60·6	5·1	2·9	4·3	5·8	8·0	12·6	19·3	34·4	71·3	151·5	316·2	151
1886	20·4	64·5	4·8	2·8	4·3	5·7	7·6	12·1	19·2	34·7	72·8	153·4	339·1	163
1887	20·0	62·5	5·1	2·9	4·2	5·4	7·3	11·9	18·7	35·0	72·1	149·4	310·1	158
1888	19·2	57·7	4·7	2·7	4·0	5·4	7·1	11·7	19·0	34·4	71·6	144·5	304·7	150
1889	19·2	61·8	4·7	2·6	3·9	5·1	7·0	11·3	18·3	33·4	68·5	138·9	298·6	157
1890	21·0	62·9	5·0	2·8	4·3	5·7	8·0	13·2	21·7	38·6	75·3	153·3	316·5	165
1891	21·7	64·6	4·7	2·6	4·2	5·6	7·9	13·4	22·4	41·0	81·3	167·9	327·1	164
1892	20·2	62·4	4·7	2·6	4·0	5·2	7·1	12·1	19·8	36·6	75·7	154·6	305·4	162
1893	20·4	65·6	5·0	2·8	4·3	5·4	7·3	12·5	19·9	35·6	71·4	142·5	272·8	173
1894	17·7	56·1	4·2	2·3	3·8	5·0	6·5	10·8	17·3	31·4	62·8	127·6	243·6	150
1895	19·9	66·0	4·1	2·5	3·8	5·0	6·6	11·0	18·5	34·9	71·3	154·1	306·1	176
1896	18·3	61·2	4·5	2·3	3·5	4·8	6·2	10·6	17·3	31·6	63·0	128·6	251·9	161
1897	18·8	62·5	3·9	2·4	3·6	4·8	6·4	10·8	17·7	32·9	65·8	141·7	272·1	170
1898	18·9	63·4	3·8	2·2	3·5	4·8	6·3	10·7	17·6	33·2	66·4	140·3	282·6	175
1899	19·8	63·4	4·1	2·3	3·6	5·0	6·7	11·6	19·2	35·5	72·0	150·3	302·1	177
1900	19·9	61·6	4·2	2·3	3·7	5·1	6·7	11·7	19·9	37·1	74·2	153·7	304·3	169
1901	18·5	59·0	4·0	2·3	3·5	4·7	6·2	10·6	18·0	33·5	67·8	139·8	276·5	166
1902	17·7	54·1	3·9	2·2	3·3	4·6	6·2	10·4	17·8	33·3	66·7	138·5	270·0	147
1903	16·8	52·5	3·5	2·0	3·0	4·2	5·8	9·4	16·6	31·6	63·3	132·8	260·3	145
1904	17·6	57·4	3·6	2·1	3·1	4·3	5·7	9·4	16·5	32·3	65·5	139·7	287·6	159
1905	16·5	50·3	3·4	2·1	3·1	4·2	5·6	9·0	16·1	31·5	63·3	137·2	278·2	141
1906	16·8	51·2	3·5	2·0	3·2	4·1	5·5	9·1	16·1	32·4	64·3	137·3	298·5	145
1907	16·2	46·8	3·4	2·0	3·0	4·0	5·5	9·0	16·1	32·3	65·2	138·8	291·7	130
1908	16·0	46·9	3·3	2·0	2·9	4·0	5·3	8·6	15·4	31·4	64·3	138·4	277·2	133
1909	15·6	42·8	3·4	2·0	3·0	3·9	5·2	8·5	15·6	31·1	66·4	142·5	289·9	120
1910	14·5	39·7	3·0	1·9	2·7	3·7	4·7	7·9	14·5	29·4	61·8	131·6	259·7	116
1911	15·7	46·7	3·5	2·1	3·1	3·8	5·0	8·1	14·9	29·6	63·2	140·5	268·0	142
1912	14·2	35·8	3·1	1·8	2·9	3·6	4·8	7·9	14·6	29·4	63·9	137·1	266·7	106
1913	14·8	40·3	3·2	1·9	2·8	3·6	4·8	7·9	14·7	29·9	64·2	138·0	258·1	120
1914	14·9	39·4	3·4	2·1	3·1	3·9	5·1	8·3	14·9	30·0	64·7	135·3	269·5	116
1915‡	16·4	42·0	3·9	2·3	3·3	5·8	6·5	8·9	15·4	31·9	70·7	155·2	309·3	123
1916‡	15·1	32·4	3·3	2·2	3·4	6·8	7·2	8·6	14·4	29·5	67·9	150·3	296·3	102
1917‡	15·3	31·8	3·3	2·2	3·6	7·9	8·5	9·1	14·1	29·2	67·5	149·4	286·5	108
1918‡	19·4	38·9	5·5	3·5	6·2	13·8	19·6	12·6	16·4	29·3	65·7	132·1	234·4	108
1919‡	14·7	32·8	3·5	2·3	3·6	5·5	8·1	8·6	13·3	27·2	63·5	145·5	277·6	100
1920‡	13·2	36·2	3·3	1·9	2·9	3·9	4·7	7·0	12·0	24·5	56·0	124·6	235·2	90
1921	12·5	32·3	2·8	1·8	2·8	3·6	4·2	6·5	11·4	24·4	55·8	128·7	262·8	93
1922	12·9	30·2	2·6	1·7	2·7	3·7	4·4	6·9	12·0	26·0	61·2	143·9	271·3	87
1923	11·4	24·3	2·3	1·6	2·6	3·4	4·0	6·3	11·2	24·1	56·0	130·2	262·0	78
1924	11·8	25·1	2·4	1·6	2·5	3·4	3·9	6·5	11·5	24·9	60·0	137·5	271·4	85
1925	11·9	25·3	2·5	1·7	2·6	3·3	3·9	6·3	11·6	24·5	59·6	140·2	290·0	84

* The age rates for intercensal years are based upon estimated populations.

† The death-rates in this column are standardized to the age constitution of the total population as enumerated in 1901, being thus standardized not only for differences of age constitution among males at the various dates, but also for differences in age constitution between the two sexes; *see* the Annua Report for 1911 (pages xxvii-xxxi) and the Annual Report for 1913 (p. xx).

‡ Including civilian mortality only in 1915-20.

TABLE 3 (*contd.*).—ENGLAND AND WALES.—ANNUAL STANDARDIZED DEATH-RATES, DEATH-RATES AT TWELVE GROUPS OF AGES, AND INFANT MORTALITY, 1838–1925.*—FEMALES.

Period.	Deaths of Females per 1,000 living at subjoined Ages.													Deaths of Female Infants under 1 year of age per 1,000 Female Births.
	All Ages. (Standardized.)†	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.	
1838–1925	16·4	50·1	5·5	3·3	4·7	5·6	6·9	9·2	13·4	25·5	55·9	126·1	265·6	123
1841–50	20·7	61·1	8·9	5·4	7·9	9·1	10·6	12·9	16·0	28·4	61·0	135·9	293·3	137
1851–60	20·3	62·7	8·4	5·1	7·4	8·5	9·9	12·1	15·2	27·0	58·7	134·5	288·9	139
1861–70	20·2	63·7	7·8	4·5	6·6	8·0	9·7	12·1	15·6	27·9	59·1	134·9	285·1	139
1871–80	19·0	58·3	6·2	3·7	5·5	6·8	8·6	11·6	15·6	28·7	61·0	135·4	296·4	134
1881–90	17·3	51·9	5·3	3·1	4·4	5·5	7·4	10·6	15·1	28·5	60·4	130·6	270·8	128
1891–1900	16·7	52·8	4·4	2·6	3·7	4·5	6·1	9·6	14·7	28·4	60·7	130·6	261·4	138
1901–10	13·9	41·9	3·6	2·2	2·9	3·5	4·7	7·5	12·5	24·8	53·9	119·8	250·3	114
1911–20	12·1	31·3	3·6	2·3	3·2	3·9	4·8	6·4	10·9	21·5	50·1	115·9	239·9	89
1841–45	19·8	58·6	8·6	5·2	7·7	8·6	9·9	12·1	15·1	27·2	59·1	131·8	288·6	133
1846–50	21·6	63·6	9·2	5·7	8·1	9·6	11·2	13·7	17·0	29·7	62·7	140·0	297·7	142
1851–55	20·7	63·8	8·5	5·3	7·8	8·9	10·3	12·6	15·8	27·8	59·7	137·2	292·1	141
1856–60	19·9	62·3	8·4	4·8	7·1	8·2	9·6	11·8	14·8	26·5	58·1	131·9	285·8	137
1861–65	20·3	64·2	8·3	4·8	6·9	8·2	9·8	12·1	15·5	27·9	59·1	133·8	287·9	136
1866–70	20·0	63·3	7·4	4·3	6·4	7·8	9·6	12·1	15·8	27·9	59·1	136·1	282·3	142
1871–75	19·5	60·0	6·6	4·0	5·9	7·4	9·2	12·0	15·9	28·7	61·3	135·3	293·9	138
1876–80	18·4	56·8	5·9	3·5	5·0	6·2	8·0	11·3	15·3	28·6	60·8	135·5	299·0	130
1881–85	17·5	51·9	5·7	3·3	4·7	5·9	7·9	10·9	15·2	28·1	59·1	129·0	265·5	125
1886–90	17·2	52·0	4·9	2·9	4·2	5·2	6·9	10·3	15·0	28·8	61·7	132·3	276·1	131
1891–95	17·2	52·8	4·6	2·7	4·0	4·8	6·6	10·1	15·2	29·5	63·0	134·3	264·0	135
1896–1900	16·2	52·7	4·2	2·4	3·4	4·1	5·6	9·1	14·3	27·4	58·5	127·0	258·7	141
1901–05	14·6	45·8	3·8	2·2	3·0	3·7	5·0	8·0	13·1	25·4	54·8	119·9	249·4	124
1906–10	13·2	38·0	3·4	2·1	2·8	3·3	4·5	7·1	12·0	24·3	53·1	119·6	250·9	105
1911–15	12·4	34·0	3·4	2·1	2·7	3·2	4·1	6·5	11·4	22·7	52·2	117·2	242·0	97
1916–20	11·9	28·4	3·8	2·6	3·7	4·5	5·5	6·4	10·4	20·4	48·1	114·7	237·9	79
1921–25	9·9	22·1	2·4	1·7	2·6	3·1	3·6	5·0	8·8	18·6	46·0	114·0	246·9	66
1885	17·4	51·0	5·1	3·1	4·5	5·7	7·7	10·8	15·2	28·7	62·0	133·2	282·8	124
1886	17·7	54·2	4·8	3·1	4·4	5·3	7·2	10·4	15·0	29·1	63·2	136·5	302·1	135
1887	17·3	52·7	5·1	3·0	4·2	5·4	7·0	10·3	15·2	28·8	62·2	131·6	272·1	131
1888	16·4	48·0	4·7	2·9	4·0	5·1	6·9	9·9	14·5	27·9	60·1	130·0	270·1	122
1889	16·6	51·9	4·7	2·8	3·9	4·9	6·5	9·8	14·3	27·4	58·7	126·5	260·3	129
1890	17·8	53·3	5·0	2·9	4·2	5·1	7·1	10·9	15·9	30·7	64·2	136·9	276·6	136
1891	18·5	53·7	4·7	2·9	4·3	5·2	7·1	11·1	17·1	33·4	70·6	148·1	300·7	133
1892	17·5	52·5	4·6	2·7	4·0	4·7	6·7	10·3	15·5	30·4	66·0	140·9	274·4	132
1893	17·6	55·2	5·1	3·0	4·3	5·1	7·0	10·7	15·2	29·2	62·4	128·7	250·0	143
1894	15·2	47·4	4·3	2·6	3·7	4·5	6·0	9·2	13·5	25·1	53·7	113·6	219·6	124
1895	17·3	55·2	4·2	2·6	3·7	4·5	6·1	9·5	14·8	29·6	62·6	140·9	276·2	144
1896	15·7	52·3	4·5	2·4	3·4	4·2	5·7	8·9	13·6	25·8	53·4	113·9	233·4	134
1897	15·9	52·4	4·0	2·4	3·4	4·1	5·6	8·9	13·7	26·2	55·7	121·2	252·6	141
1898	16·1	53·5	3·9	2·3	3·3	4·1	5·5	8·9	13·9	26·7	57·5	126·0	259·6	145
1899	16·8	53·6	4·2	2·4	3·3	4·1	5·7	9·4	15·0	28·7	62·3	136·3	273·2	148
1900	16·7	51·8	4·2	2·5	3·3	4·2	5·7	9·3	15·3	29·6	63·2	136·8	273·9	139
1901	15·5	49·5	4·1	2·4	3·2	3·8	5·3	8·7	13·8	26·5	56·5	122·6	247·1	136
1902	14·8	45·0	4·2	2·3	3·1	3·9	5·3	8·4	13·4	25·9	55·7	122·1	252·3	118
1903	14·1	43·7	3·6	2·1	2·9	3·5	4·9	7·9	12·8	24·4	52·9	114·7	233·9	118
1904	14·9	48·5	3·6	2·2	3·0	3·5	4·9	7·7	12·8	25·6	55·1	123·2	256·1	131
1905	13·9	42·1	3·5	2·2	2·9	3·6	4·8	7·5	12·5	24·8	53·8	117·2	256·7	115
1906	14·0	43·1	3·7	2·3	2·9	3·5	4·7	7·5	12·4	24·8	52·5	119·6	258·7	120
1907	13·6	39·1	3·5	2·1	2·9	3·4	4·6	7·4	12·4	25·3	55·1	122·6	259·4	104
1908	13·3	39·0	3·4	2·0	2·7	3·4	4·4	6·9	12·1	24·2	52·7	119·4	248·8	107
1909	13·1	35·7	3·5	2·1	2·8	3·3	4·4	6·9	12·1	24·8	55·5	124·2	256·2	97
1910	12·0	33·1	3·1	2·0	2·6	3·1	4·1	6·5	11·1	22·4	49·8	112·3	232·8	94
1911	12·9	39·5	3·4	2·1	2·7	3·3	4·2	6·6	11·4	22·8	50·9	115·1	229·4	117
1912	11·7	29·8	3·1	2·0	2·7	3·2	4·0	6·3	11·1	22·3	51·6	115·1	239·3	84
1913	12·0	33·3	3·2	2·0	2·6	3·2	4·0	6·4	11·3	22·3	50·7	111·4	230·9	96
1914	12·2	32·9	3·4	2·2	2·7	3·2	4·1	6·5	11·5	22·4	51·4	113·8	238·7	93
1915	13·0	34·4	3·8	2·3	3·0	3·4	4·2	6·5	11·7	23·6	56·2	129·8	269·9	96
1916	11·4	26·4	3·2	2·2	3·0	3·4	4·0	6·1	10·6	21·5	52·2	122·6	262·5	80
1917	11·1	26·3	3·2	2·2	3·2	3·4	3·9	5·8	10·1	20·7	49·2	118·9	246·8	85
1918	14·5	34·1	5·9	4·0	6·0	7·9	9·8	8·5	12·3	21·4	48·3	107·5	216·7	86
1919	11·6	26·4	3·6	2·3	3·4	4·3	5·4	6·1	10·1	20·5	48·8	120·4	251·7	78
1920	10·6	28·8	3·2	2·0	2·7	3·3	4·2	5·4	8·9	18·1	42·6	104·9	213·6	69
1921	10·2	25·8	2·7	1·8	2·7	3·2	3·7	5·2	8·8	18·2	43·6	108·9	232·3	72
1922	10·6	24·5	2·5	1·8	2·6	3·2	3·9	5·3	9·3	19·7	48·6	120·9	251·0	66
1923	9·3	19·6	2·2	1·6	2·5	3·0	3·4	4·8	8·5	18·2	44·1	108·5	231·9	60
1924	9·7	20·2	2·2	1·7	2·5	3·1	3·5	5·0	8·6	18·9	47·3	116·0	249·5	65
1925	9·7	20·7	2·4	1·7	2·5	3·1	3·4	4·8	8·6	18·1	46·2	115·8	269·1	66

* See Note * on first page of Table.

† The death-rates in this column are standardized to the age constitution of the total population as enumerated in 1901, being thus standardized not only for differences of age constitution among females at the various dates, but also for differences in age constitution between the two sexes.

TABLE 3 (*contd*).—ENGLAND AND WALES.—ANNUAL STANDARDIZED DEATH-RATES, DEATH-RATES AT TWELVE GROUPS OF AGES, AND INFANT MORTALITY, 1838–1925.*—PERSONS.

Period.	Deaths of Persons per 1,000 living at subjoined Ages.													Deaths of Infants under 1 year of age per 1,000 Births.
	All Ages (Standardized.)†	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.	
1838–1925‡	17·7	54·5	5·6	3·2	4·6	5·9	7·2	10·0	15·2	28·4	60·7	133·6	276·5	137
1841–50	21·6	66·0	9·0	5·3	7·5	9·3	10·2	12·9	17·0	29·9	63·6	141·5	301·0	153
1851–60	21·2	67·6	8·5	5·0	7·0	8·7	9·8	12·3	16·5	28·9	61·7	139·9	296·5	154
1861–70	21·3	68·6	8·0	4·5	6·4	8·2	9·8	12·7	17·4	30·4	62·8	140·4	296·6	154
1871–80	20·3	63·4	6·5	3·7	5·4	7·1	9·0	12·7	17·8	31·6	65·0	142·2	308·3	149
1881–90	18·6	56·8	5·3	3·0	4·4	5·6	7·6	11·5	17·1	31·4	65·0	137·6	284·0	142
1891–1900	18·1	57·7	4·3	2·5	3·7	4·7	6·4	10·5	16·8	31·5	65·0	137·2	270·8	153
1901–10	15·2	46·0	3·6	2·1	3·0	3·8	5·1	8·3	14·3	28·1	58·8	127·2	260·8	128
1911–20‡	13·5	34·6	3·6	2·3	3·3	4·3	5·5	7·4	12·6	25·0	56·5	125·7	250·2	100
1841–45	20·6	63·6	8·7	5·0	7·2	8·8	9·7	12·2	16·1	28·7	62·0	137·2	295·3	148
1846–50	22·4	68·7	9·4	5·6	7·7	9·8	10·9	13·6	18·1	31·4	65·9	145·7	306·5	157
1851–55	21·7	68·9	8·6	5·2	7·4	9·1	10·2	12·7	17·2	29·6	62·9	143·2	299·6	156
1856–60	20·7	66·9	8·3	4·7	6·7	8·3	9·4	12·0	16·1	28·4	61·0	136·7	293·4	152
1861–65	21·4	69·1	8·4	4·7	6·6	8·4	9·8	12·6	17·2	30·3	62·5	139·1	299·0	151
1866–70	21·2	68·1	7·6	4·3	6·2	8·0	9·9	12·9	17·6	30·6	63·2	141·7	294·3	157
1871–75	20·9	64·9	6·9	4·0	5·8	7·7	9·6	13·1	18·0	31·6	65·3	141·7	305·2	153
1876–80	19·8	61·9	6·1	3·5	4·9	6·5	8·3	12·3	17·5	31·6	64·7	142·9	311·5	145
1881–85	18·7	56·6	5·8	3·2	4·6	6·0	8·0	11·8	17·2	31·0	63·5	136·2	277·9	139
1886–90	18·5	56·9	4·9	2·8	4·1	5·3	7·2	11·1	17·1	31·8	66·4	139·0	290·1	145
1891–95	18·5	57·8	4·6	2·7	4·0	5·0	6·8	11·0	17·3	32·5	67·3	140·7	273·9	151
1896–1900	17·6	57·6	4·1	2·4	3·5	4·5	6·0	10·1	16·2	30·5	62·9	133·8	267·7	156
1901–05	16·0	50·2	3·7	2·2	3·1	4·0	5·4	8·9	14·9	28·7	59·4	127·3	258·6	138
1906–10	14·4	41·7	3·4	2·0	2·9	3·6	4·8	7·8	13·7	27·5	58·1	127·0	262·4	117
1911–15‡	13·7	37·4	3·4	2·1	2·9	3·6	4·6	7·3	13·1	26·2	58·0	126·7	253·3	110
1916–20‡	13·4	31·4	3·8	2·5	3·8	5·1	6·5	7·5	12·1	23·9	55·1	124·8	247·3	90
1921–25	10·9	24·7	2·5	1·7	2·6	3·3	3·8	5·7	10·1	21·5	51·6	122·7	255·0	76
1885	18·7	55·8	5·1	3·0	4·4	5·8	7·8	11·6	17·2	31·4	66·2	141·1	295·4	138
1886	19·0	59·3	4·8	2·9	4·4	5·5	7·4	11·2	17·0	31·8	67·5	143·8	316·0	149
1887	18·6	57·6	5·1	2·9	4·2	5·4	7·2	11·1	16·9	31·7	66·6	139·3	286·4	145
1888	17·7	52·9	4·7	2·8	4·0	5·3	7·0	10·8	16·7	30·9	65·3	136·2	283·1	136
1889	17·9	56·8	4·7	2·7	3·9	5·0	6·7	10·5	16·2	30·2	63·1	131·8	274·6	144
1890	19·3	58·1	5·0	2·9	4·2	5·4	7·5	12·0	18·7	34·4	69·2	143·9	291·4	151
1891	20·0	59·1	4·7	2·7	4·2	5·4	7·4	12·2	19·6	36·9	75·4	156·6	310·5	149
1892	18·8	57·4	4·6	2·6	4·0	4·9	6·9	11·2	17·5	33·3	70·4	146·8	285·9	148
1893	18·9	60·4	5·1	2·9	4·3	5·3	7·2	11·5	17·5	32·2	66·5	134·6	258·5	159
1894	16·4	51·7	4·3	2·5	3·7	4·7	6·3	9·9	15·4	28·0	57·8	119·6	228·5	137
1895	18·5	60·6	4·1	2·5	3·7	4·7	6·3	10·2	16·6	32·1	66·5	146·5	287·3	161
1896	16·9	56·7	4·5	2·4	3·5	4·4	5·9	9·7	15·4	28·5	57·7	120·1	240·3	148
1897	17·3	57·4	4·0	2·4	3·5	4·5	6·0	9·8	15·6	29·3	60·2	129·9	259·8	156
1898	17·4	58·5	3·8	2·2	3·4	4·4	5·9	9·8	15·7	29·7	61·5	132·1	268·1	160
1899	18·2	58·5	4·1	2·4	3·5	4·5	6·1	10·5	17·0	31·9	66·6	142·2	283·9	163
1900	18·2	56·7	4·2	2·4	3·5	4·6	6·2	10·5	17·5	33·1	68·1	143·9	285·2	154
1901	16·9	54·2	4·1	2·3	3·3	4·2	5·8	9·6	15·9	29·8	61·5	129·8	258·0	151
1902	16·2	49·6	4·1	2·3	3·2	4·2	5·7	9·3	15·5	29·4	60·6	129·0	258·8	133
1903	15·4	48·1	3·5	2·1	3·0	3·8	5·4	8·6	14·6	27·7	57·5	122·2	243·6	132
1904	16·2	53·0	3·6	2·1	3·1	3·9	5·3	8·5	14·6	28·7	59·7	130·1	267·6	145
1905	15·2	46·2	3·5	2·1	3·0	3·9	5·2	8·3	14·2	28·0	58·0	125·5	264·5	128
1906	15·3	47·2	3·6	2·1	3·0	3·8	5·1	8·2	14·2	28·2	57·7	126·9	273·1	132
1907	14·9	42·9	3·5	2·1	2·9	3·7	5·0	8·2	14·2	28·6	59·6	129·3	271·0	118
1908	14·5	43·0	3·4	2·0	2·8	3·7	4·9	7·8	13·7	27·6	57·8	127·2	259·0	120
1909	14·3	39·2	3·4	2·1	2·9	3·6	4·8	7·7	13·8	27·8	60·4	131·7	268·3	109
1910	13·2	36·4	3·0	1·9	2·7	3·4	4·4	7·2	12·7	25·7	55·2	120·1	242·4	105
1911	14·2	43·1	3·4	2·1	2·9	3·5	4·6	7·3	13·1	26·0	56·4	125·1	243·0	130
1912	12·9	32·8	3·1	1·9	2·8	3·4	4·4	7·1	12·8	25·6	57·0	123·9	248·9	95
1913	13·3	36·8	3·2	2·0	2·7	3·3	4·3	7·1	12·9	25·9	56·7	122·0	240·5	108
1914	13·5	36·2	3·4	2·1	2·9	3·5	4·6	7·3	13·2	26·0	57·3	122·3	249·4	105
1915‡	14·6	38·2	3·8	2·3	3·1	4·3	5·1	7·6	13·5	27·5	62·6	139·8	283·4	110
1916‡	13·1	29·4	3·2	2·2	3·2	4·3	5·1	7·2	12·4	25·3	59·2	133·6	274·1	91
1917‡	13·1	29·1	3·2	2·2	3·4	4·5	5·3	7·2	12·0	24·7	57·3	131·0	260·2	96
1918‡	16·8	36·5	5·7	3·7	6·1	9·3	12·4	10·1	14·2	25·1	55·9	117·3	222·7	97
1919‡	13·0	29·6	3·5	2·3	3·5	4·7	6·4	7·2	11·6	23·7	55·2	130·4	260·5	89
1920‡	11·9	32·5	3·3	2·0	2·8	3·6	4·4	6·1	10·4	21·1	48·5	112·6	220·8	80
1921	11·3	29·1	2·8	1·8	2·8	3·4	3·9	5·8	10·0	21·1	49·0	116·7	242·3	83
1922	11·6	27·4	2·6	1·8	2·6	3·5	4·1	6·1	10·6	22·7	54·2	129·9	257·7	77
1923	10·3	22·0	2·3	1·6	2·5	3·2	3·7	5·5	9·8	21·0	49·4	117·0	241·8	69
1924	10·7	22·6	2·3	1·7	2·5	3·3	3·7	5·7	10·0	21·7	53·0	124·5	256·8	75
1925	10·7	23·0	2·5	1·7	2·6	3·2	3·6	5·5	10·0	21·1	52·2	125·4	276·0	75

* See note * on first page of Table.

† The death rates in this column are standardized to the sex and age constitution of the population enumerated in 1901.

‡ Including civilian mortality only in 1915-20.

TABLE 4.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES, 1915–1925.—MALES AND FEMALES.

List of Causes as in use for 1921. *For Table of Changes in the List of Causes of Death in* 1921, *see Appendix to Statistical Review,* 1921 (*Part I*).

International List No.	Causes of Death.		1915.	1916.	1917.	1918.	1919.	1920.	1921.	1922.	1923.	1924.	1925.
	ALL CAUSES	M.	292381	265030	262215	314704	258089	240302	234291	247221	226858	240620	240875
		F.	269872	243137	236707	297157	246114	225828	224338	239559	217927	232615	231966
1–42	**I.—Epidemic, Endemic and Infectious Diseases**	M.	57216	47222	48880	101344	57283	41319	36875	44970	35656	40670	39148
		F.	49121	40769	42315	101359	52064	36828	33622	41606	31381	37117	34754
1	Enteric fever	M.	822	633	511	458	317	291	312	245	227	244	188
		F.	566	489	466	492	260	246	301	220	223	252	200
	(*a*) Typhoid fever	M.	?	?	?	?	?	?	304	230	211	232	174
		F.	?	?	?	?	?	?	291	214	208	229	173
	(*b*) Paratyphoid fever	M.	?	?	?	?	?	?	8	15	16	12	14
		F.	?	?	?	?	?	?	10	6	15	23	27
2	Typhus	M.	5	4	1	2	1	—	—	3	1	1	—
		F.	4	—	—	1	—	—	—	1	—	4	—
3	Relapsing fever (Spirillum obermeieri)	M.	1	1	—	—	1	1	—	1	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—
4	Mediterranean fever	M.	—	1	1	1	1	1	1	1	—	2	—
		F.	—	—	—	—	1	—	1	—	1	—	—
5	Malaria	M.	55	59	122	188	264	240	139	113	76	91	62
		F.	10	3	4	9	4	10	4	10	5	6	4
6	Small-pox	M.	7	11	3	1	18	12	5	21	5	5	3
		F.	6	7	—	1	10	18	—	6	2	8	6
7	Measles	M.	8583	2881	5564	5147	1816	3760	1188	2988	2881	2564	2853
		F.	7862	2532	4974	4640	1718	3430	1053	2706	2435	2270	2484
8	Scarlet fever	M.	1226	696	398	507	566	695	631	654	503	417	478
		F.	1180	685	370	513	655	735	674	728	490	471	510
9	Whooping cough	M.	3694	2681	1908	4391	1145	1969	2046	2864	1909	1864	2770
		F.	4449	3394	2601	5507	1460	2432	2530	3506	2253	2119	3288
10	Diphtheria	M.	2857	2621	2193	2322	2350	2699	2298	2048	1317	1212	1348
		F.	3008	2745	2284	2481	2538	2949	2474	2027	1405	1289	1426
11	Influenza	M.	5228	4283	3726	53883	23198	5635	4511	10353	4305	9142	6308
		F.	5256	4508	3563	58446	21603	5030	4484	11145	4156	9844	6413
	(*a*) 1. With pneumonic complications	M	?	?	?	?	?	?	2096	5198	2021	4498	2831
		F.	?	?	?	?	?	?	1757	5107	1561	4047	2341
	(*a*) 2. With other pulmonary complications	M.	?	?	?	?	?	?	776	2261	755	1911	1302
		F.	?	?	?	?	?	?	916	2584	907	2555	1571
	(*b*) 1. With non-pulmonary complications	M.	?	?	?	?	?	?	964	1578	952	1586	1271
		F.	?	?	?	?	?	?	1008	1817	963	1758	1417
	(*b*) 2. Without stated complication	M.	?	?	?	?	?	?	675	1316	577	1147	904
		F.	?	?	?	?	?	?	803	1637	725	1484	1084
12	Miliary fever	M.	—	—	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—
13	Mumps	M.	16	27	22	25	17	16	11	8	12	7	18
		F.	13	15	16	16	19	11	19	6	7	7	10
14	Asiatic cholera	M.	—	—	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—
15	Cholera nostras	M.	11	5	8	8	2	5	6	1	—	1	2
		F.	10	3	4	3	—	3	4	—	—	—	—
16	Dysentery	M.	338	319	527	485	272	155	127	100	91	69	73
		F.	274	229	370	353	163	99	134	116	58	61	62
	(*a*) Amœbic	M.	?	?	?	?	?	?	10	8	8	8	9
		F.	?	?	?	?	?	?	1	2	5	—	2
	(*b*) Bacillary	M.	?	?	?	?	?	?	9	9	7	4	6
		F.	?	?	?	?	?	?	8	12	5	9	7
	(*c*) Other or unspecified	M.	?	?	?	?	?	?	108	83	76	57	58
		F.	?	?	?	?	?	?	125	102	48	52	53

TABLE 4.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES, 1915–1925.—MALES AND FEMALES—*cont.*

List of Causes as in use for 1921. *For Table of Changes in the List of Causes of Death in* 1921, *see Appendix to Statistical Review,* 1921 (*Part I*).

International List No.	Causes of Death.		1915.	1916.	1917.	1918.	1919.	1920.	1921.	1922.	1923.	1924.	1925.
17	Plague	M.	—	4	4	2	5	2	—	—	—	—	—
		F.	—	1	—	2	—	1	—	—	—	—	—
	(*a*) Bubonic	M.	—	4	3	2	4	1	—	—	—	—	—
		F.	—	—	—	—	—	1	—	—	—	—	—
	(*b*) Pneumonic	M.	—	—	—	—	—	1	—	—	—	—	—
		F.	—	—	—	2	—	—	—	—	—	—	—
	(*c*) Septicæmic	M.	—	—	—	—	1	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—
	(*d*) Not otherwise defined	M.	—	—	1	—	—	—	—	—	—	—	—
		F.	—	1	—	—	—	—	—	—	—	—	—
18	Yellow fever	M.	—	—	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	1	—	—	—	—	—	—
19	Spirochætosis ictero-hæmorrhagica	M.	?	?	?	?	?	?	—	1	—	1	5
		F.	?	?	?	?	?	?	—	1	1	—	1
20	Leprosy	M.	1	5	—	5	3	3	1	—	2	2	2
		F.	—	—	—	—	—	—	—	—	—	—	—
21	Erysipelas	M.	590	404	303	326	362	416	367	379	306	353	449
		F.	487	341	285	283	298	422	362	324	316	323	401
22	Acute poliomyelitis ..	M.	84	98	90	116	99	78	90	60	60	88	85
		F.	88	92	78	121	84	56	79	76	59	69	71
	(1) Poliomyelitis	M.	?	?	?	?	?	?	69	45	36	62	65
		F.	?	?	?	?	?	?	60	64	43	60	51
	(2) Polioencephalitis ..	M.	?	?	?	?	?	?	21	15	24	26	20
		F.	?	?	?	?	?	?	19	12	16	9	20
23	Encephalitis lethargica ..	M.	—	—	—	5	138	239	351	160	276	732	666
		F.	—	—	—	11	156	241	378	179	255	675	706
24	Meningococcal meningitis ..	M.	1475	926	1159	633	433	300	232	202	144	174	202
		F.	728	442	492	293	261	233	184	158	140	127	152
25	Other epidemic diseases ..	M.	71	84	122	87	55	66	53	35	47	42	83
		F.	103	64	80	56	38	43	34	25	28	35	58
	(1) German measles ..	M.	32	49	68	44	16	12	9	7	7	5	24
		F.	48	33	47	25	13	13	6	8	10	7	18
	(2) Varicella	M.	39	34	36	24	30	41	32	24	36	34	50
		F.	53	31	33	30	25	30	25	16	16	25	33
	(3) Other diseases included under 25	M.	—	1	18	19	9	13	12	4	4	3	9
		F.	2	—	—	1	—	—	3	1	2	3	7
26	Glanders	M.	—	3	—	—	—	—	1	—	—	—	—
		F.	—	—	—	—	—	—	1	—	—	—	—
27	Anthrax	M.	23	24	20	10	16	12	10	9	13	9	10
		F.	1	4	2	2	3	2	1	—	—	1	1
28	Rabies	M.	—	—	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—
29	Tetanus	M.	127	133	147	126	121	116	114	111	127	110	120
		F.	29	33	32	30	34	33	51	31	47	25	39
30	Mycoses	M.	91	78	70	62	65	69	59	71	77	73	59
		F.	59	43	48	34	29	51	40	39	51	43	43
	(1) Actinomycosis ..	M.	23	20	19	17	21	25	21	28	33	31	21
		F.	3	9	8	7	8	11	10	14	15	16	15
	(2) Other mycoses ..	M.	68	58	51	45	44	44	38	43	44	42	38
		F.	56	34	40	27	21	40	30	25	36	27	28

TABLE 4.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES, 1915–1925.—MALES AND FEMALES—*cont.*

List of Causes as in use for 1921. *For Table of Changes in the List of Causes of Death in* 1921, *see Appendix to Statistical Review,* 1921 (*Part I*).

Inter-national List No.	Causes of Death.		1915.	1916.	1917.	1918.	1919.	1920.	1921.	1922.	1923.	1924.	1925.
1–37	Tuberculosis (all forms) ..	M.	30345	29726	30359	31027	24550	22918	22899	23316	22085	22350	22234
		F.	23950	24132	25575	27046	21762	19627	19779	19461	18703	18753	18153
31	Respiratory system ..	M.	23167	22850	23276	24371	19248	17872	18121	18656	17571	17970	17995
		F.	17636	17919	19059	20967	16736	14919	15384	15263	14526	14720	14387
32	Nervous system	M.	2788	2590	2557	2283	1887	1885	1781	1780	1677	1606	1608
		F.	2541	2390	2439	2096	1809	1700	1584	1563	1579	1489	1427
33	Intestines and peritoneum	M.	1898	1722	1797	1642	1154	1031	1064	931	951	917	847
		F.	1717	1770	1740	1598	1256	1161	1083	955	1001	936	851
34	Vertebral column	M.	331	386	414	451	370	396	349	377	332	317	305
		F.	282	277	315	401	293	280	318	307	271	295	233
35	Joints	M.	206	235	258	273	223	208	160	185	156	185	154
		F.	150	139	146	178	153	138	135	129	118	109	98
36	Other organs	M.	340	388	390	366	348	336	303	295	305	287	279
		F.	309	322	379	362	368	283	313	280	259	292	255
	(*a*) Skin and subcutaneous tissue	M.	?	?	?	?	?	?	36	33	25	36	20
		F.	?	?	?	?	?	?	52	40	48	67	38
	(*b*) Bones (vertebral column excepted) ..	M.	?	?	?	?	?	?	70	47	58	45	46
		F.	?	?	?	?	?	?	52	49	40	42	47
	(*c*) Lymphatic system (abdominal glands excepted)	M.	?	?	?	?	?	?	60	61	47	46	49
		F.	?	?	?	?	?	?	72	68	60	53	44
	(*d*) Genito-urinary system	M.	?	?	?	?	?	?	126	141	158	138	156
		F.	?	?	?	?	?	?	113	109	102	114	118
	(*e*) Others in 36	M.	?	?	?	?	?	?	11	13	17	22	8
		F.	?	?	?	?	?	?	24	14	9	16	8
37	Disseminated tuberculosis	M.	1615	1555	1667	1641	1320	1190	1121	1092	1093	1068	1046
		F.	1315	1315	1497	1444	1147	1146	962	964	949	912	902
	(*a*) Acute	M.	463	388	394	385	333	312	234	284	393	416	344
		F.	410	388	384	354	345	366	230	277	404	388	355
	(*b*) Chronic or unstated ..	M.	1152	1167	1273	1256	987	878	887	808	700	652	702
		F.	905	927	1113	1090	802	780	732	687	545	524	547
38	Syphilis	M.	1090	1154	1252	1171	1102	1154	1038	848	857	781	726
		F.	795	792	875	823	755	869	761	624	532	515	459
39	Soft chancre	M.	1	—	1	1	—	1	—	1	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—
40	Gonococcal infection ..	M.	40	35	54	47	55	41	31	25	21	31	30
		F.	20	26	31	24	34	38	40	17	21	17	13
	(1) Gonococcal infection (ophthalmia excepted)	M.	15	17	20	22	19	19	13	9	15	18	23
		F.	9	15	15	17	20	14	18	8	11	11	5
	(2) Gonorrhœal or purulent ophthalmia ..	M.	25	18	34	25	36	22	18	16	6	13	7
		F.	11	11	16	7	14	24	22	9	10	6	8
41	Purulent infection, septicæmia	M.	431	324	310	305	311	421	353	350	311	304	371
		F.	222	189	164	172	177	244	232	198	188	203	253
42	Other infectious diseases ..	M.	4	2	5	3	—	4	1	2	3	1	3
		F.	1	—	1	—	1	5	2	2	5	—	1
	(1) Vaccinia	M.	4	2	5	3	—	4	1	2	3	1	2
		F.	1	—	1	—	1	5	2	2	5	—	1
	(2) Other diseases included under 42	M.	—	—	—	—	—	—	—	—	—	—	1
		F.	—	—	—	—	—	—	—	—	—	—	—

TABLE 4.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES, 1915–1925.—MALES AND FEMALES—*cont.*

List of Causes as in use for 1921. *For Table of Changes in the List of Causes of Death in* 1921, *see Appendix to Statistical Review,* 1921 (*Part I.*)

International List No.	Causes of Death.		1915.	1916.	1917.	1918.	1919.	1920.	1921.	1922.	1923.	1924.	1925.
43–69	**II.—General Diseases not included in I. 1-42*†**	M.	**25098**	**25123**	**24613**	**24086**	**24743**	**26060**	**27216**	**28236**	**28664**	**29799**	**30681**
		F.	**31082**	**31330**	**30621**	**30267**	**30870**	**31911**	**33850**	**34546**	**35270**	**36075**	**37513**
43–49	Cancer, Malignant disease..	M.	17421	17787	18145	18078	18723	19659	20649	21266	22065	23099	24002
		F.	22426	22843	23013	23149	23421	24028	25373	25637	26603	27290	27937
43	Buccal cavity	M.	2110	2216	2293	2357	2387	2449	2482	2415	2548	2507	2649
		F.	353	370	402	377	378	369	358	361	414	423	428
44	Pharynx, œsophagus, stomach, liver and annexa	M.	6914	7057	7075	6938	7259	7477	7926	8179	8335	8552	9003
		F.	6537	6579	6347	6378	6289	6576	6818	7007	7070	7153	7428
45	Peritoneum, intestines and rectum	M.	3815	3892	4029	3914	4178	4439	4683	4790	5010	5437	5544
		F.	4201	4370	4411	4649	4617	4780	5059	4964	5338	5528	5601
46	Female genital organs ..	F.	4767	4839	5033	4997	5000	5005	5436	5354	5572	5626	5705
47	Breast	M.	34	28	39	37	28	35	33	42	34	38	39
		F.	3920	4131	4185	4082	4309	4488	4684	4826	4996	5153	5372
48	Skin	M.	611	644	640	647	714	702	719	727	756	824	787
		F.	392	365	392	392	416	385	401	439	427	460	432
49	Other or unspecified organs	M.	3937	3950	4069	4185	4157	4557	4806	5113	5382	5741	5980
		F.	2256	2189	2243	2274	2412	2425	2617	2686	2786	2947	2971
50	Tumours not returned as malignant (brain and female genital organs excepted)	M.	294	307	286	313	313	324	357	361	397	401	383
		F.	263	273	234	233	247	287	302	296	325	335	356
51	Rheumatic fever	M.	1030	878	673	723	686	975	868	821	770	757	833
		F.	1121	1009	783	797	825	1149	947	956	857	906	1052
52	Chronic rheumatism, osteo-arthritis, gout*	M.	913	863	873	766	804	727	749	899	829	895	845
		F.	1420	1466	1340	1438	1409	1379	1526	1590	1595	1580	1718
	(1) Chronic rheumatism, chronic arthritis* ..	M.	186	208	217	185	189	165	185	199	179	190	154
		F.	294	325	258	266	248	241	273	251	233	221	207
	(2) Rheumatoid and osteo-arthritis	M.	421	374	408	382	417	386	406	509	502	546	523
		F.	1034	1081	1030	1129	1130	1113	1219	1302	1331	1329	1478
	(3) Gout	M.	306	281	248	199	198	176	158	191	148	159	168
		F.	92	60	52	43	31	25	34	37	31	30	33
53	Scurvy	M.	13	22	21	16	12	16	30	13	11	19	16
		F.	20	17	16	29	8	15	23	13	11	14	5
54	Pellagra	M.	3	3	—	—	—	—	—	2	4	2	—
		F.	13	7	9	1	—	2	4	12	9	7	9
55	Beri-beri	M.	4	4	7	4	8	4	3	2	1	1	3
		F.	—	—	—	—	—	—	—	—	—	—	—
56	Rickets	M.	524	508	483	387	279	313	278	240	280	301	281
		F.	335	389	386	341	198	199	214	179	193	187	197
57	Diabetes	M.	2335	2316	1929	1790	1897	1762	1901	2106	1927	1896	1814
		F.	2324	2228	1887	1778	1960	1987	2191	2439	2439	2358	2543
58	Anæmia, chlorosis	M.	1122	1083	1065	978	986	1097	1124	1243	1110	1161	1207
		F.	1459	1454	1457	1181	1385	1400	1656	1692	1556	1642	1693
	(*a*) Pernicious anæmia ..	M.	?	?	?	?	?	986	997	1109	998	1036	1078
		F.	?	?	?	?	?	1231	1460	1485	1366	1486	1507
	(*b*) Other anæmias and chlorosis	M.	?	?	?	?	?	111	127	134	112	125	129
		F.	?	?	?	?	?	169	196	207	190	156	186
59	Diseases of the pituitary gland‡	M.	?	?	?	?	?	?	4	5	9	8	9
		F.	?	?	?	?	?	?	1	17	6	5	8

* Previous to 1921 deaths from Chronic arthritis were included under the heading Diseases of the joints (156).

† Previous to 1924 deaths from Tetany (61 : 1) were chiefly included under the heading Other diseases of the nervous system (84 : 5).

‡ Previous to 1921 deaths from Diseases of the pituitary gland were included under the heading Other general diseases (69).

TABLE 4.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES, 1915–1925.—MALES AND FEMALES—*cont.*

List of Causes as in use for 1921. *For Table of Changes in the List of Causes of Death in* 1921, *see Appendix to Statistical Review,* 1921 (*Part I*).

International List No.	Causes of Death.		1915.	1916.	1917.	1918.	1919.	1920.	1921.	1922.	1923.	1924.	1925.
60	Diseases of the thyroid gland†	M.	113	110	102	125	120	88	118	126	134	116	134
		F.	669	670	632	598	717	665	822	877	834	883	1012
	(*a*) Exophthalmic goitre ..	M.	32	47	40	46	56	46	54	63	56	46	64
		F.	400	399	395	357	473	464	533	591	569	574	680
	(*b*) 2. Cretinism	M.	21	21	25	30	31	21	27	23	26	20	25
		F.	32	49	43	38	23	25	34	36	27	31	44
	(*b*) 1. Myxœdema ..	M.							15	18	19	20	21
		F.	60	42	37	49	33	21	130	147	138	169	174
	(*b*) 3. Other diseases of the thyroid gland†	M.							22	22	33	30	24
		F.	237	222	194	203	221	176	125	103	100	109	114
61	Diseases of the parathyroid glands*†	M.	?	?	?	?	?	?	—	2	1	21	22
		F.	?	?	?	?	?	?	—	—	1	20	24
	(1) Tetany*	M.	?	?	?	?	?	?	?	?	?	21	21
		F.	?	?	?	?	?	?	?	?	?	20	24
	(2) Other diseases of the parathyroid glands†	M.	?	?	?	?	?	?	—	2	1	—	1
		F.	?	?	?	?	?	?	—	—	1	—	—
62	Diseases of the thymus ..	M.	120	116	69	73	68	85	106	106	106	95	102
		F.	79	82	77	59	42	58	69	70	52	61	67
63	Diseases of the adrenals ..	M.	102	100	102	95	66	93	88	90	101	97	104
		F.	138	132	129	118	108	133	127	131	126	122	149
64	Diseases of the spleen ..	M.	23	32	14	16	18	17	23	20	17	11	10
		F.	21	21	22	23	22	20	12	13	15	16	18
65	Leukæmia, lymphadenoma	M.	414	425	373	397	389	448	488	521	494	544	541
		F.	310	319	290	283	300	320	311	334	383	387	423
	(*a*) Leukæmia	M.	226	225	211	209	198	237	248	269	270	276	296
		F.	207	217	193	176	191	195	198	206	236	235	273
	(*b*) Lymphadenoma (Hodgkin's disease) ..	M.	188	200	162	188	191	211	240	252	224	268	245
		F.	103	102	97	107	109	125	113	128	147	152	150
66	Alcoholism (acute or chronic)	M.	293	237	124	61	88	166	127	117	104	94	95
		F.	204	119	84	20	27	50	55	47	47	33	55
67	Chronic poisoning by mineral substances	M.	?	?	?	?	?	?	57	50	55	49	31
		F.	?	?	?	?	?	?	2	6	6	2	4
	(1) Occupational lead poisoning	M.	68	54	49	35	48	56	56	43	51	47	28
		F.	—	1	2	1	—	5	2	5	4	2	3
	(2) Other chronic poisoning by mineral substances.	M.							1	7	4	2	3
		F.	18	38	19	8	10	4	—	1	2	—	1
68	Chronic poisoning by organic substances	M.	14	45	44	11	9	4	3	8	1	9	3
		F.							2	6	5	4	3
69	Other general diseases‡ ..	M.	288	240	279	221	228	226	243	232	248	223	246
		F.	266	255	216	207	192	210	213	231	207	223	240
	(1) Purpura	M.	156	138	169	135	120	111	123	137	110	114	129
		F.	186	170	151	143	120	139	128	143	135	128	140
	(2) Hæmophilia	M.	77	62	65	40	54	70	63	66	81	70	73
		F.	35	37	31	26	31	21	37	33	29	36	36
	(3) Other diseases included under 69‡	M.	55	40	45	46	54	45	57	29	57	39	44
		F.	45	48	34	38	41	50	48	55	43	59	64

* Previous to 1924 deaths from Tetany (61 : 1) were chiefly included under Other diseases of the Nervous system (84 : 5).
† Previous to 1921 deaths from Other diseases of the parathyroid glands (61 : 2) were included under Diseases of the thyroid land (60)
‡ Previous to 1921 deaths from Diseases of the pituitary gland (59) were included under this heading.

TABLE 4.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES, 1915–1925.—MALES AND FEMALES—*cont.*

List of Causes as in use for 1921. *For Table of Changes in the List of Causes of Death in* 1921, *see Appendix to Statistical Review,* 1921 (*Part I*).

International List No.	Causes of Death.		1915.	1916.	1917.	1918.	1919.	1920.	1921.	1922.	1923.	1924.	1925.
70–86	**III.—Diseases of the Nervous System and Sense Organs†**	M.	29944	28480	28550	26119	24887	24136	23685	24131	23195	23212	2311
		F.	29417	27358	27089	25615	25229	24642	24472	24969	24444	24066	2381
70	Encephalitis	M.	169	183	161	202	196	226	178	179	176	149	19
		F.	133	119	112	148	173	155	130	132	130	120	11
	(1) Cerebral abscess ..	M.	?	?	?	?	?	116	115	127	113	111	12
		F.	?	?	?	?	?	70	74	69	74	63	7
	(2) Other diseases included under 70	M.	?	?	?	?	?	110	63	52	63	38	7
		F.	?	?	?	?	?	85	56	63	56	57	4
71	Meningitis	M.	2113	1735	1693	1580	1421	1304	1306	1211	1097	1069	101
		F.	1799	1553	1417	1387	1155	1098	1129	1001	971	856	79
72	Tabes dorsalis (locomotor ataxy)	M.	625	685	641	582	581	522	576	665	597	627	60
		F.	110	101	116	103	82	87	116	136	131	118	12
73	Other diseases of the spinal cord *	M.	1462	1515	1381	1385	1468	1350	716	774	823	862	79
		F.	1190	1174	1150	1086	1155	1131	582	603	614	613	60
74	Cerebral hæmorrhage, apoplexy, etc...	M.	12617	12172	12433	11161	11574	11316	11339	11884	11641	11864	1200
		F.	15444	14635	14844	14002	14833	14325	14324	15063	14905	14921	1502
	(*a*) 1. Cerebral hæmorrhage, so returned ..	M.	8863	8534	8860	8142	8472	8490	8600	9105	9012	9274	943
		F.	10654	10258	10594	10025	10745	10626	10686	11416	11430	11450	1164
	(*a*) 2. Apoplexy, lesion unstated	M.	2515	2429	2389	2011	1980	1669	1550	1434	1271	1181	106
		F.	3046	2740	2711	2499	2434	2033	1832	1780	1610	1438	126
	(*b*) 1. Cerebral embolism	M.	1239	1209	1184	1008	1122	1157	294	342	303	327	32
		F.							491	486	440	465	49
	(*b*) 2. Cerebral thrombosis	M.	1744	1637	1539	1478	1654	1666	895	1003	1055	1082	118
		F.							1315	1381	1425	1568	162
75	Paralysis of unstated origin	M.	1319	1298	1255	1084	1119	1009	1045	1082	981	984	98
		F.	1664	1561	1445	1335	1339	1283	1231	1280	1282	1218	111
	(*a*) Hemiplegia	M.	1039	1019	1005	887	957	852	880	931	860	854	85
		F.	1395	1296	1192	1121	1161	1096	1060	1136	1143	1068	100
	(*b*) Other forms of paralysis	M.	280	279	250	197	162	157	165	151	121	130	12
		F.	269	265	253	214	178	187	171	144	139	150	11
76	General paralysis of the insane	M.	1829	1729	1940	1731	1336	1270	1254	1398	1402	1257	125
		F.	434	371	425	342	272	234	283	300	305	287	28
77	Other forms of insanity ..	M.	449	483	624	617	433	316	292	348	284	286	35
		F.	657	682	702	723	537	540	548	560	528	516	55
78	Epilepsy	M.	1649	1758	2040	1937	1459	1152	1114	1150	1096	1136	109
		F.	1425	1470	1572	1562	1315	1048	1097	1123	1041	1065	102
79, 80	Convulsions (non-puerperal)	M.	4977	4309	3797	3405	3045	3509	3058	2497	2226	2032	200
		F.	3744	3118	2881	2620	2252	2594	2140	1819	1613	1494	139
81	Chorea	M.	43	26	19	26	25	46	25	21	15	30	2
		F.	110	90	58	59	66	93	68	64	55	83	8
82	Hysteria and neuritis ..	M.	189	123	131	99	87	98	107	118	93	98	10
		F.	325	237	168	113	129	131	164	173	155	148	13
83	Cerebral softening	M.	718	637	657	564	498	386	396	376	379	410	19
		F.	754	647	665	594	568	443	483	506	423	439	20
84	Other diseases of the nervous system*†	M.	1058	1148	1165	1201	1008	928	1567	1710	1689	1758	179
		F.	1088	1096	1076	1109	922	914	1605	1680	1755	1690	180
	(1) Idiocy, imbecility ..	M.	137	149	207	213	158	106	124	121	126	131	15
		F.	126	143	163	162	115	106	119	152	155	160	16

* Previous to 1921 deaths from Disseminated sclerosis (84 : 3) and Paralysis agitans (84 : 4) were included under the heading Other diseases of the spinal cord (73).

† Including certain deaths from Tetany (61 : 1) previous to 1924.

TABLE 4.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES, 1915–1925.—MALES AND FEMALES—*cont.*

List of Causes as in use for 1921. *For Table of Changes in the List of Causes of Death in* 1921, *see Appendix to Statistical Review,* 1921 (*Part I*).

International List No.	Causes of Death.		1915.	1916.	1917.	1918.	1919.	1920.	1921.	1922.	1923.	1924.	1925.
	Other diseases of the nervous system—*cont.*												
	(2) Cerebral tumour ..	M.	508	527	472	422	466	478	521	516	541	553	518
		F.	501	487	449	431	434	475	509	512	524	498	517
	(3) Disseminated sclerosis*	M.	?	?	?	?	?	?	283	368	326	366	359
		F.	?	?	?	?	?	?	349	348	370	351	374
	(4) Paralysis agitans* ..	M.	?	?	?	?	?	?	339	381	389	432	533
		F.	?	?	?	?	?	?	314	340	399	381	492
	(5) Other diseases included under 84†	M.	413	472	486	566	384	344	300	324	307	276	235
		F.	461	466	464	516	373	333	314	328	307	300	256
85	Diseases of the eye and annexa	M.	28	24	30	24	30	28	27	32	39	34	22
		F.	22	24	24	13	27	26	28	23	31	37	33
86	Diseases of the ear and of the mastoid sinus ..	M.	699	655	583	521	607	676	685	686	657	616	672
		F.	518	480	434	419	404	540	544	506	505	461	511
	(1) Diseases of the mastoid sinus	M.	202	177	142	133	176	186	188	191	200	188	205
		F.	127	127	101	87	101	154	152	173	136	141	154
	(2) Diseases of the ear ..	M.	497	478	441	388	431	490	497	495	457	428	467
		F.	391	353	333	332	303	386	392	333	369	320	357
87–96	**IV.—Diseases of the Circulatory System‡ ..**	**M.**	**35157**	**33984**	**33386**	**31573**	**33071**	**32541**	**33339**	**37196**	**36078**	**38803**	**41144**
		F.	**35481**	**34685**	**33123**	**31343**	**33980**	**33104**	**34789**	**39206**	**37850**	**40625**	**42846**
87–90	Heart diseases‡	M.	28821	27835	26831	25164	25978	25111	24956	27565	26223	28009	29691
		F.	31343	30553	28847	27053	28946	27804	28754	32272	30663	32641	34368
87	Pericarditis‡	M.	278	217	187	204	157	204	194	215	205	192	188
		F.	225	189	163	147	148	156	157	166	118	157	144
88	Acute endocarditis and myocarditis§	M.	871	782	680	711	977	1215	1152	1031	956	964	968
		F.	958	835	791	749	775	1097	943	959	931	980	1029
	(1) Infective endocarditis..	M.	250	265	259	273	444	573	724	651	553	510	508
		F.	284	251	264	274	262	422	479	509	479	507	473
	(2) Other acute endocarditis§	M.	420	340	267	280	331	380	314	252	274	263	261
		F.	503	419	383	337	364	428	345	310	286	290	322
	(3) Acute myocarditis§ ..	M.	201	177	154	158	202	262	114	128	129	191	199
		F.	171	165	144	138	149	247	119	140	166	183	234
89	Angina pectoris	M.	847	723	637	640	722	687	743	986	1058	1226	1285
		F.	407	341	325	284	333	342	343	460	505	537	551
90	Other diseases of the heart§	M.	26825	26113	25327	23609	24122	23005	22867	25333	24004	25627	27250
		F.	29753	29188	27568	25873	27690	26209	27311	30687	29109	30967	32644
	(1) Aortic valve disease ..	M.	1 670	11725	11823	11314	11616	11586	1917	2064	1965	1972	2054
		F.	13414	13231	12985	12748	13352	12891	850	920	971	888	1025
	(2) Mitral valve disease ..	M.							3219	3514	3321	3244	3270
		F.							5372	5879	5528	5623	5558
	(3) Aortic and mitral valve disease	M.							489	480	451	450	444
		F.							364	381	403	372	425
	(4) Other or unspecified valve disease§ ..	M.							5681	5762	5356	5573	5529
		F.							6742	7400	6643	7041	6626

* Previous to 1921 deaths from Disseminated sclerosis and Paralysis agitans were included under the heading Other diseases of the spinal cord (73).

† Including certain deaths from Tetany previous to 1924.

‡ Previous to 1921 certain deaths from Diseases of the mediastinum (107 (*b*)) were included under this heading.

§ Previous to 1921 deaths of persons aged 45–60 from Endocarditis (unqualified) were included under the heading Other acute endocarditis (88 : 2), and from Myocarditis (unqualified) aged 45–60, under the heading Acute myocarditis (88 : 3). From 1921 these deaths are included under the headings Other or unspecified valve disease (90 : 4) and Other or unspecified myocardial disease (90 : 7), respectively.

TABLE 4.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES, 1915–1925.—MALES AND FEMALES—*cont.*

List of Causes as in use for 1921. *For Table of Changes in the List of Causes of Death in* 1921, *see Appendix to Statistical Review,* 1921 (*Part I*).

International List No.	Causes of Death.		1915.	1916.	1917.	1918.	1919.	1920.	1921.	1922.	1923.	1924.	1925.
	Other diseases of the heart —*cont.*												
	(5) Fatty heart	M.	1527	1329	1190	918	1032	1052	1092	1251	1230	1205	1202
		F.	1824	1713	1438	1089	1326	1221	1325	1541	1540	1513	1562
	(6) Cardiac dilatation, cause unspecified	M.							487	486	418	379	389
		F.							525	568	446	353	411
	(7) Other or unspecified myocardial disease*	M.	13539	12975	12218	11285	11346	10204	4366	5718	6098	7520	9177
		F.	14399	14149	13036	11918	12857	11897	5258	6919	7347	8817	10784
	(9) Heart disease (undefined)	M.							5389	5787	4833	4853	4648
		F.							6584	6734	5756	5710	5418
	(8) Disordered action of the heart	M.	89	84	96	92	128	163	227	271	332	431	537
		F.	116	95	109	118	155	200	291	345	475	650	835
91	Diseases of the arteries** ..	M.	5932	5765	6192	6085	6763	7091	8087	9265	9510	10399	10998
		F.	3680	3727	3859	3917	4641	4823	5572	6462	6711	7464	7947
	(*a*) Aneurysm	M.	896	800	770	696	711	782	787	825	774	824	829
		F.	245	202	225	168	180	183	205	217	218	204	236
	(*b*) Arterio-sclerosis ..	M.	4960	4888	5362	5312	5975	6222	7202	8340	8622	9499	10074
		F.	3374	3478	3590	3705	4380	4582	5281	6163	6397	7183	7617
	(1) With record of cerebral vascular lesion ..	M.	?	?	?	?	?	?	2139	2532	2685	2775	3107
		F.	?	?	?	?	?	?	1857	2198	2292	2555	2698
	(2) Without record of cerebral vascular lesion .	M.	?	?	?	?	?	?	5063	5808	5937	6724	6967
		F.	?	?	?	?	?	?	3424	3965	4105	4628	4919
	(*c*) Other diseases of the arteries**	M.	76	77	60	77	77	87	98	100	114	76	95
		F.	61	47	44	44	81	58	86	82	96	77	94
92	Embolism and thrombosis (not cerebral)	M.	169	131	133	123	143	138	137	166	149	176	185
		F.	180	145	140	132	138	169	179	168	173	181	192
93	Diseases of the veins (varices hæmorrhoids, phlebitis, etc.)	M.	126	154	123	91	94	118	112	129	134	123	159
		F.	194	184	182	160	183	221	225	251	254	242	252
94	Diseases of the lymphatic system (lymphangitis, etc.)	M.	72	57	67	69	48	45	62	47	44	47	55
		F.	50	47	55	50	38	46	41	43	33	45	43
95	Hæmorrhage without stated cause**	M.	37	42	40	41	45	38	35	24	18	23	20
		F.	34	29	40	31	34	41	18	10	16	[illegible]	19
96	Other diseases of the circulatory system**	M.	?	?	?	?	?	?	?	?	?	[illegible]	36
		F.	?	?	?	?	?	?	?	?	?	[illegible]	25
97–107	**V.—Diseases of the Respiratory System†‡§** ..	M.	**57609**	**47418**	**49253**	**58117**	**48094**	**44317**	**39975**	**46881**	**38551**	**43739**	**41548**
		F.	**50311**	**40842**	**39760**	**49497**	**42823**	**36817**	**34124**	**41163**	**33160**	**38874**	**36281**
97	Diseases of the nasal fossæ and annexa†‡	M.	34	29	27	28	26	42	69	79	79	93	85
		F.	27	17	21	20	28	24	60	50	63	51	65
	(1) Diseases of the nose† ..	M.	34	29	27	28	26	42	28	27	24	31	23
		F.	27	17	21	20	28	24	22	15	20	19	15
	(2) Diseases of the accessory nasal sinuses‡ ..	M.	?	?	?	?	?	?	41	52	55	62	62
		F.	?	?	?	?	?	?	38	35	43	32	50

* Previous to 1921 deaths of persons aged 45–60 from Myocarditis (unqualified) were included under the heading Acute myocarditis (88 : 3.)

† Including deaths from Adenoids (109 : 1 pt.) previous to 1921.

‡ Previous to 1921 deaths from Diseases of the accessory nasal sinuses were included under the heading Diseases of the bones (155).

§ Previous to 1921 deaths from Diseases of the mediastinum were included under the headings Pericarditis (87), or Cellulitis, acute abscess (153).

** Previous to 1921 deaths from Hyperpiesis were included under the heading Hæmorrhage without stated cause (95) and for the years 1921–23 under Other diseases of the arteries (91*c*). They are now included under Other diseases of the circulatory system (96).

TABLE 4.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES. 1915–1925.—MALES AND FEMALES—*cont.*

List of Causes as in use for 1921. *For Table of Changes in the List of Causes of Death in* 1921, *see Appendix to Statistical Review,* 1921 (*Part I*).

International List No.	Causes of Death.		1915.	1916.	1917.	1918.	1919.	1920.	1921.	1922.	1923.	1924.	1925.
98	Diseases of the larynx ..	M.	728	615	520	461	446	500	367	332	243	260	247
		F.	544	456	431	394	384	427	286	228	183	153	177
	(1) Laryngismus stridulus	M.	152	131	92	77	77	93	88	74	64	63	66
		F.	91	81	97	64	50	86	49	52	43	23	33
	(2) Laryngitis	M.	568	473	424	375	357	393	267	255	174	189	173
		F.	443	370	327	324	329	336	228	171	137	125	141
	(3) Other diseases of the larynx	M.	8	11	4	9	12	14	12	3	5	8	8
		F.	10	5	7	6	5	5	9	5	3	5	3
99	Bronchitis*	M.	25068	21538	21581	20981	22462	19312	16791	20079	16106	18346	17323
		F.	25906	21874	20826	20492	23081	18688	16893	20833	16601	19440	17929
	(*a*) Acute	M.	?	?	?	?	?	?	3960	4832	3640	4429	4103
		F.	?	?	?	?	?	?	4765	5922	4605	5654	5253
	(*b*) Chronic	M.	?	?	?	?	?	?	5562	6657	5888	6500	6348
		F.	?	?	?	?	?	?	4428	5543	4735	5314	5091
	(*c* and *d*) Not stated whether acute or chronic	M.	?	?	?	?	?	?	7269	8590	6578	7417	6872
		F.	?	?	?	?	?	?	7700	9368	7261	8472	7585
100, 101	Pneumonia (all forms)* ..	M.	27914	21805	23647	33451	21981	21608	19955	23322	19283	22099	21090
		F.	20960	16111	16185	26215	16968	15541	14753	17608	14130	16871	15900
100	Broncho-pneumonia* ..	M.	12455	9229	10073	13416	10186	10312	9349	12096	8941	11498	10535
		F.	10785	7938	8296	11944	8797	8435	8096	10488	7676	10072	9249
101	Pneumonia (lobar or not otherwise defined)	M.	15459	12576	13574	20035	11795	11296	10606	11226	10342	10601	10555
		F.	10175	8173	7889	14271	8171	7106	6657	7120	6454	6799	6651
	(*a*) Lobar	M.	6548	5444	5936	8065	4864	5360	5106	5769	5807	5859	6378
		F.	4139	3336	3246	5190	3132	3105	3049	3412	3382	3580	3718
	(*b*) Not otherwise defined	M.	8911	7132	7638	11970	6931	5936	5500	5457	4535	4742	4177
		F.	6036	4837	4643	9081	5039	4001	3608	3708	3072	3219	2933
102	Pleurisy	M.	897	860	938	849	768	785	786	769	797	738	710
		F.	639	565	586	549	524	548	506	519	503	509	433
	(1) Empyema	M.	295	318	306	331	305	309	320	335	308	314	305
		F.	172	150	150	130	126	146	143	173	140	148	138
	(2) Other pleurisy ..	M.	602	542	632	518	463	476	466	434	489	424	405
		F.	467	415	436	419	398	402	363	346	363	361	295
103	Congestion and hæmorrhagic infarct of lung	M.	818	731	645	559	597	542	569	576	531	535	533
		F.	897	767	715	687	640	632	716	724	674	720	771
104	Gangrene of the lung ..	M.	52	42	71	60	36	38	35	30	48	31	20
		F.	28	19	39	37	25	19	24	22	14	15	13
105	Asthma	M.	1336	1186	1218	1228	1244	1028	964	1219	1016	1171	1137
		F.	979	790	770	899	939	757	707	998	834	918	846
106	Pulmonary emphysema ..	M.	367	245	226	165	200	158	125	177	160	192	138
		F.	169	106	70	56	75	64	45	66	42	70	54
107	Other diseases of the respiratory system†	M.	395	367	380	335	334	304	314	298	288	274	265
		F.	162	137	117	148	159	117	134	115	116	127	93
	(*a*) Chronic interstitial pneumonia	M.	220	209	228	181	189	178	177	184	175	189	191
		F.	65	64	39	59	75	46	54	55	53	63	46
	(*b*) Diseases of the mediastinum†	M.	?	?	?	?	?	?	7	3	2	4	7
		F.	?	?	?	?	?	?	3	2	5	3	2
	(*c*) Other diseases included under 107	M.	175	158	152	154	145	126	130	111	111	81	67
		F.	97	73	78	89	84	71	77	58	58	61	45

* Previous to 1921 deaths from Capillary bronchitis were included under the heading Bronchitis (99). They are now included under Broncho-pneumonia (100).

† Previous to 1921 deaths from Diseases of the mediastinum were included under the headings Pericarditis (87), or Cellulitis, acute abscess (153).

TABLE 4.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES, 1915–1925.—MALES AND FEMALES—*cont.*

List of Causes as in use for 1921. *For Table of Changes in the List of Causes of Death in* 1921, *see Appendix to Statistical Review,* 1921 (*Part I*).

International List No.	Causes of Death.		1915.	1916.	1917.	1918.	1919.	1920.	1921.	1922.	1923.	1924.	1925.
108–127	**VI.—Diseases of the Digestive System***	M.	**21832**	**18135**	**16643**	**15445**	**14180**	**15803**	**19198**	**13601**	**14380**	**13916**	**14930**
		F.	**19208**	**16235**	**15051**	**14126**	**12865**	**13373**	**16156**	**11878**	**12431**	**11822**	**12581**
108	Diseases of the buccal cavity and annexa	M.	193	209	188	174	181	230	231	236	260	254	289
		F.	169	175	153	167	164	185	221	218	210	230	196
	(1) Diseases of the teeth and gums	M.	150	160	143	117	123	159	150	156	173	157	211
		F.	128	146	116	102	117	135	147	149	149	150	129
	(2) Ludwig's angina ..	M.	21	30	22	33	43	55	56	55	64	55	53
		F.	17	12	12	25	33	28	43	40	35	44	39
	(3) Other diseases included under 108	M.	22	19	23	24	15	16	25	25	23	42	25
		F.	24	17	25	40	14	22	31	29	26	36	28
109	Diseases of the pharynx and tonsils*	M.	359	303	239	269	341	337	336	287	241	251	351
		F.	318	271	238	232	321	281	298	272	245	232	278
	(1) Tonsillitis, etc., adenoid vegetations* ..	M.	274	223	185	205	284	258	244	220	198	204	279
		F.	243	211	196	184	258	239	231	227	199	178	239
	(2) Other diseases included under 109	M.	85	80	54	64	57	79	92	67	43	47	72
		F.	75	60	42	48	63	42	67	45	46	54	39
110	Diseases of the œsophagus	M.	41	33	31	38	27	27	35	34	38	27	30
		F.	24	27	17	10	17	26	21	24	23	19	13
111	Ulcer of the stomach or duodenum..	M.	1532	1535	1474	1520	1481	1693	1587	1720	2106	2131	2454
		F.	1076	1071	1096	1053	912	963	839	863	906	887	998
	(*a*) Ulcer of the stomach ..	M.	1001	1000	988	1067	1002	1141	1020	1134	1353	1370	1561
		F.	945	945	956	923	800	834	729	739	752	729	812
	(*b*) Ulcer of the duodenum	M.	531	535	486	453	479	552	567	586	753	761	893
		F.	131	126	140	130	112	129	110	124	154	158	186
112	Other diseases of the stomach	M.	2046	1923	1686	1524	1431	1653	1490	1250	1137	1095	980
		F.	2039	1929	1681	1555	1575	1551	1451	1307	1130	1105	1062
	(1) Inflammation of the stomach	M.	1701	1563	1430	1274	1194	1406	1275	1046	935	910	812
		F.	1702	1594	1443	1310	1313	1350	1269	1118	988	970	906
	(2) Other diseases included under 112.	M.	345	360	256	250	237	247	215	204	202	185	168
		F.	337	335	238	245	262	201	182	189	142	135	156
113, 114	Diarrhœa and enteritis ..	M.	10618	7476	6752	6174	5430	6088	9512	3992	4515	4075	4550
		F.	8871	6565	5933	5316	4573	4918	7574	3293	3867	3385	3778
	(1) Ulceration of the intestines	M.	163	125	132	109	96	86	114	108	116	104	122
		F.	167	160	147	170	129	151	139	118	155	174	166
	(2) Colitis	M.	10455	7351	6620	6065	5334	6002	246	195	194	181	168
		F.	8704	6405	5786	5146	4444	4767	296	229	271	217	218
	(3) Other diseases included under 113, 114 ..	M.							9152	3689	4205	3790	4260
		F.							7139	2946	3441	2994	3394
115	Ankylostomiasis	M.	—	2	—	2	1	1	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—
116	Diseases due to other intestinal parasites	M.	14	13	8	12	7	5	5	8	6	11	6
		F.	17	17	5	11	9	8	11	10	8	10	7
	(*a*) Cestodes (hydatids of the liver excepted) ..	M.	?	?	?	?	?	?	3	4	1	7	3
		F.	?	?	?	?	?	?	1	6	5	4	4
	(*b*) Trematodes	M.	?	?	?	?	?	?	—	1	—	—	—
		F.	?	?	?	?	?	?	—	1	—	—	—
	(*c*) Nematodes	M.	?	?	?	?	?	?	2	1	3	3	1
		F.	?	?	?	?	?	?	6	1	1	5	1

* Previous to 1921 deaths from Adenoids were included under the heading Diseases of the nose (97 : 1).

TABLE 4.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES, 1915–1925.—MALES AND FEMALES—*cont.*

List of Causes as in use for 1921. *For Table of Changes in the List of Causes of Death in* 1921, *see Appendix to Statistical Review,* 1921 (*Part I*).

ter-ional t No.	Causes of Death.		1915.	1916.	1917.	1918.	1919.	1920.	1921.	1922.	1923.	1924.	1925.
	Diseases due to other intestinal parasites—*cont.*												
	(*d*) Coccidia	M.	?	?	?	?	?	?	—	—	—	—	—
		F.	?	?	?	?	?	?	—	—	—	—	—
	(*e*) Other parasites ..	M.	?	?	?	?	?	?	—	—	—	—	—
		F.	?	?	?	?	?	?	—	—	—	—	—
	(*f*) Undefined parasites ..	M.	?	?	?	?	?	?	—	2	2	1	2
		F.	?	?	?	?	?	?	4	2	2	1	2
117	Appendicitis and typhlitis ..	M.	1441	1474	1390	1298	1278	1389	1474	1524	1608	1545	1624
		F.	1062	1129	1053	1118	1151	1142	1237	1211	1218	1211	1238
118	Hernia, intestinal obstruction	M.	2189	2132	2265	2313	2010	2092	2100	2127	2106	2167	2148
		F.	2263	2156	2574	2707	2101	2084	2087	2102	2172	2098	2134
	(*a*) Hernia	M.	898	840	983	944	777	795	752	830	822	867	830
		F.	1010	1021	1273	1266	863	875	900	885	916	947	931
	(*b*) Intestinal obstruction ..	M.	1291	1292	1282	1369	1233	1297	1348	1297	1284	1300	1318
		F.	1253	1135	1301	1441	1238	1209	1187	1217	1256	1151	1203
119	Other diseases of the intestines	M.	253	213	243	201	221	227	225	230	234	221	241
		F.	262	243	221	222	207	214	234	218	238	233	255
	1. Intestinal stasis ..	M.	?	?	?	?	?	?	?	?	?	74	70
		F.	?	?	?	?	?	?	?	?	?	97	112
	2. Other diseases included under 119	M.	?	?	?	?	?	?	?	?	?	147	171
		F.	?	?	?	?	?	?	?	?	?	136	143
120	Acute yellow atrophy of the liver	M.	22	27	33	35	26	25	32	19	22	20	15
		F.	30	38	36	34	36	51	38	55	51	80	58
121	Hydatid tumour of the liver	M.	9	13	15	10	13	8	11	6	13	5	12
		F.	9	16	10	9	7	11	13	6	10	12	9
122	Cirrhosis of the liver ..	M.	2154	1869	1511	1121	969	1180	1288	1271	1169	1126	1201
		F.	1582	1210	845	609	538	583	639	635	605	630	646
	(*a*) Returned as alcoholic ..	M.	160	133	88	58	69	95	100	103	98	90	87
		F.	161	114	70	34	28	33	54	47	54	57	49
	(*b*) Not returned as alcoholic	M.	1994	1736	1423	1063	900	1085	1188	1168	1071	1036	1114
		F.	1421	1096	775	575	510	550	585	588	551	573	597
123	Biliary calculi	M.	222	208	198	189	218	212	259	281	261	298	323
		F.	582	565	487	423	542	569	670	706	769	737	763
124	Other diseases of the liver ..	M.	403	403	334	340	333	348	341	369	390	409	432
		F.	511	455	380	387	385	438	501	571	576	579	689
125	Diseases of the pancreas ..	M.	89	69	71	49	59	103	105	101	122	136	147
		F.	89	69	54	49	72	86	92	109	138	143	187
126	Peritonitis of unstated origin	M.	247	233	205	176	154	185	167	146	152	145	127
		F.	304	299	268	224	255	263	230	278	265	231	270
127	Other diseases of the digestive system	M.	—	—	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—
8–142	**VII.—Non-venereal Diseases of the Genito-urinary System**	M.	**12260**	**11590**	**11818**	**10849**	**10355**	**10217**	**10438**	**10500**	**10511**	**10875**	**10792**
		F.	**8957**	**8164**	**7820**	**7314**	**7134**	**7384**	**7477**	**7760**	**7780**	**7637**	**7915**
128	Acute nephritis (including unspecified under 10 years of age)	M.	1177	1150	1166	1031	852	836	787	763	711	725	756
		F.	1006	874	840	807	753	757	677	647	633	674	651
129	Chronic nephritis (including unspecified over 10 years of age)	M.	7553	6930	6870	6225	5844	5771	5686	5870	5755	5931	5763
		F.	6333	5695	5422	5016	4858	4920	5034	5400	5401	5233	5445
130	Chyluria	M.	—	1	1	—	—	1	—	1	—	—	3
		F.	1	—	—	1	—	—	—	—	—	—	—

TABLE 4.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES, 1915–1925.—MALES AND FEMALES—*cont.*

List of Causes as in use for 1921. *For Table of Changes in the List of Causes of Death in* 1921, *see Appendix to Statistical Review,* 1921 (*Part I*).

International List No.	Causes of Death.		1915.	1916.	1917.	1918.	1919.	1920.	1921.	1922.	1923.	1924.	192
131	Other diseases of the kidneys and annexa	M.	231	255	257	255	254	273	288	303	284	367	3
		F.	247	222	217	211	222	260	279	288	297	354	3
132	Calculi of the urinary passages	M.	185	189	188	173	183	178	183	198	213	200	2
		F.	85	81	71	71	66	91	113	95	99	88	1
133	Diseases of the bladder ..	M.	1078	986	1000	906	928	873	908	803	791	722	6
		F.	258	219	232	213	201	207	229	226	255	224	2
	(1) Cystitis	M.	?	?	?	?	?	?	809	731	732	684	6
		F.	?	?	?	?	?	?	212	216	235	204	2
	(2) Other diseases of the bladder	M.	?	?	?	?	?	?	99	72	59	38	
		F.	?	?	?	?	?	?	17	10	20	20	
134	Diseases of the urethra, urinary abscess, etc. ..	M.	419	418	470	429	387	372	386	383	411	386	3
		F.	4	4	8	3	8	3	4	8	10	10	
	(*a*) Stricture of the urethra	M.	?	?	?	?	?	?	308	309	336	315	2
	(*b*) Other diseases of the urethra, etc.	M.	?	?	?	?	?	?	78	74	75	71	
		F.	?	?	?	?	?	?	4	8	10	10	
135	Diseases of the prostate ..	M.	1542	1603	1789	1778	1841	1835	2124	2121	2288	2479	26
136	Non-venereal diseases of the male genital organs ..	M.	69	55	73	51	61	77	71	55	54	64	
137	Cysts and other tumours of the ovary not returned as malignant	F.	300	307	284	273	273	309	297	284	272	279	2
138	Salpingitis and pelvic abscess in females* ..	F.	?	?	?	?	?	?	255	250	247	228	2
	(1) Salpingitis*	F.	?	?	?	?	?	?	214	195	195	183	2
	(2) Pelvic abscess in females*	F.	?	?	?	?	?	?	41	55	52	45	
139	Tumours of the uterus not returned as malignant ..	F.	328	321	331	308	313	348	365	357	358	368	3
140	Non-puerperal uterine hæmorrhage	F.	24	31	32	34	26	37	40	39	33	29	
141	Other diseases of the female genital organs*	F.	352	395	357	358	388	422	167	149	154	135	1
	(1) Other diseases of the uterus*	F.	147	177	156	140	163	207	132	116	121	103	1
	(2) Diseases of the other female genital organs not included in other headings*	F.	205	218	201	218	225	215	35	33	33	32	
142	Non-puerperal diseases of the breast	M.	6	3	4	1	5	1	5	3	4	1	
		F.	19	15	26	19	26	30	17	17	21	15	
143–150	**VIII.—The Puerperal State**	F.	**3408**	**3239**	**2598**	**2509**	**3028**	**4144**	**3322**	**2971**	**2892**	**2847**	**29**
143	Accidents of pregnancy ..	F.	365	323	278	258	287	329	334	310	352	326	3
	(*a*) Abortion	F.	126	106	119	106	121	111	107	92	100	112	
	(*b*) Ectopic gestation ..	F.	74	74	51	58	73	79	83	86	97	73	
	(*c*) Other accidents ..	F.	165	143	108	94	93	139	144	132	155	141	1
144	Puerperal hæmorrhage ..	F.	465	447	357	321	380	521	469	390	429	390	3
145	Other accidents of childbirth	F.	409	390	272	290	332	418	382	304	304	321	3
146	Puerperal sepsis	F.	1201	1083	873	845	1157	1730	1171	1079	985	1018	11

* Previous to 1921 deaths from Salpingitis were included under the heading Diseases of the other female genital org 141 : 2), and those from Pelvic abscess in females under Other diseases of the uterus (141 : 1).

TABLE 4.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES, 1915–1925.—MALES AND FEMALES—*cont.*

List of Causes as in use for 1921. *For Table of Changes in the List of Causes of Death in* 1921, *see Appendix to Statistical Review,* 1921 (*Part I*).

Inter-national List No.	Causes of Death.		1915.	1916.	1917.	1918.	1919.	1920.	1921.	1922.	1923.	1924.	1925.
147	Puerperal phlegmasia alba dolens, embolism, sudden death	F.	292	307	243	218	230	347	326	296	277	244	240
	(1) Puerperal phlegmasia alba dolens not returned as septic ..	F.	50	64	43	42	51	54	64	54	61	58	35
	(2) Puerperal embolism and sudden death ..	F.	242	243	200	176	179	293	262	242	216	186	205
148	Puerperal albuminuria and convulsions	F.	626	656	541	543	595	749	604	556	518	524	499
149	Childbirth not assignable to other headings (puerperal insanity)	F.	34	27	19	25	37	40	29	30	23	20	23
150	Puerperal diseases of the breast	F.	16	6	15	9	10	10	7	6	4	4	6
1–154	**IX.—Diseases of the Skin and Cellular Tissue*** ..	M.	**2042**	**1924**	**1876**	**1665**	**1846**	**1853**	**1753**	**1651**	**1581**	**1645**	**1736**
		F.	**1795**	**1741**	**1678**	**1471**	**1538**	**1590**	**1456**	**1453**	**1410**	**1411**	**1534**
151	Gangrene	M.	879	886	807	707	787	690	724	677	555	687	645
		F.	744	732	718	663	663	657	574	620	586	575	602
	(1) Senile gangrene ..	M.	782	780	700	620	694	613	654	616	520	633	598
		F.	634	633	617	536	587	586	508	541	534	517	552
	(2) Other gangrene ..	M.	97	106	107	87	93	77	70	61	35	54	47
		F.	110	99	101	127	76	71	66	79	52	58	50
152	Carbuncle, boil	M.	198	161	200	221	207	204	216	205	234	203	244
		F.	86	107	96	99	110	90	104	101	109	97	122
153	Cellulitis, acute abscess* ..	M.	448	390	431	336	427	485	382	396	367	362	411
		F.	374	320	274	249	299	353	324	274	297	273	327
	(1) Cellulitis*	M.	293	252	277	244	282	333	252	277	263	265	313
		F.	215	184	163	163	178	231	213	183	199	198	238
	(2) Acute abscess* ..	M.	155	138	154	92	145	152	130	119	104	97	98
		F.	159	136	111	86	121	122	111	91	98	75	89
154	Other diseases of the skin and its annexa	M.	517	487	438	401	425	474	431	373	425	393	436
		F.	591	582	590	460	466	490	454	458	418	466	483
	(1) Ulcer, bedsore	M.	178	135	166	135	114	124	108	100	126	81	96
		F.	335	284	310	235	235	225	212	219	156	201	198
	(2) Eczema	M.	145	136	85	95	119	121	88	82	93	70	67
		F.	76	84	70	64	59	63	63	48	45	33	44
	(3) Pemphigus ..	M.	61	87	68	52	73	72	88	71	72	96	132
		F.	52	73	60	53	54	55	52	58	77	87	91
	(4) Other diseases included under 154	M.	133	129	119	119	119	157	147	120	134	146	141
		F.	128	141	150	108	118	147	127	133	140	145	150
5–158	**X.—Diseases of the Bones and Organs of Locomotion†‡**	M.	**454**	**461**	**487**	**416**	**506**	**479**	**481**	**493**	**518**	**539**	**527**
		F.	**306**	**305**	**320**	**287**	**353**	**362**	**291**	**323**	**285**	**333**	**337**
155	Diseases of the bones† ..	M.	336	343	387	316	386	379	373	392	399	412	405
		F.	228	215	218	198	242	240	224	240	214	244	244
	(1) Acute infective osteomyelitis and periostitis ..	M.	?	?	?	?	?	?	277	313	301	319	291
		F.	?	?	?	?	?	?	126	148	123	151	146
	(2) Other diseases of the bones	M.	?	?	?	?	?	?	96	79	98	93	114
		F.	?	?	?	?	?	?	98	92	91	93	98

* Previous to 1921 certain deaths from Diseases of the mediastinum (107 (*b*)) were included under these headings.
† Including deaths from Diseases of the accessory nasal sinuses (97 : 2) previous to 1921.
‡ Including deaths from Chronic arthritis (52 : 1 pt.) previous to 1921.

TABLE 4.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES, 1915-1925.—MALES AND FEMALES—*cont.*

List of Causes as in use for 1921. *For Table of Changes in the List of Causes of Death in* 1921, *see Appendix to Statistical Review,* 1921 (*Part I*).

International List No.	Causes of Death.		1915.	1916.	1917.	1918.	1919.	1920.	1921.	1922.	1923.	1924.	1925.
156	Diseases of the joints* ..	M.	83	96	77	76	98	87	86	81	89	101	82
		F.	67	72	77	77	89	101	52	63	54	77	57
157	Amputation	M.	—	1	—	2	—	—	—	1	—	—	2
		F.	1	—	—	—	1	1	—	—	—	—	—
158	Other diseases of the organs of locomotion	M.	35	21	23	22	22	13	22	19	30	26	38
		F.	10	18	25	12	21	20	15	20	17	12	36
159	**XI.—Congenital Malformations.. .. ..**	M.	**2120**	**2084**	**1796**	**1583**	**1732**	**2317**	**2149**	**2050**	**2033**	**1976**	**2053**
		F.	**1705**	**1679**	**1546**	**1320**	**1350**	**1913**	**1681**	**1687**	**1565**	**1507**	**1628**
	(1) Congenital hydrocephalus	M.	208	201	188	181	159	175	191	152	195	148	164
		F.	148	139	145	125	97	139	110	133	116	116	114
	(2) Congenital malformation of heart.. ..	M.	849	805	735	652	733	952	822	829	803	806	801
		F.	697	633	544	504	545	715	620	616	580	544	618
	(3) Other congenital malformations	M.	1063	1078	873	750	840	1190	1136	1069	1035	1022	1088
		F.	860	907	857	691	708	1059	951	938	869	847	896
160–163	**XII.—Diseases of Early Infancy .. ..**	M.	**16285**	**15084**	**12962**	**12650**	**14030**	**16769**	**15150**	**13205**	**12047**	**12129**	**11293**
		F.	**12236**	**11112**	**9877**	**9608**	**10551**	**12325**	**11292**	**9619**	**8939**	**9106**	**8538**
160	Congenital debility, sclerema and icterus	M.	5886	5233	4427	4021	4192	5057	4062	3224	2933	2810	2741
		F.	4314	3589	3303	2984	2923	3375	2802	2204	1951	1855	1812
	(1) Congenital debility and sclerema	M.	5459	4862	4122	3692	3853	4630	3681	2879	2570	2498	2506
		F.	4074	3382	3114	2816	2719	3121	2569	2025	1761	1684	1650
	(2) Icterus neonatorum ..	M.	427	371	305	329	339	427	381	345	363	312	235
		F.	240	207	189	168	204	254	233	179	190	171	162
161	Premature birth, injury at birth	M.	9268	8820	7646	7808	8897	10451	9982	8952	8190	8356	7688
		F.	7093	6711	5869	5987	6886	8013	7608	6654	6245	6401	5904
	(1) Premature birth ..	M.	8715	8282	7169	7426	8409	9714	9265	8285	7564	7712	7025
		F.	6716	6345	5578	5709	6600	7586	7146	6286	5815	6026	5509
	(2) Injury at birth ..	M.	553	538	477	382	488	737	717	667	626	644	663
		F.	377	366	291	278	286	427	462	368	430	375	395
162	Other diseases peculiar to early infancy	M.	1013	897	760	692	797	1077	958	898	810	820	743
		F.	714	681	570	519	592	802	753	644	624	702	706
	(2) Atelectasis	M.	820	718	622	569	668	879	783	730	671	641	581
		F.	530	516	452	406	459	622	586	483	457	530	518
	(1) Diseases of the umbilicus	M.	193	179	138	123	129	198	69	72	62	69	72
		F.	184	165	118	113	133	180	74	55	57	59	67
	(3) Other diseases included under 162	M.							106	96	77	110	90
		F.							93	106	110	113	121
163	Lack of care	M.	118	134	129	129	144	184	148	131	114	143	121
		F.	115	131	135	118	150	135	129	117	119	148	116
164	**XIII.—Old Age .. ..**	M.	**13759**	**13560**	**13616**	**12055**	**12994**	**10917**	**11268**	**11806**	**10549**	**10434**	**10202**
		F.	**19207**	**18379**	**17784**	**15956**	**18018**	**15471**	**16138**	**16659**	**14795**	**15301**	**15112**
	(1) Senile dementia ..	M.	548	534	686	628	562	535	572	655	645	653	760
		F.	713	700	768	747	673	733	839	897	796	858	957
	(2) Other forms of senile decay..	M.	13211	13026	12930	11427	12432	10382	10696	11151	9904	9781	9442
		F.	18494	17679	17016	15209	17345	14738	15299	15762	13999	14443	14155

* Including deaths from Chronic arthritis (52 : 1 pt.) previous to 1921.

TABLE 4.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES, 1915–1925.—MALES AND FEMALES—*cont.*

List of Causes as in use for 1921. *For Table of Changes in the List of Causes of Death in* 1921, *see Appendix to Statistical Review,* 1921 (*Part I*).

nter-tional ist No.	Causes of Death.		1915.	1916.	1917.	1918.	1919.	1920.	1921.	1922.	1923.	1924.	1925.
5–203	**XIV.—External Causes** ..	M.	**16965**	**18384**	**16995**	**17475**	**13033**	**12464**	**11826**	**11473**	**12113**	**11953**	**12782**
		F.	**6255**	**6101**	**5980**	**5365**	**5292**	**5117**	**4874**	**4922**	**4994**	**5230**	**5532**
5–174	Suicide	M.	2029	2063	1740	1845	2340	2427	2763	2817	2887	2635	2852
		F.	937	792	755	920	1008	998	996	1059	1062	1085	1232
5, 166	By solid or liquid poisons and corrosive substances	M.	156	130	102	96	121	185	203	237	240	214	254
		F.	168	115	94	122	135	129	172	196	177	197	212
167	By poisonous gas	M.	106	77	75	96	116	160	233	330	449	373	465
		F.	59	46	90	80	97	110	132	173	239	212	297
168	By hanging or strangulation	M.	517	552	462	462	649	567	676	666	619	579	608
		F.	182	152	127	154	185	155	166	150	130	148	172
169	By drowning	M.	371	364	291	339	425	490	585	522	537	504	508
		F.	336	319	269	349	349	397	323	331	315	320	327
170	By firearms	M.	241	243	213	205	206	238	248	249	231	190	197
		F.	11	8	8	17	12	15	10	7	16	9	14
171	By cutting or piercing instruments	M.	455	544	469	494	618	583	598	581	568	532	549
		F.	89	97	90	124	124	108	112	114	101	99	95
172	By jumping from high places	M.	76	54	40	66	63	57	69	75	72	69	83
		F.	52	33	39	41	53	42	38	51	54	43	57
173	By crushing	M.	98	94	77	82	133	138	146	148	163	170	182
		F.	31	17	29	28	33	22	23	19	18	35	35
174	By other means	M.	9	5	11	5	9	9	5	9	8	4	6
		F.	9	5	9	5	20	20	20	18	12	22	23
75–196, 01–203	Violent deaths excluding suicide and homicide ..	M.	14807	16205	15142	15530	10545	9895	8746	8571	9096	9199	9812
		F.	5176	5168	5083	4333	4135	3973	3748	3746	3822	4040	4156
175	Food poisoning	M.	54	60	36	52	29	32	29	21	21	20	23
		F.	39	39	31	43	26	26	31	20	17	14	14
176	Poisoning by venomous animals	M.	6	5	4	3	3	4	5	4	5	4	18
		F.	6	1	4	4	3	7	10	3	12	8	16
177	Other acute accidental poisonings..	M.	93	71	78	83	67	69	84	78	67	66	93
		F.	73	57	51	51	56	47	52	43	44	40	68
178	Conflagration	M.	38	34	29	31	29	43	22	20	20	29	27
		F.	34	44	50	29	20	45	28	21	12	14	23
179	Accidental burns (conflagration excepted) ..	M.	1002	955	962	958	830	747	696	738	752	660	724
		F.	1424	1403	1624	1309	1265	1038	892	984	856	905	863
180	Accidental mechanical suffocation	M.	717	508	517	390	384	428	415	346	321	322	300
		F.	570	420	394	341	286	336	305	255	225	251	262
181	Accidental absorption of irrespirable or poisonous gas	M.	99	108	128	100	91	100	94	114	92	88	103
		F.	41	52	58	49	40	36	56	62	60	45	60
182	Accidental drowning ..	M.	2257	2343	2015	1704	1537	1520	1564	1244	1385	1250	1302
		F.	474	459	363	402	341	358	333	271	310	305	315
	Accidental injury :—												
183	By firearms	M.	151	143	126	125	107	90	80	82	76	71	78
		F.	18	14	14	16	9	12	7	4	6	8	7
184	By cutting or piercing instruments	M.	31	28	13	30	20	16	15	14	13	14	6
		F.	8	3	2	6	6	6	4	3	1	—	1
185	By fall	M.	2117	2118	1866	1636	1695	1694	1503	1444	1361	1439	1577
		F.	1445	1546	1349	1113	1168	1206	1105	1271	1302	1327	1385
186	In mining and quarrying	M.	1165	1164	1226	1118	1144	964	671	928	1106	1116	1015
		F.	—	—	—	1	1	1	—	1	1	—	—

TABLE 4.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES, 1915–1925.—MALES AND FEMALES—*cont.*

List of Causes as in use for 1921. *For Table of Changes in the List of Causes of Death in* 1921, *see Appendix to Statistical Review,* 1921 (*Part I*).

International List No.	Causes of Death.		1915.	1916.	1917.	1918.	1919.	1920.	1921.	1922.	1923.	1924.	1925
	Accidental injury—*cont.*												
187	By machinery	M.	331	311	347	352	305	317	183	185	202	222	2
		F.	9	23	12	38	21	22	6	7	11	7	
188	By other forms of crushing (vehicles, railways, etc.)	M.	3672	3544	3348	3836	3014	3126	2785	2835	3009	3459	37
		F.	777	719	702	645	716	700	711	650	742	977	9
189	Injury by animals (poisoning excepted)	M.	105	104	96	105	97	61	74	57	57	59	
		F.	8	7	7	5	4	8	10	6	6	7	
190	Wounds of war	M.	2115	3909	3585	4290	695	229	101	72	75	61	
		F.	89	142	215	93	—	—	—	—	—	—	—
191	Execution of civilians by belligerent armies ..	M.	—	—	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—
192	Hunger or thirst	M.	25	16	18	12	7	14	11	8	9	10	
		F.	13	15	12	1	4	2	8	6	3	5	
193	Excessive cold	M.	111	148	128	59	54	29	29	38	23	31	
		F.	21	29	38	13	19	10	4	21	11	9	
194	Excessive heat	M.	50	88	65	44	63	13	132	54	217	18	
		F.	19	45	25	17	35	13	115	29	107	12	
195	Lightning	M.	20	11	20	13	5	11	3	4	8	12	
		F.	1	1	—	—	—	—	—	1	—	3	—
196	Electricity (lightning excepted)	M.	29	34	24	40	32	26	19	21	25	37	
		F.	—	—	—	—	—	—	—	1	—	1	
197–199	Homicide	M.	129	116	113	100	148	142	117	85	130	119	
		F.	142	141	142	112	149	146	130	117	110	105	
197	By firearms	M.	13	8	12	8	21	6	11	5	12	7	
		F.	7	8	9	5	16	12	14	11	13	3	
198	By cutting or piercing instruments	M.	23	20	19	16	33	23	14	11	15	12	
		F.	30	27	24	29	36	34	31	31	25	27	
199	By other means	M.	93	88	82	76	94	113	92	69	103	100	
		F.	105	106	109	78	97	100	85	75	72	75	
* 201	Fracture (cause not specified)	M.	67	53	55	65	45	34	32	39	26	27	
		F.	23	21	18	16	23	17	11	10	5	4	
202	Other and unstated forms of accidental violence, execution	M.	471	426	438	466	274	310	186	210	216	165	
		F.	67	119	102	130	82	75	56	66	87	87	
203	Violent deaths of unknown causation	M.	81	24	18	18	18	18	13	15	10	19	
		F.	17	9	12	11	10	8	4	11	4	11	
204, 205	**XV.—Ill-defined Diseases** ..	M.	**1640**	**1581**	**1340**	**1327**	**1335**	**1110**	**1088**	**1034**	**982**	**930**	
		F.	**1383**	**1248**	**1145**	**1120**	**1019**	**847**	**794**	**797**	**731**	**664**	
204	Sudden death	M.	176	170	125	124	158	122	191	200	200	162	
		F.	123	131	93	97	99	87	114	118	125	96	
205	Cause of death unstated or ill-defined	M.	1464	1411	1215	1203	1177	988	897	834	782	768	
		F.	1260	1117	1052	1023	920	760	680	679	606	568	
	(1) Heart failure (1–70 years)	M.	806	771	698	664	721	621	540	557	504	489	
		F.	629	589	570	579	569	462	374	389	373	352	
	(2) Other ill-defined causes	M.	594	569	428	414	332	304	314	236	234	233	
		F.	574	477	424	400	301	259	273	261	210	177	
	(3) Cause not specified ..	M.	64	71	89	125	124	63	43	41	44	46	
		F.	57	51	58	44	50	39	33	29	23	39	

* 200 Infanticide. Deaths from this cause are included under headings 197–199—Homicide.

ABLE 5.—England and Wales.—Crude Annual Death-Rates from Certain Causes at All Ages to a Million Living, 1915–1925.—Males, Females, and Persons.

t of Causes as in use for 1921, but restricted in this table to headings showing a mortality of 5 or more per million in 1. Other headings showing a mortality of 5 or more per million in any subsequent year are dealt with in footnotes. ere the incidence of mortality falls particularly on one sex, the rate in that sex has been taken as the criterion. For s omitted see Table 4. The figures for "Other Diseases" in any particular class (e.g., 84, "Other Diseases of the Nervous tem") relate to that heading of the International List, and do not include the diseases omitted from the table under the ve rule.

st o.	Causes of Death.		1915.*	1916.*	1917.*	1918.*	1919.*	1920.*	1921.	1922.	1923.	1924.	1925.
	ALL CAUSES	M.	17,722	16,638	17,070	20,139	15,715	13,548	12,962	13,565	12,368	12,939	12,949
		F.	13,997	12,488	12,116	15,168	12,583	11,452	11,324	12,018	10,863	11,484	11,434
		P.	15,686	14,312	14,240	17,277	13,986	12,442	12,105	12,757	11,582	12,180	12,158
42	I. Epidemic, Endemic and Infectious Diseases.	M.	3,446	2,967	3,168	6,336	3,350	2,318	2,040	2,467	1,944	2,187	2,105
		F.	2,548	2,094	2,166	5,174	2,662	1,867	1,697	2,087	1,564	1,832	1,713
		P.	2,955	2,478	2,596	5,667	2,970	2,080	1,861	2,269	1,746	2,002	1,900
1	Enteric fever	M.	43	36	32	28	18	16	17	13	12	13	10
		F.	29	25	24	25	13	12	15	11	11	12	10
		P.	35	30	28	26	16	14	16	12	12	13	10
	(a) Typhoid fever	M.	?	?	?	?	?	?	17	13	12	12	9
		F.	?	?	?	?	?	?	15	11	10	11	9
		P.	?	?	?	?	?	?	16	12	11	12	9
5	Malaria	M.	3	2	6	6	11	13	8	6	4	5	3
		F.	1	0	0	0	0	1	0	1	0	0	0
		P.	2	1	3	3	5	6	4	3	2	2	2
7	Measles	M.	530	184	369	348	114	213	66	164	157	138	153
		F.	408	130	254	237	88	174	53	136	121	112	122
		P.	463	154	304	284	100	192	59	149	138	124	137
8	Scarlet fever	M.	71	43	25	32	35	39	35	36	27	22	26
		F.	61	35	19	26	33	37	34	37	24	23	25
		P.	66	39	22	29	34	38	34	36	26	23	25
9	Whooping cough	M.	231	175	130	305	72	112	113	157	104	100	149
		F.	231	175	134	282	74	123	128	176	112	105	162
		P.	230	175	132	291	74	118	121	167	108	103	156
0	Diphtheria	M.	177	169	148	158	147	153	127	112	72	65	72
		F.	156	141	117	127	129	149	125	102	70	64	70
		P.	165	153	130	140	137	151	126	107	71	64	71
1	Influenza	M.	319	275	248	3,207	1,276	311	250	568	234	492	339
		F.	272	232	183	2,983	1,104	255	226	559	207	486	316
		P.	294	251	210	3,078	1,181	282	237	563	220	489	327
	(a) 1. With pneumonic complications.	M.	?	?	?	?	?	?	116	285	110	242	152
		F.	?	?	?	?	?	?	89	256	78	200	115
		P.	?	?	?	?	?	?	101	270	93	220	133
	(a) 2. With other pulmonary complications.	M.	?	?	?	?	?	?	43	124	41	103	70
		F.	?	?	?	?	?	?	46	130	45	126	77
		P.	?	?	?	?	?	?	45	127	43	115	74
	(b) 1. With non-pulmonary complications.	M.	?	?	?	?	?	?	53	87	52	85	68
		F.	?	?	?	?	?	?	51	91	48	87	70
		P.	?	?	?	?	?	?	52	89	50	86	69
	(b) 2. Without stated complications.	M.	?	?	?	?	?	?	37	72	31	62	49
		F.	?	?	?	?	?	?	41	82	36	73	53
		P.	?	?	?	?	?	?	39	77	34	68	51
5	Dysentery	M.	12	16	32	31	14	8	7	5	5	4	4
		F.	14	12	19	18	8	5	7	6	3	3	3
		P.	13	13	25	24	11	7	7	6	4	3	3
	(c) Unspecified, or other than Amœbic or Bacillary.	M.	?	?	?	?	?	?	6	5	4	3	3
		F.	?	?	?	?	?	?	6	5	2	3	3
		P.	?	?	?	?	?	?	6	5	3	3	3
1	Erysipelas	M.	35	26	19	20	22	24	20	21	17	19	24
		F.	25	17	15	14	15	21	18	16	16	16	20
		P.	30	21	17	17	18	22	19	18	16	17	22
3	Encephalitis lethargica ..	M.	—	—	—	0	8	13	19	9	15	39	36
		F.	—	—	—	1	8	12	19	9	13	33	35
		P.	—	—	—	0	8	13	19	9	14	36	35
4	Meningococcal meningitis ..	M.	54	31	36	23	23	17	13	11	8	9	11
		F.	37	23	25	15	13	12	9	8	7	6	7
		P.	45	26	31	18	17	14	11	9	7	8	9
9	Tetanus	M.	7	8	9	9	7	7	6	6	7	6	6
		F.	1	2	2	2	2	2	3	2	2	1	2
		P.	4	4	5	4	4	4	4	4	5	3	4

* Based upon civilian deaths and civilian population.

TABLE 5.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM CERTAIN CAUSES AT ALL AGES TO A MILLION LIVING, 1915–1925.—MALES, FEMALES, AND PERSONS—*cont.*

List No.	Causes of Death.		1915.*	1916.*	1917*	1918.*	1919.*	1920.*	1921.	1922.	1923.	1924.	1925.
31–37	Tuberculosis (all forms) ..	M.	1,850	1,886	1,991	2,056	1,495	1,287	1,267	1,279	1,204	1,202	1,195
		F.	1,242	1,239	1,308	1,380	1,112	997	998	976	932	926	895
		P.	1,517	1,523	1,602	1,668	1,284	1,133	1,126	1,121	1,062	1,058	1,038
31	Respiratory system ..	M.	1,410	1,447	1,525	1,615	1,173	1,003	1,003	1,024	958	966	967
		F.	915	920	975	1,070	856	757	777	766	724	727	709
		P.	1,139	1,151	1,211	1,302	998	873	884	889	836	841	833
32	Nervous system ..	M.	171	166	170	153	116	107	99	98	91	86	86
		F.	132	123	125	107	92	86	80	78	79	74	70
		P.	149	141	144	126	103	96	89	88	85	80	78
33	Intestines and peritoneum	M.	117	110	119	110	70	58	59	51	52	49	46
		F.	88	91	88	81	64	59	55	48	50	46	42
		P.	102	100	102	92	67	59	57	49	51	48	44
34	Vertebral column	M.	20	24	27	29	22	22	19	21	18	17	16
		F.	15	14	16	20	15	14	16	15	14	15	11
		P.	17	19	21	24	18	18	18	18	16	16	14
35	Joints	M.	13	15	17	18	14	12	9	10	9	10	8
		F.	8	7	7	9	8	7	7	6	6	5	5
		P.	10	11	12	13	10	9	8	8	7	8	6
36	Other organs	M.	20	25	25	24	21	19	17	16	17	15	15
		F.	16	16	19	19	19	15	16	14	13	14	13
		P.	17	21	22	21	20	16	16	15	15	15	14
	(*d*) Genito-urinary system	M.	?	?	?	?	?	?	7	8	9	7	8
		F.	?	?	?	?	?	?	6	5	5	6	6
		P.	?	?	?	?	?	?	6	7	7	6	7
37	Disseminated tuberculosis ..	M.	99	99	108	107	79	66	62	59	59	57	56
		F.	68	68	78	74	58	59	49	49	46	45	44
		P.	83	80	90	90	68	62	55	54	52	51	50
	(*a*) Acute	M.	27	24	24	24	19	17	13	16	21	22	18
		F.	21	20	20	18	18	19	12	14	20	19	17
		P.	24	22	22	21	18	18	12	15	21	21	18
	(*b*) Chronic or unstated ..	M.	72	75	84	83	60	49	49	43	38	35	38
		F.	47	48	58	56	40	40	37	35	26	26	27
		P.	59	58	68	69	50	44	43	39	31	30	32
38	Syphilis	M.	67	74	82	77	68	65	57	47	47	42	39
		F.	41	41	45	42	38	44	38	31	27	25	23
		P.	53	55	60	57	52	54	47	39	36	33	30
41	Purulent infection, septicæmia	M.	25	20	18	18	18	23	20	19	17	16	20
		F.	12	10	8	9	9	12	12	10	9	10	12
		P.	18	14	13	13	13	18	15	14	13	13	16
43–69	II. General Diseases not included in I. 1–42.†	M.	1,543	1,610	1,642	1,625	1,535	1,472	1,506	1,549	1,563	1,602	1,649
		F.	1,612	1,609	1,567	1,545	1,578	1,618	1,709	1,733	1,758	1,781	1,849
		P.	1,581	1,609	1,599	1,578	1,559	1,549	1,612	1,645	1,665	1,696	1,754
43–49	Cancer, malignant disease..	M.	1,076	1,145	1,214	1,222	1,164	1,110	1,142	1,167	1,203	1,242	1,290
		F.	1,163	1,172	1,178	1,181	1,198	1,219	1,281	1,286	1,326	1,347	1,377
		P.	1,122	1,161	1,192	1,199	1,182	1,166	1,215	1,229	1,267	1,297	1,336
43	Buccal cavity	M.	131	144	155	161	149	138	137	133	139	135	142
		F.	18	19	20	19	19	19	18	18	21	21	21
		P.	69	74	78	80	77	75	75	73	77	75	79
44	Pharynx, œsophagus, stomach, liver and annexa	M.	427	453	474	471	451	422	439	449	454	460	484
		F.	339	338	324	326	322	333	344	352	352	353	366
		P.	379	389	388	387	380	375	389	398	401	404	422
45	Peritoneum, intestines and rectum.	M.	236	251	271	266	261	251	259	263	273	292	298
		F.	218	224	226	237	236	242	255	249	266	273	276
		P.	226	236	245	250	247	246	257	256	269	282	287
46	Female genital organs ..	F.	247	248	257	255	256	254	274	269	278	278	281
47	Breast	M.	2	2	3	3	2	2	2	2	2	2	2
		F.	203	212	214	208	221	228	236	242	249	254	265
		P.	112	120	123	121	122	121	125	128	131	134	139
48	Skin..	M.	38	42	43	44	45	40	40	40	41	44	42
		F.	20	19	20	20	21	20	20	22	21	23	21
		P.	28	29	30	30	32	29	30	31	31	33	31

* Based on civilian deaths and civilian population.

† *See* Note to this heading in Table 4.

TABLE 5.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM CERTAIN CAUSES AT ALL AGES TO A MILLION LIVING, 1915–1925.—MALES, FEMALES, AND PERSONS—*cont.*

List No.	Causes of Death.		1915.*	1916.*	1917.*	1918.*	1919.*	1920.*	1921.	1922.	1923.	1924.	1925.
	Cancer, malignant disease—*contd.*												
49	Other or unspecified organs	M.	242	253	268	277	256	257	266	280	294	309	321
		F.	118	112	117	116	123	123	132	134	139	145	146
		P.	173	174	181	184	183	186	196	203	213	224	230
50	Tumours not returned as malignant (brain and female genital organs excepted).	M.	18	19	19	21	19	18	20	20	22	22	21
		F.	14	14	12	12	13	15	15	15	16	17	18
		P.	16	16	15	16	16	16	17	17	19	19	19
51	Rheumatic fever	M.	62	55	44	48	42	55	48	45	42	41	45
		F.	58	52	40	40	42	58	48	48	43	45	52
		P.	60	53	41	43	42	57	48	47	42	43	48
52	Chronic rheumatism, osteo-arthritis, gout.†	M.	57	58	59	52	50	41	41	49	45	48	45
		F.	73	75	68	73	73	69	77	80	80	78	85
		P.	66	67	65	64	62	56	60	65	64	64	66
	1. Chronic rheumatism, chronic arthritis.†	M.	12	14	14	12	12	9	10	11	10	10	8
		F.	15	17	13	14	13	12	14	13	12	11	10
		P.	14	15	14	13	12	11	12	12	11	11	9
	2. Rheumatoid and osteo-arthritis.	M.	26	25	28	27	26	22	22	28	27	29	28
		F.	53	55	52	57	58	56	62	65	66	66	73
		P.	41	42	42	44	44	40	43	47	48	48	51
	3. Gout	M.	19	19	17	13	12	10	9	10	8	9	9
		F.	5	3	3	2	2	1	2	2	2	1	2
		P.	11	10	9	7	6	5	5	6	5	5	5
56	Rickets	M.	33	34	33	27	18	18	15	13	15	16	15
		F.	17	20	20	17	10	10	11	9	10	9	10
		P.	24	26	26	22	13	14	13	11	12	13	12
57	Diabetes	M.	142	148	128	120	118	100	105	116	105	102	98
		F.	121	114	96	90	100	101	111	122	122	116	125
		P.	130	129	110	103	108	100	108	119	114	109	112
58	Anæmia, chlorosis	M.	69	68	71	66	61	62	62	68	60	62	65
		F.	75	74	74	60	71	71	84	84	77	81	83
		P.	72	72	73	63	66	66	73	77	70	72	75
	(*a*) Pernicious anæmia ..	M.	?	?	?	?	?	56	55	61	54	56	58
		F.	?	?	?	?	?	62	74	74	68	73	74
		P.	?	?	?	?	?	59	65	68	62	65	66
	(*b*) Other anæmias and chlorosis.	M.	?	?	?	?	?	6	7	7	6	7	7
		F.	?	?	?	?	?	9	10	10	9	8	9
		P.	?	?	?	?	?	7	9	9	8	7	8
60	Diseases of the thyroid gland†	M.	?	?	?	?	?	?	7	6	7	6	7
		F.	?	?	?	?	?	?	41	44	41	44	50
		P.	?	?	?	?	?	?	25	26	25	26	29
	(*a*) Exophthalmic goitre ..	M.	2	3	3	3	4	3	3	3	3	2	3
		F.	21	20	20	18	24	24	27	30	28	28	34
		P.	12	13	13	12	15	14	15	17	16	16	19
	(*b*) (1) Myxœdema ..	M.	?	?	?	?	?	?	1	1	1	1	1
		F.	?	?	?	?	?	?	7	7	7	8	9
		P.	?	?	?	?	?	?	4	4	4	5	5
	(*b*) (2) and (3) Cretinism and other diseases of the thyroid gland.†	M.	?	?	?	?	?	?	3	2	3	3	3
		F.	?	?	?	?	?	?	8	7	6	7	8
		P.	?	?	?	?	?	?	6	5	5	5	5
62	Diseases of the thymus ..	M.	7	8	5	5	4	5	6	6	6	5	5
		F.	4	4	4	3	2	3	3	4	3	3	3
		P.	6	6	4	4	3	4	5	5	4	4	4
63	Diseases of the adrenals ..	M.	6	6	7	6	4	5	5	5	6	5	6
		F.	7	7	7	6	6	7	6	7	6	6	7
		P.	7	6	7	6	5	6	6	6	6	6	7
65	Leukæmia, lymphadenoma ..	M.	24	26	24	24	23	25	27	29	27	29	29
		F.	16	16	15	14	16	16	16	16	19	19	21
		P.	20	20	18	19	19	20	21	22	23	24	25
	(*a*) Leukæmia	M.	13	14	13	12	12	13	14	15	15	15	16
		F.	11	11	10	9	10	10	10	10	12	12	13
		P.	12	12	11	11	11	11	12	12	13	13	15
	(*b*) Lymphadenoma (Hodgkin's disease).	M.	11	12	11	12	11	12	13	14	12	14	13
		F.	5	5	5	5	6	6	6	6	7	8	7
		P.	8	8	7	8	8	9	9	10	10	11	10
66	Alcoholism (acute or chronic)	M.	18	14	8	4	5	9	7	6	6	5	5
		F.	11	6	4	1	1	3	3	2	2	2	3
		P.	14	10	6	2	3	6	5	4	4	3	4

* Based on civilian deaths and civilian population.
† *See* Note to this heading in Table 4.

TABLE 5.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM CERTAIN CAUSES AT ALL AGES TO A MILLION LIVING, 1915–1925.—MALES, FEMALES, AND PERSONS—*cont.*

List No.	Causes of Death.		1915.*	1916.*	1917.*	1918.*	1919.*	1920.*	1921.	1922.	1923.	1924.	1925.
69	Other general diseases†	M.	17	14	18	15	13	13	13	13	14	12	13
		F.	14	14	12	10	10	11	11	12	10	11	12
		P.	16	14	14	13	12	12	12	12	12	11	12
	i. Purpura	M.	9	8	11	9	7	6	7	8	6	6	7
		F.	10	9	8	7	6	7	6	7	7	6	7
		P.	10	8	9	8	7	7	7	7	6	6	7
70–86	III. Diseases of the Nervous System and Sense Organs.†	M.	1,846	1,833	1,904	1,759	1,541	1,360	1,310	1,324	1,265	1,248	1,243
		F.	1,526	1,405	1,386	1,307	1,290	1,250	1,235	1,253	1,218	1,188	1,174
		P.	1,672	1,593	1,609	1,499	1,402	1,302	1,271	1,287	1,241	1,217	1,207
70	Encephalitis	M.	10	11	10	11	11	13	10	10	10	8	11
		F.	7	6	6	8	9	8	7	7	6	6	6
		P.	8	8	7	9	10	10	8	8	8	7	8
	1. Cerebral abscess	M.	?	?	?	?	?	7	6	7	6	6	7
		F.	?	?	?	?	?	4	4	3	4	3	3
		P.	?	?	?	?	?	5	5	5	5	4	5
71	Meningitis	M.	129	110	110	105	87	74	72	66	60	57	55
		F.	93	79	72	70	59	56	57	58	48	42	39
		P.	109	94	89	86	72	64	64	58	54	50	47
72	Tabes dorsalis (locomotor ataxy).	M.	39	44	43	40	36	29	32	36	33	34	32
		F.	6	5	6	5	4	4	6	7	7	6	6
		P.	21	23	22	20	19	16	18	21	19	19	19
73	Other diseases of the spinal cord.†	M.	90	98	92	94	91	76	40	42	45	46	43
		F.	61	60	59	55	59	57	29	30	31	30	30
		P.	75	77	73	72	73	66	34	36	37	38	36
74	Cerebral hæmorrhage, apoplexy, etc.	M.	782	790	839	764	726	641	627	653	635	638	645
		F.	800	752	759	715	758	728	723	755	743	737	741
		P.	791	769	794	736	743	686	677	706	691	689	695
	(*a*) 1. Cerebral hæmorrhage so returned.	M.	549	554	598	557	532	481	476	500	491	499	507
		F.	552	527	542	512	550	539	539	573	570	565	574
		P.	550	539	566	531	541	511	509	538	532	533	542
	(*a*) 2. Apoplexy, lesion unstated.	M.	156	158	161	138	124	94	86	79	69	64	57
		F.	158	141	139	128	124	104	92	89	80	71	62
		P.	157	148	149	132	124	99	89	84	75	67	60
	(*b*) 1. Cerebral embolism	M.							16	19	17	18	17
		F.							25	24	22	23	24
		P.	77	78	80	69	70	66	21	22	19	20	21
	(*b*) 2. Cerebral thrombosis	M.	90	84	78	75	84	85	50	55	58	58	64
		F.	84	82	79	73	78	76	66	69	71	77	80
		P.							58	62	65	68	72
75	Paralysis of unstated origin	M.	83	85	84	74	70	57	58	59	54	53	53
		F.	86	79	74	68	68	66	62	64	64	60	55
		P.	84	82	79	71	70	61	60	62	59	57	54
	(*a*) Hemiplegia	M.	65	67	68	61	60	48	49	51	47	46	46
		F.	72	66	61	57	59	56	54	57	57	53	49
		P.	69	67	64	59	60	52	51	54	52	49	48
	(*b*) Other forms of paralysis	M.	18	18	16	13	10	9	9	8	7	7	7
		F.	14	13	13	11	9	10	9	7	7	7	6
		P.	15	15	15	12	10	9	9	8	7	7	6
76	General paralysis of the insane.	M.	111	107	121	106	74	66	69	77	76	68	67
		F.	22	19	22	17	14	12	14	15	15	14	14
		P.	63	58	64	55	41	38	41	44	44	40	40
77	Other forms of insanity	M.	27	31	40	40	25	18	16	19	15	15	19
		F.	34	35	36	37	27	27	28	28	26	25	27
		P.	31	33	37	38	27	23	22	24	21	21	24
78	Epilepsy	M.	101	113	136	132	90	65	62	63	60	61	59
		F.	74	75	80	79	67	53	55	56	52	53	51
		P.	86	92	104	102	78	59	58	60	56	57	55
79 & 80	Convulsions (non-puerperal)	M.	311	283	259	237	192	199	169	137	121	109	108
		F.	194	161	148	134	115	131	108	91	80	74	69
		P.	248	214	195	178	150	163	137	113	100	91	87
82	Hysteria and neuritis	M.	12	8	9	7	5	6	6	6	5	5	5
		F.	16	12	9	5	7	6	8	9	8	7	7
		P.	14	11	9	7	6	6	7	8	6	6	6

* Based on civilian deaths and civilian population.
† *See* Note to this heading in Table 4.

TABLE 5.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM CERTAIN CAUSES AT ALL AGES TO A MILLION LIVING, 1915–1925.—MALES, FEMALES, AND PERSONS—*cont.*

List No.	Causes of Death.		1915.*	1916.*	1917.*	1918.*	1919.*	1920.*	1921.	1922.	1923.	1924.	1925.
83	Cerebral softening	M.	45	41	45	39	31	22	22	21	21	22	10
		F.	39	33	34	30	29	22	24	25	21	22	10
		P.	42	37	38	34	30	22	23	23	21	22	10
84	Other diseases of the nervous system.†	M.	?	?	?	?	?	?	87	94	92	95	97
		F.	?	?	?	?	?	?	81	84	87	83	89
		P.	?	?	?	?	?	?	84	89	90	89	93
	1. Idiocy, imbecility ..	M.	9	10	14	14	10	6	7	7	7	7	8
		F.	7	7	8	8	6	5	6	8	8	8	8
		P.	7	8	11	11	8	6	6	7	7	7	8
	2. Cerebral tumour	M.	30	33	29	27	28	27	29	28	29	30	28
		F.	26	25	23	22	22	24	26	26	26	25	25
		P.	28	28	26	24	25	25	27	27	28	27	27
	3. Disseminated sclerosis† ..	M.	?	?	?	?	?	?	16	20	18	20	19
		F.	?	?	?	?	?	?	18	17	18	17	18
		P.	?	?	?	?	?	?	17	19	18	18	19
	4. Paralysis agitans† ..	M.	?	?	?	?	?	?	19	21	21	23	29
		F.	?	?	?	?	?	?	16	17	20	19	24
		P.	?	?	?	?	?	?	17	19	21	21	26
	5. Other diseases included under 84.†	M.	25	31	33	38	24	19	17	18	17	15	13
		F.	24	24	24	26	19	17	16	16	15	15	13
		P.	24	27	28	31	21	18	16	17	16	15	13
86	Diseases of the ear and of the mastoid sinus.	M.	40	38	35	31	35	37	38	37	36	33	36
		F.	27	24	22	21	20	28	27	26	25	23	25
		P.	33	30	28	26	27	32	32	32	31	28	30
	1. Diseases of the mastoid sinus.	M.	12	10	9	8	10	10	10	10	11	10	11
		F.	7	6	5	4	5	8	8	9	7	7	8
		P.	9	8	7	6	7	9	9	10	9	8	9
	2. Diseases of the ear ..	M.	28	28	26	23	25	27	27	27	25	23	25
		F.	20	18	17	17	15	20	20	17	18	16	18
		P.	24	22	21	20	20	23	23	22	22	19	21
87–96	IV. Diseases of the Circulatory System.†	M.	2,167	2,193	2,240	2,143	2,054	1,839	1,847	2,041	1,966	2,087	2,212
		F.	1,840	1,781	1,696	1,600	1,737	1,678	1,756	1,967	1,888	2,006	2,112
		P.	1,988	1,962	1,929	1,830	1,879	1,754	1,800	2,002	1,926	2,044	2,160
87–90	Heart diseases†	M.	1,779	1,798	1,801	1,707	1,610	1,417	1,381	1,514	1,429	1,506	1,596
		F.	1,626	1,569	1,476	1,379	1,481	1,411	1,451	1,618	1,528	1,611	1,694
		P.	1,695	1,668	1,617	1,519	1,538	1,416	1,418	1,568	1,480	1,561	1,647
87	Pericarditis†	M.	16	13	12	12	10	11	11	12	11	10	10
		F.	12	10	8	7	8	8	8	8	6	8	7
		P.	14	11	10	10	8	10	9	10	8	9	9
88	Acute endocarditis and myocarditis.†	M.	51	46	40	40	53	67	64	57	52	52	52
		F.	50	42	40	38	40	56	48	49	46	48	51
		P.	50	43	42	39	46	62	55	52	50	50	51
	1. Infective endocarditis ..	M.	14	14	14	11	22	31	40	36	30	27	27
		F.	15	13	13	14	13	21	24	26	24	25	23
		P.	14	13	14	13	17	26	32	30	27	26	25
	2. Other acute endocarditis†	M.	25	21	16	18	19	21	17	14	15	14	14
		F.	26	21	20	17	19	22	17	16	14	14	16
		P.	26	21	19	18	19	22	17	15	15	14	15
	3. Acute myocarditis† ..	M.	12	11	10	11	12	15	6	7	7	10	11
		F.	9	8	7	7	8	13	6	7	8	9	12
		P.	10	9	9	8	10	14	6	7	8	10	11
89	Angina pectoris	M.	52	46	43	44	45	39	41	54	58	66	69
		F.	21	17	17	14	17	17	17	23	25	27	27
		P.	35	30	28	27	30	27	29	38	41	45	47
90	Other diseases of the heart†..	M.	1,660	1,693	1,706	1,611	1,502	1,300	1,265	1,391	1,308	1,378	1,465
		F.	1,543	1,500	1,411	1,320	1,416	1,330	1,379	1,538	1,451	1,529	1,609
		P.	1,596	1,584	1,537	1,443	1,454	1,317	1,324	1,468	1,381	1,457	1,540

* Based on civilian deaths and civilian population.
† *See* Note to this heading in Table 4.

TABLE 5.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM CERTAIN CAUSES AT ALL AGES TO A MILLION LIVING, 1915–1925.—MALES, FEMALES, AND PERSONS—*cont.*

List No.	Causes of Death.		1915.*	1916.*	1917.*	1918.*	1919.*	1920.*	1921.	1922.	1923.	1924.	1925.
	Other diseases of the heart—*contd.*												
	1. Aortic valve disease ..	M.							106	113	107	106	110
		F.							43	46	48	44	51
		P							73	78	76	74	79
	2. Mitral valve disease ..	M.							178	193	181	174	176
		F.							271	295	276	278	274
		P.	721	758	793	767	720	654	227	246	230	228	227
	3. Aortic and mitral valve disease.	M.	696	680	665	651	683	654					
		F.	707	714	720	700	699	654	27	26	25	24	24
		P.							18	19	20	18	21
									23	23	22	21	22
	4. Other or unspecified valve disease.†	M.							314	316	292	300	297
		F.							340	371	331	348	327
		P.							328	345	312	325	313
	5. Fatty heart	M.	94	86	80	62	64	59	60	69	67	65	65
		F.	94	88	73	55	68	62	67	77	77	75	77
		P.	94	87	76	58	66	61	64	73	72	70	71
	6. Cardiac dilatation, cause unspecified.	M.							27	27	23	20	21
		F.							27	28	22	17	20
		P.							27	28	22	19	21
	7. Other or unspecified myocardial disease.†	M.	840	843	827	775	710	578	242	314	332	404	493
		F.	747	727	667	608	657	604	265	347	366	435	532
		P.	789	778	735	679	681	592	254	331	350	420	513
	9. Heart disease (undefined)	M.							298	318	263	261	250
		F.							332	338	287	282	267
		P.							316	328	276	272	259
	8. Disordered action of the heart.	M.	5	6	6	7	8	9	13	15	18	23	29
		F.	6	5	6	6	8	10	15	17	24	32	41
		P.	6	5	6	6	8	10	14	16	21	28	35
91	Diseases of the arteries† ..	M.	366	372	417	416	423	401	447	508	518	559	591
		F.	191	190	197	200	238	245	281	324	335	368	392
		P.	270	272	292	292	320	318	361	412	422	460	487
	(*a*) Aneurysm	M.	52	49	49	44	43	44	44	45	42	44	45
		F.	13	10	11	9	9	9	10	11	11	10	12
		P.	31	28	28	24	24	25	26	27	26	26	27
	(*b*) Arterio-sclerosis ..	M.	309	318	364	366	375	352	398	458	470	511	542
		F.	175	178	184	189	225	233	267	309	319	355	375
		P.	235	240	261	264	292	289	329	380	391	429	455
	1. With record of cerebral vascular lesion.	M.	?	?	?	?	?	?	118	139	146	149	167
		F.	?	?	?	?	?	?	94	110	114	126	133
		P.	?	?	?	?	?	?	105	124	130	137	149
	2. Without record of cerebral vascular lesion.	M.	?	?	?	?	?	?	280	319	324	362	375
		F.	?	?	?	?	?	?	173	199	205	228	242
		P.	?	?	?	?	?	?	224	256	261	292	306
	(*c*) Other diseases of the arteries.†	M.	5	5	4	6	5	5	5	5	6	4	5
		F.	3	2	2	2	4	3	4	4	5	4	5
		P.	4	4	3	4	4	4	5	5	5	4	5
92	Embolism and thrombosis (not cerebral).	M.	10	8	9	8	9	8	8	9	8	9	10
		F.	9	7	7	7	7	9	9	8	9	9	9
		P.	10	8	8	7	8	8	8	9	8	9	10
93	Diseases of the veins (varices, hæmorrhoids, phlebitis, etc.)	M.	7	9	8	6	6	7	6	7	7	7	9
		F.	10	10	9	8	9	11	11	13	13	12	12
		P.	9	10	9	7	8	9	9	10	10	9	11
97–107	V. Diseases of the Respiratory System.†	M.	3,525	3,013	3,235	3,699	2,941	2,504	2,212	2,572	2,102	2,352	2,234
		F.	2,609	2,098	2,035	2,527	2,190	1,867	1,722	2,064	1,653	1,919	1,788
		P.	3,024	2,500	2,549	3,023	2,526	2,168	1,956	2,308	1,868	2,126	2,001
98	Diseases of the larynx ..	M.	45	42	36	33	28	28	20	18	13	14	13
		F.	29	23	21	20	20	21	14	11	9	8	9
		P.	36	30	29	25	23	26	17	15	11	11	11
	2. Laryngitis	M.	35	32	29	26	22	22	15	14	9	10	9
		F.	23	19	16	17	17	17	12	9	7	6	7
		P.	29	24	23	21	19	20	13	11	8	8	8
99	Bronchitis†	M.	1,556	1,396	1,453	1,436	1,409	1,094	929	1,101	878	987	931
		F.	1,344	1,123	1,066	1,046	1,180	948	853	1,045	828	960	884
		P.	1,440	1,243	1,231	1,212	1,282	1,017	889	1,073	852	973	906
	(*a*) Acute	M.	?	?	?	?	?	?	219	265	198	238	221
		F.	?	?	?	?	?	?	241	297	230	279	259
		P.	?	?	?	?	?	?	230	282	215	260	241

* Based on civilian deaths and civilian population.
† *See* Note to this heading in Table 4.

TABLE 5.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM CERTAIN CAUSES AT ALL AGES TO A MILLION LIVING, 1915–1925.—MALES, FEMALES, AND PERSONS—*cont.*

List No.	Causes of Death.		1915.*	1916.*	1917.*	1918.*	1919.*	1920*.	1921.	1922.	1923.	1924.	1925.
	Bronchitis—*contd.*												
	(*b*) Chronic	M.	?	?	?	?	?	?	308	365	321	350	341
		F.	?	?	?	?	?	?	224	278	236	262	251
		P.	?	?	?	?	?	?	264	320	277	304	294
	(*c* and *d*) Not stated whether acute or chronic.	M.	?	?	?	?	?	?	402	471	359	399	369
		F.	?	?	?	?	?	?	389	470	362	418	374
		P.	?	?	?	?	?	?	395	471	360	409	372
100 & 101	Pneumonia (all forms)† ..	M.	1,686	1,359	1,519	2,018	1,307	1,218	1,104	1,280	1,051	1,188	1,134
		F.	1,087	828	829	1,337	867	788	745	883	705	833	784
		P.	1,359	1,061	1,124	1,627	1,064	991	916	1,073	870	1,003	951
100	Broncho-pneumonia† ..	M.	769	593	661	857	623	583	517	664	487	618	566
		F.	559	408	425	609	449	427	409	526	383	497	456
		P.	654	488	525	715	527	501	460	592	433	555	509
101	Pneumonia (lobar or not otherwise defined).	M.	917	766	858	1,161	684	635	587	616	564	570	567
		F.	528	420	404	728	418	361	336	357	322	336	328
		P.	705	573	599	912	537	490	456	481	437	448	442
	(*a*) Lobar	M.	385	329	372	454	283	301	282	317	317	315	343
		F.	215	172	166	264	160	158	154	171	169	177	183
		P.	292	241	254	345	215	225	215	241	239	243	260
	(*b*) Not otherwise defined..	M.	532	437	486	707	401	334	304	299	247	255	225
		F.	313	248	238	464	258	203	182	186	153	159	145
		P.	413	332	345	567	322	265	240	240	198	205	183
102	Pleurisy	M.	53	54	58	51	45	44	43	42	44	40	38
		F.	33	29	30	28	26	27	25	26	25	25	21
		P.	42	40	43	38	35	36	34	33	34	32	29
	1. Empyema	M.	17	20	18	17	17	17	18	18	17	17	16
		F.	9	8	8	7	6	7	7	9	7	7	7
		P.	13	13	12	11	11	12	12	13	12	12	11
	2. Other pleurisy	M.	36	34	40	34	28	27	26	24	27	23	22
		F.	24	21	22	21	20	20	18	17	18	18	15
		P.	29	27	31	27	24	24	22	20	22	20	18
103	Congestion and hæmorrhagic infarct of lung.	M.	50	47	42	38	37	31	31	32	29	29	29
		F.	46	39	36	35	33	31	36	36	34	36	38
		P.	48	43	38	36	35	31	34	34	31	32	34
105	Asthma	M.	82	75	80	84	78	58	53	67	55	63	61
		F.	51	40	39	46	48	38	36	50	42	45	42
		P.	65	56	57	62	61	48	44	58	48	54	51
106	Pulmonary emphysema ..	M.	23	16	15	11	13	9	7	10	9	10	7
		F.	9	5	4	3	4	3	2	3	2	3	3
		P.	15	10	9	6	8	6	4	6	5	7	5
107	Other diseases of the respiratory system.†	M.	?	?	?	?	?	?	17	16	16	15	14
		F.	?	?	?	?	?	?	7	6	6	6	5
		P.	?	?	?	?	?	?	12	11	11	10	9
	(*a*) Chronic interstitial pneumonia.	M.	14	14	15	12	12	10	10	10	10	10	10
		F.	3	3	2	3	4	2	3	3	3	3	2
		P.	8	8	8	7	7	6	6	6	6	6	6
	(*b* and *c*) Other diseases included under 107, including disease of the mediastinum.†	M.	?	?	?	?	?	?	8	6	6	5	4
		F.	?	?	?	?	?	?	4	3	3	3	2
		P.	?	?	?	?	?	?	6	5	5	4	3
108–127	**VI. Diseases of the Digestive System.†**	M.	1,333	1,150	1,092	1,023	874	892	1,062	746	784	748	803
		F.	996	833	771	721	658	678	815	596	620	584	620
		P.	1,149	973	909	849	755	779	933	668	698	662	707
108	Diseases of the buccal cavity and annexa.	M.	11	13	12	11	11	13	13	13	14	14	16
		F.	9	9	8	8	9	9	11	11	10	11	10
		P.	10	11	9	10	10	11	12	12	12	12	12
	1. Diseases of the teeth and gums.	M.	9	10	9	7	8	9	8	9	9	8	11
		F.	7	7	6	5	6	7	7	7	7	7	6
		P.	8	9	7	6	7	8	8	8	8	8	9
109	Diseases of the pharynx and tonsils.†	M.	21	18	15	16	20	18	19	16	13	13	19
		F.	17	14	12	11	16	14	15	14	12	11	14
		P.	18	16	14	14	18	16	17	15	13	12	16
	1. Tonsillitis, etc., adenoid vegetations.†	M.	16	13	12	12	17	14	13	12	11	11	15
		F.	13	11	10	9	13	12	12	11	10	9	12
		P.	14	12	11	11	15	13	13	12	10	10	13

* Based on civilian deaths and civilian population.
† *See* Note to this heading in Table 4.

Table 5.—England and Wales.—Crude Annual Death-Rates from Certain Causes at All Ages to a Million Living, 1915–1925.—Males, Females, and Persons—*cont.*

List No.	Causes of Death.		1915.*	1916.*	1917.*	1918.*	1919.*	1920.*	1921.	1922.	1923.	1924.	1925
111	Ulcer of the stomach or duodenum.	M.	89	92	91	96	90	95	88	94	115	115	132
		F.	56	54	56	54	47	49	42	43	45	44	49
		P.	71	72	71	72	66	70	64	68	79	78	89
	(*a*) Ulcer of the stomach ..	M.	58	60	61	68	61	64	56	62	74	74	84
		F.	49	48	49	47	41	42	37	37	37	36	40
		P.	53	54	54	56	50	52	46	49	55	54	61
	(*b*) Ulcer of the duodenum	M.	31	32	30	28	29	31	31	32	41	41	48
		F.	7	6	7	7	6	7	6	6	8	8	9
		P.	18	18	17	16	16	18	18	19	24	24	28
112	Other diseases of the stomach	M.	127	124	114	105	90	94	82	68	62	59	53
		F.	105	99	86	79	80	78	73	65	56	55	52
		P.	115	111	98	91	85	86	78	67	59	57	53
	1. Inflammation of the stomach.	M.	106	101	97	88	75	80	71	57	51	49	44
		F.	88	82	74	67	67	68	64	56	49	48	45
		P.	96	91	84	76	71	74	67	57	50	48	44
	2. Other diseases included under 112.	M.	21	23	17	17	15	14	12	11	11	10	[illegible]
		F.	17	17	12	12	13	10	9	9	7	7	[illegible]
		P.	19	20	14	15	14	12	10	10	9	8	[illegible]
113, 114	Diarrhœa and enteritis ..	M.	662	489	458	425	341	345	526	219	246	219	24[illegible]
		F.	460	337	303	272	234	249	382	165	194	167	18[illegible]
		P.	551	402	370	337	281	294	451	191	218	192	21[illegible]
	1. Ulceration of the intestines.	M.	9	8	8	7	6	5	6	6	6	6	
		F.	9	8	7	9	7	8	7	6	8	9	
		P.	9	8	8	8	6	6	7	6	7	7	
	2. Colitis	M.							14	11	11	10	
		F.							15	11	14	11	1[illegible]
		P.	653	481	450	418	335	340	14	11	12	10	1[illegible]
	3. Other diseases included under 113, 114.	M.	451	329	296	263	227	241					
		F.	542	394	362	329	275	288	566	202	229	204	22[illegible]
		P.							360	148	172	148	16[illegible]
									430	174	199	175	19[illegible]
117	Appendicitis and typhlitis ..	M.	81	85	82	75	74	78	82	84	88	83	8[illegible]
		F.	55	58	54	57	59	58	62	61	61	60	6[illegible]
		P.	67	70	66	65	66	67	72	72	74	71	7[illegible]
118	Hernia, intestinal obstruction	M.	133	135	150	155	123	118	116	117	115	117	1[illegible]
		F.	117	110	131	137	107	105	105	105	109	104	1[illegible]
		P.	124	122	139	145	115	112	111	111	111	110	1[illegible]
	(*a*) Hernia	M.	55	54	65	64	48	45	42	46	45	47	[illegible]
		F.	52	52	65	64	44	44	45	44	46	47	[illegible]
		P.	53	53	65	64	46	45	44	45	45	47	[illegible]
	(*b*) Intestinal obstruction..	M.	78	81	85	91	75	73	75	71	70	70	
		F.	65	58	66	73	63	61	60	61	63	57	
		P.	71	69	74	81	69	67	67	66	66	63	
119	Other diseases of the intestines	M.	15	13	15	13	13	13	12	13	13	12	
		F.	14	12	11	11	11	11	12	11	12	12	
		P.	14	13	13	12	12	12	12	12	12	12	
	1. Intestinal stasis ..	M.	?	?	?	?	?	?	?	?	?	4	
		F.	?	?	?	?	?	?	?	?	?	5	
		P.	?	?	?	?	?	?	?	?	?	4	
	2. Other diseases included under 119.	M.	?	?	?	?	?	?	?	?	?	8	
		F	?	?	?	?	?	?	?	?	?	7	
		P.	?	?	?	?	?	?	?	?	?	7	
122	Cirrhosis of the liver	M.	133	121	101	76	60	66	71	70	63	61	
		F.	81	62	43	31	27	30	33	31	30	31	
		P.	105	89	69	50	43	47	51	50	46	45	
	(*a*) Returned as alcoholic..	M.	10	9	6	4	4	5	6	6	5	5	
		F.	8	6	4	2	1	2	3	2	3	3	
		P.	9	7	5	3	3	3	4	4	4	4	
	(*b*) Not returned as alcoholic.	M.	123	112	95	72	56	61	66	64	58	56	
		F.	73	56	39	29	26	28	30	29	27	28	
		P.	96	82	64	47	40	44	47	46	42	41	
123	Biliary calculi	M.	14	13	13	12	13	12	14	15	14	16	
		F.	30	29	25	21	28	29	34	35	38	36	
		P.	23	22	20	18	21	21	25	26	27	27	

* Based on civilian deaths and civilian population.

ABLE 5.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM CERTAIN CAUSES AT ALL AGES TO A MILLION LIVING, 1915–1925.—MALES, FEMALES, AND PERSONS—*cont.*

List No.	Causes of Death.		1915.*	1916.*	1917.*	1918.*	1919.*	1920.*	1921.	1922.	1923.	1924.	1925.
124	Other diseases of the liver ..	M.	24	24	21	21	20	19	19	20	21	22	23
		F.	26	23	19	20	20	22	25	29	29	29	34
		P.	25	24	20	21	20	21	22	25	25	25	29
125	Diseases of the pancreas ..	M.	5	4	4	3	4	6	6	6	7	7	8
		F.	5	4	3	2	4	4	5	5	7	7	9
		P.	5	4	3	3	4	5	5	6	7	7	9
126	Peritonitis of unstated origin	M.	15	15	13	11	9	10	9	8	8	8	7
		F.	16	15	14	11	13	13	12	14	13	11	13
		P.	15	15	14	11	11	12	10	11	11	10	10
128–142	VII. Non-venereal Diseases of the Genito-urinary System	M.	750	736	773	723	639	577	577	576	573	585	580
		F.	465	420	400	373	365	375	377	389	388	377	390
		P.	593	559	560	521	487	470	473	479	476	476	481
128	Acute nephritis (including unspecified under 10 years of age).	M.	69	70	69	62	50	47	44	42	39	39	41
		F.	52	45	43	41	38	38	34	32	32	33	32
		P.	60	56	54	50	44	42	39	37	35	36	36
129	Chronic nephritis (including unspecified over 10 years of age).	M.	463	442	453	416	360	326	315	322	314	319	310
		F.	328	292	278	256	249	250	254	271	269	258	268
		P.	389	359	352	325	298	286	283	295	290	287	288
131	Other diseases of the kidneys and annexa.	M.	13	15	15	15	15	15	16	17	15	20	18
		F.	13	11	11	11	11	13	14	14	15	17	17
		P.	13	13	13	13	13	14	15	16	15	19	18
132	Calculi of the urinary passages.	M.	11	11	12	11	11	10	10	11	12	11	11
		F.	4	4	4	4	3	5	6	5	5	4	5
		P.	8	7	7	7	7	7	8	8	8	7	8
133	Diseases of the bladder ..	M.	67	64	67	62	58	49	50	44	43	39	35
		F.	13	11	12	11	10	11	12	11	13	11	13
		P.	38	34	35	32	32	29	30	27	27	24	23
	1. Cystitis	M.	?	?	?	?	?	?	45	40	40	37	33
		F.	?	?	?	?	?	?	11	11	12	10	12
		P.	?	?	?	?	?	?	27	25	25	23	22
134	Diseases of the urethra, urinary abscess, etc.	M.	26	25	30	29	24	21	21	21	22	21	18
		F.	0	0	0	0	0	0	0	0	0	0	0
		P.	12	12	14	13	11	10	10	10	11	10	9
	(*a*) Stricture of the urethra	M.	?	?	?	?	?	?	17	17	18	17	16
135	Diseases of the prostate ..	M.	96	104	122	123	116	104	118	116	125	133	143
137	Cysts and other tumours of the ovary not returned as malignant	F.	15	16	14	14	14	16	15	14	14	14	14
138	Salpingitis and pelvic abscess in females.†	F.	?	?	?	?	?	?	13	13	12	11	13
	1. Salpingitis†	F.	?	?	?	?	?	?	11	10	10	9	11
139	Tumours of the uterus not returned as malignant	F.	17	16	17	16	16	18	18	18	18	18	19
141	Other diseases of the female genital organs.†	F.	19	20	18	19	20	22	8	7	8	7	7
	1. Other diseases of the uterus.†	F.	8	9	8	7	9	11	7	6	6	5	
143–150	**VIII. The Puerperal State** ..	F.	**177**	**167**	**133**	**128**	**154**	**210**	**168**	**149**	**144**	**141**	**143**
143	Accidents of pregnancy ..	F.	20	16	14	13	14	18	17	16	18	16	16
	(*a*) Abortion	F.	7	5	6	5	6	6	5	5	5	6	4
	(*b* and *c*) Other accidents including ectopic gestation.	F.	13	11	8	8	8	12	11	11	13	11	11
144	Puerperal hæmorrhage ..	F.	24	23	18	16	19	26	24	20	21	19	18
145	Other accidents of childbirth	F.	21	20	14	15	17	21	19	15	15	16	16

* Based on civilian deaths and civilian population.
† *See* Note to this heading in Table 4.

TABLE 5.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM CERTAIN CAUSES AT ALL AGES TO A MILLION LIVING, 1915–1925.—MALES, FEMALES, AND PERSONS—*cont.*

List No.	Causes of Death.		1915.*	1916.*	1917.*	1918.*	1919.*	1920.*	1921.	1922.	1923.	1924.	1925.
146	Puerperal sepsis	F.	62	55	44	43	59	88	59	54	49	50	55
147	Puerperal phlegmasia alba dolens, embolism, sudden death.	F.	15	15	12	11	12	18	16	15	14	12	12
	2. Puerperal embolism and sudden death.	F.	12	12	10	9	9	15	13	12	11	9	10
148	Puerperal albuminuria and convulsions.	F.	32	34	28	28	30	38	30	28	26	26	25
151–154	IX. Diseases of the Skin and Cellular Tissue.†	M.	126	123	123	111	113	105	97	90	86	88	93
		F.	93	89	86	75	78	81	73	73	70	70	76
		P.	108	105	102	91	94	92	85	81	78	79	84
151	Gangrene	M.	54	57	55	49	50	39	40	37	30	37	35
		F.	39	37	36	33	34	34	29	31	29	28	30
		P.	47	47	43	39	41	36	34	34	30	32	32
	1. Senile gangrene.. ..	M.	49	51	48	43	44	35	36	34	28	34	32
		F.	33	32	31	27	30	30	26	27	27	26	27
		P.	40	41	38	34	36	32	31	30	27	30	30
152	Carbuncle, boil	M.	12	10	12	13	12	12	12	11	13	11	13
		F.	4	5	5	5	6	5	5	5	5	5	6
		P.	8	7	8	9	9	8	8	8	9	8	9
153	Cellulitis, acute abscess† ..	M.	28	25	27	21	25	28	21	22	20	19	22
		F.	19	16	14	12	15	18	16	14	15	13	16
		P.	23	20	20	17	19	22	19	18	17	16	19
	1. Cellulitis†	M.	18	16	17	15	16	19	14	15	14	14	17
		F.	11	9	8	8	9	12	11	9	10	10	12
		P.	14	12	12	12	12	15	12	12	12	12	14
	2. Acute abscess†	M.	10	9	10	6	9	9	7	7	6	5	5
		F.	8	7	6	4	6	6	6	5	5	4	4
		P.	9	8	8	5	7	7	6	6	5	4	5
154	Other diseases of the skin and its annexa.	M.	32	33	31	29	25	27	24	20	23	21	23
		F.	31	30	31	23	24	24	23	23	21	23	24
		P.	30	31	31	26	26	25	23	21	22	22	24
	1. Ulcer, bedsore	M.	11	9	12	10	7	7	6	5	7	4	5
		F.	17	15	16	12	12	11	11	11	8	10	10
		P.	14	12	14	11	10	9	8	8	7	7	8
	2–4. Other diseases under 154, including eczema and pemphigus.	M.	21	24	19	19	18	20	18	15	16	17	18
		F.	14	15	15	11	12	13	12	12	13	13	14
		P.	16	19	17	15	16	16	15	13	15	15	16
155–158	X. Diseases of the Bones and Organs of Locomotion.†	M.	27	28	31	27	30	27	27	27	28	29	28
		F.	16	16	16	15	18	18	15	16	14	16	17
		P.	21	21	23	20	23	22	20	21	21	22	22
155	Diseases of the bones† ..	M.	20	21	25	20	23	21	21	21	21	22	22
		F.	12	11	11	10	12	12	11	12	11	12	12
		P.	15	15	17	14	17	16	16	16	16	17	17
	1. Acute infective osteomyelitis and periostitis.	M.	?	?	?	?	?	?	15	17	16	17	16
		F.	?	?	?	?	?	?	6	7	6	7	7
		P.	?	?	?	?	?	?	11	12	11	12	11
	2. Other diseases of the bones.	M.	?	?	?	?	?	?	5	4	5	5	6
		F.	?	?	?	?	?	?	5	5	5	5	5
		P.	?	?	?	?	?	?	5	4	5	5	5
159	XI. Congenital malformations	M.	133	136	122	110	109	131	119	112	111	106	110
		F.	88	86	79	67	69	97	85	85	78	74	80
		P.	108	109	98	86	87	113	101	98	94	90	95
	1. Congenital hydrocephalus.	M.	13	13	12	12	10	10	11	8	11	8	9
		F.	8	7	7	6	5	7	6	7	6	6	6
		P.	10	10	10	9	7	8	8	7	8	7	7
	2. Congenital malformation of heart.	M.	53	53	50	45	46	54	45	45	44	43	43
		F.	36	32	28	26	28	36	31	31	29	27	30
		P.	44	42	37	34	36	45	38	38	36	35	36
	3. Other congenital malformations.	M.	67	71	60	53	53	67	63	59	56	55	58
		F.	44	46	44	35	36	54	48	47	43	42	44
		P.	54	57	50	42	44	60	55	53	50	48	51

* Based on civilian deaths and civilian population.

† *See* Note to this heading in Table 4.

TABLE 5.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM CERTAIN CAUSES AT ALL AGES TO A MILLION LIVING, 1915–1925.—MALES, FEMALES, AND PERSONS—*cont.*

List No.	Causes of Death.		1915.*	1916.*	1917.*	1918.*	1919.*	1920.*	1921.	1922.	1923.	1924.	1925.
160–163	**XII. Diseases of Early Infancy**	M.	1,017	988	884	876	884	951	838	725	657	652	607
		F.	635	570	505	491	540	625	570	482	445	450	421
		P.	809	754	667	654	694	779	698	599	545	547	510
160	Congenital debility, sclerema and icterus.	M.	369	343	302	279	264	287	225	177	160	151	147
		F.	224	185	170	153	148	171	141	111	97	92	89
		P.	290	255	227	207	201	226	181	143	127	120	117
	1. Congenital debility and sclerema.	M.	342	318	281	256	243	263	204	158	140	134	135
		F.	212	174	160	144	138	158	130	102	88	83	81
		P.	271	238	212	192	186	208	165	129	113	108	107
	2. Icterus neonatorum ..	M.	27	25	21	23	21	24	21	19	20	17	13
		F.	12	11	10	9	10	13	12	9	9	8	8
		P.	19	17	15	15	15	18	16	14	14	12	10
161	Premature birth, injury at birth.	M.	579	578	521	542	561	593	552	492	446	449	413
		F.	368	344	300	306	352	407	384	333	311	316	291
		P.	463	445	394	406	446	494	464	409	375	380	349
	1. Premature birth ..	M.	544	543	488	515	530	551	513	455	412	415	378
		F.	349	325	285	292	337	385	361	315	290	297	272
		P.	437	419	371	386	424	463	433	382	348	354	322
	2. Injury at birth ..	M.	35	35	33	27	31	42	40	37	34	35	36
		F.	19	19	15	14	15	22	23	18	21	19	19
		P.	26	26	23	20	22	31	31	27	27	26	27
162	Other diseases peculiar to early infancy.	M.	63	59	52	48	50	61	53	49	45	44	40
		F.	37	35	29	27	30	42	38	32	31	35	35
		P.	49	46	40	36	39	50	45	41	37	39	37
	2. Atelectasis	M.	51	47	42	39	42	50	43	40	37	34	31
		F.	27	26	23	21	23	32	30	24	23	26	26
		P.	38	36	32	29	32	40	36	32	29	30	28
	1. and 3. Other diseases under 162, including diseases of umbilicus.	M.	12	12	10	9	8	11	10	9	8	10	9
		F.	10	9	6	6	7	10	9	8	8	8	9
		P.	11	10	8	7	7	10	9	9	8	9	9
163	Lack of care	M.	7	9	9	9	9	10	8	7	6	8	7
		F.	6	7	7	6	8	7	7	6	6	7	6
		P.	7	8	8	7	8	9	7	6	6	7	6
164	**XIII. Old Age**	M.	859	888	928	834	819	619	623	648	575	561	548
		F.	996	944	910	814	921	785	815	836	738	755	745
		P.	934	919	918	823	875	706	723	746	660	662	651
	1. Senile dementia ..	M.	34	35	47	44	35	30	32	36	35	35	41
		F.	37	36	39	38	34	37	42	45	40	42	47
		P.	36	36	42	40	35	34	37	41	38	39	44
	2. Other forms of senile decay.	M.	826	853	881	790	783	589	592	612	540	526	508
		F.	959	908	871	776	887	748	772	791	698	713	698
		P.	898	883	875	783	840	673	686	705	622	623	607
165–203	**XIV. External Causes** ..	M.	848	872	839	785	744	691	643	631	660	643	687
		F.	324	313	306	273	271	260	246	248	249	258	273
		P.	562	559	534	491	483	463	436	428	445	442	471
165–174	Suicide	M.	113	115	97	111	136	134	153	156	157	142	153
		F.	48	41	38	47	51	51	50	54	53	54	61
		P.	78	73	64	75	88	90	99	100	103	96	105
165, 166	By solid or liquid poisons and corrosive substances.	M.	9	8	6	7	7	10	11	13	13	12	14
		F.	9	6	5	6	7	7	9	10	9	10	10
		P.	9	7	5	6	7	8	10	11	11	11	12
167	By poisonous gas.. ..	M.	6	5	5	7	7	9	13	18	24	20	25
		F.	3	2	5	4	5	6	7	9	12	10	15
		P.	5	3	5	5	6	7	10	13	18	15	20
168	By hanging or strangulation.	M.	30	34	27	28	39	32	37	37	34	31	33
		F.	9	8	6	8	9	8	8	8	6	7	8
		P.	19	20	15	17	22	19	22	21	20	19	20
169	By drowning	M.	23	22	18	22	25	27	32	29	29	27	27
		F.	16	17	14	19	17	20	16	17	16	16	16
		P.	20	19	16	20	21	24	24	22	22	21	21

* Based on civilian deaths and civilian population.

TABLE 5.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM CERTAIN CAUSES AT ALL AGES TO A MILLION LIVING, 1915–1925.—MALES, FEMALES, AND PERSONS—*cont.*

List No.	Causes of Death.		1915.*	1916.*	1917.*	1918.*	1919.*	1920.*	1921.	1922.	1923.	1924.	1925.
	Suicide—*contd.*												
170	By firearms	M.	10	10	10	10	11	12	14	14	13	10	11
		F.	1	0	0	1	1	1	1	0	1	0	1
		P.	5	4	4	5	5	6	7	7	6	5	5
171	By cutting or piercing instruments.	M.	24	28	23	28	35	32	33	32	31	29	30
		F.	5	5	5	6	6	5	6	6	5	5	5
		P.	13	15	13	16	19	18	19	18	17	16	17
172–174	By other means	M.	11	8	8	9	12	12	12	13	13	13	15
		F.	5	3	3	3	6	4	4	4	4	5	6
		P.	7	5	6	6	8	8	8	8	9	9	10
175–196, 201–203	Violent deaths, excluding suicide and homicide.	M.	729	752	737	670	599	549	484	470	496	495	528
		F.	269	266	261	221	212	201	189	188	191	199	205
		P.	477	479	465	412	385	365	330	323	336	341	359
175–177	Accidental poisoning ..	M.	8	8	7	8	6	6	7	6	5	5	7
		F.	6	5	5	5	4	3	5	3	4	3	5
		P.	6	6	6	7	5	5	6	4	4	4	6
179	Accidental burns (conflagration excepted).	M.	62	62	65	62	52	42	39	40	41	35	39
		F.	74	72	83	66	64	53	45	49	43	45	43
		P.	68	68	75	65	59	48	42	45	42	40	41
180	Accidental mechanical suffocation.	M.	45	33	35	27	24	24	23	19	18	17	16
		F.	29	21	20	17	15	17	15	13	11	12	13
		P.	36	27	27	22	19	20	19	16	14	15	14
181	(*See* Footnote †)												
182	Accidental drowning ..	M.	124	133	119	103	89	83	87	68	76	67	70
		F.	24	23	18	20	17	18	17	14	15	15	16
		P.	69	72	62	56	49	49	50	40	44	40	42
185	Accidental injury by fall ..	M.	125	131	121	107	102	95	83	79	74	77	85
		F.	75	79	69	57	60	61	56	64	65	66	68
		P.	97	103	92	78	79	77	69	71	69	71	76
186	Accidental injury in mining and quarrying.	M.	73	76	84	77	72	55	37	51	60	60	55
		F.	—	—	—	0	0	0	—	0	0	—	—
		P.	33	34	35	32	32	26	18	24	29	29	26
187	Accidental injury by machinery	M.	21	21	23	23	19	18	10	10	11	12	11
		F.	0	1	1	2	1	1	0	0	1	0	0
		P.	10	10	10	11	9	9	5	5	6	6	6
188	Accidental injury by other forms of crushing (vehicles, railways, &c.).	M.	205	202	179	169	175	174	154	156	164	186	204
		F.	40	37	36	33	36	36	36	33	37	48	48
		P.	115	110	98	91	99	101	92	91	98	114	122
190	Wounds of war	M.	11	20	39	32	12	9	6	4	4	3	3
		F.	5	7	11	5	—	—	—	—	—	—	—
		P.	7	13	23	17	6	4	3	2	2	2	2
194	Excessive heat	M.	3	6	4	3	4	1	7	3	12	1	4
		F.	1	2	1	1	2	1	6	1	5	1	2
		P.	2	4	3	2	3	1	7	2	8	1	3
197–199	Homicide	M.	7	7	6	6	9	7	6	5	7	6	6
		F.	7	6	7	5	8	8	7	6	5	5	7
		P.	7	7	6	5	8	8	7	5	6	6	7
202	Other and unstated forms of accidental violence, execution	M.	15	22	23	25	16	17	10	12	12	9	11
		F.	3	6	5	7	4	4	3	3	4	4	4
		P.	9	13	13	15	9	10	6	7	8	6	8
204–205	XV. Ill-defined Diseases ..	M.	100	100	87	89	83	63	60	57	54	50	50
		F.	71	64	58	57	52	43	40	40	36	33	34
		P.	84	80	71	71	66	52	50	48	44	41	41
204	Sudden death	M.	10	11	8	8	10	7	11	11	11	9	9
		F.	6	7	5	5	5	4	6	6	6	5	5
		P.	8	8	6	6	7	6	8	8	8	7	7
205	Cause of death unstated or ill-defined.	M.	90	88	80	82	73	56	50	46	43	41	41
		F.	65	57	54	52	47	38	34	34	30	28	29
		P.	76	72	65	65	59	47	42	40	36	34	35
	1. Heart failure (1-70 yrs.)	M.	49	48	45	44	45	35	30	31	27	26	28
		F.	32	30	29	29	29	23	19	20	19	17	17
		P.	40	38	36	35	36	29	24	25	23	22	22
	2. Other ill-defined causes	M.	37	36	29	29	21	17	17	13	13	13	11
		F.	30	24	22	20	15	13	14	13	10	9	9
		P.	33	30	25	24	18	15	15	13	12	11	10

* Based on civilian deaths and civilian population.

† 181. Accidental absorption of irrespirable or poisonous gas. Mortality (1922)—Males 6, Females 3, Persons 5.

Table 6.—England and Wales.—Annual Death-Rates from the Principal Epidemic or General Diseases, 1838–1925.

Period.	Annual Mortality per Million Persons Living.													
	At All Ages.									At Ages under 15 Years.				
	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Diphtheria and Croup.	Whooping Cough.	Tuberculosis (All forms).†	Tuberculosis of Respiratory System.†	Cancer.	Measles	Scarlet Fever.	Diphtheria.	Diphtheria and Croup.	Whooping Cough.
1851–60	222	412	982		?	505	3,476	2,685	317	1,151	2,650		?	1,418
1861–70	162	443	971	187	435	530	3,255	2,485	386	1,221	2,617	460	1,148	1,475
1871–80	245	379	719	121	291	513	2,877	2,125	470	1,038	1,908	300	765	1,415
1881–90	46	441	338	163	308	451	2,431	1,730	591	1,227	903	421	823	1,259
1891–1900	13	414	158	263	315	378	2,011	1,390	757	1,217	439	742	894	1,115
1901–10	13	309	106	179	192	277	1,653	1,161	904	973	311	545	584	876
1911–20*	0	275	47	141	142	183	1,427	1,076	1,117	891	141	444	447	596
1838–42 (5 years)	575	539	797		?	504	4,419	3,782	173	?	?		?	?
1847–50 (4 years)	292	403	884		?	480	3,714	2,889	274	1,115	2,385		?	1,345
1851–55	249	399	911		?	511	3,638	2,805	306	1,114	2,481		?	1,439
1856–60	195	425	806	246	520	498	3,323	2,572	327	1,185	2,201	609	1,379	1,398
1861–65	219	457	982	248	535	516	3,313	2,527	367	1,265	2,646	617	1,422	1,437
1866–70	105	428	960	127	335	545	3,201	2,447	403	1,180	2,589	314	891	1,511
1871–75	411	373	759	121	305	499	2,942	2,217	445	1,023	2,018	298	807	1,378
1876–80	78	385	680	122	276	527	2,817	2,038	494	1,051	1,806	302	726	1,450
1881–85	78	413	436	156	320	459	2,543	1,830	548	1,138	1,160	396	848	1,269
1886–90	14	468	241	170	295	444	2,324	1,635	632	1,313	656	445	799	1,250
1891–95	20	407	182	253	323	398	2,122	1,461	712	1,174	498	694	896	1,151
1896–1900	7	421	135	272	307	359	1,906	1,323	800	1,260	380	790	893	1,079
1901–05	25	327	126	205	222	301	1,743	1,218	867	1,016	366	615	668	940
1906–10	1	291	86	154	162	253	1,566	1,106	939	930	257	476	503	813
1911–15*	0	342	61	140	141	209	1,414	1,047	1,055	1,110	185	440	444	681
1916–20*	0	205	32	143	144	156	1,441	1,107	1,182	665	96	447	449	509
1921–25	0	122	29	88	88	131	1,081	856	1,269	449	92	310	310	484
1885	103	533	233	164	320	481	2,433	1,770	572	1,475	623	418	852	1,342
1886	11	436	218	149	283	470	2,476	1,739	590	1,213	588	385	759	1,314
1887	19	602	282	160	303	404	2,286	1,615	615	1,684	764	414	815	1,135
1888	37	347	226	171	300	436	2,224	1,568	621	972	614	447	810	1,227
1889	1	518	235	189	303	430	2,261	1,573	656	1,457	646	503	825	1,216
1890	0	439	242	179	288	478	2,378	1,682	676	1,240	665	474	785	1,358
1891	2	436	170	173	264	468	2,303	1,599	692	1,237	465	460	719	1,335
1892	15	459	190	222	298	454	2,139	1,468	690	1,317	519	603	821	1,307
1893	49	373	235	318	389	342	2,143	1,466	710	1,075	629	869	1,074	991
1894	27	391	167	291	349	410	1,971	1,383	712	1,136	461	809	978	1,198
1895	7	377	149	259	313	315	2,062	1,395	753	1,106	418	729	889	927
1896	17	570	177	291	342	429	1,890	1,303	762	1,685	495	829	981	1,274
1897	0	408	147	246	281	367	1,926	1,336	785	1,214	414	700	805	1,097
1898	8	419	113	243	270	323	1,910	1,311	799	1,256	320	705	788	973
1899	5	314	117	292	324	318	1,904	1,330	826	948	334	857	953	965
1900	3	394	119	290	316	356	1,902	1,333	829	1,199	340	856	936	1,090
1901	10	277	133	273	298	313	1,807	1,264	842	850	380	809	888	965
1902	75	392	148	237	255	298	1,742	1,234	846	1,211	427	710	768	924
1903	23	275	125	183	196	286	1,747	1,206	874	854	364	550	592	893
1904	15	365	112	170	184	353	1,784	1,241	879	1,141	330	520	564	1,109
1905	4	326	113	161	175	256	1,639	1,146	889	1,025	333	489	532	809
1906	1	275	101	178	191	242	1,654	1,157	922	871	301	545	587	768
1907	0	364	93	165	176	296	1,617	1,148	915	1,157	275	507	541	944
1908	0	228	80	158	167	280	1,595	1,123	931	729	236	492	521	899
1909	1	356	91	148	155	203	1,537	1,091	962	1,145	273	462	484	654
1910	1	232	66	120	122	246	1,434	1,015	967	750	200	377	384	798
1911	1	364	52	136	138	217	1,469	1,064	992	1,173	158	427	433	705
1912	0	353	55	118	119	230	1,374	1,024	1,024	1,150	168	372	376	756
1913	0	291	57	121	122	149	1,352	990	1,065	951	175	388	392	492
1914	0	247	77	159	160	218	1,361	1,024	1,069	816	233	507	510	722
1915*	0	463	66	165	166	230	1,517	1,139	1,122	1,458	189	507	510	730
1916*	0	154	39	153	154	175	1,523	1,151	1,161	478	112	465	468	546
1917*	0	304	22	130	131	132	1,602	1,211	1,192	941	62	391	393	411
1918*	0	284	29	140	141	291	1,668	1,302	1,199	892	82	427	430	918
1919*	1	100	34	137	138	74	1,284	998	1,182	334	104	445	447	248
1920*	1	192	38	151	151	118	1,133	873	1,166	675	119	508	510	417
1921	0	59	34	126	126	121	1,126	884	1,215	212	106	432	432	435
1922	1	149	36	107	107	167	1,121	889	1,229	542	109	373	373	607
1923	0	138	26	71	71	108	1,062	836	1,267	508	83	250	250	399
1924	0	124	23	64	65	103	1,058	841	1,297	464	74	230	231	384
1925	0	137	25	71	72	156	1,038	833	1,336	520	86	260	262	594

* The mortality for the years 1915–1920 relates to civilians only.

† Standardized death-rates from these causes are shown in Table XXXIII pp. 49 and 50 of the Statistical Review, 1921. (Text); those relating to the years 1911–21 are based on provisional estimates of population.

TABLE 7.—ADMINISTRATIVE COUNTIES AND COUNTY BOROUGHS: MORTALITY AMONG THE CIVILIAN POPULATION FROM THE PRINCIPAL EPIDEMIC DISEASES AND FROM CERTAIN OTHER CAUSES, 1924 AND 1925.

(*Note.*—The figures relate to the areas as constituted at the various dates.)

Administrative Counties and County Boroughs.	Mortality per Million Civilian Population at All Ages.*																Mortality per 1,000 Births.							
	Small-pox.		Enteric Fever.		Tuberculosis, All Forms.		Tuberculosis of Respiratory System.		Measles.		Whooping cough.		Scarlet Fever.		Diphtheria.		Total Deaths under One Year.		Diarrhœa and Enteritis under Two Years.		Childbirth (Mothers).		Puerperal Sepsis.	
	1924.	1925.	1924.	1925.	1924.	1925.	1924.	1925.	1924.	1925.	1924.	1925.	1924.	1925.	1924.	1925.	1924.	1925.	1924.	1925.	1924.	1925.	1924.	1925.
England and Wales ..	0	0	13	10	1,058	1,038	841	833	124	137	103	156	23	25	64	71	75	75	7·58	8·77	2·51	2·52	1·39	1·56
Administrative Counties (including London).	*0*	*0*	*14*	*10*	*972*	*938*	*771*	*750*	*109*	*101*	*88*	*136*	*20*	*20*	*63*	*66*	*68*	*69*	*6·25*	*7·10*	*2·51*	*2·62*	*1·31*	*1·36*
Bedfordshire	—	—	76	5	939	845	806	684	47	24	71	90	5	—	90	81	56	64	3·52	3·31	2·35	3·31	0·29	1·50
Berkshire	—	—	30	—	799	802	591	634	99	—	30	109	10	5	25	15	57	55	2·18	4·53	4·67	3·63	1·24	0·60
Buckinghamshire ..	—	—	8	4	684	629	563	518	42	21	42	116	25	12	38	33	48	49	2·51	2·85	3·51	1·30	—	1·30
Cambridgeshire ..	—	—	—	—	917	820	724	704	31	101	46	77	8	15	54	15	53	51	2·01	1·03	4·01	1·03	1·51	1·54
Cheshire	—	—	8	8	796	790	563	638	187	51	44	138	22	33	44	53	70	73	5·52	6·18	2·81	2·70	1·31	2·12
Cornwall	—	—	16	16	1,211	1,123	1,007	931	19	16	79	50	6	3	13	28	62	56	3·85	5·83	2·12	5·03	0·58	1·81
Cumberland	—	—	9	—	887	927	692	668	32	136	208	164	27	50	41	59	73	85	4·89	10·77	4·00	5·03	1·78	0·24
Derbyshire	2	3	7	5	783	786	591	595	64	113	81	124	15	23	53	85	71	78	6·42	4·96	2·54	2·48	1·35	1·36
Devonshire	—	—	26	28	945	895	765	714	23	9	33	128	5	9	9	19	52	56	3·29	2·34	3·14	3·43	0·90	1·25
Dorsetshire	—	—	—	4	883	754	681	621	13	31	18	116	9	13	13	22	53	52	2·65	4·30	1·85	1 88	1·32	2·15
Durham	1	—	23	17	1,173	1,203	817	826	64	463	192	196	34	48	66	50	96	100	12·55	11·48	2·48	3·66	1·57	1·46
Ely, Isle of	—	—	—	13	684	798	473	588	79	13	118	209	13	26	92	144	59	66	2·10	8·89	2·10	2·74	2·80	4·10
Essex	—	—	9	6	892	875	724	720	89	27	73	120	11	10	44	52	52	52	4·81	4·78	1·85	2·24	1·29	0·73
Gloucestershire ..	6	—	6	21	948	868	733	713	75	96	54	78	6	15	57	72	54	56	4·31	3·59	2·70	2·69	0·90	1·79
Herefordshire.. ..	—	—	18	18	894	893	762	736	18	26	79	201	9	9	9	—	50	53	4·68	3·82	3·27	2·87	0·47	2·87
Hertfordshire.. ..	—	—	29	12	773	842	613	695	26	9	46	69	9	14	26	49	51	47	3·46	4·01	2·00	1·82	1·27	1·46
Huntingdonshire ..	—	—	—	—	826	954	664	738	18	54	36	18	—	—	—	36	60	45	7·30	2·98	2·09	1·99	2·09	0·99
Kent	—	1	11	8	971	915	780	730	67	33	41	135	12	9	55	75	53	55	4·37	3·93	2·40	1·69	0·87	1·04
Lancashire	—	—	16	10	872	877	682	675	148	105	103	131	24	33	52	60	82	82	7·93	8·52	3·49	3·80	1·56	1·44
Leicestershire.. ..	—	—	7	11	1,007	998	806	790	18	142	55	164	7	11	66	51	60	71	4·48	5·33	2·14	3·08	0·58	1·64
Lincolnshire, Holland	—	—	11	—	984	935	755	753	—	137	46	91	11	23	23	23	65	54	12·11	3·75	2·20	1·61	0·55	1·61
,, Kesteven	—	9	—	9	980	896	738	653	—	65	84	177	—	—	47	—	63	69	2·38	3·01	1·43	4·01	0·48	1·00
,, Lindsey	—	—	15	8	985	910	693	710	35	31	62	69	8	8	62	35	60	66	3·51	5·91	2·53	2·65	1·36	1·02
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
London	—	0	12	11	1,162	1,121	980	948	291	75	113	189	28	22	123	107	69	68	8·73	10·79	1·84	1·77	1·24	1·42
Middlesex	2	—	8	8	921	842	765	708	148	21	54	104	12	9	78	83	56	57	4·64	5·53	1·50	1·53	1·55	1·16
Norfolk	—	—	12	6	844	779	664	658	16	16	53	53	31	—	19	50	55	54	4·57	3·35	2·29	1·67	0·70	0·74
Northamptonshire ..	—	9	23	5	911	971	785	808	23	65	28	121	23	14	74	37	53	57	4·29	1·44	1·43	1·72	2·00	1·44
Northumberland ..	2	—	12	19	1,128	1,081	821	784	37	271	132	111	17	19	37	41	83	82	7·56	10·08	1·97	3·47	0·66	1·04
Nottinghamshire ..	5	—	13	13	909	755	730	582	31	107	153	84	38	15	74	36	79	77	5·44	6·69	2·60	2·65	1·24	1·14
Oxfordshire	—	—	—	7	797	717	641	538	15	30	7	105	7	15	15	—	50	47	0·44	4·40	2·62	1·76	2·62	1·76
Peterborough, Soke of	—	—	21	21	599	804	496	618	21	21	62	82	—	21	21	—	60	63	3·92	5·15	—	1·29	—	2·57
Rutlandshire	—	—	54	55	380	603	272	439	54	—	217	274	—	—	—	—	73	80	3·15	3·47	3·15	—	3·15	3·47
Shropshire	—	—	16	8	755	707	585	561	97	77	37	106	16	20	20	41	58	61	2·60	3·13	2·81	1·34	1·08	0·67
Somersetshire	—	—	10	5	796	784	656	659	28	48	40	90	20	3	33	35	54	51	3·38	3·08	2·92	2·59	0·77	1·62
Southampton ..	—	—	20	15	927	774	746	614	50	54	79	106	15	10	50	59	55	52	2·96	3·75	2·06	2·07	1·55	2·20
Staffordshire	—	—	7	4	906	932	692	734	63	237	84	226	28	43	53	97	79	83	6·63	10·89	1·80	2·10	0·96	0·98
Suffolk, East	—	—	19	—	985	1,021	776	849	43	14	33	24	14	10	29	52	58	46	1·84	1·69	2·10	1·69	1·31	0·85
,, West.. ..	—	—	—	—	856	765	728	637	73	46	9	55	—	27	—	—	45	51	5·03	1·73	2·23	3·46	0·56	0·58
Surrey..	—	—	12	9	802	747	645	627	78	16	39	75	17	11	62	45	52	46	2·76	3·99	2·14	2·13	1·43	0·71
Sussex, East	—	—	12	8	872	798	705	604	19	39	19	81	12	19	12	8	48	45	1·66	2·55	2·21	1·13	1·10	1·13
,, West	—	—	10	16	782	745	667	616	79	16	37	83	5	26	16	16	43	49	2·14	2·09	1·78	1·39	0·36	1·74
Warwickshire.. ..	—	—	14	6	888	915	687	708	17	116	103	108	14	17	73	97	60	62	4·02	4·19	2·98	3·44	1·34	1·65
Westmorland ..	—	—	—	32	753	785	593	673	64	48	16	16	48	32	—	—	68	47	5·66	4·06	3·77	4·06	0·94	2·03
Wight, Isle of.. ..	—	—	12	12	931	981	757	829	151	—	12	93	—	12	35	70	71	56	5·63	3·33	8·85	2·50	1·61	0·83
Wiltshire	—	—	—	7	834	686	617	538	37	61	68	95	10	20	41	51	55	53	2·29	2·15	2·10	2·54	1·91	0·78
Worcestershire ..	—	—	6	—	877	845	692	725	39	117	68	146	36	20	10	55	62	62	4·72	6·41	1·81	2·75	1·27	1·10
Yorkshire, East Riding	—	—	6	12	880	901	651	745	18	42	121	120	6	—	—	6	62	67	2·93	6·66	2·93	2·66	2·61	1·00
,, North ,,	—	—	35	13	957	869	733	658	22	139	171	85	38	25	44	41	77	72	6·61	6·73	2·90	4·54	1·13	1·18
,, West ,,	—	—	24	16	950	963	700	705	100	141	127	135	24	26	46	49	83	81	8·01	8·23	2·99	3·24	1·58	1·88
Anglesey	—	—	—	—	1,473	1,224	994	994	—	38	478	210	38	38	76	57	97	80	5·43	6·98	3·26	1·16	5·43	1·16
Brecknockshire ..	—	—	32	—	1,159	741	885	629	32	81	113	161	16	—	129	48	81	71	6·64	4·18	4·98	0·84	3·32	—
Cardiganshire.. ..	—	—	—	17	1,887	1,794	1,561	1,570	17	35	86	35	—	—	69	17	78	71	3·42	4·82	4·56	3·61	5·70	3·61
Carmarthenshire ..	—	—	28	5	1,223	1,121	997	846	—	82	110	137	28	16	110	170	82	80	5·70	7·62	4·34	3·39	1·63	0·85
Carnarvonshire ..	—	—	17	8	1,705	1,609	1,447	1,242	33	42	25	100	8	25	8	33	71	84	4·22	4·92	4·22	4·37	1·06	1·09
Denbighshire	—	—	6	32	887	840	709	701	44	19	89	139	13	19	32	38	79	85	7·57	7·86	3·62	4·10	1·65	2·05
Flintshire	—	—	—	10	834	925	700	715	144	48	58	248	19	19	38	114	61	70	4·39	5·84	4·87	4·87	1·95	2·43
Glamorganshire ..	—	—	6	6	1,047	1,032	798	823	17	364	122	187	21	19	83	94	77	83	6·90	9·85	3·50	3·97	1·54	1·63
Merionethshire ..	—	—	—	—	1,910	1,424	1,421	1,214	—	93	—	140	—	—	70	23	72	72	3·84	5·52	5·12	5·52	2·56	2·76
Monmouthshire ..	—	—	24	24	884	810	684	634	35	197	72	234	29	21	96	104	76	84	5·74	6·91	2·75	2·22	1·20	0·99
Montgomeryshire ..	—	—	19	—	910	867	736	617	39	39	—	58	—	19	58	19	62	61	6·01	3·29	5·01	3·29	—	—
Pembrokeshire ..	—	—	11	11	1,350	1,202	1,056	1,038	33	153	120	22	—	11	98	33	70	69	8·25	3·81	3·54	3·81	0·59	—
Radnorshire	—	—	—	—	991	1,166	901	897	—	135	180	90	—	—	45	—	64	57	2·48	2·48	2·48	4·95	2·48	2·48

* Rates for England and Wales are based upon total deaths registered and total population in England and Wales.

TABLE 7.—ADMINISTRATIVE COUNTIES AND COUNTY BOROUGHS: MORTALITY AMONG THE CIVILIAN POPULATION FROM THE PRINCIPAL EPIDEMIC DISEASES, &c., 1924 AND 1925—*continued.*

(*Note.*—The figures relate to the areas as constituted at the various dates.)

Administrative Counties and County Boroughs.	Mortality per Million Civilian Population at All Ages.																Mortality per 1,000 Births.							
	Small-pox.		Enteric Fever.		Tuberculosis, All Forms.		Tuberculosis of Respiratory System.		Measles.		Whooping cough.		Scarlet Fever.		Diphtheria.		Total Deaths under One Year.		Diarrhœa and Enteritis under Two years.		Childbirth (Mothers).		Puerperal Sepsis.	
	1924.	1925.	1924.	1925.	1924.	1925.	1924.	1925.	1924.	1925.	1924.	1925.	1924.	1925.	1924.	1925.	1924.	1925.	1924.	1925.	1924.	1925.	1924.	1925.
County Boroughs	*0*	*0*	*11*	*10*	*1,242*	*1,244*	*991*	*1,002*	*157*	*210*	*133*	*196*	*29*	*37*	*68*	*84*	*88*	*87*	*10·05*	*11·88*	*2·50*	*2·33*	*1·56*	*1·93*
Barnsley	14	—	14	14	1,134	1,026	949	759	312	225	85	183	28	84	43	42	98	107	19·23	19·60	3·21	3·56	4·27	2·38
Barrow-in-Furness ..	—	—	—	14	1,007	817	694	585	27	286	136	—	14	54	54	54	73	63	4·84	6·38	1·61	3·19	—	0·80
Bath	—	—	—	—	837	927	736	710	—	116	43	14	—	29	87	29	85	52	3·28	1·02	2·19	4·09	3·28	2·05
Birkenhead	—	—	6	6	1,259	1,016	909	797	260	199	273	148	26	19	45	116	95	92	15·92	17·11	2·18	2·53	1·56	1·58
Birmingham	—	—	5	4	1,109	1,144	943	953	83	114	195	235	24	23	105	98	82	78	9·00	11·20	1·91	1·96	2·02	2·13
Blackburn	—	—	—	8	854	898	643	733	157	236	63	134	8	24	16	71	84	97	8·08	5·78	4·55	2·63	1·52	2·10
Blackpool	—	—	—	—	956	1,028	698	793	39	50	52	37	13	50	52	62	74	92	2·57	6·97	1·71	6·10	5·14	1·74
Bolton	—	—	39	6	1,104	1,059	861	859	66	105	155	177	11	17	33	22	91	88	10·09	15·20	5·36	1·69	2·84	2·70
Bootle	—	—	—	—	1,444	1,585	1,131	1,345	217	324	144	192	84	84	24	48	99	97	12·87	19·56	3·09	2·06	2·06	0·51
Bournemouth.. ..	—	—	24	—	1,101	1,235	959	1,014	—	23	12	47	—	—	36	105	45	53	1·80	0·87	0·90	4·33	—	—
Bradford	—	—	10	10	1,072	1,010	858	806	41	262	93	155	14	21	31	59	92	96	6·88	8·91	2·22	2·90	1·42	1·04
Brighton	—	—	—	—	1,113	1,306	960	1,067	15	145	95	58	15	7	51	29	59	59	4·78	4·59	1·43	2·75	2·39	1·38
Bristol	—	—	8	16	1,137	1,200	917	946	41	653	21	197	21	73	155	192	71	76	5·76	8·77	2·74	1·93	1·15	3·42
Burnley	—	—	58	10	1,035	1,144	745	850	97	479	29	137	—	—	77	156	126	108	11·76	5·48	5·29	4·26	1·18	1·83
Burton-upon-Trent ..	—	—	—	—	1,007	1,151	785	1,070	—	262	81	323	20	—	—	61	61	78	4·12	6·33	5·15	—	2·06	3·16
Bury	—	—	18	—	950	1,252	792	1,058	—	123	70	194	18	35	—	123	70	82	3·41	6·39	4·54	6·39	1·14	3·83
Canterbury	—	—	—	—	1,157	817	1,157	602	—	—	—	215	—	—	—	—	47	56	4·48	7·67	4·48	—	2·24	2·56
Carlisle	—	—	—	—	1,366	1,070	965	925	55	145	146	127	73	73	164	36	94	82	9·72	6·80	1·77	3·88	—	—
Chester	—	—	—	—	1,462	1,104	1,126	888	264	—	48	264	24	48	24	24	89	73	12·25	5·88	2·45	—	2·45	3·53
Coventry	—	—	—	—	1,170	1,317	945	1,092	8	108	116	77	8	—	62	124	79	77	6·55	5·97	2·34	0·92	1·87	4·13
Croydon	—	—	10	—	974	923	806	753	26	40	61	45	10	5	41	40	56	55	5·79	9·10	2·60	2·06	0·58	1·76
Darlington	—	—	—	—	1,237	1,215	932	868	29	203	29	376	29	14	44	58	94	106	10·08	4·66	7·20	1·55	0·72	5·43
Derby	—	—	—	15	1,047	1,012	785	826	120	30	30	104	30	7	202	112	66	80	3·33	4·65	1·25	1·27	0·83	1·27
Dewsbury	—	—	—	—	1,095	715	949	513	18	348	164	110	37	18	55	73	96	105	6·87	12·74	6·87	1·06	1·96	1·06
Dudley	—	—	17	—	1,007	850	870	629	34	578	154	221	—	51	51	85	91	103	11·44	17·73	2·29	5·17	1·53	2·95
Eastbourne	—	—	—	—	875	872	730	835	—	—	55	54	—	—	18	—	59	45	—	1·51	4·50	—	1·50	—
East Ham	—	—	—	14	973	1,067	790	897	123	14	129	156	7	27	34	82	54	53	2·96	5·09	—	2·35	1·11	0·78
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
Exeter..	—	—	50	33	1,219	1,204	985	970	67	67	17	117	—	—	17	17	60	74	6·93	7·11	1·98	3·05	0·99	2·03
Gateshead	—	—	—	8	1,826	1,605	1,352	1,217	—	643	241	457	16	54	109	39	103	108	16·76	14·60	2·53	2·86	2·85	3·49
Gloucester	—	—	—	38	1,319	1,357	923	1,074	57	264	38	151	19	—	188	75	88	54	8·00	4·92	3·00	2·95	1·00	3·93
Great Yarmouth ..	—	—	—	—	1,385	1,537	1,073	1,244	17	52	35	207	17	—	52	17	63	71	6·71	2·06	0·96	2·06	1·92	—
Grimsby	—	—	—	23	1,221	1,216	991	906	161	80	184	57	—	11	81	92	99	70	13·57	7·32	2·71	3·38	1·09	1·13
Halifax	—	—	10	51	729	1,124	506	807	81	225	61	112	10	20	51	102	97	93	7·43	4·21	4·05	4·21	—	0·70
Hastings	—	—	—	17	1,273	1,406	1,074	1,191	—	—	50	17	—	33	—	—	69	40	2·57	1·28	2·57	—	2·57	1·28
Huddersfield	—	—	45	9	1,134	1,115	982	910	143	80	107	71	18	9	36	27	97	67	3·07	1·23	1·23	4·29	1·23	1·23
Ipswich	—	—	—	12	955	1,143	798	987	24	180	48	217	12	—	—	12	52	71	4·18	5·61	1·39	0·70	1·39	2·80
Kingston-upon-Hull ..	—	—	10	10	1,354	1,271	1,071	1,026	182	219	135	266	7	13	71	84	87	93	11·10	14·03	3·15	3·24	1·35	1·70
Leeds	—	—	13	6	1,410	1,294	1,088	1,068	93	82	189	99	42	32	57	82	108	91	11·79	17·59	2·69	1·71	1·28	3·18
Leicester	—	—	4	4	1,493	1,599	1,208	1,322	8	211	79	306	12	41	141	136	79	88	16·44	14·54	2·28	1·67	2·51	2·86
Lincoln	—	—	15	15	1,212	1,171	898	871	—	90	90	105	15	—	60	—	72	70	4·40	5·29	1·76	0·88	0·88	0·88
Liverpool	—	—	8	6	1,526	1,514	1,242	1,210	169	471	204	271	74	107	82	121	103	99	15·13	21·79	1·99	1·68	1·41	1·33
Manchester	—	—	17	13	1,506	1,577	1,205	1,330	494	169	148	279	45	78	81	131	100	96	12·84	15·04	2·76	1·77	2·14	1·84
Middlesbrough ..	15	7	7	—	1,775	1,659	1,431	1,256	198	396	565	132	110	29	51	88	135	98	11·70	8·85	2·51	2·86	1·67	1·43
Newcastle-on-Tyne ..	—	3	10	10	1,459	1,561	1,119	1,209	210	398	98	276	14	49	63	24	100	89	10·19	9·81	1·43	2·41	0·95	0·64
Northampton.. ..	—	—	32	32	1,111	1,045	940	821	11	75	150	64	64	43	11	—	52	66	3·26	5·44	1·30	2·04	2·61	4·08
Norwich	—	—	—	16	1,219	1,121	1,017	927	8	113	56	137	73	16	145	48	62	59	4·57	3·63	1·37	0·91	0·46	1·36
Nottingham	—	—	—	15	1,184	1,208	943	1,009	15	358	141	107	15	48	41	89	85	96	11·13	9·63	2·11	1·93	0·96	1·93
Oldham	—	—	7	34	1,161	1,101	842	862	170	287	75	41	7	41	20	103	111	102	10·48	16·40	2·10	3·99	1·26	1·77
Oxford..	—	—	—	18	838	876	646	736	—	18	52	70	35	—	17	—	52	50	3·42	—	1·14	2·27	2·28	2·27
Plymouth	—	—	10	5	1,275	1,192	1,032	953	135	16	166	78	5	16	114	42	82	64	4·53	8·09	4·26	3·65	2·40	1·57
Portsmouth	—	—	17	21	1,228	1,121	1,000	867	65	86	172	129	34	26	78	189	67	64	4·58	4·40	2·39	1·68	1·79	0·42
Preston	—	—	8	8	1,129	1,188	853	789	171	146	32	317	16	73	49	146	97	132	8·16	11·04	3·87	3·22	2·15	2·76
Reading	—	—	11	11	1,070	929	973	779	64	11	21	149	11	11	11	21	55	56	2·50	5·96	3·12	3·31	—	1·33
Rochdale	—	—	11	54	960	868	765	651	194	43	65	119	54	65	11	76	77	95	4·14	8·68	1·38	5·79	0·69	5·07
Rotherham	—	—	28	—	1,237	1,261	953	992	185	142	43	198	85	71	57	57	99	87	21·47	7·93	1·23	5·29	1·23	1·32
St. Helens	—	—	18	27	1,334	1,113	1,086	885	267	155	101	301	9	64	37	55	104	100	8·75	10·65	4·57	2·66	1·90	2·66
Salford	—	—	16	12	1,588	1,663	1,284	1,398	624	127	263	294	16	25	62	102	121	105	19·16	20·94	2·50	2·78	1·46	2·78
Sheffield	—	—	19	15	1,027	993	813	793	219	59	59	205	17	11	38	61	89	84	9·06	8·91	1·96	2·79	2·47	2·25
Smethwick	—	—	—	—	850	1,015	660	774	25	89	152	152	13	25	89	63	74	80	6·91	10·36	2·51	2·76	1·26	1·38
Southampton.. ..	—	—	54	18	1,237	1,151	1,034	943	6	107	42	95	18	24	102	53	62	57	6·00	2·77	1·26	2·46	0·63	1·84
Southend-on-Sea ..	—	—	—	—	1,058	1,050	933	846	114	10	73	92	—	20	—	—	52	49	6·27	3·92	2·09	1·96	0·70	2·62
Southport	—	—	14	—	1,100	727	896	606	41	67	68	81	—	13	—	27	63	61	5·35	4·11	—	—	1·07	1·03
South Shields.. ..	—	—	8	—	1,619	1,766	1,232	1,308	47	281	63	393	55	80	118	48	103	114	16·28	10·75	4·23	2·69	0·98	2·02
Stockport	—	—	16	—	1,127	1,080	849	834	341	32	56	342	48	48	40	24	87	97	4·36	8·66	2·91	2·89	1·94	0·96
Stoke-on-Trent ..	—	—	11	4	1,158	1,323	896	986	554	151	162	280	101	72	32	65	100	107	10·09	16·72	3·01	2·19	1·36	2·34
Sunderland	—	—	6	6	1,442	1,548	1,024	1,199	133	723	73	380	—	12	48	54	101	119	26·65	25·55	4·05	2·43	0·71	1·70
Tynemouth	—	—	45	76	1,653	1,330	1,274	937	15	514	15	227	15	30	15	106	86	95	11·79	8·20	1·31	—	1·31	2·73

TABLE 7.—ADMINISTRATIVE COUNTIES AND COUNTY BOROUGHS: MORTALITY AMONG THE CIVILIAN POPULATION FROM THE PRINCIPAL EPIDEMIC DISEASES, &c., 1924 AND 1925—*continued.*

(*Note.*—The figures relate to the areas as constituted at the various dates.)

Administrative Counties and County Boroughs.	Mortality per Million Civilian Population at all Ages.																Mortality per 1,000 Births.							
	Small-pox.		Enteric Fever.		Tuberculosis, All Forms.		Tuberculosis of Respiratory System.		Measles.		Whooping cough.		Scarlet Fever.		Diphtheria.		Total Deaths under One Year.		Diarrhœa and Enteritis under Two Years.		Childbirth (Mothers).		Puerperal Sepsis.	
	1924.	1925.	1924.	1925.	1924.	1925.	1924.	1925.	1924.	1925.	1924.	1925.	1924.	1925.	1924.	1925.	1924.	1925.	1924.	1925.	1924.	1925.	1924.	1925.
Wakefield	—	—	19	—	1,187	982	816	685	167	56	130	130	19	19	37	56	89	71	14·14	14·12	2·83	3·77	0·94	2·82
Wallasey	—	—	11	—	1,046	938	881	818	88	55	66	109	11	11	11	55	57	62	4·97	6·21	3·55	3·10	—	0·78
Walsall	—	—	—	—	1,133	1,212	897	997	20	655	—	538	49	29	266	381	78	115	8·06	16·84	2·12	4·87	3·82	1·33
Warrington	—	—	13	—	1,408	1,501	1,293	1,270	230	500	64	257	141	64	13	77	85	87	10·96	8·24	3·05	0·59	1·22	2·35
West Bromwich ..	—	—	—	—	864	906	622	742	89	377	191	189	89	25	64	101	89	99	6·44	19·77	1·07	1·65	1·07	2·75
West Ham	—	—	13	13	1,191	1,174	970	970	359	100	265	254	13	19	104	57	78	66	10·41	13·25	0·97	1·71	0·69	1·14
West Hartlepool ..	—	—	—	—	1,312	1,550	866	1,131	363	14	98	293	42	42	42	14	89	102	8·38	12·00	3·59	0·63	1·80	2·53
Wigan..	—	—	11	11	1,009	1,362	647	1,088	877	110	373	220	22	22	33	55	109	122	10·02	16·60	4·51	3·21	3·00	1·61
Wolverhampton ..	—	—	—	—	961	1,057	758	882	83	64	102	156	9	—	46	64	84	89	10·00	11·98	0·48	0·96	1·43	1·44
Worcester	—	—	40	20	1,035	1,214	876	896	—	60	119	60	20	20	20	40	52	64	9·25	10·40	2·31	1·16	—	1·16
York	—	—	—	—	1,101	1,276	912	1,052	59	130	485	71	12	12	47	35	96	88	2·54	10·99	1·27	—	0·63	0·61
Cardiff..	—	—	—	9	1,521	1,515	1,247	1,308	155	387	195	150	9	18	44	57	79	93	10·31	14·60	3·51	2·58	2·27	1·72
Merthyr Tydfil ..	—	—	12	—	1,270	953	971	820	12	289	24	241	—	—	144	145	81	99	9·52	15·28	4·48	3·67	0·56	2·44
Newport (Mon.) ..	—	—	42	10	1,211	1,348	1,054	1,079	83	176	31	280	10	10	—	21	73	89	2·91	5·51	—	2·00	1·45	3·51
Swansea	—	—	—	6	1,407	1,317	1,156	1,029	6	153	172	110	25	18	74	123	81	69	7·68	6·31	4·14	3·30	0·30	2·10

TABLE 8.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES UNDER ONE YEAR OF AGE, 1915–1925.

Cause of Death.	1915.	1916.	1917.	1918.	1919.	1920.	1921.	1922.	1923.	1924.	1925.
All Causes	89,380	71,646	64,483	64,386	61,715	76,552	70,250	60,121	52,582	54,813	53,316
I—Common Infectious Diseases (6–10, 25 : 2)	7,332	4,101	3,830	5,259	1,902	4,027	3,084	4,097	3,216	2,876	3,998
II—Tuberculous Diseases (31–37) ..	2,339	1,879	1,838	1,282	1,111	1,405	1,311	1,091	1,036	990	896
III—Diarrhœa and Enteritis (113) ..	12,333	8,313	6,885	6,319	6,039	7,641	11,705	4,347	5,169	4,616	5,307
IV—Developmental and Wasting Diseases (159, 160, 161 : 1, 162 : 2)	30,343	27,967	24,404	23,518	25,952	31,088	28,021	24,504	22,547	22,637	21,439
V—Miscellaneous Diseases—(Remainder)	37,033	29,386	27,526	28,008	26,711	32,391	26,129	26,082	20,614	23,694	21,676
Measles (7)	3,367	1,127	1,825	1,510	650	1,532	526	1,220	1,134	990	1,099
Whooping cough (9)	3,630	2,710	1,787	3,551	1,054	2,152	2,287	2,620	1,907	1,720	2,708
Diphtheria (10)	217	180	149	152	143	249	199	193	119	104	121
Influenza (11)	429	216	250	2,478	1,622	530	439	973	291	814	412
Tuberculosis of nervous system (32)	888	762	716	548	484	639	595	526	496	464	435
Tuberculosis of intestines and peritoneum (33)	868	623	633	403	323	367	386	274	229	224	192
Other tuberculous diseases (31, 34–37)	583	494	489	331	304	399	330	291	311	302	269
Syphilis (38)	1,169	1,232	1,354	1,262	1,217	1,443	1,214	874	797	666	585
Meningitis (71)	989	758	678	575	574	678	591	562	511	461	434
Convulsions (80)	7,077	5,967	5,271	4,617	4,361	5,347	4,322	3,538	3,171	2,916	2,824
Bronchitis (99)	7,738	5,871	5,636	5,454	5,791	7,208	4,538	4,821	3,446	4,045	3,655
Pneumonia (100, 101) ..	10,994	7,727	7,645	8,028	7,282	9,422	8,001	9,275	6,732	9,156	8,101
Other respiratory diseases (97, 98, 102–107)*	539	489	432	308	323	443	332	314	273	275	235
Inflammation of the stomach (112 : 1)	1,452	1,263	1,080	959	897	1,216	1,033	701	610	544	508
Diarrhœa and enteritis (113)	12,333	8,313	6,885	6,319	6,039	7,641	11,705	4,347	5,169	4,616	5,307
Hernia, intestinal obstruction (118)	464	449	442	393	404	617	536	514	468	405	442
Congenital malformations (159)	3,362	3,284	2,853	2,403	2,701	3,855	3,377	3,292	3,156	3,063	3,253
Congenital debility and sclerema (160 : 1)	9,533	8,244	7,236	6,508	6,572	7,751	6,250	4,904	4,331	4,182	4,156
Icterus (160 : 2)	667	578	494	497	543	681	614	524	553	483	397
Premature birth (161 : 1) ..	15,431	14,627	12,747	13,135	15,009	17,300	16,411	14,571	13,379	13,738	12,534
Injury at birth (161 : 2) ..	930	904	768	660	774	1,164	1,179	1,035	1,056	1,019	1,057
Disease of umbilicus (162 : 1)†	341	300	235	206	221	348	143	127	119	128	139
Atelectasis (162 : 2)	1,350	1,234	1,074	975	1,127	1,501	1,369	1,213	1,128	1,171	1,099
Suffocation—in bed or not stated how (180 pt.) ..	1,020	742	704	557	525	593	502	443	415	430	403
Other causes	4,009	3,552	3,100	2,557	2,775	3,476	3,371	2,969	2,781	2,897	2,951

* Excluding Diseases of the accessory nasal sinuses and Diseases of the mediastinum previous to 1921.
† Including other hæmorrhages of the newborn previous to 1921.

TABLE 9.—ENGLAND AND WALES.—INFANT MORTALITY FROM VARIOUS CAUSES 1915–1925.

Cause of Death.	1915.	1916.	1917.	1918.	1919.	1920.	1921.	1922.	1923.	1924.	1925.
All Causes	109·72	91·21	96·48	97·16	89·13	79·93	82·76	77·07	69·36	75·09	75·03
I—Common Infectious Diseases (6–10, 25 : 2)	9·00	5·22	5·73	7·94	2·75	4·20	3·63	5·25	4·24	3·94	5·63
II—Tuberculous Diseases (31–37)	2·88	2·39	2·75	1·94	1·61	1·47	1·54	1·39	1·36	1·36	1·26
III—Diarrhoea and Enteritis (113)	15·14	10·58	10·30	9·54	8·72	7·98	13·79	5·57	6·82	6·32	7·47
IV—Developmental and Wasting Diseases (159, 160, 161 : 1, 162 : 2)	37·25	35·60	36·52	35·49	37·48	32·45	33·00	31·41	29·74	31·01	30·17
V—Miscellaneous Diseases (Remainder) ..	45·45	37·42	41·18	42·25	38·57	33·83	30·80	33·45	27·20	32·46	30·50
Measles (7)	4·13	1·43	2·73	2·28	0·94	1·60	0·62	1·56	1·50	1·36	1·55
Whooping cough (9)	4·46	3·45	2·67	5·36	1·52	2·25	2·69	3·36	2·52	2·36	3·81
Diphtheria (10)	0·27	0·23	0·22	0·23	0·21	0·26	0·23	0·25	0·16	0·14	0·17
Influenza (11)	0·53	0·27	0·37	3·74	2·34	0·55	0·52	1·25	0·38	1·12	0·58
Tuberculosis of nervous system (32) ..	1·09	0·97	1·07	0·83	0·70	0·67	0·70	0·67	0·65	0·64	0·61
Tuberculosis of intestines and peritoneum (33)	1·07	0·79	0·95	0·61	0·47	0·38	0·45	0·35	0·30	0·31	0·27
Other tuberculous diseases (31, 34–37) ..	0·72	0·63	0·73	0·50	0·44	0·42	0·39	0·37	0·41	0·41	0·38
Syphilis (38)	1·44	1·57	2·03	1·90	1·76	1·51	1·43	1·12	1·05	0·91	0·82
Meningitis (71)	1·21	0·96	1·01	0·87	0·83	0·71	0·70	0·72	0·67	0·63	0·61
Convulsions (80)	8·69	7·60	7·89	6·97	6·30	5·58	5·09	4·54	4·18	3·99	3·97
Bronchitis (99)	9·50	7·47	8·43	8·23	8·36	7·53	5·35	6·18	4·55	5·54	5·14
Pneumonia (100, 101)	13·50	9·84	11·44	12·11	10·52	9·84	9·43	11·89	8·88	12·54	11·40
Other respiratory diseases (97, 98, 102–107) *	0·66	0·62	0·65	0·46	0·47	0·46	0·39	0·40	0·36	0·38	0·33
Inflammation of the stomach (112 : 1) ..	1·78	1·61	1·62	1·45	1·30	1·27	1·22	0·90	0·80	0·75	0·71
Diarrhœa and enteritis (113)	15·14	10·58	10·30	9·54	8·72	7·98	13·79	5·57	6·82	6·32	7·47
Hernia, intestinal obstruction (118) ..	0·57	0·57	0·66	0·59	0·58	0·64	0·63	0·66	0·62	0·55	0·62
Congenital malformations (159)	4·13	4·18	4·27	3·63	3·90	4·02	3·98	4·22	4·16	4·20	4·58
Congenital debility and sclerema (160 : 1)	11·70	10·49	10·83	9·82	9·49	8·09	7·36	6·29	5·71	5·73	5·85
Icterus (160 : 2)	0·82	0·74	0·74	0·75	0·78	0·71	0·72	0·67	0·73	0·66	0·56
Premature birth (161 : 1)	18·94	18·62	19·07	19·82	21·68	18·06	19·33	18·68	17·65	18·82	17·64
Injury at birth (161 : 2)	1·14	1·15	1·15	1·00	1·12	1·22	1·39	1·33	1·39	1·40	1·49
Disease of umbilicus (162 : 1)†	0·42	0·38	0·35	0·31	0·32	0·36	0·17	0·16	0·16	0·18	0·20
Atelectasis (162 : 2)	1·66	1·57	1·61	1·47	1·63	1·57	1·61	1·55	1·49	1·60	1·55
Suffocation—in bed or not stated how (180 pt.)	1·25	0·94	1·05	0·84	0·76	0·62	0·59	0·57	0·55	0·59	0·57
Other causes	4·90	4·55	4·64	3·85	3·99	3·63	3·98	3·81	3·67	3·98	4·15

* Excluding Diseases of the accessory nasal sinuses and Diseases of the mediastinum previous to 1921.
† Including other hæmorrhages of the newborn previous to 1921.

TABLE 10.—ENGLAND AND WALES.—INFANT MORTALITY BY SEX, AGE, CAUSE, AND LEGITIMACY, 1925.

(A similar Table showing the Mortality for the Quinquennium 1921–1925 appears on page 495.)

Cause of Death.	Sex.	Proportion of Deaths to 1,000 Births.																	
		All Infants.						Legitimate Infants.						Illegitimate Infants.					
		Under 4 Weeks	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 4 Weeks	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.
All Causes	M	36·01	14·32	13·08	10·70	9·86	83·98	34·96	13·63	12·62	10·45	9·71	81·37	60·84	30·56	23·86	16·70	13·45	145·42
	F	28·48	10·85	9·44	8·51	8·41	65·68	27·24	10·36	9·01	8·28	8·27	63·16	57·64	22·48	19·50	13·75	11·84	125·21
	P	32·33	12·62	11·30	9·63	9·15	75·03	31·18	12·03	10·86	9·39	9·00	72·47	59·28	26·61	21·73	15·26	12·67	135·56
I. Common Infectious Diseases (6–10, 25 : 2) ..	M	0·11	0·73	1·02	1·65	2·21	5·72	0·11	0·72	0·99	1·61	2·18	5·61	0·07	0·95	1·69	2·57	2·91	8·18
	F	0·16	0·92	0·84	1·53	2·07	5·53	0·16	0·93	0·83	1·51	2·06	5·49	0·14	0·85	1·06	2·13	2·27	6·45
	P	0·14	0·82	0·93	1·59	2·14	5·63	0·14	0·82	0·91	1·56	2·13	5·55	0·10	0·90	1·38	2·35	2·60	7·34
II. Tuberculous Diseases (31–37)	M	0·01	0·13	0·33	0·42	0·51	1·40	0·01	0·12	0·32	0·41	0·51	1·36	—	0·27	0·61	0·74	0·68	2·30
	F	0·02	0·04	0·23	0·39	0·43	1·12	0·02	0·03	0·23	0·39	0·43	1·10	—	0·21	0·43	0·43	0·57	1·63
	P	0·02	0·08	0·28	0·41	0·47	1·26	0·02	0·08	0·27	0·40	0·47	1·23	—	0·24	0·52	0·59	0·62	1·97
III. Diarrhœa and Enteritis (113)	M	0·86	2·20	2·91	1·62	1·05	8·64	0·84	2·08	2·76	1·54	1·01	8·23	1·42	5·14	6·29	3·58	1·96	18·39
	F	0·53	1·42	2·08	1·30	0·90	6·24	0·50	1·26	1·94	1·27	0·82	5·78	1·28	5·32	5·39	2·20	2·91	17·09
	P	0·70	1·82	2·50	1·47	0·98	7·47	0·67	1·68	2·36	1·41	0·92	7·03	1·35	5·23	5·85	2·91	2·42	17·75
IV. Developmental and Wasting Diseases (159, 160, 161 : 1, 162 : 2) ..	M	26·37	4·62	1·74	0·51	0·29	33·53	25·86	4·36	1·64	0·47	0·29	32·63	38·40	10·75	4·06	1·28	0·41	54·89
	F	21·39	3·43	1·17	0·41	0·25	26·66	20·81	3·27	1·10	0·38	0·25	25·80	35·24	7·37	2·84	0·99	0·43	46·87
	P	23·94	4·04	1·46	0·46	0·27	30·17	23·39	3·83	1·37	0·43	0·27	29·29	36·86	9·10	3·46	1·14	0·42	50·98
V. Miscellaneous Diseases (Remainder)	M	8·66	6·64	7·09	6·50	5·80	34·69	8·13	6·35	6·92	6·42	5·72	33·54	20·96	13·45	11·22	8·52	7·50	61·65
	F	6·37	5·03	5·11	4·87	4·75	26·13	5·75	4·88	4·91	4·74	4·71	24·99	20·99	8·72	9·78	8·01	5·67	53·18
	P	7·54	5·85	6·12	5·71	5·28	30·50	6·97	5·63	5·94	5·60	5·23	29·36	20·97	11·14	10·52	8·27	6·61	57·52

TABLE 10.—ENGLAND AND WALES.—INFANT MORTALITY BY SEX, AGE, CAUSE, AND LEGITIMACY, 1925—*continued.*

Cause of Death.	Sex.	Proportion of Deaths to 1,000 Births.																	
		All Infants.						Legitimate Infants.						Illegitimate Infants.					
		Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.
Measles (7)	M	0·02	0·04	0·17	0·50	1·04	1·77	0·02	0·04	0·16	0·48	1·02	1·71	–	0·07	0·41	1·08	1·49	3·04
	F	0·00	0·03	0·06	0·47	0·75	1·32	0·00	0·03	0·06	0·46	0·76	1·32	–	–	–	0·64	0·57	1·21
	P	0·01	0·04	0·11	0·49	0·90	1·55	0·01	0·04	0·11	0·47	0·89	1·52	–	0·03	0·21	0·87	1·04	2·15
Whooping cough (9)	M	0·08	0·66	0·81	1·06	1·04	3·65	0·08	0·66	0·79	1·05	1·03	3·61	–	0·81	1·15	1·28	1·28	4·53
	F	0·15	0·87	0·75	1·00	1·21	3·98	0·15	0·88	0·74	0·99	1·19	3·95	0·14	0·64	0·99	1·35	1·56	4·68
	P	0·11	0·76	0·78	1·03	1·12	3·81	0·12	0·76	0·77	1·02	1·11	3·78	0·07	0·73	1·07	1·32	1·42	4·60
Diphtheria (10)	M	0·01	0·01	0·02	0·05	0·09	0·18	0·01	0·01	0·02	0·05	0·09	0·18	0·07	0·07	–	0·14	0·07	0·34
	F	–	0·02	0·02	0·04	0·07	0·16	–	0·02	0·02	0·04	0·07	0·14	–	0·14	0·07	0·14	0·14	0·50
	P	0·00	0·02	0·02	0·05	0·08	0·17	0·00	0·01	0·02	0·04	0·08	0·16	0·03	0·10	0·03	0·14	0·10	0·42
Influenza (11)	M	0·09	0·14	0·12	0·14	0·14	0·63	0·09	0·14	0·12	0·13	0·14	0·62	–	0·14	0·07	0·41	0·27	0·88
	F	0·07	0·10	0·10	0·12	0·13	0·53	0·07	0·10	0·10	0·11	0·13	0·51	0·14	0·21	0·21	0·35	0·07	0·99
	P	0·08	0·12	0·11	0·13	0·14	0·58	0·08	0·12	0·11	0·12	0·13	0·56	0·07	0·17	0·14	0·38	0·17	0·93
Tuberculosis of nervous system (32)	M	–	0·04	0·17	0·19	0·23	0·63	–	0·05	0·16	0·20	0·22	0·63	–	–	0·34	0·14	0·34	0·81
	F	0·01	0·02	0·11	0·22	0·23	0·59	0·01	0·02	0·11	0·22	0·24	0·59	–	–	0·14	0·21	0·14	0·50
	P	0·00	0·03	0·14	0·21	0·23	0·61	0·00	0·03	0·13	0·21	0·23	0·61	–	–	0·24	0·17	0·24	0·66
Tuberculosis of intestines and peritoneum (33)	M	0·01	0·05	0·07	0·10	0·12	0·35	0·01	0·04	0·07	0·09	0·11	0·33	–	0·14	0·07	0·34	0·20	0·74
	F	0·01	0·02	0·05	0·05	0·06	0·19	0·01	0·02	0·05	0·05	0·05	0·17	–	0·14	0·14	0·07	0·35	0·71
	P	0·01	0·03	0·06	0·08	0·09	0·27	0·01	0·03	0·06	0·07	0·08	0·25	–	0·14	0·10	0·21	0·28	0·73
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)

		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
Other tuberculous diseases (31, 34–37)	M	0·00	0·03	0·09	0·13	0·17	0·42	0·00	0·03	0·08	0·12	0·17	0·40	–	0·14	0·20	0·27	0·14	0·74
	F	0·01	0·00	0·07	0·12	0·14	0·34	0·01	–	0·06	0·12	0·14	0·33	–	0·07	0·14	0·14	0·07	0·43
	P	0·01	0·02	0·08	0·13	0·15	0·38	0·01	0·01	0·07	0·12	0·15	0·37	–	0·10	0·17	0·21	0·10	0·59
Syphilis (38)	M	0·39	0·33	0·14	0·07	0·04	0·97	0·34	0·26	0·11	0·06	0·03	0·80	1·49	1·89	1·01	0·34	0·27	5·00
	F	0·23	0·25	0·12	0·05	0·02	0·67	0·19	0·22	0·09	0·03	0·02	0·55	1·13	1·06	0·71	0·35	0·14	3·40
	P	0·31	0·29	0·13	0·06	0·03	0·82	0·27	0·24	0·10	0·05	0·03	0·68	1·32	1·49	0·87	0·35	0·21	4·22
Meningitis (71)	M	0·07	0·08	0·17	0·20	0·20	0·72	0·07	0·08	0·17	0·19	0·20	0·71	–	0·20	0·07	0·27	0·41	0·95
	F	0·02	0·07	0·12	0·16	0·13	0·50	0·02	0·07	0·11	0·15	0·13	0·48	0·14	0·14	0·35	0·35	0·07	1·06
	P	0·05	0·08	0·14	0·18	0·17	0·61	0·04	0·07	0·14	0·17	0·16	0·59	0·07	0·17	0·21	0·31	0·24	1·00
Convulsions (80)	M	2·29	0·90	0·67	0·48	0·36	4·70	2·28	0·86	0·66	0·46	0·34	4·60	2·57	1·83	1·08	0·81	0·88	7·17
	F	1·47	0·63	0·52	0·35	0·24	3·21	1·42	0·61	0·51	0·34	0·23	3·11	2·55	1·21	0·78	0·57	0·50	5·60
	P	1·89	0·77	0·60	0·41	0·31	3·97	1·86	0·74	0·59	0·40	0·29	3·87	2·56	1·52	0·93	0·69	0·69	6·40
Bronchitis (99)	M	0·79	1·62	1·40	1·09	0·88	5·79	0·79	1·60	1·37	1·06	0·86	5·68	0·81	2·30	2·03	1·89	1·28	8·32
	F	0·60	1·23	1·04	0·87	0·73	4·47	0·60	1·23	1·00	0·85	0·73	4·42	0·64	1·06	1·91	1·21	0·92	5·74
	P	0·70	1·43	1·22	0·98	0·81	5·14	0·70	1·42	1·19	0·96	0·80	5·06	0·73	1·70	1·97	1·56	1·11	7·06
Pneumonia (100, 101) ..	M	0·84	2·18	3·13	3·39	3·29	12·83	0·85	2·12	3·08	3·38	3·29	12·72	0·74	3·52	4·33	3·52	3·38	15·48
	F	0·67	1·67	2·23	2·55	2·78	9·90	0·66	1·63	2·16	2·49	2·77	9·72	0·92	2·55	3·76	4·04	3·05	14·32
	P	0·76	1·93	2·69	2·98	3·04	11·40	0·76	1·88	2·63	2·95	3·03	11·25	0·83	3·05	4·05	3·77	3·22	14·92
Other respiratory diseases (97, 98, 102–107)	M	0·07	0·09	0·07	0·09	0·06	0·38	0·07	0·08	0·07	0·09	0·06	0·37	–	0·27	0·07	0·20	–	0·54
	F	0·06	0·05	0·05	0·05	0·07	0·28	0·06	0·05	0·05	0·06	0·07	0·28	–	–	0·14	–	0·07	0·21
	P	0·06	0·07	0·06	0·07	0·06	0·33	0·07	0·07	0·06	0·07	0·06	0·33	–	0·14	0·10	0·10	0·03	0·38
Inflammation of the stomach (112 : 1)	M	0·15	0·32	0·21	0·08	0·06	0·83	0·14	0·29	0·21	0·07	0·05	0·77	0·54	1·01	0·34	0·27	0·14	2·30
	F	0·12	0·20	0·13	0·08	0·06	0·60	0·12	0·20	0·12	0·08	0·06	0·57	0·28	0·28	0·50	0·07	0·07	1·21
	P	0·14	0·26	0·17	0·08	0·06	0·71	0·13	0·24	0·16	0·07	0·06	0·67	0·42	0·66	0·42	0·17	0·10	1·76
Diarrhœa and enteritis (113)	M	0·86	2·20	2·91	1·62	1·05	8·64	0·84	2·08	2·76	1·54	1·01	8·23	1·42	5·14	6·29	3·58	1·96	18·39
	F	0·53	1·42	2·08	1·30	0·90	6·24	0·50	1·26	1·94	1·27	0·82	5·78	1·28	5·32	5·39	2·20	2·91	17·09
	P	0·70	1·82	2·50	1·47	0·98	7·47	0·67	1·68	2·36	1·41	0·92	7·03	1·35	5·23	5·85	2·91	2·42	17·75
Hernia, intestinal obstruction (118)	M	0·08	0·08	0·27	0·26	0·13	0·82	0·08	0·07	0·27	0·26	0·13	0·81	0·14	0·20	0·34	0·20	–	0·88
	F	0·06	0·02	0·17	0·10	0·07	0·42	0·06	0·01	0·17	0·11	0·07	0·41	0·21	0·14	0·14	–	0·07	0·57
	P	0·07	0·05	0·22	0·18	0·10	0·62	0·07	0·04	0·22	0·19	0·10	0·62	0·17	0·17	0·24	0·10	0·03	0·73

TABLE 10.—ENGLAND AND WALES.—INFANT MORTALITY BY SEX, AGE, CAUSE, AND LEGITIMACY, 1925—*continued.*

Cause of Death.	Sex.	Proportion of Deaths to 1,000 Births.																	
		All Infants.						Legitimate Infants.						Illegitimate Infants.					
		Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.
Congenital malformations (159)	M	2·93	1·22	0·51	0·23	0·14	5·04	2·96	1·20	0·52	0·22	0·14	5·04	2·37	1·76	0·27	0·47	0·14	5·00
	F	2·52	0·93	0·34	0·19	0·11	4·09	2·50	0·92	0·33	0·20	0·12	4·06	3·05	1·21	0·57	–	–	4·82
	P	2·73	1·08	0·43	0·21	0·13	4·58	2·73	1·06	0·43	0·21	0·13	4·56	2·70	1·49	0·42	0·24	0·07	4·91
Congenital debility and sclerema (160 : 1)	M	3·66	1·82	1·04	0·25	0·13	6·90	3·55	1·66	0·93	0·23	0·12	6·48	6·35	5·75	3·58	0·74	0·27	16·70
	F	2·72	1·07	0·62	0·20	0·13	4·75	2·65	1·00	0·57	0·17	0·12	4·51	4·47	2·91	1·84	0·85	0·43	10·49
	P	3·20	1·46	0·84	0·22	0·13	5·85	3·11	1·33	0·76	0·20	0·12	5·52	5·43	4·36	2·73	0·80	0·35	13·67
Icterus (160 : 2)	M	0·60	0·05	0·00	–	–	0·65	0·58	0·04	0·00	–	–	0·63	0·95	0·20	–	–	–	1·15
	F	0·44	0·03	–	–	–	0·47	0·43	0·03	–	–	–	0·46	0·57	–	–	–	–	0·57
	P	0·52	0·04	0·00	–	–	0·56	0·51	0·04	0·00	–	–	0·55	0·76	0·10	–	–	–	0·87
Premature birth (161 : 1) ..	M	17·63	1·48	0·18	0·03	0·02	19·34	17·24	1·42	0·18	0·03	0·02	18·89	26·84	2·97	0·20	0·07	–	30·08
	F	14·28	1·34	0·20	0·02	0·01	15·86	13·82	1·28	0·20	0·02	0·01	15·32	24·96	2·98	0·43	0·14	–	28·50
	P	15·99	1·42	0·19	0·03	0·01	17·64	15·57	1·35	0·19	0·02	0·01	17·14	25·92	2·98	0·31	0·10	–	29·31
Injury at birth (161 : 2) ..	M	1·78	0·04	0·01	–	–	1·82	1·74	0·04	0·01	–	–	1·79	2·70	–	–	–	–	2·70
	F	1·09	0·04	0·01	–	–	1·14	1·03	0·04	0·01	–	–	1·07	2·62	–	–	–	–	2·62
	P	1·44	0·04	0·01	–	–	1·49	1·39	0·04	0·01	–	–	1·44	2·66	–	–	–	–	2·66
Disease of umbilicus (162 : 1)	M	0·16	0·04	–	–	–	0·20	0·16	0·04	–	–	–	0·20	0·20	–	–	–	–	0·20
	F	0·16	0·04	–	–	–	0·19	0·15	0·03	–	–	–	0·18	0·35	0·14	–	–	–	0·50
	P	0·16	0·04	–	–	–	0·20	0·15	0·04	–	–	–	0·19	0·28	0·07	–	–	–	0·35
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)

		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
Atelectasis (162 : 2)	M	1·55	0·05	–	–	–	1·60	1·54	0·05	–	–	–	1·58	1·89	0·07	–	–	–	1·96
	F	1·44	0·05	–	–	–	1·49	1·40	0·05	–	–	–	1·45	2·20	0·28	–	–	–	2·48
	P	1·50	0·05	–	–	–	1·55	1·47	0·05	–	–	–	1·52	2·04	0·17	–	–	–	2·21
Suffocation—in bed or not stated how (180 pt.) ..	M	0·25	0·17	0·12	0·02	0·00	0·56	0·21	0·16	0·10	0·02	0·00	0·49	1·01	0·54	0·47	–	–	2·03
	F	0·25	0·18	0·10	0·03	0·02	0·58	0·23	0·16	0·10	0·04	0·02	0·54	0·78	0·50	0·07	–	0·07	1·42
	P	0·25	0·17	0·11	0·03	0·01	0·57	0·22	0·16	0·10	0·03	0·01	0·52	0·90	0·52	0·28	–	0·03	1·73
Other causes	M	1·72	0·66	0·80	0·73	0·66	4·56	1·33	0·62	0·77	0·73	0·65	4·10	10·75	1·55	1·55	0·68	0·95	15·48
	F	1·56	0·58	0·52	0·52	0·54	3·72	1·16	0·54	0·50	0·50	0·53	3·22	11·20	1·49	1·21	1·06	0·64	15·60
	P	1·64	0·62	0·67	0·63	0·60	4·15	1·25	0·58	0·63	0·62	0·59	3·67	10·97	1·52	1·38	0·87	0·80	15·54

TABLE 11.—CLASSES OF ADMINISTRATIVE AREAS.—INFANT MORTALITY BY AGE, CAUSE, AND LEGITIMACY, 1925.

(A similar Table showing the Mortality for the Quinquennium 1921–1925 appears on page 500.)

Cause of Death.	Proportion of Deaths to 1,000 Births.																	
	All Infants.						Legitimate Infants.						Illegitimate Infants.					
	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.
All Causes—																		
London	25·75	11·50	12·83	9·47	8·40	67·95	24·20	10·91	11·98	9·24	8·29	64·62	63·05	25·89	33·20	14·93	10·97	148·04
County Boroughs	34·24	14·65	13·82	12·22	11·89	86·81	33·23	13·94	13·26	11·92	11·65	83·99	57·99	31·43	26·95	19·49	17·60	153·47
Other Urban Districts ..	32·43	12·16	10·10	8·77	8·31	71·77	31·21	11·65	9·83	8·53	8·18	69·40	62·86	25·10	16·73	14·86	11·67	131·22
Rural Districts	32·64	10·54	8·06	6·65	6·26	64·16	31·61	10·02	7·74	6·52	6·21	62·11	54·36	21·62	14·83	9·42	7·26	107·49
All Urban Districts ..	32·25	13·15	12·12	10·38	9·89	77·79	31·08	12·54	11·64	10·11	9·71	75·07	60·70	28·05	23·73	16·95	14·23	143·66
I—Common Infectious Diseases (6–10, 25 : 2)—																		
London	0·06	0·93	1·10	1·84	1·91	5·85	0·06	0·95	1·00	1·82	1·93	5·76	—	0·61	3·66	2·44	1·22	7·92
County Boroughs	0·14	0·85	0·97	2·06	2·92	6·93	0·14	0·85	0·96	1·99	2·87	6·82	0·20	0·80	1·19	3·48	3·88	9·55
Other Urban Districts ..	0·14	0·79	0·92	1·42	1·99	5·27	0·15	0·79	0·92	1·40	1·98	5·24	—	0·88	0·99	1·87	2·31	6·05
Rural Districts	0·15	0·77	0·77	0·92	1·21	3·83	0·15	0·75	0·76	0·90	1·19	3·76	0·15	1·24	1·08	1·24	1·70	5·41
All Urban Districts ..	0·13	0·84	0·97	1·76	2·38	6·08	0·13	0·84	0·95	1·72	2·36	6·01	0·09	0·80	1·47	2·68	2·85	7·89
II—Tuberculous Diseases (31–37)—																		
London	0·04	0·04	0·32	0·50	0·59	1·48	0·04	0·04	0·30	0·49	0·61	1·48	—	—	0·61	0·61	0·30	1·52
County Boroughs	0·01	0·10	0·34	0·50	0·55	1·50	0·01	0·09	0·33	0·48	0·54	1·45	—	0·40	0·60	0·90	0·80	2·69
Other Urban Districts ..	0·02	0·09	0·26	0·35	0·41	1·14	0·02	0·09	0·25	0·34	0·40	1·10	—	0·22	0·55	0·66	0·66	2·09
Rural Districts	—	0·07	0·20	0·28	0·37	0·92	—	0·07	0·20	0·29	0·36	0·92	—	0·15	0·31	—	0·46	0·93
All Urban Districts ..	0·02	0·09	0·30	0·44	0·50	1·35	0·02	0·08	0·29	0·43	0·49	1·31	—	0·27	0·58	0·76	0·67	2·27
III—Diarrhœa and Enteritis (113)																		
London	0·67	2·16	3·88	1·92	1·09	9·72	0·62	1·92	3·49	1·83	1·01	8·87	1·83	7·92	13·40	3·96	3·05	30·16
County Boroughs	0·78	2·25	3·50	2·03	1·46	10·01	0·79	2·10	3·30	1·95	1·36	9·50	0·70	5·87	8·06	3·78	3·78	22·18
Other Urban Districts ..	0·65	1·65	1·84	1·19	0·74	6·08	0·61	1·51	1·78	1·11	0·69	5·70	1·87	5·06	3·52	3·19	1·87	15·52
Rural Districts	0·64	1·17	1·09	0·70	0·48	4·08	0·61	1·08	1·06	0·70	0·47	3·91	1·39	3·09	1·85	0·62	0·77	7·72
All Urban Districts ..	0·71	1·99	2·86	1·66	1·10	8·33	0·69	1·83	2·69	1·58	1·03	7·82	1·34	5·84	7·00	3·57	2·90	20·65
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
IV—Developmental and Wasting Diseases (159, 160, 161 : 1, 162 : 2)—																		
London	18·70	3·58	1·60	0·47	0·25	24·61	17·96	3·35	1·48	0·43	0·21	23·43	36·55	9·14	4·57	1·52	1·22	53·00
County Boroughs	24·86	4·62	1·67	0·50	0·30	31·95	24·40	4·36	1·54	0·47	0·29	31·06	35·81	10·84	4·87	1·09	0·40	53·01
Other Urban Districts ..	24·32	3·91	1·27	0·42	0·27	30·18	23·70	3·77	1·23	0·39	0·27	29·35	39·74	7·49	2·09	1·21	0·44	50·97
Rural Districts	24·73	3·52	1·33	0·45	0·24	30·27	24·26	3·28	1·27	0·43	0·25	29·49	34·59	8·65	2·63	0·93	—	46·80
All Urban Districts ..	23·74	4·17	1·49	0·46	0·28	30·15	23·17	3·96	1·40	0·43	0·27	29·24	37·51	9·23	3·70	1·20	0·54	52·18
V—Miscellaneous Diseases (Remainder)—																		
London	6·29	4·79	5·92	4·73	4·55	26·29	5·52	4·65	5·71	4·66	4·52	25·08	24·67	8·22	10·97	6·40	5·18	55·44
County Boroughs	8·44	6·82	7·34	7·14	6·67	36·41	7·90	6·54	7·13	7·01	6·58	35·16	21·29	13·53	12·23	10·24	8·75	66·04
Other Urban Districts ..	7·29	5·72	5·80	5·39	4·90	29·10	6·74	5·49	5·65	5·29	4·84	28·01	21·25	11·45	9·58	7·93	6·38	56·58
Rural Districts	7·12	5·01	4·67	4·30	3·96	25·06	6·59	4·84	4·46	4·19	3·95	24·04	18·22	8·49	8·96	6·64	4·32	46·64
All Urban Districts ..	7·65	6·07	6·49	6·06	5·62	31·88	7·07	5·83	6·31	5·95	5·55	30·70	21·77	11·91	10·97	8·74	7·27	60·66
Measles (7)—																		
London	—	0·05	0·06	0·32	0·45	0·87	—	0·05	0·06	0·33	0·47	0·91	—	—	—	—	—	—
County Boroughs	0·00	0·05	0·17	0·75	1·30	2·28	0·00	0·05	0·16	0·71	1·30	2·23	—	0·10	0·30	1·59	1·49	3·48
Other Urban Districts ..	0·03	0·02	0·10	0·43	0·92	1·49	0·03	0·02	0·10	0·41	0·90	1·46	—	—	0·11	0·99	1·32	2·42
Rural Districts	—	0·03	0·07	0·22	0·44	0·76	—	0·03	0·06	0·23	0·44	0·76	—	—	0·31	—	0·46	0·77
All Urban Districts ..	0·01	0·04	0·13	0·55	1·02	1·75	0·01	0·04	0·12	0·53	1·01	1·71	—	0·04	0·18	1·12	1·20	2·54
Whooping cough (9)—																		
London	0·06	0·86	0·98	1·40	1·27	4·58	0·06	0·87	0·88	1·37	1·28	4·46	—	0·61	3·35	2·13	1·22	7·31
County Boroughs	0·13	0·76	0·74	1·20	1·46	4·28	0·13	0·77	0·74	1·18	1·43	4·25	0·10	0·50	0·70	1·59	2·19	5·07
Other Urban Districts ..	0·11	0·76	0·81	0·95	0·96	3·57	0·11	0·75	0·80	0·95	0·96	3·59	—	0·77	0·88	0·77	0·88	3·30
Rural Districts	0·13	0·72	0·70	0·67	0·73	2·95	0·13	0·70	0·69	0·64	0·71	2·88	0·15	1·08	0·77	1·24	1·08	4·32
All Urban Districts ..	0·11	0·77	0·80	1·12	1·22	4·03	0·11	0·78	0·79	1·11	1·21	4·00	0·04	0·62	1·16	1·34	1·52	4·68
Diphtheria (10)—																		
London	—	0·02	0·05	0·07	0·12	0·27	—	0·03	0·04	0·08	0·13	0·27	—	—	0·30	—	—	0·30
County Boroughs	0·00	0·02	0·03	0·06	0·09	0·21	—	0·02	0·03	0·05	0·09	0·19	0·10	0·20	—	0·30	0·10	0·70
Other Urban Districts ..	—	0·01	0·00	0·03	0·09	0·14	—	0·01	0·00	0·03	0·09	0·13	—	0·11	—	0·11	0·11	0·33
Rural Districts	0·01	0·01	0·01	0·03	0·03	0·09	0·01	0·01	0·01	0·03	0·03	0·09	—	—	—	—	0·15	0·15
All Urban Districts ..	0·00	0·02	0·02	0·05	0·09	0·19	—	0·01	0·02	0·05	0·09	0·18	0·04	0·13	0·04	0·18	0·09	0·49
Influenza (11)—																		
London	0·05	0·07	0·08	0·08	0·08	0·38	0·05	0·08	0·09	0·08	0·09	0·38	—	—	—	0·30	—	0·30
County Boroughs	0·06	0·10	0·09	0·11	0·15	0·52	0·06	0·10	0·09	0·11	0·16	0·52	0·10	0·30	—	0·20	0·10	0·70
Other Urban Districts ..	0·10	0·11	0·11	0·14	0·12	0·59	0·11	0·11	0·11	0·13	0·11	0·57	—	0·11	0·22	0·44	0·33	1·10
Rural Districts	0·08	0·19	0·16	0·18	0·16	0·77	0·08	0·19	0·15	0·16	0·16	0·74	0·15	0·15	0·31	0·62	0·15	1·39
All Urban Districts ..	0·08	0·10	0·10	0·12	0·13	0·53	0·08	0·10	0·10	0·11	0·13	0·52	0·04	0·18	0·09	0·31	0·18	0·80

TABLE 11.—CLASSES OF ADMINISTRATIVE AREAS.—INFANT MORTALITY BY AGE, CAUSE, AND LEGITIMACY, 1925—*continued.*

Cause of Death.	Proportion of Deaths to 1,000 Births.																	
	All Infants.						Legitimate Infants.						Illegitimate Infants.					
	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.
Tuberculosis of nervous system (32)—																		
London	0·01	0·01	0·16	0·27	0·34	0·79	0·01	0·01	0·16	0·27	0·34	0·80	—	—	—	0·30	0·30	0·61
County Boroughs	0·01	0·04	0·17	0·24	0·26	0·72	0·01	0·04	0·17	0·24	0·26	0·73	—	—	0·20	0·10	0·20	0·50
Other Urban Districts ..	—	0·03	0·12	0·16	0·20	0·52	—	0·04	0·11	0·16	0·20	0·51	—	—	0·33	0·33	0·22	0·88
Rural Districts	—	0·03	0·10	0·18	0·17	0·47	—	0·03	0·09	0·19	0·16	0·47	—	—	0·31	—	0·31	0·62
All Urban Districts ..	0·01	0·03	0·15	0·21	0·25	0·65	0·01	0·03	0·15	0·21	0·25	0·65	—	—	0·22	0·22	0·22	0·67
Tuberculosis of intestines and peritoneum (33)—																		
London	0·02	0·01	0·01	0·05	0·04	0·13	0·03	0·01	0·01	0·05	0·04	0·14	—	—	—	—	—	—
County Boroughs	—	0·04	0·07	0·09	0·13	0·34	—	0·03	0·07	0·08	0·12	0·29	—	0·30	0·20	0·50	0·40	1·39
Other Urban Districts ..	0·01	0·03	0·08	0·10	0·06	0·28	0·01	0·03	0·08	0·10	0·05	0·27	—	—	0·11	0·11	0·33	0·55
Rural Districts	—	0·03	0·05	0·03	0·10	0·21	—	0·03	0·05	0·03	0·09	0·20	—	0·15	—	—	0·15	0·31
All Urban Districts ..	0·01	0·03	0·07	0·09	0·09	0·29	0·01	0·03	0·07	0·08	0·08	0·26	—	0·13	0·13	0·27	0·31	0·85
Other tuberculous diseases (31, 34–37)—																		
London	—	0·01	0·15	0·18	0·22	0·56	—	0·01	0·13	0·18	0·23	0·54	—	—	0·61	0·30	—	0·91
County Boroughs	0·00	0·02	0·09	0·17	0·16	0·44	0·00	0·01	0·09	0·16	0·16	0·43	—	0·10	0·20	0·30	0·20	0·80
Other Urban Districts ..	0·01	0·03	0·05	0·09	0·15	0·33	0·01	0·02	0·05	0·09	0·15	0·32	—	0·22	0·11	0·22	0·11	0·66
Rural Districts	—	0·01	0·06	0·07	0·10	0·24	—	0·01	0·06	0·07	0·11	0·25	—	—	—	—	—	—
All Urban Districts ..	0·01	0·02	0·08	0·14	0·16	0·41	0·01	0·02	0·08	0·13	0·17	0·40	—	0·13	0·22	0·27	0·13	0·76
Syphilis (38)—																		
London	0·25	0·19	0·11	0·06	0·05	0·67	0·24	0·16	0·09	0·06	0·04	0·59	0·61	0·91	0·61	—	0·30	2·44
County Boroughs	0·47	0·46	0·20	0·09	0·04	1·26	0·42	0·37	0·15	0·07	0·03	1·04	1·59	2·59	1·39	0·70	0·30	6·56
Other Urban Districts ..	0·26	0·24	0·10	0·03	0·02	0·66	0·20	0·20	0·08	0·03	0·02	0·53	1·76	1·43	0·55	0·11	—	3·85
Rural Districts	0·15	0·13	0·08	0·03	0·03	0·43	0·13	0·13	0·05	0·02	0·02	0·36	0·62	0·15	0·62	0·31	0·31	2·01
All Urban Districts ..	0·35	0·33	0·14	0·06	0·03	0·92	0·30	0·27	0·11	0·05	0·03	0·76	1·52	1·87	0·94	0·36	0·18	4·86
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
Meningitis (71)—																		
London	0·04	0·10	0·08	0·12	0·12	0·46	0·04	0·10	0·09	0·11	0·13	0·47	—	—	—	0·30	—	0·30
County Boroughs	0·05	0·07	0·17	0·20	0·21	0·70	0·05	0·06	0·17	0·20	0·20	0·68	—	0·20	0·20	0·20	0·50	1·09
Other Urban Districts ..	0·05	0·05	0·14	0·15	0·14	0·52	0·04	0·04	0·13	0·14	0·14	0·51	0·11	0·11	0·22	0·33	0·11	0·88
Rural Districts	0·04	0·13	0·15	0·22	0·15	0·69	0·04	0·12	0·15	0·20	0·15	0·66	0·15	0·31	0·31	0·46	0·15	1·39
All Urban Districts ..	0·05	0·06	0·14	0·17	0·17	0·59	0·05	0·06	0·14	0·17	0·17	0·58	0·04	0·13	0·18	0·27	0·27	0·89
Convulsions (80)—																		
London	0·73	0·19	0·19	0·11	0·08	1·31	0·76	0·18	0·19	0·11	0·09	1·33	—	0·61	0·30	—	—	0·91
County Boroughs	2·03	0·88	0·67	0·48	0·34	4·39	2·01	0·86	0·64	0·47	0·29	4·28	2·39	1·39	1·19	0·70	1·29	6·96
Other Urban Districts ..	2·10	0·83	0·67	0·45	0·30	4·34	2·07	0·79	0·67	0·43	0·29	4·25	2·86	1·76	0·66	0·88	0·44	6·61
Rural Districts	1·96	0·81	0·61	0·41	0·40	4·18	1·87	0·76	0·58	0·39	0·39	4·00	3·71	1·85	1·24	0·77	0·46	8·03
All Urban Districts ..	1·87	0·76	0·60	0·41	0·28	3·92	1·85	0·73	0·59	0·40	0·26	3·84	2·23	1·43	0·85	0·67	0·76	5·93
Bronchitis (99)—																		
London	0·41	0·87	0·86	0·47	0·40	3·02	0·43	0·86	0·82	0·48	0·42	3·01	—	1·22	1·83	0·30	—	3·35
County Boroughs	0·80	1·62	1·53	1·25	1·02	6·21	0·80	1·61	1·50	1·19	0·98	6·08	0·90	1·79	2·19	2·59	1·99	9·45
Other Urban Districts ..	0·70	1·53	1·22	1·06	0·86	5·36	0·69	1·51	1·17	1·05	0·85	5·28	0·88	1·87	2·42	1·10	1·10	7·38
Rural Districts	0·68	1·27	0·92	0·69	0·61	4·16	0·69	1·25	0·91	0·66	0·62	4·13	0·62	1·54	1·08	1·24	0·31	4·79
All Urban Districts ..	0·70	1·47	1·30	1·05	0·86	5·39	0·70	1·46	1·26	1·03	0·84	5·30	0·76	1·74	2·23	1·65	1·34	7·72
Pneumonia (100, 101)—																		
London	1·02	2·32	3·20	2·77	2·96	12·27	1·01	2·25	3·10	2·72	2·97	12·05	1·22	3·96	5·79	3·96	2·74	17·67
County Boroughs	0·95	2·21	3·27	3·90	4·04	14·38	0·95	2·16	3·22	3·90	4·06	14·29	0·99	3·38	4·38	3·98	3·68	16·41
Other Urban Districts ..	0·60	1·78	2·43	2·67	2·77	10·24	0·60	1·74	2·37	2·61	2·74	10·05	0·55	2·86	3·96	4·18	3·52	15·08
Rural Districts	0·56	1·47	1·82	2·03	1·81	7·69	0·55	1·43	1·78	1·99	1·79	7·53	0·77	2·32	2·78	2·78	2·32	10·97
All Urban Districts ..	0·81	2·05	2·91	3·22	3·35	12·34	0·81	2·00	2·85	3·19	3·35	12·19	0·85	3·26	4·42	4·06	3·48	16·06
Other respiratory diseases (97, 98, 102–107)—																		
London	0·04	0·06	0·02	0·05	0·04	0·21	0·04	0·06	0·03	0·05	0·04	0·21	—	—	—	—	—	—
County Boroughs	0·06	0·07	0·08	0·08	0·08	0·39	0·07	0·07	0·08	0·08	0·08	0·39	—	0·20	0·10	0·10	0·10	0·50
Other Urban Districts ..	0·06	0·06	0·05	0·07	0·04	0·30	0·07	0·06	0·06	0·07	0·04	0·30	—	0·22	—	—	—	0·22
Rural Districts	0·08	0·08	0·06	0·08	0·06	0·36	0·09	0·08	0·04	0·07	0·07	0·34	—	—	0·31	0·31	—	0·62
All Urban Districts ..	0·06	0·07	0·06	0·07	0·06	0·32	0·06	0·06	0·06	0·08	0·06	0·33	—	0·18	0·04	0·04	0·04	0·31
Inflammation of the stomach (112 : 1)—																		
London	0·07	0·04	0·12	0·05	0·01	0·29	0·08	0·04	0·10	0·04	0·01	0·27	—	—	0·61	0·30	—	0·91
County Boroughs	0·19	0·36	0·19	0·08	0·07	0·89	0·18	0·34	0·18	0·08	0·07	0·85	0·50	0·90	0·40	0·10	0·10	1·99
Other Urban Districts ..	0·12	0·26	0·20	0·10	0·08	0·76	0·11	0·25	0·20	0·09	0·07	0·72	0·44	0·66	0·22	0·33	0·22	1·87
Rural Districts	0·11	0·22	0·14	0·06	0·04	0·57	0·09	0·20	0·12	0·06	0·04	0·52	0·46	0·62	0·62	—	—	1·70
All Urban Districts ..	0·15	0·27	0·18	0·08	0·07	0·75	0·14	0·26	0·18	0·08	0·06	0·71	0·40	0·67	0·36	0·22	0·13	1·78

TABLE 11.—CLASSES OF ADMINISTRATIVE AREAS.—INFANT MORTALITY BY AGE, CAUSE, AND LEGITIMACY, 1925—*continued.*

Cause of Death.	Proportion of Deaths to 1,000 Births.																	
	All Infants.						Legitimate Infants.						Illegitimate Infants.					
	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.
Diarrhœa and enteritis (113)—																		
London	0·67	2·16	3·88	1·92	1·09	9·72	0·62	1·92	3·49	1·83	1·01	8·87	1·83	7·92	13·40	3·96	3·05	30·16
County Boroughs	0·78	2·25	3·50	2·03	1·46	10·01	0·79	2·10	3·30	1·95	1·36	9·50	0·70	5·87	8·06	3·78	3·78	22·18
Other Urban Districts ..	0·65	1·65	1·84	1·19	0·74	6·08	0·61	1·51	1·78	1·11	0·69	5·70	1·87	5·06	3·52	3·19	1·87	15·52
Rural Districts	0·64	1·17	1·09	0·70	0·48	4·08	0·61	1·08	1·06	0·70	0·47	3·91	1·39	3·09	1·85	0·62	0·77	7·72
All Urban Districts ..	0·71	1·99	2·86	1·66	1·10	8·33	0·69	1·83	2·69	1·58	1·03	7·82	1·34	5·84	7·00	3·57	2·90	20·65
Hernia, intestinal obstruction (118)—																		
London	0·12	0·05	0·22	0·17	0·12	0·68	0·13	0·05	0·21	0·16	0·13	0·68	—	—	0·30	0·30	—	0·61
County Boroughs	0·06	0·06	0·22	0·17	0·10	0·61	0·05	0·05	0·22	0·17	0·10	0·60	0·20	0·30	0·20	0·20	—	0·90
Other Urban Districts ..	0·06	0·05	0·22	0·21	0·10	0·65	0·06	0·04	0·22	0·22	0·10	0·64	0·22	0·22	0·22	—	0·11	0·77
Rural Districts	0·08	0·03	0·21	0·16	0·10	0·57	0·07	0·03	0·20	0·17	0·10	0·58	0·15	—	0·31	—	—	0·46
All Urban Districts ..	0·07	0·05	0·22	0·19	0·10	0·63	0·07	0·05	0·22	0·19	0·10	0·63	0·18	0·22	0·22	0·13	0·04	0·80
Congenital malformations (159)																		
London	2·31	1·01	0·38	0·18	0·12	3·99	2·29	1·00	0·37	0·19	0·13	3·97	2·74	1·22	0·61	—	—	4·57
County Boroughs	2·78	1·09	0·38	0·19	0·13	4·55	2·82	1·05	0·37	0·19	0·13	4·57	1·69	1·89	0·40	0·10	0·10	4·18
Other Urban Districts ..	2·86	1·11	0·46	0·21	0·14	4·78	2·83	1·13	0·47	0·21	0·14	4·78	3·52	0·77	0·22	0·22	0·11	4·84
Rural Districts	2·68	1·06	0·49	0·27	0·11	4·62	2·66	1·01	0·49	0·26	0·12	4·54	3·09	2·01	0·62	0·62	—	6·33
All Urban Districts ..	2·74	1·09	0·41	0·19	0·13	4·57	2·75	1·08	0·42	0·20	0·13	4·57	2·59	1·34	0·36	0·13	0·09	4·50
Congenital debility and sclerema (160 : 1)—																		
London	1·86	1·14	0·98	0·25	0·13	4·37	1·66	1·02	0·92	0·21	0·09	3·91	6·70	3·96	2·44	1·22	1·22	15·53
County Boroughs	2·85	1·82	1·07	0·28	0·16	6·18	2·77	1·64	0·94	0·25	0·15	5·75	4·77	6·07	4·18	0·99	0·30	16·31
Other Urban Districts ..	3·70	1·33	0·63	0·19	0·13	5·97	3·63	1·26	0·58	0·16	0·12	5·75	5·50	2·86	1·87	0·77	0·33	11·34
Rural Districts	3·75	1·23	0·68	0·17	0·08	5·93	3·66	1·10	0·63	0·17	0·09	5·64	5·71	4·02	1·85	0·31	—	11·89
All Urban Districts ..	3·06	1·51	0·87	0·24	0·14	5·83	2·97	1·39	0·79	0·21	0·13	5·49	5·35	4·46	2·99	0·94	0·45	14·18
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
Icterus (160 : 2)—																		
London	0·29	0·05	—	—	—	0·34	0·30	0·05	—	—	—	0·35	—	—	—	—	—	—
County Boroughs	0·50	0·03	—	—	—	0·52	0·50	0·03	—	—	—	0·53	0·40	0·10	—	—	—	0·50
Other Urban Districts ..	0·45	0·04	—	—	—	0·49	0·43	0·04	—	—	—	0·47	0·88	0·22	—	—	—	1·10
Rural Districts	0·80	0·04	0·01	—	—	0·85	0·77	0·04	0·01	—	—	0·82	1·54	—	—	—	—	1·54
All Urban Districts ..	0·45	0·04	—	—	—	0·49	0·44	0·03	—	—	—	0·48	0·54	0·13	—	—	—	0·67
Premature birth (161 : 1)—																		
London	12·75	1·27	0·24	0·04	—	14·31	12·20	1·18	0·19	0·03	—	13·59	26·20	3·66	1·52	0·30	—	31·68
County Boroughs	17·17	1·64	0·22	0·03	0·01	19·08	16·78	1·60	0·22	0·03	0·01	18·64	26·46	2·69	0·30	—	—	29·44
Other Urban Districts ..	15·90	1·39	0·17	0·03	0·00	17·49	15·42	1·30	0·18	0·02	0·00	16·92	28·07	3·52	—	0·22	—	31·81
Rural Districts	15·96	1·15	0·15	0·01	0·04	17·30	15·68	1·09	0·15	0·01	0·04	16·97	21·93	2·32	0·15	—	—	24·40
All Urban Districts ..	16·00	1·48	0·20	0·03	0·01	17·72	15·54	1·41	0·20	0·03	0·01	17·19	27·07	3·17	0·36	0·13	—	30·73
Injury at birth (161 : 2)—																		
London	1·40	0·05	—	—	—	1·44	1·34	0·05	—	—	—	1·39	2·74	—	—	—	—	2·74
County Boroughs	1·45	0·04	0·01	—	—	1·50	1·38	0·04	0·01	—	—	1·43	3·18	—	—	—	—	3·18
Other Urban Districts ..	1·38	0·03	0·01	—	—	1·43	1·36	0·03	0·01	—	—	1·40	2·09	—	—	—	—	2·09
Rural Districts	1·55	0·05	—	—	—	1·59	1·49	0·05	—	—	—	1·55	2·63	—	—	—	—	2·63
All Urban Districts ..	1·41	0·04	0·01	—	—	1·46	1·36	0·04	0·01	—	—	1·41	2·68	—	—	—	—	2·68
Disease of umbilicus (162 : 1)—																		
London	0·19	0·02	—	—	—	0·22	0·16	0·03	—	—	—	0·19	0·91	—	—	—	—	0·91
County Boroughs	0·13	0·04	—	—	—	0·17	0·13	0·04	—	—	—	0·17	—	0·10	—	—	—	0·10
Other Urban Districts ..	0·16	0·05	—	—	—	0·22	0·16	0·05	—	—	—	0·21	0·22	0·11	—	—	—	0·33
Rural Districts	0·18	0·01	—	—	—	0·19	0·17	0·01	—	—	—	0·18	0·46	—	—	—	—	0·46
All Urban Districts ..	0·15	0·04	—	—	—	0·20	0·15	0·04	—	—	—	0·19	0·22	0·09	—	—	—	0·31
Atelectasis (162 : 2)—																		
London	1·49	0·11	—	—	—	1·60	1·52	0·10	—	—	—	1·62	0·91	0·30	—	—	—	1·22
County Boroughs	1·56	0·05	—	—	—	1·61	1·52	0·05	—	—	—	1·57	2·49	0·10	—	—	—	2·59
Other Urban Districts ..	1·41	0·04	—	—	—	1·44	1·39	0·04	—	—	—	1·43	1·76	0·11	—	—	—	1·87
Rural Districts	1·53	0·04	—	—	—	1·57	1·49	0·03	—	—	—	1·52	2·32	0·31	—	—	—	2·63
All Urban Districts ..	1·49	0·05	—	—	—	1·54	1·47	0·05	—	—	—	1·52	1·96	0·13	—	—	—	2·10
Suffocation—in bed or not stated how (180 pt.)—																		
London	0·25	0·18	0·12	0·06	0·01	0·63	0·21	0·19	0·13	0·06	0·01	0·61	1·22	—	—	—	—	1·22
County Boroughs	0·31	0·24	0·12	0·02	0·01	0·70	0·28	0·23	0·11	0·02	0·00	0·64	1·09	0·60	0·40	—	0·10	2·19
Other Urban Districts ..	0·22	0·14	0·10	0·02	0·01	0·49	0·20	0·12	0·10	0·02	0·01	0·44	0·88	0·66	0·22	—	—	1·76
Rural Districts	0·18	0·10	0·09	0·03	0·01	0·42	0·17	0·09	0·08	0·03	0·01	0·38	0·46	0·46	0·31	—	—	1·24
All Urban Districts ..	0·27	0·19	0·11	0·02	0·01	0·60	0·24	0·18	0·11	0·03	0·01	0·55	1·03	0·54	0·27	—	0·04	1·87
Other causes—																		
London	1·71	0·64	0·91	0·85	0·73	4·84	1·04	0·61	0·88	0·83	0·67	4·03	17·97	1·52	1·52	1·22	2·13	24·37
County Boroughs	1·88	0·69	0·82	0·78	0·67	4·84	1·52	0·64	0·77	0·75	0·67	4·36	10·34	1·79	1·99	1·49	0·70	16·31
Other Urban Districts ..	1·48	0·58	0·56	0·51	0·49	3·61	1·09	0·54	0·55	0·51	0·50	3·17	11·23	1·43	0·88	0·55	0·55	14·64
Rural Districts	1·47	0·54	0·43	0·42	0·59	3·46	1·16	0·51	0·40	0·44	0·59	3·10	8·03	1·24	1·08	0·15	0·62	11·12
All Urban Districts ..	1·69	0·63	0·72	0·68	0·60	4·33	1·27	0·59	0·69	0·66	0·59	3·81	11·82	1·61	1·47	1·07	0·85	16·81

Table 12.—Infant Mortality in Different Parts of England and Wales, 1925.

(For list of Counties in the several Geographical Divisions, *see* Footnote to Table 14, page 62).

Area.	Proportion of Deaths to 1,000 Births.																	
	All Causes.						I.—Common Infectious Diseases (6–10, 25 : 2).						II.—Tuberculous Diseases (31–37).					
	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.
All Areas :																		
North	37·23	15·19	13·94	11·99	11·89	90·24	0·17	0·81	0·99	1·93	2·81	6·71	0·02	0·12	0·35	0·43	0·51	1·4
Midlands	31·00	11·53	9·56	8·40	7·85	68·34	0·13	0·85	0·94	1·35	1·78	5·06	0·01	0·08	0·20	0·39	0·43	1·1
South	26·28	10·20	9·76	7·37	6·65	60·25	0·08	0·82	0·83	1·25	1·49	4·48	0·02	0·06	0·30	0·41	0·49	1·2
Wales	35·26	13·38	11·41	11·27	10·21	81·53	0·16	0·78	0·95	2·13	2·79	6·81	—	0·05	0·25	0·35	0·44	1·0
England and Wales	32·33	12·62	11·30	9·63	9·15	75·03	0·14	0·82	0·93	1·59	2·14	5·63	0·02	0·08	0·28	0·41	0·47	1·2
London	25·75	11·50	12·83	9·47	8·40	67·95	0·06	0·93	1·10	1·84	1·91	5·85	0·04	0·04	0·32	0·50	0·59	1·4
County Boroughs :																		
North	36·91	16·14	15·72	13·74	13·45	95·96	0·13	0·85	1·05	2·27	3·27	7·56	0·01	0·10	0·34	0·48	0·54	1·4
Midlands	32·03	13·70	12·14	11·14	10·74	79·74	0·17	0·95	1·07	2·09	2·73	7·00	0·01	0·09	0·31	0·50	0·58	1·4
South	25·98	9·87	9·04	7·07	6·61	58·57	0·04	0·38	0·29	0·67	1·34	2·72	—	0·13	0·33	0·50	0·59	1·5
Wales	35·12	13·51	12·82	12·57	12·31	86·33	0·34	1·12	0·86	2·24	3·36	7·92	—	0·09	0·52	0·69	0·43	1·7
England and Wales	34·24	14·65	13·82	12·22	11·89	86·81	0·14	0·85	0·97	2·06	2·92	6·93	0·01	0·10	0·34	0·50	0·55	1·5
Other Urban Districts :																		
North	37·74	14·65	12·33	10·52	10·78	86·02	0·20	0·75	0·92	1·55	2·47	5·89	0·05	0·12	0·38	0·39	0·48	1·4
Midlands	29·36	11·09	8·78	7·39	6·82	63·43	0·10	0·83	0·87	1·15	1·51	4·47	0·01	0·07	0·14	0·35	0·41	0·9
South	26·34	8·90	7·59	5·43	4·74	52·99	0·12	0·83	0·90	0·90	1·21	3·97	—	0·12	0·31	0·36	0·31	1·0
Wales	35·61	13·16	11·42	13·05	11·13	84·38	0·15	0·76	1·12	2·68	3·23	7·94	—	0·04	0·18	0·25	0·40	0·8
England and Wales	32·43	12·16	10·10	8·77	8·31	71·77	0·14	0·79	0·92	1·42	1·99	5·27	0·02	0·09	0·26	0·35	0·41	1·1
Rural Districts :																		
North	37·31	12·82	10·82	8·71	8·48	78·13	0·26	0·83	0·94	1·48	1·83	5·34	—	0·14	0·31	0·31	0·46	1·2
Midlands	32·01	9·35	7·34	6·33	5·60	60·63	0·13	0·76	0·86	0·70	0·93	3·39	—	0·07	0·13	0·30	0·28	0·7
South	27·77	8·80	5·33	4·78	4·72	51·39	0·12	0·83	0·46	0·64	0·89	2·94	—	—	0·21	0·21	0·37	0·8
Wales	34·75	13·66	10·36	7·18	7·05	73·00	0·06	0·57	0·70	1·08	1·59	4·00	—	0·06	0·19	0·25	0·51	1·0
England and Wales	32·64	10·54	8·06	6·65	6·26	64·16	0·15	0·77	0·77	0·92	1·21	3·83	—	0·07	0·20	0·28	0·37	0·9

Area.	III.—Diarrhœa and Enteritis (113).						IV.—Developmental and Wasting Diseases (159, 160, 161 : 1, 162 : 2).						V.—Miscellaneous Diseases (Remainder).					
All Areas :																		
North	0·90	2·30	3·17	1·87	1·40	9·64	26·95	4·62	1·66	0·45	0·27	33·96	9·19	7·34	7·76	7·31	6·91	38·5
Midlands	0·65	1·56	1·96	1·15	0·75	6·07	23·29	3·95	1·38	0·48	0·29	29·39	6·92	5·08	5·08	5·03	4·60	26·7
South	0·48	1·54	2·35	1·23	0·73	6·33	19·89	3·44	1·35	0·45	0·23	25·36	5·81	4·34	4·92	4·02	3·72	22·8
Wales	0·67	1·64	2·18	1·71	0·78	6·99	26·18	3·71	1·20	0·42	0·38	31·89	8·25	7·19	6·83	6·66	5·83	34·7
England and Wales	0·70	1·82	2·50	1·47	0·98	7·47	23·94	4·04	1·46	0·46	0·27	30·17	7·54	5·85	6·12	5·71	5·28	30·5
London	0·67	2·16	3·88	1·92	1·09	9·72	18·70	3·58	1·60	0·47	0·25	24·61	6·29	4·79	5·92	4·73	4·55	26·2
County Boroughs :																		
North	0·86	2·60	4·02	2·22	1·78	11·48	26·05	4·83	1·88	0·47	0·30	33·54	9·85	7·76	8·43	8·29	7·58	41·9
Midlands	0·82	2·07	3·17	1·94	1·22	9·23	23·80	4·58	1·49	0·61	0·32	30·81	7·22	6·00	6·10	6·00	5·88	31·2
South	0·38	1·13	1·84	0·84	0·54	4·73	20·42	4·06	1·42	0·38	0·17	26·44	5·15	4·18	5·15	4·69	3·97	23·7
Wales	0·43	1·72	3·01	2·75	1·21	9·12	27·29	3·62	0·95	0·34	0·43	32·62	7·06	6·97	7·49	6·54	6·89	34·9
England and Wales	0·78	2·25	3·50	2·03	1·46	10·01	24·86	4·62	1·67	0·50	0·30	31·95	8·44	6·82	7·34	7·14	6·67	36·4
Other Urban Districts :																		
North	0·93	2·13	2·34	1·59	1·03	8·01	27·80	4·67	1·41	0·45	0·26	34·60	8·75	6·98	7·28	6·54	6·54	36·0
Midlands	0·59	1·50	1·55	0·79	0·57	5·00	21·97	3·72	1·35	0·37	0·28	27·70	6·68	4·97	4·87	4·72	4·05	25·2
South	0·26	1·17	1·12	0·71	0·38	3·64	20·66	3·05	0·88	0·38	0·24	25·20	5·31	3·74	4·38	3·07	2·59	19·0
Wales	0·62	1·45	2·43	1·99	0·94	7·43	26·91	3·55	1·16	0·51	0·36	32·49	7·94	7·36	6·53	7·61	6·20	35·0
England and Wales	0·65	1·65	1·84	1·19	0·74	6·08	24·32	3·91	1·27	0·42	0·27	30·18	7·29	5·72	5·80	5·39	4·90	29·1
Rural Districts :																		
North	1·00	1·57	1·83	1·17	0·80	6·37	28·40	3·71	1·40	0·40	0·20	34·11	7·65	6·57	6·34	5·34	5·20	31·0
Midlands	0·50	0·98	1·00	0·63	0·42	3·52	24·50	3·47	1·30	0·47	0·25	29·98	6·88	4·07	4·05	4·24	3·72	22·9
South	0·37	0·74	0·46	0·43	0·40	2·39	21·51	3·16	1·26	0·55	0·18	26·66	5·76	4·08	2·94	2·94	2·88	18·0
Wales	0·95	1·91	1·14	0·44	0·19	4·64	24·08	4·07	1·46	0·32	0·38	30·31	9·66	7·05	6·86	5·08	4·38	33·0
England and Wales	0·64	1·17	1·09	0·70	0·48	4·08	24·73	3·52	1·33	0·45	0·24	30·27	7·12	5·01	4·67	4·30	3·96	25·0

BLE 12.—INFANT MORTALITY IN DIFFERENT PARTS OF ENGLAND AND WALES, 1925—*continued.*

Area.	Proportion of Deaths to 1,000 Births.																	
	Measles (7).						Whooping cough (9).						Syphilis (38).					
	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.
Areas:																		
orth	0·02	0·04	0·20	0·76	1·46	2·48	0·13	0·74	0·74	1·07	1·19	3·87	0·45	0·43	0·20	0·10	0·05	1·23
idlands	0·00	0·03	0·07	0·34	0·61	1·04	0·12	0·80	0·84	0·97	1·07	3·80	0·23	0·20	0·08	0·04	0·02	0·57
outh	—	0·03	0·05	0·19	0·33	0·61	0·08	0·76	0·75	0·98	1·06	3·63	0·24	0·22	0·09	0·04	0·03	0·61
Vales	0·04	0·05	0·13	0·80	1·44	2·46	0·13	0·73	0·82	1·24	1·26	4·17	0·27	0·25	0·15	0·02	0·04	0·73
ngland and Wales	0·01	0·04	0·11	0·49	0·90	1·55	0·11	0·76	0·78	1·03	1·12	3·81	0·31	0·29	0·13	0·06	0·03	0·82
don	—	0·05	0·06	0·32	0·45	0·87	0·06	0·86	0·98	1·40	1·27	4·58	0·25	0·19	0·11	0·06	0·05	0·67
nty Boroughs:																		
orth	0·01	0·05	0·22	0·88	1·55	2·70	0·10	0·76	0·76	1·25	1·55	4·43	0·60	0·57	0·27	0·15	0·04	1·62
idlands	—	0·06	0·13	0·62	1·12	1·93	0·17	0·86	0·86	1·39	1·42	4·70	0·32	0·30	0·14	0·04	0·05	0·85
outh	—	—	—	0·17	0·33	0·50	—	0·33	0·29	0·46	1·00	2·09	0·29	0·38	0·13	—	—	0·79
Vales	—	0·09	0·26	1·29	1·72	3·36	0·34	1·03	0·60	0·86	1·55	4·39	0·34	0·43	—	—	—	0·77
ngland and Wales	0·00	0·05	0·17	0·75	1·30	2·28	0·13	0·76	0·74	1·20	1·46	4·28	0·47	0·46	0·20	0·09	0·04	1·26
er Urban Districts:																		
orth	0·04	0·01	0·18	0·65	1·43	2·31	0·15	0·73	0·70	0·86	0·85	3·28	0·36	0·32	0·16	0·05	0·06	0·95
idlands	0·01	0·01	0·02	0·23	0·43	0·71	0·08	0·79	0·85	0·90	1·01	3·63	0·20	0·20	0·03	0·03	—	0·47
outh	—	0·02	0·07	0·10	0·29	0·48	0·12	0·79	0·81	0·76	0·88	3·36	0·19	0·24	0·07	—	—	0·50
Vales	0·07	0·07	0·15	0·91	1·89	3·08	0·07	0·69	0·98	1·63	1·23	4·61	0·29	0·18	0·15	0·04	—	0·65
ngland and Wales	0·03	0·02	0·10	0·43	0·92	1·49	0·11	0·76	0·81	0·95	0·96	3·57	0·26	0·24	0·10	0·03	0·02	0·66
al Districts:																		
orth	—	0·09	0·17	0·57	1·17	2·00	0·20	0·71	0·74	0·88	0·60	3·14	0·09	0·20	0·03	0·03	0·03	0·37
idlands	—	—	0·05	0·12	0·20	0·37	0·12	0·71	0·81	0·53	0·70	2·87	0·15	0·07	0·08	0·03	0·02	0·35
outh	—	0·03	0·03	0·03	0·09	0·18	0·12	0·80	0·43	0·61	0·77	2·73	0·21	0·12	0·03	0·06	0·03	0·46
Vales	—	—	—	0·25	0·44	0·70	0·06	0·57	0·70	0·83	1·08	3·24	0·19	0·25	0·25	—	0·13	0·83
ngland and Wales	—	0·03	0·07	0·22	0·44	0·76	0·13	0·72	0·70	0·67	0·73	2·95	0·15	0·13	0·08	0·03	0·03	0·43
	Meningitis (71).						Convulsions (80).						Bronchitis (99).					
Areas:																		
orth	0·05	0·09	0·22	0·22	0·21	0·79	2·53	1·05	0·73	0·59	0·40	5·30	1·00	1·87	1·86	1·35	1·17	7·26
idlands	0·03	0·05	0·11	0·17	0·14	0·50	1·56	0·54	0·56	0·31	0·28	3·26	0·59	1·26	0·92	0·88	0·68	4·32
outh	0·06	0·07	0·08	0·12	0·14	0·46	0·87	0·34	0·31	0·19	0·14	1·85	0·44	0·94	0·72	0·56	0·44	3·11
Vales	0·05	0·15	0·13	0·22	0·16	0·71	3·62	1·82	1·15	0·75	0·51	7·85	0·62	1·69	1·22	1·09	0·91	5·53
ngland and Wales	0·05	0·08	0·14	0·18	0·17	0·61	1·89	0·77	0·60	0·41	0·31	3·97	0·70	1·43	1·22	0·98	0·81	5·14
don	0·04	0·10	0·08	0·12	0·12	0·46	0·73	0·19	0·19	0·11	0·08	1·31	0·41	0·87	0·86	0·47	0·40	3·02
nty Boroughs:																		
orth	0·04	0·10	0·22	0·24	0·22	0·81	2·53	1·04	0·77	0·58	0·44	5·36	0·98	1·90	1·99	1·47	1·18	7·53
idlands	0·05	0·03	0·14	0·12	0·18	0·51	1·52	0·73	0·55	0·36	0·23	3·40	0·58	1·22	1·03	1·15	0·81	4·79
outh	0·04	—	0·04	0·25	0·21	0·54	0·84	0·46	0·33	0·29	0·04	1·97	0·46	1·17	0·71	0·54	0·71	3·60
Vales	0·09	0·17	0·09	0·26	0·34	0·95	2·07	0·86	0·86	0·52	0·43	4·73	0·95	1·81	1·21	0·86	1·12	5·94
ngland and Wales	0·05	0·07	0·17	0·20	0·21	0·70	2·03	0·88	0·67	0·48	0·34	4·39	0·80	1·62	1·53	1·25	1·02	6·21
er Urban Districts:																		
orth	0·06	0·06	0·20	0·21	0·20	0·73	2·68	1·13	0·70	0·57	0·34	5·42	1·00	1·78	1·76	1·36	1·23	7·13
idlands	0·02	0·02	0·12	0·15	0·10	0·42	1·52	0·42	0·52	0·24	0·24	2·95	0·59	1·48	0·92	0·83	0·70	4·51
outh	0·05	—	0·12	0·02	0·10	0·29	1·05	0·36	0·52	0·33	0·17	2·43	0·45	0·93	0·67	0·69	0·36	3·09
Vales	0·07	0·15	0·04	0·18	0·18	0·62	3·81	1·92	1·27	0·91	0·51	8·41	0·54	1·85	1·38	1·41	1·02	6·20
ngland and Wales	0·05	0·05	0·14	0·15	0·14	0·52	2·10	0·83	0·67	0·45	0·30	4·34	0·70	1·53	1·22	1·06	0·86	5·36
ral Districts:																		
orth	0·03	0·11	0·31	0·17	0·23	0·86	2·20	0·91	0·60	0·66	0·40	4·77	1·06	1·97	1·60	0·88	1·00	6·51
idlands	0·02	0·12	0·07	0·28	0·13	0·61	1·68	0·47	0·61	0·35	0·40	3·50	0·61	1·00	0·76	0·60	0·48	3·46
outh	0·12	0·15	0·06	0·12	0·18	0·64	1·01	0·58	0·34	0·15	0·31	2·39	0·49	0·98	0·46	0·64	0·43	3·00
Vales	—	0·13	0·32	0·25	—	0·70	4·45	2·35	1·14	0·64	0·57	9·15	0·51	1·33	0·95	0·70	0·57	4·07
ngland and Wales	0·04	0·13	0·15	0·22	0·15	0·69	1·96	0·81	0·61	0·41	0·40	4·18	0·68	1·27	0·92	0·69	0·61	4·16

TABLE 12.—INFANT MORTALITY IN DIFFERENT PARTS OF ENGLAND AND WALES, 1925—*continued*

Area.	Proportion of Deaths to 1,000 Births.																	
	Pneumonia (100, 101).						Congenital malformations (159).						Congenital debility and sclerema (160 : 1).					
	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.
All Areas :																		
North	0·86	2·34	3·29	3·88	4·03	14·41	2·99	1·15	0·41	0·20	0·12	4·86	3·80	1·75	1·02	0·22	0·15	6·9
Midlands	0·73	1·75	2·26	2·55	2·64	9·94	2·52	1·10	0·44	0·20	0·13	4·40	2·97	1·43	0·78	0·27	0·13	5·5
South	0·70	1·67	2·40	2·08	2·11	8·96	2·56	1·04	0·43	0·24	0·12	4·39	2·35	1·09	0·73	0·19	0·10	4·4
Wales	0·62	1·62	2·60	3·57	3·26	11·67	2·95	0·82	0·47	0·22	0·18	4·64	4·19	1·44	0·55	0·16	0·15	6·4
England and Wales	0·76	1·93	2·69	2·98	3·04	11·40	2·73	1·08	0·43	0·21	0·13	4·58	3·20	1·46	0·84	0·22	0·13	5·8
London	1·02	2·32	3·20	2·77	2·96	12·27	2·31	1·01	0·38	0·18	0·12	3·99	1·86	1·14	0·98	0·25	0·13	4·3
County Boroughs :																		
North	1·00	2·54	3·60	4·61	4·60	16·35	3·07	1·11	0·38	0·18	0·10	4·84	3·14	1·93	1·27	0·24	0·19	6·7
Midlands	1·02	2·02	3·00	3·17	3·68	12·89	2·42	1·09	0·32	0·22	0·14	4·20	2·47	1·75	1·02	0·37	0·15	5·7
South	0·63	1·26	2·34	2·43	2·05	8·70	2·30	1·09	0·50	0·13	0·13	4·14	2·47	1·63	0·54	0·25	0·04	4·9
Wales	0·60	1·55	3·18	3·70	4·13	13·17	2·75	0·77	0·43	0·17	0·34	4·48	2·93	1·33	0·26	0·17	0·09	4·8
England and Wales	0·95	2·21	3·27	3·90	4·04	14·38	2·78	1·09	0·38	0·19	0·13	4·55	2·85	1·82	1·07	0·28	0·16	6·1
Other Urban Districts :																		
North	0·74	2·16	3·07	3·31	3·69	12·97	2·96	1·28	0·48	0·23	0·15	5·10	4·62	1·61	0·73	0·18	0·11	7·2
Midlands	0·59	1·77	2·24	2·35	2·29	9·25	2·47	1·14	0·50	0·14	0·13	4·37	2·97	1·29	0·67	0·22	0·15	5·3
South	0·31	1·12	1·67	1·24	1·33	5·66	3·09	1·00	0·45	0·26	0·17	4·97	2·71	0·81	0·33	0·12	0·07	4·0
Wales	0·62	1·70	2·25	3·95	3·73	12·26	3·41	0·73	0·33	0·25	0·11	4·82	4·75	1·38	0·65	0·18	0·22	7·1
England and Wales	0·60	1·78	2·43	2·67	2·77	10·24	2·86	1·11	0·46	0·21	0·14	4·78	3·70	1·33	0·63	0·19	0·13	5·9
Rural Districts :																		
North	0·63	2·00	2·63	2·43	2·65	10·33	2·71	1·00	0·40	0·17	0·09	4·37	4·45	1·37	0·77	0·20	0·09	6·8
Midlands	0·56	1·38	1·35	2·04	1·78	7·11	2·74	1·06	0·50	0·25	0·13	4·68	3·62	1·21	0·63	0·22	0·07	5·7
South	0·43	1·04	1·38	1·20	0·98	5·03	2·73	1·13	0·46	0·46	0·06	4·84	3·06	0·95	0·74	0·09	0·12	4·9
Wales	0·64	1·52	2·80	2·80	1·78	9·53	2·29	1·02	0·76	0·19	0·19	4·45	4·13	1·59	0·57	0·13	0·06	6·4
England and Wales	0·56	1·47	1·82	2·03	1·81	7·69	2·68	1·06	0·49	0·27	0·11	4·62	3·75	1·23	0·68	0·17	0·08	5·9

Area.	Premature birth (161 : 1).						Injury at birth (161 : 2).						Suffocation—in bed or not stated how (180 pt.).					
All Areas :																		
North	17·91	1·65	0·22	0·04	0·01	19·83	1·54	0·03	0·01	—	—	1·59	0·24	0·14	0·10	0·00	0·01	0·
Midlands	15·77	1·35	0·17	0·01	0·02	17·32	1·38	0·05	0·01	—	—	1·44	0·29	0·21	0·12	0·02	0·00	0·
South	13·29	1·19	0·19	0·02	—	14·69	1·41	0·04	—	—	—	1·45	0·25	0·15	0·12	0·07	0·01	0·
Wales	17·04	1·37	0·18	0·04	0·05	18·68	1·33	0·02	—	—	—	1·35	0·13	0·22	0·05	0·02	0·04	0·
England and Wales	15·99	1·42	0·19	0·03	0·01	17·64	1·44	0·04	0·01	—	—	1·49	0·25	0·17	0·11	0·03	0·01	0·
London	12·75	1·27	0·24	0·04	—	14·31	1·40	0·05	—	—	—	1·44	0·25	0·18	0·12	0·06	0·01	0·
County Boroughs :																		
North	17·66	1·70	0·23	0·05	0·01	19·66	1·59	0·03	0·01	—	—	1·63	0·33	0·16	0·13	—	0·01	0·
Midlands	16·93	1·67	0·15	0·01	0·03	18·80	1·27	0·06	0·01	—	—	1·35	0·33	0·41	0·10	0·03	—	0·
South	14·14	1·34	0·38	—	—	15·86	1·46	—	—	—	—	1·46	0·17	0·08	0·17	0·08	—	0·
Wales	19·28	1·38	0·26	—	—	20·92	0·95	0·09	—	—	—	1·03	0·26	0·34	0·09	0·09	—	0·
England and Wales	17·17	1·64	0·22	0·03	0·01	19·08	1·45	0·04	0·01	—	—	1·50	0·31	0·24	0·12	0·02	0·01	0·
Other Urban Districts:																		
North	18·02	1·72	0·21	0·04	—	19·99	1·46	0·04	0·02	—	—	1·52	0·16	0·10	0·05	—	0·01	0·
Midlands	14·71	1·21	0·17	0·01	—	16·11	1·42	0·03	0·01	—	—	1·47	0·28	0·14	0·15	0·01	0·01	0·
South	13·35	1·14	0·10	—	—	14·59	1·31	0·02	—	—	—	1·33	0·33	0·19	0·12	0·07	—	0·
Wales	17·26	1·34	0·18	0·07	0·04	18·89	1·16	—	—	—	—	1·16	0·07	0·22	0·07	—	—	0·
England and Wales	15·90	1·39	0·17	0·03	0·00	17·49	1·38	0·03	0·01	—	—	1·43	0·22	0·14	0·10	0·02	0·01	0·
Rural Districts :																		
North	18·58	1·26	0·20	0·03	0·03	20·10	1·54	0·03	—	—	—	1·57	0·09	0·17	0·14	0·03	—	0·
Midlands	15·78	1·13	0·17	—	0·05	17·13	1·46	0·05	—	—	—	1·51	0·23	0·07	0·08	0·02	—	0·
South	13·94	0·95	0·06	—	—	14·96	1·53	0·09	—	—	—	1·62	0·21	0·09	0·09	0·06	—	0·
Wales	14·99	1·40	0·13	—	0·13	16·65	1·91	—	—	—	—	1·91	0·13	0·13	—	—	0·13	0·
England and Wales	15·96	1·15	0·15	0·01	0·04	17·30	1·55	0·05	—	—	—	1·59	0·18	0·10	0·09	0·03	0·01	0·

TABLE 13.—INFANT MORTALITY: DEATHS AND DEATH-RATES (PER 1,000 BIRTHS) IN ADMINISTRATIVE AREAS, 1925.

All Infants.										Area.	Illegitimate Infants.									
Deaths.								Deaths per 1,000 Births.			Deaths per 1,000 Births.		Deaths.							
Under 1 day.	1–7 days.	1–4 weeks.	4 weeks to 3 months.	3–6 months.	6–9 months.	9–12 months.	Total under 1 year.	Under 4 weeks.	Total under 1 year.		Under 4 weeks.	Total under 1 year.	Under 1 day.	1–7 days.	1–4 weeks.	4 weeks to 3 months.	3–6 months.	6–9 months.	9–12 months.	Total under 1 year.
										SUMMARY*.										
160	7920	7891	8971	8029	6841	6504	53316	32	75	All Areas. England and Wales	59	136	678	504	531	769	628	441	366	3917
816	3119	3404	3811	3496	3008	2983	22637	37	90	North	62	154	240	180	224	330	251	202	168	1595
157	2391	2391	2580	2140	1881	1757	15297	31	68	Midlands	59	126	211	153	155	211	154	117	106	1107
598	1662	1496	1845	1766	1333	1203	10903	26	60	South†	55	123	191	123	109	173	182	89	73	940
589	748	600	735	627	619	561	4479	35	82	Wales	63	136	36	48	43	55	41	33	19	275
702	697	723	948	1057	780	692	5599	26	68	London Administrative County.	63	148	96	61	50	85	109	49	36	486
548	2874	3057	3627	3422	3027	2944	21499	34	87	County Boroughs. England and Wales	58	153	243	156	184	316	271	196	177	1543
455	1673	1834	2170	2114	1847	1809	12902	37	96	North	61	165	144	86	122	198	165	122	112	949
756	828	904	1064	943	865	834	6194	32	80	Midlands	59	145	72	52	46	79	66	54	48	417
202	226	193	236	216	169	158	1400	26	59	South	36	115	19	12	9	27	32	14	13	126
135	147	126	157	149	146	143	1003	35	86	Wales	61	147	8	6	7	12	8	6	4	51
411	2637	2635	2882	2392	2079	1969	17005	32	72	Other Urban Districts. England and Wales	63	131	220	168	183	228	152	135	106	1192
944	998	1128	1192	1003	856	877	6998	38	86	North	66	151	63	68	71	95	63	59	44	463
797	847	880	953	755	635	586	5453	29	63	Midlands	63	122	95	45	64	74	43	37	35	393
391	408	308	374	319	228	199	2227	26	53	South	50	100	45	25	23	35	26	17	15	186
279	384	319	363	315	360	307	2327	36	84	Wales	78	163	17	30	25	24	20	22	12	150
499	1712	1476	1514	1158	955	899	9213	33	64	Rural Districts. England and Wales	54	107	119	119	114	140	96	61	47	696
417	448	442	449	379	305	297	2737	37	78	North	57	116	33	26	31	37	23	21	12	183
604	716	607	563	442	381	337	3650	32	61	Midlands	53	109	44	56	45	58	45	26	23	297
303	331	272	287	174	156	154	1677	28	51	South	59	100	31	25	27	26	15	9	9	142
175	217	155	215	163	113	111	1149	35	73	Wales	45	97	11	12	11	19	13	5	3	74

* The Counties in the four sections North, Midlands, South and Wales, are shewn in footnote || to Table 14.

† Including London.

TABLE 13.—*continued.* INFANT MORTALITY: DEATHS AND DEATH RATES (PER 1,000 BIRTHS) IN ADMINISTRATIVE AREAS, 1925.

All Infants. Deaths. Under 1 day.	1–7 days.	1–4 weeks.	4 weeks to 3 months.	3–6 months.	6–9 months.	9–12 months.	Total under 1 year.	Deaths per 1,000 Births. Under 4 weeks.	Total under 1 year.	Area.	Illegitimate Infants. Deaths per 1,000 Births. Under 4 weeks.	Total under 1 year.	Deaths. Under 1 day.	1–7 days.	1–4 weeks.	4 weeks to 3 months.	3–6 months.	6–9 months.	9–12 months.	Total under 1 year.
GREATER LONDON AND METROPOLITAN BOROUGHS.																				
1160	1148	1194	1532	1519	1101	972	8626	26	64	Greater London* ..	66	144	166	82	83	129	145	65	54	724
1	—	—	2	2	1	—	6	10	60	London, City of ..	125	250	1	—	—	1	—	—	—	2
—	—	—	—	—	—	—	—	—	—	The Inner & Middle Temples.	—	—	—	—	—	—	—	—	—	—
25	29	35	25	31	18	23	186	28	58	Battersea	94	113	3	3	4	1	1	—	—	12
26	24	42	31	31	28	30	212	33	76	Bermondsey ..	125	271	3	2	1	3	1	2	1	13
15	18	21	38	47	42	31	212	21	81	Bethnal Green ..	21	234	1	—	—	2	4	3	1	11
38	42	44	59	42	49	38	312	25	64	Camberwell ..	87	151	5	4	2	2	3	2	1	19
6	12	5	10	11	10	10	64	25	68	Chelsea	31	154	1	1	—	2	3	1	2	10
18	18	20	21	23	17	20	137	26	63	Deptford	66	98	1	2	1	1	1	—	—	6
8	8	9	24	24	16	15	104	14	60	Finsbury	—	33	—	—	—	1	—	1	—	2
20	25	29	37	39	30	32	212	26	75	Fulham	14	91	1	1	—	3	4	—	4	13
18	20	20	20	21	22	15	136	30	70	Greenwich	71	143	1	1	2	1	3	—	—	8
32	32	35	48	52	37	31	267	24	65	Hackney	86	250	3	2	5	4	8	4	3	29
16	29	16	26	28	18	21	154	26	65	Hammersmith ..	25	92	2	—	1	3	3	1	1	11
11	9	9	11	7	7	5	59	27	55	Hampstead.. ..	108	217	4	4	1	4	2	3	—	18
4	4	2	5	11	4	3	33	19	63	Holborn	27	135	1	—	—	2	2	—	—	5
51	49	62	72	77	58	45	414	25	63	Islington	48	125	9	3	1	7	10	2	2	34
32	28	26	27	60	29	24	226	30	79	Kensington.. ..	101	212	6	7	7	7	9	3	3	42
45	43	51	56	78	42	39	354	25	64	Lambeth	45	97	7	5	1	4	9	2	—	28
33	26	14	32	17	21	19	162	25	56	Lewisham	133	217	8	2	1	2	2	2	1	18
30	22	19	25	30	21	22	169	30	72	Paddington ..	54	97	8	2	—	3	4	—	1	18
27	34	40	50	60	37	42	290	26	76	Poplar	91	212	3	—	3	2	1	3	2	14
15	7	10	17	23	16	8	96	21	64	St. Marylebone ..	33	112	1	1	3	5	6	1	—	17
29	31	34	53	59	37	37	280	24	72	St. Pancras.. ..	42	129	3	5	2	5	12	2	2	3
22	13	30	42	49	41	34	231	25	88	Shoreditch	49	159	—	1	3	1	5	1	2	1
37	39	35	54	54	54	40	313	28	78	Southwark	53	221	1	5	1	3	7	8	4	2
48	52	39	67	88	62	48	404	26	76	Stepney	135	241	7	7	5	4	3	5	3	3
8	8	9	8	7	9	6	55	30	67	Stoke Newington ..	91	227	2	—	—	1	—	1	1	
50	44	34	44	38	24	30	264	26	54	Wandsworth ..	76	110	7	2	2	3	1	1	—	1
19	11	10	23	19	14	10	106	26	69	Westminster ..	52	142	5	—	2	7	4	—	1	1
18	20	23	21	29	16	14	141	24	55	Woolwich	66	118	2	1	2	1	1	1	1	

* Greater London consists of the City of London, the Metropolitan Boroughs and the Outer Ring. For the detail constitution *see* Census of England and Wales, 1921, Preliminary Report, pp. 58, 59.(Cmd. 1485.)

TABLE 13.—*continued.* INFANT MORTALITY: DEATHS AND DEATH-RATES (PER 1,000 BIRTHS) IN ADMINISTRATIVE AREAS, 1925.

All Infants.										Area.	Illegitimate Infants.								
Deaths.								Deaths per 1,000 Births.			Deaths per 1,000 Births		Deaths.						
Under 1 day.	1–7 days.	1–4 weeks.	4 weeks to 3 months.	3–6 months.	6–9 months.	9–12 months.	Total under 1 year.	Under 4 weeks.	Total under 1 Year.		Under 4 weeks.	Total under 1 year.	Under 1 day.	1–7 days.	1–4 weeks.	4 weeks to 3 months.	3–6 months.	6–9 months.	9–12 months.	Total under 1 year.
										COUNTY BOROUGHS.									
										ENGLAND.									
24	13	29	39	25	31	20	181	39	107	Barnsley	57	126	3	1	1	1	2	3	—	11
15	12	11	12	11	9	9	79	30	63	Barrow-in-Furness	56	56	—	1	1	—	—	—	—	2
11	12	8	7	6	2	5	51	32	52	Bath	—	48	—	—	—	—	1	—	1	2
24	46	49	50	48	40	34	291	38	92	Birkenhead.. ..	36	170	—	3	1	5	3	5	2	19
191	179	197	221	226	176	198	1388	32	78	Birmingham ..	59	144	14	14	7	12	18	9	11	85
19	30	22	40	24	29	21	185	37	97	Blackburn	114	171	2	3	3	2	—	1	1	12
21	9	18	24	14	12	7	105	42	92	Blackpool	59	141	4	—	1	4	2	1	—	12
16	40	42	42	50	36	36	262	33	88	Bolton	54	154	3	4	—	5	5	2	1	20
17	19	29	36	30	21	36	188	33	97	Bootle	54	176	2	—	2	5	1	1	2	13
16	11	7	12	4	6	5	61	29	53	Bournemouth ..	80	147	5	1	—	3	2	—	—	11
51	70	57	79	78	67	60	462	37	96	Bradford	40	137	2	5	2	5	7	5	5	31
15	16	18	27	23	12	17	128	22	59	Brighton	46	131	2	3	2	6	5	—	2	20
48	62	92	70	93	70	76	511	30	76	Bristol	59	218	5	1	5	7	9	7	7	41
12	23	26	35	35	23	24	178	37	108	Burnley	82	247	1	1	6	5	5	2	4	24
6	12	4	19	11	12	10	74	23	78	Burton-upon-Trent	77	128	—	2	1	2	—	—	—	5
5	8	17	7	8	10	9	64	38	82	Bury	—	125	—	—	—	—	—	3	1	4
2	2	3	5	4	4	2	22	18	56	Canterbury.. ..	—	—	—	—	—	—	—	—	—	—
12	18	11	12	8	10	13	84	40	82	Carlisle	19	56	1	—	—	1	1	—	—	3
10	7	13	13	4	8	7	62	35	73	Chester	77	103	1	2	—	—	—	—	1	4
30	27	20	34	18	20	19	168	35	77	Coventry	169	271	8	2	—	4	—	1	1	16
16	27	27	35	38	25	19	187	21	55	Croydon	38	192	2	2	1	8	9	2	1	25
13	16	23	22	25	18	19	136	40	106	Darlington	125	208	3	1	2	—	2	1	1	10
22	33	30	35	27	21	21	189	36	80	Derby	47	93	2	—	2	1	1	1	1	8
12	8	18	21	13	16	11	99	40	105	Dewsbury	74	162	3	1	1	2	1	3	—	11
14	20	16	28	22	18	21	139	37	103	Dudley	108	243	3	1	—	—	2	3	—	9
8	5	5	5	3	2	2	30	27	45	Eastbourne.. ..	47	116	1	1	—	1	1	1	—	5
33	25	19	16	17	12	13	135	30	53	East Ham	47	63	1	—	2	1	—	—	—	4
11	8	11	13	15	7	8	73	30	74	Exeter	61	122	2	1	—	—	2	—	1	6
47	43	41	47	68	45	50	341	42	108	Gateshead	53	167	2	2	2	4	3	5	1	19
4	7	11	10	7	8	8	55	22	54	Gloucester	—	—	—	—	—	—	—	—	—	—
4	14	11	9	11	9	11	69	30	71	Gt. Yarmouth ..	—	93	—	—	—	—	1	1	2	4
14	20	13	29	18	18	13	125	26	70	Grimsby	14	77	—	1	1	4	2	2	1	11
12	27	19	22	16	15	21	132	41	93	Halifax	48	145	3	1	—	3	2	1	2	12
6	1	3	3	10	4	4	31	13	40	Hastings	22	130	—	—	1	1	2	1	1	6
24	23	15	14	15	8	11	110	38	67	Huddersfield ..	59	153	1	3	1	3	2	2	1	13
11	21	14	21	9	13	13	102	32	71	Ipswich	29	74	1	1	—	3	—	—	—	5
59	71	84	120	117	83	68	602	33	93	Kingston-upon-Hull	49	154	3	2	9	14	9	3	4	44
86	98	126	140	119	88	91	748	38	91	Leeds	83	213	14	6	15	22	11	11	11	90
41	48	39	59	56	72	56	371	30	88	Leicester	56	146	6	3	2	5	5	4	4	29
13	17	13	14	12	8	3	80	38	70	Lincoln	43	170	1	1	—	3	2	1	—	8
93	181	211	293	353	352	363	1946	30	99	Liverpool	58	197	19	9	15	36	26	15	26	146
47	176	185	232	228	214	182	1364	36	96	Manchester.. ..	48	169	13	8	11	25	24	17	15	113
53	44	53	46	43	53	51	343	43	98	Middlesbrough ..	98	176	7	2	6	5	3	1	3	27
89	69	91	84	76	61	84	554	40	89	Newcastle-on-Tyne	70	126	12	1	2	—	5	2	5	27
14	18	17	18	11	12	7	97	33	66	Northampton ..	58	96	2	—	1	—	—	2	—	5
15	24	24	27	11	14	15	130	29	59	Norwich	49	78	2	2	1	2	1	—	—	8
61	53	73	78	89	76	70	500	36	96	Nottingham ..	58	158	3	5	9	6	12	4	7	46
29	36	32	41	39	25	28	230	43	102	Oldham	37	150	1	3	—	6	3	1	2	16
4	7	3	11	8	6	5	44	16	50	Oxford	27	54	—	1	—	—	—	1	—	2
38	48	28	39	27	32	32	244	30	64	Plymouth	48	90	3	3	1	2	1	2	1	13
36	48	37	54	49	42	38	304	25	64	Portsmouth ..	10	95	1	—	1	3	5	5	4	19
28	39	28	56	47	46	42	286	44	132	Preston	23	151	1	1	—	4	3	1	3	13
11	17	12	10	14	14	7	85	27	56	Reading	45	90	—	1	2	—	2	—	1	6
18	33	11	21	22	14	12	131	45	95	Rochdale	71	214	4	1	1	3	6	2	1	18
19	17	20	23	20	13	20	132	37	87	Rotherham.. ..	47	156	1	1	1	3	2	1	1	10
25	39	41	29	44	44	41	263	40	100	St. Helens	63	139	1	2	2	2	4	—	—	11
51	51	68	82	80	83	77	492	36	105	Salford	60	143	6	1	6	5	6	4	3	31
00	109	139	144	126	85	84	787	37	84	Sheffield	68	121	9	5	9	5	7	4	2	41
19	10	21	18	18	19	11	116	35	80	Smethwick	111	222	2	1	1	1	1	2	—	8
32	31	34	26	23	19	19	184	30	57	Southampton ..	30	97	3	—	1	3	2	3	1	13
12	11	11	18	9	10	4	75	22	49	Southend-on-Sea ..	108	193	5	3	1	5	2	—	—	16
6	10	12	12	10	3	6	59	29	61	Southport	36	89	2	—	—	1	1	—	1	5
42	48	56	45	54	41	54	340	49	114	South Shields ..	89	153	3	3	5	2	2	1	3	19
22	26	31	36	27	35	24	201	38	97	Stockport	96	212	6	—	4	7	—	3	2	22
75	86	109	116	93	106	98	683	42	107	Stoke-on-Trent ..	62	179	5	5	7	12	1	12	7	49

TABLE 13.—*continued.* INFANT MORTALITY: DEATHS AND DEATH-RATES (PER 1,000 BIRTHS) IN ADMINISTRATIVE AREAS, 1925.

All Infants. Deaths. Under 1 day.	1–7 days.	1–4 weeks.	4 weeks to 3 months.	3–6 months.	6–9 months.	9–12 months.	Total under 1 year.	Deaths per 1,000 Births. Under 4 weeks.	Total under 1 year.	Area.	Illegitimate Infants. Deaths per 1,000 Births. Under 4 weeks.	Total under 1 year.	Deaths. Under 1 day.	1–7 days.	1–4 weeks	4 weeks to 3 months.	3–6 months.	6–9 months.	9–12 months.	Total under 1 year.
										COUNTY BOROUGHS—*continued.*										
49	53	52	96	71	88	81	490	37	119	Sunderland.. ..	61	184	3	6	1	3	6	9	2	3
15	31	17	20	23	13	20	139	43	95	Tynemouth.. ..	71	107	2	2	—	—	—	1	1	[illegible]
9	14	11	12	11	11	7	75	32	71	Wakefield.. ..	89	200	2	—	2	1	2	1	1	[illegible]
10	12	17	18	9	9	5	80	30	62	Wallasey	128	256	1	2	2	3	1	1	—	1
27	19	40	47	31	45	51	260	38	115	Walsall	104	194	4	1	2	—	2	2	2	1
11	18	23	22	25	23	25	147	31	87	Warrington.. ..	60	180	1	—	2	1	1	3	1	[illegible]
15	21	21	39	25	30	29	180	31	99	West Bromwich ..	83	208	—	3	1	3	2	1	—	1
51	57	65	90	85	62	53	463	25	66	West Ham	59	118	6	3	1	5	2	1	2	2
14	27	27	26	34	21	13	162	43	102	West Hartlepool ..	63	190	—	2	2	2	3	3	—	1
25	36	30	33	45	30	29	228	49	122	Wigan	100	217	2	—	4	1	1	3	2	1
29	26	32	26	24	26	22	185	42	89	Wolverhampton ..	75	164	2	1	2	2	2	—	2	1
3	11	9	11	12	2	7	55	27	64	Worcester	21	83	—	1	—	1	1	—	1	
21	23	29	24	19	14	14	144	45	88	York	14	97	—	1	—	2	3	—	1	
										WALES.										
49	63	57	63	74	68	59	433	36	93	Cardiff	37	141	3	2	—	6	6	1	1	1
17	22	21	27	25	21	29	162	37	99	Merthyr Tydfil ..	52	172	—	2	1	3	1	1	2	1
30	22	23	29	24	24	25	177	38	89	Newport, Mon. ..	75	134	1	—	4	2	1	1	—	
39	40	25	38	26	33	30	231	31	69	Swansea	93	151	4	2	2	1	—	3	1	1
										ADMINISTRATIVE COUNTIES.										
										ENGLAND.										
23	36	31	24	9	10	11	144	46	73	Bedford .. U.D.	63	101	—	2	3	1	1	1	—	
10	10	21	7	9	5	6	68	30	50	R.D.	19	58	—	1	—	1	1	—	—	
12	16	10	6	7	9	5	65	34	59	Berks .. U.D.	—	60	—	—	—	1	—	2	1	
14	32	22	16	15	10	9	118	31	54	R.D.	77	94	2	2	5	—	—	1	1	1
6	14	11	9	9	7	1	57	21	38	Bucks .. U.D.	41	122	—	1	1	1	2	1	—	
27	34	22	18	13	7	10	131	35	56	R.D.	57	68	—	4	1	1	—	—	—	
9	5	4	7	3	5	5	38	22	45	Cambs .. U.D.	32	32	1	—	—	—	—	—	—	
13	12	8	14	6	3	5	61	30	55	R.D.	47	94	—	1	2	1	1	—	1	
54	84	114	87	83	60	49	531	35	75	Cheshire .. U.D.	78	159	6	6	8	4	5	7	5	4
33	44	31	38	35	24	20	225	33	70	R.D.	32	105	—	—	4	3	3	2	1	1
20	29	9	19	26	8	6	117	27	54	Cornwall .. U.D.	27	54	1	2	—	—	1	1	1	
26	30	33	33	16	10	15	163	32	58	R.D.	51	111	1	2	3	5	1	1	—	1
22	32	34	53	36	26	29	232	36	95	Cumberland U.D.	104	229	3	4	3	5	3	2	2	2
20	23	26	19	17	12	8	125	40	72	R.D.	65	93	2	4	1	1	—	1	1	1
72	84	72	69	69	65	56	487	36	76	Derby .. U.D.	77	123	9	4	7	6	2	1	3	3
68	89	86	76	53	65	55	492	40	81	R.D.	55	109	4	4	4	6	4	1	1	2
18	28	21	28	36	28	10	169	23	57	Devon .. U.D.	45	105	1	2	3	2	2	4	—	1
41	38	22	25	20	27	15	188	29	54	R.D.	42	56	4	2	—	1	1	—	—	
12	20	19	24	15	18	4	112	26	56	Dorset .. U.D.	34	80	1	—	2	2	1	1	—	
19	18	15	12	11	5	2	82	30	47	R.D.	63	89	1	2	2	2	—	—	—	
198	172	214	227	195	179	209	1394	43	102	Durham .. U.D.	65	148	9	10	12	14	8	13	5	7
161	145	147	168	149	117	125	1012	43	97	R.D.	61	130	6	10	8	12	4	7	4	5
8	5	6	9	7	6	8	49	26	66	Ely, I. of .. U.D.	98	171	2	1	1	—	2	—	1	
10	11	3	10	4	6	3	47	33	65	R.D.	51	128	1	1	—	2	—	1	—	
90	77	113	105	84	58	44	571	25	51	Essex .. U.D.	49	114	6	4	5	8	5	2	5	3
43	49	44	62	42	23	25	288	25	54	R.D.	36	109	2	3	2	5	6	1	2	2
21	8	23	11	9	8	3	83	34	54	Gloucester .. U.D.	117	130	4	1	4	—	—	1	—	
34	47	40	31	30	20	29	231	30	57	R.D.	65	135	2	6	3	5	2	2	3	1
4	7	5	6	6	3	3	34	21	44	Hereford .. U.D.	20	40	—	1	—	—	1	—	—	
6	20	19	11	10	8	2	76	34	58	R.D.	59	129	1	3	2	5	—	2	—	
33	35	26	36	22	14	15	181	25	48	Hertford .. U.D.	33	105	4	1	—	4	5	1	1	
13	13	14	16	9	7	5	77	23	45	R.D.	46	62	1	2	—	—	1	—	—	
5	7	3	2	1	1	2	21	33	47	Huntingdon U.D.	115	192	2	1	—	1	—	1	—	
7	5	3	2	4	2	1	24	27	43	R.D.	67	133	1	1	—	—	1	—	1	
127	112	98	143	95	70	69	714	26	55	Kent .. U.D.	49	117	14	6	6	14	14	3	5	
48	54	43	61	33	33	28	300	27	56	R.D.	74	140	9	4	5	8	3	2	3	
269	316	329	336	300	252	259	2061	37	84	Lancs .. U.D.	75	168	20	19	26	26	21	19	14	1
46	49	51	42	29	24	32	273	38	71	R.D.	89	177	8	2	1	3	6	1	1	
22	19	23	25	14	21	23	147	31	71	Leicester .. U.D.	—	79	—	—	—	2	1	2	1	
31	34	33	22	23	29	29	201	35	71	R.D.	73	135	2	2	3	1	—	1	4	
8	6	4	12	7	10	5	52	23	67	Lincs, Holland U.D.	—	130	—	—	—	4	1	1	—	
8	7	6	9	3	4	12	49	19	45	R.D.	15	149	1	—	—	3	2	1	3	
4	12	7	9	4	7	9	52	31	70	Lincs, Kesteven U.D.	63	125	—	2	1	1	—	—	2	
14	19	14	8	8	11	11	85	37	68	R.D.	99	168	1	5	4	3	1	2	1	
24	24	19	27	31	20	10	155	29	68	Lincs, Lindsey U.D.	75	133	2	2	5	1	1	4	1	
26	37	34	16	24	19	11	167	37	64	R.D.	99	159	5	3	7	2	3	4	—	
174	186	182	237	159	109	108	1155	27	57	Middlesex .. U.D.	87	140	38	9	17	17	10	7	5	1
10	15	10	10	11	6	3	65	32	59	R.D.	45	91	1	—	1	1	—	—	1	
10	8	12	15	6	8	5	64	31	67	Norfolk .. U.D.	70	127	4	1	—	2	1	1	—	
45	50	33	31	22	26	18	225	29	51	R.D.	51	83	3	6	4	5	2	—	1	

NOTE :—The following figures relate to the aggregates of Urban Districts (including Municipal Boroughs but excluding Count Boroughs) and of Rural Districts in each Administrative County.

TABLE 13.—*continued.* INFANT MORTALITY: DEATHS AND DEATH-RATES (PER 1,000 BIRTHS) IN ADMINISTRATIVE AREAS, 1925.

All Infants.									Area.		Illegitimate Infants.								
Deaths.							Deaths per 1,000 Births.				Deaths per 1,000 Births.		Deaths.						
1–7 days.	1–4 weeks.	4 weeks to 3 months.	3–6 months.	6–9 months.	9–12 months.	Total under 1 year.	Under 4 weeks.	Total under 1 year.			Under 4 weeks.	Total under 1 year.	Under 1 day.	1–7 days.	1–4 weeks.	4 weeks to 3 months.	3–6 months.	6–9 months.	9–12 months.	Total under 1 year.
ADMINISTRATIVE COUNTIES—*continued.*																				
19	18	19	13	5	12	100	31	61	Northants ..	U.D.	63	95	1	1	2	1	—	—	1	6
13	17	24	13	5	4	97	28	52		R.D.	15	77	1	—	—	2	2	—	—	5
82	87	111	81	79	69	606	39	89	North'berland	U.D.	61	140	6	5	5	9	4	4	4	37
21	17	12	14	7	5	102	35	55		R.D.	87	109	5	2	1	—	2	—	—	10
66	60	46	67	59	45	406	37	79	Notts ..	U.D.	55	107	5	6	3	6	2	1	4	27
40	29	34	29	23	22	205	35	74		R.D.	33	82	2	2	—	2	1	3	—	10
8	6	8	2	4	3	35	30	59	Oxford ..	U.D.	34	69	—	1	—	1	—	—	—	2
18	10	12	10	4	5	73	25	43		R.D.	55	121	2	1	2	3	3	—	—	11
5	9	3	7	4	3	35	31	60	Peterborough,	U.D.	40	40	—	—	1	—	—	—	—	1
—	3	4	2	2	—	14	31	73	Soke of	R.D.	—	222	—	—	—	—	2	—	—	2
—	2	—	1	1	—	5	70	116	Rutland ..	U.D.	—	100	—	—	—	—	—	1	—	1
3	2	4	3	—	5	18	24	73		R.D.	—	133	—	—	—	1	1	—	—	2
22	14	32	15	11	15	130	27	62	Salop ..	U.D.	45	90	3	—	2	3	—	1	1	10
27	29	20	16	13	7	141	36	59		R.D.	35	104	2	1	2	4	4	2	—	15
32	10	24	18	13	17	133	25	55	Somerset ..	U.D.	71	111	2	3	2	3	—	—	1	11
43	40	25	15	17	13	183	30	49		R.D.	70	116	3	4	2	3	3	—	—	15
38	31	23	29	19	19	188	27	52	Southants. ..	U.D.	47	101	3	3	1	4	2	1	1	15
43	25	48	24	22	19	214	25	52		R.D.	55	100	1	5	5	4	1	2	2	20
121	159	166	148	133	144	981	35	89	Staffs ..	U.D.	63	167	8	4	6	11	4	7	8	48
52	33	47	35	37	23	280	33	67		R.D.	68	112	5	5	1	—	3	3	1	18
11	9	11	4	10	3	61	22	41	Suffolk, East	U.D.	21	104	—	—	1	2	1	1	—	5
20	21	18	8	10	8	102	28	50		R.D.	65	111	3	2	2	3	—	—	2	12
7	2	3	4	4	—	28	27	45	Suffolk, West	U.D.	—	—	—	—	—	—	—	—	—	—
17	11	4	5	3	5	61	39	55		R.D.	59	74	1	1	2	—	—	—	1	5
72	59	66	60	43	42	421	24	47	Surrey ..	U.D.	61	96	14	3	7	6	3	2	3	38
17	16	13	12	9	12	99	22	42		R.D.	58	106	3	2	1	—	2	2	1	11
19	12	10	6	9	4	79	31	48	Sussex, East	U.D.	72	103	2	5	—	1	—	2	—	10
10	14	18	9	4	12	78	18	41		R.D.	64	115	3	—	2	1	2	1	—	9
13	5	7	6	1	10	60	27	46	Sussex, West	U.D.	44	88	3	—	—	1	—	—	2	6
14	15	12	3	7	7	80	33	51		R.D.	74	147	3	1	1	2	1	—	2	10
17	19	29	20	24	21	154	22	57	Warwick ..	U.D.	59	119	5	1	—	1	3	—	2	12
49	44	34	38	31	27	262	33	66		R.D.	55	101	3	1	2	—	2	2	1	11
4	4	3	4	6	1	23	23	58	Westmorland	U.D.	56	111	—	1	—	1	—	—	—	2
4	6	5	2	3	—	23	22	39		R.D.	24	24	—	—	1	—	—	—	—	1
8	7	7	6	2	—	45	37	55	Wight, I. of	U.D.	98	146	3	—	1	1	1	—	—	6
4	3	3	3	—	2	22	36	57		R.D.	77	77	—	1	—	—	—	—	—	1
21	27	17	15	8	13	124	33	58	Wilts ..	U.D.	33	76	1	1	1	—	2	1	1	7
28	24	21	13	12	20	150	28	50		R.D.	16	25	1	—	1	—	1	—	—	3
38	41	33	34	28	32	228	28	64	Worcester ..	U.D.	67	109	1	2	5	1	1	3	—	13
25	18	19	12	12	6	110	32	58		R.D.	22	89	—	1	1	2	3	1	—	8
5	11	20	16	5	7	74	24	68	Yorks, E.R.	U.D.	33	148	1	—	1	4	1	2	—	9
21	22	26	17	21	10	126	27	66		R.D.	56	132	1	3	4	5	2	3	1	19
40	56	45	30	43	36	282	36	79	Yorks, N.R.	U.D.	44	109	3	3	2	3	3	4	2	20
31	25	25	19	13	11	148	34	62		R.D.	25	75	—	1	3	4	1	2	1	12
263	279	310	258	206	218	1795	37	82	Yorks, W.R.	U.D.	58	137	15	20	14	29	18	8	12	116
110	117	114	97	84	86	703	35	77		R.D.	58	113	11	4	8	9	5	5	3	45
									WALES.											
4	1	4	7	6	—	25	24	76	Anglesey ..	U.D.	63	63	—	1	—	—	—	—	—	1
2	8	11	12	7	—	44	26	83		R.D.	62	169	1	—	3	4	2	1	—	11
—	4	4	3	4	—	17	17	50	Brecon ..	U.D.	91	91	—	—	1	—	—	—	—	1
14	7	12	10	10	3	68	39	80		R.D.	51	77	1	—	1	—	—	1	—	3
2	—	4	1	2	1	12	20	59	Cardigan ..	U.D.	48	95	1	—	—	—	1	—	—	2
10	7	10	10	2	2	47	37	75		R.D.	26	77	—	—	1	1	1	—	—	3
20	14	21	10	19	13	115	35	78	Carmarthen	U.D.	27	162	—	—	1	2	—	3	—	6
29	18	33	34	10	21	167	33	81		R.D.	53	93	1	3	—	1	1	—	1	7
13	9	5	5	6	8	61	41	68	Carnarvon ..	U.D.	125	161	2	4	1	—	1	—	1	9
21	16	16	12	8	6	93	55	100		R.D.	61	85	1	3	1	2	—	—	—	7
14	17	15	11	10	12	82	37	90	Denbigh ..	U.D.	73	122	—	2	1	—	—	1	1	5
34	20	28	22	16	13	166	43	82		R.D.	44	133	3	—	2	3	4	1	2	15
15	11	7	12	9	7	69	42	86	Flint ..	U.D.	111	139	1	3	—	1	—	—	—	5
18	9	14	11	6	6	75	30	60		R.D.	21	21	—	1	—	—	—	—	—	1
190	154	199	168	181	182	1215	35	87	Glamorgan ..	U.D.	88	198	6	15	14	14	14	8	8	79
42	48	49	30	39	45	302	32	69		R.D.	36	87	2	2	1	3	2	2	—	12
6	4	3	2	5	1	23	39	74	Merioneth ..	U.D.	71	143	1	1	—	1	—	1	—	4
8	2	8	4	3	—	29	34	70		R.D.	69	138	1	1	—	2	—	—	—	4
109	87	90	85	109	75	630	37	87	Monmouth ..	U.D.	61	131	4	3	6	5	3	6	1	28
8	5	12	9	4	5	49	22	56		R.D.	—	91	—	—	—	1	1	—	—	2
2	4	3	3	2	—	16	27	54	Montgomery	U.D.	40	160	1	—	—	1	1	1	—	4
8	5	12	4	3	2	40	31	65		R.D.	—	59	—	—	—	1	2	—	—	3
7	13	7	8	7	8	58	38	79	Pembroke ..	U.D.	107	214	1	1	1	—	—	2	1	6
15	7	8	3	5	5	50	35	60		R.D.	81	108	1	2	—	1	—	—	—	4
2	1	1	—	—	—	4	31	42	Radnor ..	U.D.	—	—	—	—	—	—	—	—	—	—
8	3	2	2	—	3	19	39	62		R.D.	77	77	—	—	2	—	—	—	—	2

TABLE 14.—Population, Births, Deaths, Infant Mortality, Natural Increase, 1925.—Counties, County Boroughs, Municipal Boroughs and Urban Districts, Rural Districts.

NOTE.—The estimates of population shown in the following table have been based primarily on the 1921 Census returns (*See* Section "Population" in Text). In the case of districts marked with an *, changes in boundaries have occurred during the year, and the populations have been adjusted in order to make them comparable with the records of births and deaths. Particulars of the changes of boundary will be found in Table AA, Part II. The births and deaths exclude stillbirths. Deaths are transferred to the area of residence of the deceased person; births occurring away from home have been transferred to the area of residence of the parents. Deaths of non-civilians have been excluded throughout this table, the districts in which this exclusion appreciably affects the rates being referred to in footnotes.

Area.	Estimated Population (Middle 1925).	Births.						Deaths.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		Total.	Crude Rate per 1,000. Total Population.	M.	F.	Total.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
‖All Areas:														
England & Wales.	38,890,000	348,375	333,311	14,792	14,104	710,582	18·3	240,419	231,966	472385§	12·2	53,316	75	6·1
North ..	13,073,580	122,716	117,739	5,256	5,129	250,840	19·2	88,073	82,677	170,750	13·1†	22,637	90	6·1
Midlands..	12,326,630	109,795	105,236	4,469	4,351	223,851	18·2	72,796	69,925	142,721	11·6†	15,297	68	6·6
South‡ ..	10,753,040	88,796	84,496	4,043	3,621	180,956	16·8	62,051	63,522	125,573	11·8†	10,903	60	5·0
Wales ..	2,736,750	27,068	25,840	1,024	1,003	54,935	20·1	17,499	15,842	33,341	12·2†	4,479	82	7·9
London ..	4,612,000	40,556	38,562	1,729	1,554	82,401	17·9	27,625	26,966	54,591	11·9†	5,599	68	6·0
County Boro's:														
England & Wales.	13,012,650	120,963	116,635	5,152	4,902	247,652	19·0	86,899	81,809	168,708	13·0†	21,499	87	6·0
North ..	6,929,420	65 541	63,176	2,959	2,776	134,452	19·4	49,082	45,306	94,388	13·6†	12,902	96	5·8
Midlands..	4,102,490	38,038	36,769	1,453	1,420	77,680	18·9	25,720	24,447	50,167	12·2†	6,194	80	6·7
South ..	1,410,740	11,634	11,168	584	516	23,902	16·9	8,306	8,840	17,146	12·4†	1,400	59	4·5
Wales ..	570,000	5,750	5,522	156	190	11,618	20·4	3,791	3,216	7,007	12·3†	1,003	86	8·1
Other Urban Districts:														
England & Wales.	13,306,527*	116,421	111,423	4,634	4,450	236,928	17·8	78,365	77,664	156,029	11·8†	17,005	72	6·0
North ..	4,390,630	40,020	38,269	1,523	1,544	81,356	18·5	28,331	27,349	55,680	12·7†	6,998	86	5·8
Midlands..	4,885,866*	42,235	40,504	1,639	1,593	85,971	17·6	27,167	26,689	53,856	11·0†	5,453	63	6·6
South ..	2,689,701*	20,575	19,581	998	869	42,023	15·6	14,526	16,177	30,703	11·6†	2,227	53	4·0
Wales ..	1,340,330	13,591	13,069	474	444	27,578	20·6	8,341	7,449	15,790	11·8†	2,327	84	8·8
Rural Dists.:														
England & Wales.	7,958,823*	70,435	66,691	3,277	3,198	143,601	18·0	47,530	45,527	93,057	11·8†	9,213	64	6·2
North ..	1,753,530	17,155	16,294	774	809	35,032	20·0	10,660	10,022	20,682	11·8†	2,737	78	8·2
Midlands..	3,338,274*	29,522	27,963	1,377	1,338	60,200	18·0	19,909	18,789	38,698	11·6†	3,650	61	6·4
South ..	2,040,599*	16,031	15,185	732	682	32,630	16·0	11,594	11,539	23,133	11·5†	1,677	51	4·5
Wales ..	826,420	7,727	7,249	394	369	15,739	19·0	5,367	5,177	10,544	12·8†	1,149	73	6·2

† Death-rates based upon estimated civilian populations as follows:—All Areas—North, 13,065,910; Midlands, 12,300,740 South, 10,628,840; Wales, 2,734,510; London, 4,602,000. County Boroughs—North, 6,925,570; Midlands, 4,101,190 South, 1,377,880; Wales, 569,640. Total, 12,974,280. Other Urban Districts—North, 4,388,630; Midlands, 4,875,776* South, 2,640,931*; Wales, 1,339,130. Total, 13,244,467*; Rural Districts—North, 1,751,710; Midlands, 3,323,774* South, 2,008,029*; Wales, 825,740. Total, 7,909,253.*

‡ Including London.

§ The number of deaths differs from the total given elsewhere by the exclusion of deaths of non-civilians.

‖ The counties in the four areas: North, Midlands, South and Wales, are as follows:—

North.	Midlands.		South.	Wales.
Cheshire.	Middlesex.	Gloucestershire.	London.	Monmouthshire.
Lancashire.	Hertfordshire.	Herefordshire.	Surrey.	Glamorganshire.
Yorks, West Riding.	Buckinghamshire.	Shropshire.	Kent.	Carmarthenshire.
,, East Riding.	Oxfordshire.	Staffordshire.	Sussex, East.	Pembrokeshire.
,, North Riding.	Northamptonshire.	Worcestershire.	,, West.	Cardiganshire.
Durham.	Soke of Peterborough.	Warwickshire.	Southampton.	Brecknockshire.
Northumberland.	Huntingdonshire.	Leicestershire.	Isle of Wight.	Radnorshire.
Cumberland.	Bedfordshire.	Rutlandshire.	Berkshire.	Montgomeryshire.
Westmorland.	Cambridgeshire.	Lincolnshire.	Wiltshire.	Flintshire.
	Isle of Ely.	Parts of Holland.	Dorsetshire.	Denbighshire.
	Essex.	,, Kesteven.	Devonshire.	Merionethshire.
	Suffolk, East.	,, Lindsey.	Cornwall.	Carnarvonshire.
	,, West.	Nottinghamshire.	Somersetshire.	Anglesey.
	Norfolk.	Derbyshire.		

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1925.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1925).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F	TOTAL.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
NGLAND (exclud	ing Mon	mouth.)												
EDFORDSHIRE: Administrative County.	212,580	1,660	1,535	70	61	3,326	15·6	1,236	1,202	2,438	11·6†	212	64	4·0
UNICIPAL BORO'S AND URBAN DISTRICTS.	129,500	991	900	39	40	1,970	15·2	740	730	1,470	11·4†	144	73	3·8
Ampthill ..	2,135	15	8	—	—	23	10·8	20	19	39	18·3	1	43	−7·5
Bedford M.B...	41,440	287	285	13	9	594	14·3	226	229	455	11·0	39	66	3·3
Biggleswade ..	5,574	57	40	—	3	100	17·9	41	22	63	11·3	7	70	6·6
Dunstable M.B.	8,943	75	54	4	3	136	15·2	56	67	123	13·8	12	88	1·4
Kempston ..	5,429	38	44	—	2	84	15·5	27	25	52	10·1†	6	71	5·4
Leighton Buzzard.	6,749	73	55	4	2	134	19·9	47	51	98	14·5	12	90	5·4
Luton M.B ..	59,230	446	414	18	21	899	15·2	323	317	640	10·8	67	75	4·4
URAL DISTRICTS	83,080	669	635	31	21	1,356	16·3	496	472	968	11·9†	68	50	4·4
Ampthill ..	19,140	137	143	6	6	292	15·3	127	122	249	13·0	18	62	2·3
Bedford	20,060	162	155	8	1	326	16·3	112	117	229	11·4	9	28	4·9
Biggleswade ..	24,820	189	180	8	5	382	15·4	123	129	252	10·9†	16	42	4·5
Eaton Bray ..	3,840	52	34	—	2	88	22·9	32	24	56	14·6	6	68	8·3
Eaton Socon ..	3,320	26	29	2	—	57	17·2	25	17	42	12·7	4	70	4·5
Luton	11,900	103	94	7	7	211	17·7	77	63	140	11·8	15	71	5·9
ERKSHIRE:														
OUNTY BORO:														
Reading	93,910	756	686	31	36	1,509	16·1	516	529	1,045	11·2†	85	56	4·9
DMINISTRATIVE COUNTY.	203,960	1,599	1,527	99	85	3,310	16·2	1,156	1,198	2,354	11·7†	183	55	4·5
UNICIPAL BORO'S AND URBAN DISTRICT.	67,560	518	520	41	26	1,105	16·4	373	414	787	11·8†	65	59	4·6
Abingdon M.B.	7,294	57	59	5	2	123	16·9	51	45	96	13·2	7	57	3·7
Maidenhead M.B.	16,750	132	114	12	8	266	15·9	80	97	177	10·6	13	49	5·3
Newbury M.B.	12,420	94	110	8	5	217	17·5	73	75	148	11·9	18	83	5·6
New Windsor M.B.	20,140	150	165	12	7	334	16·6	104	111	215	11·2†	14	42	5·4
Wallingford M.B.	2,691	20	18	1	1	40	14·9	18	16	34	12·6	4	100	2·3
Wantage ..	3,975	32	19	—	—	51	12·8	21	27	48	12·1	5	98	0·7
Wokingham M.B.	4,290	33	35	3	3	74	17·2	26	43	69	16·1	4	54	1·1
URAL DISTRICTS	136,400	1,081	1,007	58	59	2,205	16·2	783	784	1,567	11·6†	118	54	4·6
Abingdon ..	10,780	97	83	4	4	188	17·4	60	80	140	13·0	6	32	4·4
Bradfield.. ..	14,330	116	105	12	4	237	16·5	78	99	177	12·4	15	63	4·1
Cookham ..	13,660	89	98	3	6	196	14·3	60	80	140	10·2	8	41	4·1
Easthampstead	18,820	133	109	10	13	265	14·1	99	95	194	10·8†	19	72	3·3
Faringdon (part of)‡	10,090	88	81	5	2	176	17·4	70	72	142	14·1	14	80	3·3
Hungerford ..	8,588	76	70	4	1	151	17·6	61	55	116	13·5	12	79	4·1
Newbury.. ..	10,660	109	69	4	3	185	17·4	88	71	159	14·9	7	38	2·5
Wallingford ..	8,631	61	67	1	3	132	15·3	30	23	53	6·4†	1	8	8·9
Wantage	11,960	87	118	5	6	216	18·1	82	55	137	11·5	11	51	6·6
Windsor	9,551	63	46	4	6	119	12·5	52	44	96	10·1	4	34	2·4
Wokingham ..	19,330	162	161	6	11	340	17·6	103	110	213	11·0	21	62	6·6

† Death-rates based upon estimated civilian populations as follows:—Bedfordshire—Administrative County, 210,620; Municipal Boroughs and Urban Districts, 129,200; Kempston U.D. 5,129; Rural Districts, 81,420; Biggleswade R.D., 23,160. Berkshire—Reading C.B., 93,670; Administrative County, 202,000; Municipal Boroughs and Urban Districts, 66,700; New Windsor M.B., 19,280. Rural Districts, 135,300; Easthampstead R.D., 18,020; Wallingford, R.D., 8,331.

‡The remainder of Faringdon Rural District is in Gloucestershire.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1925.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1925).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	Total.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
BUCKINGHAMSHIRE Administrative County	244,800	1,921	1,803	63	74	3,861	15·8	1,312	1,315	2,627	10·9†	188	49	4·9
MUNICIPAL BORO'S AND URBAN DISTRICTS.	103,000	754	709	25	24	1,512	14·7	515	521	1,036	10·1	57	38	4·6
Aylesbury M.B.	12,740	105	91	4	6	206	16·2	65	65	130	10·2	10	49	6·0
Beaconsfield ..	3,781	37	27	—	2	66	17·5	17	12	29	7·7	1	15	9·8
Bletchley ..	5,554	44	34	2	1	81	14·6	27	28	55	9·9	7	86	4·7
Buckingham M.B.	2,952	22	27	1	1	51	17·3	17	21	38	12·9	3	59	4·4
Chepping Wycombe M.B.	23,030	184	153	8	6	351	15·2	109	88	197	8·6	11	31	6·6
Chesham	8,882	49	68	3	—	120	13·5	53	45	98	11·0	4	33	2·5
Eton	3,366	13	13	—	—	26	7·7	4	17	21	6·2	1	38	1·5
Linslade	2,331	21	24	1	1	47	20·2	11	18	29	12·4	3	64	7·8
Marlow	5,204	36	47	—	3	86	16·5	33	34	67	12·9	2	23	3·6
Newport Pagnell.	4,040	23	34	1	1	59	14·6	21	21	42	10·4	—	—	4·2
Slough	17,020	133	114	5	1	253	14·9	89	88	177	10·4	12	47	4·5
Wolverton ..	14,100	87	77	—	2	166	11·8	69	84	153	10·9	3	18	0·9
RURAL DISTRICTS.	141,800	1,167	1,094	38	50	2,349	16·6	797	794	1,591	11·5†	131	56	5·1
Amersham ..	23,810	191	199	6	5	401	16·8	119	124	243	10·2	28	70	6·6
Aylesbury ..	22,250	168	151	7	8	334	15·0	130	116	246	13·0†	24	72	2·0
Buckingham ..	7,292	51	56	1	3	111	15·2	39	49	88	12·1	5	45	3·1
Eton	30,400	285	255	10	15	565	18·6	163	143	306	10·1	21	37	8·5
Hambleden ..	1,951	14	21	1	—	36	18·5	10	7	17	8·7	1	28	9·8
Long Crendon..	3,770	42	29	2	3	76	20·2	28	23	51	13·5	5	66	6·7
Newport Pagnell.	14,500	109	94	5	3	211	14·6	96	107	203	14·0	11	52	0·6
Wing	5,493	36	31	—	1	68	12·4	26	43	69	12·6	1	15	−0·2
Winslow	6,204	39	49	2	2	92	14·8	38	38	76	12·3	9	98	2·5
Wycombe ..	26,130	232	209	4	10	455	17·4	148	144	292	11·2	26	57	6·2
CAMBRIDGESHIRE: Administrative County	129,810	958	891	50	45	1,944	15·0	758	756	1,514	11·7†	99	51	3·3
MUNICIPAL BORO: Cambridge M.B.	59,020	427	378	17	14	836	14·2	290	324	614	10·4	38	45	3·8
RURAL DISTRICTS.	70,790	531	513	33	31	1,108	15·7	468	432	900	12·8†	61	55	2·9
Caxton and Arrington.	7,279	58	48	4	6	116	15·9	55	49	104	14·3	5	43	1·6
Chesterton ..	24,120	169	172	8	9	358	14·8	153	146	299	12·4	21	59	2·4
Linton	10,000	81	99	4	5	189	18·9	60	61	121	12·8†	5	26	6·1
Melbourn ..	8,014	53	44	2	5	104	13·0	52	51	103	12·9	6	58	0·1
Newmarket ..	18,890	147	132	15	6	300	15·9	129	113	242	12·8	23	77	3·1
Swavesey ..	2,487	23	18	—	—	41	16·5	19	12	31	12·5	1	24	4·0
CHESHIRE:														
COUNTY BORO'S	414,790	3,598	3,483	147	147	7,375	17·8	2,707	2,548	5,255	12·7	634	86	5·1
Birkenhead ..	155,500	1,530	1,514	56	56	3,156	20·3	987	914	1,901	12·2	291	92	8·1
Chester	41,670	422	390	17	22	851	20·4	287	280	567	13·6	62	73	6·8
Stockport ..	125,900	1,022	953	57	47	2,079	16·5	910	833	1,743	13·8	201	97	2·[illegible]
Wallasey.. ..	91,720	624	626	17	22	1,289	14·1	523	521	1,044	11·4	80	62	2·[illegible]

† Death-rates based upon estimated civilian populations as follows:—Buckinghamshire Administrative County, 241,500; Rural Districts, 138,500; Aylesbury R.D., 18,950; Cambridgeshire Administrative County, 129,290; Rural Districts, 70 270; Linton R.D. 9 ,480.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1925.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1925).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F	Total.	Crude Rate per 1,000 Total Population.	DEATHS. M.	F.	Total.	Crude Rate per 1,000 Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
SHIRE—*cont.*														
INISTRATIVE COUNTY.	646,200	5,123	4,851	201	181	10,356	16·0	3,831	3,839	7,670	11·9†	756	73	4·1
ICIPAL BORO'S AND URBAN DISTRICTS.	446,100	3,531	3,332	131	127	7,121	16·0	2,688	2,768	5,456	12·2	531	75	3·8
derley Edge	3,066	35	17	2	—	54	17·6	19	21	40	13·0	1	19	4·6
sager	2,712	13	11	—	—	24	8·8	13	13	26	9·6	1	42	—0·8
trincham ..	20,990	175	156	10	4	345	16·4	129	111	240	11·4	23	67	5·0
hton-upon-Mersey.	8,089	68	73	4	—	145	17·9	44	58	102	12·6	13	90	5·3
ebington and Bromborough	20,610	172	141	3	5	321	15·6	95	90	185	9·0	20	62	6·6
llington ..	5,230	32	38	2	2	74	14·1	32	42	74	14·1	10	135	—
wdon	2,942	14	16	—	1	31	10·5	13	12	25	8·5	—	—	2·0
edbury and Romiley.	9,284	69	51	1	2	123	13·2	59	54	113	12·2	16	130	1·0
iglawton ..	1,805	20	16	1	1	38	21·1	8	9	17	9·4	1	26	11·7
eadle and Gatley.	11,930	78	76	3	1	158	13·2	82	68	150	12·6	7	44	0·6
mpstall ..	951	2	9	—	—	11	11·6	2	7	9	9·5	1	91	2·1
ngleton M.B.	12,130	108	111	4	3	226	18·6	72	93	165	13·6	13	58	5·0
ewe M.B. ..	47,700	340	344	13	6	703	14·7	268	277	545	11·4	51	73	3·3
ikinfield M.B.	19,810	164	131	6	6	307	15·5	131	134	265	13·4	37	121	2·1
lesmere Port and Whitby.	15,000	197	179	6	8	390	26·0	84	79	163	10·9	50	128	15·1
ile	9,354	64	49	2	—	115	12·3	45	54	99	10·6	5	43	1·7
ndforth ..	1,026	7	11	—	—	18	17·5	5	7	12	11·7	—	—	5·8
zel Grove and Bramhall.	10,670	73	69	1	5	148	13·9	56	66	122	11·4	12	81	2·5
llingworth ..	2,435	16	20	—	—	36	14·8	27	14	41	16·8	4	111	—2·0
ole	6,040	41	33	1	2	77	12·7	25	29	54	8·9	3	39	3·8
ylake and West Kirby	17,230	116	93	6	2	217	12·6	94	91	185	10·7	11	51	1·9
de M.B. ..	33,500	218	243	7	11	479	14·3	206	240	446	13·3	35	73	1·0
utsford ..	5,499	37	30	1	1	69	12·5	26	19	45	8·2	4	58	4·3
mm	5,491	45	36	—	1	82	14·9	29	32	61	11·1	6	73	3·8
cclesfield M.B.	34,760	253	241	20	13	527	15·2	198	265	463	13·3	35	66	1·9
rple	6,590	29	32	1	4	66	10·0	40	42	82	12·4	6	91	—2·4
ddlewich ..	5,626	62	56	1	—	119	21·2	32	37	69	12·3	10	84	8·9
ttram-in-Longdendale.	2,817	12	19	—	—	31	11·0	15	24	39	13·8	1	32	—2·8
ntwich ..	7,391	56	56	2	1	115	15·6	49	55	104	14·1	10	87	1·5
ston and Parkgate	5,407	43	60	3	—	106	19·6	40	33	73	13·5	5	47	6·1
rthwich ..	18,820	195	161	5	7	368	19·6	135	106	241	12·8	32	87	6·8
ncorn	19,290	185	173	2	3	363	18·8	122	101	223	11·6	21	58	7·2
le	16,440	122	131	4	11	268	16·3	119	122	241	14·7	20	75	1·6
ndbach ..	6,124	64	55	3	6	128	20·9	39	32	71	11·6	7	55	9·3
alybridge M.B.	25,140	193	191	9	10	403	16·0	182	176	358	14·2	35	87	1·8
rporley ..	2,494	15	19	—	2	36	14·4	11	16	27	10·8	3	83	3·6
lmslow ..	8,614	63	48	1	6	118	13·7	45	43	88	10·2	4	34	3·5
nsford.. ..	11,430	123	124	7	3	257	22·5	86	81	167	14·6	16	62	7·9
ardsley-cum Whaley	1,663	12	13	—	—	25	15·0	11	15	26	15·6	2	80	—0·6

† Death-rate based upon estimated civilian population of 645,900.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1925.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1925).	BIRTHS. Legitimate. M.	BIRTHS. Legitimate. F.	BIRTHS. Illegitimate. M.	BIRTHS. Illegitimate. F.	BIRTHS. TOTAL.	BIRTHS. Crude Rate per 1,000. Total Population.	DEATHS. M.	DEATHS. F.	DEATHS. TOTAL.	DEATHS. Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Deaths under 1 year. Rate per 1,000 births.	Natural Increase per
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	1
CHESHIRE—*cont.*														
RURAL DISTRICTS	200,100	1,592	1,519	70	54	3,235	16·2	1,143	1,071	2,214	11·1†	225	70	5·
Bucklow.. ..	22,330	138	130	10	4	282	12·6	125	97	222	9·9	20	71	2·
Chester	13,780	100	91	2	5	198	14·4	79	54	133	9·9†	14	71	4·
Congleton ..	13,400	116	109	7	2	234	17·5	84	96	180	13·4	24	103	4·
Disley	3,034	25	16	—	—	41	13·5	17	23	40	13·2	3	73	0·
Macclesfield ..	17,540	117	117	6	3	243	13·9	108	102	210	12·0	15	62	1·
Malpas	4,460	46	37	5	3	91	20·4	40	27	67	15·0	5	55	5·
Nantwich ..	25,680	195	219	9	11	434	16·9	147	140	287	11·2	31	71	5·
Northwich ..	25,690	261	220	6	10	497	19·3	138	118	256	10·0	44	89	9·
Runcorn.. ..	29,560	202	209	6	2	419	14·2	183	158	341	11·5	27	64	2·
Tarvin	13,440	114	127	9	5	255	19·0	54	85	139	10·3	14	55	8·
Tintwistle ..	2,016	11	12	—	—	23	11·4	23	11	34	16·9	1	43	−5·
Wirral	29,170	267	232	10	9	518	17·8	145	160	305	10·5	27	52	7·
CORNWALL: Administrative County.	317,100	2,529	2,216	131	97	4,973	15·7	1,900	2,204	4,104	13·0†	280	56	2·
MUNICIPAL BORO'S AND URBAN DISTRICTS.	141,797*	1,090	982	56	55	2,183	15·4	839	986	1,825	12·9†	117	54	2·
Bodmin M.B. ..	5,639	31	34	2	2	69	12·2	25	29	54	9·9†	3	43	2·
Callington ..	1,750	11	18	2	—	31	17·7	12	14	26	14·9	3	97	2·
Camborne ..	14,600	112	92	7	4	215	14·7	80	108	188	12·9	19	88	1·
Falmouth M.B.	13,170	126	95	7	5	233	17·7	78	77	155	11·8	7	30	5·
Fowey M.B. ..	1,980	12	18	—	1	31	15·7	14	13	27	13·6	2	65	2·
Hayle	953	7	1	1	—	9	9·4	9	7	16	16·8	1	111	−7·
Helston M.B. ..	2,647	18	18	2	—	38	14·4	15	22	37	14·0	1	26	0·
Launceston M.B.	3,867	23	20	—	—	43	11·1	36	24	60	15·5	1	23	−4·
Liskeard M.B.	4,322	27	28	3	3	61	14·1	26	28	54	12·5	2	33	1·
Looe	2,723	18	12	2	—	32	11·8	18	15	33	12·1	2	63	−0·
Lostwithiel M.B.	1,285	11	12	1	—	24	18·7	7	14	21	16·3	2	83	2·
Ludgvan.. ..	2,033	13	9	—	1	23	11·3	10	8	18	8·9	—	—	2·
Madron	3,436	20	18	1	2	41	11·9	18	30	48	14·0	3	73	−2·
Newquay ..	5,188	25	30	2	2	59	11·4	31	23	54	10·4	3	51	1·
Padstow	1,658	9	17	—	1	27	16·3	7	8	15	9·0	1	37	7·
Paul	5,669	45	53	2	2	102	18·0	31	44	75	13·2	8	78	4·
Penryn M.B. ..	3,172	37	28	—	1	66	20·8	22	21	43	13·6	4	61	7·
Penzance M.B.	11,500	88	65	3	8	164	14·3	68	105	173	15·0	7	43	−0·
Phillack	3,382	32	29	2	2	65	19·2	19	23	42	12·4	3	46	6·
Redruth	9,727	78	79	2	2	161	16·6	57	81	138	14·2	8	50	2·
St. Austell ..	6,826*	58	43	3	4	108	15·8	40	43	83	12·2	7	65	3·
St. Ives M.B. ..	6,402	50	35	4	1	90	14·1	38	59	97	15·2	7	78	−1·
St. Just	5,260	53	62	3	1	119	22·6	40	48	88	16·7	8	67	5·
Saltash M.B. ..	3,550	33	26	2	2	63	17·7	25	14	39	11·0	3	48	6·
Stratton and Bude.	3,168	20	21	2	—	43	13·6	14	15	29	9·2	—	—	4·
Torpoint.. ..	4,432	32	31	—	1	64	14·4	24	14	38	8·6	1	16	5·
Truro M.B. ..	11,120	84	76	2	10	172	15·5	58	81	139	12·5	11	64	3·
Wadebridge ..	2,338	17	12	1	—	30	12·8	17	18	35	15·0	—	—	−2·
RURAL DISTRICTS	175,303*	1,439	1,234	75	42	2,790	15·9	1,061	1,218	2,279	13·0	163	58	2·
Bodmin	9,996	75	88	6	4	173	17·3	61	62	123	12·3	10	58	5·
Calstock	4,698	37	40	1	1	79	16·8	38	49	87	18·5	7	89	−1·
Camelford ..	7,613	65	52	—	—	117	15·4	47	51	98	12·9	6	51	2·

* Population adjusted to allow for change in boundary during the year.

† Death-rates based upon estimated civilian populations as follows:—Cheshire—Rural Districts, 199,800; Chester R D 13,480; Cornwall—Administrative County, 316,900; Municipal Boroughs and Urban Districts, 141,597*; Bodmin M.B., 5,439.

TABLE 14.—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1925.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREAS.	Estimated Population (Middle 1925).	BIRTHS. Legitimate. M.	BIRTHS. Legitimate. F.	BIRTHS. Illegitimate. M.	BIRTHS. Illegitimate. F.	BIRTHS. TOTAL.	BIRTHS. Crude Rate per 1,000 Total Population.	DEATHS. M.	DEATHS. F.	DEATHS. TOTAL.	DEATHS. Crude Rate per 1,000 Total Population.	Deaths under 1 year. Number.	Deaths under 1 year. Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
RNWALL—*cont.*														
RAL DISTRICTS —*cont.*														
East Kerrier ..	8,455	56	66	3	2	127	15·0	43	52	95	11·2	7	55	3·8
Helston	16,400	119	97	5	3	224	13·7	103	108	211	12·9	12	54	0·8
Holsworthy (part of)‡	369	1	2	—	1	4	10·8	3	1	4	10·8	—	—	—
Launceston ..	7,200	59	50	5	2	116	16·1	47	57	104	14·4	4	34	1·7
Liskeard ..	14,760	131	98	5	7	241	16·3	104	104	208	14·1	17	71	2·2
Redruth	17,200	142	113	10	9	274	15·9	109	134	243	14·1	20	73	1·8
St. Austell ..	28,443*	251	212	14	6	483	17·0	177	179	356	12·5	30	62	4·5
St. Columb Major.	11,870	115	91	4	1	211	17·8	60	80	140	11·8	10	47	6·0
St. Germans ..	12,060	100	100	5	1	206	17·1	61	75	136	11·3	9	44	5·8
Scilly, Isles of..	1,708	12	11	—	—	23	13·5	8	14	22	12·9	6	261	0·6
Stratton	5,141	41	41	—	—	82	16·0	34	27	61	11·9	5	61	4·1
Truro	18,930	151	114	12	3	280	14·8	114	162	276	14·6	12	43	0·2
West Penwith	10,460	84	59	5	2	150	14·3	52	63	115	11·0	8	53	3·3
MBERLAND :														
NTY BORO' :														
Carlisle	55,360	495	481	26	28	1,030	18·6	348	421	769	13·9†	84	82	4·7
MINISTRATIVE COUNTY.	220,030	1,997	1,976	105	99	4,177	19·0	1,503	1,458	2,961	13·5	357	85	5·5
NICIPAL BORO'S AND URBAN DISTRICTS.	122,500	1,188	1,148	52	44	2,432	19·9	898	852	1,750	14·3	232	95	5·6
Arlecdon and Frizington.	5,163	47	54	4	1	106	20·5	45	32	77	14·9	11	104	5·6
Aspatria	3,670	32	21	3	1	57	15·5	24	17	41	11·2	3	53	4·3
Cleator Moor ..	8,320	79	64	2	3	148	17·8	60	51	111	13·3	20	135	4·5
Cockermouth ..	4,850	45	41	2	1	89	18·4	41	41	82	16·9	3	34	1·5
Egremont ..	7,059	59	70	3	—	132	18·7	47	42	89	12·6	9	68	6·1
Harrington ..	4,567	51	47	1	3	102	22·3	28	26	54	11·8	6	59	10·5
Holme Cultram	4,803	29	40	4	2	75	15·6	40	34	74	15·4	6	80	0·2
Keswick	4,184	20	30	5	1	56	13·4	41	42	83	19·8	5	89	−6·4
Maryport ..	11,230	116	123	4	3	246	21·9	73	69	142	12·6	27	110	9·3
Millom	8,665	63	63	2	1	129	14·9	45	65	110	12·7	12	93	2·2
Penrith	8,262	72	60	1	8	141	17·1	66	79	145	17·6	7	50	−0·5
Whitehaven M.B.	20,690	268	265	10	7	550	26·6	152	145	297	14·4	51	93	12·2
Wigton	3,737	38	30	2	3	73	19·5	30	19	49	13·1	8	110	6·4
WorkingtonM.B.	27,300	269	240	9	10	528	19·3	206	190	396	14·5	64	121	4·8
RAL DISTRICTS	97,530	809	828	53	55	1,745	17·9	605	606	1,211	12·4	125	72	5·5
Alston with Garrigill.	2,703	19	14	3	1	37	13·7	18	16	34	12·6	1	27	1·1
Cockermouth	5,985	43	47	4	5	99	16·5	22	32	54	9·0	5	51	7·5
Brampton ..	8,103	74	63	4	8	149	18·4	60	51	111	13·7	4	27	4·7
Carlisle	11,990	76	78	5	6	165	13·8	77	75	152	12·7	11	67	1·1
Cockermouth ..	23,130	210	212	8	17	447	19·3	151	155	306	13·2	40	89	6·1
Longtown ..	6,449	62	52	9	5	128	19·8	48	48	96	14·9	11	86	4·9
Penrith	12,100	88	99	8	4	199	16·4	71	62	133	11·0	16	80	5·4
Whitehaven ..	15,500	145	148	6	5	304	19·6	80	88	168	10·8	23	76	8·8
Wigton	11,570	92	115	6	4	217	18·8	78	79	157	13·6	14	65	5·2

* Population adjusted to allow for change in boundary during the year.
† Death-rate based upon estimated civilian population of 55,160.
‡ The remainder of Holsworthy Rural District is in Devonshire.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1925.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1925).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	Total.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
DERBYSHIRE:														
COUNTY BORO':														
Derby	134,700	1,170	1,108	45	41	2,364	17·6	820	777	1,597	11·9†	189	80	5·7
ADMINISTRATIVE COUNTY.	611,700	6,124	5,887	254	226	12,491	20·4	3,728	3,274	7,002	11·4	979	78	9·0
MUNICIPAL BORO'S AND URBAN DISTRICTS.	320,400	3,121	3,028	138	122	6,409	20·0	1,970	1,749	3,719	11·6	487	76	8·4
Alfreton	21,900	249	209	8	4	470	21·5	135	111	246	11·2	28	60	10·3
Alvaston and Boulton.	1,635	15	17	2	1	35	21·4	15	14	29	17·7	1	29	3·7
Ashbourne ..	4,472	34	30	2	3	69	15·4	21	15	36	8·1	5	72	7·3
Bakewell ..	2,960	21	24	1	3	49	16·6	14	10	24	8·1	1	20	8·5
Baslow and Bubnell.	792	1	4	—	—	5	6·3	5	7	12	15·2	—	—	−8·9
Belper	12,870	123	131	6	5	265	20·6	77	65	142	11·0	16	60	9·6
Bolsover ..	12,630	149	158	4	4	315	24·9	69	54	123	9·7	30	95	15·2
Bonsall	1,197	10	14	—	1	25	20·9	4	7	11	9·2	2	80	11·7
Brampton and Walton.	2,170	21	19	2	1	43	19·8	17	12	29	13·4	1	23	6·4
Buxton M.B. ..	15,360	101	113	7	2	223	14·5	92	75	167	10·9	22	99	3·6
Chesterfield M.B.	65,800	704	710	34	40	1,488	22·6	430	346	776	11·8	111	75	10·8
Clay Cross ..	9,338	118	113	7	6	244	26·1	78	67	145	15·5	19	78	10·6
Dronfield ..	4,456	36	35	3	1	75	16·8	24	21	45	10·1	5	67	6·7
Glossop M.B...	20,100	140	137	2	5	284	14·1	130	138	268	13·3	13	46	0·8
Heage	4,231	42	36	1	2	81	19·1	15	17	32	7·6	2	25	11·5
Heanor	22,400	233	202	7	5	447	20·0	128	114	242	10·8	35	78	9·2
Ilkeston M.B.	33,750	346	343	20	12	721	21·4	213	200	413	12·2	80	111	9·2
Long Eaton ..	22,400	184	198	9	4	395	17·6	115	111	226	10·1	27	68	7·5
New Mills ..	8,764	72	63	2	3	140	16·0	65	58	123	14·0	10	71	2·0
North Darley	3,429	30	25	—	1	56	16·3	22	14	36	10·5	4	71	5·8
Ripley	13,940	100	114	5	5	224	16·1	65	54	119	8·5	8	36	7·6
South Darley	677	6	8	—	—	14	20·7	9	6	15	22·2	4	286	−1·5
Swadlincote District.	21,700	254	222	9	8	493	22·7	127	133	260	12·0	48	97	10·7
The Matlocks	9,588	85	62	6	3	156	16·3	65	70	135	14·1	10	64	2·2
Wirksworth ..	3,841	47	41	1	3	92	24·0	35	30	65	16·9	5	54	7·1
RURAL DISTRICTS	291,300	3,003	2,859	116	104	6,082	20·9	1,758	1,525	3,283	11·3	492	81	9·6
Ashbourne ..	10,450	94	82	7	3	186	17·8	59	44	103	9·9	8	43	7·9
Bakewell ..	18,270	134	159	10	3	306	16·7	126	125	251	13·7	17	56	3·0
Belper	24,130	213	202	7	7	429	17·8	128	131	259	10·7	26	61	7·1
Blackwell ..	45,980	601	575	18	26	1,220	26·5	291	199	490	10·7	123	101	15·8
Chapel-en-le-Frith.	16,140	135	97	4	2	238	14·7	102	82	184	11·4	19	80	3·3
Chesterfield ..	81,050	932	872	37	42	1,883	23·2	529	408	937	11·6	172	91	11·6
Clowne	18,690	219	212	15	4	450	24·1	102	93	195	10·4	40	89	13·7
Glossop Dale ..	3,724	15	26	1	—	42	11·3	28	24	52	14·0	1	24	−2·7
Hartshorn and Seals.	8,814	97	95	4	2	198	22·5	52	55	107	12·1	17	86	10·4
Hayfield	4,312	21	32	—	1	54	12·5	35	25	60	13·9	8	148	−1·4
Norton	4,509	36	34	1	—	71	15·7	28	29	57	12·6	3	42	3·1
Repton	17,010	147	138	5	2	292	17·2	85	101	186	10·9	14	48	6·3
Shardlow ..	34,080	321	294	6	7	628	18·4	170	185	355	10·4	39	62	8·0
Sudbury	2,523	26	24	1	3	54	21·4	17	14	31	12·3	4	74	9·1

† Death-rate based upon estimated civilian population 134,400.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1925.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1925).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F	TOTAL.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
RBYSHIRE—*cont.*														
RAL DISTRICTS —*cont.*														
Codnor Park and Shipley Civil Parishes administered by R.D. Council of Basford (Notts).	1,618	12	17	—	2	31	19·2	6	10	16	9·9	1	32	9·3
VONSHIRE :														
UNTY BORO'S	265,810	2,371	2,252	99	95	4,817	18·1	1,554	1,676	3,230	12·8†	317	66	5·3
Exeter	60,410	489	447	29	20	985	16·3	396	431	827	13·8†	73	74	2·5
Plymouth ..	205,400	1,882	1,805	70	75	3,832	18·7	1,158	1,245	2,403	12·5†	244	64	6·2
MINISTRATIVE OUNTY.	432,400	3,094	3,052	138	138	6,422	14·9	2,610	2,897	5,507	12·8†	357	56	2·1
NICIPAL BORO'S AND URBAN DISTRICTS.	209,700	1,435	1,391	70	63	2,959	14·1	1,306	1,545	2,851	13·6†	169	57	0·5
shburton ..	2,404	23	15	1	1	40	16·6	22	22	44	18·3	2	50	−1·7
xminster ..	2,122	18	13	2	—	33	15·6	10	16	26	12·3	2	61	3·3
ampton ..	1,489	12	9	—	—	21	14·1	10	10	20	13·4	1	48	0·7
arnstaple M.B.	14,650	111	121	6	7	245	16·7	85	119	204	13·9	15	61	2·8
ideford M.B...	9,118	72	71	—	5	148	16·2	54	70	124	13·6	10	68	2·6
rixham ..	8,092	78	69	3	2	152	18·8	70	67	137	16·9	12	79	1·9
uckfastleigh	2,326	14	15	—	—	29	12·5	13	16	29	12·5	2	69	—
udleigh Salterton.	2,426	5	12	—	—	17	7·0	16	23	39	16·1	1	59	−9·1
rediton	3,521	25	16	—	—	41	11·6	24	22	46	13·1	6	146	−1·5
artmouth M.B.	7,499	44	64	—	2	110	14·7	31	23	54	7·9†	5	45	6·8
awlish	4,380	22	23	1	—	46	10·5	21	35	56	12·8	1	22	−2·3
xmouth ..	13,240	65	76	2	3	146	11·0	74	88	162	12·2	8	55	−1·2
reat Torrington M.B.	3,055	29	28	3	2	62	20·3	15	18	33	10·8	3	48	9·5
olsworthy ..	1,492	11	11	1	—	23	15·4	5	9	14	9·4	2	87	6·0
oniton M.B...	3,105	24	23	1	1	49	15·8	18	26	44	14·2	5	102	1·6
fracombe ..	8,879	51	41	1	2	95	10·7	52	73	125	14·1	9	95	−3·4
ybridge ..	1,613	11	7	1	—	19	11·3	14	12	26	15·4	—	—	−4·1
ingsbridge ..	2,925	33	17	1	—	51	17·4	18	14	32	10·9	3	59	6·5
ynton	1,796	8	11	—	—	19	10·6	8	13	21	11·7	—	—	−1·1
ewton Abbot	14,190	103	101	3	1	208	14·7	98	96	194	13·7	9	43	1·0
ortham ..	6,060	45	55	—	2	102	16·8	31	41	72	11·9	3	29	4·9
kehampton M.B.	3,470	26	24	1	—	51	14·7	9	22	31	8·9	2	39	5·8
ttery St. Mary	3,598	34	27	1	—	62	17·2	27	32	59	16·4	2	32	0·8
aignton ..	14,340	71	69	3	3	146	10·2	74	112	186	13·0	9	62	−2·8
lcombe ..	2,037	10	10	1	—	21	10·3	9	6	15	7·4	—	—	2·9
aton ..	1,825	12	8	—	—	20	11·0	15	12	27	14·8	2	100	−3·8
dmouth ..	5,093	30	29	—	3	62	12·2	25	38	63	12·4	—	—	−0·2
uth Molton .. M.B.	2,780	26	21	—	3	50	18·0	17	22	39	14·0	2	40	4·0

† Death-rates based upon estimated civilian populations as follows:—Devonshire County Boroughs, 251,920; Exeter C.B., 0; Plymouth C.B., 192,100; Administrative County, 430,000; Municipal Boroughs and Urban Districts, 209,000; mouth M.B., 6,799.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1925.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1925).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	TOTAL.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
DEVONSHIRE—*cont.*														
MUNICIPAL BORO'S AND URBAN DISTRICTS—*cont.*														
Tavistock ..	4,303	29	32	4	1	66	15·3	29	37	66	15·3	3	45	—
Teignmouth ..	9,454	55	59	1	2	117	12·4	64	80	144	15·2	3	26	—2·
Tiverton M.B.	9,235	66	59	1	4	130	14·1	70	67	137	14·8	9	69	—0·
Torquay M.B...	35,070	242	223	32	16	513	14·6	249	279	528	15·1	33	64	—0·
Totnes M.B. ..	4,043	30	32	—	3	65	16·1	29	25	54	13·4	5	77	2·
RURAL DISTRICTS:	222,700	1,659	1,661	68	75	3,463	15·6	1,304	1,352	2,656	12·0†	188	54	3·
Axminster ..	9,943	83	69	5	2	159	16·0	41	47	88	8·9	4	25	7·
Barnstaple ..	18,490	112	143	10	6	271	14·7	111	126	237	12·8	18	66	1·
Bideford	6,092	48	48	2	2	100	16·4	28	36	64	10·5	2	20	5·
Broadwood Widger	2,264	15	18	—	—	33	14·6	15	11	26	11·5	—	—	3·
Crediton	10,270	91	60	3	4	158	15·4	60	53	113	11·0	7	44	4·
Culmstock ..	3,230	27	28	—	—	55	17·0	21	16	37	11·5	3	55	5·
Holsworthy (part of)‡	6,890	62	63	2	1	128	18·6	40	35	75	10·9	6	47	7·
Honiton	9,350	67	80	—	1	148	15·8	42	55	97	10·4	2	14	5·
Kingsbridge ..	11,160	80	74	7	2	163	14·6	69	60	129	11·6	7	43	3·
Newton Abbot	20,480	165	173	7	10	355	17·3	124	172	296	14·5	29	82	2·
Okehampton ..	14,070	95	103	2	8	208	14·8	96	94	190	14·1†	13	63	0·
Plympton St. Mary	23,340	159	171	8	7	345	14·8	135	143	278	12·5†	22	64	2·
St. Thomas ..	26,460	189	196	6	9	400	15·1	166	155	321	12·1	30	75	3·
South Molton..	10,110	98	81	5	1	185	18·3	58	49	107	10·6	9	49	7·
Tavistock ..	15,430	107	100	4	9	220	14 3	87	93	180	11·7	15	68	2·
Tiverton	14,390	116	98	4	6	224	15·6	80	93	173	12·0	7	31	3·
Torrington ..	8,711	72	79	3	4	158	18·1	55	42	97	11·1	6	38	7·
Totnes	12,020	73	77	—	3	153	12·7	76	72	148	12·3	8	52	0·
DORSETSHIRE: Administrative County.	228,900	1,801	1,757	85	81	3,724	16·3	1,267	1,266	2,533	11·3†	194	52	5·
MUNICIPAL BORO'S AND URBAN DISTRICTS.	122,400	952	945	48	39	1,984	16·2	653	682	1,335	11·2†	112	56	5·
Blandford Forum M.B.	3,193	21	25	1	5	52	16·3	18	20	38	11·9	1	19	4·
Bridport M.B.	5,785	37	54	1	3	95	16·4	33	35	68	11·8	5	53	4·
Dorchester M.B.	9,972	82	84	5	7	178	17·8	58	47	105	10·7†	10	56	7·
Lyme Regis M.B.	2,299	15	14	—	—	29	12·6	9	11	20	8·7	1	34	3·
Poole M.B. ..	46,150	410	391	23	13	837	18·1	256	286	542	11·7	60	72	6·
Portland ..	12,940	81	91	1	1	174	13·4	49	35	84	8·2†	6	34	5·
Shaftesbury M.B.	2,364	12	19	1	1	33	14·0	10	18	28	11·8	—	—	2·
Sherborne ..	6,330	43	32	2	—	77	12·2	29	33	62	9·8	3	39	2·
Swanage	5,580	35	35	—	—	70	12·5	33	21	54	9·7	2	29	2·
Wareham M.B.	2,065	23	29	2	—	54	26·2	14	14	28	13·6	2	37	12·
Weymouth and Melcombe Regis M.B.	22,110	163	145	11	8	327	14·8	116	137	253	11·4	20	61	3·
Wimborne Minster	3,612	30	26	1	1	58	16·1	28	25	53	14·7	2	34	1·
RURAL DISTRICTS:	106,500	849	812	37	42	1,740	16·3	614	584	1,198	11·5†	82	47	4·
Beaminster ..	8,345	71	54	3	5	133	15·9	60	48	108	12·9	14	105	3·
Blandford ..	8,034	71	53	4	4	132	16·4	51	61	112	13·9	6	45	3·

† Death-rates based upon estimated civilian populations as follows :—Devonshire—Rural Districts, 221,000 Okehampt R.D., 13,450 ; Plympton St. Mary R.D., 22,260. Dorsetshire—Administrative County, 224,000 ; Municipal Boroughs a Urban Districts, 119,500 ; Dorchester M.B., 9,772 ; Portland U.D., 10,240 ; Rural Districts, 104,500.

‡ The remainder of Holsworthy Rural District is in Cornwall.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1925.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1925).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F	Total.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	Total.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
SETSHIRE —*cont.*														
RAL DISTRICTS —*cont.*														
ridport	6,980	39	38	3	1	81	11·6	50	40	90	12·9	4	49	−1·3
erne	4,458	42	39	1	—	82	18·4	28	21	49	11·0	6	73	7·4
orchester ..	8,808	58	73	6	3	140	15·9	45	45	90	10·2	8	57	5·7
oole	8,272	88	87	2	8	185	22·4	51	33	84	10·2	8	43	12·2
haftesbury ..	9,573	69	67	4	5	145	15·1	69	59	128	13·4	5	34	1·7
herborne ..	5,480	44	38	2	—	84	15·3	22	32	54	9·9	3	36	5·4
urminster ..	7,832	54	47	—	2	103	13·2	48	54	102	13·0	1	10	0·2
areham and Purbeck.	14,500	128	117	3	6	254	17·5	66	44	110	8·8†	7	28	8·7
eymouth ..	8,848	58	87	1	4	150	17·0	35	49	84	9·5	7	47	7·5
imborne and Cranborne.	15,370	127	112	8	4	251	16·3	89	98	187	12·2	13	52	4·1
HAM :														
NTY BORO'S	560,320	6,400	6,195	252	260	13,107	23·4	4,212	3,761	7,973	14·2	1,469	112	9·2
arlington ..	69,130	627	613	21	27	1,288	18·6	466	415	881	12·7	136	106	5·9
ateshead ..	129,000	1,587	1,449	55	59	3,150	24·4	939	869	1,808	14·0	341	108	10·4
outh Shields	124,600	1,441	1,411	60	64	2,976	23·9	965	807	1,772	14·2	340	114	9·7
nderland ..	166,000	1,967	1,980	77	86	4,110	24·8	1,325	1,228	2,553	15·4	490	119	9·4
est Hartlepool	71,590	778	742	39	24	1,583	22·1	517	442	959	13·4	162	102	8·7
INISTRATIVE COUNTY.	994,800	11,975	11,192	407	465	24,039	24·2	6,730	5,879	12,609	12·7	2,406	100	11·5
NICIPAL BORO'S AND URBAN DISTRICTS.	563,600	6,792	6,354	224	255	13,625	24·2	3,923	3,386	7,309	13·0	1,394	102	11·2
nnfield Plain	17,070	224	199	9	13	445	26·1	111	103	214	12·5	53	119	13·6
arnard Castle	4,848	42	28	2	5	77	15·9	32	28	60	12·4	3	39	3·5
enfieldside ..	9,097	99	94	7	8	208	22·9	60	58	118	13·0	23	111	9·9
illingham ..	9,187	115	85	1	1	202	22·0	52	31	83	9·0	17	84	13·0
ishop Auckland	14,340	145	138	3	11	297	20·7	106	73	179	12·5	35	118	8·2
laydon	35,370	389	388	13	10	800	22·6	222	177	399	11·3	69	86	11·3
randon and Byshottles.	19,600	230	221	5	11	467	23·8	108	95	203	10·4	41	88	13·4
hester-le-Street	17,880	206	185	5	7	403	22·5	129	95	224	12·5	43	107	10·0
onsett	13,120	157	182	4	5	348	26·5	90	89	179	13·6	39	112	12·9
rook	13,310	149	125	9	4	287	21·6	80	52	132	9·9	24	84	11·7
urham M.B.	17,380	172	171	8	11	362	20·8	115	131	246	14·2	31	86	6·6
elling	27,910	358	314	10	8	690	24·7	206	186	392	14·0	85	123	10·7
artlepool M.B.	21,940	291	268	5	10	574	26·2	173	158	331	15·1	67	117	11·1
ebburn ..	25,980	372	297	6	10	685	26·4	208	162	370	14·2	78	114	12·2
etton	18,220	238	212	5	13	468	25·7	134	126	260	14·3	55	118	11·4
oughton-le-Spring.	11,170	162	148	6	8	324	29·0	84	69	153	13·7	32	99	15·3
arrow M.B. ..	36,540	463	445	16	17	941	25·8	322	245	567	15·5	105	112	10·3
eadgate.. ..	6,078	123	113	5	1	242	39·8	51	35	86	14·1	24	99	25·7
yton	15,600	155	153	7	9	324	20·8	76	66	142	9·1	24	74	11·7
eaham Harbour	18,650	298	255	6	4	563	30·2	125	114	239	12·8	57	101	17·4
hildon	14,660	159	144	5	3	311	21·2	111	87	198	13·5	31	100	7·7
outhwick-on-Wear.	15,870	207	204	6	5	422	26·6	117	110	227	14·3	36	85	12·3
pennymoor ..	18,830	246	230	15	5	496	26·3	138	104	242	12·9	53	107	13·4
tanhope ..	1,884	16	6	1	3	26	13·8	9	10	19	10·1	1	38	3·7
tanley	27,540	325	348	18	14	705	25·6	169	172	341	12·4	83	118	13·2
tockton-on-Tees, M.B.	68,000	776	753	24	35	1,588	23·4	528	450	978	14·4	146	92	9·0

† Death-rate based upon estimated civilian population of 12,500.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1925.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1925).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	Total.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
DURHAM—*cont.*														
MUNICIPAL BORO'S AND URBAN DISTRICTS—*cont.*														
Tanfield	10,730	115	97	4	2	218	20·3	60	58	118	11·0	22	101	9
Tow Law ..	4,449	45	45	—	2	92	20·7	14	22	36	8·1	3	33	12
Washington ..	17,920	225	206	8	6	445	24·8	118	104	222	12·4	47	106	12
Whickham ..	20,580	212	225	6	11	454	22·1	125	134	259	12·6	57	126	9
Willington ..	9,847	78	75	5	3	161	16·4	50	42	92	9·3	10	62	7
RURAL DISTRICTS	431,200	5,183	4,838	183	210	10,414	24·2	2,807	2,493	5,300	12·3	1,012	97	11
Auckland ..	62,450	728	678	31	28	1,465	23·5	372	354	726	11·6	126	86	11
Barnard Castle	11,620	90	118	8	5	221	19·0	64	60	124	10·7	19	86	8
Chester-le-Street	57,050	732	685	33	30	1,480	25·9	405	388	793	13·9	162	109	12
Darlington ..	9,992	92	71	6	4	173	17·3	69	64	133	13·3	13	75	4
Durham	33,050	400	382	11	19	812	24·6	210	186	396	12·0	77	95	12
Easington ..	82,630	1,156	1,052	33	40	2,281	27·6	550	437	987	11·9	242	106	15
Hartlepool ..	3,937	40	32	—	2	74	18·8	24	15	39	9·9	6	81	8
Houghton-le-Spring.	29,270	380	345	10	15	750	25·6	198	194	392	13·4	86	115	12
Lanchester ..	36,090	408	377	15	25	825	22·9	210	194	404	11·2	77	93	11
Sedgefield ..	38,810	446	444	10	17	917	23·6	224	200	424	10·9	75	82	12
South Shields	18,020	186	195	5	7	393	21·8	126	125	251	13·9	40	102	7
Stockton ..	6,761	68	70	3	1	142	21·0	48	44	92	13·6	8	56	7
Sunderland ..	32,070	393	337	18	11	759	23·7	237	183	420	13·1	70	92	10
Weardale ..	9,450	64	52	—	6	122	12·9	70	49	119	12·6	11	90	0
ELY, ISLE OF:														
ADMINISTRATIVE COUNTY.	76,480	728	654	43	37	1,462	19·1	529	448	977	12·8	96	66	6
MUNICIPAL BORO' AND URBAN DISTRICTS.	38,470	368	331	19	22	740	19·2	297	247	544	14·1	49	66	5
Chatteris ..	5,219	43	49	1	2	95	18·2	43	26	69	13·2	5	53	5
Ely	7,621	62	55	1	2	120	15·7	58	55	113	14·8	10	83	0
March	9,686	107	101	4	9	221	22·8	71	49	120	12·4	11	50	10
Whittlesey ..	4,284	41	46	6	1	94	21·9	31	38	69	16·1	5	53	5
Wisbech M.B...	11,660	115	80	7	8	210	18·0	94	79	173	14·8	18	86	3
RURAL DISTRICTS	38,010	360	323	24	15	722	19·0	232	201	433	11·4	47	65	7
Ely	13,040	110	100	2	3	215	16·5	68	70	138	10·6	9	42	5
North Witchford	5,195	45	62	4	2	113	21·8	30	39	69	13·3	6	53	8
Thorney	2,531	28	25	1	2	56	22·1	12	13	25	9·9	5	89	12
Whittlesey ..	3,514	39	26	1	1	67	19·1	32	14	46	13·1	7	104	6
Wisbech	13,730	138	110	16	7	271	19·7	90	65	155	11·3	20	74	8
ESSEX:														
COUNTY BORO'S..	563,760	5,469	5,314	169	147	11,099	19·7	3,115	2,965	6,080	10·8	673	61	8
East Ham ..	147,200	1,231	1,258	31	33	2,553	17·3	796	704	1,500	10·2	135	53	7
Southend-on-Sea	98,060	733	713	44	39	1,529	15·6	520	632	1,152	11·7	75	49	3
West Ham ..	318,500	3,505	3,343	94	75	7,017	22·0	1,799	1,629	3,428	10·8	463	66	11
ADMINISTRATIVE COUNTY.	964,000	8,227	7,790	252	247	16,516	17·1	5,072	4,848	9,920	10·3†	859	52	6
MUNICIPAL BORO'S AND URBAN DISTRICTS.	669,000	5,599	5,240	151	156	11,146	16·7	3,383	3,232	6,615	10·0†	571	51	6
Barking Town	38,450	408	394	3	20	825	21·5	199	187	386	10·0	66	80	11
Braintree ..	7,098	51	60	2	2	115	16·2	38	44	82	11·6	4	35	4

† Death-rates based upon estimated civilian populations as follows:—Essex Administrative County, 958,700; Municipal Boroughs and Urban Districts, 663,900.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1925.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1925).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F	TOTAL.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
ESSEX—*cont.*														
MUNICIPAL BORO'S AND URBAN DISTRICTS—*cont.*														
Brentwood ..	7,072	58	46	4	3	111	15·7	43	40	83	11·7	4	36	4·0
Brightlingsea ..	4,314	34	24	—	—	58	13·4	25	24	49	11·4	1	17	2·0
Buckhurst Hill	5,094	47	37	3	—	87	17·1	23	31	54	10·6	3	34	6·5
Burnham-on-Crouch.	3,429	24	24	1	—	49	14·3	20	29	49	14·3	—	—	—
ChelmsfordM.B.	21,900	163	156	5	7	331	15·1	93	109	202	9·2	9	27	5·9
Chingford ..	10,310	82	75	3	1	161	15·6	47	40	87	8·4	8	50	7·2
Clacton	12,480	75	66	6	6	153	12·3	51	62	113	9·1	5	33	3·2
Colchester M.B.	48,400	412	342	16	14	784	16·2	202	215	417	9·4†	43	55	6·8
Epping	4,414	35	22	1	1	59	13·4	28	23	51	11·6	2	34	1·8
Frinton-on-Sea	2,093	8	16	1	1	26	12·4	8	7	15	7·2	3	115	5·2
Grays Thurrock	18,320	169	151	1	3	324	17·7	99	70	169	9·2	21	65	8·5
Halstead ..	5,920	41	43	2	1	87	14·7	45	40	85	14·4	6	69	0·3
Harwich M.B.	12,650	142	110	3	1	256	20·2	75	55	130	10·6†	13	51	9·6
Ilford	93,590	767	670	30	19	1,486	15·9	450	440	890	9·5	78	52	6·4
Leyton	132,700	1,038	1,016	19	18	2,091	15·8	683	666	1,349	10·2	114	55	5·6
Loughton ..	6,013	43	40	—	1	84	14·0	22	31	53	8·8	1	12	5·2
Maldon M.B. ..	6,296	44	40	3	2	89	14·1	42	39	81	12·9	2	22	1·2
Romford ..	20,670	161	159	5	14	339	16·4	114	120	234	11·3	15	44	5·1
Saffron Walden M.B.	5,574	31	32	—	—	63	11·3	37	33	70	12·6	6	95	−1·3
Shoeburyness..	5,666	61	69	5	2	137	24·2	24	25	49	9·5†	7	51	14·7
Tilbury	12,400	144	157	3	6	310	25·0	72	35	107	8·6	14	45	16·4
Waltham Holy Cross.	6,976	46	50	1	—	97	13·9	27	28	55	7·9	4	41	6·0
Walthamstow	130,800	1,154	1,142	26	29	2,351	18·0	704	605	1,309	10·0	121	51	8·0
Walton on the Naze.	2,591	12	14	1	—	27	10·4	18	10	28	10·8	2	74	−0·4
Wanstead ..	15,880	113	97	1	—	211	13·3	70	80	150	9·4	5	24	3·9
Witham	3,785	33	27	1	2	63	16·6	15	22	37	9·8	1	16	6·8
Wivenhoe ..	2,315	19	15	2	1	37	16·0	13	18	31	13·4	—	—	2·6
Woodford ..	21,800	184	146	3	2	335	15·4	96	104	200	9·2	13	39	6·2
RURAL DISTRICTS	295,000	2,628	2,550	101	91	5,370	18·2	1,689	1,616	3,305	11·2†	288	54	7·0
Belchamp ..	4,155	30	32	1	3	66	15·9	26	35	61	14·7	4	61	1·2
Billericay ..	27,810	245	247	2	9	503	18·1	147	147	294	10·6†	20	40	7·5
Braintree ..	19,010	131	109	6	2	248	13·0	121	129	250	13·2	5	20	−0·2
Bumpstead ..	2,345	20	17	—	1	38	16·2	18	15	33	14·1	3	79	2·1
Chelmsford ..	26,000	224	210	12	6	452	17·4	131	149	280	10·8	17	38	6·6
Dunmow ..	15,110	97	109	5	4	215	14·2	94	107	201	13·3	11	51	0·9
Epping	15,190	115	106	7	5	233	15·3	76	72	148	9·7	10	43	5·6
Halstead ..	9,636	69	64	1	1	135	14·0	75	55	130	13·5	7	52	0·5
Lexden and Winstree.	19,540	159	130	8	7	304	15·6	111	115	226	11·6	13	43	4·0
Maldon	16,590	131	113	6	7	257	15·5	88	81	169	10·2	11	43	5·3
Ongar	10,320	103	98	7	3	211	20·4	62	47	109	10·6	12	57	9·8
Orsett	23,900	187	220	9	3	419	17·5	110	101	211	8·8	31	74	8·7
Rochford.. ..	27,530	261	281	11	8	561	20·4	185	152	337	12·2	30	53	8·2
Romford ..	38,680	535	513	14	12	1,074	27·8	213	204	417	10·8	79	74	17·0
Saffron Walden	9,960	79	71	4	7	161	16·2	61	63	124	12·4	10	62	3·8
Stansted ..	6,914	50	46	1	4	101	14·6	37	33	70	10·1	3	30	4·5
Tendring ..	22,310	192	184	7	9	392	17·6	134	111	245	11·0	22	56	6·6

† Death-rates based upon estimated civilian populations as follows:—Colchester M.B., 44,200; Harwich M.B., 12,250; Shoeburyness U.D., 5,166; Rural Districts, 294,800; Billericay R.D., 27,610.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1925.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1925).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	Total.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
GLOUCESTERSHIRE:														
COUNTY BORO'S:	439,060	3,884	3,639	119	105	7,747	17·6	2,894	2,965	5,859	13·4†	566	73	4·2
Bristol	386,000	3,377	3,165	96	92	6,730	17·4	2,554	2,628	5,182	13·4†	511	76	4·0
Gloucester ..	53,060	507	474	23	13	1,017	19·2	340	337	677	12·8	55	54	6·4
ADMINISTRATIVE COUNTY.	334,000	2,750	2,578	127	120	5,575	16·7	2,038	2,111	4,149	12·4	314	56	4·3
MUNICIPAL BORO'S AND URBAN DISTRICTS.	101,261*	751	707	44	33	1,535	15·2	637	776	1,413	14·0	83	54	1·2
Awre	1,189	11	7	1	—	19	16·0	9	6	15	12·6	1	53	3·4
Charlton Kings	4,351	37	34	2	1	74	17·0	29	38	67	15·4	3	41	1·6
Cheltenham M.B.	48,770	327	338	24	19	708	14·5	312	423	735	15·1	42	59	—0·6
Cirencester ..	7,484	54	50	2	2	108	14·4	49	51	100	13·4	4	37	1·0
Coleford	2,841	26	19	1	2	48	16·9	21	19	40	14·1	2	42	2·8
Kingswood ..	13,730	108	101	3	2	214	15·6	86	77	163	11·9	11	51	3·7
Nailsworth ..	3,259	17	22	—	—	39	12·0	16	26	42	12·9	3	77	—0·9
Newnham ..	1,220	10	8	1	—	19	15·6	9	5	14	11·5	2	105	4·1
Stow-on-the-Wold	1,176	15	5	1	1	22	18·7	6	9	15	12·8	1	45	5·9
Stroud	8,577	61	62	—	4	127	14·8	59	63	122	14·2	11	87	0·6
Tetbury	2,024*	22	12	1	—	35	17·3	8	16	24	11·9	2	57	5·4
Tewkesbury M.B.	4,777	51	37	6	—	94	19·7	20	30	50	10·5	1	11	9·2
Westbury-on-Severn	1,863	12	12	2	2	28	15·0	13	13	26	14·0	—	—	1·0
RURAL DISTRICTS.	232,739*	1,999	1,871	83	87	4,040	17·4	1,401	1,335	2,736	11·8	231	57	5·6
Campden ..	5,364	50	31	1	1	83	15·5	36	25	61	11·4	2	24	4·1
Cheltenham ..	5,335	42	51	2	—	95	17·8	40	36	76	14·2	6	63	3·6
Chipping Sodbury	22,010	191	188	7	7	393	17·9	138	138	276	12·5	20	51	5·4
Cirencester ..	11,950	93	117	6	4	220	18·4	65	70	135	11·3	5	23	7·1
Dursley	12,700	117	99	5	6	227	17·9	69	85	154	12·1	12	53	5·8
East Dean and United Parishes	21,450	231	221	6	15	473	22·1	150	110	260	12·1	30	63	10·0
Faringdon (part of)‡	1,021	8	4	—	1	13	12·7	4	4	8	7·8	—	—	4·9
Gloucester ..	13,270	100	88	2	2	192	14·5	66	59	125	9·4	12	63	5·1
Lydney	10,140	89	86	4	5	184	18·1	57	60	117	11·5	10	54	6·6
Marston Sicca..	1,677	8	17	1	2	28	16·7	10	9	19	11·3	2	71	5·4
Newent	6,598	67	45	1	3	116	17·6	30	47	77	11·7	10	86	5·9
Northleach ..	7,424	73	65	2	1	141	19·0	51	52	103	13·9	6	43	5·1
Pebworth ..	3,277	37	25	2	—	64	19·5	19	21	40	12·2	3	47	7·3
Stow-on-the-Wold (pt. of)‡	6,126	57	41	5	1	104	17·0	31	34	65	10·6	4	38	6·4
Stroud	28,310	204	185	5	9	403	14·2	162	188	350	12·4	21	52	1·8
Tetbury (pt. of)‡	3,060*	27	25	—	1	53	17·3	25	15	40	13·1	1	19	4·2
Tewkesbury (part of)‡	4,556	32	35	1	—	68	14·9	24	30	54	11·9	3	44	3·0
Thornbury ..	18,900	152	156	9	7	324	17·1	124	97	221	11·7	15	46	5·4
Warmley.. ..	19,460	154	135	8	3	300	15·4	115	109	224	11·5	25	83	3·9
West Dean ..	15,060	152	136	12	8	308	20·5	93	81	174	11·6	31	101	8·9
Wheatenhurst	6,247	48	54	1	5	108	17·3	33	31	64	10·2	6	56	7·1
Winchcomb (part of)‡	8,804	67	67	3	6	143	16·2	59	34	93	10·6	7	49	5·6

* Population adjusted to allow for change in boundary during the year.
† Death-rates based upon estimated civilian populations as follows:—County Boroughs, 438,760; Bristol C.B., 385,700.
‡ The remainder of Faringdon Rural District is in Berkshire. The remaining parts of Stow-on-the-Wold, Tewkesbury and Winchcomb Rural Districts are in Worcestershire. The remainder of Tetbury Rural District is in Wiltshire.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1925.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1925).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	Total.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
EREFORDSHIRE: Administrative County.	114,180	984	957	74	77	2,092	18·3	742	717	1,159	12·8	110	53	5·5
UNICIPAL BORO'S AND URBAN DISTRICTS.	41,380	374	347	26	24	771	18·6	271	264	535	12·9	34	44	5·7
Bromyard ..	1,545	14	12	—	—	26	16·8	11	5	16	10·4	2	77	6·4
Hereford M.B.	24,360	213	206	15	12	446	18·3	142	155	297	12·2	20	45	6·1
Kington	1,704	15	21	1	1	38	22·3	19	12	31	18·2	1	26	4·1
Ledbury	3,228	35	40	—	2	77	23·9	16	23	39	12·1	6	78	11·8
LeominsterM.B.	5,728	54	32	4	7	97	16·9	40	30	70	12·2	2	21	4·7
Ross	4,815	43	36	6	2	87	18·1	43	39	82	17·0	3	34	1·1
RAL DISTRICTS.	72,800	610	610	48	53	1,321	18·1	471	453	924	12·7	76	58	5·4
Bredwardine ..	1,996	17	20	2	1	40	20·0	11	14	25	12·5	4	100	7·5
Bromyard ..	7,855	74	75	11	8	168	21·4	51	40	91	11·6	10	60	9·8
Dore	6,229	65	50	5	4	124	19·9	52	36	88	14·1	12	97	5·8
Hereford ..	13,500	99	115	6	7	227	16·8	79	103	182	13·5	10	44	3·3
Kington	4,828	35	42	2	6	85	17·6	37	23	60	12·4	3	35	5·2
Ledbury	8,979	81	83	1	7	172	19·2	51	58	109	12·1	9	52	7·1
Leominster ..	7,512	47	49	6	4	106	14·1	57	44	101	13·4	2	19	0·7
Ross	10,030	82	80	9	6	177	17·6	68	59	127	12·7	8	45	4·9
Weobley	6,527	64	57	3	3	127	19·5	37	48	85	13·0	14	110	6·5
Whitchurch ..	1,734	7	8	2	—	17	9·8	6	11	17	9·8	1	59	—
Wigmore.. ..	3,610	39	31	1	7	78	21·6	22	17	39	10·8	3	38	10·8
ERTFORDSHIRE: Administrative County.	346,600	2,613	2,651	113	104	5,481	15·8	1,771	1,855	3,626	10·5	258	47	5·3
UNICIPALBORO'S AND URBAN DISTRICTS.	238,000	1,776	1,843	81	71	3,771	15·8	1,211	1,311	2,522	10·6	181	48	5·2
Baldock	2,718	19	27	1	—	47	17·3	14	16	30	11·0	1	21	6·3
Barnet	12,150	93	92	2	2	189	15·6	71	91	162	13·3	13	69	2·3
Bishop's Stortford	8,728	48	54	5	3	110	12·6	47	65	112	12·8	7	64	−0·2
Bushey	8,469	49	46	2	—	97	11·5	33	35	68	8·0	3	31	3·5
Cheshunt ..	14,260	104	120	4	4	232	16·3	61	67	128	9·0	10	43	7·3
Chorleywood ..	2,483	14	11	1	—	26	10·5	14	12	26	10·5	1	38	—
East Barnet Valley.	14,290	100	107	5	5	217	15·2	61	65	126	8·8	9	41	6·4
GreatBerkhampstead.	7,460	52	49	4	1	106	14·2	54	45	99	13·3	7	66	0·9
Harpenden ..	6,657	33	30	1	3	67	10·1	37	31	68	10·2	3	45	−0·1
Hemel Hempstead M.B.	14,090	124	109	3	4	240	17·0	57	68	125	8·9	6	25	8·1
Hertford M.B.	10,990	79	85	6	3	173	15·7	67	74	141	12·8	11	64	2·9
Hitchin	13,380	107	104	5	9	225	16·8	59	81	140	10·5	12	53	6·3
Hoddesdon ..	5,549	37	45	4	4	90	16·2	27	36	63	11·4	3	33	4·8
Letchworth ..	11,750	103	110	2	2	217	18·5	54	48	102	8·7	11	51	9·8
Rickmansworth	8,512	65	74	—	3	142	16·7	44	44	88	10·3	5	35	6·4
Royston	3,745	22	23	2	—	47	12·6	31	30	61	16·3	3	64	−3·7
St. Albans M.B.	25,980	184	195	9	8	396	15·2	150	163	313	12·0	23	58	3·2
Sawbridgeworth	2,380	22	24	1	—	47	19·7	10	15	25	10·5	1	21	9·2
Stevenage ..	5,100	41	47	2	—	90	17·6	34	21	55	10·8	5	56	6·8
Tring	4,285	22	36	1	—	59	13·8	18	24	42	9·8	1	17	4·0
Ware	6,034	54	45	5	3	107	17·7	27	37	64	10·6	6	56	7·1
Watford M.B.	48,990	404	410	16	17	847	17·3	241	243	484	9·9	40	47	7·4

TABLE 14—*cont*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1925.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1925).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F	TOTAL.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
HERTFORDSHIRE: —*cont.*														
RURAL DISTRICTS:	108,600	837	808	32	33	1,710	15·7	560	544	1,104	10·2	77	45	5·[illegible]
Ashwell	3,545	23	16	3	4	46	13·0	27	29	56	15·8	3	65	−2·[illegible]
Barnet	4,780	49	36	3	1	89	18·6	22	25	47	9·8	3	34	8·[illegible]
Berkhampstead	4,764	23	38	2	—	63	13·2	22	30	52	10·9	4	63	2·[illegible]
Buntingford ..	4,934	43	30	1	2	76	15·4	33	28	61	12·4	2	26	3·[illegible]
Hadham ..	5,352	39	41	2	1	83	15·5	38	36	74	13·8	5	60	1·[illegible]
Hatfield	8,726	64	77	2	3	146	16·7	48	44	92	10·5	5	34	6·[illegible]
Hemel Hempstead.	7,341	55	71	1	3	130	17·7	45	34	79	10·8	6	46	6·[illegible]
Hertford ..	7,255	66	55	3	—	124	17·1	53	39	92	12·7	2	16	4·[illegible]
Hitchin	13,560	119	113	1	3	236	17·4	54	80	134	9·9	8	34	7·[illegible]
St. Albans ..	15,830	116	105	10	4	235	14·8	73	51	124	7·8	11	47	7·[illegible]
Ware	11,410	85	89	2	4	180	15·8	58	62	120	10·5	6	33	5·[illegible]
Watford	16,500	89	85	—	4	178	10·8	61	59	120	7·3	11	62	3·[illegible]
Welwyn	4,603	66	52	2	4	124	26·9	26	27	53	11·5	11	89	15·[illegible]
HUNTINGDONSHIRE:														
Administrative County.	55,550	521	430	26	30	1,007	18·1	341	358	699	12·6	45	45	5·5
MUNICIPAL BORO'S AND URBAN DISTRICTS.	24,450	230	195	11	15	451	18·4	141	142	283	11·6	21	47	6·8
Godmanchester M.B.	2,068	17	10	1	1	29	14·0	12	12	24	11·6	2	69	2·4
Huntingdon M.B.	3,986	33	21	5	1	60	15·1	25	19	44	11·0	3	50	4·1
Old Fletton ..	5,983	65	68	2	4	139	23·2	35	33	68	11·4	5	36	11·8
Ramsey	5,366	58	52	1	5	116	21·6	24	23	47	8·8	5	43	12·8
St. Ives M.B.	2,827	21	20	—	—	41	14·5	20	16	36	12·7	3	73	1·8
St. Neots ..	4,220	36	24	2	4	66	15·6	25	39	64	15·2	3	45	0·4
RURAL DISTRICTS	31,100	291	235	15	15	556	17·9	200	216	416	13·4	24	43	4·5
Huntingdon ..	6,740	64	55	3	3	125	18·5	45	47	92	13·6	5	40	4·9
Norman Cross	5,645	54	42	—	6	102	18·1	24	35	59	10·5	3	29	7·6
Oundle (part of)‡	1,001	9	10	1	—	20	20·0	9	4	13	13·0	—	—	7·0
St. Ives ..	9,691	87	70	6	3	166	17·1	71	76	147	15·2	12	72	1·9
St. Neots ..	6,778	68	45	5	3	121	17·9	43	45	88	13·0	2	17	4·9
Thrapston (part of)‡	826	4	5	—	—	9	10·9	4	5	9	10·9	—	—	—
C.P. of Sibson cum Stibbington, administered by R.D.C. of Barnack (Soke of Peterborough).	419	5	8	—	—	13	31·0	4	4	8	19·1	2	154	11·9
KENT:														
COUNTY BORO':														
Canterbury ..	24,300	188	188	5	10	391	16·1	157	162	319	13·7†	22	56	2·4
ADMINISTRATIVE COUNTY.	1,110,500	9,035	8,513	410	362	18,320	16·5	6,248	6,178	12,426	11·4†	1,014	55	5·1

† Death-rates based upon estimated civilian populations as follows:—Kent—Canterbury C.B., 23,270; Administrative County, 1,089,900.

‡ The remaining parts of Oundle and Thrapston Rural Districts are in Northamptonshire.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1925.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1925).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	TOTAL.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000. Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
ENT—*cont.*														
UNICIPAL BORO'S AND URBAN DISTRICTS.	779,600	6,411	5,994	285	244	12,934	16·6	4,282	4,452	8,734	11·5†	714	55	5·1
Ashford	13,800	114	95	7	9	225	16·3	87	87	174	12·6	17	76	3·7
Beckenham ..	33,850	241	231	11	3	486	14·4	177	171	348	10·3	31	64	4·1
Bexley	23,210	210	192	13	4	419	18·1	136	115	251	10·8	25	60	7·3
Broadstairs and St. Peter's.	11,280	50	47	2	4	103	9·1	59	70	129	11·4	7	68	—2·3
Bromley M.B...	35,440	263	223	18	16	520	14·7	185	232	417	11·8	30	58	2·9
Chatham M.B.	42,720	435	402	20	12	869	20·3	258	231	489	11·7†	55	63	8·6
Cheriton	7,804	90	81	3	4	178	22·8	28	26	54	9·9†	12	67	12·9
Chislehurst ..	9,173	80	67	1	1	149	16·2	39	61	100	10·9	8	54	5·3
Crayford	13,060	129	134	2	7	272	20·8	59	51	110	8·4	11	40	12·4
Dartford ..	27,160	172	162	5	2	341	12·6	141	110	251	9·2	20	59	3·4
Deal M.B. ..	12,270	110	72	4	3	189	15·4	78	74	152	12·4	7	37	3·0
Dover M.B. ..	42,490	385	390	16	14	805	18·9	261	247	508	12·6†	49	61	6·3
Erith	33,040	324	261	13	4	602	18·2	195	138	333	10·1	34	56	8·1
Faversham M.B.	10,750	70	91	7	1	169	15·7	53	60	113	10·5	6	36	5·2
Folkestone M.B.	34,250	243	257	26	17	543	15·9	178	192	370	10·8	20	37	5·1
Gillingham M.B.	57,080	482	443	17	9	951	16·7	250	251	501	10·3†	49	52	6·4
Gravesend M.B.	33,490	357	320	8	15	700	20·9	218	205	423	12·9†	35	50	8·0
Herne Bay ..	10,440	56	52	5	4	117	11·2	47	77	124	11·9	7	60	—0·7
Hythe M.B. ..	7,360	45	44	4	2	95	12·9	48	51	99	13·5	9	95	—0·6
Lydd M.B. ..	2,765	25	35	1	—	61	22·1	13	11	24	10·5†	3	49	11·6
Maidstone M.B.	39,400	284	317	6	18	625	15·9	205	227	432	11·0†	38	61	4·9
Margate M.B...	28,080	226	189	17	9	441	15·7	150	154	304	10·8	18	41	4·9
Milton Regis ..	7,600	61	71	3	4	139	18·3	62	46	108	14·2	9	65	4·1
New Romney M.B.	1,501	13	8	—	1	22	14·7	4	11	15	10·0	—	—	4·7
Northfleet ..	16,890	177	151	9	4	341	20·2	98	109	207	12·3	28	82	7·9
Penge	27,340	221	252	9	9	491	18·0	147	149	296	10·8	33	67	7·2
Queenborough M.B.	3,210	23	27	—	1	51	15·9	13	11	24	7·5	1	20	8·4
Ramsgate M.B.	30,470	260	231	11	15	517	17·0	218	213	431	14·1	28	54	2·9
Rochester M.B.	32,080	273	255	4	7	539	16·8	171	190	361	11·3†	30	56	5·5
Royal Tunbridge Wells M.B.	34,080	220	184	9	15	428	12·6	198	269	467	13·7	15	35	—1·1
Sandgate ..	2,772	16	15	2	—	33	11·9	6	8	14	6·3†	1	30	5·6
Sandwich M.B.	3,169	30	28	1	3	62	19·6	15	18	33	10·4	3	48	9·2
Sevenoaks ..	9,191	81	49	1	—	131	14·3	39	68	107	11·6	6	46	2·7
Sheerness ..	17,530	168	166	2	5	341	19·5	76	100	176	10·4†	18	53	9·1
Sidcup	9,271	64	54	5	2	125	13·5	43	58	101	10·9	8	64	2·6
Sittingbourne..	9,767	96	83	5	3	187	19·1	73	46	119	12·2	13	70	6·9
Southborough..	7,023	56	52	5	2	115	16·4	48	59	107	15·2	3	26	1·2
Tenterden M.B.	3,172	19	22	2	3	46	14·5	21	30	51	16·1	1	22	—1·6
Tonbridge ..	15,890	117	109	5	6	237	14·9	80	103	183	11·5	13	55	3·4
Walmer	5,709	32	30	1	—	63	11·0	24	47	71	15·9†	3	48	—4·9
Whitstable ..	9,710	58	66	3	6	133	13·7	54	62	116	11·9	7	53	1·8
Wrotham ..	4,313	35	36	2	—	73	16·9	27	14	41	9·5	3	41	7·4
RAL DISTRICTS:	330,900	2,624	2,519	125	118	5,386	16·3	1,966	1,726	3,692	11·3†	300	56	5·0
Blean	8,770	59	53	4	3	119	13·6	49	44	93	10·6	6	50	3·0
Bridge	11,340	87	97	3	4	191	16·8	77	69	146	12·9	9	47	3·9
Bromley	27,560	238	216	9	7	470	17·1	140	139	279	10·2†	24	51	6·9
Cranbrook ..	12,940	108	86	10	5	209	16·2	81	93	174	13·4	14	67	2·8
Dartford ..	40,220	272	310	7	13	602	15·0	202	171	373	9·3	35	58	5·7

† Death-rates based upon estimated civilian populations as follows:—Kent—Municipal Boroughs and Urban Districts, 761,900; Chatham M.B., 41,740; Cheriton U.D., 5,444; Dover M.B., 40,460; Gillingham M.B., 48,680; Gravesend M.B., 32,730; Lydd M.B., 2,275; Maidstone. M.B., 39,180; Rochester M.B., 31,980; Sandgate U.D., 2,222· Sheerness U.D., 16,960; Walmer U.D., 4,469; Rural Districts, 328,000; Bromley R.D., 27,300.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1925.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1925).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F	TOTAL.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
KENT—*cont.*														
RURAL DISTRICTS —*cont.*														
Dover	8,580	59	56	3	2	120	14·0	55	33	88	10·5†	7	58	3·5
East Ashford ..	15,280	116	100	4	6	226	14·8	102	88	190	12·4	17	75	2·4
Eastry	13,480	108	112	8	4	232	17·2	84	71	155	11·5	15	65	5·7
Elham	8,188	53	54	3	4	114	13·9	43	44	87	11·1†	8	70	2·8
Faversham ..	14,350	125	112	9	17	263	18·3	92	66	158	11·0	18	68	7·3
Hollingbourne	13,420	113	90	8	3	214	15·9	87	86	173	12·9	17	79	3·0
Hoo	4,752	57	34	4	1	96	20·2	24	22	46	9·7	4	42	10·5
Isle of Thanet..	13,200	78	79	3	6	166	12·6	58	72	130	10·9†	13	78	1·7
Maidstone ..	17,080	131	149	5	6	291	17·0	123	100	223	13·1	21	72	3·9
Malling	25,840	222	220	9	8	459	17·8	153	142	295	11·4	19	41	6·4
Milton	14,480	125	117	4	1	247	17·1	104	66	170	11·7	6	24	5·4
Romney Marsh	3,134	24	22	3	4	53	16·9	18	17	35	11·2	2	38	5·7
Sevenoaks ..	24,100	183	193	7	8	391	16·2	139	130	269	11·2	11	28	5·0
Sheppey	5,473	46	36	1	2	85	15·5	31	13	44	9·2†	6	71	6·3
Strood	16,900	153	142	5	6	306	18·1	98	63	161	9·6†	12	39	8·5
Tenterden ..	5,880	54	41	5	4	104	17·7	31	35	66	11·2	3	29	6·5
Tonbridge ..	18,120	151	139	7	3	300	16·6	114	106	220	12·1	19	63	4·5
West Ashford..	7,813	62	61	4	1	128	16·4	61	56	117	15·0	14	109	1·4
LANCASHIRE:														
COUNTY BORO'S.	3274930	30,746	29,626	1,366	1,307	63,045	19·3	23,721	22,275	45,996	14·0†	6207	98	5·3
Barrow-in-Furness	73,470	606	611	19	17	1,253	17·1	406	368	774	10·5	79	63	6·6
Blackburn ..	126,900	943	889	38	32	1,902	15·0	846	925	1,771	14·0	185	97	1·0
Blackpool ..	80,750	552	510	46	39	1,147	14·2	570	582	1,152	14·3	105	92	—0·1
Bolton	180,400	1,419	1,412	69	61	2,961	16·4	1,244	1,227	2,471	13·7	262	88	2·7
Bootle	83,260	924	945	45	29	1,943	23·3	608	482	1,090	13·1	188	97	10·2
Burnley	102,300	762	783	59	38	1,642	16·1	758	755	1,513	14·8	178	108	1·3
Bury	56,930	377	374	16	16	783	13·8	417	430	847	14·9†	64	82	—1·1
Liverpool ..	856,000	9,553	9,298	370	371	19,592	22·9	6,231	5,720	11,951	14·0	1946	99	8·9
Manchester ..	755,800	6,943	6,550	338	331	14,162	18·7	5,747	5,213	10,960	14·5	1364	96	4·2
Oldham	146,200	1,090	1,059	55	52	2,256	15·4	1,113	1,094	2,207	15·1	230	102	0·3
Preston	122,900	1,054	1,034	33	53	2,174	17·7	885	905	1,790	14·6	286	132	3·1
Rochdale ..	92,190	702	596	45	39	1,382	15·0	710	691	1,401	15·2	131	95	—0·2
St. Helens ..	109,600	1,310	1,241	43	36	2,630	24·0	724	592	1,316	12·0	263	100	12·0
Salford	244,700	2,235	2,227	108	109	4,679	19·1	1,764	1,676	3,440	14·1	492	105	5·0
Southport ..	74,260	475	442	24	32	973	13·1	434	503	937	12·6	59	61	0·5
Warrington ..	78,260	859	790	25	25	1,699	21·7	578	481	1,059	13·6†	147	87	8·1
Wigan	91,010	942	865	33	27	1,867	20·5	686	631	1,317	14·5	228	122	6·0
ADMINISTRATIVE COUNTY.	1786800	13,787	13,620	475	512	28,394	15·9	11,298	11,315	22,613	12·7†	2334	82	3·2
MUNICIPAL BORO'S AND URBAN DISTRICTS.	1535100	11,924	11,773	424	439	24,560	16·0	9,844	9,785	19,629	12·8†	2061	84	3·2
Abram	6,860	64	62	2	1	129	18·8	54	25	79	11·5	11	85	7·[illegible]
AccringtonM.B.	43,600	286	259	13	15	573	13·1	285	316	601	13·8	35	61	—0·[illegible]
Adlington ..	4,535	53	43	2	1	99	21·8	26	22	48	10·6	7	71	11·[illegible]
Ashton-in-Makerfield.	24,120	213	209	5	8	435	18·0	130	139	269	11·2	47	108	6·[illegible]
Ashton-under-Lyne M.B.	43,910	366	351	19	12	748	17·0	332	317	649	14·8	69	92	2·[illegible]
Aspull	8,124	78	88	2	3	171	21·0	73	67	140	17·2	16	94	3·[illegible]
Atherton ..	20,360	142	159	6	7	314	15·4	106	117	223	11·0	20	64	4·[illegible]

† Death-rates based upon estimated civilian populations as follows :—Dover R.D., 8,380; Elham R.D. 7,838; Isle of Thanet R.D., 11,980; Sheppey R.D. 4,763. Strood, R.D., 16,740. Lancashire—County Boroughs, 3,274,410; Bury C.B., 56,700; Warrington C.B., 77,970; Administrative County, 1,785,500; Municipal Boroughs and Urban Districts, 1,534,000

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1925.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1925).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	TOTAL.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
CASHIRE—*cont.*														
ICIPAL BORO'S ND URBAN DISRICTS—*cont.*														
udenshaw ..	8,249	63	59	4	4	130	15·8	54	50	104	12·6	8	62	3·2
acup M.B. ..	21,240	143	192	8	4	347	16·3	165	171	336	15·8	31	89	0·5
arrowford ..	5,557	30	36	—	1	67	12·1	39	35	74	13·3	4	60	−1·2
illinge	5,285	34	40	2	—	76	14·4	37	21	58	11·0	4	53	3·4
lackrod ..	3,984	28	27	3	1	59	14·8	21	21	42	10·5	12	203	4·3
rierfield ..	8,292	55	40	5	4	104	12·5	39	52	91	11·0	8	77	1·5
arnforth ..	3,269	29	24	1	2	56	17·1	22	19	41	12·5	5	89	4·6
hadderton ..	28,810	217	204	12	9	442	15·3	201	175	376	13·1	49	111	2·2
horley M.B.	31,670	278	255	11	5	549	17·3	199	195	394	12·4	57	104	4·9
hurch	6,844	48	47	1	2	98	14·3	45	46	91	13·3	9	92	1·0
layton-le-Moors	8,693	44	59	1	1	105	12·1	50	53	103	11·8	7	67	0·3
litheroe M.B.	12,220	88	73	2	5	168	13·7	91	80	171	14·0	11	65	−0·3
olne M.B. ..	25,250	152	170	14	6	342	13·5	157	155	312	12·4	32	94	1·1
rompton ..	15,160	117	105	—	1	223	14·7	115	117	232	15·3	23	103	−0·6
roston	1,969	21	16	1	—	38	19·3	21	9	30	15·2	5	132	4·1
alton-in-Furness	12,060	107	117	4	3	231	19·2	83	88	171	14·2	20	87	5·0
arwen M.B. ..	38,850	267	264	10	5	546	14·1	276	273	549	14·1	65	119	—
enton	17,770	137	139	6	7	289	16·3	100	118	218	12·3	27	93	4·0
roylsden ..	14,010	103	137	4	4	248	17·7	96	86	182	13·0	18	73	4·7
ccles M.B. ..	45,960	386	378	14	15	793	17·3	241	268	509	11·1	54	68	6·2
ailsworth ..	17,190	144	131	8	8	291	16·9	83	105	188	10·9	15	52	6·0
arnworth ..	29,030	240	236	8	16	500	17·2	166	171	337	11·6	40	80	5·6
leetwood ..	20,610	214	219	6	5	444	21·5	145	111	256	12·4	48	108	9·1
ormby	6,771	28	40	6	3	77	11·4	32	38	70	10·3	3	39	1·1
ulwood	6,714	30	34	1	1	66	9·8	31	54	85	13·9†	3	45	−4·1
olborne ..	7,610	77	71	3	4	155	20·4	52	37	89	11·7	18	116	8·7
range	2,020	11	7	1	—	19	9·4	14	18	32	15·8	1	53	−6·4
reat Crosby ..	13,980	111	99	2	4	216	15·5	92	76	168	12·0	10	46	3·5
reat Harwood	13,790	121	100	2	2	225	16·3	74	86	160	11·6	22	98	4·7
aslingdenM.B.	17,290	106	107	1	2	216	12·5	107	105	212	12·3	10	46	0·2
aydock ..	11,170	112	133	8	7	260	23·3	68	64	132	11·8	28	108	11·5
eysham ..	4,531	27	24	2	—	53	11·7	36	45	81	17·9	3	57	−6·2
eywood M.B.	26,660	199	209	7	14	429	16·1	193	225	418	15·7	39	91	0·4
indley	24,930	239	248	3	9	499	20·0	148	157	305	12·2	45	90	7·8
orwich	16,110	131	113	5	3	252	15·6	81	81	162	10·1	13	52	5·5
urst	8,220	58	61	3	—	122	14·8	50	56	106	12·9	6	49	1·9
uyton with Roby.	5,321	38	36	—	2	76	14·3	22	24	46	8·6	2	26	5·7
ice in Makerfield.	24,450	252	243	8	9	512	20·9	178	149	327	13·4	70	137	7·5
lam	11,920	133	104	—	4	241	20·2	47	49	96	8·1	13	54	12·1
earsley ..	10,380	77	83	—	3	163	15·7	59	48	107	10·3	13	80	5·4
irkham ..	3,840	41	29	2	3	75	19·5	29	33	62	16·1	11	147	3·4
ancaster M.B.	40,360	315	315	16	15	661	16·4	326	244	570	14·2†	57	86	2·2
athom and Burscough.	7,714	66	61	2	2	131	17·0	45	45	90	11·7	9	69	5·3
ees	4,865	38	31	1	2	72	14·8	29	31	60	12·3	7	97	2·5
eigh M.B. ..	46,910	411	397	17	11	836	17·8	345	304	649	13·8	83	99	4·0
eyland	9,527	70	68	2	3	143	15·0	55	61	116	12·2	13	91	2·8
itherland ..	17,390	172	175	3	4	354	20·4	118	108	226	13·0	28	79	7·4
ittleborough..	11,460	102	90	5	3	200	17·5	95	117	212	18·5	15	75	−1·0
ittle Crosby ..	1,264	8	7	—	—	15	11·9	2	2	4	3·2	—	—	8·7
ittle Hulton..	8,315	60	61	3	1	125	15·0	50	32	82	9·9	12	96	5·1
ittle Lever ..	5,105	52	30	—	1	83	16·3	28	33	61	11·9	6	72	4·4

† Death-rates based upon estimated civilian populations as follows :—Fulwood U.D., 6,114 ; Lancaster M.B., 40,140

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1925.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1925).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F	TOTAL.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	1
LANCASHIRE—*cont.*														
MUNICIPAL BORO'S AND URBAN DISTRICTS—*cont.*														
Longridge ..	4,216	28	33	—	1	62	14·7	28	41	69	16·4	3	48	—1
Lytham St. Anne's M.B.	21,780	128	110	6	8	252	11·6	126	171	297	13·6	17	67	—2
Middleton M.B.	28,860	172	200	7	7	386	13·4	193	214	407	14·1	37	96	—0
Milnrow	8,498	54	35	1	2	92	10·8	62	70	132	15·5	10	109	—4
Morecambe M.B.	14,120	92	76	4	6	178	12·6	109	104	213	15·1	10	56	—2
Mossley M.B. ..	12,470	64	90	4	4	162	13·0	76	76	152	12·2	6	37	0
Nelson M.B. ..	39,990	219	237	5	11	472	11·8	231	247	478	12·0	37	78	—0
Newton-in-Makerfield.	19,910	179	183	6	6	374	18·8	127	93	220	11·0	27	72	7
Norden	4,160	26	15	3	1	45	10·8	24	21	45	10·8	4	89	—
Ormskirk ..	7,624	54	55	6	4	119	15·6	59	57	116	15·2	10	84	0
Orrell	7,147	57	61	2	4	124	17·3	35	40	75	10·5	8	65	6
Oswaldtwistle	15,180	116	89	4	3	212	14·0	100	92	192	12·6	14	66	1
Padiham ..	12,440	78	89	3	4	174	14·0	93	90	183	14·7	17	98	—0
Poulton le Fylde	2,819	30	28	—	1	59	20·9	23	23	46	16·3	5	85	4
Preesall	1,820	14	16	—	2	32	17·6	14	13	27	14·8	10	313	2
Prescot	9,918	94	100	2	4	200	20·2	70	56	126	12·7	16	80	7
Prestwich ..	19,610	108	127	2	3	240	12·2	101	89	190	9·7	16	67	2
Radcliffe ..	25,270	186	168	2	6	362	14·3	158	204	362	14·3	23	64	—
Rainford ..	3,754	42	33	—	1	76	20·2	22	16	38	10·1	5	66	10
Ramsbottom ..	15,210	107	119	3	4	233	15·3	96	109	205	13·5	14	60	1
Rawtenstall .. M.B.	28,960	203	217	5	8	433	15·0	195	194	389	13·4	38	88	1
Rishton	7,059	39	58	1	—	98	13·9	58	51	109	15·4	14	143	—1
Royton	17,440	105	107	7	3	222	12·7	124	137	261	15·0	29	131	—2
Skelmersdale ..	7,072	57	63	1	3	124	17·5	51	24	75	10·6	7	56	6
Standish with Langtree.	7,760	71	80	—	3	154	19·8	48	50	98	12·6	15	97	7
Stretford ..	48,460	372	348	10	15	745	15·4	287	283	570	11·8	54	72	3
Swinton and Pendlebury	33,400	246	242	4	2	494	14·8	173	172	345	10·3	36	73	4
Thornton ..	6,222	54	43	—	1	98	15·8	48	47	95	15·3	8	82	0
Tottington ..	6,775	41	29	1	4	75	11·1	46	52	98	14·5	7	93	—3
Trawden ..	2,741	20	10	—	—	30	10·9	18	15	33	12·0	5	167	—1
Turton	12,260	69	79	6	2	156	12·7	73	95	168	13·7	10	64	—1
Tyldesley with Shakerley.	16,040	154	130	4	11	299	18·6	108	95	203	12·7	28	94	5
Ulverston ..	9,800	65	80	4	3	152	15·5	58	64	122	12·4	9	59	3
Upholland ..	5,598	56	41	—	1	98	17·5	33	20	53	9·5	5	51	8
Urmston ..	8,379	57	61	—	3	121	14·4	45	48	93	11·1	5	41	3
Walton-le-Dale	12,260	97	103	3	2	205	16·7	68	67	135	11·0	8	39	5
Wardle	4,546	36	35	2	4	77	16·9	30	37	67	14·7	6	78	2
Waterloo with Seaforth.	30,600	248	254	9	10	521	17·0	169	208	377	12·4†	52	100	4
Westhoughton	16,820	141	142	2	5	290	17·2	108	105	213	12·7	24	83	4
Whitefield ..	7,202	42	52	2	2	98	13·6	46	43	89	12·4	6	61	1
Whitworth ..	8,711	68	50	2	1	121	13·9	54	79	133	15·3	12	99	—1
Widnes M.B. ..	42,100	481	453	19	6	959	22·8	291	225	516	12·3	80	83	10
Withnell ..	3,511	20	25	—	—	45	12·8	14	14	28	8·0	3	67	4
Worsley	14,490	102	92	5	1	200	13·8	94	90	184	12·7	14	70	1

† Death-rate based upon estimated civilian population of 30,320.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1925.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1925).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	TOTAL.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
ANCASHIRE—*cont.*														
URAL DISTRICTS.	251,700	1,863	1,847	51	73	3,834	15·2	1,454	1,530	2,984	11·9†	273	71	3·3
Barton-upon-Irwell	10,340	68	78	2	3	151	14·6	57	65	122	11·8	14	93	2·8
Blackburn ..	10,330	67	58	1	2	128	12·4	71	59	130	12·6	9	70	−0·2
Burnley	19,480	129	128	7	—	264	13·6	109	126	235	12·1	17	64	1·5
Bury	9,733	60	76	3	3	142	14·6	53	57	110	11·3	12	85	3·3
Chorley	22,570	189	170	3	6	368	16·3	137	140	277	12·3	31	84	4·0
Clitheroe.. ..	9,160	31	51	2	1	85	9·3	41	38	79	8·6	4	47	0·7
Fylde	13,470	125	95	3	4	227	16·9	83	89	172	12·8	22	97	4·1
Garstang.. ..	11,090	80	92	1	6	179	16·1	73	81	154	13·9	15	84	2·2
Lancaster ..	9,268	73	75	3	5	156	16·8	56	62	118	12·7	4	26	4·1
Leigh	11,590	97	95	5	2	199	17·2	71	68	139	12·0	16	80	5·2
Limehurst ..	9,442	70	75	1	3	149	15·8	46	67	113	12·2†	9	60	3·6
Lunesdale ..	6,448	43	47	2	3	95	14·7	38	46	84	13·0	3	32	1·7
Preston	24,400	182	175	2	6	365	15·0	138	128	266	10·9	23	63	4·1
Sefton	4,528	22	37	—	—	59	13·0	19	32	51	11·3	5	85	1·7
Ulverston ..	17,350	125	132	6	11	274	15·8	107	102	209	12·0	11	40	3·8
Warrington ..	13,100	124	100	3	4	231	17·6	85	88	173	13·2	24	104	4·4
West Lancashire	22,140	169	144	4	6	323	14·6	126	129	255	11·5	19	59	3·1
Whiston	20,900	167	159	3	5	334	16·0	111	111	222	10·6	24	72	5·4
Wigan	6,361	42	60	—	3	105	16·5	33	42	75	11·8	11	105	4·7
EICESTERSHIRE:														
OUNTY BORO':														
Leicester ..	242,100	2,028	1,971	84	114	4,197	17·3	1,578	1,551	3,129	12·9	371	88	4·4
DMINISTRATIVE COUNTY.	274,800	2,381	2,321	96	76	4,874	17·7	1,583	1,544	3,127	11·4†	348	71	6·3
UNICIPAL BORO' AND URBAN DISTRICTS.	114,000	971	1,013	40	36	2,060	18·1	681	638	1,319	11·6	147	71	6·5
Ashby de la Zouch.	5,269	42	48	3	2	95	18·0	40	33	73	13·9	10	105	4·1
Ashby Woulds	3,538	25	43	—	1	69	19·5	15	18	33	9·3	4	58	10·2
Coalville	22,070	236	230	8	6	480	21·7	142	124	266	12·1	51	106	9·6
Hinckley ..	14,570	154	142	3	4	303	20·8	87	90	177	12·1	24	79	8·7
Loughborough M.B.	26,530	192	210	14	9	425	16·0	157	148	305	11·5	31	73	4·5
Market Harboro'	8,837	52	58	3	4	117	13·2	43	53	96	10·9	2	17	2·3
Melton Mowbray	9,862	85	95	6	6	192	19·5	55	41	96	9·7	7	36	9·8
Oadby	3,174	21	27	—	—	48	15·1	18	15	33	10·4	2	42	4·7
Quorndon ..	2,479	17	16	1	—	34	13·7	13	19	32	12·9	—	—	0·8
Shepshed ..	5,788	49	47	—	1	97	16·8	39	32	71	12·3	6	62	4·5
Thurmaston ..	2,560	22	30	1	2	55	21·5	21	13	34	13·3	2	36	8·2
Wigston Magna	9,323	76	67	1	1	145	15·6	51	52	103	11·0	8	55	4·6
URAL DISTRICTS.	160,800	1,410	1,308	56	40	2,814	17·5	902	906	1,808	11·3†	201	71	6·2
Ashby de la Zouch.	18,150	208	168	6	6	388	21·4	105	98	203	11·2	35	90	10·2
Barrow upon Soar.	26,770	205	178	6	5	394	14·7	137	143	280	10·5	20	51	4·2
Belvoir	3,295	15	27	3	4	49	14·9	34	20	54	16·4	7	143	−1·5
Billesdon.. ..	8,523	84	69	6	—	159	18·7	38	48	86	10·1	11	69	8·6
Blaby	18,830	157	151	9	4	321	17·0	104	105	209	11·2†	20	62	5·8
Castle Donington	6,379	58	59	1	2	120	18·8	35	46	81	12·7	3	25	6·1
Hallaton ..	1,750	15	10	—	1	26	14·9	17	11	28	16·0	4	154	−1·1
Hinckley ..	15,690	118	132	3	4	257	16·4	88	93	181	11·5	21	82	4·9

† Death-rates based upon estimated civilian populations as follows:—Lancashire—Rural Districts, 251,500; Limehurst R.D. 9,242. Leicestershire—Administrative County, 274,600; Rural Districts, 160,600; Blaby R.D., 18,630.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1925.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1925).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F	TOTAL.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
LEICESTERSHIRE —*cont.*														
RURAL DISTRICTS —*cont.*														
Loughborough	4,573	48	40	1	2	91	19·9	29	26	55	12·0	5	55	7·9
Lutterworth ..	10,350	84	93	1	3	181	17·5	66	68	134	12·9	12	66	4·6
Market Bosworth	24,120	237	196	7	8	448	18·6	144	128	272	11·3	49	109	7·3
Market Harboro'	7,640	67	54	3	1	125	16·4	35	39	74	9·7	5	40	6·7
Melton Mowbray	14,730	114	131	10	—	255	17·3	70	81	151	10·3	9	35	7·0
LINCOLNSHIRE: (Pts. of Holland) ADMINISTRATIVE COUNTY.	87,680	890	863	55	58	1,866	21·3	527	499	1,026	11·7	101	54	9·6
MUNICIPAL BORO' AND URBAN DISTRICTS.	38,400	366	365	22	24	777	20·2	262	277	539	14·0	52	67	6·2
Boston M.B. ..	16,100	152	167	8	9	336	20·9	116	133	249	15·5	22	65	5·4
Holbeach ..	5,706	60	58	6	4	128	22·4	33	31	64	11·2	9	70	11·2
Long Sutton ..	3,298	27	25	2	1	55	16·7	27	16	43	13·0	6	109	3·7
Spalding ..	10,890	92	93	5	9	199	18·3	74	80	154	14·1	14	70	4·2
Sutton Bridge	2,406	35	22	1	1	59	24·5	12	17	29	12·1	1	17	12·4
RURAL DISTRICTS.	49,280	524	498	33	34	1,089	22·1	265	222	487	9·9	49	45	12·2
Boston	22,720	235	208	11	15	469	20·6	131	94	225	9·9	24	51	10·7
Crowland ..	2,790	28	33	4	4	69	24·7	12	21	33	11·8	1	14	12·9
East Elloe ..	10,050	125	100	8	7	240	23·9	52	41	93	9·3	11	46	14·6
Spalding (pt.) ‡	13,720	136	157	10	8	311	22·7	70	66	136	9·9	13	42	12·8
LINCOLNSHIRE: (Parts of Kesteven) ADMINISTRATIVE COUNTY.	110,240	954	890	79	70	1,993	18·1	643	663	1,306	12·2†	137	69	5·9
MUNICIPAL BORO'S AND URBAN DISTRICTS.	41,740	349	342	27	21	739	17·7	257	224	481	11·5	52	70	6·2
Bourne	4,364	40	43	3	2	88	20·2	29	28	57	13·1	7	80	7·1
Grantham M.B.	19,170	158	150	17	10	335	17·5	127	97	224	11·7	28	84	5·8
Ruskington ..	1,117	10	11	—	—	21	18·8	8	5	13	11·6	1	48	7·2
Sleaford	7,089	53	72	2	7	134	18·9	48	39	87	12·3	11	82	6·6
Stamford M.B.	10,000	88	66	5	2	161	16·1	45	55	100	10·0	5	31	6·1
RURAL DISTRICTS.	68,500	605	548	52	49	1,254	18·3	386	439	825	12·6†	85	68	5·7
Bourne	12,740	125	115	8	13	261	20·5	84	94	178	14·0	21	80	6·5
Branston.. ..	13,580	105	101	7	8	221	16·3	73	95	168	12·4	14	63	3·9
Claypole	7,806	56	57	5	7	125	16·0	41	55	96	12·3	6	48	3·7
Grantham ..	12,430	124	109	14	8	255	20·5	74	85	159	13·3†	19	7	7·2
Sleaford	19,880	173	156	13	11	353	17·8	98	100	198	11·5†	23	6	6·3
Spalding (pt.) §	641	7	4	—	—	11	17·2	6	—	6	9·4	1	91	7·8
Uffington ..	1,423	15	6	5	2	28	19·7	10	10	20	14·1	1	36	5·6
LINCOLNSHIRE: (Pts. of Lindsey) COUNTY BORO'S.	153,980	1,400	1,321	94	96	2,911	18·9	928	816	1,744	11·3†	205	70	7·6
Grimsby	87,190	841	792	71	72	1,776	20·4	506	451	957	11·0	125	70	9·4
Lincoln	66,790	559	529	23	24	1,135	17·0	422	365	787	11·8†	80	70	5·2
ADMINISTRATIVE COUNTY.	260,400	2,351	2,281	140	131	4,903	18·8	1,553	1,421	2,974	11·4	322	66	7·4

† Death-rates based upon estimated civilian populations as follows:—Lincolnshire (Kesteven) Administrative County, 107,120; Rural Districts 65,380; Grantham R.D., 11,970; Sleaford R.D., 17,220. Lincolnshire (Lindsey)—County Boroughs 153,790; Lincoln C.B., 66,600.

‡ The remainder of Spalding Rural District is in Lincolnshire (Kesteven).

§ The remainder of Spalding Rural District is in Lincolnshire (Holland).

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1925.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1925).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	Total.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
NCOLNSHIRE: (Pts. of Lindsey) —*cont.*														
UNICIPAL BORO' AND URBAN DISTRICTS.	122,274*	1,090	1,084	73	47	2,294	18·8	711	634	1,345	11·0	155	68	7·8
Alford	2,190	12	11	—	1	24	11·0	19	17	36	16·4	—	—	−5·4
Barton-upon-Humber.	6,444	60	58	3	2	123	19·1	46	46	92	14·3	13	106	4·8
Brigg	3,442	29	32	3	1	65	18·9	26	19	45	13·1	1	15	5·8
Cleethorpes ..	29,000	246	225	17	10	498	17·2	143	107	250	8·6	38	76	8·6
Crowle	2,984	34	36	—	1	71	23·8	14	23	37	12·4	5	70	11·4
Gainsborough..	19,700	164	175	15	7	361	18·3	122	116	238	12·1	18	50	6·2
Horncastle ..	3,303	26	17	4	5	52	15·7	40	29	69	20·9	4	77	−5·2
Louth M.B. ..	9,430	66	76	4	3	149	15·8	63	78	141	15·0	9	60	0·8
Mablethorpe and Sutton	3,710*	16	24	1	2	43	11·6	17	21	38	10·2	2	47	1·4
Market Rasen	2,020	17	11	3	2	33	16·3	20	16	36	17·8	4	121	−1·5
Roxby-cum-Risby.	631	7	5	—	—	12	19·0	2	—	2	3·2	1	83	15·8
Scunthorpe and Frodingham.	31,430	354	364	13	12	743	23·6	160	114	274	8·7	55	74	14·9
Skegness ..	4,824	34	29	8	—	71	14·7	23	27	50	10·4	4	56	4·3
Winterton ..	1,781	14	17	2	—	33	18·5	9	13	22	12·4	1	30	6·1
Woodhall Spa	1,385	11	4	—	1	16	11·6	7	8	15	10·8	—	—	0·8
URAL DISTRICTS.	138,126*	1,261	1,197	67	84	2,609	18·9	842	787	1,629	11·8	167	64	7·1
Caistor	13,010	139	115	9	6	269	20·7	79	80	159	12·2	18	67	8·5
Gainsborough..	14,270	124	107	2	3	236	16·5	83	77	160	11·2	18	76	5·3
Glanford Brigg	27,710	237	254	19	14	524	18·9	152	138	290	10·5	25	48	8·4
Grimsby	13,680	136	116	6	12	270	19·7	69	74	143	10·5	27	100	9·2
Horncastle ..	11,880	100	102	6	5	213	17·9	62	77	139	11·7	12	56	6·2
Isle of Axholme	6,867	80	77	3	2	162	23·6	43	36	79	11·5	7	43	12·1
Louth	16,819*	140	147	6	13	306	18·2	124	98	222	13·2	16	52	5·0
Sibsey	3,063	29	27	1	2	59	19·3	22	16	38	12·4	8	136	6·9
Spilsby	19,827*	176	161	9	15	361	18·2	136	140	276	13·9	23	64	4·3
Welton	11,000	100	91	6	12	209	19·0	72	51	123	11·2	13	62	7·8
REATER LONDON‡	7733282	66,982	63,710	2,650	2,395	135,737	17·6	43,558	43,013	86,571	11·2†	8,626	64	6·4
ONDON: Administrative County, City and Inner and Middle Temples.	4612000	40,556	38,562	1,729	1,554	82,401	17·9	27,625	26,966	54,591	11·9†	5,599	68	6·0
TY OF LONDON.	13,340	43	49	5	3	100	7·5	93	65	158	11·8	6	60	−4·3
NNER AND MIDDLE TEMPLES.	289	—	1	—	—	1	3·5	4	—	4	13·8	—	—	−10·3
ETROPOLITAN BOROUGHS:														
Battersea ..	172,100	1,620	1,458	57	49	3,184	18·5	911	894	1,805	10·5	186	58	8·0
Bermondsey ..	123,000	1,369	1,358	24	24	2,775	22·6	856	714	1,570	12·8	212	76	9·8
Bethnal Green	119,800	1,328	1,255	26	21	2,630	22·0	743	683	1,426	11·9	212	81	10·1
Camberwell ..	275,400	2,401	2,350	60	66	4,877	17·7	1,594	1,474	3,068	11·1	312	64	6·6
Chelsea	64,820	451	419	32	33	935	14·4	457	429	886	13·7	64	68	0·7

* Population adjusted to allow for change in boundary during the year.
† Death-rates based upon estimated civilian populations as follows:—Greater London, 7,719,622; London 4,602,000.
‡ See footnote on second page of Table 13.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1925.—COUNTIES. COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1925).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F	TOTAL.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
LONDON—*cont.*														
METROPOLITAN BORO'S—*cont.*														
Deptford ..	115,900	1,072	1,042	40	21	2,175	18·8	756	643	1,399	12·1	137	63	6·7
Finsbury ..	77,560	861	828	29	23	1,741	22·4	534	516	1,050	13·5	104	60	8·9
Fulham	163,700	1,366	1,302	72	71	2,811	17·2	870	885	1,755	10·7	212	75	6·5
Greenwich ..	103,936	1,021	867	27	29	1,944	18·7	646	532	1,178	11·4†	136	70	7·3
Hackney	228,300	2,052	1,925	66	50	4,093	17·9	1,259	1,358	2,617	11·5	267	65	6·4
Hammersmith	134,500	1,142	1,091	55	64	2,352	17·5	752	857	1,609	12·0	154	65	5·5
Hampstead ..	88,040	527	463	39	44	1,073	12·2	415	508	923	10·5	59	55	1·7
Holborn	43,315	232	258	22	15	527	12·2	299	243	542	12·5	33	63	−0·3
Islington ..	339,200	3,246	3,028	139	133	6,546	19·3	2,126	2,055	4,182	12·3	414	63	7·0
Kensington ..	179,600	1,356	1,292	112	86	2,846	15·8	1,057	1,314	2,371	13·2†	226	79	2·6
Lambeth ..	311,100	2,732	2,522	151	138	5,543	17·8	1,914	1,945	3,859	12·4	354	64	5·4
Lewisham ..	185,600	1,439	1,385	44	39	2,907	15·7	896	1,029	1,925	10·4	162	56	5·3
Paddington ..	147,100	1,113	1,040	104	81	2,338	15·9	863	929	1,792	12·2	169	72	3·7
Poplar	168,500	1,930	1,835	34	32	3,831	22·7	1,044	920	1,964	11·7	290	76	11·0
St. Marylebone	106,100	698	646	77	75	1,496	14·1	586	676	1,262	11·9	96	64	2·2
St. Pancras ..	216,300	1,859	1,786	133	107	3,885	18·0	1,447	1,294	2,741	12·7†	280	72	5·3
Shoreditch ..	107,300	1,251	1,294	45	37	2,627	24·5	772	644	1,416	13·2	231	88	11·3
Southwark ..	189,000	1,959	1,927	67	64	4,017	21·3	1,379	1,114	2,493	13·2	313	78	8·1
Stepney	256,070	2,668	2,529	79	62	5,338	20·8	1,703	1,420	3,123	12·2†	404	76	8·6
Stoke Newington	53,190	397	401	14	8	820	15·4	296	335	631	11·9	55	67	3·5
Wandsworth ..	340,900	2,406	2,329	70	75	4,880	14·3	1,660	1,932	3,592	10·5	264	54	3·8
Westminster ..	142,600	701	692	70	64	1,527	10·7	923	808	1,731	12·4†	106	69	−1·7
Woolwich ..	145,440	1,316	1,190	36	40	2,582	17·8	769	750	1,519	10·8†	141	55	7·0
MIDDLESEX. Administrative County	1306430	10,674	10,079	395	385	21,533	16·5	6,535	6,657	13,192	10·1†	1220	57	6·4
MUNICIPAL BORO'S AND URBAN DISTRICTS.	1244300	10,104	9,597	370	366	20,437	16·4	6,227	6,367	12,594	10·1†	1155	57	6·3
Acton M.B. ..	63,110	522	487	17	21	1,047	16·6	338	331	669	10·6	80	76	6·0
Brentford ..	17,680	180	155	3	6	344	19·5	105	93	198	11·2	14	41	8·3
Chiswick ..	40,460	308	277	20	15	620	15·3	250	262	512	12·7	54	87	2·6
Ealing M.B. ..	68,410	454	460	23	24	961	14·0	302	383	685	10·0	54	56	4·0
Edmonton ..	71,210	684	654	33	20	1,391	19·5	358	318	676	9·5	78	56	10·0
Enfield	63,740	538	483	14	16	1,051	16·5	300	335	635	10·0	54	51	6·5
Feltham	7,216	73	67	4	3	147	20·4	35	41	76	10·9†	10	68	9·5
Finchley ..	48,500	346	345	16	17	724	14·9	232	287	519	10·7	43	59	4·2
Friern Barnet	18,540	131	137	2	2	272	14·7	68	93	161	8·7	21	77	6·0
Greenford ..	1,610	14	13	—	—	27	16·8	8	8	16	9·9	3	111	6·9
Hampton ..	10,920	67	76	1	4	148	13·6	51	75	126	11·5	12	81	2·1
Hampton Wick	3,041	20	18	—	2	40	13·2	15	25	40	13·2	2	50	—
Hanwell	20,980	162	142	5	10	319	15·2	92	90	182	8·7	19	60	6·5
Harrow-on-the-Hill.	20,910	156	134	9	4	303	14·5	94	102	196	9·4	9	30	5·1
Hayes	8,859	102	103	1	3	209	23·6	39	29	68	7·7	13	62	15·9
Hendon	59,330	447	433	18	24	922	15·5	269	282	551	9·3†	36	39	6·2
Heston and Isleworth.	48,620	428	388	20	12	848	17·4	267	266	533	11·0†	62	73	6·4
Hornsey M.B.	87,210	603	572	18	21	1,214	13·9	443	513	956	11·0	53	44	2·9
Kingsbury ..	2,303	19	29	1	1	50	21·7	15	9	24	10·4	4	80	11·3
Ruislip Northwood.	10,540	96	73	1	8	178	16·9	46	32	78	7·6†	4	22	9·3
Southall Norwood.	32,220	268	232	7	7	514	16·0	135	110	245	7·6	26	51	8·4
Southgate ..	39,860	238	206	10	7	461	11·6	184	209	393	9·9	17	37	1·7
Staines	7,532	55	69	2	2	128	17·0	35	39	74	9·8	4	31	7·2

† Death-rates based upon estimated civilian populations as follows:—Metropolitan Boroughs—Greenwich, 102,936; Kensington, 179,400; St. Pancras, 215,900; Stepney, 255,370; Westminster, 139,600; Woolwich, 140,740. Middlesex—Administrative County, 1,302,950. Municipal Boroughs and Urban Districts, 1,241,100; Feltham U.D., 6,946; Hendon U.D., 59,150; Heston and Isleworth U.D., 48,350; Ruislip Northwood U.D., 10,260.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1925.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1925).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	TOTAL.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
DLESEX—*cont.*														
ICIPAL BORO'S AND URBAN DISTS.—*cont.*														
nbury-on-Thames.	5,910	65	62	1	1	129	21·8	21	26	47	8·0	11	85	13·8
ddington ..	21,860	187	185	11	6	389	17·8	131	133	264	12·1	19	49	5·7
ttenham ..	153,600	1,357	1,338	31	30	2,756	17·9	829	779	1,608	10·5	149	54	7·4
vickenham ..	35,160	297	281	12	23	613	17·4	211	170	381	10·8	43	70	6·6
xbridge ..	14,180	110	103	1	1	215	15·2	58	59	117	9·8†	13	60	5·4
ealdstone ..	13,970	125	121	4	4	254	18·2	70	56	126	9·0	9	35	9·2
embley ..	20,360	232	180	9	7	428	21·0	92	95	187	9·2	25	58	11·8
illesden ..	168,900	1 382	1,364	61	60	2,867	17·0	852	839	1,691	10·0	168	59	7·0
ood Green ..	51,960	362	361	12	5	740	14·2	253	254	507	9·8	35	47	4·4
ewsley ..	5,599	76	49	3	—	128	22·9	29	24	53	9·5	11	86	13·4
AL DISTRICTS.	62,130	570	482	25	19	1,096	17·6	308	290	598	9·7†	65	59	7·9
ndon	19,510	166	138	2	7	313	16·0	88	76	164	8·4	13	42	7·6
uth Mimms	3,470	29	19	2	—	50	14·4	13	20	33	9·5	—	—	4·9
ines	26,550	252	221	13	11	497	18·7	144	134	278	10·5	37	74	8·2
xbridge ..	12,600	123	104	8	1	236	18·7	63	60	123	10·0†	15	64	8·7
FOLK:														
TY BORO'S:	182,090	1,537	1,492	71	75	3,175	17·4	1,040	1,184	2,224	12·2†	199	63	5·2
eat Yarmouth	57,890	478	451	22	21	972	16·8	338	399	737	12·7	69	71	4·1
rwich	124,200	1,059	1,041	49	54	2,203	17·7	702	785	1,487	12·0†	130	59	5·7
NISTRATIVE COUNTY.	322,620	2,605	2,451	156	168	5,380	16·7	1,956	1,990	3,946	12·3†	289	54	4·4
ICIPAL BORO'S AND URBAN DISTRICTS.	61,518*	448	439	32	39	958	15·6	385	412	797	13·0	64	67	2·6
mer	4,240	16	24	—	—	40	9·4	12	17	29	6·8	—	—	2·6
ss	3,518	26	18	2	4	50	14·2	20	28	48	13·6	6	120	0·6
wnhamMarket	2,353	16	25	3	2	46	19·5	12	18	30	12·7	1	22	6·8
st Dereham	5,693	44	56	5	6	111	19·5	35	34	69	12·1	4	36	7·4
ng's LynnM.B.	20,430	165	151	11	16	343	16·8	134	138	272	13·3	25	73	3·5
w Hunstanton	3,054*	8	17	1	1	27	8·8	19	10	29	9·5	2	74	−0·7
rth Walsham	4,254	40	30	1	—	71	16·7	24	35	59	13·9	2	28	2·8
eringham ..	3,812	25	25	1	2	53	13·9	22	22	44	11·5	6	113	2·4
affham ..	2,783	15	16	—	—	31	11·1	39	25	64	23·0	1	32	−11·9
etford M.B.	4,744	31	30	3	2	66	13·9	24	28	52	11·0	6	91	2·9
lsoken ..	3,954	45	32	3	5	85	21·5	30	30	60	15·2	10	118	6·3
lls	2,683	17	15	2	1	35	13·0	14	27	41	15·3	1	29	−2·3
AL DISTRICTS.	261,102*	2,157	2,012	124	129	4,422	16·9	1,571	1,578	3,149	12·1†	225	51	4·8
lsham ..	16,730	139	113	10	9	271	16·2	101	121	222	13·3	13	48	2·9
field	13,030	118	92	6	7	223	17·1	72	63	135	10·4	9	40	6·7
pwade.. ..	19,020	159	155	7	7	328	17·2	113	121	234	12·3	9	27	4·9
cking	17,282*	147	128	9	9	293	17·0	106	96	202	12·0†	15	51	5·0
wnham ..	15,020	137	140	8	10	295	19·6	93	92	185	12·3	12	41	7·3
st and West Flegg.	10,470	93	75	4	4	176	16·8	60	64	124	11·8	14	80	5·0
pingham ..	17,750	117	138	15	9	279	15·7	87	84	171	9·6	12	43	6·1
rehoe	12,020	111	89	7	6	213	17·7	75	79	154	12·8	12	56	4·9
eebridge Lynn	11,930	108	90	3	4	205	17·2	64	76	140	11·7	10	49	5·5
nstead ..	10,290	79	73	1	5	158	15·4	59	53	112	10·9	6	38	4·5

* Population adjusted to allow for change in boundary during the year.

† Death-rate based upon estimated civilian populations as follows :—Middlesex, Uxbridge U.D., 11,980; Rural Districts, 1,850: Uxbridge, R.D., 12,320; Norfolk County Boroughs, 181,890; Norwich C.B., 124,000; Administrative County, 2,120; Rural Districts, 260,602*; Docking R.D., 16,782*.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1925.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1925).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F	Total.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	Total.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
NORFOLK—*cont.*														
RURAL DISTRICTS—*cont.*														
King's Lynn ..	899	5	4	—	—	9	10·0	4	5	9	10·0	1	111	—
Loddon and Clavering	12,340	106	90	7	7	210	17·0	71	78	149	12·1	12	57	4·9
Marshland ..	14,680	116	147	8	13	284	19·3	81	87	168	11·4	23	81	7·9
Mitford and Launditch.	18,010	144	129	7	11	291	16·2	109	116	225	12·5	18	62	3·7
St. Faith's ..	11,560	90	93	3	4	190	16·4	67	61	128	11·1	4	21	5·3
Smallburgh ..	14,030	103	92	7	6	208	14·8	89	89	178	12·7	10	48	2·1
Swaffham ..	7,206	52	59	1	4	116	16·1	43	37	80	11·1	6	52	5·0
Thetford ..	9,425	92	76	6	1	175	18·6	78	62	140	14·9	19	109	3·7
Walsingham ..	16,290	127	130	7	7	271	16·6	96	99	195	12·0	8	30	4·6
Wayland ..	13,120	114	99	8	6	227	17·3	103	95	198	15·1	12	53	2·2
NORTHAMPTONSHIRE:														
COUNTY BORO':														
Northampton	93,970	702	717	33	19	1,471	15·7	561	556	1,117	11·9†	97	66	3·8
ADMINISTRATIVE COUNTY.	215,300	1,716	1,636	61	67	3,480	16·2	1,297	1,228	2,525	11·7	197	57	4·5
MUNICIPAL BORO'S AND URBAN DISTRICTS.	101,900	806	760	32	31	1,629	16·0	540	552	1,092	10·7	100	61	5·3
Brackley M.B.	2,304	16	20	—	2	38	16·5	12	13	25	10·9	1	26	5·6
Burton Latimer	3,503	30	22	1	—	53	15·1	26	18	44	12·6	3	57	2·5
Daventry M.B.	3,525	39	23	2	3	67	19·0	26	24	50	14·2	9	134	4·8
Desborough ..	4,344	36	37	1	—	74	17·0	20	25	45	10·4	3	41	6·6
Finedon	4,185	35	44	3	1	83	19·8	27	25	52	12·4	7	84	7·4
Higham Ferrers M.B.	2,998	18	16	—	1	35	11·7	6	11	17	5·7	3	86	6·0
Irthlingborough	4,946	34	43	—	—	77	15·6	28	29	57	11·5	5	65	4·1
Kettering ..	30,680	242	221	7	13	483	15·7	169	165	334	10·9	31	64	4·8
Oundle	2,651	12	15	4	—	31	11·7	9	17	26	9·8	—	—	1·9
Raunds ..	3,837	29	24	—	—	53	13·8	20	12	32	8·3	1	19	5·5
Rothwell ..	4,617	34	38	3	—	75	16·2	18	20	38	8·2	5	67	8·0
Rushden ..	13,780	109	97	2	3	211	15·3	66	72	138	10·0	13	62	5·3
Wellingborough	20,530	172	160	9	8	349	17·0	113	121	234	11·4	19	54	5·6
RURAL DISTRICTS:	113,400	910	876	29	36	1,851	16·3	757	676	1,433	12·6	97	52	3·7
Brackley ..	6,556	48	54	3	2	107	16·3	46	54	100	15·3	5	47	1·0
Brixworth ..	11,890	91	104	1	2	198	16·7	91	77	168	14·1	10	51	2·6
Crick	2,423	27	19	—	1	47	19·4	16	13	29	12·0	2	43	7·4
Daventry ..	13,980	113	105	2	5	225	16·1	97	63	160	11·4	12	53	4·7
Easton-on-the-Hill.	1,468	17	15	2	1	35	23·8	5	10	15	10·2	2	57	13·6
Gretton	1,374	13	7	—	—	20	14·6	11	6	17	12·4	2	100	2·2
Hardingstone	7,457	59	59	1	2	121	16·2	52	44	96	12·9	6	50	3·3
Kettering ..	9,477	79	59	2	4	144	15·2	85	42	127	13·4	10	69	1·8
MiddletonCheney	2,419	17	19	1	2	39	16·1	14	12	26	10·7	2	51	5·4
Northampton	7,849	90	59	1	2	152	19·4	33	44	77	9·8	6	39	9·6
Oundle (part of)‡	6,536	49	47	1	2	99	15·1	38	42	80	12·2	4	40	2·9
Oxendon ..	3,974	28	20	2	1	51	12·8	25	25	50	12·6	2	39	0·2
Potterspury ..	4,768	29	37	3	1	70	14·7	30	32	62	13·0	4	57	1·7
Thrapston (part of)‡.	10,510	84	91	6	2	183	17·4	67	76	143	13·6	10	55	3·8
Towcester ..	9,959	69	74	3	4	150	15·1	55	68	123	12·4	8	53	2·7
Wellingborough	12,760	97	107	1	5	210	16·5	92	68	160	12·5	12	57	4·0

† Death-rate based upon estimated civilian population of 93,780.
‡ The remaining parts of Oundle and Thrapston Rural Districts are in Huntingdonshire.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1925.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1925).	BIRTHS. Legitimate. M.	BIRTHS. Legitimate. F.	BIRTHS. Illegitimate. M.	BIRTHS. Illegitimate. F.	BIRTHS. TOTAL.	BIRTHS. Crude Rate per 1,000. Total Population.	DEATHS. M.	DEATHS. F.	DEATHS. TOTAL.	DEATHS. Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Deaths under 1 year. Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
RTHUMBERLAND:														
UNTY BORO'S.	353,280	3,787	3,622	153	117	7,679	21·7	2,623	2,199	4,822	13·7†	693	90	8·0
Newcastle-upon-Tyne.	287,100	3,096	2,905	121	93	6,215	21·6	2,140	1,778	3,918	13·7†	554	89	7·9
Tynemouth ..	66,180	691	717	32	24	1,464	22·1	483	421	904	13·7	139	95	8·4
MINISTRATIVE COUNTY.	413,400	4,287	3,991	187	169	8,634	20·9	2,499	2,308	4,807	11·6	708	82	9·3
NICIPAL BORO'S AND URBAN DISTRICTS.	308,200	3,405	3,125	136	128	6,794	22·0	1,913	1,735	3,648	11·8	606	89	10·2
Alnwick	6,988	74	59	4	2	139	19·9	54	61	115	16·5	20	144	3·4
Amble	4,637	40	47	2	2	91	19·6	32	22	54	11·6	8	88	8·0
Ashington ..	31,740	436	364	15	15	830	26·1	174	159	333	10·5	85	102	15·6
Bedlingtonshire	28,630	349	318	13	8	688	24·0	174	143	317	11·1	61	89	12·9
Berwick-upon-Tweed M.B.	12,200	134	103	8	5	250	20·5	88	83	171	14·0	19	76	6·5
Blyth M.B. ..	34,070	393	357	18	18	786	23·1	222	189	411	12·1	80	102	11·0
Cramlington ..	9,307	121	114	5	3	243	26·1	58	43	101	10·9	10	41	15·2
Earsdon	12,080	141	130	5	2	278	23·0	70	66	136	11·3	24	86	11·7
Gosforth ..	15,890	107	127	5	7	246	15·5	80	81	161	10·1	24	98	5·4
Hexham	8,476	70	72	6	5	153	18·1	47	66	113	13·3	13	85	4·8
Longbenton ..	13,780	150	120	3	3	276	20·0	87	68	155	11·2	15	54	8·8
Morpeth M.B.	7,662	89	73	4	7	173	22·6	58	45	103	13·4	14	81	9·2
Newbiggin by the Sea	7,149	99	93	4	5	201	28·1	40	29	69	9·7	15	75	18·4
Newburn.. ..	20,570	204	185	8	5	402	19·5	141	96	237	11·5	27	67	8·0
Prudhoe	9,377	108	115	6	5	234	25·0	56	50	106	11·3	16	68	13·7
Rothbury ..	1,210	11	9	—	—	20	16·5	10	11	21	17·4	2	100	—0·9
Seaton Delaval	8,095	75	75	6	2	158	19·5	40	37	77	9·5	14	89	10·0
Seghill	2,137	12	29	1	2	44	20·6	10	18	28	13·1	6	136	7·5
Wallsend M.B.	45,620	528	501	14	25	1,068	23·4	332	293	625	13·7	116	109	9·7
Weetslade ..	7,472	112	76	2	1	191	25·6	44	48	92	12·3	23	120	13·3
Whitley and Monkseaton	21,110	152	158	7	6	323	15·3	96	127	223	10·6	14	43	4·7
RAL DISTRICTS	105,200	882	866	51	41	1,840	17·5	586	573	1,159	11·0	102	55	6·5
Alnwick	12,460	101	113	9	4	227	18·2	74	84	158	12·7	10	44	5·5
Belford	4,909	35	34	3	1	73	14·9	38	25	63	12·8	5	68	2·1
Bellingham ..	5,676	52	32	2	2	88	15·5	26	39	65	11·5	5	57	4·0
Castle Ward ..	13,280	94	103	3	7	207	15·6	62	56	118	8·9	16	77	6·7
Glendale ..	8,003	66	66	3	3	138	17·2	43	55	98	12·2	6	43	5·0
Haltwhistle ..	9,463	84	86	6	6	182	19·2	54	44	98	10·4	18	99	8·8
Hexham	22,140	179	160	12	5	356	16·1	125	127	252	11·4	13	37	4·7
Morpeth	19,200	194	191	11	8	404	21·0	115	92	207	10·8	23	57	10·2
Newcastle-upon-Tyne (Moot Hall and precincts)	6	—	—	—	—	—	—	—	—	—	—	—	—	—
Norham and Islandshires	5,314	44	46	2	1	93	17·5	26	31	57	10·7	5	54	6·8
Rothbury ..	4,749	33	35	—	4	72	15·2	23	20	43	9·1	1	14	6·1
TTINGHAMSHIRE														
UNTY BORO':														
Nottingham ..	270,600	2,516	2,383	144	148	5,191	19·2	1,835	1,900	3,735	13·8	500	96	5·4
MINISTRATIVE COUNTY.	393,400	3,780	3,766	199	176	7,921	20·1	2,385	2,163	4,548	11·6	611	77	8·5

† Death-rates based upon estimated civilian populations as follows:—Northumberland—County Boroughs—352,480; Newcastle-upon-Tyne C.B., 286,300.

Table 14—*cont.*

Population, Births, Deaths, Infant Mortality, Natural Increase, 1925.—Counties, County Boroughs, Municipal Boroughs and Urban Districts, Rural Districts.

Area.	Estimated Population (Middle 1925).	Births. Legitimate. M.	Births. Legitimate. F.	Births. Illegitimate. M.	Births. Illegitimate. F	Births. Total.	Births. Crude Rate per 1,000. Total Population.	Deaths. M.	Deaths. F.	Deaths. Total.	Deaths. Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Deaths under 1 year. Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
Nottinghamshire—*cont.*														
Municipal Boro's and Urban Districts.	253,600	2,465	2,426	130	123	5,144	20·3	1,484	1,313	2,797	11·0	406	79	9·3
Arnold	12,300	114	117	5	6	242	19·7	67	79	146	11·9	11	45	7·8
Beeston	13,040	118	112	10	5	245	18·8	81	70	151	11·6	20	82	7·2
Carlton	19,320	168	180	9	13	370	19·2	112	99	211	10·9	20	54	8·3
East Retford M.B.	13,190	131	115	7	9	262	19·9	89	79	168	12·7	22	84	7·2
Eastwood ..	5,411	50	49	4	3	106	19·6	49	21	70	12·9	7	66	6·7
Hucknall.. ..	17,600	185	189	7	3	384	21·8	122	91	213	12·1	35	91	9·7
Huthwaite ..	5,667	56	57	5	3	121	21·4	29	26	55	9·7	18	149	11·7
Kirkby-in-Ashfield.	18,700	188	173	15	9	385	20·6	103	83	186	9·9	32	83	10·7
Mansfield M.B.	47,000	446	458	20	12	936	19·9	228	205	433	9·2	72	77	10·7
Mansfield Woodhouse.	14,480	142	157	5	7	311	21·5	73	68	141	9·7	26	84	11·8
Newark M.B.	16,820	155	144	12	8	319	19·0	119	115	234	13·9	36	113	5·1
Sutton-in-Ashfield.	24,880	263	241	13	17	534	21·5	158	134	292	11·7	45	84	9·8
Warsop	8,142	100	110	2	6	218	26·8	32	39	71	8·7	18	83	18·1
West Bridgford	13,050	65	68	4	2	139	10·7	86	66	152	11·6	6	43	—0·9
Worksop ..	24,000	284	256	12	20	572	23·8	136	138	274	11·4	38	66	12·4
Rural Districts:	139,800	1,315	1,340	69	53	2,777	19·9	901	850	1,751	12·5	205	74	7·4
Basford	44,700	395	430	19	11	855	19·1	283	256	539	12·1	67	78	7·0
Bingham ..	14,380	127	120	7	7	261	18·2	90	84	174	12·1	17	65	6·1
East Retford ..	14,720	135	108	6	5	254	17·3	92	97	189	12·8	6	24	4·5
Leake	3,716	32	28	—	—	60	16·1	31	20	51	13·7	3	50	2·4
Misterton ..	4,152	24	33	2	1	60	14·5	26	16	42	10·1	4	67	4·4
Newark	8,958	85	78	6	5	174	19·4	46	58	104	11·6	15	86	7·8
Nottingham (Shire Hall)	6	—	—	—	—	—	—	—	—	—	—	—	—	—
Skegby	10,160	124	140	7	6	277	27·3	67	69	136	13·4	25	90	13·9
Southwell ..	20,930	186	226	10	14	436	20·8	153	137	290	13·9	40	92	6·9
Stapleford ..	11,740	107	97	5	4	213	18·1	63	78	141	12·0	17	80	6·1
Worksop‡ ..	5,939	98	77	7	—	182	30·6	49	34	83	14·0	11	60	16·6
Civil Parishes of Kingston upon Soar and Ratcliffe upon Soar administered by R.D.C. of Shardlow (Derbyshire).	399	2	3	—	—	5	12·5	1	1	2	5·0	—	—	7·5
Oxfordshire:														
County Boro':														
Oxford	57,090	464	381	16	21	882	15·4	331	346	677	11·9	44	50	3·5
Administrative County.	134,070	1,134	1,021	64	56	2,275	17·0	866	868	1,734	13·0†	108	47	4·0
Municipal Boro's and Urban Districts.	35,620	296	267	15	14	592	16·6	223	243	466	13·1	35	59	3·5
Banbury M.B.	13,760	112	95	5	5	217	15·8	74	83	157	11·4	14	65	4·4
Bicester	2,984	28	32	1	5	66	22·1	24	19	43	14·4	2	30	7·7
Chipping Norton M.B.	3,559	31	18	2	3	54	15·2	22	30	52	14·6	2	37	0·6

† Death-rate based upon estimated civilian populations of 133,850.
‡ On 5th May, 1925, Blyth and Cuckrey Rural District was renamed Worksop Rural District.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1925.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1925).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	Total.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
XFORDSHIRE —*cont.*														
UNICIPAL BORO'S AND URBAN DISTRICTS—*cont.*														
Henley-on-Thames M.B.	6,513	63	47	3	—	113	17·3	42	42	84	12·9	5	44	4·4
Thame	2,874	19	25	2	—	46	16·0	24	18	42	14·6	3	65	1·4
Wheatley ..	933	11	10	1	1	23	24·7	6	7	13	13·9	3	130	10·8
Witney	3,449	25	29	—	—	54	15·7	18	28	46	13·3	5	93	2·4
Woodstock M.B.	1,548	7	11	1	—	19	12·3	13	16	29	18·7	1	53	−6·4
URAL DISTRICTS.	98,450	838	754	49	42	1,683	17·1	643	625	1,268	12·9†	73	43	4·2
Banbury ..	11,220	99	96	4	5	204	18·2	85	84	169	15·1	9	44	3·1
Bicester	8,720	65	63	1	7	136	15·6	66	42	108	12·4	4	29	3·2
Chipping Norton	10,250	71	73	7	6	157	15·3	68	60	128	12·5	11	70	2·8
Crowmarsh ..	5,061	52	38	3	1	94	18·6	41	33	74	14·6	9	96	4·0
Culham	2,535	25	22	1	—	48	18·9	24	17	41	16·2	2	42	2·7
Goring	3,232	23	27	—	1	51	15·8	21	15	36	11·1	1	20	4·7
Headington ..	14,970	134	130	9	6	279	18·6	72	87	159	10·8†	10	36	7·8
Henley	10,870	88	67	9	5	169	15·5	67	62	129	11·9	6	36	3·6
Thame	5,132	40	33	4	2	79	15·4	44	42	86	16·8	4	51	−1·4
Witney	16,010	154	116	2	5	277	17·3	87	108	195	12·2	7	25	5·1
Woodstock ..	10,450	87	89	9	4	189	18·1	68	75	143	13·7	10	53	4·4
ETERBOROUGH, SOKE OF: Administrative County.	48,520	373	370	16	18	777	16·0	253	280	533	11·0	49	63	5·0
UNICIPAL BORO': Peterborough M.B.	36,650	284	275	12	13	584	15·9	188	208	396	10·8	35	60	5·1
URAL DISTRICTS.	11,870	89	95	4	5	193	16·3	65	72	137	11·5	14	73	4·8
Barnack	1,965	11	12	2	—	25	12·7	12	12	24	12·2	5	200	0·5
Peterborough	9,905	78	83	2	5	168	17·0	53	60	113	11·4	9	54	5·6
UTLANDSHIRE: Administrative County.	18,240	128	144	10	6	288	15·8	134	123	257	14·1	23	80	1·7
RBAN DISTRICT: Oakham	3,250	20	22	—	1	43	13·2	27	21	48	14·8	5	116	−1·6
URAL DISTRICTS.	14,990	108	122	10	5	245	16·3	107	102	209	13·9	18	73	2·4
Ketton	2,877	20	22	1	—	43	14·9	24	22	46	16·0	2	47	−1·1
Oakham	5,938	51	55	5	2	113	19·0	49	38	87	14·7	7	62	4·3
Uppingham ..	6,175	37	45	4	3	89	14·4	34	42	76	12·3	9	101	2·1
HROPSHIRE: Administrative County.	246,800	2,141	2,073	124	131	4,469	18·1	1,499	1,425	2,924	11·9†	271	61	6·2
UNICIPAL BORO'S AND URBAN DISTRICTS.	114,600	1,011	963	47	64	2,085	18·2	690	742	1,432	12·6†	130	62	5·6
Bishop's Castle M.B.	1,259	11	16	—	2	29	23·0	4	11	15	11·9	1	34	11·1
Bridgnorth M.B.	4,968	38	30	2	3	73	14·7	35	34	69	13·9	7	96	0·8
Church Stretton	1,605	12	11	—	3	26	16·2	5	7	12	7·5	—	—	8·7
Dawley	7,545	68	76	4	5	153	20·3	56	62	118	15·6	13	85	4·7
Ellesmere ..	1,856	12	14	4	—	30	16·2	17	11	28	15·1	1	33	1·1

† Death-rates based upon estimated civilian populations as follows:—Oxfordshire—Rural Districts, 98,230; Headington R.D., 14,750; Shropshire—Administrative County 246,000; Municipal Boroughs and Urban Districts, 113,800.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1925.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1925).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F	TOTAL.	Crude Rate per 1,000 Total Population.	DEATHS. M.	F.	TOTAL.	Crude Rate per 1,000 Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
SHROPSHIRE—*cont*														
MUNICIPAL BORO'S AND URBAN DISTRICTS—*cont.*														
Ludlow M.B. ..	5,400	38	57	3	2	100	18·5	32	32	64	11·9	3	30	6·
Market Drayton	4,694	36	49	5	1	91	19·4	33	44	77	16·4	7	77	3·
Newport ..	3,125	22	28	—	4	54	17·3	20	19	39	12·5	1	19	4·
Oakengates ..	11,910	116	100	6	3	225	18·9	64	71	135	11·3	13	58	7·
Oswestry M.B.	9,968	114	73	2	3	192	19·3	55	56	111	11·1	9	47	8·
Shrewsbury M.B.	32,530	286	263	10	20	579	17·8	185	182	367	11·6†	45	78	6·
Wellington ..	8,172	62	57	4	4	127	15·5	43	47	90	11·0	3	24	4·
Wem	2,232	17	22	1	1	41	18·4	9	19	28	12·5	4	98	5·
Wenlock M.B.	13,760	130	130	6	10	276	20·1	93	104	197	14·3	18	65	5·
Whitchurch ..	5,576	49	37	—	3	89	16·0	39	43	82	14·7	5	56	1·
RURAL DISTRICTS.	132,200	1,130	1,110	77	67	2,384	18·0	809	683	1,492	11·3	141	59	6·
Atcham	22,530	192	182	12	12	398	17·7	141	113	254	11·3	24	60	6·
Bridgnorth ..	8,529	73	77	5	3	158	18·5	57	50	107	12·5	13	82	6·
Burford	1,263	13	7	—	—	20	15·8	11	5	16	12·7	3	150	3·
Chirbury ..	3,336	24	26	2	2	54	16·2	23	27	50	15·0	—	—	1·
Church Stretton	4,478	41	41	1	2	85	19·0	34	27	61	13·6	7	82	5·
Cleobury Mortimer	7,696	72	74	4	2	152	19·8	40	32	72	9·4	8	53	10·
Clun..	6,310	63	55	3	2	123	19·5	37	32	69	10·9	4	33	8·
Drayton	7,379	51	73	3	3	130	17·6	32	50	82	11·1	12	92	6·
Ellesmere ..	8,078	72	63	4	5	144	17·8	55	41	96	11·9	7	49	5·
Ludlow	8,965	93	71	7	11	182	20·3	60	45	105	11·7	7	38	8·
Newport	5,789	51	45	4	—	100	17·3	36	27	63	10·9	8	80	6·
Oswestry.. ..	16,580	142	152	9	7	310	18·7	94	79	173	10·4	18	58	8·
Shifnal	7,586	51	49	4	2	106	14·0	43	37	80	10·5	1	9	3·
Teme	1,668	18	11	—	3	32	19·2	14	11	25	15·0	3	94	4·
Wellington ..	11,300	94	94	8	6	202	17·9	73	51	124	11·0	14	69	6·
Wem	8,614	66	74	8	6	154	17·9	47	42	89	10·3	11	71	7·
Whitchurch ..	2,099	14	16	3	1	34	16·2	12	14	26	12·4	1	29	3·
SOMERSETSHIRE:														
COUNTY BORO':														
Bath	69,050	451	484	20	22	977	14·1	416	554	970	14·0	51	52	0·
ADMINISTRATIVE COUNTY.	398,000	3,012	2,931	124	104	6,171	15·5	2,251	2,596	4,847	12·2†	316	51	3·
MUNICIPAL BORO'S AND URBAN DISTRICTS.	166,900	1,216	1,121	57	42	2,436	14·6	911	1,134	2,045	12·3†	133	55	2·
Bridgwater M.B.	16,410	147	135	5	5	292	17·8	110	119	229	14·0	24	82	3·
Burnham-on-Sea	5,038	23	21	1	3	48	9·5	27	43	70	13·9	1	21	—4·
Chard M.B. ..	4,286	32	26	1	1	60	14·0	18	24	42	9·8	1	17	4·
Clevedon ..	6,261	46	32	1	4	83	13·3	41	56	97	15·5	5	60	—2·
Crewkerne ..	3,653	21	22	2	2	47	12·9	29	26	55	15·1	1	21	—2·
Frome	10,730	87	63	2	6	158	14·7	65	91	156	14·5	13	82	0·
Glastonbury M.B.	4,435	29	28	2	—	59	13·3	18	32	50	11·3	5	85	2·
Highbridge ..	2,560	22	21	—	—	43	16·8	15	8	23	9·0	1	23	7·
Ilminster.. ..	2,281	5	22	1	—	28	12·3	14	10	24	10·5	—	—	1·
Midsomer Norton	8,206	63	80	4	1	148	18·0	41	39	80	9·7	6	41	8·
Minehead ..	5,460	46	34	2	3	85	15·6	26	44	70	12·8	5	59	2·
Portishead ..	3,873	36	18	1	1	56	14·5	21	31	52	13·4	2	36	1·

† Death-rates based upon estimated civilian populations as follows:—Shropshire—Shrewsbury M.B., 31,730; Somersetshire—Administrative County, 397,800; Municipal Boroughs and Urban Districts, 166,700.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1925.—COUNTIES. COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS

AREA.	Estimated Population (Middle 1925).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F	Total.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	Total.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
OMERSETSHIRE —*cont.*														
UNICIPAL BORO'S AND URBAN DISTRICTS—*cont.*														
Radstock ..	3,855	33	37	1	—	71	18·4	8	22	30	7·8	2	28	10·6
Shepton Mallet	4,326	35	31	3	1	70	16·2	31	25	56	12·9	6	86	3·3
Street	4,470	21	30	—	—	51	11·4	25	26	51	11·4	4	78	—
Taunton M.B.	24,660	186	150	15	5	356	14·4	155	129	284	11·6†	22	62	2·8
Watchet	1,839	16	18	1	—	35	19·0	15	15	30	16·3	3	86	2·7
Wellington ..	7,087	46	49	2	—	97	13·7	33	53	86	12·1	4	41	1·6
Wells M.B. ..	4,388	27	34	1	1	63	14·4	35	43	78	17·8	3	48	—3·4
Weston-super-Mare.	25,720	154	144	9	5	312	12·1	114	194	308	12·0	13	42	0·1
Wiveliscombe..	1,252	10	11	1	—	22	17·6	4	7	11	8·8	1	45	8·8
Yeovil M.B. ..	16,110	131	115	2	4	252	15·6	66	97	163	10·1	11	44	5·5
URAL DISTRICTS.	231,100	1,796	1,810	67	62	3,735	16·2	1,340	1,462	2,802	12·1	183	49	4·1
Axbridge.. ..	23,820	154	189	4	7	354	14·9	130	156	286	12·0	12	34	2·9
Bath	14,720	95	99	4	5	203	13·8	83	91	174	11·8	18	89	2·0
Bridgwater ..	17,630	159	162	—	8	329	18·7	114	121	235	13·3	21	64	5·4
Chard	12,640	102	92	2	3	199	15·7	68	82	150	11·9	13	65	3·8
Clutton	16,280	120	134	4	1	259	15·9	111	89	200	12·3	11	42	3·6
Dulverton ..	4,641	54	31	4	1	90	19·4	31	19	50	10·8	3	33	8·6
Frome	10,920	85	90	2	2	179	16·4	57	79	136	12·5	7	39	3·9
Keynsham ..	11,070	78	68	7	4	157	14·2	59	49	108	9·8	7	45	4·4
Langport ..	12,900	100	113	3	6	222	17·2	61	94	155	12·0	8	36	5·2
Long Ashton ..	18,850	134	144	6	3	287	15·2	110	129	239	12·7	13	45	2·5
Shepton Mallet	9,879	97	83	1	1	182	18·4	73	63	136	13·8	8	44	4·6
Taunton	16,360	133	113	8	5	259	15·8	86	108	194	11·9	14	54	3·9
Wellington ..	5,770	37	54	2	3	96	16·6	41	30	71	12·3	3	31	4·3
Wells	10,510	85	76	7	3	171	16·3	66	57	123	11·7	8	47	4·6
Williton	11,820	92	81	4	2	179	15·1	72	74	146	12·4	9	50	2·7
Wincanton ..	16,150	131	130	2	1	264	16·3	93	114	207	12·8	12	45	3·5
Yeovil	17,140	140	151	7	7	305	17·8	85	107	192	11·2	16	52	6·6
OUTHAMPTON :														
OUNTY BORO'S.	504,540	4,447	4,322	226	184	9,179	18·2	3,064	2,954	6,018	12·3†	549	60	5·9
Bournemouth..	85,840	529	552	39	36	1,156	13·5	529	654	1,183	13·8	61	53	—0·3
Portsmouth ..	250,100	2,306	2,263	113	88	4,770	19·1	1,502	1,373	2,875	12·3†	304	64	6·8
Southampton ..	168,600	1,612	1,507	74	60	3,253	19·3	1,033	927	1,960	11·6	184	57	7·7
DMINISTRATIVE COUNTY.	434,600	3,848	3,537	188	161	7,734	17·8	2,233	2,276	4,509	11·1†	402	52	6·7
UNICIPAL BORO'S AND URBAN DISTRICTS.	196,204*	1,804	1,664	86	62	3,616	18·4	931	1,002	1,933	10·9†	188	52	7·5
Aldershot M.B.	37,220	374	365	16	11	766	20·6	130	132	262	10·3†	36	47	10·3
Alton	5,410	47	37	5	5	94	17·4	24	33	57	10·5	3	32	6·9
Andover M.B.	8,575	97	70	3	3	173	20·2	52	61	113	13·2	8	46	7·0
Basingstoke M.B.	13,000	118	106	7	4	235	18·1	75	76	151	11·6	19	81	6·5
Christchurch M.B.	6,964	60	47	6	5	118	16·9	34	28	62	8·9	3	25	8·0
Eastleigh and Bishopstoke.	16,090	141	132	3	3	279	17·3	75	72	147	9·1	13	47	8·2
Fareham ..	10,370	92	90	8	1	191	18·4	53	57	110	10·6	10	52	7·8
Farnborough ..	15,520	155	139	5	1	300	19·3	50	52	102	9·3†	15	50	10·0

* Population adjusted to allow for change in boundary during the year.

† Death-rates based upon estimated civilian populations as follows:—Somersetshire, Taunton M.B., 24,460; Southampton—County Boroughs, 487,340; Portsmouth C.B., 232,900; Administrative County, 405,800; Municipal Boroughs and Urban Districts, 176,704*; Aldershot M.B. 25,380; Farnborough U.D., 10,990.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1925.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1925).	BIRTHS. Legitimate. M.	BIRTHS. Legitimate. F.	BIRTHS. Illegitimate. M.	BIRTHS. Illegitimate. F.	BIRTHS. TOTAL.	BIRTHS. Crude Rate per 1,000. Total Population.	DEATHS. M.	DEATHS. F.	DEATHS. TOTAL.	DEATHS. Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Deaths under 1 year. Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
SOUTHAMPTON —*cont.*														
MUNICIPAL BORO'S AND URBAN DISTRICTS—*cont.*														
Fleet	3,698*	31	22	2	2	57	15·4	23	33	56	15·1	1	18	0·3
Gosport M.B...	33,150	336	309	10	10	665	20·1	171	185	356	11·6†	37	56	8·5
Havant	4,367	31	33	5	1	70	16·0	28	36	64	14·7	4	57	1·3
Lymington M.B.	4,645	31	36	2	1	70	15·1	26	27	53	11·4	3	43	3·7
Petersfield ..	3,917	25	26	—	1	52	13·3	21	26	47	12·0	2	38	1·3
Romsey M.B.	4,805	47	30	—	2	79	16·4	29	26	55	11·4	1	13	5·0
Warblington ..	3,923	30	36	3	2	71	18·1	19	19	38	9·7	3	42	8·4
Winchester M.B.	24,550	189	186	11	10	396	16·1	121	139	260	10·9†	30	76	5·2
RURAL DISTRICTS.	238,396*	2,044	1,873	102	99	4,118	17·3	1,302	1,274	2,576	11·2†	214	52	6·1
Alresford.. ..	7,490	57	70	4	6	137	18·3	53	40	93	12·4	6	44	5·9
Alton	19,220	167	182	3	6	358	18·6	107	81	188	12·0†	29	81	6·6
Andover	11,900	131	102	4	6	243	20·4	50	48	98	8·5†	7	29	11·9
Basingstoke ..	13,110	119	102	7	7	235	17·9	71	81	152	11·8†	12	51	6·1
Catherington ..	4,419	41	38	—	1	80	18·1	22	34	56	12·7	1	13	5·4
Christchurch	5,605	46	33	6	2	87	15·5	31	34	65	11·6	7	80	3·9
Droxford.. ..	13,350	100	85	5	2	192	14·4	85	70	155	11·6	15	78	2·8
Fareham ..	16,350	135	137	8	11	291	17·8	93	77	170	11·0†	16	55	6·8
Fordingbridge	6,326	59	45	3	2	109	17·2	37	35	72	11·4	2	18	5·8
Hartley Wintney	21,176*	175	163	10	13	361	17·0	119	114	233	11·6†	16	44	5·4
Havant	7,520	58	52	2	1	113	15·0	40	52	92	12·2	7	62	2·8
Hursley	4,817	49	56	2	—	107	22·2	28	16	44	9·1	4	37	13·1
Kingsclere ..	8,579	87	54	3	5	149	17·4	52	48	100	11·7	5	34	5·7
Lymington ..	13,330	114	98	9	3	224	16·8	67	90	157	11·8	8	36	5·0
New Forest ..	19,760	188	175	14	5	382	19·3	110	101	211	11·0†	9	24	8·3
Petersfield ..	12,140	88	91	2	6	187	15·4	69	65	134	11·9†	8	43	3·5
Ringwood ..	7,510	72	55	5	7	139	18·5	38	52	90	12·0	13	94	6·5
Romsey	7,169	58	61	3	4	126	17·6	43	31	74	10·3	7	56	7·3
South Stoneham	12,800	105	95	3	1	204	15·9	55	63	118	9·4†	13	64	6·5
Stockbridge ..	6,295	48	39	3	5	95	15·1	35	44	79	12·5	7	74	2·6
Whitchurch ..	6,390	51	56	1	2	110	17·2	32	36	68	10·6	7	64	6·6
Winchester ..	13,140	96	84	5	4	189	14·4	65	62	127	10·8†	15	79	3·6
STAFFORDSHIRE:														
COUNTY BORO'S.	697,860	7,288	7,142	268	263	14,961	21·4	4,711	4,299	9,010	12·9	1,498	100	8·5
Burton-upon-Trent.	49,530	454	455	19	20	948	19·1	378	349	727	14·7	74	78	4·4
Smethwick ..	78,840	685	727	21	15	1,448	18·4	433	386	819	10·4	116	80	8·0
Stoke-on-Trent	278,900	3,124	3,002	130	144	6,400	22·9	1,944	1,853	3,797	13·6	683	107	9·3
Walsall	102,300	1,123	1,067	38	29	2,257	22·1	740	650	1,390	13·6	260	115	8·5
West Bromwich	79,490	913	860	27	21	1,821	22·9	497	453	950	12·0	180	99	10·9
Wolverhampton	108,800	989	1,031	33	34	2,087	19·2	719	608	1,327	12·2	185	89	7·0
ADMINISTRATIVE COUNTY.	723,700	7,512	7,280	214	235	15,241	21·1	4,556	4,161	8,717	12·1†	1,261	83	9·0

* Population adjusted to allow for change in boundary during the year.

† Death-rates based upon estimated civilian populations as follows:—Southampton—Gosport M.B., 30,670; Winchester M.B., 23,900; Rural Districts, 229,096*; Alton R.D., 15,620; Andover R.D., 11,550; Basingstoke R.D., 12,880; Fareham R.D., 15,400; Hartley Wintney R.D., 20,106*; New Forest R.D., 19,190; Petersfield R.D., 11,270; South Stoneham R.D., 12,520; Winchester R.D. 11,760; Staffordshire—Administrative County, 722,000.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1925.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1925).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	Total.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
STAFFORDSHIRE —*cont.*														
MUNICIPAL BORO'S AND URBAN DISTRICTS.	509,700	5,490	5,288	132	156	11,066	21·7	3,279	3,008	6,287	12·3	981	89	9·4
Amblecote ..	3,239	26	18	2	—	46	14·2	16	18	34	10·5	2	43	3·7
Audley	15,220	145	144	10	4	303	19·9	94	91	185	12·2	23	76	7·7
Biddulph ..	8,459	107	96	2	—	205	24·2	41	61	102	12·1	17	83	12·1
Bilston	30,240	363	403	7	13	786	26·0	261	234	495	16·4	93	118	9·6
Brierley Hill ..	13,110	132	121	3	5	261	19·9	67	58	125	9·5	16	61	10·4
Brownhills ..	20,310	223	206	3	3	435	21·4	104	102	206	10·1	29	67	11·3
Cannock	35,460	411	379	12	23	825	23·3	191	172	363	10·2	70	85	13·1
Coseley	25,690	312	269	7	4	592	23·0	181	144	325	12·7	56	95	10·3
Darlaston ..	19,180	221	236	4	—	461	24·0	143	123	266	13·9	51	111	10·1
Heathtown or Wednesfield Heath.	14,220	134	134	3	3	274	19·3	90	80	170	12·0	28	102	7·3
Kidsgrove ..	10,350	140	122	9	5	276	26·7	78	61	139	13·4	27	98	13·3
Leek	16,860	147	142	7	14	310	18·4	128	133	261	15·5	33	106	2·9
Lichfield M.B.	8,387	80	62	4	5	151	18·0	42	56	98	11·7	9	60	6·3
Newcastle-under-Lyme M.B.	21,530	266	217	6	11	500	23·2	144	148	292	13·6	42	84	9·6
Perry Barr ..	3,152	32	42	—	2	76	24·1	14	13	27	8·6	4	53	15·5
Quarry Bank..	8,631	93	76	—	—	169	19·6	37	45	82	9·5	13	77	10·1
Rowley Regis..	42,760	432	406	4	11	853	19·9	236	189	425	9·9	70	82	10·0
Rugeley	5,197	64	64	2	3	133	25·6	31	33	64	12·3	9	68	13·3
Sedgley	19,320	208	231	3	4	446	23·1	121	99	220	11·4	39	87	11·7
Short Heath ..	4,818	49	64	—	—	113	23·5	27	26	53	11·0	7	62	12·5
Stafford M.B.	29,030	246	223	9	8	486	16·7	135	134	269	9·3	25	51	7·4
Stone	5,649	45	44	1	—	90	15·9	33	45	78	13·8	6	67	2·1
Tamworth M.B.	8,227	81	82	2	5	170	20·7	59	48	107	13·0	10	59	7·7
Tettenhall ..	5,460	36	46	1	2	85	15·6	32	32	64	11·7	6	71	3·9
Tipton	36,900	453	447	6	7	913	24·7	278	254	532	14·4	116	127	10·3
Uttoxeter ..	5,541	52	41	2	6	101	18·2	36	29	65	11·7	3	30	6·5
Wednesbury M.B.	32,960	378	373	8	6	765	23·2	267	211	478	14·5	71	93	8·7
Wednesfield ..	8,110	80	85	3	3	171	21·1	48	39	87	10·7	9	53	10·4
Willenhall ..	21,520	226	248	1	3	478	22·2	141	138	279	13·0	45	94	9·2
Wolstanton United.	30,170	308	267	11	6	592	19·6	204	192	396	13·1	52	88	6·5
RURAL DISTRICTS.	214,000	2,022	1,992	82	79	4,175	19·5	1,277	1,153	2,430	11·4†	280	67	8·1
Blore Heath ..	2,474	15	26	4	3	48	19·4	16	17	33	13·3	5	104	6·1
Cannock	23,210	250	264	6	6	526	22·7	119	136	255	11·0	34	65	11·7
Cheadle	26,430	237	255	10	10	512	19·4	130	141	271	10·3	36	70	9·1
Dudley	23	—	—	—	1	1	43·5	—	—	—	—	—	—	43·5
Gnosall	4,718	50	40	3	6	99	21·0	23	27	50	10·6	9	91	10·4
Kingswinford	22,730	245	244	5	9	503	22·1	152	130	282	12·4	35	70	9·7
Leek	14,610	133	126	13	3	275	18·8	84	96	180	12·3	24	87	6·5
Lichfield ..	33,080	310	308	10	8	636	19·2	197	156	353	11·2†	43	68	8·0
Mayfield	3,918	34	30	2	1	67	17·1	24	30	54	13·8	3	45	3·3
Newcastle-under-Lyme.	6,215	55	58	4	2	119	19·1	55	31	86	13·8	8	67	5·3
Seisdon	17,690	147	122	9	7	285	16·1	107	91	198	11·2	19	67	4·9
Stafford	9,201	80	85	2	4	171	18·6	54	43	97	10·5	6	35	8·1
Stone	12,140	111	105	4	7	227	18·7	78	55	133	11·0	8	35	7·7
Tamworth (part of).§	5,873	65	61	2	2	130	22·1	38	33	71	12·1	11	85	10·0

† Death-rates based upon estimated civilian populations as follows:—Staffordshire—Rural Districts, 212,300; Lichfield R.D., 31,380.

§ The remainder of Tamworth Rural District is in Warwickshire.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1925.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1925).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F	Total.	Crude Rate per 1,000 Total Population.	DEATHS. M.	F.	Total.	Crude Rate per 1,000 Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
STAFFORDSHIRE —*cont.*														
RURAL DISTRICTS —*cont.*														
Tutbury	8,983	91	71	2	6	170	18·9	68	53	121	13·5	10	59	5·4
Uttoxeter ..	8,220	64	74	4	1	143	17·4	47	41	88	10·7	9	63	6·7
Walsall	13,800	128	116	2	3	249	18·0	83	67	150	10·9	20	80	7·1
Civil Parishes of Blymhill and Weston under Lizard, administered by R.D.C. of Shifnal (Shropshire).	685	7	7	—	—	14	20·4	2	6	8	11·7	—	—	8·7
SUFFOLK EAST:														
COUNTY BORO':														
Ipswich	83,240	662	697	35	33	1,427	17·1	515	513	1,028	12·4†	102	71	4·7
ADMINISTRATIVE COUNTY.	212,530	1,758	1,632	73	83	3,546	16·7	1,222	1,200	2,422	11·6†	163	46	5·1
MUNICIPAL BORO'S AND URBAN DISTRICTS.	90,730	734	722	25	23	1,504	16·6	494	492	986	10·9†	61	41	5·7
Aldeburgh M.B.	2,473	10	25	2	—	37	15·0	11	17	28	11·3	2	54	3·7
Beccles M.B. ..	7,039	51	37	1	1	90	12·8	44	43	87	12·4	3	33	0·4
Bungay	3,189	35	28	—	2	65	20·4	18	22	40	12·5	—	—	7·9
Eye M.B. ..	1,845	17	23	3	2	45	24·4	9	12	21	11·4	3	67	13·0
Felixstowe ..	10,230	71	86	2	—	159	15·5	50	55	105	10·8†	12	75	4·7
Halesworth ..	2,078	16	16	1	1	34	16·4	15	16	31	14·9	1	29	1·5
Leiston cum Sizewell.	4,760	34	37	1	2	74	15·5	23	25	48	10·1	2	27	5·4
Lowestoft M.B.	46,150	399	367	10	9	785	17·0	231	214	445	9·6	31	39	7·4
Saxmundham..	1,342	9	7	—	1	17	12·7	7	9	16	11·9	—	—	0·8
Southwold M.B.	2,774	18	19	—	2	39	14·1	13	19	32	11·5	1	26	2·6
Stowmarket ..	4,250	30	40	2	3	75	17·6	40	28	68	16·0	3	40	1·6
Woodbridge ..	4,600	44	37	3	—	84	18·3	33	32	65	14·1	3	36	4·2
RURAL DISTRICTS.	121,800	1,024	910	48	60	2,042	16·8	728	708	1,436	12·0†	102	50	4·8
Blything ..	17,800	155	138	7	16	316	17·8	118	119	237	13·3	14	44	4·5
Bosmere and Claydon.	14,180	144	133	6	5	288	20·3	103	89	192	13·5	13	45	6·8
East Stow ..	6,530	59	34	1	5	99	15·2	37	36	73	11·2	2	20	4·0
Hartismere ..	10,790	89	81	8	7	185	17·1	63	74	137	12·7	11	59	4·4
Hoxne	9,730	90	83	3	1	177	18·2	71	52	123	12·6	11	62	5·6
Mutford and Lothingland.	12,190	110	78	5	6	199	16·3	52	62	114	9·4	10	50	6·9
Plomesgate ..	15,150	125	114	8	10	257	17·0	103	92	195	12·9	16	62	4·1
Samford	14,430	94	111	7	5	217	15·0	65	57	122	9·8†	8	37	5·2
Wangford ..	4,610	56	25	1	2	84	18·2	21	31	52	11·3	5	60	6·9
Woodbridge ..	16,390	102	113	2	3	220	13·4	95	96	191	12·0†	12	55	1·4
SUFFOLK WEST: Administrative County.	110,010	835	807	44	49	1,735	15·8	669	622	1,291	11·8†	89	51	4·0

† Death-rates based upon estimated civilian populations as follows:—Suffolk East—Ipswich C.B., 83,120; Administrative County, 209,620; Municipal Boroughs and Urban Districts, 90,220; Felixstowe U.D., 9,720; Rural Districts, 119,400; Samford R.D., 12,510; Woodbridge R.D., 15,910. Suffolk West—Administrative County, 109,830.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1925.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1925).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F	TOTAL.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
FOLK WEST —*cont.*														
NICIPAL BORO'S AND URBAN DISTRICTS.	41,640	288	307	13	12	620	14·9	257	247	504	12·2†	28	45	2·7
ury St. Edmunds M.B.	16,120	116	123	6	4	249	15·4	106	91	197	12·4†	15	60	3·0
lemsford ..	1,438	7	10	—	—	17	11·8	11	19	30	20·9	1	59	−9·1
adleigh ..	3,073	29	34	—	—	63	20·5	19	20	39	12·7	1	16	7·8
averhill ..	4,166	29	26	—	1	56	13·4	21	22	43	10·3	3	54	3·1
ewmarket ..	9,835	66	70	6	7	149	15·1	60	34	94	9·6	3	20	5·5
udbury M.B.	7,008	41	44	1	—	86	12·3	40	61	101	14·4	5	58	−2·1
RAL DISTRICTS.	68,370	547	500	31	37	1,115	16·3	412	375	787	11·5	61	55	4·8
randon	5,803	48	37	1	2	88	15·2	23	35	58	10·0	6	68	5·2
lare	7,388	55	47	3	2	107	14·5	52	48	100	13·5	2	19	1·0
osford	10,440	80	82	8	9	179	17·1	66	65	131	12·5	10	56	4·6
elford	12,330	97	76	4	4	181	14·7	69	64	133	10·8	13	72	3·9
ildenhall ..	8,257	68	71	4	5	148	17·9	44	39	83	10·1	9	61	7·8
oulton	2,152	22	12	—	—	34	15·8	16	10	26	12·1	3	88	3·7
hedwastre ..	8,460	65	70	3	6	144	17·0	55	49	104	12·3	6	42	4·7
hingoe	13,540	112	105	8	9	234	17·3	87	65	152	11·2	12	51	6·1
REY:														
UNTY BORO':														
roydon	199,300	1,681	1,595	65	65	3,406	17·1	1,028	1,143	2,171	10·9	187	55	6·2
MINISTRATIVE COUNTY.	758,000	5,500	5,276	262	237	11,275	14·9	3,733	4,016	7,749	10·3†	520	46	4·6
NICIPAL BORO'S AND URBAN DISTRICTS.	590,400	4,344	4,172	205	190	8,911	15·1	2,907	3,195	6,102	10·4†	421	47	4·7
arnes	35,120	245	230	11	12	498	14·2	159	206	365	10·4	29	58	3·8
eddington and Wallington.	16,700	110	90	1	7	208	12·5	75	94	169	10·1	4	19	2·4
arshalton ..	15,660	151	152	5	4	312	19·9	71	85	156	10·0	13	42	9·9
aterham ..	13,650	90	83	3	2	178	13·0	42	48	90	7·7†	7	39	5·3
hertsey ..	15,530	114	118	2	5	239	15·4	78	74	152	9·8	11	46	5·6
oulsdon and Purley.	23,870	176	170	5	6	357	15·0	89	86	175	7·3	16	45	7·7
orking	7,990	52	59	2	4	117	14·6	52	57	109	13·6	6	51	1·0
ast and West Molesey.	7,317	60	58	1	2	121	16·5	29	55	84	11·5	3	25	5·0
gham	13,620	114	100	5	3	222	16·3	64	75	139	10·2	7	32	6·1
psom ‡	19,460	101	112	6	6	225	11·6	70	60	130	6·7	13	58	4·9
sher and the Dittons.	14,480	104	86	3	5	198	13·7	77	61	138	9·5	8	40	4·2
arnham.. ..	16,670	132	154	8	8	302	18·1	94	112	206	12·4	13	43	5·7
rimley	15,270	104	107	7	5	223	14·6	64	65	129	10·9†	13	58	3·7
odalming M.B.	9,275	52	55	3	3	113	12·2	44	49	93	10·0	3	27	2·2
uildford M.B.	26,260	225	216	6	10	457	17·4	136	151	287	11·0†	21	46	6·4
am	1,535	13	12	—	—	25	16·3	10	7	17	11·1	4	160	5·2
aslemere ..	3,833	23	22	3	1	49	12·8	16	25	41	10·7	2	41	2·1
ingston-on-Thames M.B.	40,220	297	265	25	12	599	14·9	234	220	454	11·3†	41	68	3·6
eatherhead ..	6,013	39	50	1	4	94	15·6	43	26	69	11·5	5	53	4·1
erton and Morden.	18,960	149	150	1	7	307	16·2	78	109	187	9·9	21	68	6·3

† Death-rates based upon estimated civilian populations as follows:—Suffolk West—Municipal Boroughs and Urban Districts, 41,460; Bury St. Edmunds, M.B., 15,940; Surrey Administrative County, 749,500; Municipal Boroughs and Urban Districts, 584,000; Caterham U.D., 11,720; Frimley U.D., 11,820; Guildford M.B., 26,070; Kingston on Thames M.B., 40,040.

‡ A considerable proportion of the population of this area was enumerated in County Lunatic Asylums, the deaths in which are allocated to the areas in which the deceased patients had resided before admission.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1925.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1925).	BIRTHS. Legitimate. M.	BIRTHS. Legitimate. F.	BIRTHS. Illegitimate. M.	BIRTHS. Illegitimate. F	BIRTHS. TOTAL.	BIRTHS. Crude Rate per 1,000. Total Population.	DEATHS. M.	DEATHS. F.	DEATHS. TOTAL.	DEATHS. Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Deaths under 1 year. Rate per 1,000 births.	Natural Increase per 1,000 Population
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
SURREY—*cont.*														
MUNICIPAL BORO'S AND URBAN DISTRICTS—*cont.*														
Mitcham ..	37,900	335	336	13	8	692	18·3	184	183	367	9·7	38	55	8·
Reigate M.B. ..	28,700	190	192	13	10	405	14·1	166	180	346	12·1	15	37	2·
Richmond M.B.	34,690	264	226	21	19	530	15·3	208	234	442	12·7	25	47	2
Surbiton ..	20,020	140	158	4	5	307	15·3	95	119	214	10·7	10	33	4·
Sutton	21,320	140	166	6	5	317	14·9	117	124	241	11·3	18	57	3·
The Maldens and Coombe.	15,460	146	123	1	5	275	17·8	75	81	156	10·1	8	29	7·
Walton-upon-Thames.	14,540	106	100	4	5	215	14·8	77	65	142	9·8	4	19	5·
Weybridge ..	6,386	49	35	3	1	88	13·8	30	40	70	11·0	4	45	2·
Wimbledon M.B.	58,170	383	335	31	11	760	13·1	287	352	639	11·0	47	62	2·
Windlesham ..	4,721	28	27	2	2	59	12·5	28	33	61	12·9	3	51	0·
Woking	27,060	212	185	9	13	419	15·5	115	119	234	8·9†	9	21	6·
RURAL DISTRICTS:	167,600	1,156	1,104	57	47	2,364	14·1	826	821	1,647	10·0†	99	42	4·
Chertsey ..	11,550	76	83	1	4	164	14·2	62	43	105	9·1	4	24	5·
Dorking	10,360	72	69	5	5	151	14·6	56	48	104	10·0	3	20	4·
Epsom	37,030	221	224	12	6	463	12·5	165	165	330	8·9	22	48	3·
Farnham.. ..	14,210	141	111	9	4	265	18·6	77	69	146	10·6†	10	38	8·
Godstone ..	25,700	169	176	4	14	363	14·1	118	128	246	9·6	16	44	4·
Guildford ..	22,010	159	139	7	4	309	14·0	96	93	189	9·3†	19	61	4·
Hambledon ..	23,130	149	142	11	9	311	13·4	140	148	288	12·5	13	42	0·
Reigate	23,610	169	160	8	1	338	14·3	112	127	239	10·1	12	36	4·
SUSSEX EAST:														
COUNTY BORO'S.	253,830	1,740	1,641	138	104	3,623	14·3	1,571	1,822	3,393	13·4†	189	52	0·
Brighton ..	138,300	1,038	988	89	64	2,179	15·8	865	982	1,847	13·4†	128	59	2·
Eastbourne ..	55,060	321	297	23	20	661	12·0	293	373	666	12·1	30	45	—0·
Hastings ..	60,470	381	356	26	20	783	12·9	413	467	880	14·6	31	40	—1·
ADMINISTRATIVE COUNTY.	260,100	1,650	1,701	77	98	3,526	13·6	1,484	1,652	3,136	12·1†	157	45	1·
MUNICIPAL BORO'S AND URBAN DISTRICTS.	126,700	729	805	47	50	1,631	12·9	744	953	1,697	13·4	79	48	—0·
Battle	3,039	23	27	2	2	54	17·8	19	15	34	11·2	2	37	6·
Bexhill M.B. ..	18,750	86	110	8	6	210	11·2	84	131	215	11·5	11	52	·0·
Burgess Hill ..	5,600	31	45	3	2	81	14·5	38	53	91	16·3	7	86	—1·
Cuckfield.. ..	1,846	4	5	1	—	10	5·4	15	13	28	15·2	1	100	—9·
East Grinstead	7,946	43	59	1	3	106	13·3	43	53	96	12·1	—	—	1·
Haywards Heath	4,923	28	23	2	1	54	11·0	30	39	69	14·0	3	56	—3·
Hove M.B. ..	45,000	217	244	15	18	494	11·0	286	405	691	15·4	31	63	—4·
Lewes M.B. ..	11,110	91	71	3	6	171	15·4	65	81	146	13·1	9	53	2·
Newhaven ..	6,667	46	58	2	6	112	16·8	48	36	84	12·6	4	36	4·
Portslade-by-Sea	8,130	62	69	3	3	137	16·9	41	57	98	12·1	6	44	4·
Rye M.B. ..	3,835	26	24	4	1	55	14·3	22	24	46	12·0	2	36	2·
Seaford	6,474	40	40	—	1	81	12·5	32	24	56	8·6	1	12	3·
Uckfield	3,380	32	30	3	1	66	19·5	21	22	43	12·7	2	30	6·
RURAL DISTRICTS.	133,400	921	896	30	48	1,895	14·2	740	699	1,439	10·9†	78	41	3·
Battle	6,320	54	51	—	4	109	17·2	36	38	74	11·7	6	55	5·
Chailey	12,740	96	75	2	6	179	14·1	60	74	134	10·5	12	67	3·
Cuckfield.. ..	16,490	110	97	4	5	216	13·1	106	82	188	11·4	5	23	1·

† Death-rates based upon estimated civilian populations as follows:—Surrey—Woking U.D., 26,410; Rural Districts, 165,500; Farnham R.D., 13,790; Guildford R.D., 20,330; Sussex East—County Boroughs, 253,330; Brighton C.B., 137,800; Administrative County, 258,300; Rural Districts, 131,600.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1925.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1925).	BIRTHS. Legitimate. M.	BIRTHS. Legitimate. F.	BIRTHS. Illegitimate. M.	BIRTHS. Illegitimate. F.	BIRTHS. TOTAL.	BIRTHS. Crude Rate per 1,000 Total Population.	DEATHS. M.	DEATHS. F.	DEATHS. TOTAL.	DEATHS. Crude Rate per 1,000 Total Population.	Deaths under 1 year. Number.	Deaths under 1 year. Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
USSEX EAST —*cont.*														
URAL DISTRICTS —*cont.*														
Eastbourne ..	5,994	50	49	2	6	107	17·9	37	28	65	10·8	3	28	7·1
East Grinstead	14,010	77	84	5	3	169	12·1	73	68	141	10·1	5	30	2·0
Hailsham ..	18,530	135	157	4	7	303	16·4	112	87	199	10·7	13	43	5·7
Hastings ..	1,929	18	15	—	2	35	18·1	21	14	35	18·1	1	29	—
Newhaven ..	7,757	49	45	1	1	96	12·4	39	35	74	9·5	3	31	2·9
Rye	6,888	46	55	—	2	103	15·0	39	43	82	11·9	2	19	3·1
Steyning East	3,592	20	16	—	—	36	10·0	12	17	29	8·1	2	56	1·9
Ticehurst ..	12,730	88	93	4	5	190	14·9	75	75	150	11·8	6	32	3·1
Uckfield ..	26,420	178	159	8	7	352	13·3	130	138	268	10·9†	20	57	2·4
SSEX WEST: Administrative County.	193,540	1,403	1,334	74	62	2,873	14·8	1,107	1,179	2,286	11·8†	140	49	3·0
UNICIPAL BORO'S AND URBAN DISTRICTS.	94,510	655	590	40	28	1,313	13·9	494	617	1,111	11·8†	60	46	2·1
Arundel M.B.	2,655	18	16	1	—	35	13·2	22	18	40	15·1	—	—	−1·9
Bognor	12,800	86	77	7	4	174	13·6	52	66	118	9·2	6	34	4·4
Chichester M.B.	13,410	87	89	5	5	186	13·9	67	75	142	10·8†	8	43	3·1
Horsham ..	11,330	102	62	7	2	173	15·3	57	72	129	11·4	6	35	3·9
Littlehampton	9,020	69	56	4	5	134	14·9	49	53	102	11·3	8	60	3·6
Shoreham-by-Sea.	7,420	52	46	1	—	99	13·3	30	43	73	9·8	6	61	3·5
Southwick ..	4,925	29	36	4	1	70	14·2	28	27	55	11·2	5	71	3·0
Worthing M.B.	32,950	212	208	11	11	442	13·4	189	263	452	13·7	21	48	−0·3
RAL DISTRICTS.	99,030	748	744	34	34	1,560	15·8	613	562	1,175	11·9	80	51	3·9
East Preston..	7,838	58	66	2	1	127	16·2	51	41	92	11·7	9	71	4·5
Horsham ..	21,010	172	150	4	9	335	15·9	142	112	254	12·1	14	42	3·8
Midhurst ..	14,910	100	90	6	6	202	13·5	81	89	170	11·4	13	64	2·1
Petworth ..	8,136	56	74	3	1	134	16·5	45	55	100	12·3	10	75	4·2
Steyning West	10,440	66	68	3	4	141	13·5	55	71	126	12·1	10	71	1·4
Thakeham ..	8,572	79	68	6	2	155	18·1	73	45	118	13·8	6	39	4·3
Westbourne ..	9,154	79	69	2	3	153	16·7	57	60	117	12·8	8	52	3·9
Westhampnett	18,970	138	159	8	8	313	16·5	109	89	198	10·4	10	32	6·1
ARWICKSHIRE:														
UNTY BORO'S.	1,075,000	9,808	9,580	334	314	20,036	18·6	6,667	5,877	12,544	11·7	1,556	78	6·9
Birmingham ..	945,900	8,715	8,554	305	284	17,858	18·9	5,911	5,216	11,127	11·8	1,388	78	7·1
Coventry.. ..	129,100	1,093	1,026	29	30	2,178	16·9	756	661	1,417	11·0	168	77	5·9
MINISTRATIVE COUNTY.	361,900	3,354	3,113	103	107	6,677	18·4	2,048	1,987	4,035	11·2†	416	62	7·2
UNICIPAL BORO'S AND URBAN DISTRICTS.	157,500	1,347	1,276	52	49	2,724	17·3	896	922	1,818	11·5	154	57	5·8
Bulkington ..	2,430	28	35	1	1	65	26·7	19	5	24	9·9	3	46	16·8
Kenilworth ..	7,160	66	69	4	2	141	19·7	41	31	72	10·1	3	21	9·6
Nuneaton M.B.	45,170	471	471	20	13	975	21·6	266	235	501	11·1	76	78	10·5
Royal Leamington Spa M.B.	29,360	220	193	9	11	433	14·7	203	258	461	15·7	27	62	−1·0
Rugby	25,770	181	179	4	8	372	14·4	99	129	228	8·8	12	32	5·6
Stratford-on-Avon M.B.	10,440	90	64	4	4	162	15·5	77	67	144	13·8	8	49	1·7

† Death-rates based upon estimated civilian populations as follows:—Sussex East—Uckfield R.D., 24,620; Sussex West—Administrative County, 193,330 Municipal Boroughs and Urban Districts, 94,300; Chichester M.B , 13,200; Warwickshire, Administrative County, 361,700.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1925.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

Area.	Estimated Population (Middle 1925).	Births. Legitimate. M.	Births. Legitimate. F.	Births. Illegitimate. M.	Births. Illegitimate. F	Births. Total.	Births. Crude Rate per 1,000. Total Population.	Deaths. M.	Deaths. F.	Deaths. Total.	Deaths. Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Deaths under 1 year. Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
WARWICKSHIRE —*cont.*														
MUNICIPAL BORO'S AND URBAN DISTRICTS—*cont.*														
Sutton Coldfield M.B.	23,800	176	162	5	4	347	14·6	113	113	226	9·5	13	37	5·1
Warwick M.B.	13,370	115	103	5	6	229	17·1	78	84	162	12·1	12	52	5·0
RURAL DISTRICTS	204,400	2,007	1,837	51	58	3,953	19·3	1,152	1,065	2,217	10·9†	262	66	8·4
Alcester ..	12,620	102	104	2	4	212	16·8	80	71	151	12·0	9	42	4·8
Atherstone ..	22,380	276	243	4	5	528	23·6	125	120	245	10·9	36	68	12·7
Brailes.. ..	5,653	43	38	2	2	85	15·0	41	45	86	15·2	8	94	—0·2
Coventry ..	6,459	90	74	1	1	166	25·7	39	26	65	10·1	16	96	15·6
Farnborough ..	1,396	13	9	1	1	24	17·2	7	10	17	12·2	—	—	5·0
Foleshill ..	37,560	446	412	4	6	868	23·1	192	165	357	9·5	62	71	13·6
Meriden ..	18,290	142	140	8	6	296	16·2	101	106	207	11·3	17	57	4·9
Monks Kirby ..	1,531	18	13	—	—	31	20·2	12	12	24	15·7	1	32	4·5
Nuneaton ..	4,351	68	64	5	4	141	32·4	42	27	69	15·9	20	142	16·5
Rugby ..	20,660	178	168	6	6	358	17·3	104	107	211	10·2	25	70	7·1
Solihull ..	21,940	164	154	10	7	335	15·3	115	98	213	9·7	21	63	5·6
Southam ..	9,998	102	86	2	3	193	19·3	70	61	131	13·1	11	57	6·2
Stratford-on-Avon.	9,902	83	68	—	4	155	15·7	63	55	118	11·9	5	32	3·8
Tamworth (part of)‡.	18,620	181	173	5	7	366	19·7	99	101	200	10·7	22	60	9·0
Warwick ..	13,040	101	91	1	2	195	15·0	62	61	123	9·6†	9	46	5·4
WESTMORLAND: Administrative County.	62,440	477	449	33	27	986	15·8	412	411	823	13·2	46	47	2·0
MUNICIPAL BORO'S AND URBAN DISTRICTS.	26,640	185	191	9	9	394	14·8	196	198	394	14·8	23	58	—
Ambleside ..	2,272	19	15	—	—	34	15·0	10	12	22	9·7	1	29	5·[illegible]
Appleby M.B...	1,627	8	10	1	—	19	11·7	17	16	33	20·3	—	—	—8·[illegible]
Grasmere ..	879	7	2	—	1	10	11·4	7	4	11	12·5	—	—	—1·[illegible]
Kendal M.B.	14,290	109	118	6	5	238	16·7	106	119	225	15·7	18	76	1·[illegible]
Kirkby Lonsdale	1,261	9	6	1	1	17	13·5	8	5	13	10·3	1	59	3·[illegible]
Shap	1,000	12	9	—	—	21	21·0	14	9	23	23·0	2	95	—2·[illegible]
Windermere ..	5,311	21	31	1	2	55	10·4	34	33	67	12·6	1	18	—2·[illegible]
RURAL DISTRICTS.	35,800	292	258	24	18	592	16·5	216	213	429	12·0	23	39	4·[illegible]
East Westmorland.	11,000	103	87	10	10	210	19·1	63	77	140	12·7	9	43	6·[illegible]
South Westmorland.	18,750	135	138	10	3	286	15·3	114	90	204	10·9	11	38	4·[illegible]
West Ward ..	6,050	54	33	4	5	96	15·9	39	46	85	14·0	3	31	1·[illegible]
WIGHT, ISLE OF: Administrative County.	86,300	624	522	26	28	1,200	13·9	512	570	1,082	12·6†	67	56	1·[illegible]
MUNICIPAL BORO'S AND URBAN DISTRICTS.	57,030	405	365	21	20	811	14·2	356	387	743	13·0	45	55	1·[illegible]
Cowes	10,690	77	67	5	3	152	14·2	75	54	129	12·1	5	33	2·[illegible]
East Cowes ..	4,798	26	41	1	2	70	14·6	19	23	42	8·8	5	71	5·[illegible]
Newport M.B.	11,330	109	75	4	10	198	17·5	67	66	133	11·7	13	66	5·[illegible]

† Death-rates based upon estimated civilian populations as follows:—Warwickshire—Rural Districts, 204,200; Warwick, R.D., 12,840; Isle of Wight Administrative County, 85,630.

‡ The remainder of Tamworth Rural District is in Staffordshire.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1925.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1925).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	Total.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
VIGHT, ISLE OF —*cont.*														
MUNICIPAL BORO'S AND URBAN DISTRICTS—*cont.*														
Ryde M.B. ..	10,460	65	54	5	2	126	12·0	70	108	178	17·0	5	40	—5·0
St. Helens ..	5,126	41	43	—	—	84	16·4	29	28	57	11·1	4	48	5·3
Sandown ..	5,400	33	30	1	1	65	12·0	40	41	81	15·0	4	62	—3·0
Shanklin ..	4,240	27	20	3	—	50	11·8	30	24	54	12·7	2	40	—0·9
Ventnor	4,986	27	35	2	2	66	13·2	26	43	69	13·8	7	106	—0·6
URAL DISTRICT.														
Isle of Wight	29,270	219	157	5	8	389	13·3	156	183	339	11·9†	22	57	1·4
VILTSHIRE: Administrative County	306,900	2,511	2,400	116	98	5,125	16·7	1,619	1,684	3,303	11·2†	274	53	5·5
MUNICIPAL BORO'S AND URBAN DISTRICTS.	136,900	1,016	1,032	42	50	2,140	15·6	730	810	1,540	11·3†	124	58	4·3
Bradford-on-Avon.	4,994	36	33	1	2	72	14·4	25	33	58	11·6	3	42	2·8
Calne M.B. ..	3,644	19	25	3	2	49	13·4	15	29	44	12·1	2	41	1·3
Chippenham M.B.	7,967	56	58	1	2	117	14·7	35	50	85	10·7	5	43	4·0
Devizes M.B.	5,996	36	40	2	1	79	13·2	33	42	75	12·5	4	51	0·7
Malmesbury M.B.	2,377	14	17	1	2	34	14·3	12	14	26	10·9	2	59	3·4
Marlborough M.B.	4,204	26	22	—	3	51	12·1	22	21	43	10·2	1	20	1·9
Melksham ..	3,690	15	27	1	3	46	12·5	20	17	37	10·0	4	87	2·5
Salisbury M.B.	23,470	172	171	8	6	357	15·2	123	136	259	11·0	26	73	4·2
Swindon M.B.	56,880	439	465	20	18	942	16·6	331	300	631	11·1	57	61	5·5
Trowbridge ..	12,380	104	93	4	8	209	16·9	59	85	144	11·7†	5	24	5·2
Warminster ..	5,451	36	35	—	1	72	13·2	25	39	64	11·7	7	97	1·5
Westbury ..	3,843	35	28	1	1	65	16·9	16	24	40	10·4	6	92	6·5
Wilton M.B. ..	2,004	28	18	—	1	47	23·5	14	20	34	17·0	2	43	6·5
URAL DISTRICTS.	170,000	1,495	1,368	74	48	2,985	17·6	889	874	1,763	11·1†	150	50	6·5
Amesbury ..	17,290	201	161	7	4	373	21·6	56	51	107	8·1†	13	35	13·5
Bradford-on-Avon.	5,586	38	35	1	2	76	13·6	25	35	60	10·7	5	66	2·9
Calne	4,746	42	39	7	—	88	18·5	30	21	51	10·7	7	80	7·8
Chippenham ..	14,400	125	98	3	2	228	15·8	101	87	188	13·1	13	57	2·7
Cricklade and Wootton Bassett.	11,130	118	102	3	1	224	20·1	74	62	136	12·2	14	63	7·9
Devizes	12,600	100	81	4	8	193	15·3	63	76	139	11·2†	14	73	4·1
Highworth ..	17,370	187	172	5	3	367	21·1	99	77	176	10·1	24	65	11·0
Malmesbury ..	8,424	62	58	7	—	127	15·1	59	57	116	13·8	8	63	1·3
Marlborough	4,250	34	44	—	4	82	19·3	31	25	56	13·2	5	61	6·1
Melksham ..	5,195	34	39	—	1	74	14·2	21	27	48	9·2	5	68	5·0
Mere	4,552	30	37	—	—	67	14·7	18	28	46	10·1	—	—	4·6
Pewsey	19,480	164	144	11	8	327	16·8	66	66	132	10·1†	12	37	6·7
Ramsbury ..	6,285	57	52	5	3	117	18·6	35	39	74	11·8	6	51	6·8
Salisbury ..	10,510	80	97	7	1	185	17·6	53	66	119	11·7†	7	38	5·9
Tetbury (pt. of)‡	371	2	4	1	—	7	18·9	1	3	4	10·8	—	—	8·1

† Death-rates based upon estimated civilian populations as follows:—Isle of Wight, R.D., 28,600; Wiltshire Administrative County, 295,800; Municipal Boroughs and Urban Districts, 136,800, Trowbridge U.D., 12,280; Rural Districts, 159,000; Amesbury R.D., 13,240; Devizes, R.D., 12,380; Pewsey R.D., 13,120; Salisbury R.D., 10,140.

‡ The remainder of Tetbury Rural District is in Gloucestershire.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1925.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1925).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F	TOTAL.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
WILTSHIRE—*cont.*														
RURAL DISTRICTS —*cont.*														
Tisbury	7,112	58	58	2	3	121	17·0	46	40	86	12·1	5	41	4·9
Warminster ..	6,033	48	41	4	3	96	15·9	34	30	64	10·6	3	31	5·3
Westbury and Whorwellsdown.	6,573	47	43	4	2	96	14·6	27	36	63	9·6	3	31	5·0
Wilton	8,093	68	63	3	3	137	16·9	50	48	98	12·1	6	44	4·8
WORCESTERSHIRE: COUNTY BORO's.	109,040	1,110	1,024	41	44	2,219	20·4	725	698	1,423	13·1	194	87	7·3
Dudley	58,810	681	636	15	22	1,354	23·0	415	378	793	13·5	139	103	9·5
Worcester ..	50,230	429	388	26	22	865	17·2	310	320	630	12·5	55	64	4·7
ADMINISTRATIVE COUNTY.	307,800	2,685	2,564	115	94	5,458	17·7	1,823	1,763	3,586	11·7†	338	62	6·0
MUNICIPAL BORO's AND URBAN DISTRICTS.	193,963*	1,775	1,680	66	53	3,574	18·4	1,111	1,093	2,204	11·4	228	64	7·0
Bewdley M.B...	2,606	19	19	1	2	41	15·7	19	18	37	14·2	4	98	1·5
Bromsgrove ..	9,778	85	84	3	2	174	17·8	70	55	125	12·8	16	92	5·0
Droitwich M.B.	3,853	28	40	1	—	69	17·9	28	27	55	14·3	3	43	3·6
Evesham M.B.	8,606	76	75	3	2	156	18·1	52	29	81	9·4	8	51	8·7
Halesowen§ ..	22,723*	242	183	6	5	436	19·2	119	106	225	9·9	25	57	9·3
Kidderminster M.B.	27,240	266	233	14	11	524	19·2	181	167	348	12·8	38	73	6·4
Lye and Wollescote.	12,140	128	136	—	1	265	21·8	68	68	136	11·2	14	53	10·6
Malvern	17,000	100	81	4	6	191	11·2	81	113	194	11·4	7	37	—0·2
North Bromsgrove.	8,787	77	61	2	2	142	16·2	37	34	71	8·1	6	42	8·1
Oldbury	40,740	427	457	7	11	902	22·1	221	219	440	10·8	63	70	11·3
Redditch.. ..	16,810	126	110	9	3	248	14·8	84	105	189	11·2	13	52	3·6
Stourbridge M.B.	18,770	151	167	15	5	338	18·0	120	110	230	12·3	26	77	5·7
Stourport ..	4,910	50	34	1	3	88	17·9	31	42	73	14·9	5	57	3·0
RURAL DISTRICTS.	113,837*	910	884	49	41	1,884	16·5	712	670	1,382	12·2†	110	58	4·[illegible]
Bromsgrove ..	17,690	126	154	4	4	288	16·3	106	95	201	11·4	19	66	4·[illegible]
Droitwich ..	11,800	92	78	6	7	183	15·5	77	74	151	12·8	11	60	2·[illegible]
Evesham ..	10,140	84	79	2	4	169	16·7	47	50	97	9·6	5	30	7·[illegible]
Feckenham ..	5,498	38	35	3	—	76	13·8	42	41	83	15·1	7	92	—1·[illegible]
Halesowen** ..	7,437*	75	75	1	—	151	20·3	34	34	68	9·1	14	93	11·[illegible]
Kidderminster	7,591	65	58	—	2	125	16·5	45	49	94	12·4	10	80	4·[illegible]
Martley	12,540	101	86	13	5	205	16·3	85	78	163	13·0	15	73	3·[illegible]
Pershore ..	13,200	119	94	6	9	228	17·3	85	73	158	12·2†	9	39	5·[illegible]
Rock	2,187	13	23	1	1	38	17·4	13	16	29	13·3	—	—	4·[illegible]
Shipston-on-Stour.	4,286	32	35	5	1	73	17·0	37	31	68	15·9	7	96	1·[illegible]
Stow on the Wold (part of)‡	272	3	—	2	—	5	18·4	4	1	5	18·4	—	—	—
Tenbury ..	4,421	37	38	2	3	80	18·1	21	28	49	11·1	2	25	7·[illegible]
Tewkesbury (part of)‡	2,132	11	21	—	—	32	15·0	17	10	27	12·7	3	94	2·[illegible]
Upton on Severn	13,530	104	96	4	5	209	15·4	93	83	176	13·0	6	29	2·[illegible]
Winchcomb (part of)‡	106	—	1	—	—	1	9·4	—	—	—	—	—	—	9·[illegible]
Civil Parishes of Redmarley d'Abitôt and Staunton, administered by R.D.C. of Newent (Glos)	1,007	10	11	—	—	21	20·9	6	7	13	12·9	2	95	8·[illegible]

* Population adjusted to allow for change in boundary during the year.

† Death-rates based upon estimated civilian populations as follows:—Worcestershire—Administrative County, 307,600; Rural Districts, 113,637*; Pershore R.D., 13,000.

‡ The remaining parts of Stow on the Wold, Tewkesbury and Winchcomb Rural Districts are in Gloucestershire.

§ Created on 1st April, 1925.

** Abolished on 1st April, 1925.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1925.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1925).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F	TOTAL.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
ORKSHIRE:														
EAST RIDING:														
UNTY BORO': Kingston-upon-Hull.	297,300	3,127	3,071	141	145	6,484	21·8	2,042	1,892	3,934	13·2	602	93	8·6
DMINISTRATIVE COUNTY.	166,690	1,439	1,360	108	97	3,004	18·0	991	918	1,909	11·5†	200	67	6·5
UNICIPAL BORO'S AND URBAN DISTRICTS.	66,990	512	521	32	29	1,094	16·3	422	396	818	12·2	74	68	4·1
Beverley M.B.	13,740	125	134	7	7	273	19·9	103	103	206	15·0	31	114	4·9
Bridlington M.B.	16,120	100	130	5	8	243	15·1	103	105	208	12·9	9	37	2·2
Cottingham ..	5,393	41	30	2	1	74	13·7	28	22	50	9·3	4	54	4·4
Filey	3,541	27	10	2	1	40	11·3	23	18	41	11·6	3	75	−0·3
Great Driffield	5,650	44	38	7	4	93	16·5	41	31	72	12·7	6	65	3·8
Hedon M.B. ..	1,424	12	19	—	1	32	22·5	10	9	19	13·3	1	31	9·2
Hessle	6,332	54	48	1	1	104	16·4	27	26	53	8·4	5	48	8·0
Hornsea	3,949	33	27	3	—	63	16·0	28	30	58	14·7	4	63	1·3
Norton	3,854	35	33	1	6	75	19·5	23	26	49	12·7	5	67	6·8
Pocklington ..	2,725	23	24	4	—	51	18·7	16	7	23	8·4	4	78	10·3
Withernsea ..	4,262	18	28	—	—	46	10·8	20	19	39	9·2	2	43	1·6
RAL DISTRICTS.	99,700	927	839	76	68	1,910	19·2	569	522	1,091	11·0†	126	66	8·2
Beverley ..	11,950	118	102	6	7	233	19·5	62	59	121	10·3†	14	60	9·2
Bridlington ..	7,830	69	56	11	9	145	18·5	46	35	81	10·3	8	55	8·2
Driffield	11,570	102	94	12	10	218	18·8	84	66	150	13·0	18	83	5·8
Escrick	5,896	51	43	6	3	103	17·5	28	27	55	9·3	5	49	8·2
Howden	13,040	120	119	12	10	261	20·0	63	74	137	10·5	17	65	9·5
Norton	5,342	44	49	7	5	105	19·7	30	28	58	10·9	5	48	8·8
Patrington ..	7,515	99	63	5	1	168	22·4	39	42	81	10·8	9	54	11·6
Pocklington ..	10,930	106	90	10	9	215	19·7	77	61	138	12·6	16	74	7·1
Riccall	5,525	53	56	—	3	112	20·3	40	20	60	10·9	6	54	9·4
Sculcoates ..	10,930	82	86	2	4	174	15·9	54	55	109	10·0	9	52	5·9
Sherburn.. ..	2,165	18	17	3	3	41	18·9	10	12	22	10·2	2	49	8·7
Skirlaugh ..	7,007	65	64	2	4	135	19·3	36	43	79	11·3	17	126	8·0
RKSHIRE:														
NORTH RIDING:														
UNTY BORO': Middlesbrough	136,200	1,682	1,666	88	65	3,501	25·7	1,092	910	2,002	14·7	343	98	11·0
MINISTRATIVE COUNTY.	319,000	2,822	2,777	167	175	5,941	18·6	2,021	2,001	4,022	12·7†	430	72	5·9
NICIPAL BORO'S AND URBAN DISTRICTS.	181,300	1,696	1,678	95	88	3,557	19·6	1,160	1,169	2,329	12·9†	282	79	6·7
Eston	33,800	358	378	13	16	765	22·6	219	206	425	12·6	81	106	10·0
Guisborough ..	6,970	72	66	3	5	146	20·9	49	50	99	14·2	13	89	6·7
Hinderwell ..	2,539	13	22	2	4	41	16·1	17	20	37	14·6	3	73	1·5
Kirklington cum Upsland	245	1	2	—	—	3	12·2	1	1	2	8·2	—	—	4·0
Loftus	9,321	89	69	5	2	165	17·7	55	42	97	10·4	11	67	7·3
Malton	4,440	44	38	4	1	87	19·6	29	30	59	13·3	4	46	6·3
Masham	2,132	23	25	1	—	49	23·0	17	10	27	12·7	2	41	10·3
Northallerton	4,835	29	43	1	3	76	15·7	24	29	53	11·0	5	66	4·7
Pickering ..	3,380	28	28	—	3	59	17·5	28	31	59	17·5	6	102	—
Redcar M.B. ..	16,220	150	131	7	8	296	18·2	95	98	193	11·9	24	81	6·3

† Death-rates based upon estimated civilian populations as follows: Yorkshire—East Riding—Administrative County, 6,470; Rural Districts, 99,480; Beverley R.D., 11,730; North Riding—Administrative County, 317,500; Municipal Boroughs d Urban Districts, 180,900.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1925.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1925).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F	TOTAL.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
YORKSHIRE:														
NORTH RIDING —*cont.*														
MUNICIPAL BORO'S AND URBAN DISTRICTS—*cont.*														
Richmond M.B.	3,926	34	45	5	7	91	23·2	26	24	50	13·4†	4	44	9·8
Saltburn by the Sea.	3,822	19	27	—	—	46	12·0	21	29	50	13·1	2	43	−1·1
Scalby	1,860	11	7	1	—	19	10·2	10	9	19	11·4†	2	105	−1·2
Scarborough M.B.	38,210	301	287	28	18	634	16·6	239	305	544	14·2	42	66	2·4
Skelton and Brotton.	15,800	136	147	5	8	296	18·7	95	70	165	10·4	15	51	8·3
Thornaby-on-Tees M.B.	21,350	292	261	14	10	577	27·0	168	153	321	15·0	59	102	12·0
Whitby	12,450	96	102	6	3	207	16·6	67	62	129	10·4	9	43	6·2
RURAL DISTRICTS.	137,700	1,126	1,099	72	87	2,384	17·3	861	832	1,693	12·4†	148	62	4·9
Aysgarth.. ..	4,278	22	37	2	4	65	15·2	27	31	58	13·6	2	31	1·6
Bedale	6,555	45	52	3	2	102	15·6	44	47	91	13·9	8	78	1·7
Croft	2,250	22	22	2	4	50	22·2	15	11	26	11·6	—	—	10·6
Easingwold ..	9,837	74	69	7	7	157	16·0	60	59	119	12·1	11	70	3·9
Flaxton	10,760	85	80	7	4	176	16·4	34	55	89	8·8†	12	68	7·6
Guisborough ..	8,240	76	70	4	4	154	18·7	49	49	98	11·9	16	104	6·8
Helmsley ..	4,824	45	37	4	3	89	18·4	34	24	58	12·0	6	67	6·4
Kirkby Moorside	4,788	36	35	3	7	81	16·9	29	35	64	13·4	4	49	3·5
Leyburn	6,127	59	49	3	6	117	19·1	45	41	86	14·0	5	43	5·1
Malton	5,818	50	42	7	5	104	17·9	45	35	80	13·8	5	48	4·1
Middlesbrough	2,550	23	7	1	1	32	12·5	12	15	27	10·6	1	31	1·9
Northallerton..	7,756	68	57	3	4	132	17·0	46	39	85	11·0	6	45	6·0
Pickering ..	5,987	40	52	5	5	102	17·0	38	37	75	12·5	6	59	4·5
Reeth	2,370	18	24	—	2	44	18·6	14	17	31	13·1	—	—	5·5
Richmond ..	8,851	100	114	4	6	224	25·3	66	54	120	14·2†	19	85	11·1
Scarborough ..	6,186	49	42	—	2	93	15·0	36	31	67	10·8	3	32	4·2
Startforth ..	4,665	42	38	1	4	85	18·2	26	28	54	11·6	1	12	6·6
Stokesley ..	12,490	106	87	8	8	209	16·7	88	84	172	13·8	13	62	2·9
Thirsk	12,540	88	93	6	4	191	15·2	75	76	151	12·0	16	84	3·2
Wath	2,044	18	25	1	3	47	23·0	16	7	23	11·3	2	43	11·7
Whitby	8,784	60	67	1	2	130	14·8	62	57	119	13·5	12	92	1·3
YORKSHIRE:														
WEST RIDING:														
COUNTY BORO'S:	1,750,710	14,908	14,264	750	671	30,593	17·5	11,795	10,781	22,576	12·9†	2,726	89	4·6
Barnsley ..	71,170	827	770	44	43	1,684	23·7	536	448	984	13·8	181	107	9·9
Bradford ..	290,200	2,369	2,231	123	104	4,827	16·6	2,041	2,037	4,078	14·1	462	96	2·5
Dewsbury ..	54,570	462	412	40	28	942	17·3	409	413	822	15·1	99	105	2·2
Halifax ..	98,090	697	646	38	45	1,426	14·5	760	754	1,514	15·5†	132	93	−1·0
Huddersfield ..	112,100	810	737	45	40	1,632	14·6	731	760	1,491	13·3	110	67	1·3
Leeds	472,900	3,985	3,780	219	203	8,187	17·3	3,254	2,783	6,037	12·8	748	91	4·5
Rotherham ..	70,600	733	716	37	27	1,513	21·4	467	430	897	12·7	132	87	8·7
Sheffield	527,100	4,502	4,478	177	163	9,320	17·7	3,252	2,824	6,076	11·5†	787	84	6·2
Wakefield ..	53,980	523	494	27	18	1,062	19·7	345	332	677	12·5	75	71	7·2
ADMINISTRATIVE COUNTY.	1,534,800	15,268	14,347	614	628	30,857	20·1	9,706	9,242	18,948	12·3†	2,498	81	7·8

† Death-rates based upon estimated civilian populations as follows:—Yorkshire, North Riding—Richmond M.B., 3,726; Scalby U.D., 1,660; Rural Districts, 136,600; Flaxton R.D., 10,080; Richmond R.D., 8,431; Yorkshire, West Riding—County Boroughs, 1,750,280; Halifax C.B., 97,860; Sheffield C.B., 526,900; Administrative County 1,534,300.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1925.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1925).	BIRTHS. Legitimate. M.	BIRTHS. Legitimate. F.	BIRTHS. Illegitimate. M.	BIRTHS. Illegitimate. F.	BIRTHS. TOTAL.	BIRTHS. Crude Rate per 1,000. Total Population.	DEATHS. M.	DEATHS. F.	DEATHS. TOTAL.	DEATHS. Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Deaths under 1 year. Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
YORKSHIRE:														
WEST RIDING —*cont.*														
MUNICIPAL BORO'S AND URBAN DISTRICTS.	1,140,200	10,787	10,147	420	425	21,779	19·1	7,287	7,060	14,347	12·6†	1,795	82	6·5
Adwick le Street	15,960	270	269	6	6	551	34·5	92	68	160	10·0	40	73	24·5
Altofts	5,296	41	39	—	1	81	15·3	27	25	52	9·8	6	74	5·5
Ardsley East and West.	8,929	89	81	3	—	173	19·4	45	36	81	9·1	12	69	10·3
Baildon	6,675	51	57	—	4	112	16·8	39	35	74	11·1	11	98	5·7
Barkisland ..	1,582	15	11	—	—	26	16·4	12	11	23	14·5	1	38	1·9
Barnoldswick ..	12,740	88	78	4	5	175	13·7	84	78	162	12·7	9	51	1·0
Batley M.B. ..	36,390	322	309	16	16	663	18·2	247	247	494	13·6	58	87	4·6
Bentley with Arksey.	14,940	217	169	8	9	403	27·0	90	66	156	10·4	33	82	16·6
Bingley	19,380	148	142	1	8	299	15·4	132	154	286	14·8	30	100	0·6
Birkenshaw ..	2,674	22	15	1	1	39	14·6	16	14	30	11·2	1	26	3·4
Birstal	7,236	67	62	2	1	132	18·2	47	47	94	13·0	10	76	5·2
Bolton-upon-Dearne	14,370	213	205	5	2	425	29·6	75	82	157	10·9	44	104	18·7
Brighouse M.B.	19,920	147	137	4	6	294	14·8	146	168	314	15·8	24	82	−1·0
Burley in Wharfedale.	3,934	27	30	1	—	58	14·7	14	16	30	7·6	4	69	7·1
Calverley ..	3,363	24	21	1	1	47	14·0	20	15	35	10·4	1	21	3·6
Castleford ..	24,940	284	256	18	13	571	22·9	188	143	331	13·3	64	112	9·6
Clayton	5,127	30	43	—	2	75	14·6	33	40	73	14·2	4	53	0·4
Clayton West..	2,053	8	11	—	—	19	9·3	8	9	17	8·3	—	—	1·0
Conisbrough ..	17,020	280	258	10	15	563	33·1	154	97	251	14·7	58	103	18·4
Cudworth ..	8,455	100	114	4	5	223	26·4	52	42	94	11·1	20	90	15·3
Darfield	5,764	57	79	4	2	142	24·6	35	29	64	11·1	11	77	13·5
Darton	11,830	145	141	3	4	293	24·8	70	64	134	11·3	30	102	13·5
Denby and Cumberworth.	3,689	31	22	1	2	56	15·2	22	19	41	11·1	10	179	4·1
Denholme ..	3,007	18	17	1	—	36	12·0	13	21	34	11·3	—	—	3·7
Dodworth ..	3,574	60	41	—	—	101	28·3	19	18	37	10·4	8	79	17·9
Doncaster M.B.	55,610	564	535	24	24	1,147	20·6	353	335	688	12·4	95	83	8·2
Drighlington ..	4,141	31	33	3	2	69	16·7	20	33	53	12·8	5	72	3·9
Earby	5,956	45	36	1	3	85	14·3	39	42	81	13·6	8	94	0·7
Elland	10,650	66	65	5	2	138	13·0	72	70	142	13·3	9	65	−0·3
Emley	1,733	9	13	—	1	23	13·3	6	8	14	8·1	1	43	5·2
Farsley	6,080	41	31	1	4	77	12·7	33	34	67	11·0	4	52	1·7
Featherstone ..	15,890	207	184	7	7	405	25·5	101	78	179	11·3	40	99	14·2
Flockton ..	1,420	11	12	—	—	23	16·2	10	12	22	15·5	4	174	0·7
Garforth ..	4,003	37	35	2	1	75	18·7	17	17	34	8·5	6	80	10·2
Gildersome ..	2,778	23	23	—	—	46	16·6	25	21	46	16·6	1	22	—
Golcar	10,410	71	62	2	2	137	13·2	79	73	152	14·6	11	80	−1·4
Goole	19,980	227	196	13	15	451	22·6	142	115	257	12·9	38	84	9·7
Greasbrough ..	3,251	37	32	2	1	72	22·1	18	9	27	8·3	2	28	13·8
Greetland ..	4,295	20	29	4	—	53	12·3	15	24	39	9·1	2	38	3·2
Guiseley	5,400	36	35	1	—	72	13·3	32	31	63	11·7	6	83	1·6
Gunthwaite and Ingbirchworth	315	2	6	—	—	8	25·4	3	3	6	19·0	—	—	6·4
Harrogate M.B.	34,160	230	206	17	16	469	13·7	195	261	456	13·3	30	64	0·4
Haworth ..	6,495	41	38	—	1	80	12·3	40	53	93	14·3	7	88	−2·0
Hebden Bridge	6,297	26	26	—	3	55	8·7	38	47	85	13·5	4	73	−4·8

† Death-rate based upon an estimated civilian population of 1,139,700.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1925.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1925).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	Total.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
YORKSHIRE:														
WEST RIDING —*cont.*														
MUNICIPAL BORO'S AND URBAN DISTRICTS—*cont.*														
Heckmondwike	8,884	86	62	6	4	158	17·8	64	79	143	16·1	16	101	1·7
Hemsworth ..	12,940	206	187	10	11	414	32·0	77	83	160	12·4	38	92	19·6
Hipperholme ..	4,679	29	35	3	1	68	14·5	33	38	71	15·2	2	29	—0·7
Holme	361	4	4	—	—	8	22·2	—	—	—	—	—	—	22·2
Holmfirth ..	10,430	69	87	4	3	163	15·6	70	75	145	13·9	16	98	1·7
Honley	4,588	29	35	—	—	64	13·9	24	39	63	13·7	5	78	0·2
Horbury	8,064	87	72	5	—	164	20·3	39	49	88	10·9	10	61	9·4
Horsforth ..	9,860	67	60	3	1	131	13·3	65	61	126	12·8	11	84	0·5
Hoyland Nether	16,080	192	178	7	5	382	23·8	89	79	168	10·4	31	81	13·4
Hoyland Swaine	740	8	8	—	—	16	21·6	3	2	5	6·8	—	—	14·8
Hunsworth ..	1,312	9	8	—	—	17	13·0	6	10	16	12·2	—	—	0·8
Ilkley	8,749	43	44	2	3	92	10·5	50	54	104	11·9	5	54	—1·4
Keighley M.B.	41,920	329	271	17	11	628	15·0	292	291	583	13·9	49	78	1·1
Kirkburton ..	3,500	23	25	—	2	50	14·3	21	19	40	11·4	4	80	2·9
Kirkheaton ..	2,744	26	32	—	—	58	21·1	17	23	40	14·6	6	103	6·5
Knaresborough	5,440	47	47	3	2	99	18·2	36	51	87	16·0	4	40	2·2
Knottingley ..	7,061	88	88	6	2	184	26·1	56	39	95	13·5	32	174	12·6
Lepton	3,245	31	21	1	1	54	16·6	17	13	30	9·2	5	93	7·4
Linthwaite ..	9,795	60	62	6	5	133	13·6	57	47	104	10·6	6	45	3·0
Luddenden Foot	2,802	18	22	—	—	40	14·3	24	16	40	14·3	1	25	—
Maltby	9,200	150	168	5	11	334	36·3	58	48	106	11·5	36	108	24·8
Marsden	5,901	47	42	2	—	91	15·4	31	35	66	11·2	6	66	4·2
Meltham	5,087	38	35	—	1	74	14·5	32	46	78	15·3	4	54	—0·8
Methley	4,671	54	45	2	3	104	22·3	27	21	48	10·3	3	29	12·0
Mexborough ..	16,530	164	162	6	8	340	20·6	102	90	192	11·6	40	118	9·0
Midgley	1,880	12	16	—	—	28	14·9	11	22	33	17·6	2	71	—2·7
Mirfield	12,390	106	91	5	1	203	16·4	74	94	168	13·6	10	49	2·8
Morley M.B. ..	23,720	184	199	6	13	402	16·9	147	152	299	12·6	32	80	4·3
Mytholmroyd..	4,115	29	27	2	—	58	14·1	37	24	61	14·8	2	34	—0·7
New Mill ..	4,439	41	38	1	3	83	18·7	18	34	52	11·7	7	84	7·0
Normanton ..	16,870	226	179	10	10	425	25·2	105	85	190	11·3	35	82	13·9
Oakworth ..	4,062	25	23	—	1	49	12·1	21	34	55	13·5	2	41	—1·4
Ossett M.B. ..	14,900	147	118	2	4	271	18·2	113	100	213	14·3	25	92	3·9
Otley	9,605	83	99	3	5	190	19·8	77	60	137	14·3	14	74	5·5
Oxenhope ..	2,397	18	16	—	—	34	14·2	7	19	26	10.8	1	29	3·4
Penistone ..	4,034	43	32	—	—	75	18·6	26	12	38	9·4	4	53	9·2
Pontefract M.B.	18,400	224	203	10	6	443	24·1	101	108	209	11·7†	37	84	12·4
Pudsey M.B. ..	14,080	110	90	4	3	207	14·7	100	108	208	14·8	19	92	—0·1
Queensbury ..	5,740	48	34	3	2	87	15·2	42	47	89	15·5	5	57	—0·3
Rawdon	3,952	27	21	1	—	49	12·4	13	16	29	7·3	—	—	5·1
Rawmarsh ..	18,650	223	195	11	8	437	23·4	118	86	204	10·9	50	114	12·5
Ripon M.B. ..	8,131	67	68	3	4	142	17·5	48	53	101	12·4	9	63	5·1
Rishworth ..	861	6	9	—	—	15	17·4	8	3	11	12·8	—	—	4·6
Rothwell ..	15,720	145	126	3	3	277	17·6	91	59	150	9·5	20	72	8·1
Royston	7,049	85	96	2	3	186	26·4	53	38	91	12·9	22	118	13·5
Saddleworth ..	12,410	83	89	1	3	176	14·2	63	88	151	12·2	9	51	2·0
Scammonden ..	405	1	7	—	1	9	22·2	5	1	6	14·8	—	—	7·4
Selby	10,300	104	95	2	2	203	19·7	64	72	136	13·2	14	69	6·5

† Death-rate based upon an estimated civilian population of 17,900.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1925.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREAS	Estimated Population (Middle 1925).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	Total.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
ORKSHIRE: WEST RIDING —*cont.* UNICIPAL BORO'S AND URBAN DISTRICTS —*cont.*														
Shelf	2,431	16	18	—	2	36	14·8	17	13	30	12·3	3	83	2·5
Shelley	1,689	9	10	1	—	20	11·8	15	8	23	13·6	3	150	—1·8
Shepley	1,692	15	12	—	—	27	16·0	19	10	29	17·1	3	111	—1·1
Shipley	28,570	241	191	6	14	452	15·8	220	201	421	14·7	43	95	1·1
Silsden	4,770	30	33	1	1	65	13·6	25	21	46	9·6	4	62	4·0
Skelmanthorpe	3,938	35	23	—	—	58	14·7	19	24	43	10·9	5	86	3·8
Skipton	12,080	86	73	4	2	165	13·7	84	102	186	15·4	10	61	—1·7
Slaithwaite ..	5,312	34	28	1	1	64	12·0	40	35	75	14·1	3	47	—2·1
South Crosland	2,973	16	13	2	—	31	10·4	18	29	47	15·8	1	32	—5·4
Southowram ..	2,699	25	26	1	—	52	19·3	16	14	30	11·1	5	96	8·2
Sowerby	3,143	24	23	—	—	47	15·0	25	33	58	18·5	5	106	—3·5
Sowerby Bridge	11,360	62	86	3	3	154	13·6	90	100	190	16·7	11	71	—3·1
Soyland	2,708	20	26	—	—	46	17·0	19	22	41	15·1	1	22	1·9
Spenborough ..	31,020	260	222	8	8	498	16·1	198	199	397	12·8	36	72	3·3
Springhead ..	5,209	39	29	2	1	71	13·6	32	30	62	11·9	7	99	1·7
Stainland ..	4,398	26	28	2	—	56	12·7	23	34	57	13·0	1	18	—0·3
Stanley	15,200	144	174	6	6	330	21·7	94	87	181	11·9	36	109	9·8
Stocksbridge ..	9,608	107	97	1	5	210	21·9	60	33	93	9·7	13	62	12·2
Swinton	14,620	176	152	8	8	344	23·5	85	72	157	10·7	27	78	12·8
Thurlstone ..	2,560	15	16	—	1	32	12·5	12	17	29	11·3	6	188	1·2
Thurnscoe ..	7,477	116	124	2	1	243	32·5	57	43	100	13·4	24	99	19·1
Thurstonland & Farnley Tyas‡	3,032	12	9	—	1	22	7·3	12	16	28	9·2	2	91	—1·9
Tickhill	2,212	24	30	2	2	58	26·2	20	12	32	14·5	2	34	11·7
Todmorden M.B.	23,300	159	143	5	8	315	13·5	169	148	317	13·6	17	54	—0·1
Wath-upon-Dearne.	14,260	170	166	8	7	351	24·6	91	65	156	10·9	25	71	13·7
Whitley Upper	853	6	4	1	—	11	12·9	10	6	16	18·8	—	—	—5·9
Whitwood ..	6,276	79	76	4	1	160	25·5	34	46	80	12·7	17	106	12·8
Wombwell ..	20,530	240	244	13	11	508	24·7	99	90	189	9·2	35	69	15·5
Worsborough..	12,440	135	140	6	8	289	23·2	79	63	142	11·4	27	93	11·8
Yeadon	7,435	47	56	1	3	107	14·4	55	54	109	14·7	12	112	—0·3
URAL DISTRICTS.	394,600	4,481	4,200	194	203	9,078	23·0	2,419	2,182	4,601	11·7	703	77	11·3
Barnsley ..	4,367	50	49	1	2	102	23·4	20	21	41	9·4	8	78	14·0
Bishopthorpe..	2,209	19	14	—	2	35	15·8	18	12	30	13·6	2	57	2·2
Bowland ..	5,438	51	52	4	2	109	20·0	34	37	71	13·1	2	18	6·9
Doncaster ..	33,910	573	526	18	24	1,141	33·6	185	179	364	10·7	90	79	22·9
Goole	8,722	74	100	10	7	191	21·9	60	54	114	13·1	19	99	8·8
Great Ouseburn	11,210	93	80	5	4	182	16·2	60	74	134	12·0	9	49	4·2
Halifax	6,170	42	35	2	3	82	13·3	45	41	86	13·9	9	110	—0·6
Hemsworth ..	42,490	647	606	29	24	1,306	30·7	280	230	510	12·0	132	101	18·7
Hunslet	7,795	71	69	4	5	149	19·1	56	41	97	12·4	6	40	6·7
Keighley.. ..	7,130	45	46	1	2	94	13·2	38	56	94	13·2	3	32	—
Kiveton Park..	16,700	193	177	11	7	388	23·2	87	77	164	9·8	22	57	13·4
Knaresborough	8,641	60	50	4	4	118	13·7	36	64	100	11·6	4	34	2·1
Pateley Bridge	7,182	54	68	3	4	129	18·0	51	51	102	14·2	6	47	3·8
Penistone ..	5,830	64	56	1	1	122	20·9	48	24	72	12·3	14	115	8·6
Pontefract ..	21,600	361	297	10	23	691	32·0	148	106	254	11·8	72	104	20·2
Ripon	5,024	47	44	2	2	95	18·9	33	39	77	15·3	5	53	3·6
Rotherham ..	34,390	412	419	12	21	864	25·1	204	147	351	10·2	62	72	14·9
Sedbergh.. ..	4,029	25	37	3	1	66	16·4	17	20	37	9·2	1	15	7·2

‡ The Urban Districts of Thurstonland and Farnley Tyas were amalgamated on the 1st April, 1925. The figures relate to e combined districts for the whole year. A considerable proportion of the population of this area was enumerated in a County natic Asylum, the deaths in which are allocated to the areas in which the deceased patients had resided before admission.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1925.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1925).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F	TOTAL.	Crude Rate per 1,000 Total Population.	DEATHS. M.	F.	TOTAL.	Crude Rate per 1,000 Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
YORKSHIRE:														
WEST RIDING —*cont.*														
RURAL DISTRICTS —*cont.*														
Selby	6,190	59	65	3	3	130	21·0	56	31	87	14·1	9	69	6·9
Settle	15,020	134	114	2	4	254	16·9	82	98	180	12·0	9	35	4·9
Skipton	18,560	146	127	4	5	282	15·2	114	121	235	12·7	19	67	2·5
Tadcaster ..	29,570	289	282	19	7	597	20·2	158	152	310	10·5	38	64	9·7
Thorne	14,340	261	255	19	16	551	38·4	122	98	220	15·3	59	107	23·1
Todmorden ..	4,566	26	27	—	1	54	11·8	33	31	64	14·0	6	111	—2·2
Wakefield ..	18,290	213	202	11	6	432	23·6	110	102	212	11·6	35	81	12·0
Wetherby ..	14,580	125	108	8	9	250	17·1	103	88	191	13·1	16	64	4·0
Wharfedale:—														
North ..	3,949	29	24	—	2	55	13·9	19	12	31	7·9	2	36	6·0
South ..	7,508	43	41	—	1	85	11·3	32	30	62	8·3	6	71	3·0
Wortley	29,190	275	230	8	11	524	18·0	165	146	311	10·7	38	73	7·3
COUNTY BORO':														
York	86,530	798	768	36	36	1,638	18·9	542	519	1,061	12·5†	144	88	6·4
WALES AND MONMOUTH.														
ANGLESEY:														
Administrative County.	52,290	404	374	36	45	859	16·4	374	387	761	14·6	69	80	1·8
MUNICIPAL BORO' AND URBAN DISTRICTS.	20,130	148	164	9	7	328	16·3	137	150	287	14·3	25	76	2·0
Amlwch ..	2,626	24	23	2	1	50	19·0	26	24	50	19·0	6	120	—
Beaumaris M.B.	1,654	9	6	—	1	16	9·7	14	10	24	14·5	1	63	—4·8
Holyhead ..	12,470	92	106	3	2	203	16·3	71	84	155	12·4	15	74	3·9
Llangefni ..	1,682	14	11	4	2	31	18·4	15	18	33	19·6	1	32	—1·2
Menai Bridge	1,698	9	18	—	1	28	16·5	11	14	25	14·7	2	71	1·8
RURAL DISTRICTS.	32,160	256	210	27	38	531	16·5	237	237	474	14·7	44	83	1·8
Aethwy	8,410	63	54	4	7	128	15·2	64	61	125	14·9	13	102	0·3
Dwyran	2,880	30	18	3	—	51	17·7	19	32	51	17·7	3	59	—
Twrcelyn ..	9,140	72	52	6	8	138	15·1	68	74	142	15·5	13	94	—0·4
Valley	11,730	91	86	14	23	214	18·2	86	70	156	13·3	15	70	4·9
BRECKNOCKSHIRE Administrative County.	62,260	574	573	25	25	1,197	19·2	355	366	721	11·6†	85	71	7·6
MUNICIPAL BORO' AND URBAN DISTRICTS.	18,200	162	170	8	3	343	18·8	95	105	200	11·1†	17	50	7·7
Brecknock, M.B.	5,689	39	59	3	2	103	18·1	25	28	53	9·7†	4	39	8·4
Brynmawr ..	8,667	93	79	—	1	173	20·0	44	47	91	10·5	11	64	9·5
Builth Wells ..	1,572	15	15	2	—	32	20·4	11	12	23	14·6	2	63	5·8
Hay	1,513	12	7	3	—	22	14·5	11	15	26	17·2	—	—	—2·7
Llanwrtyd ..	759	3	10	—	—	13	17·1	4	3	7	9·2	—	—	7·9
RURAL DISTRICTS.	44,060	412	403	17	22	854	19·4	260	261	521	11·8	68	80	7·6
Brecknock:—														
Defynnock & Llangorse Div.	6,555	56	62	2	3	123	18·8	42	49	91	13·9	10	81	4·9
Merthyr Cynog. Div.	2,171	20	12	1	—	33	15·2	12	11	23	10·6	6	182	4·6
Builth	3,989	39	34	2	1	76	19·1	30	21	51	12·8	6	79	6·3
Crickhowell ..	8,220	65	73	8	3	149	18·1	48	60	108	13·1	9	60	5·0
Hay	4,191	30	34	—	3	67	16·0	14	20	34	8·1	2	30	7·9
Vaynor and Penderyn.	5,904	48	56	4	3	111	18·8	42	40	82	13·9	11	99	4·9

† Death-rates based upon estimated civilian populations as follows:—York C.B., 84,630; Brecknockshire—Administrative County, 62,050; Municipal Borough and Urban Districts, 17,990; Brecknock M.B., 5,479.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1925.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA:	Estimated Population (Middle 1925).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	TOTAL.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
BRECKNOCKSHIRE —*cont.*														
RURAL DISTRICTS —*cont.*														
Ystradgynlais..	12,000	146	118	—	9	273	22·8	65	58	123	10·3	22	81	12·5
C.P. of Llanwrthwl administered by R.D.C. of Rhayader (Radnor).	359	4	6	—	—	10	27·9	4	2	6	16·7	—	—	11·2
C.P. of Ystradfellte administered by R.D.C. of Neath (Glam.)	671	4	8	—	—	12	17·9	3	—	3	4·5	2	167	13·4
CARDIGANSHIRE: Administrative County.	57,970	384	386	32	28	830	14·3	413	513	926	16·0	59	71	— 1·7
MUNICIPAL BORO'S AND URBAN DISTRICTS.	16,460	88	96	10	11	205	12·5	112	140	252	15·3	12	59	— 2·8
Aberayron ..	1,223	6	10	2	—	18	14·7	15	15	30	24·5	1	56	— 9·8
Aberystwyth M.B.	9,090	38	48	3	5	94	10·3	51	56	107	11·8	4	43	— 1·5
Cardigan M.B.	3,358	27	22	4	4	57	17·0	20	35	55	16·4	5	88	0·6
Lampeter M.B.	1,715	10	13	—	1	24	14·0	16	26	42	24·5	1	42	—10·5
New Quay ..	1,074	7	3	1	1	12	11·2	10	8	18	16·8	1	83	— 5·6
RURAL DISTRICTS.	41,510	296	290	22	17	625	15·1	301	373	674	16·2	47	75	— 1·1
Aberayron ..	7,597	53	66	3	4	126	16·6	64	73	137	18·0	15	119	— 1·4
Aberystwyth:—														
North ..	6,852	53	41	6	3	103	15·0	46	63	109	15·9	4	39	— 0·9
South ..	5,073	27	34	3	1	65	12·8	44	50	94	18·5	10	154	— 5·7
Cardigan ..	3,085	22	20	—	—	42	13·6	19	30	49	15·9	2	48	— 2·3
Lampeter ..	3,515	23	30	4	2	59	16·8	19	20	39	11·1	1	17	5·7
Llandyssil ..	8,019	65	45	2	5	117	14·6	60	69	129	16·1	10	85	— 1·5
Tregaron ..	7,026	49	51	4	2	106	15·1	46	65	111	15·8	5	47	— 0·7
Civil Parish of YsguboryCoed administered by R.D.C. of Machynlleth (Montgomeryshire).	343	4	3	—	—	7	20·4	3	3	6	17·5	—	—	2·9
CARMARTHENSHIRE: Administrative County.	181,930	1,780	1,649	57	55	3,541	19·5	1,069	1,171	2,240	12·3	282	80	7·2
MUNICIPAL BORO'S AND URBAN DISTRICTS.	76,930	726	710	19	18	1,473	19·1	412	462	874	11·4	115	78	7·7
Ammanford ..	7,603	76	61	2	—	139	18·3	38	34	72	9·5	3	22	8·8
Burry Port ..	6,491	61	70	3	5	139	21·4	29	34	63	9·7	13	94	11·7
Carmarthen .. M.B.	9,876	72	82	7	4	165	16·7	55	62	117	11·8	14	85	4·9
Cwmamman ..	5,692	54	50	—	—	104	18·3	15	27	42	7·4	6	58	10·9
Kidwelly M.B.	3,333	40	24	—	—	64	19·2	16	32	48	14·4	9	141	4·8
Llandilo	2,053	19	9	—	1	29	14·1	17	19	36	17·5	1	34	— 3·4
Llandovery M.B.	1,975	15	16	—	—	31	15·7	14	17	31	15·7	1	32	—
Llanelly M.B.	39,090	386	395	6	8	795	20·3	224	228	452	11·6	68	86	8·7
Newcastle Emlyn	817	3	3	1	—	7	8·6	4	9	13	15·9	—	—	— 7·3

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1925.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1925).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	Total.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
CARMARTHENSHIRE—*cont.*														
RURAL DISTRICTS	105,000	1,054	939	38	37	2,068	19·7	657	709	1,366	13·0	167	81	6·7
Carmarthen ..	24,420	253	216	6	9	484	19·8	143	198	341	14·0	30	62	5·8
Llandilo Fawr	22,700	223	238	15	9	485	21·4	140	128	268	11·8	34	70	9·6
Llandovery ..	6,802	66	52	1	3	122	17·9	45	55	100	14·7	7	57	3·2
Llanelly	36,440	402	348	10	11	771	21·2	228	213	441	12·1	70	91	9·1
Llanybyther ..	3,407	32	20	1	2	55	16·1	28	22	50	14·7	9	164	1·4
Newcastle-in-Emlyn.	6,174	42	33	3	2	80	13·0	38	42	80	13·0	5	63	—
Whitland ..	5,057	36	32	2	1	71	14·0	35	51	86	17·0	12	169	−3·0
CARNARVONSHIRE: Administrative County.	119,970	879	812	74	64	1,829	15·2	950	966	1,916	16·0	154	84	−0·8
MUNICIPAL BORO'S AND URBAN DISTRICTS.	60,710	427	413	28	28	896	14·8	401	461	862	14·2	61	68	0·6
Bangor M.B. ..	10,800	74	78	3	5	160	14·8	83	97	180	16·7	7	44	−1·9
Bethesda.. ..	4,083	40	30	7	2	79	19·3	41	46	87	21·3	6	76	−2·0
Bettws y Coed	843	6	2	—	—	8	9·5	7	7	14	16·6	1	125	−7·1
Carnarvon M.B.	8,220	64	66	3	7	140	17·0	67	81	148	18·0	8	57	−1·0
Conway M.B.	6,682	54	50	3	4	111	16·6	38	36	74	11·1	5	45	5·5
Criccieth ..	1,732	5	13	1	—	19	11·0	5	17	22	12·7	1	53	−1·7
Llandudno ..	13,510	90	65	4	2	161	11·9	60	73	133	9·8	17	106	2·1
Llanfairfechan	3,090	20	20	—	1	41	13·3	24	25	49	15·9	2	49	−2·6
Penmaenmawr	4,025	25	22	1	1	49	12·2	28	21	49	12·2	3	61	—
Portmadoc ..	4,172	31	35	2	4	72	17·3	31	34	65	15·6	9	125	1·7
Pwllheli M.B.	3,553	18	32	4	2	56	15·8	17	24	41	11·5	2	36	4·3
RURAL DISTRICTS.	59,260	452	399	46	36	933	15·7	549	505	1,054	17·8	93	100	−2·1
Conway	5,810	47	39	3	—	89	15·3	46	48	94	16·2	6	67	−0·9
Geirionydd ..	4,122	33	29	3	1	66	16·0	33	40	73	17·7	8	121	−1·7
Glaslyn	3,033	21	22	4	1	48	15·8	26	17	43	14·2	3	63	1·6
Gwyrfai	23,800	192	164	14	14	384	16·1	262	216	478	20·1	52	135	−4·0
Lleyn	16,800	117	117	17	16	267	15·9	129	129	258	15·4	15	56	0·5
Ogwen	5,695	42	28	5	4	79	13·9	53	55	108	19·0	9	114	−5·1
DENBIGHSHIRE: Administrative County.	158,640	1,457	1,314	88	66	2,925	18·4	992	979	1,971	12·4†	248	85	6·0
MUNICIPAL BORO'S AND URBAN DISTRICTS.	56,940	462	404	23	18	907	15·9	362	387	749	13·2†	82	90	2·7
Abergele and Pensarn.	2,280	19	11	—	—	30	13·2	19	19	38	16·7	5	167	−3·5
Colwyn Bay and Colwyn.	19,990	131	112	7	7	257	12·9	113	127	240	12·0	16	62	0·9
Denbigh M.B...	6,802	55	54	4	1	114	16·8	43	39	82	12·1	9	79	4·7
Llangollen ..	3,238	31	23	3	2	59	18·2	23	23	46	14·2	2	34	4·0
Llanrwst ..	2,343	25	18	2	2	47	20·1	15	26	41	17·5	4	85	2·6
Ruthin M.B. ..	2,777	14	20	1	2	37	13·3	23	16	39	14·0	4	108	−0·7
Wrexham M.B.	19,510	187	166	6	4	363	18·6	126	137	263	13·7†	42	116	4·9
RURAL DISTRICTS.	101,700	995	910	65	48	2,018	19·8	630	592	1,222	12·0	166	82	7·8
Chirk	4,857	40	51	—	1	92	18·9	40	29	69	14·2	7	76	4·7
Llangollen ..	3,646	26	29	—	3	58	15·9	25	18	43	11·8	2	34	4·1
Llanrwst ..	4,278	43	28	3	3	77	18·0	29	31	60	14·0	7	91	4·0
Llansilin	2,894	24	28	6	2	60	20·7	15	27	42	14·5	4	67	6·2

† Death-rates based upon estimated civilian populations as follows:—Denbighshire—Administrative County, 158,390; Municipal Boroughs and Urban Districts, 56,690; Wrexham M.B., 19,260.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1925.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1925).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F	Total.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	Total.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
DENBIGHSHIRE —*cont.*														
RURAL DISTRICTS —*cont.*														
Ruthin	9,202	59	70	8	2	139	15·1	54	59	113	12·3	13	94	2·8
St. Asaph (Denbigh).	6,708	71	43	7	3	124	18·5	42	45	87	13·0	8	65	5·5
Uwchaled ..	2,102	20	13	4	2	39	18·6	12	15	27	12·8	—	—	5·8
Wrexham ..	66,210	697	629	35	31	1,392	21·0	403	350	753	11·4	122	88	9·6
C.P. of Llanelianyn Rhôs and Llansantffraid Glan Conway administered by R.D.C. of Conway (Carnarvonshire).	1,803	15	19	2	1	37	20·5	10	18	28	15·5	3	81	5·0
FLINTSHIRE:														
Administrative County.	105,460	1,001	971	37	46	2,055	19·5	766	684	1,450	13·8†	144	70	5·7
MUNICIPAL BORO' AND URBAN DISTRICTS.	41,150	378	391	16	20	805	19·6	310	274	584	14·2	69	86	5·4
Buckley	6,862	68	66	3	2	139	20·3	52	39	91	13·3	12	86	7·0
Connah's Quay	5,622	72	52	—	5	129	22·9	36	33	69	12·3	14	109	10·6
Flint M.B. ..	6,709	93	78	1	2	174	25·9	58	47	105	15·7	15	86	10·2
Holywell ..	3,029	30	35	2	1	68	22·4	31	22	53	17·5	9	132	4·9
Mold	4,804	42	54	—	3	99	20·6	35	23	58	12·1	7	71	8·5
Prestatyn ..	3,494	22	25	1	—	48	13·7	23	37	60	17·2	4	83	−3·5
Rhyl	10,630	51	81	9	7	148	13·9	75	73	148	13·9	8	54	—
RURAL DISTRICTS.	64,310	623	580	21	26	1,250	19·4	456	410	866	13·6†	75	60	5·8
Hawarden ..	25,800	257	223	6	11	497	19·3	156	106	262	10·4†	24	48	8·9
Holywell:—														
Holywell Div.	17,450	170	179	5	6	360	20·6	150	134	284	16·3	25	69	4·3
Mold Div. ..	8,639	83	59	3	3	148	17·1	61	62	123	14·2	10	68	2·9
Overton	5,128	45	47	2	5	99	19·3	33	44	77	15·0	6	61	4·3
St. Asaph (Flint)	7,293	68	72	5	1	146	20·0	56	64	120	16·5	10	68	3·5
GLAMORGANSHIRE:														
COUNTY BORO's..	473,420	4,747	4,596	124	155	9,622	20·3	3,174	2,680	5,854	12·4†	826	86	7·9
Cardiff	227,300	2,276	2,246	64	71	4,657	20·5	1,586	1,328	2,914	12·8†	433	93	7·7
Merthyr Tydfil	82,920	772	806	22	36	1,636	19·7	562	490	1,052	12·7	162	99	7·0
Swansea	163,200	1,699	1,544	38	48	3,329	20·4	1,026	862	1,888	11·6	231	69	8·8
ADMINISTRATIVE COUNTY.	843,400	9,099	8,731	279	258	18,367	21·8	5,164	4,305	9,469	11·2	1,517	83	10·6
MUNICIPAL BORO's AND URBAN DISTRICTS.	635,400	6,921	6,639	203	196	13,959	22·0	3,982	3,291	7,273	11·4	1,215	87	10·6
Aberdare.. ..	57,700	502	459	10	10	981	17·0	360	323	683	11·8	96	98	5·2
Barry	40,430	399	415	21	17	852	21·1	250	181	431	10·7	69	81	10·4
Bridgend.. ..	9,673	104	93	4	1	202	20·9	50	63	113	11·7	7	35	9·2
Caerphilly ..	40,030	509	502	12	9	1,032	25·8	273	200	473	11·8	106	103	14·0
Cowbridge M.B.	1,167	10	13	1	—	24	20·6	3	7	10	8·6	—	—	12·0
Gelligaer ..	47,510	558	567	14	19	1,158	24·4	295	240	535	11·3	110	95	13·1
Glyncorwg ..	11,760	144	157	9	7	317	27·0	73	47	120	10·2	19	60	16·8
Maesteg	29,850	335	311	12	8	666	22·3	169	160	329	11·0	61	92	11·3

† Death-rates based upon estimated civilian populations as follows:—Flintshire—Administrative County, 104,880; Rural Districts, 63,730; Hawarden R.D., 25,220; Glamorganshire—County Boroughs, 473,220; Cardiff C.B., 227,100.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1925.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1925).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F.	Total.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	Total.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
GLAMORGANSHIRE —*cont.*														
MUNICIPAL BORO'S AND URBAN DISTRICTS—*cont.*														
Mountain Ash	45,650	507	470	16	10	1,003	22·0	279	261	540	11·8	89	89	10·2
Neath M.B. ..	34,600	384	360	9	11	764	22·1	206	195	401	11·6	50	65	10·5
Ogmore and Garw.	32,120	355	338	9	8	710	22·1	204	140	344	10·7	68	96	11·4
Penarth	18,210	162	135	5	4	306	16·8	112	78	190	10·4	23	75	6·4
Pontypridd ..	49,490	579	532	15	19	1,145	23·1	327	237	564	11·4	97	85	11·7
Porthcawl ..	6,140	61	39	3	2	105	17·1	42	38	80	13·0	6	57	4·1
Port Talbot M.B.	43,500	486	470	16	13	985	22·6	217	223	440	10·1	59	60	12·5
Rhondda.. ..	167,570	1,826	1,778	47	58	3,709	22·1	1,122	898	2,020	12·1	355	96	10·0
RURAL DISTRICTS.	208,000	2,178	2,092	76	62	4,408	21·2	1,182	1,014	2,196	10·6	302	69	10·6
Cardiff	25,270	225	230	6	6	467	18·5	127	137	264	10·4	23	49	8·1
Cowbridge ..	10,850	138	125	6	6	275	25·3	52	64	116	10·7	19	69	14·6
Gower	9,720	76	97	4	2	179	18·4	61	55	116	11·9	11	61	6·5
Llantrisant and Llantwitfardre	27,380	363	324	12	6	705	25·7	183	130	313	11·4	53	75	14·3
Neath	40,080	448	426	18	15	907	22·6	210	201	411	10·3	81	89	12·3
Penybont ..	30,870	301	312	11	11	635	20·6	155	137	292	9·5	40	63	11·1
Pontardawe ..	36,890	367	319	11	12	709	19·2	225	172	397	10·8	42	59	8·4
Swansea	26,940	260	259	8	4	531	19·7	169	118	287	10·7	33	62	9·0
MERIONETHSHIRE Administrative County.	42,950	330	338	30	27	725	16·9	348	346	694	16·2†	52	72	0·7
URBAN DISTRICTS.	18,720	145	136	14	14	309	16·5	163	165	328	17·5	23	74	—1·0
Bala..	1,439	13	5	—	1	19	13·2	13	19	32	22·2	3	158	—9·0
Barmouth ..	2,125	12	20	2	1	35	16·5	13	19	32	15·1	1	29	1·4
Dolgelly	2,182	17	15	4	2	38	17·4	13	25	38	17·4	1	26	—
Ffestiniog ..	8,426	69	79	5	8	161	19·1	80	60	140	16·6	11	68	2·5
Mallwyd	703	8	3	2	1	14	19·9	10	8	18	25·6	3	214	—5·7
Towyn	3,845	26	14	1	1	42	10·9	34	34	68	17·7	4	95	—6·8
RURAL DISTRICTS.	24,230	185	202	16	13	416	17·2	185	181	366	15·2†	29	70	2·0
Deudraeth ..	7,378	52	65	8	7	132	17·9	59	51	110	15·1†	6	45	2·8
Dolgelly	7,771	54	56	2	2	114	14·7	52	59	111	14·3	10	88	0·4
Edeirnion ..	4,965	38	40	2	4	84	16·9	43	43	86	17·3	7	83	—0·4
Penllyn	3,703	40	38	3	—	81	21·9	26	23	49	13·2	6	74	8·7
C.P. of Pennal administered by R.D.C. of Machynlleth (Montgomeryshire).	413	1	3	1	—	5	12·1	5	5	10	24·2	—	—	—12·1
MONMOUTHSHIRE:														
COUNTY BORO':														
Newport ..	96,580	1,003	926	32	35	1,996	20·7	617	536	1,153	12·0†	177	89	8·7
ADMINISTRATIVE COUNTY.	375,400	4,000	3,864	124	112	8,100	21·6	2,189	1,791	3,980	10·6	679	84	11·0

† Death-rates based upon estimated civilian populations as follows:—Merionethshire—Administrative County, 42,850; Rural Districts 24,130; Deudraeth R.D., 7,278. Monmouthshire—Newport C.B., 96,420.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1925.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Estimated Population (Middle 1925).	BIRTHS. Legitimate. M.	Legitimate. F.	Illegitimate. M.	Illegitimate. F	Total.	Crude Rate per 1,000. Total Population.	DEATHS. M.	F.	Total.	Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
MONMOUTHSHIRE —*cont.*														
MUNICIPAL BORO'S AND URBAN DISTRICTS.	327,800	3,582	3,431	116	98	7,227	22·0	1,909	1,575	3,484	10·6	630	87	11·4
Abercarn.. ..	21,260	262	260	6	7	535	25·2	120	108	228	10·7	46	86	14·5
Abergavenny M.B.	9,133	83	78	6	2	169	18·5	78	58	136	14·9	12	71	3·6
Abersychan ..	29,160	303	278	8	12	601	20·6	153	134	287	9·8	64	106	10·8
Abertillery ..	39,260	392	352	14	10	768	19·6	196	142	338	8·6	62	81	11·0
Bedwas and Machen.	9,372	107	116	5	4	232	24·8	56	40	96	10·2	20	86	14·6
Bedwellty ..	83,900	448	418	19	11	896	26·4	199	149	348	10·3	82	92	16·1
Blaenavon ..	13,080	132	135	3	—	270	20·6	85	76	161	12·3	27	100	8·3
Caerleon	2,273	16	6	1	1	24	10·6	7	10	17	7·5	—	—	3·1
Chepstow ..	5,146	41	53	2	2	98	19·0	40	36	76	14·8	9	92	4·2
Ebbw Vale ..	37,290	418	406	10	12	846	22·7	234	157	391	10·5	71	84	12·2
Llanfrechfa Upper.	4,913	50	47	1	—	98	19·9	33	29	62	12·6	15	153	7·3
Llantarnam ..	7,955	81	74	1	2	158	19·9	38	38	76	9·6	10	63	10·3
Monmouth M.B.	5,050	51	39	2	3	95	18·8	44	46	90	17·8	9	95	1·0
Mynyddislwyn	16,010	182	205	4	6	397	24·8	81	78	159	9·9	45	113	14·9
Nantyglo and Blaina.	16,920	171	157	8	4	340	20·1	92	98	190	11·2	32	94	8·9
Panteg	11,670	123	105	—	3	231	19·8	65	57	122	10·5	13	56	9·3
Pontypool ..	7,516	79	80	3	1	163	21·7	42	39	81	10·8	13	80	10·9
Rhymney ..	12,340	161	149	5	7	322	26·1	89	63	152	12·3	28	87	13·8
Risca	17,760	161	169	7	6	343	19·3	91	80	171	9·6	23	67	9·7
Tredegar ..	26,380	318	292	10	5	625	23·7	162	129	291	11·0	49	78	12·7
Usk	1,412	3	12	1	—	16	11·3	4	8	12	8·5	—	—	2·8
RURAL DISTRICTS.	47,600	418	433	8	14	873	18·3	280	216	496	10·4	49	56	7·9
Abergavenny	9,354	76	68	1	3	148	15·8	57	33	90	9·6	9	61	6·2
Chepstow ..	9,001	68	89	3	5	165	18·3	53	37	90	10·0	5	30	8·3
Magor	5,777	56	48	—	—	104	18·0	37	19	56	9·7	6	58	8·3
Monmouth ..	6,598	66	60	2	4	132	20·0	42	34	76	11·5	3	23	8·5
Pontypool ..	5,430	53	55	1	1	110	20·3	37	24	61	11·2	7	64	9·1
St. Mellons ..	11,440	99	113	1	1	214	18·7	54	69	123	10·8	19	89	7·9
MONTGOMERYSHIRE Administrative County.	51,900	447	389	40	36	912	17·6	355	364	719	13·9	56	61	3·7
MUNICIPAL BORO'S AND URBAN DISTRICTS.	18,680	143	126	12	13	294	15·7	148	148	296	15·8	16	54	−0·1
Llanfyllin M.B.	1,613	12	6	1	—	19	11·8	22	11	33	20·5	4	211	−8·7
Llanidloes M.B.	2,480	19	13	—	1	33	13·3	15	28	43	17·3	—	—	−4·0
Machynlleth ..	1,883	18	11	2	3	34	18·1	26	27	53	28·1	2	59	−10·0
Montgomery M.B.	975	8	8	—	—	16	16·4	8	7	15	15·4	1	63	1·0
Newtown and Llanllwchaiarn.	5,834	41	38	4	5	88	15·1	41	33	74	12·7	6	68	2·4
Welshpool M.B.	5,895	45	50	5	4	104	17·6	36	42	78	13·2	3	29	4·4
RURAL DISTRICTS.	33,220	304	263	28	23	618	18·6	207	216	423	12·7	40	65	5·9
Forden	5,733	44	44	3	4	95	16·6	30	38	68	11·9	4	42	4·7
Llanfyllin ..	12,200	114	105	17	9	245	20·1	77	73	150	12·3	12	49	7·8
Machynlleth ..	3,797	29	32	1	3	65	17·1	29	23	52	13·7	6	92	3·4
Newtown and Llanidloes.	11,490	117	82	7	7	213	18·5	71	82	153	13·3	18	85	5·2

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASES, 1925.—COUNTIES, COUNTY BOROUGHS, MUNICIPAL BOROUGHS AND URBAN DISTRICTS, RURAL DISTRICTS.

Area.	Estimated Population (Middle 1925).	Births. Legitimate. M.	Births. Legitimate. F.	Births. Illegitimate. M.	Births. Illegitimate. F	Births. Total.	Births. Crude Rate per 1,000. Total Population.	Deaths. M.	Deaths. F.	Deaths. Total.	Deaths. Crude Rate per 1,000. Total Population.	Deaths under 1 year. Number.	Deaths under 1 year. Rate per 1,000 births.	Natural Increase per 1,000 Population.
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
PEMBROKESHIRE: Administrative County.	92,290	785	723	27	38	1,573	17·0	575	603	1,178	12·9†	108	69	4·1
MUNICIPAL BORO'S AND URBAN DISTRICTS.	43,470	365	343	13	15	736	16·9	268	247	515	12·1†	58	79	4·8
Fishguard ..	3,052	21	24	1	—	46	15·1	16	14	30	9·8	5	109	5·3
Goodwick ..	2,420	27	20	2	2	51	21·1	20	13	33	13·6	1	20	7·5
Haverfordwest M.B.	5,993	46	30	1	4	81	13·5	36	45	81	13·5	6	74	—
Milford Haven	8,645	97	78	2	3	180	20·8	35	32	67	7·8	16	89	13·0
Narberth.. ..	1,173	7	6	—	—	13	11·1	9	6	15	12·8	1	77	−1·7
Neyland	2,717	19	21	1	1	42	15·5	16	21	37	13·6	8	190	1·9
Pembroke M.B.	15,460	118	135	6	4	263	17·0	105	80	185	12·6†	18	68	4·4
Tenby M.B. ..	4,010	30	29	—	1	60	15·0	31	36	67	16·7	3	50	−1·7
RURAL DISTRICTS.	48,820	420	380	14	23	837	17·1	307	356	663	13·6	50	60	3·5
Haverfordwest	19,250	177	169	4	11	361	18·8	113	140	253	13·1	19	53	5·7
Llanfyrnach ..	2,267	12	16	—	1	29	12·8	16	28	44	19·4	3	103	−6·6
Narberth.. ..	11,020	90	79	5	7	181	16·4	70	74	144	13·1	12	66	3·3
Pembroke ..	8,619	70	62	3	3	138	16·0	56	41	97	11·3	6	43	4·7
St. Dogmells ..	7,664	71	54	2	1	128	16·7	52	73	125	16·3	10	78	0·4
RADNORSHIRE: Administrative County.	22,290	178	194	19	13	404	18·1	158	151	309	13·9	23	57	4·2
URBAN DISTRICTS.	5,740	44	46	3	3	96	16·7	42	44	86	15·0	4	42	1·7
Knighton ..	1,745	11	17	—	—	28	16·0	9	21	30	17·2	1	36	−1·2
Llandrindod Wells.	2,851	25	17	1	2	45	15·8	19	12	31	10·9	2	44	4·9
Presteigne ..	1,144	8	12	2	1	23	20·1	14	11	25	21·9	1	43	−1·8
RURAL DISTRICTS.	16,550	134	148	16	10	308	18·6	116	107	223	13·5	19	62	5·1
Colwyn	2,193	14	20	—	—	34	15·5	13	13	26	11·9	2	59	3·6
Knighton ..	4,267	33	42	3	2	80	18·7	29	32	61	14·3	8	100	4·4
New Radnor ..	2,652	22	25	4	3	54	20·4	24	19	43	16·2	1	19	4·2
Painscastle ..	2,332	22	18	3	1	44	18·9	16	13	29	12·4	1	23	6·5
Rhayader ..	5,106	43	43	6	4	96	18·8	34	30	64	12·5	7	73	6·3

† Death rates based upon estimated civilian populations as follows:—Pembrokeshire—Administrative County, 91,550; Municipal Boroughs and Urban Districts, 42,730; Pembroke M.B., 14,720.

TABLE 15.—ENGLAND AND WALES.—DEATHS at EACH YEAR of AGE REGISTERED in the YEAR 1925. (Total deaths registered.)

Age last birth-day.	Persons.	Males.	Females.			
			Total.	Single.	Married.	Widowed.
All Ages	**472,841**	**240,875**	**231,966**	**78,736**	**75,608**	**77,622**
0-4	**81,080**	**45,080**	**36,000**	**36,000**	—	—
0	53,316	30,498	22,818	22,818	—	—
1	14,565	7,743	6,822	6,822	—	—
2	6,057	3,132	2,925	2,925	—	—
3	4,054	2,072	1,982	1,982	—	—
4	3,088	1,635	1,453	1,453	—	—
5-9	**7,687**	**3,989**	**3,698**	**3,698**	—	—
5	2,818	1,444	1,374	1,374	—	—
6	1,470	792	678	678	—	—
7	1,148	587	561	561	—	—
8	1,144	605	539	539	—	—
9	1,107	561	546	546	—	—
10-14	**5,902**	**2,988**	**2,914**	**2,914**	—	—
10	1,115	562	553	553	—	—
11	1,075	571	504	504	—	—
12	1,143	570	573	573	—	—
13	1,171	604	567	567	—	—
14	1,398	681	717	717	—	—
15-19	**9,320**	**4,737**	**4,583**	**4,470**	**111**	**2**
15	1,588	783	805	805	—	—
16	1,720	869	851	849	2	—
17	1,910	943	967	962	5	—
18	1,985	1,025	960	931	29	—
19	2,117	1,117	1,000	923	75	2
20-24	**10,691**	**5,400**	**5,291**	**3,735**	**1,544**	**12**
20	2,165	1,141	1,024	866	157	1
21	2,126	1,096	1,030	800	230	—
22	2,119	1,066	1,053	765	287	1
23	2,117	1,036	1,081	687	390	4
24	2,164	1,061	1,103	617	480	6
25-29	**10,548**	**5,032**	**5,516**	**2,207**	**3,230**	**79**
25	2,128	1,008	1,120	544	566	10
26	2,114	996	1,118	475	630	13
27	2,100	1,000	1,100	432	656	12
28	2,127	992	1,135	420	694	21
29	2,079	1,036	1,043	336	684	23
30-34	**10,909**	**5,345**	**5,564**	**1,499**	**3,859**	**206**
30	2,107	986	1,121	342	747	32
31	2,041	1,030	1,011	285	697	29
32	2,335	1,105	1,230	323	861	46
33	2,121	1,055	1,066	263	757	46
34	2,305	1,169	1,136	286	797	53
35-39	**12,956**	**6,620**	**6,336**	**1,268**	**4,692**	**376**
35	2,261	1,110	1,151	253	852	46
36	2,353	1,186	1,167	244	856	67
37	2,585	1,337	1,248	262	916	70
38	2,823	1,478	1,345	238	1,014	93
39	2,934	1,509	1,425	271	1,054	100
40-44	**16,596**	**9,126**	**7,470**	**1,410**	**5,403**	**657**
40	3,066	1,684	1,382	272	1,004	106
41	3,002	1,667	1,335	246	993	96
42	3,488	1,902	1,586	316	1,137	133
43	3,443	1,870	1,573	286	1,144	143
44	3,597	2,003	1,594	290	1,125	179
45-49	**21,113**	**11,581**	**9,532**	**1,700**	**6,798**	**1,034**
45	3,934	2,162	1,772	373	1,241	158
46	3,816	2,096	1,720	304	1,216	200
47	4,132	2,334	1,798	325	1,277	196
48	4,436	2,366	2,070	342	1,495	233
49	4,795	2,623	2,172	356	1,569	247
50-54	**26,256**	**14,484**	**11,772**	**1,933**	**8,009**	**1,830**
50	4,918	2,715	2,203	395	1,513	295
51	4,674	2,551	2,123	348	1,483	292
52	5,424	3,038	2,386	371	1,620	395
53	5,391	2,979	2,412	393	1,637	382
54	5,849	3,201	2,648	426	1,756	466
55-59	**30,706**	**16,897**	**13,809**	**2,125**	**8,689**	**2,995**
55	5,521	3,042	2,479	416	1,624	439
56	5,934	3,220	2,714	396	1,769	549
57	6,112	3,299	2,813	457	1,765	591
58	6,492	3,654	2,838	437	1,765	636
59	6,647	3,682	2,965	419	1,766	780
60-64	**37,565**	**20,668**	**16,897**	**2,483**	**9,116**	**5,298**
60	7,039	3,877	3,162	459	1,791	912
61	6,626	3,722	2,904	405	1,639	860
62	7,849	4,344	3,505	500	1,896	1,109
63	7,749	4,263	3,486	541	1,846	1,099
64	8,302	4,462	3,840	578	1,944	1,318
65-69	**44,083**	**23,329**	**20,754**	**2,877**	**8,938**	**8,939**
65	9,074	4,838	4,236	600	1,970	1,666
66	7,833	4,184	3,649	538	1,689	1,422
67	8,332	4,410	3,922	550	1,728	1,644
68	9,331	4,853	4,478	593	1,902	1,983
69	9,513	5,044	4,469	596	1,649	2,224
70-74	**48,687**	**24,202**	**24,485**	**3,093**	**7,539**	**13,853**
70	9,683	5,002	4,681	621	1,637	2,423
71	8,903	4,477	4,426	533	1,543	2,350
72	9,878	4,883	4,995	630	1,538	2,827
73	10,085	5,012	5,073	644	1,435	2,994
74	10,138	4,828	5,310	665	1,386	3,259
75-79	**44,409**	**20,276**	**24,133**	**3,088**	**4,841**	**16,204**
75	9,981	4,709	5,272	652	1,261	3,359
76	9,380	4,303	5,077	667	1,144	3,266
77	8,631	3,900	4,731	648	931	3,152
78	8,466	3,804	4,662	576	849	3,237
79	7,951	3,560	4,391	545	656	3,190
80-84	**32,270**	**13,436**	**18,834**	**2,384**	**2,164**	**14,286**
80	7,767	3,305	4,462	571	615	3,276
81	6,634	2,792	3,842	442	470	2,930
82	6,295	2,585	3,710	494	431	2,785
83	5,936	2,476	3,460	452	360	2,648
84	5,638	2,278	3,360	425	288	2,647
85-89	**16,320**	**5,949**	**10,371**	**1,325**	**576**	**8,470**
85	4,743	1,850	2,893	337	181	2,375
86	3,860	1,400	2,460	328	163	1,969
87	3,190	1,151	2,039	275	117	1,647
88	2,538	880	1,658	221	69	1,368
89	1,989	668	1,321	164	46	1,111
90-94	**4,754**	**1,497**	**3,257**	**420**	**96**	**2,741**
90	1,538	482	1,056	140	38	878
91	1,095	356	739	105	17	617
92	961	314	647	80	18	549
93	687	214	473	60	17	396
94	473	131	342	35	6	301
95-99	**897**	**216**	**681**	**101**	**2**	**578**
95	364	93	271	31	—	240
96	210	51	159	22	1	136
97	163	39	124	23	—	101
98	98	25	73	15	1	57
99	62	8	54	10	—	44
100–	**92**	**23**	**69**	**6**	**1**	**62**
100	42	11	31	3	1	27
101–	50	12	38	3	—	35

NOTE.—The 472,841 deaths at all ages include 588 cases (342 males and 246 females) in which only approximate ages were stated; these have been included under the stated age (*e.g.*, age "about 40" under age 40). In 45 cases (39 males and 6 females) the ages were stated to be within certain limits (*e.g.*, age 20 to 25 years); these have been distributed over the age group in proportion to the numbers of precisely stated ages in the individual years of age. In 13 cases (11 males and 2 females) the ages were stated to be unknown; these have been distributed to the particular ages, with regard as far as possible to the cause of death.

Of the 240,875 deaths of females, 262 were cases in which the condition as to marriage was not stated; these have been distributed among the single, married, and widowed in proportion to their respective numbers at the same age. The deaths of 48 divorced women are included with the deaths of widows.

TABLE 16.

DEATHS AT DIFFERENT AGES IN SECTIONS OF THE COUNTRY AND CLASSES OF AREA, 1925.
(Civilian population only).

Age.	Sex.	All Areas.* England and Wales.	All Areas.* North.	All Areas.* Midlands.	All Areas.* South.†	All Areas.* Wales.	London.	County Boroughs. England and Wales.	County Boroughs. North.	County Boroughs. Midlands.	County Boroughs. South.	County Boroughs. Wales.
All Ages ..	M	240419	88073	72796	62051	17499	27625	86899	49082	25720	8306	3791
	F	231966	82677	69925	63522	15842	26966	81809	45306	24447	8840	3216
Under 4 weeks	M	13078	5313	3944	2714	1107	1207	4793	2785	1403	372	233
	F	9893	4026	2995	2042	830	915	3686	2177	1085	249	175
4 weeks–3 months	M	5201	2161	1513	1080	447	564	2080	1241	625	129	85
	F	3770	1650	1067	765	288	384	1547	929	439	107	72
3–6 months	M	4751	2111	1256	1028	356	622	2051	1282	556	130	83
	F	3278	1385	884	738	271	435	1371	832	387	86	66
6–12 months	M	7468	3344	2043	1423	658	801	3387	2040	962	208	177
	F	5877	2647	1595	1113	522	671	2584	1616	737	119	112
Total under 1 year	M	30498	12929	8756	6245	2568	3194	12311	7348	3546	839	578
	F	22818	9708	6541	4658	1911	2405	9188	5554	2648	561	425
1—	M	7743	3768	2048	1300	627	748	3612	2302	995	164	151
	F	6822	3236	1809	1193	584	679	3166	2019	879	150	118
2—	M	3132	1436	859	579	258	325	1403	864	416	64	59
	F	2925	1387	785	530	223	281	1326	832	357	77	60
3—	M	2072	921	573	394	184	216	915	569	264	44	38
	F	1982	877	548	385	172	216	869	534	246	49	40
4—	M	1635	694	453	348	140	187	672	399	202	45	26
	F	1453	631	420	282	120	146	610	358	191	36	25
Total under 5 years	M	45080	19748	12689	8866	3777	4670	18913	11482	5423	1156	852
	F	36000	15839	10103	7048	3010	3727	15159	9297	4321	873	668
5—	M	3989	1611	1192	892	294	430	1547	889	477	127	54
	F	3698	1526	1089	782	301	386	1425	837	417	109	62
10—	M	2986	1197	901	670	218	328	1120	653	322	97	48
	F	2914	1188	829	661	236	319	1117	677	314	79	47
15—	M	4689	1894	1384	1049	362	520	1729	1053	485	122	69
	F	4583	1793	1302	1087	401	571	1674	981	483	120	90
20—	M	5263	1977	1546	1272	468	612	1877	1064	560	152	101
	F	5291	1884	1638	1318	451	623	1986	1082	640	177	87
25—	M	4941	1805	1517	1240	379	584	1829	1013	547	174	95
	F	5516	2045	1629	1389	453	673	1973	1120	588	167	98
30—	M	5300	2001	1542	1300	457	641	2007	1150	569	171	117
	F	5564	2101	1632	1394	437	633	2045	1173	626	169	77
35—	M	6560	2461	1947	1645	507	798	2613	1448	795	235	135
	F	6336	2379	1815	1625	517	753	2356	1276	701	249	130
40—	M	9090	3438	2656	2341	655	1148	3641	2037	1104	332	168
	F	7470	2836	2164	1948	522	919	2805	1618	806	270	111
45—	M	11555	4488	3290	2957	820	1485	4745	2775	1364	404	202
	F	9532	3593	2691	2594	654	1205	3555	2031	1040	344	140
50—	M	14477	5630	4038	3823	986	1873	5838	3420	1625	549	244
	F	11772	4423	3335	3239	775	1471	4375	2525	1232	448	170
55—	M	16895	6364	4766	4528	1237	2238	6352	3804	1713	573	262
	F	13809	5108	3925	3844	932	1726	5052	2850	1481	531	190
60—	M	20667	7540	6042	5619	1466	2523	7523	4266	2192	748	317
	F	16897	6327	4866	4570	1134	2013	5987	3403	1693	647	244
65—	M	23329	8233	7114	6411	1571	2752	7832	4363	2306	820	343
	F	20754	7637	6119	5748	1250	2371	7168	4032	2095	800	241
70—	M	24202	8353	7634	6565	1650	2715	8028	4332	2480	888	328
	F	24485	8344	7560	7065	1516	2812	8268	4458	2495	1015	300
75—	M	20275	6251	6683	5954	1387	2215	5972	3094	1844	793	241
	F	24133	7439	7680	7520	1494	2811	7459	3795	2320	1087	257
80—	M	13436	3505	4906	4207	818	1356	3593	1600	1277	564	152
	F	18834	5120	6371	6293	1050	2200	5577	2658	1804	934	181
85—	M	7685	1577	2949	2712	447	737	1740	639	637	401	63
	F	14378	3095	5177	5397	709	1753	3828	1493	1391	821	123

* The Counties in the four sections, North, Midlands, South, and Wales, are shown in footnote || to Table 14.
† Including London.

DEATHS AT DIFFERENT AGES IN SECTIONS OF THE COUNTRY AND CLASSES OF AREA, 1925.
(Civilian population only).

Age.	Sex.	Other Urban Districts.					Rural Districts.				
		England and Wales.	North.	Midlands.	South.	Wales.	England and Wales.	North.	Midlands.	South.	Wales.
All Ages ..	M	78365	28331	27167	14526	8341	47530	10660	19909	11594	5367
	F	77664	27349	26689	16177	7449	45527	10022	18789	11539	5177
Under 4 weeks	M	4402	1774	1426	624	578	2676	754	1115	511	296
	F	3281	1296	1098	483	404	2011	553	812	395	251
4 weeks–3 months	M	1671	671	559	219	222	886	249	329	168	140
	F	1211	521	394	155	141	628	200	234	119	75
3–6 months	M	1416	613	448	186	169	662	216	252	90	104
	F	976	390	307	133	146	496	163	190	84	59
6–12 months	M	2242	976	680	239	347	1038	328	401	175	134
	F	1806	757	541	188	320	816	274	317	135	90
Total under 1 year	M	9731	4034	3113	1268	1316	5262	1547	2097	944	674
	F	7274	2964	2340	959	1011	3951	1190	1553	733	475
1—	M	2392	1085	700	239	368	991	381	353	149	108
	F	2127	913	644	210	360	850	304	286	154	106
2—	M	989	436	292	120	141	415	136	151	70	58
	F	927	414	289	99	125	391	141	139	73	38
3—	M	634	257	191	82	104	307	95	118	52	42
	F	608	242	211	65	90	289	101	91	55	42
4—	M	540	227	165	60	88	236	68	86	56	26
	F	511	217	170	60	64	186	56	59	40	31
Total under 5 years	M	14286	6039	4461	1769	2017	7211	2227	2805	1271	908
	F	11447	4750	3654	1393	1650	5667	1792	2128	1055	692
5—	M	1327	531	448	182	166	685	191	267	153	74
	F	1227	498	410	163	156	660	191	262	124	83
10—	M	968	402	343	123	100	570	142	236	122	70
	F	964	370	325	157	112	514	141	190	106	77
15—	M	1584	614	539	243	188	856	227	360	164	105
	F	1542	593	518	245	186	796	219	301	151	125
20—	M	1785	679	605	280	221	989	234	381	228	146
	F	1708	562	622	301	223	974	240	376	217	141
25—	M	1614	562	602	269	181	914	230	368	213	103
	F	1875	678	637	334	226	995	247	404	215	129
30—	M	1731	627	601	283	220	921	224	372	205	120
	F	1860	670	638	338	214	1026	258	368	254	146
35—	M	2080	755	743	348	234	1069	258	409	264	138
	F	2126	821	705	375	225	1101	282	409	248	162
40—	M	2908	1093	1004	506	305	1393	308	548	355	182
	F	2449	899	839	462	249	1297	319	519	297	162
45—	M	3578	1318	1217	646	397	1747	395	709	422	221
	F	3188	1185	1037	646	320	1584	377	614	399	194
50—	M	4613	1742	1573	835	463	2153	468	840	566	279
	F	3872	1443	1300	784	345	2054	455	803	536	260
55—	M	5557	1970	1949	1021	617	2748	590	1104	696	358
	F	4541	1731	1473	914	423	2490	527	971	673	319
60—	M	6777	2468	2285	1317	707	3844	806	1565	1031	442
	F	5736	2216	1901	1092	527	3161	708	1272	818	363
65—	M	7760	2771	2715	1564	710	4985	1099	2093	1275	518
	F	7081	2688	2353	1474	566	4134	917	1671	1103	443
70—	M	8051	2867	2828	1621	735	5408	1154	2326	1341	587
	F	8346	2872	2893	1898	683	5059	1014	2172	1340	533
75—	M	6827	2146	2499	1585	597	5261	1011	2340	1361	549
	F	8345	2635	2963	2127	620	5518	1009	2397	1495	617
80—	M	4407	1204	1743	1147	313	4080	701	1886	1140	353
	F	6477	1709	2483	1854	431	4580	753	2084	1305	438
85—	M	2512	543	1012	787	170	2696	395	1300	787	214
	F	4880	1029	1938	1620	293	3917	573	1848	1203	293

TABLE 16—*contd.*

DEATHS AT DIFFERENT AGES IN GREATER LONDON AND METROPOLITAN BOROUGHS, 1925.
(Civilian population only).

Age.	Sex.	Greater London.*	City of London.	Inner and Middle Temples.	Battersea.	Bermondsey.	Bethnal Green.	Camberwell.	Chelsea.	Deptford.	Finsbury.	Fulham.	Greenwich.	Hackney.	Hammersmith.	Hampstead.
All Ages ..	M	43558	93	4	911	856	743	1594	457	756	534	870	646	1259	752	415
	F	43013	65	—	894	714	683	1474	429	643	516	885	532	1358	857	508
Under 4 weeks	M	2021	1	—	59	54	32	71	14	29	17	37	35	54	36	16
	F	1481	—	—	30	38	22	53	9	27	8	37	23	45	25	13
4 weeks–3 months	M	880	1	—	17	20	23	41	6	8	13	23	16	25	17	3
	F	652	1	—	8	11	15	18	4	13	11	14	4	23	9	8
3–6 months	M	884	2	—	20	23	28	31	7	14	16	26	11	34	14	4
	F	635	—	—	11	8	19	11	4	9	8	13	10	18	14	3
6–12 months	M	1147	—	—	22	42	43	41	16	21	18	36	21	37	17	6
	F	926	1	—	19	16	30	46	4	16	13	26	16	31	22	6
Total under 1 year	M	4932	4	—	118	139	126	184	43	72	64	122	83	150	84	29
	F	3694	2	—	68	73	86	128	21	65	40	90	53	117	70	30
1—	M	1093	2	—	15	44	24	33	3	24	17	27	17	44	19	3
	F	951	1	—	16	24	35	36	5	16	23	23	15	33	16	1
2—	M	474	1	—	11	20	11	18	4	23	8	7	8	13	5	5
	F	431	2	—	8	11	5	19	1	11	6	11	7	19	5	—
3—	M	305	1	—	3	11	9	15	3	3	4	5	10	7	2	1
	F	330	—	—	5	10	5	18	3	7	9	4	3	9	10	2
4—	M	271	—	—	9	8	11	8	—	4	1	6	11	12	5	3
	F	229	1	—	2	4	7	11	1	6	3	2	1	5	1	2
Total under 5 years	M	7075	8	—	156	222	181	258	53	126	94	167	129	226	115	41
	F	5635	6	—	99	122	138	212	31	105	81	130	79	183	102	35
5—	M	686	—	—	9	18	13	31	1	16	9	9	9	21	13	2
	F	604	—	—	10	17	8	25	5	15	8	9	10	21	18	2
10—	M	536	—	—	17	15	14	15	4	8	4	7	7	13	11	—
	F	522	—	—	14	10	10	15	4	10	4	14	12	8	15	1
15—	M	836	2	—	25	24	17	36	7	8	9	20	17	22	20	4
	F	864	—	—	19	24	19	34	4	15	11	26	16	23	19	8
20—	M	977	3	—	26	20	14	39	7	17	17	14	19	30	20	8
	F	996	2	—	23	20	11	33	8	17	12	22	18	35	26	10
25—	M	926	1	—	16	15	12	36	9	15	10	22	15	35	14	11
	F	1046	1	—	19	14	14	37	9	16	11	28	9	42	14	14
30—	M	977	—	—	21	25	17	38	8	19	15	25	20	23	10	9
	F	1022	2	—	20	18	22	30	11	10	10	22	16	32	19	12
35—	M	1303	2	—	29	18	15	46	13	17	20	23	23	31	18	12
	F	1186	1	—	22	18	14	37	4	13	12	20	16	52	31	11
40—	M	1786	2	—	41	43	22	64	13	27	21	47	31	60	27	16
	F	1456	4	—	37	28	16	54	15	24	17	38	13	48	37	13
45—	M	2291	9	—	44	43	53	71	29	33	30	42	43	69	42	15
	F	1914	2	—	45	29	41	61	21	32	30	37	25	51	38	20
50—	M	2912	7	1	57	56	65	106	26	56	46	55	29	81	53	27
	F	2337	3	—	43	43	41	75	28	39	28	36	32	55	39	30
55—	M	3462	11	—	72	51	57	119	28	63	53	78	58	116	55	44
	F	2718	6	—	58	50	44	100	34	44	49	50	28	79	61	40
60—	M	3936	9	2	81	65	61	154	39	78	49	77	40	114	77	43
	F	3146	4	—	61	59	58	110	39	47	38	68	33	82	49	42
65—	M	4363	13	—	89	74	65	143	44	86	41	80	44	110	68	62
	F	3777	8	—	91	67	45	117	38	55	53	86	46	118	67	57
70—	M	4295	7	—	72	65	59	156	44	75	54	88	69	104	79	43
	F	4487	6	—	95	53	71	140	51	64	51	79	56	150	82	51
75—	M	3569	13	—	75	52	47	154	52	63	35	63	48	102	69	36
	F	4612	9	—	95	64	67	163	59	63	47	93	41	143	102	67
80—	M	2337	5	1	50	38	21	85	45	31	15	36	30	65	39	31
	F	3695	9	—	79	46	39	143	35	41	35	65	54	126	73	48
85—	M	1291	1	—	31	12	10	43	35	18	12	17	15	37	22	11
	F	2996	2	—	64	32	25	88	33	33	19	62	28	110	65	47

* See footnote on p. 58.

DEATHS AT DIFFERENT AGES IN GREATER LONDON AND METROPOLITAN BOROUGHS, 1925.
(Civilian population only).

Age.	Sex.	Holborn.	Islington.	Kensington.	Lambeth.	Lewisham.	Paddington.	Poplar.	St. Marylebone.	St. Pancras.	Shoreditch.	Southwark.	Stepney.	Stoke Newington.	Wandsworth.	Westminster.	Woolwich.
All Ages ..	M	299	2127	1057	1914	896	863	1044	586	1447	772	1379	1703	296	1660	923	769
	F	243	2055	1314	1945	1029	929	920	676	1294	644	1114	1420	335	1932	808	750
Under 4 weeks	M	3	88	46	83	43	36	62	13	58	32	68	77	12	73	22	36
	F	7	74	40	56	30	35	39	19	36	33	43	62	13	55	18	25
4 weeks–3 months	M	2	42	20	33	14	13	36	11	31	26	32	32	5	29	13	12
	F	3	30	7	23	18	12	14	6	22	16	22	35	3	15	10	9
3–6 months	M	6	40	39	50	11	17	33	12	39	19	32	46	2	24	8	14
	F	5	37	21	28	6	13	27	11	20	30	22	42	5	14	11	15
6–12 months	M	2	59	26	43	13	27	37	14	45	39	49	61	9	27	15	15
	F	5	44	27	38	27	16	42	10	29	36	45	49	6	27	9	15
Total under 1 year	M	13	229	131	209	81	93	168	50	173	116	181	216	28	153	58	77
	F	20	185	95	145	81	76	122	46	107	115	132	188	27	111	48	64
1—	M	4	64	31	30	19	15	39	18	40	30	49	68	4	33	14	18
	F	5	52	20	32	13	20	49	8	34	43	43	65	4	19	14	14
2—	M	2	25	8	14	5	8	19	5	23	12	16	27	1	11	6	9
	F	3	19	6	20	7	9	22	3	11	12	22	16	2	10	4	10
3—	M	2	8	8	17	7	9	10	5	9	6	18	16	2	14	3	8
	F	—	16	3	18	10	4	15	1	14	10	12	14	1	7	2	4
4—	M	2	11	7	18	6	4	2	3	14	9	9	9	2	7	4	2
	F	—	16	1	18	6	3	7	2	11	8	8	3	2	11	3	1
Total under 5 years	M	23	337	185	288	118	129	238	81	259	173	273	336	37	218	85	114
	F	28	288	125	233	117	112	215	60	177	188	217	286	36	158	71	93
5—	M	2	34	9	31	20	9	17	6	21	17	23	37	2	33	4	14
	F	6	22	11	24	14	11	12	7	15	17	19	25	2	30	10	13
10—	M	1	22	12	34	15	10	18	3	13	10	15	22	2	25	4	7
	F	—	22	13	21	17	10	12	7	11	10	23	16	2	20	6	12
15—	M	3	44	13	36	13	11	15	11	22	18	21	40	9	20	13	20
	F	7	30	21	45	22	16	22	6	23	10	29	38	6	39	19	20
20—	M	7	52	20	36	18	20	26	9	30	17	25	37	6	41	10	24
	F	4	55	34	34	13	10	27	16	24	13	24	46	6	45	19	16
25—	M	2	47	15	41	18	16	19	21	21	18	24	47	5	41	18	20
	F	3	52	28	44	25	18	26	21	29	27	31	43	5	44	21	28
30—	M	3	52	18	44	24	30	21	10	31	14	28	43	10	39	21	23
	F	8	48	26	43	21	25	22	13	32	9	25	37	8	46	24	22
35—	M	3	74	32	66	19	26	26	15	38	22	48	51	10	49	34	18
	F	9	56	39	71	29	23	31	14	47	14	32	38	8	46	25	20
40—	M	14	87	40	95	36	28	38	30	68	40	52	65	14	52	32	43
	F	7	61	41	59	29	30	27	28	55	22	33	45	13	70	28	27
45—	M	20	121	52	99	43	46	64	30	89	31	85	101	13	81	46	41
	F	10	98	64	74	44	42	35	26	64	32	53	64	13	77	38	39
50—	M	35	129	70	115	75	62	59	32	102	50	116	124	16	104	67	52
	F	17	111	75	102	53	52	35	55	83	36	59	81	19	101	55	45
55—	M	40	203	83	159	70	65	80	41	131	62	111	112	20	108	89	59
	F	14	138	85	122	61	54	54	41	86	31	64	116	15	118	41	43
60—	M	33	176	89	183	68	76	76	72	126	73	131	186	23	165	103	54
	F	15	157	107	142	82	66	65	55	106	36	84	113	26	147	60	62
65—	M	34	208	117	208	78	95	100	68	146	72	124	168	38	171	122	84
	F	30	178	107	179	89	89	58	75	119	48	95	110	25	178	78	65
70—	M	33	205	124	171	90	86	92	66	153	63	132	152	36	184	122	91
	F	22	237	146	215	117	95	82	82	136	56	105	136	36	209	117	72
75—	M	26	163	87	169	86	67	88	53	105	47	98	103	31	157	79	47
	F	30	214	146	208	101	116	76	60	142	46	105	114	34	256	88	62
80—	M	14	117	54	82	68	56	51	26	63	25	47	57	18	105	48	33
	F	22	158	125	179	100	92	71	60	91	28	65	75	48	177	56	60
85—	M	6	56	37	57	37	31	16	12	29	20	26	22	6	67	26	25
	F	11	130	121	150	95	68	50	50	54	21	51	37	33	171	52	51

TABLE 16—*contd.*

DEATHS AT DIFFERENT AGES IN COUNTY BOROUGHS, 1925.
(Civilian population only).

Age.	Sex.	Barnsley.	Barrow-in-Furness.	Bath.	Birkenhead.	Birmingham.	Blackburn.	Blackpool.	Bolton.	Bootle.	Bournemouth.	Bradford.	Brighton.	Bristol.	Burnley.
All Ages ..	M	536	406	416	987	5911	846	570	1244	608	529	2041	865	2554	758
	F	448	368	554	914	5216	925	582	1227	482	654	2037	982	2628	755
Under 4 weeks	M	39	27	18	71	335	44	29	45	32	21	100	29	117	35
	F	27	11	13	48	232	27	19	53	33	13	78	20	85	26
4 weeks–3 months	M	24	7	5	27	132	24	15	27	15	7	47	15	39	17
	F	15	5	2	23	89	16	9	15	21	5	32	12	31	18
3–6 months	M	15	8	4	31	137	14	6	33	13	4	47	14	49	26
	F	10	3	2	17	89	10	8	17	17	—	31	9	44	9
6–12 months	M	25	9	5	31	223	25	13	41	42	6	83	18	73	22
	F	26	9	2	43	151	25	6	31	15	5	44	11	73	25
Total under 1 year	M	103	51	32	160	827	107	63	146	102	38	277	76	278	100
	F	78	28	19	131	561	78	42	116	86	23	185	52	233	78
1—	M	31	12	5	44	228	22	8	46	45	7	66	17	122	34
	F	20	10	4	45	199	32	9	37	24	3	71	14	104	24
2—	M	15	6	2	17	75	11	3	13	17	4	30	9	59	13
	F	5	8	4	21	66	10	4	7	6	4	21	9	48	14
3—	M	8	2	2	12	58	9	2	5	6	1	12	4	44	8
	F	4	8	3	16	50	10	4	9	6	1	19	4	39	10
4—	M	6	2	2	7	41	4	2	5	5	3	13	1	28	12
	F	7	7	1	7	40	6	4	9	1	2	13	3	27	9
Total under 5 years	M	163	73	43	240	1229	153	78	215	175	53	398	107	531	167
	F	114	61	31	220	916	136	63	178	123	33	309	82	451	135
5—	M	15	11	11	21	100	12	8	26	13	3	28	7	66	22
	F	9	10	6	16	98	15	7	15	8	11	22	8	36	10
10—	M	9	4	7	12	70	13	7	17	9	4	23	10	33	10
	F	11	7	2	18	71	13	2	18	11	3	22	5	33	8
15—	M	17	7	5	19	109	19	2	29	11	7	33	9	51	22
	F	13	7	1	14	90	17	4	24	12	8	26	7	53	14
20—	M	13	8	9	20	119	14	13	30	16	6	32	15	55	10
	F	11	6	7	30	131	22	6	13	13	14	35	18	75	19
25—	M	22	5	9	16	129	17	11	17	16	5	35	18	49	14
	F	11	6	9	22	121	14	13	26	12	6	41	13	55	20
30—	M	13	14	4	15	129	21	9	32	19	7	35	23	66	20
	F	15	8	7	24	148	24	11	38	15	12	49	19	65	26
35—	M	10	9	10	27	187	32	13	28	23	18	54	26	67	25
	F	11	18	9	22	150	27	21	33	12	15	61	32	74	20
40—	M	17	16	14	49	265	37	26	43	22	22	89	38	98	29
	F	13	20	18	28	196	40	22	47	19	17	72	29	72	39
45—	M	26	16	14	58	399	42	49	71	30	25	135	45	124	43
	F	21	16	19	42	238	39	30	61	17	26	97	54	104	38
50—	M	31	32	28	69	433	53	48	86	45	38	141	57	154	57
	F	22	15	25	55	273	58	39	76	23	33	145	48	128	43
55—	M	38	31	30	75	406	71	42	111	47	30	174	47	165	54
	F	29	24	27	45	331	56	54	103	24	40	148	64	146	51
60—	M	46	40	40	82	514	94	58	140	42	43	220	84	195	72
	F	28	30	38	50	348	75	49	119	32	51	179	91	191	58
65—	M	41	40	47	75	514	84	51	129	40	61	200	100	213	72
	F	43	29	62	74	431	133	59	144	44	63	213	94	213	77
70—	M	31	40	47	82	558	93	61	131	48	59	206	99	273	70
	F	38	37	73	83	518	97	78	124	34	89	218	112	288	78
75—	M	26	31	45	63	359	45	64	91	30	69	136	70	188	51
	F	30	37	67	73	486	79	63	107	45	89	199	108	272	66
80—	M	15	24	30	41	255	36	22	36	15	41	70	73	150	17
	F	16	24	82	50	389	52	39	75	29	72	127	122	203	44
85—	M	3	5	23	23	136	10	8	12	7	38	32	37	76	3
	F	13	13	71	48	281	28	22	26	9	72	74	76	169	9

TABLE 16—*contd.*

DEATHS AT DIFFERENT AGES IN COUNTY BOROUGHS, 1925.
(Civilian population only).

Age.	Sex.	Burton-on-Trent.	Bury.	Canterbury.	Carlisle.	Chester.	Coventry.	Croydon.	Darlington.	Derby.	Dewsbury.	Dudley.	Eastbourne.	East Ham.	Exeter.	Gateshead.	Gloucester.
All Ages ..	M	378	417	157	348	287	756	1028	466	820	409	415	293	796	396	939	340
	F	349	430	162	421	280	661	1143	415	777	413	378	373	704	431	869	337
Under 4 weeks	M	11	15	3	11	13	49	38	34	51	22	32	15	39	19	72	11
	F	11	15	4	30	17	28	32	18	34	16	18	3	38	11	59	11
4 weeks–3 months	M	11	2	5	4	8	18	16	13	19	16	16	4	9	8	30	6
	F	8	5	—	8	5	16	19	9	16	5	12	1	7	5	17	4
3–6 months	M	7	6	4	5	3	12	21	11	16	9	13	3	12	10	40	5
	F	4	2	—	3	1	6	17	14	11	4	9	—	5	5	28	2
6–12 months	M	18	11	4	12	10	21	29	22	18	19	24	3	14	11	51	12
	F	4	8	2	11	5	18	15	15	24	8	15	1	11	4	44	4
Total under 1 year	M	47	34	16	32	34	100	104	80	104	66	85	25	74	48	193	34
	F	27	30	6	52	28	68	83	56	85	33	54	5	61	25	148	21
1—	M	5	13	1	12	12	12	22	20	18	11	30	2	16	5	93	9
	F	13	10	2	19	5	14	16	12	16	9	30	4	10	8	73	6
2—	M	6	2	1	5	2	8	9	8	9	7	14	—	4	2	27	2
	F	5	5	—	4	3	9	13	10	7	3	15	5	7	1	28	6
3—	M	1	4	—	3	2	12	4	2	6	3	5	—	10	1	18	4
	F	1	1	—	2	3	4	8	4	5	1	7	—	8	2	17	—
4—	M	4	4	—	2	1	3	3	3	7	3	4	—	7	1	5	1
	F	4	3	2	—	3	3	4	2	3	5	5	—	6	2	12	2
Total under 5 years	M	63	57	18	54	51	135	142	113	144	90	138	27	111	57	336	50
	F	50	49	10	77	42	98	124	84	116	51	111	14	92	38	278	35
5—	M	3	8	2	5	2	15	15	7	9	9	12	3	7	5	20	12
	F	7	7	2	6	5	13	9	13	15	6	15	1	10	5	26	3
10—	M	4	7	1	5	4	8	14	8	13	4	5	2	11	3	16	5
	F	2	4	—	5	2	10	17	4	7	9	5	4	9	3	20	—
15—	M	5	10	2	12	2	14	15	13	11	7	8	4	21	8	24	8
	F	6	6	1	4	4	22	16	3	13	6	10	4	13	8	16	8
20—	M	6	7	1	9	3	19	22	8	21	8	4	3	21	8	29	9
	F	6	11	1	8	1	18	25	9	17	5	9	5	16	7	29	11
25—	M	9	5	4	5	6	10	23	14	13	8	11	5	14	12	17	11
	F	4	4	2	10	9	25	29	18	24	12	14	6	21	11	27	13
30—	M	10	15	4	11	4	28	20	11	19	12	6	8	21	5	19	8
	F	4	10	1	15	3	23	16	15	24	14	8	9	15	5	20	12
35—	M	15	14	3	9	14	34	32	6	25	5	10	9	36	7	34	9
	F	7	13	1	16	10	22	35	14	13	6	10	8	26	8	33	9
40—	M	12	20	9	15	17	35	43	17	33	13	18	10	37	11	28	19
	F	6	19	7	7	6	15	39	17	25	14	11	14	22	11	32	12
45—	M	14	27	6	22	23	40	60	19	41	21	27	13	38	18	44	12
	F	19	20	6	19	12	35	48	13	37	21	8	13	17	12	43	10
50—	M	23	35	7	26	26	53	70	28	42	19	17	23	64	23	49	15
	F	12	18	10	17	16	39	64	29	47	27	18	14	34	14	37	13
55—	M	31	35	8	20	18	61	66	31	54	35	17	19	61	24	59	22
	F	23	24	12	28	23	48	74	17	49	27	19	26	54	21	46	20
60—	M	38	35	15	30	33	70	99	29	68	46	21	22	84	37	50	28
	F	26	43	7	26	24	43	73	21	63	43	18	24	60	34	46	18
65—	M	35	46	11	31	23	69	107	44	86	42	40	32	94	27	71	23
	F	27	57	15	38	28	58	99	38	86	42	36	50	57	45	50	34
70—	M	38	35	15	37	21	70	91	45	92	39	30	34	75	44	57	35
	F	46	63	21	58	28	51	116	30	80	47	27	50	80	49	58	38
75—	M	35	34	19	33	24	52	85	41	82	38	27	34	39	51	56	30
	F	41	52	27	47	22	53	132	39	70	45	24	42	77	65	60	33
80—	M	24	19	17	17	11	31	70	22	47	12	17	29	48	30	19	26
	F	33	21	22	18	30	57	113	37	64	26	21	45	49	47	33	34
85—	M	13	8	15	7	5	12	54	10	20	1	7	16	14	26	11	18
	F	30	9	17	22	15	31	114	14	27	12	14	44	52	48	15	34

DEATHS AT DIFFERENT AGES IN COUNTY BOROUGHS, 1925.
(Civilian population only).

Age.	Sex.	Great Yarmouth.	Grimsby.	Halifax.	Hastings.	Huddersfield.	Ipswich.	Kingston-upon-Hull.	Leeds.	Leicester.	Lincoln.	Liverpool.	Manchester.	Middlesbrough.	Newcastle-upon-Tyne.	Northampton.	Norwich.	Nottingham.
All Ages ..	M	338	506	760	413	731	515	2042	3254	1578	422	6231	5747	1092	2140	561	702	1835
	F	399	451	754	467	760	513	1892	2783	1551	365	5720	5213	910	1778	556	785	1900
Under 4 weeks	M	16	25	31	8	30	25	113	195	82	23	335	282	87	140	28	34	102
	F	13	22	27	2	32	21	101	115	46	20	250	226	63	109	21	29	85
4 weeks–3 months	M	5	16	13	1	8	16	68	77	37	6	169	131	28	52	12	18	44
	F	4	13	9	2	6	5	52	63	22	8	124	101	18	32	6	9	34
3–6 months	M	6	10	7	7	10	6	77	67	33	5	213	141	30	43	6	6	59
	F	5	8	9	3	5	3	40	52	23	7	140	87	13	33	5	5	30
6–12 months	M	13	15	22	2	10	17	86	104	68	6	389	235	58	84	10	16	80
	F	7	16	14	6	9	9	65	75	60	5	326	161	46	61	9	13	66
Total under 1 year	M	40	66	73	18	58	64	344	443	220	40	1106	789	203	319	56	74	285
	F	29	59	59	13	52	38	258	305	151	40	840	575	140	235	41	56	215
1—	M	7	15	23	5	19	18	90	92	51	9	478	224	77	117	9	19	80
	F	9	13	17	—	9	11	88	86	46	8	423	190	64	92	10	18	72
2—	M	8	8	9	1	6	1	30	38	29	6	121	105	34	47	5	5	35
	F	2	7	10	2	6	3	40	29	20	3	148	82	21	49	5	5	30
3—	M	1	6	12	4	5	6	25	31	11	3	102	55	27	32	5	7	17
	F	1	3	5	1	5	4	32	27	15	2	76	58	19	25	2	6	19
4—	M	3	7	7	—	4	1	14	17	12	2	68	49	10	20	3	4	22
	F	3	3	3	2	1	4	15	19	12	—	47	45	15	20	1	3	8
Total under 5 years	M	59	102	124	28	92	90	503	621	323	60	1875	1222	351	535	78	109	439
	F	44	85	94	18	73	60	433	466	244	53	1534	950	259	421	59	88	344
5—	M	5	10	14	6	16	4	37	43	39	2	116	106	30	39	4	9	27
	F	7	5	6	2	9	6	37	52	28	4	113	89	24	30	4	7	36
10—	M	3	7	7	2	7	5	24	31	19	2	78	62	21	29	5	5	21
	F	5	13	5	3	4	6	34	33	25	2	91	69	25	25	5	6	14
15—	M	7	11	19	4	14	9	49	75	34	6	120	125	20	62	13	10	24
	F	10	13	16	8	16	8	48	68	33	4	150	134	22	50	9	13	44
20—	M	9	8	18	7	10	12	40	63	39	7	155	108	26	58	19	14	31
	F	20	8	15	1	13	10	51	91	43	8	114	135	27	36	16	21	48
25—	M	6	15	12	6	14	16	39	70	30	17	118	123	30	53	19	14	26
	F	8	14	17	6	17	9	58	75	39	4	143	132	29	53	13	17	43
30—	M	5	15	10	7	14	15	57	75	39	5	139	139	36	43	14	9	30
	F	6	13	17	11	22	13	56	81	46	9	117	142	28	45	18	15	43
35—	M	7	9	16	14	15	15	64	96	54	12	189	178	38	75	13	15	53
	F	8	16	25	10	22	10	50	77	52	8	130	153	28	57	6	17	55
40—	M	13	27	29	18	29	14	77	135	63	23	261	287	37	88	18	16	79
	F	9	14	31	11	17	17	64	100	54	12	210	179	31	65	20	18	76
45—	M	18	19	42	12	43	28	112	177	64	25	324	368	47	108	27	45	92
	F	12	16	45	15	48	24	77	114	72	23	240	241	38	81	24	28	76
50—	M	26	37	61	20	59	36	107	216	82	23	412	476	51	147	34	39	104
	F	12	31	40	31	46	29	84	150	70	17	306	298	55	111	28	38	97
55—	M	21	31	83	29	90	32	156	273	110	24	434	482	81	155	34	49	104
	F	23	25	42	26	65	27	95	195	103	19	351	352	55	114	32	47	101
60—	M	22	43	79	45	90	33	164	311	141	41	495	515	86	153	52	63	160
	F	28	21	49	38	76	31	97	217	126	20	416	427	62	137	39	40	126
65—	M	27	58	87	46	79	54	162	322	147	39	452	549	78	174	60	72	160
	F	25	38	90	36	81	52	146	272	134	35	414	444	59	123	51	81	166
70—	M	40	47	68	55	76	56	191	364	155	54	489	459	73	184	60	74	198
	F	39	34	93	48	99	65	174	278	159	38	522	548	56	140	69	106	208
75—	M	31	32	49	49	39	42	139	229	118	46	310	336	53	142	57	73	143
	F	50	47	68	79	72	60	174	245	144	44	406	442	52	129	58	102	182
80—	M	28	26	27	40	29	34	74	118	92	21	193	140	24	65	34	55	88
	F	45	35	68	63	46	41	117	156	107	40	326	323	39	89	50	81	142
85—	M	11	9	15	25	15	20	47	35	29	15	71	72	10	30	20	31	56
	F	48	23	33	61	34	45	97	113	72	25	137	155	21	72	55	60	99

TABLE 16—*contd.*

DEATHS AT DIFFERENT AGES IN COUNTY BOROUGHS, 1925.
(Civilian population only).

Age.	Sex.	Oldham.	Oxford.	Plymouth.	Portsmouth.	Preston.	Reading.	Rochdale.	Rotherham.	St. Helens.	Salford.	Sheffield.	Smethwick.	Southampton.	Southend-on-Sea.	Southport.	South Shields.	Stockport.
All Ages ..	M	1113	331	1158	1502	885	516	710	467	724	1764	3252	433	1033	520	434	965	910
	F	1094	346	1245	1373	905	529	691	430	592	1676	2824	386	927	632	503	807	833
Under 4 weeks	M	61	11	74	77	54	20	36	30	63	86	181	28	50	16	16	80	52
	F	36	3	40	44	41	20	26	26	42	84	167	22	47	18	12	66	27
4 weeks–3 months	M	23	6	23	30	29	6	11	8	16	49	84	15	9	9	9	30	20
	F	18	5	16	24	27	4	10	15	13	33	60	3	17	9	3	15	16
3–6 months	M	26	6	15	29	25	7	13	13	28	55	75	8	12	5	7	27	21
	F	13	2	12	20	22	7	9	7	16	25	51	10	11	4	3	27	6
6–12 months	M	29	8	44	49	49	12	15	18	47	74	81	18	25	9	6	53	32
	F	24	3	20	31	39	9	11	15	38	86	88	12	13	5	3	42	27
Total under 1 year	M	139	31	156	185	157	45	75	69	154	264	421	69	96	39	38	190	125
	F	91	13	88	119	129	40	56	63	109	228	366	47	88	36	21	150	76
1—	M	41	3	22	38	38	4	18	23	45	72	99	12	36	6	8	59	39
	F	35	1	29	33	28	5	25	17	45	63	97	15	32	5	6	55	24
2—	M	23	1	11	15	20	2	7	7	20	34	54	6	8	5	4	24	9
	F	12	2	11	18	10	1	7	7	10	36	50	2	9	5	4	27	9
3—	M	8	2	6	13	15	3	5	5	10	17	27	3	6	2	—	19	12
	F	14	—	13	7	11	4	5	2	9	18	26	1	6	3	3	8	10
4—	M	7	—	8	14	11	1	3	5	9	13	22	6	12	1	2	13	3
	F	8	3	3	13	9	2	3	3	4	15	12	3	2	1	—	10	5
Total under 5 years	M	218	37	203	265	241	55	108	109	238	400	623	96	158	53	52	305	188
	F	160	19	144	190	187	52	96	92	177	360	551	68	137	50	34	250	124
5—	M	14	3	16	36	15	10	6	13	16	28	58	10	13	10	2	21	11
	F	26	3	18	27	12	5	9	10	15	31	48	5	15	4	1	26	13
10—	M	16	4	13	23	16	6	8	7	10	22	43	8	12	6	4	23	13
	F	17	5	11	17	16	6	11	5	16	24	44	5	8	4	4	13	10
15—	M	22	2	21	21	12	10	20	13	8	36	79	4	16	8	7	35	20
	F	27	2	23	20	16	11	10	9	19	34	55	9	13	12	7	21	7
20—	M	25	8	20	23	18	14	10	13	19	45	62	7	24	5	5	29	20
	F	24	5	30	32	18	13	12	10	25	46	66	9	24	11	8	28	25
25—	M	16	6	32	22	18	9	17	10	20	39	69	12	29	9	5	26	18
	F	21	7	22	29	20	16	15	13	18	47	67	7	18	12	8	17	13
30—	M	22	5	29	27	18	6	15	13	24	42	82	10	31	15	6	28	20
	F	18	11	29	27	29	11	15	17	15	46	78	12	22	20	8	20	20
35—	M	31	6	24	45	21	7	20	15	22	55	86	16	40	24	13	31	29
	F	29	8	39	41	18	14	25	12	20	49	68	9	37	28	9	16	28
40—	M	49	17	52	59	38	13	28	19	24	94	123	19	43	29	12	33	44
	F	42	11	35	45	24	18	22	18	20	64	102	13	26	30	17	36	20
45—	M	72	14	55	74	45	22	44	28	32	123	202	26	60	24	21	49	52
	F	53	14	43	53	54	20	27	15	25	75	139	23	35	36	25	34	31
50—	M	88	20	81	103	51	35	68	22	56	134	244	25	64	32	25	44	71
	F	73	13	68	69	45	22	37	25	22	103	163	16	50	32	25	44	41
55—	M	88	12	94	109	48	37	61	28	43	154	269	27	80	45	40	55	69
	F	90	22	72	82	52	27	44	26	20	93	181	33	60	37	30	31	56
60—	M	111	23	98	136	94	38	76	34	64	160	276	30	91	64	41	56	83
	F	100	33	98	102	72	29	75	31	38	136	195	27	62	45	37	45	69
65—	M	134	38	97	135	79	59	68	33	55	147	333	46	98	49	49	72	90
	F	113	46	101	112	90	48	69	31	41	140	255	35	75	57	66	61	102
70—	M	93	44	120	167	74	65	73	52	39	132	294	44	92	37	65	70	89
	F	125	37	144	146	96	76	84	36	60	169	261	37	91	82	71	59	96
75—	M	67	37	102	117	51	63	56	31	31	96	236	23	89	49	48	55	53
	F	82	36	146	173	77	62	72	41	30	135	242	35	97	69	62	53	95
80—	M	37	29	58	77	34	44	24	19	19	47	124	23	55	43	24	25	26
	F	67	36	119	109	53	48	41	22	18	92	196	25	92	58	52	36	49
85—	M	10	26	43	63	12	23	8	8	4	10	49	7	38	18	15	8	14
	F	27	38	103	99	26	51	27	17	13	32	113	18	65	45	39	17	34

TABLE 16—*contd.*

DEATHS AT DIFFERENT AGES IN COUNTY BOROUGHS, 1925.
(Civilian population only).

Age.	Sex.	Stoke-on-Trent.	Sunderland.	Tynemouth.	Wakefield.	Wallasey.	Walsall.	Warrington.	West Bromwich.	West Ham.	West Hartlepool.	Wigan.	Wolverhampton.	Worcester.	York.	Cardiff.	Merthyr Tydfil.	Newport (Mon.)	Swansea.
All Ages ..	M	1944	1325	483	345	523	740	578	497	1799	517	686	719	310	542	1586	562	617	1026
	F	1853	1228	421	332	521	650	481	453	1629	442	631	608	320	519	1328	490	536	862
Under 4 weeks	M	126	81	39	15	26	45	34	36	105	37	50	46	10	42	93	32	49	59
	F	144	73	24	19	13	41	18	21	68	31	41	41	13	31	76	28	26	45
4 weeks–3 months	M	73	52	10	6	7	26	13	19	49	17	19	15	9	16	38	11	19	17
	F	43	44	10	6	11	21	9	20	41	9	14	11	2	8	25	16	10	21
3–6 months	M	55	36	18	4	5	17	15	16	42	18	30	19	6	11	45	12	9	17
	F	38	35	5	7	4	14	10	9	43	16	15	5	6	8	29	13	15	9
6–12 months	M	114	103	18	10	8	51	31	34	70	13	33	26	4	16	75	31	27	44
	F	90	66	15	8	6	45	17	25	45	21	26	22	5	12	52	19	22	19
Total under 1 year	M	368	272	85	35	46	139	93	105	266	85	132	106	29	85	251	86	104	137
	F	315	218	54	40	34	121	54	75	197	77	96	79	26	59	182	76	73	94
1—	M	122	110	27	9	16	54	38	39	74	25	28	29	8	18	55	26	35	35
	F	100	112	25	13	13	55	23	40	55	27	34	24	5	8	50	23	21	24
2—	M	46	32	11	6	3	21	17	13	37	9	15	10	3	3	23	15	9	12
	F	44	48	14	6	5	21	15	8	27	18	15	8	2	5	25	15	9	11
3—	M	23	22	11	3	4	12	5	6	10	6	9	8	2	6	14	8	8	8
	F	30	35	3	2	3	11	9	5	21	6	6	7	2	3	12	10	8	10
4—	M	13	14	3	5	3	13	5	6	11	5	7	2	1	6	7	5	4	10
	F	26	11	4	—	—	17	4	3	12	9	4	1	1	4	6	2	7	10
Total under 5 years	M	572	450	137	58	72	239	158	169	398	130	191	155	43	118	350	140	160	202
	F	515	424	100	61	55	225	105	131	312	137	155	119	36	79	275	126	118	149
5—	M	43	35	7	3	5	23	19	18	33	8	10	11	2	10	28	7	7	12
	F	36	34	12	7	10	20	13	12	30	9	13	9	4	13	21	8	16	17
10—	M	30	20	12	4	4	15	10	7	28	13	14	3	5	7	17	13	9	9
	F	29	22	6	3	6	15	10	11	20	11	14	6	6	5	17	9	9	12
15—	M	46	22	8	2	10	10	14	5	48	12	14	14	7	8	28	13	11	17
	F	41	21	13	9	7	12	21	5	40	8	16	6	7	7	39	11	8	32
20—	M	52	34	10	4	12	15	19	11	42	13	17	19	8	11	40	27	10	24
	F	53	26	10	6	11	15	14	15	51	13	26	16	8	14	34	11	20	22
25—	M	32	23	11	7	6	17	14	10	49	13	22	15	8	12	54	5	9	27
	F	60	37	6	5	16	15	8	4	36	7	18	17	6	15	45	12	16	25
30—	M	38	32	12	6	14	21	10	5	33	12	19	17	6	12	60	17	14	26
	F	39	25	15	10	11	18	13	4	41	9	18	13	6	11	25	20	11	21
35—	M	56	35	18	10	16	17	12	12	72	19	23	23	8	18	58	20	24	33
	F	68	30	13	10	16	21	16	18	48	16	27	14	4	15	54	22	21	33
40—	M	82	41	22	14	27	31	24	17	93	24	27	37	9	13	68	18	24	58
	F	58	31	23	11	24	16	16	20	57	25	18	15	7	13	44	13	16	38
45—	M	94	63	22	25	35	46	44	22	72	21	27	35	18	23	89	22	31	60
	F	84	38	15	16	24	19	29	21	67	15	28	22	11	15	60	19	16	45
50—	M	118	79	24	29	48	33	41	26	114	32	50	59	16	40	100	33	39	72
	F	100	60	16	14	45	22	24	18	99	26	24	31	15	28	73	20	37	40
55—	M	158	82	30	33	37	30	31	33	115	44	57	45	26	40	107	36	47	72
	F	102	55	23	21	36	27	37	31	108	21	41	33	21	25	77	29	34	50
60—	M	150	77	31	24	45	62	50	36	151	35	53	75	28	46	129	45	60	83
	F	118	73	26	17	34	53	32	32	115	30	45	51	21	44	101	38	41	64
65—	M	164	107	40	39	52	54	36	32	156	31	55	47	29	51	142	46	47	108
	F	157	71	33	36	57	35	40	26	135	28	50	59	21	51	98	39	37	67
70—	M	148	108	44	37	50	47	54	35	173	59	51	62	35	48	126	54	56	92
	F	168	98	45	36	50	57	42	33	127	28	63	68	40	58	138	40	41	81
75—	M	96	66	30	36	46	44	20	36	109	27	36	61	35	49	92	42	38	69
	F	105	80	37	31	52	37	37	33	157	27	34	59	46	56	92	39	49	77
80—	M	44	35	18	12	32	26	16	15	78	19	13	26	17	30	68	17	24	43
	F	76	60	17	27	41	24	13	28	106	20	28	37	23	41	87	22	23	49
85—	M	21	16	7	2	12	10	6	8	35	5	7	15	10	6	30	7	7	19
	F	44	43	11	12	26	19	11	11	80	12	13	33	38	29	48	12	23	40

TABLE 16—*contd.*

DEATHS AT DIFFERENT AGES IN URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES, 1925.

(Civilian population only).

Age.	Sex.	Bedfordshire.		Berkshire.		Buckinghamshire.		Cambridgeshire.		Cheshire.		Cornwall.		Cumberland.		Derbyshire.	
		U	R	U	R	U	R	U	R	U	R	U	R	U	R	U	R
All Ages	M	740	496	373	783	515	797	290	468	2688	1143	839	1061	898	605	1970	1758
	F	730	472	414	784	521	794	324	432	2768	1071	986	1218	852	606	1749	1525
Under 4 weeks	M	44	31	24	42	14	46	13	14	148	57	31	43	53	45	134	134
	F	46	10	14	26	17	37	5	19	104	51	27	46	35	24	94	109
4 weeks–3 months	M	19	6	3	9	7	8	2	8	50	24	8	21	26	8	42	44
	F	5	1	3	7	2	10	5	6	37	14	11	12	27	11	27	32
3–6 months	M	8	7	2	5	2	7	2	3	51	18	15	8	24	8	42	32
	F	1	2	5	10	7	6	1	3	32	17	11	8	12	9	27	21
6–12 months	M	15	5	9	11	6	9	4	2	60	21	9	14	31	11	68	69
	F	6	6	5	8	2	8	6	6	49	23	5	11	24	9	53	51
Total under 1 year	M	86	49	38	67	29	70	21	27	309	120	63	86	134	72	286	279
	F	58	19	27	51	28	61	17	34	222	105	54	77	98	53	201	213
1—	M	9	3	5	15	8	9	7	3	63	21	10	13	39	19	57	60
	F	7	4	2	11	2	9	2	3	54	21	9	17	28	11	56	48
2—	M	9	5	2	4	5	3	2	—	26	8	8	7	10	6	26	16
	F	7	3	3	5	2	5	—	2	32	13	6	3	12	8	13	20
3—	M	4	1	—	—	2	4	1	—	17	10	2	4	10	—	23	14
	F	3	4	1	2	1	3	1	—	20	13	1	5	6	3	24	11
4—	M	1	1	—	3	4	3	1	2	13	8	3	5	9	5	14	7
	F	1	1	2	2	2	2	4	2	16	7	1	3	12	3	19	9
Total under 5 years	M	109	59	45	89	48	89	32	32	428	167	86	115	202	102	406	376
	F	76	31	35	71	35	80	24	41	344	159	71	105	156	78	313	301
5—	M	10	3	3	8	5	8	3	3	36	16	7	7	16	11	41	46
	F	11	5	5	10	5	6	1	—	37	15	7	10	21	8	34	29
10—	M	14	8	1	6	5	10	6	8	30	9	5	14	19	6	35	33
	F	5	6	1	7	6	2	2	3	40	10	13	10	7	5	19	24
15—	M	13	7	4	15	6	17	5	13	41	15	15	14	30	15	52	42
	F	14	10	5	11	7	19	3	6	43	7	14	21	14	15	37	22
20—	M	15	7	5	16	15	13	4	7	51	26	17	21	28	11	44	35
	F	18	10	4	10	9	14	3	8	59	18	17	36	18	10	51	40
25—	M	13	7	3	21	9	16	7	12	44	21	21	17	15	11	43	28
	F	12	13	9	17	6	11	5	7	61	22	14	22	22	19	45	37
30—	M	26	13	4	10	5	22	5	6	59	27	21	21	18	12	54	36
	F	19	3	6	13	10	16	8	6	66	29	21	18	23	18	51	25
35—	M	22	10	6	17	11	10	7	8	73	23	21	27	20	20	55	46
	F	21	6	12	20	14	23	4	7	77	36	28	31	15	13	46	36
40—	M	28	18	17	25	16	28	8	13	128	38	32	45	26	17	87	72
	F	23	11	14	21	10	15	10	14	92	34	23	26	20	17	60	57
45—	M	33	18	20	20	29	20	9	16	131	41	46	45	33	20	77	79
	F	20	12	10	28	22	21	8	13	103	43	35	40	36	17	57	54
50—	M	47	17	23	30	30	36	16	20	194	57	47	63	41	26	118	93
	F	36	17	26	35	27	32	12	14	145	48	41	54	21	30	102	71
55—	M	40	19	29	38	34	54	23	29	211	72	44	56	51	28	126	109
	F	28	20	19	43	40	42	25	24	183	56	44	81	60	34	101	86
60—	M	66	44	31	83	57	67	39	37	251	109	87	84	87	44	155	126
	F	51	33	26	59	37	57	21	22	248	76	78	84	57	38	139	113
65—	M	86	57	39	90	55	71	23	47	274	137	97	125	98	73	199	157
	F	68	49	39	71	52	86	27	34	278	105	92	116	79	55	149	136
70—	M	82	58	36	92	57	103	42	47	276	141	94	118	79	65	191	194
	F	80	51	42	86	75	91	46	54	337	126	121	159	99	73	191	143
75—	M	57	64	49	80	56	108	23	78	229	115	86	106	67	69	150	151
	F	100	68	61	95	63	102	52	57	323	110	149	160	85	72	181	160
80—	M	47	50	32	93	49	68	26	46	149	81	64	100	44	47	94	94
	F	81	76	56	88	56	84	38	66	202	92	121	135	69	68	97	104
85—	M	32	37	26	50	28	57	12	46	83	48	49	83	24	28	43	41
	F	67	51	44	99	47	93	35	56	130	85	97	110	50	36	76	87

TABLE 16—*contd.*

DEATHS AT DIFFERENT AGES IN URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES, 1925.

(Civilian population only).

Age.	Sex.	Devonshire.		Dorsetshire.		Durham.		Ely, Isle of.		Essex.		Gloucestershire.		Herefordshire.		Hertfordshire.	
		U	R	U	R	U	R	U	R	U	R	U	R	U	R	U	R
All Ages	M	1306	1304	653	614	3923	2807	297	232	3383	1689	637	1401	271	471	1211	560
	F	1545	1352	682	584	3386	2493	247	201	3232	1616	776	1335	264	453	1311	544
Under 4 weeks	M	29	62	28	32	319	258	14	15	151	73	26	62	10	26	37	22
	F	38	39	23	20	265	195	5	9	129	63	26	59	6	19	57	18
4 weeks–3 months	M	19	14	17	7	138	95	6	5	54	35	5	21	4	7	16	10
	F	9	11	7	5	89	73	3	5	51	27	6	10	2	4	20	6
3–6 months	M	26	9	9	5	120	86	5	1	49	15	7	17	5	7	14	6
	F	10	11	6	6	75	63	2	3	35	27	2	13	1	3	8	3
6–12 months	M	19	23	13	4	226	137	9	5	53	22	10	28	2	5	15	8
	F	19	19	9	3	162	105	5	4	49	26	1	21	4	5	14	4
Total under 1 year	M	93	108	67	48	803	576	34	26	307	145	48	128	21	45	82	46
	F	76	80	45	34	591	436	15	21	264	143	35	103	13	31	99	31
1—	M	22	13	15	11	261	180	6	3	77	29	7	24	4	6	22	3
	F	20	17	6	6	216	147	5	2	53	24	8	20	9	9	21	6
2—	M	11	8	2	2	108	60	2	1	40	10	3	12	—	5	10	3
	F	6	6	5	1	96	51	1	2	29	7	9	8	2	1	6	3
3—	M	6	2	2	3	56	37	2	—	22	4	1	7	—	3	6	4
	F	6	8	1	—	58	46	2	—	25	6	8	7	1	1	7	2
4—	M	3	2	1	2	40	23	2	1	12	10	5	6	2	1	7	2
	F	4	3	2	2	36	16	1	—	16	3	3	3	1	1	8	1
Total under 5 years	M	135	133	87	66	1268	876	46	31	458	198	64	177	27	60	127	58
	F	112	114	59	43	997	696	24	25	387	183	63	141	26	43	141	43
5—	M	12	21	4	6	108	70	3	4	56	16	10	19	5	7	19	3
	F	6	14	6	5	109	73	4	5	40	15	14	17	1	5	11	9
10—	M	9	12	2	3	74	59	2	6	44	11	4	20	6	9	13	3
	F	15	11	3	7	58	52	4	1	52	16	7	8	4	4	5	2
15—	M	20	20	9	10	108	76	7	2	73	32	15	26	8	2	13	12
	F	17	19	7	5	84	78	5	—	59	15	12	32	2	7	15	13
20—	M	36	29	12	5	103	69	3	4	90	39	9	27	6	4	20	6
	F	19	17	16	16	95	78	5	2	72	28	16	28	5	15	28	9
25—	M	18	12	11	14	76	61	4	2	78	25	15	18	7	6	24	14
	F	27	25	9	13	115	76	7	1	59	47	15	35	6	12	32	8
30—	M	20	19	13	9	94	48	5	4	66	29	15	27	6	5	25	12
	F	29	45	14	16	78	73	7	5	77	35	13	36	7	6	29	8
35—	M	24	17	12	12	91	71	5	5	89	50	15	26	8	6	44	13
	F	27	32	16	9	118	74	10	7	82	37	21	25	5	7	29	12
40—	M	44	33	22	20	130	68	4	9	123	48	27	31	11	9	39	15
	F	40	35	21	13	105	84	8	7	107	43	22	34	4	12	45	11
45—	M	35	39	38	17	163	108	11	1	162	61	21	50	9	13	73	12
	F	53	31	21	18	132	101	9	4	146	49	24	40	8	14	44	25
50—	M	70	62	35	23	190	138	13	11	205	71	30	62	16	24	65	30
	F	72	57	38	26	143	106	8	11	183	78	34	58	18	19	71	22
55—	M	75	73	45	35	231	140	20	15	311	93	43	94	10	25	96	44
	F	89	85	36	25	159	105	10	8	201	70	44	71	12	16	67	24
60—	M	118	106	55	49	241	178	25	19	282	141	40	113	23	32	94	56
	F	121	94	54	52	221	149	13	11	233	98	43	94	19	29	89	48
65—	M	135	159	70	72	298	235	25	24	342	209	70	152	32	64	132	64
	F	147	124	82	59	238	190	31	20	297	145	81	121	18	36	110	55
70—	M	180	164	70	64	317	229	42	30	348	196	70	174	32	71	124	59
	F	183	164	75	77	254	193	26	26	342	184	95	152	35	54	140	66
75—	M	160	160	77	92	223	211	32	28	305	193	76	164	31	48	141	62
	F	212	181	70	78	235	173	31	25	363	226	99	171	33	61	163	67
80—	M	115	144	46	67	152	112	25	21	224	159	64	138	20	53	101	61
	F	190	160	83	57	152	119	20	16	286	185	96	162	33	54	165	67
85—	M	100	101	45	50	56	58	25	16	127	118	49	83	14	33	61	36
	F	186	144	72	74	93	73	25	27	246	162	77	110	28	59	127	55

TABLE 16—*contd.*

DEATHS AT DIFFERENT AGES IN URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES, 1925.

(Civilian population only).

Age.	Sex.	Huntingdonshire.		Kent.		Lancashire.		Leicestershire.		Lincolnshire (Parts of Holland).		Lincolnshire (Parts of Kesteven).		Lincolnshire (Parts of Lindsey).		Middlesex.	
		U	R	U	R	U	R	U	R	U	R	U	R	U	R	U	R
All Ages ..	M	141	200	4282	1966	9844	1454	681	902	262	265	257	386	711	842	6227	308
	F	142	216	4452	1726	9785	1530	638	906	277	222	224	439	634	787	6367	290
Under 4 weeks	M	4	6	199	88	550	81	30	63	8	11	15	28	35	61	330	23
	F	11	9	138	57	364	65	34	35	10	10	8	19	32	36	212	12
4 weeks–3 months	M	2	—	84	29	194	21	14	17	10	6	4	1	20	12	136	5
	F	—	2	59	32	142	21	11	5	2	3	5	7	7	4	101	5
3–6 months	M	—	3	52	18	167	21	9	9	5	1	3	5	19	8	94	7
	F	1	1	43	15	133	8	5	14	2	2	1	3	12	16	65	4
6–12 months	M	1	2	78	35	293	30	22	28	8	10	8	15	19	15	122	7
	F	2	1	61	26	218	26	22	30	7	6	8	7	11	15	95	2
Total under 1 year	M	7	11	413	170	1204	153	75	117	31	28	30	49	93	96	682	42
	F	14	13	301	130	857	120	72	84	21	21	22	36	62	71	473	23
1—	M	3	1	87	27	310	33	19	15	8	9	2	9	18	18	107	5
	F	2	2	74	34	247	28	22	15	11	3	1	5	16	12	101	3
2—	M	—	2	39	19	134	7	11	12	4	1	2	4	2	8	45	1
	F	1	2	33	16	119	12	10	5	3	3	2	2	6	6	48	5
3—	M	2	—	30	12	83	15	5	7	1	2	—	—	3	2	40	3
	F	—	1	24	12	64	9	6	8	4	1	—	2	2	2	40	2
4—	M	—	—	23	12	75	4	9	4	3	—	2	1	5	2	29	4
	F	—	—	25	12	74	8	4	1	1	1	—	2	5	1	30	1
Total under 5 years	M	12	14	592	240	1806	212	119	155	47	40	36	63	121	126	903	55
	F	17	18	457	204	1361	177	114	113	40	29	25	47	91	92	692	34
5—	M	—	3	65	27	176	20	11	7	1	6	4	2	10	4	107	6
	F	3	5	59	24	167	25	8	18	1	4	1	3	10	8	95	4
10—	M	4	1	44	24	134	16	5	9	1	3	3	2	8	12	79	3
	F	—	2	60	17	128	18	14	11	2	2	1	2	11	11	76	5
15—	M	1	3	78	34	214	21	10	15	4	5	4	7	10	22	118	5
	F	3	2	85	24	212	29	18	26	4	5	4	9	20	8	116	6
20—	M	5	4	88	41	233	28	18	28	5	3	11	10	20	18	145	4
	F	1	3	96	29	174	23	18	21	3	5	8	10	13	17	154	3
25—	M	4	6	87	38	205	32	26	18	3	4	5	7	21	13	142	5
	F	3	1	98	25	221	25	19	23	9	2	1	13	11	26	157	4
30—	M	2	2	100	34	228	39	11	26	2	5	3	8	12	12	143	3
	F	2	3	113	33	238	37	15	21	8	3	6	9	12	14	163	4
35—	M	2	3	114	46	277	35	9	22	6	6	4	4	19	19	206	6
	F	4	1	107	35	313	46	16	26	2	9	6	10	15	19	180	5
40—	M	3	6	158	58	385	39	24	38	10	8	5	12	21	21	233	9
	F	4	5	119	47	345	47	22	13	10	5	7	15	22	30	215	11
45—	M	4	6	203	61	447	65	35	32	11	6	5	8	32	26	321	16
	F	4	7	165	64	471	63	23	31	15	4	5	13	26	27	282	14
50—	M	8	11	238	90	675	70	29	29	13	10	9	16	40	31	414	16
	F	6	7	222	79	557	77	26	33	9	14	8	10	24	26	333	24
55—	M	11	12	320	119	729	85	44	48	19	6	28	23	40	39	475	25
	F	5	17	267	87	676	98	35	43	15	17	13	20	36	32	380	21
60—	M	14	24	393	176	953	140	56	77	16	25	17	27	47	73	550	26
	F	9	16	267	115	883	146	46	63	13	11	14	35	44	51	467	12
65—	M	19	18	426	202	1090	181	73	83	25	22	28	45	79	74	612	32
	F	15	19	373	168	1050	152	50	80	19	18	15	40	70	69	566	18
70—	M	10	23	413	208	1041	173	72	100	24	32	29	46	73	94	650	29
	F	13	30	485	186	1124	175	65	99	27	19	35	52	69	92	673	33
75—	M	17	23	417	245	743	156	72	104	32	42	39	42	70	108	556	29
	F	18	30	591	214	955	178	67	99	36	27	24	60	53	93	726	36
80—	M	12	27	343	195	354	89	36	61	31	22	19	39	53	89	362	23
	F	20	27	471	202	586	131	46	97	42	21	28	50	48	84	604	29
85—	M	13	14	203	128	154	53	31	50	12	20	8	25	35	61	211	16
	F	15	23	417	173	324	83	36	89	22	27	23	41	59	88	488	27

TABLE 16—*contd.*

DEATHS AT DIFFERENT AGES IN URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES, 1925.

(Civilian population only).

Age.	Sex.	Norfolk.		Northamptonshire.		Northumberland.		Nottinghamshire.		Oxfordshire.		Peterborough, Soke of.		Rutlandshire.		Shropshire.	
		U	R	U	R	U	R	U	R	U	R	U	R	U	R	U	R
All Ages ..	M	385	1571	540	757	1913	586	1484	901	223	643	188	65	27	107	690	809
	F	412	1578	552	676	1735	573	1313	850	243	625	208	72	21	102	742	683
Under 4 weeks	M	13	83	28	26	147	39	116	50	13	29	10	2	2	3	31	56
	F	17	45	23	25	119	25	73	47	5	13	8	4	1	3	26	29
4 weeks–3 months	M	8	19	15	14	63	7	27	18	4	7	2	4	—	3	21	9
	F	7	12	4	10	48	5	19	16	4	5	1	—	—	1	11	11
3–6 months	M	2	15	10	10	50	8	40	16	1	5	3	1	—	2	6	8
	F	4	7	3	3	31	6	27	13	1	5	4	1	1	1	9	8
6–12 months	M	6	25	8	5	91	5	59	23	4	8	3	2	1	5	10	11
	F	7	19	9	4	57	7	45	22	3	1	4	—	—	—	16	9
Total under 1 year	M	29	142	61	55	351	59	242	107	22	49	18	9	3	13	68	84
	F	35	83	39	42	255	43	164	98	13	24	17	5	2	5	62	57
1—	M	5	12	12	9	96	12	50	21	3	8	5	1	2	2	13	10
	F	4	15	11	6	104	11	52	14	2	5	4	—	—	1	14	15
2—	M	1	6	6	8	46	7	19	5	2	1	2	—	—	2	5	7
	F	6	7	8	1	27	1	12	8	4	6	3	2	1	—	6	4
3—	M	1	6	5	2	14	3	6	7	—	1	—	—	1	1	7	5
	F	3	2	1	4	21	5	11	3	—	4	1	—	—	—	3	2
4—	M	3	2	4	6	20	4	7	2	2	—	2	—	—	1	5	5
	F	—	—	5	—	12	2	13	3	1	2	1	—	—	—	4	2
Total under 5 years	M	39	168	88	80	527	85	324	142	29	59	27	10	6	19	98	111
	F	48	107	64	53	419	62	252	126	20	41	26	7	3	6	89	80
5—	M	6	13	6	7	39	7	20	10	2	6	2	—	—	—	11	11
	F	5	15	3	7	28	9	28	14	5	5	1	1	—	1	15	11
10—	M	4	12	8	12	28	7	17	10	6	4	3	1	—	—	7	7
	F	2	15	7	9	24	4	24	7	4	4	1	2	—	—	10	3
15—	M	10	28	13	15	47	9	37	16	4	7	3	1	—	1	5	10
	F	10	14	16	11	47	13	30	16	4	5	5	1	—	2	13	9
20—	M	4	26	14	14	51	15	31	19	3	11	2	—	—	1	12	21
	F	9	34	23	11	51	9	31	18	4	7	8	1	—	1	13	12
25—	M	9	27	17	16	34	12	33	19	4	10	1	1	1	1	9	16
	F	5	23	18	11	44	14	40	17	3	12	7	1	—	4	19	11
30—	M	5	31	12	11	40	15	40	19	7	10	6	5	—	—	19	15
	F	11	27	12	10	37	16	36	26	7	8	3	2	1	—	9	12
35—	M	7	22	10	13	52	16	47	18	4	14	2	2	1	—	18	15
	F	6	21	10	14	76	15	32	18	8	14	2	2	—	3	15	13
40—	M	8	34	17	12	92	16	45	22	5	17	11	1	1	6	25	17
	F	14	45	20	23	54	22	42	22	6	13	5	3	1	3	18	13
45—	M	16	48	21	29	76	20	76	48	13	17	5	3	1	6	25	21
	F	15	46	15	31	63	22	56	30	8	21	2	2	1	6	20	24
50—	M	18	56	29	30	118	16	93	35	14	20	14	4	1	4	28	29
	F	13	81	29	26	87	29	72	51	14	20	10	5	1	3	30	36
55—	M	24	79	41	34	112	39	87	40	11	29	16	3	3	6	52	41
	F	23	72	19	44	94	38	90	49	15	31	12	2	1	4	26	39
60—	M	43	119	39	66	141	48	121	63	16	61	18	4	3	9	72	69
	F	29	100	41	49	111	47	86	53	15	40	19	2	—	8	66	52
65—	M	38	167	59	90	140	65	117	95	20	79	22	3	5	8	71	79
	F	22	131	33	56	156	53	111	72	27	64	18	7	4	10	71	61
70—	M	47	206	51	98	162	76	155	106	27	84	28	8	2	9	71	100
	F	49	187	55	94	145	50	119	95	26	82	21	10	1	11	109	73
75—	M	52	197	49	105	139	55	112	90	26	93	15	7	1	19	75	93
	F	52	232	77	79	154	73	115	109	31	97	22	8	5	20	91	78
80—	M	30	177	40	68	84	55	93	90	21	82	7	9	—	8	58	95
	F	51	215	75	83	90	54	92	75	22	87	31	6	1	9	73	83
85—	M	25	161	26	57	31	30	36	59	11	40	6	3	2	10	34	59
	F	48	213	35	65	55	43	57	52	24	74	15	10	2	11	55	73

TABLE 16—*contd.*

DEATHS AT DIFFERENT AGES IN URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES, 1925.

(Civilian population only).

Age.	Sex.	Somerset-shire.		Southamp-ton.		Stafford-shire.		Suffolk, East.		Suffolk, West.		Surrey.		Sussex, East.		Sussex, West.	
		U	R	U	R	U	R	U	R	U	R	U	R	U	R	U	R
All Ages ..	M	911	1340	931	1302	3279	1277	494	728	257	412	2907	826	744	740	494	613
	F	1134	1462	1002	1274	3008	1153	492	708	247	375	3195	821	953	699	617	562
Under 4 weeks	M	36	61	52	55	227	74	20	32	9	26	122	28	26	21	20	30
	F	25	52	46	46	163	64	13	26	8	18	88	25	24	14	16	21
4 weeks–3 months	M	15	12	13	28	102	27	5	7	2	2	38	9	6	12	3	9
	F	9	13	10	20	64	20	6	11	1	2	28	4	4	6	4	3
3–6 months	M	9	11	17	12	82	22	1	3	3	5	37	7	5	4	3	2
	F	9	4	12	12	66	13	3	5	1	—	23	5	1	5	3	1
6–12 months	M	17	17	23	23	152	26	5	13	1	5	47	13	7	12	7	6
	F	13	13	15	18	125	34	8	5	3	3	38	8	6	4	4	8
Total under 1 year	M	77	101	105	118	563	149	31	55	15	38	244	57	44	49	33	47
	F	56	82	83	96	418	131	30	47	13	23	177	42	35	29	27	33
1—	M	15	19	23	21	179	37	9	11	2	8	37	6	8	8	5	4
	F	11	15	20	16	168	34	8	5	2	1	36	9	14	7	4	8
2—	M	6	9	14	6	69	15	2	5	2	1	21	2	7	2	1	7
	F	5	9	8	9	79	13	5	4	2	1	21	11	3	1	3	4
3—	M	4	6	5	7	34	23	1	4	—	2	10	3	4	4	2	5
	F	6	7	8	5	44	10	4	4	2	1	13	4	2	3	3	2
4—	M	3	11	6	10	34	11	1	1	—	1	9	2	2	2	1	2
	F	5	3	6	4	38	11	—	2	—	—	8	7	2	—	1	1
Total under 5 years	M	105	146	153	162	879	235	44	76	19	50	321	70	65	65	42	65
	F	83	116	125	130	747	199	47	62	19	26	255	73	56	40	38	48
5—	M	11	21	19	19	77	27	7	14	5	4	29	10	9	6	7	14
	F	12	11	12	21	73	33	6	5	3	1	36	8	6	5	3	3
10—	M	7	11	7	10	29	22	6	7	4	3	33	16	5	8	4	5
	F	8	17	11	10	35	21	6	7	2	7	24	7	8	8	5	4
15—	M	15	19	17	16	72	22	9	9	10	3	51	11	4	10	9	8
	F	28	19	20	19	62	13	11	12	4	8	42	9	9	8	6	4
20—	M	22	28	17	28	74	29	14	8	3	8	40	16	11	18	12	10
	F	23	31	17	25	66	29	6	16	12	6	62	20	11	13	9	9
25—	M	15	20	21	27	68	24	13	11	2	8	52	25	11	14	10	10
	F	30	25	23	29	87	27	11	12	10	5	67	13	14	16	13	6
30—	M	12	19	21	28	82	22	7	14	3	4	57	8	15	19	4	15
	F	21	30	25	26	71	29	10	17	3	7	67	20	12	15	5	18
35—	M	22	41	25	28	81	19	16	26	4	3	76	21	15	14	12	12
	F	16	33	33	25	95	21	13	14	3	6	79	17	20	11	10	15
40—	M	19	38	32	37	126	31	30	13	14	5	110	26	22	20	15	24
	F	32	35	33	37	84	32	24	14	4	8	100	17	31	23	17	19
45—	M	28	49	40	54	129	64	15	19	6	15	145	41	26	26	24	28
	F	49	57	51	43	101	29	13	31	12	16	164	41	37	31	24	13
50—	M	61	74	47	72	171	56	18	28	14	16	195	42	31	28	22	33
	F	50	62	56	54	120	48	21	17	11	13	143	51	50	44	28	22
55—	M	68	75	66	89	207	73	30	47	20	18	207	46	55	47	34	42
	F	60	82	53	75	140	58	24	41	15	20	186	41	58	52	28	33
60—	M	80	127	83	126	251	97	44	50	24	26	272	66	54	57	45	51
	F	67	86	55	94	197	72	40	52	11	31	234	63	67	50	44	50
65—	M	104	130	85	135	300	136	47	87	41	43	340	109	93	83	48	61
	F	118	138	74	142	252	99	48	63	25	22	303	76	87	66	51	65
70—	M	112	177	102	137	293	131	63	82	39	44	335	84	112	117	63	64
	F	119	160	102	140	304	125	65	92	24	41	406	89	145	87	68	64
75—	M	109	158	91	142	237	129	56	97	21	70	298	92	97	92	65	72
	F	165	214	109	159	263	136	51	100	25	61	404	100	120	76	93	80
80—	M	70	106	61	117	141	102	48	81	18	53	219	93	64	71	52	57
	F	138	172	122	131	196	106	50	80	37	40	326	100	117	80	93	57
85—	M	51	101	44	75	62	58	27	59	10	39	127	50	55	45	26	42
	F	115	174	81	114	115	76	46	73	27	57	297	76	105	74	82	52

TABLE 16—*contd.*

DEATHS AT DIFFERENT AGES IN URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES, 1925.

(Civilian population only).

Age.	Sex.	Warwickshire.		Westmorland.		Wight, Isle of.		Wiltshire.		Worcestershire.		Yorkshire, East Riding.		Yorkshire, North Riding.	
		U	R	U	R	U	R	U	R	U	R	U	R	U	R
All Ages ..	M	896	1152	196	216	356	156	730	889	1111	712	422	569	1160	861
	F	922	1065	198	213	387	183	810	874	1093	670	396	522	1169	832
Under 4 weeks	M	33	81	4	6	17	11	40	38	59	38	17	26	71	49
	F	27	51	5	7	13	3	31	46	42	23	9	26	57	31
4 weeks–3 months	M	15	22	—	3	2	2	11	16	17	12	12	13	25	17
	F	14	12	3	2	5	1	6	5	16	7	8	13	20	8
3–6 months	M	14	30	3	1	3	2	8	7	22	7	10	7	17	13
	F	6	8	1	1	3	1	7	6	12	5	6	10	13	6
6–12 months	M	28	36	2	2	1	2	9	15	41	12	7	15	36	13
	F	17	22	5	1	1	—	12	17	19	6	5	16	43	11
Total under 1 year	M	90	169	9	12	23	17	68	76	139	69	46	61	149	92
	F	64	93	14	11	22	5	56	74	89	41	28	65	133	56
1—	M	26	23	5	4	2	1	10	11	40	14	12	14	51	10
	F	18	17	2	1	2	3	12	11	45	8	6	4	41	9
2—	M	11	14	—	1	1	—	8	4	12	4	1	5	17	9
	F	16	17	1	—	1	—	5	8	8	2	5	3	25	6
3—	M	10	13	—	1	3	1	14	5	14	3	1	1	7	1
	F	8	8	—	—	—	1	—	6	10	3	2	1	9	2
4—	M	5	7	1	—	3	1	6	4	6	6	—	1	9	1
	F	6	7	—	2	—	—	4	3	7	4	1	—	15	2
Total under 5 years	M	142	226	15	18	32	20	106	100	211	96	60	82	233	113
	F	112	142	17	14	25	9	77	102	159	58	42	73	223	75
5—	M	13	32	2	2	7	—	9	14	14	6	5	11	18	6
	F	12	29	2	4	5	4	6	9	20	7	5	9	25	9
10—	M	16	14	3	4	5	—	1	13	14	6	7	5	16	5
	F	13	10	1	2	—	—	9	8	13	6	5	5	24	6
15—	M	20	27	6	2	6	1	15	6	17	11	9	16	16	21
	F	23	26	4	4	3	1	9	11	21	4	8	9	26	19
20—	M	11	24	6	5	6	2	14	14	27	11	8	8	20	14
	F	17	18	5	6	6	4	21	7	29	10	8	15	17	22
25—	M	16	33	3	4	7	—	13	15	28	21	7	7	24	20
	F	17	28	3	3	11	3	19	21	33	13	7	17	28	16
30—	M	17	22	5	9	5	7	11	16	23	9	9	6	28	11
	F	26	20	4	4	4	4	21	16	22	16	12	15	22	15
35—	M	28	30	6	1	6	5	15	24	23	13	12	10	37	13
	F	28	33	10	3	8	5	19	15	38	20	3	20	23	19
40—	M	39	30	9	8	11	6	24	23	44	23	13	12	52	19
	F	26	39	9	6	9	5	23	19	26	21	13	10	39	27
45—	M	38	53	7	5	16	13	25	29	40	22	20	13	50	23
	F	51	35	11	10	11	6	26	27	50	15	10	13	45	26
50—	M	51	52	10	6	20	8	46	41	69	33	21	13	62	23
	F	34	48	7	7	23	12	35	40	48	19	23	27	51	41
55—	M	67	65	5	15	18	11	60	65	71	34	22	34	68	36
	F	45	59	13	13	25	9	49	60	51	41	23	28	79	49
60—	M	76	75	15	13	34	16	65	90	97	39	36	45	91	78
	F	74	67	17	18	24	18	55	53	85	53	23	30	90	65
65—	M	89	101	21	34	38	16	89	93	106	86	39	57	95	97
	F	76	100	18	23	39	9	69	78	98	60	44	36	114	93
70—	M	97	118	27	31	37	16	67	100	109	84	51	74	138	129
	F	100	133	25	26	52	22	100	106	108	83	46	65	97	87
75—	M	76	108	26	23	53	13	83	109	122	88	43	66	110	116
	F	92	113	23	38	59	28	94	110	130	82	48	53	120	102
80—	M	65	87	18	25	28	15	53	82	59	83	42	63	64	87
	F	94	82	22	17	38	23	99	100	101	96	41	47	85	90
85—	M	35	55	12	11	27	7	34	55	37	47	18	47	38	50
	F	82	83	7	15	45	21	79	92	61	66	35	50	61	71

TABLE 16—*contd.*

DEATHS AT DIFFERENT AGES IN URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES, 1925.

(Civilian population only).

Age.	Sex.	Yorkshire, West Riding.		Anglesey.		Brecknockshire.		Cardiganshire.		Carmarthenshire.		Carnarvonshire.		Denbighshire.	
		U	R	U	R	U	R	U	R	U	R	U	R	U	R
All Ages ..	M	7287	2419	137	237	95	260	112	301	412	657	401	549	362	630
	F	7060	2182	150	237	105	261	140	373	462	709	461	505	387	592
Under 4 weeks	M	465	193	3	7	3	14	2	11	25	39	18	29	29	43
	F	338	129	5	7	3	19	2	12	27	30	19	22	5	44
4 weeks-3 months	M	163	61	3	5	2	8	3	5	8	27	3	10	7	23
	F	147	53	1	6	2	4	1	5	13	6	2	6	8	5
3–6 months	M	171	54	4	10	2	4	—	7	6	20	3	8	6	17
	F	87	43	3	2	1	6	1	3	4	14	2	4	5	5
6–12 months	M	230	94	3	6	4	8	2	2	14	19	12	8	11	19
	F	194	76	3	1	—	5	1	2	18	12	2	6	11	10
Total under 1 year	M	1029	402	13	28	11	34	7	25	53	105	36	55	53	102
	F	766	301	12	16	6	34	5	22	62	62	25	38	29	64
1—	M	248	88	3	2	5	5	—	4	15	10	4	5	7	22
	F	215	72	1	3	2	9	—	1	14	11	6	6	5	16
2—	M	94	33	2	1	2	4	—	3	10	5	5	4	4	6
	F	97	47	4	2	2	1	1	1	8	3	3	3	5	2
3—	M	69	27	1	1	1	3	—	3	7	7	2	2	1	4
	F	62	22	1	—	1	2	—	1	7	7	3	6	1	2
4—	M	60	22	3	2	2	2	—	—	5	5	3	3	1	3
	F	51	16	1	2	—	1	—	—	2	5	1	4	—	4
Total under 5 years	M	1500	572	22	34	21	48	7	35	90	132	50	69	66	137
	F	1191	458	19	23	11	47	6	25	93	88	38	57	40	88
5—	M	131	48	3	2	2	1	1	1	7	18	4	5	6	8
	F	104	39	2	3	2	3	1	3	8	16	7	5	5	7
10—	M	91	31	4	—	2	4	1	4	4	11	2	8	2	4
	F	83	39	1	5	4	1	3	6	6	11	4	7	—	8
15—	M	143	52	7	5	4	2	3	9	11	6	5	8	6	12
	F	155	45	2	8	2	5	3	2	5	19	9	17	10	12
20—	M	179	58	2	4	1	9	1	8	14	15	9	8	5	15
	F	135	59	1	2	3	9	4	11	14	20	6	8	9	12
25—	M	154	62	—	6	1	6	2	7	10	15	5	7	5	10
	F	177	55	4	5	3	3	2	11	8	18	12	6	9	13
30—	M	146	57	2	5	1	11	3	5	8	15	8	9	14	15
	F	190	51	11	5	4	7	2	12	11	17	8	8	7	15
35—	M	187	69	4	3	4	6	2	5	10	21	8	15	9	11
	F	186	56	5	5	1	3	2	6	20	20	14	8	11	23
40—	M	258	91	5	10	1	13	6	6	11	17	19	20	13	26
	F	222	72	6	1	7	12	5	8	16	31	13	18	8	10
45—	M	391	100	2	5	5	10	7	5	22	30	23	21	12	26
	F	314	82	7	12	5	10	6	9	23	23	13	19	17	27
50—	M	431	119	10	12	4	19	8	17	21	25	14	32	15	31
	F	409	90	8	9	4	9	12	14	25	34	18	20	18	44
55—	M	541	141	12	8	8	12	13	20	31	48	31	45	24	36
	F	444	106	6	18	5	21	8	27	32	48	31	33	19	30
60—	M	653	151	10	13	5	30	14	24	32	43	28	53	40	52
	F	566	139	13	19	13	27	9	28	27	45	35	34	33	44
65—	M	716	220	10	26	7	13	14	33	31	55	44	77	42	63
	F	711	210	6	24	8	21	21	46	36	64	38	42	43	60
70—	M	776	236	14	34	12	31	12	32	40	74	56	58	28	74
	F	745	219	17	28	14	18	15	44	45	79	71	55	43	65
75—	M	566	200	17	40	9	23	6	38	35	77	50	46	33	63
	F	692	210	15	31	10	29	16	56	47	84	65	66	52	78
80—	M	297	142	8	22	5	9	7	29	21	29	28	42	27	34
	F	462	135	11	25	5	22	15	39	29	51	41	64	35	38
85—	M	127	70	5	8	3	13	5	23	14	26	17	26	15	13
	F	274	117	16	14	4	14	10	26	17	41	38	38	28	18

TABLE 16—*contd.*

DEATHS AT DIFFERENT AGES IN URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES, 1925.

(Civilian population only.)

Age.	Sex.	Flintshire.		Glamorganshire.		Merionethshire.		Monmouthshire.		Montgomeryshire.		Pembrokeshire.		Radnorshire.	
		U	R	U	R	U	R	U	R	U	R	U	R	U	R
All Ages ..	M	310	456	3982	1182	163	185	1909	280	148	207	268	307	42	116
	F	274	410	3291	1014	165	181	1575	216	148	216	247	356	44	107
Under 4 weeks	M	17	23	290	86	7	7	158	7	7	12	17	11	2	7
	F	17	15	195	53	5	7	113	12	1	7	11	18	1	5
4 weeks–3 months	M	3	10	132	25	2	3	53	8	1	11	5	5	—	—
	F	4	4	67	24	1	5	37	4	2	1	2	3	1	2
3–6 months	M	8	8	87	16	2	2	45	5	3	2	3	3	—	2
	F	4	3	81	14	—	2	40	4	—	2	5	—	—	—
6–12 months	M	7	7	190	48	4	3	90	5	1	2	9	6	—	1
	F	9	5	173	36	2	—	94	4	1	3	6	4	—	2
Total under 1 year	M	35	48	699	175	15	15	346	25	12	27	34	25	2	10
	F	34	27	516	127	8	14	284	24	4	13	24	25	2	9
1—	M	9	11	219	41	6	1	97	2	1	—	2	4	—	1
	F	5	8	216	43	2	1	97	5	3	1	8	1	1	1
2—	M	5	5	78	18	1	1	31	4	1	2	2	3	—	2
	F	4	2	73	18	—	1	22	3	1	2	2	—	—	—
3—	M	3	6	63	10	2	2	22	1	1	—	1	3	—	—
	F	2	3	40	13	1	1	29	1	3	3	2	3	—	—
4—	M	4	1	41	9	1	—	23	1	1	—	4	—	—	—
	F	—	7	36	4	2	1	20	—	2	1	—	—	—	2
Total under 5 years	M	56	71	1100	253	25	19	519	33	16	29	43	35	2	13
	F	45	47	881	205	13	18	452	33	13	20	36	29	3	12
5—	M	4	7	86	25	2	1	42	1	2	2	6	2	1	1
	F	3	8	81	28	3	—	36	6	4	—	4	3	—	1
10—	M	3	5	56	22	—	2	23	4	—	2	2	4	1	—
	F	4	7	55	20	2	1	27	3	2	5	3	2	1	1
15—	M	3	11	97	32	2	4	49	5	—	3	1	7	—	1
	F	1	5	95	35	2	4	49	3	2	5	4	8	2	2
20—	M	5	7	118	49	4	6	54	8	3	7	5	8	—	2
	F	6	13	129	37	2	8	43	3	1	5	4	9	1	4
25—	M	8	7	98	34	3	1	44	4	2	—	3	4	—	2
	F	5	7	111	40	2	5	61	8	4	2	4	9	1	2
30—	M	9	15	112	25	5	—	47	5	6	5	5	6	—	4
	F	4	8	109	41	3	6	45	10	3	3	7	11	—	3
35—	M	7	10	116	35	3	2	54	10	2	6	15	8	—	6
	F	11	16	113	46	5	4	35	7	2	5	6	16	—	3
40—	M	14	17	150	45	7	5	64	4	6	5	8	11	1	3
	F	7	15	114	33	6	5	48	3	7	9	9	13	3	4
45—	M	18	21	197	62	9	7	81	11	9	4	12	13	—	6
	F	13	12	143	46	12	7	72	4	2	12	7	7	—	6
50—	M	19	22	237	75	12	9	103	18	6	5	13	10	1	4
	F	16	26	149	50	8	11	64	6	7	8	15	21	1	8
55—	M	34	33	297	91	11	11	124	12	6	16	21	23	5	3
	F	18	20	182	59	13	10	88	7	12	12	8	28	1	6
60—	M	20	47	324	91	13	11	171	19	18	23	25	27	7	9
	F	22	43	238	63	12	10	85	12	12	10	20	26	8	2
65—	M	27	41	333	94	21	24	131	33	20	15	25	34	5	10
	F	29	38	215	58	16	15	121	20	8	19	19	30	6	6
70—	M	32	40	311	98	14	27	168	36	13	29	32	38	3	16
	F	35	36	257	85	20	25	103	25	28	22	28	39	7	12
75—	M	31	50	211	74	17	31	132	33	18	19	30	36	8	19
	F	29	56	206	80	21	15	113	25	12	34	28	49	6	14
80—	M	12	37	94	49	11	14	74	28	10	29	12	22	4	9
	F	16	38	133	51	15	17	85	24	15	28	29	29	2	12
85—	M	8	15	45	28	4	11	29	16	11	8	10	19	4	8
	F	10	15	80	37	10	20	48	17	14	17	16	27	2	9

TABLE 17.—ENGLAND AND WALES.

Causes of Death at different Age-Periods, 1925. (Total Deaths Registered).

Note.—The sequence of causes of death followed in this table is that of the International List of Causes of Death. Separate columns are not devoted to those causes to which, as a rule, few deaths are assigned. In order, however, to make the record complete, the list numbers of such causes are printed as nearly as possible to the places where they would occur. The deaths, if any, from these causes are shown in footnotes in which the heavy-faced figures preceding the cause express the International List number, and the figures following it indicate the sex and age-group of the decedent, roman type for males and italic type for females. Thus, **2** Typhus 5, 15, 20, *50*, denotes that the deaths of three males in age-groups 5–10, 15–20 and 20–25 and one female in age-group 50–55 are assigned to this cause. A dash (—) indicates that no deaths are assigned.

Causes of Death	All Causes		I. 1–42 Epidemic, Endemic and Infectious Diseases.		1 Enteric fever.		1 (*a*) Typhoid fever.		1 (*b*) Paratyphoid fever.		2, 3, 4* 5 Malaria.		6* 7 Measles.		8 Scarlet fever.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	240875	231966	39148	34754	188	200	174	173	14	27	62	4	2853	2484	478	510
0—1	30498	22818	3375	2890	—	—	—	—	—	—	—	—	642	457	19	12
1—5	14582	13182	6154	6140	10	1	9	—	1	1	—	—	1982	1785	239	251
5—10	3989	3698	1591	1721	4	8	3	7	1	1	—	1	199	202	122	131
10—15	2988	2914	933	1222	12	17	11	15	1	2	1	—	11	9	47	49
15—20	4737	4583	1969	2651	25	16	25	16	—	—	1	—	8	5	17	23
20—25	5400	5291	2570	2895	28	25	28	23	—	2	3	—	2	9	13	14
25—30	5032	5516	2367	2569	20	23	19	23	1	—	5	—	1	6	4	12
30—35	5345	5564	2220	2054	18	15	18	13	—	2	6	—	2	4	7	10
35—40	6620	6336	2429	1931	14	17	14	16	—	1	15	2	1	2	2	4
40—45	9126	7470	2723	1628	11	20	11	18	—	2	7	1	—	1	1	—
45—50	11581	9532	2825	1528	10	13	7	11	3	2	8	—	1	1	2	1
50—55	14484	11772	2535	1245	11	14	10	11	1	3	3	—	1	—	1	1
55—60	16897	13809	2055	1173	5	6	3	3	2	3	3	—	3	1	—	1
60—65	20668	16897	1879	1134	12	15	10	11	2	4	5	—	—	—	2	—
65—70	23329	20754	1371	1064	6	5	4	4	2	1	3	—	—	—	1	1
70—75	24202	24485	983	1066	1	2	1	1	—	1	1	—	—	2	1	—
75—80	20276	24133	626	855	1	3	1	1	—	2	1	—	—	—	—	—
80 and upwards	21121	33212	543	988	—	—	—	—	—	—	—	—	—	—	—	—

* **2.** Typhus —; **3.** Relapsing fever (Spirillum obermeieri) —. **4.** Mediterranean fever —; **6.** Small-pox 25, 55, 70, *0*, *0*, *0*, *5*, *55*, *60*.

Causes of Death.	9 Whooping cough.		10 Diphtheria.		11 Influenza.		11 (*a*) 1. With pneumonic complications.		11 (*a*) 2. With other pulmonary complications.		11 (*b*) 1. With non-pulmonary complications.		11 (*b*) 2. Without stated complication.		12* 13 Mumps.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	2770	3288	1348	1426	6308	6413	2831	2341	1302	1571	1271	1417	904	1084	18	10
0—1	1325	1383	67	54	229	183	89	84	41	29	64	36	35	34	4	—
1—5	1362	1785	680	664	217	224	99	95	25	32	72	75	21	22	4	4
5—10	71	108	445	515	79	102	39	37	6	8	30	45	4	12	2	3
10—15	3	2	108	116	71	90	36	41	6	4	23	33	6	12	—	1
15—20	—	2	21	27	183	170	102	77	13	14	57	60	11	19	—	—
20—25	1	1	3	17	200	149	116	75	17	11	49	46	18	17	2	—
25—30	—	2	2	7	175	160	103	86	17	13	42	47	13	14	—	—
30—35	1	—	5	2	183	207	117	124	20	20	35	48	11	15	—	—
35—40	—	—	5	4	278	264	177	139	33	26	49	70	19	29	—	—
40—45	—	—	5	3	342	264	204	142	45	36	64	66	29	20	1	—
45—50	—	1	2	3	430	306	265	150	66	57	72	65	27	34	1	—
50—55	—	—	1	3	488	329	276	147	76	62	88	82	48	38	1	—
55—60	—	—	—	3	537	407	262	175	118	91	111	88	46	53	—	—
60—65	1	1	2	3	603	510	268	197	138	124	110	116	87	73	—	—
65—70	4	1	—	1	656	651	268	240	168	189	120	143	100	79	—	1
70—75	1	1	1	3	668	802	209	236	201	261	124	154	134	151	—	1
75—80	—	—	1	1	491	702	122	155	138	255	104	125	127	167	3	—
80 and upwards	1	1	—	—	478	893	79	141	174	339	57	118	168	295	—	—

***12** Miliary fever —.

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1925. (TOTAL DEATHS REGISTERED).

Causes of Death.	14* 15 Cholera nostras.		16 Dysentery.		16 (*a*) Amœbic.		16 (*b*) Bacillary.		16 (*c*) Other or unspecified.		17,18,19,20* 21 Erysipelas.		22 Acute poliomyelitis.		22 (1) Poliomyelitis.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	2	—	73	62	9	2	6	7	58	53	449	401	85	71	65	51
0—1	—	—	4	3	—	—	—	1	4	2	50	50	8	5	5	1
1—5	—	—	4	—	—	—	—	—	4	—	8	13	25	35	17	26
5—10	—	—	—	1	—	—	—	—	—	1	4	4	11	7	9	5
10—15	—	—	1	—	—	—	—	—	1	—	3	3	12	6	10	4
15—20	—	—	2	1	—	—	—	1	2	—	6	7	13	6	10	6
20—25	—	—	2	3	—	1	1	—	1	2	8	5	5	3	5	2
25—30	—	—	6	1	—	—	1	—	5	1	16	5	2	2	2	2
30—35	—	—	4	5	1	—	—	1	3	4	9	10	1	2	1	1
35—40	—	—	6	2	3	—	—	—	3	2	16	27	5	2	3	1
40—45	—	—	13	2	1	—	2	1	10	1	20	18	1	—	1	—
45—50	—	—	9	4	2	—	—	1	7	3	39	20	1	1	1	1
50—55	2	—	5	5	1	—	1	—	3	5	43	28	—	1	—	1
55—60	—	—	5	10	1	—	—	1	4	9	38	34	—	—	—	—
60—65	—	—	5	7	—	1	—	1	5	5	51	37	—	—	—	—
65—70	—	—	2	5	—	—	—	—	2	5	48	36	—	—	—	—
70—75	—	—	1	7	—	—	—	—	1	7	38	36	—	1	—	1
75—80	—	—	2	5	—	—	—	—	2	5	27	27	1	—	1	—
80 and upwards	—	—	2	1	—	—	1	—	1	1	25	41	—	—	—	—

* **14.** Asiatic cholera —; **17.** Plague —; **18.** Yellow fever —; **19.** Spirochætosis ictero-hæmorrhagica 25, 35, 45, 50, 55, *40*; **20.** Leprosy 25, 30.

Causes of Death.	22 (2) Poliocephalitis.		23 Encephalitis lethargica.		24 Meningococcal meningitis.		25 Other epidemic diseases.		25 (1) German measles.		25 (2) Varicella.		25 (3) Other diseases included under 25.		26* 27 Anthrax.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	20	20	666	706	202	152	83	58	24	18	50	33	9	7	10	1
0—1	3	4	6	10	65	39	35	19	7	6	24	12	4	1	—	—
1—5	8	9	63	73	51	44	37	23	15	7	21	12	1	4	—	—
5—10	2	2	41	34	27	13	4	9	—	3	4	6	—	—	—	—
10—15	2	2	43	46	18	19	2	2	2	1	—	1	—	—	—	—
15—20	3		67	64	19	9	—	—	—	—	—	—	—	—	1	1
20—25	—	1	43	49	8	8	1	1	—	1	1	—	—	—	—	—
25—30	—	—	34	36	2	2	—	—	—	—	—	—	—	—	—	—
30—35	—	1	35	43	—	3	—	1	—	—	—	—	—	1	2	—
35—40	2	1	40	43	2	4	—	—	—	—	—	—	—	—	—	—
40—45	—	—	45	51	6	1	1	3	—	—	—	2	1	1	—	—
45—50	—	—	53	56	1	2	2	—	—	—	—	—	2	—	4	—
50—55	—	—	47	65	1	1	—	—	—	—	—	—	—	—	1	—
55—60	—	—	61	44	—	4	—	—	—	—	—	—	—	—	—	—
60—65	—	—	46	43	1	—	—	—	—	—	—	—	—	—	1	—
65—70	—	—	32	26	1	2	1	—	—	—	—	—	1	—	—	—
70—75	—	—	7	14	—	—	—	—	—	—	—	—	—	—	1	—
75—80	—	—	2	8	—	1	—	—	—	—	—	—	—	—	—	—
80 and upwards	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—

* **26.** Glanders —.

TABLE 17—*contd.*

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1925. (TOTAL DEATHS REGISTERED).

Causes of Death.	28* 29 Tetanus.		30 Mycoses.		30 (1) Actino-mycosis.		30 (2) Other mycoses.		Tuberculosis. 31–37 All forms.		31 Respiratory system.		32 Nervous system.		33 Intestines and peritoneum.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	120	39	59	43	21	15	38	28	22234	18153	17995	14387	1608	1427	847	851
0—1	9	2	20	16	—	—	20	16	508	388	60	48	230	205	126	66
1—5	4	2	2	1	—	—	2	1	1432	1194	222	190	705	599	265	193
5—10	7	7	—	—	—	—	—	—	551	550	121	148	267	234	56	77
10—15	13	3	1	2	1	2	—	—	565	841	232	518	149	150	68	69
15—20	22	5	7	—	7	—	—	—	1545	2297	1163	1937	105	93	89	101
20—25	7	—	3	1	2	1	1	—	2212	2585	1931	2317	60	49	42	70
25—30	7	1	1	3	1	3	—	—	2066	2282	1871	2070	25	30	34	63
30—35	2	3	2	1	2	—	—	1	1924	1715	1757	1572	19	20	32	49
35—40	1	3	1	4	1	4	—	—	1995	1523	1854	1407	14	15	24	38
40—45	8	4	2	1	—	1	2	—	2204	1231	2056	1118	10	13	26	35
45—50	12	—	4	3	1	—	3	3	2152	1059	2023	953	11	10	25	24
50—55	7	4	4	—	2	—	2	—	1824	748	1717	667	4	4	19	24
55—60	9	2	6	1	2	1	4	—	1314	620	1239	535	4	2	12	16
60—65	4	2	3	3	1	1	2	2	1048	489	951	410	1	1	16	14
65—70	5	1	2	—	1	—	1	—	549	315	500	266	4	—	8	6
70—75	1	—	—	3	—	1	—	2	231	180	209	142	—	2	2	3
75—80	2	—	1	3	—	1	1	2	86	96	71	69	—	—	2	3
80 and upwards	—	—	—	1	—	—	—	1	28	40	18	20	—	—	1	—

* 28. Rabies —.

Causes of Death.	Tuberculosis—*continued.* 34 Vertebral column.		35 Joints.		36 Other organs.		36 (*a*) Skin and subcutaneous tissue.		36 (*b*) Bones (vertebral column excepted).		36 (*c*) Lymphatic system (abdominal glands excptd).		36 (*d*) Genito-urinary system.		36 (*e*) Others in 36.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	305	233	154	98	279	255	20	38	46	47	49	44	156	118	8	8
0—1	2	—	—	1	7	9	—	2	2	1	5	6	—	—	—	—
1—5	10	11	3	6	25	12	—	—	1	5	19	4	3	2	2	1
5—10	12	12	9	4	5	7	—	1	1	—	3	3	1	3	—	—
10—15	23	11	16	6	12	9	—	—	2	2	4	1	6	6	—	—
15—20	37	24	20	11	18	13	—	2	5	2	4	2	9	6	—	1
20—25	35	24	13	9	16	23	1	2	2	—	—	3	12	17	1	1
25—30	37	20	12	10	23	20	2	2	7	2	1	1	13	14	—	1
30—35	23	9	10	4	21	14	4	1	3	2	4	1	9	10	1	—
35—40	21	13	8	6	27	17	2	—	1	4	—	1	24	12	—	—
40—45	27	15	7	4	24	13	—	3	3	1	1	—	20	8	—	1
45—50	21	15	6	4	17	26	1	3	—	6	1	2	13	14	2	1
50—55	13	13	12	3	22	16	1	3	4	2	1	2	15	9	1	—
55—60	12	16	10	6	12	17	2	4	2	5	—	2	8	5	—	1
60—65	16	17	11	7	24	21	3	6	4	3	4	7	13	5	—	—
65—70	9	12	6	2	12	14	2	1	3	3	1	4	6	5	—	1
70—75	5	11	4	8	6	7	1	3	2	1	1	2	2	1	—	—
75—80	2	8	5	2	2	8	—	4	2	3	—	—	—	1	—	—
80 and upwards	—	2	2	5	6	9	1	1	2	5	—	3	2	—	1	—

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1925.
(TOTAL DEATHS REGISTERED).

Causes of Death.	Tuberculosis—*continued.* 37 Disseminated tuberculosis.		37 (*a*) Acute.		37 (*b*) Chronic or unstated.		38 Syphilis.		39* 40 Gonococcal infection.		40 (1) Gonococcal infection (ophthalmia excepted).		40 (2) Gonorrhœal or purulent ophthalmia.		41 Purulent infection, septicæmia.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	1046	902	344	355	702	547	726	459	30	13	23	5	7	8	371	253
0—1	83	59	38	31	45	28	353	232	9	8	2	—	7	8	20	25
1—5	202	183	82	87	120	96	22	26	—	—	—	—	—	—	12	15
5—10	81	68	28	30	53	38	5	4	—	—	—	—	—	—	19	21
10—15	65	78	17	32	48	46	6	4	—	—	—	—	—	—	16	12
15—20	113	118	35	55	78	63	3	4	1	—	1	—	—	—	28	14
20—25	115	93	30	37	85	56	4	9	—	—	—	—	—	—	25	16
25—30	64	69	23	22	41	47	10	14	—	1	—	1	—	—	13	12
30—35	62	47	24	10	38	37	10	17	—	2	—	2	—	—	8	14
35—40	47	27	13	9	34	18	29	13	4	—	4	—	—	—	14	17
40—45	54	33	19	14	35	19	30	18	3	2	3	2	—	—	23	7
45—50	49	27	15	11	34	16	58	37	4	—	4	—	—	—	31	21
50—55	37	21	4	5	33	16	57	26	3	—	3	—	—	—	34	20
55—60	25	28	5	4	20	24	41	22	1	—	1	—	—	—	30	17
60—65	29	19	6	3	23	16	45	10	3	—	3	—	—	—	47	13
65—70	10	15	3	4	7	11	33	14	1	—	1	—	—	—	26	5
70—75	5	7	1	—	4	7	15	6	1	—	1	—	—	—	14	8
75—80	4	6	1	1	3	5	2	2	—	—	—	—	—	—	6	7
80 and upwards	1	4	—	—	1	4	3	1	—	—	—	—	—	—	5	9

* **39.** Soft chancre—.

Causes of Death.	42 (1, 2)* 42. Other infectious diseases.		II. 43–69 General diseases not included in I. 1–42.		Cancer, Malignant Disease. 43–49 Total Deaths.		43 Buccal cavity.		44 Pharynx, œsophagus, stomach, liver and annexa.		45 Peritoneum, intestines, and rectum.		46 Female genital organs.		47 Breast.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	3	1	30681	37513	24002	27937	2649	428	9003	7428	5544	5601	—	5705	39	5372
0—1	2	1	299	202	11	14	—	—	1	2	—	1	—	—	—	—
1—5	—	—	388	307	59	41	2	1	3	1	4	3	—	1	—	—
5—10	—	—	259	211	41	18	2	—	1	—	2	—	—	4	—	—
10—15	—	—	295	337	31	25	—	—	2	1	1	1	—	1	—	—
15—20	—	—	319	337	74	38	4	1	4	1	8	2	—	8	—	—
20—25	—	—	277	359	85	76	3	3	8	7	6	20	—	12	—	2
25—30	—	—	319	405	134	163	6	4	32	14	22	30	—	45	—	29
30—35	—	—	372	660	171	352	6	5	46	49	42	51	—	127	—	64
35—40	—	—	519	1086	329	746	11	18	113	106	68	92	—	258	1	180
40—45	—	—	1044	1944	752	1467	46	19	287	254	173	167	—	454	1	409
45—50	—	—	1792	2938	1358	2346	137	26	553	446	264	278	—	725	3	626
50—55	—	—	2947	3913	2466	3149	311	42	1014	672	476	496	—	870	2	733
55—60	—	—	3896	4212	3265	3318	442	57	1263	819	683	580	—	788	4	681
60—65	—	—	4809	4884	4071	3809	495	55	1606	1065	928	795	—	761	6	676
65—70	1	—	4930	5148	4181	3963	466	62	1645	1278	1056	925	—	648	9	593
70—75	—	—	4088	4625	3447	3609	357	55	1270	1239	899	884	—	497	4	539
75—80	—	—	2621	3362	2247	2667	219	36	782	858	588	715	—	301	4	436
80 and upwards	—	—	1507	2583	1280	2136	142	44	373	616	324	561	—	205	5	404

* **42.** (1) Vaccinia 0, 0, *0*.
(2) Other diseases included under **42**, 65.

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1925.
(TOTAL DEATHS REGISTERED).

Causes of Death.	Cancer—*continued.* 48 Skin.		49 Other or unspecified organs.		50 Tumours not returned as malignant. (brain and female genital organs excptd).		51 Rheumatic fever.		52 Chronic rheumatism, osteo-arthritis, gout.		52 (1) Chronic rheumatism, chronic arthritis.		52 (2) Rheumatoid and osteo-arthritis.		52 (3) Gout.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	787	432	5980	2971	383	356	833	1052	845	1718	154	207	523	1478	168	33
0—1	—	—	10	11	1	—	1	—	—	—	—	—	—	—	—	—
1—5	—	1	50	34	7	8	27	17	—	—	—	—	—	—	—	—
5—10	—	—	36	14	6	10	123	119	—	—	—	—	—	—	—	—
10—15	—	—	28	22	—	3	155	222	1	2	—	—	1	2	—	—
15—20	—	1	58	25	3	8	102	141	2	—	—	—	2	—	—	—
20—25	4	—	64	32	5	1	57	77	3	3	1	1	2	2	—	—
25—30	6	3	68	38	2	6	44	55	4	4	1	—	3	4	—	—
30—35	5	6	72	50	4	7	36	57	8	14	2	1	6	13	—	—
35—40	7	4	129	88	16	17	27	52	4	22	1	2	3	20	—	—
40—45	19	17	226	147	23	15	47	49	19	38	2	3	15	35	2	—
45—50	26	14	375	231	43	21	54	55	35	69	6	5	22	64	7	—
50—55	56	23	607	313	43	26	32	55	41	97	8	10	28	85	5	2
55—60	78	27	795	366	50	34	45	55	81	129	11	8	55	118	15	3
60—65	94	32	942	425	39	46	41	31	120	208	18	20	79	183	23	5
65—70	99	47	906	410	46	38	21	24	173	285	32	33	104	248	37	4
70—75	132	60	785	335	37	45	13	32	163	315	23	45	101	264	39	6
75—80	113	83	541	238	33	33	7	7	97	305	22	35	57	263	18	7
80 and upwards	148	114	288	192	25	38	1	4	94	227	27	44	45	177	22	6

Causes of Death.	53 Scurvy.		54, 55* 56 Rickets.		57 Diabetes.		58 Anæmia, chlorosis.		58 (*a*) Pernicious anæmia.		58 (*b*) Other anæmias and chlorosis.		59* 60 Diseases of the thyroid gland.		60 (*a*) Exophthalmic goitre.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	16	5	281	197	1814	2543	1207	1693	1078	1507	129	186	134	1012	64	680
0—1	7	2	107	58	—	—	18	14	2	2	16	12	6	4	—	—
1—5	7	2	159	131	10	9	25	17	4	7	21	10	6	18	—	—
5—10	—	—	6	3	15	14	10	9	3	7	7	2	5	5	—	—
10—15	1	—	2	—	33	33	14	8	10	4	4	4	2	9	—	4
15—20	—	—	2	2	48	51	13	24	9	14	4	10	8	37	3	26
20—25	—	—	1	—	29	54	19	47	16	38	3	9	12	55	6	49
25—30	—	—	—	1	61	54	19	36	13	28	6	8	5	47	5	41
30—35	—	—	—	—	56	49	38	70	31	62	7	8	4	53	4	49
35—40	—	—	1	2	41	58	38	78	30	71	8	7	5	65	3	58
40—45	—	—	1	—	67	94	53	132	51	109	2	23	12	94	8	75
45—50	—	—	1	—	90	93	105	156	96	143	9	13	13	103	11	85
50—55	1	—	1	—	120	182	138	186	132	168	6	18	10	140	7	105
55—60	—	1	—	—	171	277	174	216	163	205	11	11	15	105	8	76
60—65	—	—	—	—	268	391	190	221	182	209	8	12	11	99	4	54
65—70	—	—	—	—	287	455	161	231	159	215	2	16	7	90	3	40
70—75	—	—	—	—	271	385	122	153	115	140	7	13	8	43	1	11
75—80	—	—	—	—	164	224	56	70	50	63	6	7	4	28	1	5
80 and upwards	—	—	—	—	83	120	14	25	12	22	2	3	1	17	—	2

* **54** Pellagra *25, 30, 30, 35, 40, 40, 45, 50, 50*; **55** Beri-beri 25, 45, 45; **59** Diseases of the pituitary gland 30, 35, 35, 40, 45, 45, 55, 60, 65, *25, 35, 40, 45, 55, 55, 60, 65.*

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1925. (TOTAL DEATHS REGISTERED).

Causes of Death.	60 (*b*) (1) Myxœdema.		60 (*b*) (2) Cretinism.		60 (*b*) (3) Other diseases of the thyroid gland.		61 * / 62 Diseases of the thymus.		63 Diseases of the adrenals.		64 Diseases of the spleen.		65 Leukæmia, lymphadenoma.		65 (*a*) Leukæmia.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	21	174	25	44	24	114	102	67	104	149	10	18	541	423	296	273
0—1	—	—	5	4	1	—	69	42	—	1	—	—	5	1	3	1
1—5	—	—	6	18	—	—	16	12	1	—	—	—	28	22	23	20
5—10	—	1	5	4	—	—	4	2	—	—	—	—	40	17	20	14
10—15	—	—	2	2	—	3	6	2	—	—	—	—	31	25	16	18
15—20	—	1	—	6	5	4	2	3	4	6	1	—	46	15	23	10
20—25	—	2	4	1	2	3	3	3	7	8	—	1	35	26	17	14
25—30	—	3	—	1	—	2	1	2	11	11	1	2	28	14	13	8
30—35	—	—	—	3	—	1	—	1	6	9	—	1	32	36	16	23
35—40	1	1	1	1	—	5	1	—	4	13	—	—	34	23	18	11
40—45	—	8	2	2	2	9	—	—	7	17	—	—	34	20	16	15
45—50	1	13	—	—	1	5	—	—	17	20	1	2	43	48	25	32
50—55	1	24	—	1	2	10	—	—	7	12	3	2	50	34	29	21
55—60	5	22	—	—	2	7	—	—	11	13	3	1	47	42	23	22
60—65	4	28	—	—	3	17	—	—	17	13	—	5	36	34	25	21
65—70	2	35	—	—	2	15	—	—	4	15	1	1	28	31	14	20
70—75	5	18	—	—	2	14	—	—	5	9	—	—	13	20	7	12
75—80	2	12	—	1	1	10	—	—	1	2	—	3	8	9	5	6
80 and upwards	—	6	—	—	1	9	—	—	2	—	—	—	3	6	3	5

***61.** (1) Tetany 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 1, 1, 1, 1, 1, 1, 40, 55, *0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 1, 1, 1, 1, 1, 1, 1, 5, 35.* ***61.** (2) Other diseases of the parathyroid glands 50.

Causes of Death.	65 (*b*) Lymphadenoma. (Hodgkin's disease).		66 Alcoholism (acute or chronic).		67 Chronic poisoning by mineral substances.		67 (1) Occupational lead poisoning		67 (2), 68 * / 69 Other general diseases.		69 (1) Purpura.		69 (2) Hæmophilia.		69 (3) Other diseases included under 69.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	245	150	95	55	31	4	28	3	246	240	129	140	73	36	44	64
0—1	2	—	—	—	—	—	—	—	61	51	29	25	30	25	2	1
1—5	5	2	—	—	—	—	—	—	37	23	18	15	13	2	6	6
5—10	20	3	—	—	—	—	—	—	9	13	4	6	2	2	3	5
10—15	15	7	—	—	—	—	—	—	19	8	12	8	5	—	2	—
15—20	23	5	—	—	—	—	—	—	14	12	10	11	4	1	—	—
20—25	18	12	—	—	1	—	1	—	19	8	10	6	6	—	3	2
25—30	15	6	3	—	—	1	—	—	5	7	2	6	3	1	—	—
30—35	16	13	4	3	1	—	1	—	11	6	4	2	3	—	4	4
35—40	16	12	10	3	—	—	—	—	6	4	3	3	2	1	1	—
40—45	18	5	16	6	6	1	5	1	5	7	3	4	1	1	1	2
45—50	18	16	15	12	3	—	3	—	10	10	4	4	2	1	4	5
50—55	21	13	16	10	7	—	5	—	11	17	7	6	1	—	3	11
55—60	24	20	18	7	6	—	6	—	8	12	3	7	—	2	5	3
60—65	11	13	4	7	2	1	2	1	8	18	6	10	1	—	1	8
65—70	14	11	7	2	3	1	3	1	10	11	5	4	—	—	5	7
70—75	6	8	1	3	1	—	1	—	7	11	4	7	—	—	3	4
75—80	3	3	—	2	1	—	1	—	3	12	3	8	—	—	—	4
80 and upwards	—	1	1	—	—	—	—	—	3	10	2	8	—	—	1	2

*** 67.** (2) Other chronic poisoning by mineral substances 40, 50, 50, *25.*
68. Chronic poisoning by organic substances 20, 35, 60, *40, 45, 50.*

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1925.
(TOTAL DEATHS REGISTERED).

Causes of Death.	III. 70–86 Diseases of the nervous system and sense organs.		70 Encephalitis.		70 (1) Cerebral abscess.		70 (2) Other diseases included under 70.		71 Meningitis.		72 Tabes dorsalis (locomotor ataxy).		73 Other diseases of the spinal cord.		74 Cerebral hæmorrhage, apoplexy, etc.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	23116	23814	196	119	126	70	70	49	1016	798	602	129	792	601	12007	15024
0—1	2107	1404	10	3	3	1	7	2	260	174	—	—	1	—	3	4
1—5	814	718	22	8	9	4	13	4	299	235	—	—	—	1	—	6
5—10	303	258	5	8	3	5	2	3	102	90	—	—	1	3	3	6
10—15	323	264	16	11	13	9	3	2	77	58	—	—	17	5	8	6
15—20	331	269	17	10	15	6	2	4	58	35	1	—	21	10	14	11
20—25	316	247	17	5	15	4	2	1	28	31	1	1	23	14	19	16
25—30	287	247	19	7	17	7	2	—	23	18	2	—	19	11	32	29
30—35	367	333	14	8	10	5	4	3	18	15	4	2	13	16	45	47
35—40	537	397	9	4	8	2	1	2	21	17	19	7	23	25	82	91
40—45	779	610	7	12	5	7	2	5	17	18	35	12	56	35	159	163
45—50	1007	942	14	7	6	5	8	2	16	28	60	19	63	40	354	468
50—55	1374	1323	11	9	9	4	2	5	19	12	86	15	82	75	635	806
55—60	1826	1721	10	10	5	6	5	4	24	26	111	25	88	82	1028	1160
60—65	2405	2265	11	4	6	—	5	4	19	14	116	24	129	87	1555	1646
65—70	2770	2892	2	5	1	2	1	3	20	8	97	11	110	77	1953	2267
70—75	3116	3411	4	1	—	—	4	1	8	4	41	8	83	55	2460	2793
75—80	2409	3134	3	3	—	2	3	1	6	7	25	4	45	43	1926	2615
80 and upwards	2045	3379	5	4	1	1	4	3	1	8	4	1	18	22	1731	2890

Causes of Death.	74 (*a*) (1) Cerebral hæmorrhage so returned.		74 (*a*) (2) Apoplexy, lesion unstated.		74 (*b*) (1) Cerebral embolism.		74 (*b*) (2) Cerebral thrombosis.		75 Paralysis of unstated origin.		75 (*a*) Hemiplegia.		75 (*b*) Other forms of paralysis.		76 General paralysis of the insane.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	9435	11642	1065	1260	321	497	1186	1625	982	1116	859	1004	123	112	1254	285
0—1	2	1	1	1	—	1	—	1	1	2	1	1	—	1	—	—
1—5	—	3	—	2	—	—	—	1	2	2	1	1	1	1	—	—
5—10	1	3	1	—	—	—	1	3	1	4	1	3	—	1	1	—
10—15	6	3	2	2	—	1	—	—	5	1	—	—	5	1	3	—
15—20	10	8	—	—	2	1	2	2	2	2	1	1	1	1	7	5
20—25	12	9	3	2	1	4	3	1	3	1	—	1	3	—	10	4
25—30	25	20	4	2	3	5	—	2	—	3	—	2	—	1	16	7
30—35	39	30	2	5	—	7	4	5	3	2	3	1	—	1	73	23
35—40	69	67	7	6	4	9	2	9	1	8	—	5	1	3	177	32
40—45	129	134	12	8	1	9	17	12	11	15	9	12	2	3	253	60
45—50	295	367	17	34	14	24	28	43	15	30	13	25	2	5	230	52
50—55	514	665	62	63	12	29	47	49	47	29	46	26	1	3	199	36
55—60	839	941	79	92	22	34	88	93	73	64	65	55	8	9	138	27
60—65	1261	1354	114	107	39	46	141	139	121	109	110	100	11	9	90	17
65—70	1555	1807	173	192	54	64	171	204	172	165	155	150	17	15	37	11
70—75	1965	2135	226	262	57	104	212	292	218	203	183	185	35	18	10	5
75—80	1475	1983	190	228	48	69	213	335	168	234	150	215	18	19	5	5
80 and upwards	1238	2112	172	254	64	90	257	434	139	242	121	221	18	21	5	1

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1925.
(TOTAL DEATHS REGISTERED).

Causes of Death.	77 Other forms of insanity.		78 Epilepsy.		79 & 80 Convulsions (non-puerperal)		81 Chorea.		82 Hysteria and neuritis.		83 Cerebral softening.		84 Other diseases of the nervous system.		84 (1) Idiocy, imbecility.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	358	557	1097	1026	2002	1393	24	80	100	133	193	208	1799	1801	154	162
0—1	—	—	22	12	1708	1116	—	—	—	—	—	—	35	41	19	28
1—5	—	—	39	30	278	265	—	3	—	—	—	—	76	90	45	45
5—10	—	—	46	18	10	7	8	19	1	—	—	—	60	34	23	13
10—15	1	1	55	39	1	1	9	22	—	—	—	—	44	37	18	13
15—20	2	6	87	75	1	—	5	16	1	1	—	—	47	40	12	10
20—25	10	14	96	77	—	1	1	8	1	2	—	1	49	40	7	7
25—30	9	20	82	74	—	—	—	2	2	1	—	—	44	53	10	8
30—35	12	21	83	94	1	—	—	2	1	5	1	—	57	82	—	6
35—40	17	38	83	67	—	2	—	1	2	6	—	3	73	79	1	7
40—45	26	57	80	75	1	—	1	1	1	7	4	4	102	131	1	3
45—50	39	61	70	68	1	1	—	—	5	9	5	5	113	144	6	5
50—55	45	82	64	74	—	—	—	4	13	11	9	6	137	146	—	4
55—60	59	65	70	73	1	—	—	1	14	20	10	16	182	138	4	6
60—65	54	86	65	68	—	—	—	—	17	25	15	13	191	152	3	5
65—70	50	57	54	71	—	—	—	1	14	12	36	20	212	173	2	1
70—75	15	33	43	51	—	—	—	—	22	15	37	41	173	193	1	—
75—80	13	9	29	37	—	—	—	—	2	12	38	44	142	114	1	—
80 and upwards	6	7	29	23	—	—	—	—	4	7	38	55	62	114	1	1

Causes of Death.	84 (2) Cerebral tumour.		84 (3) Dissem-inated sclerosis.		84 (4) Paralysis agitans.		84 (5) Other diseases included under 84.		85 Diseases of the eye and annexa.		86 Diseases of the ear and of the mastoid sinus.		86 (1) Diseases of the mastoid sinus.		86 (2) Diseases of the ear.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	518	517	359	374	533	492	235	256	22	33	672	511	205	154	467	357
0—1	2	1	—	—	—	—	14	12	—	5	67	47	17	13	50	34
1—5	19	21	—	—	—	—	12	24	3	3	95	75	30	20	65	55
5—10	26	18	—	—	—	—	11	3	1	2	64	67	27	34	37	33
10—15	23	16	—	—	—	—	3	8	3	—	84	83	26	28	58	55
15—20	25	21	5	6	—	—	5	3	—	—	68	58	26	14	42	44
20—25	30	23	6	7	—	—	6	3	—	2	58	30	18	7	40	23
25—30	24	28	7	13	1	1	2	3	1	1	38	21	17	5	21	16
30—35	30	33	21	28	1	2	5	13	2	—	40	16	8	3	32	13
35—40	38	42	20	25	2	2	12	3	—	—	30	17	6	6	24	11
40—45	55	61	27	52	4	5	15	10	—	2	26	18	6	3	20	15
45—50	54	72	29	47	10	5	14	15	—	—	22	10	3	4	19	6
50—55	57	54	46	44	19	23	15	21	—	1	27	17	10	5	17	12
55—60	53	42	60	39	37	31	28	20	1	—	17	14	5	3	12	11
60—65	40	34	51	40	75	57	22	16	3	3	19	17	3	4	16	13
65—70	20	22	40	32	126	92	24	26	2	2	11	12	2	3	9	9
70—75	13	20	23	21	120	121	16	31	1	5	1	4	1	—	—	4
75—80	6	9	21	16	95	74	19	15	3	4	4	3	—	2	4	1
80 and upwards	3	—	3	4	43	79	12	30	2	3	1	2	—	—	1	2

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1925.
(TOTAL DEATHS REGISTERED).

Causes of Death.	IV. 87–96 Diseases of the circulatory system.		87–90 Heart diseases.		87 Pericarditis.		88 Acute endocarditis and myocarditis.		88 (1) Infective endo-carditis.		88 (2) Other acute endo-carditis.		88 (3) Acute myocarditis.		89 Angina pectoris.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	41144	42846	29691	34368	188	144	968	1029	508	473	261	322	199	234	1285	551
0—1	21	21	4	4	2	3	2	1	2	—	—	—	—	1	—	—
1—5	54	45	41	41	10	9	17	14	6	8	9	4	2	2	—	—
5—10	152	141	148	138	18	9	46	46	21	15	20	29	5	2	—	—
10—15	231	360	227	354	15	16	58	79	25	31	30	46	3	2	—	—
15—20	353	382	345	378	6	7	79	83	42	44	32	32	5	7	—	—
20—25	331	385	322	378	8	5	71	95	41	65	24	20	6	10	—	1
25—30	348	489	334	470	7	4	91	99	64	60	21	28	6	11	1	—
30—35	407	541	379	517	2	10	81	104	47	54	20	37	14	13	5	1
35—40	581	718	538	671	7	12	103	111	53	41	27	40	23	30	11	5
40—45	1025	986	902	915	9	7	126	118	43	27	35	36	48	55	39	10
45—50	1567	1515	1298	1358	10	6	59	37	48	26	5	4	6	7	60	21
50—55	2454	2223	1948	1929	25	5	55	46	36	28	8	10	11	8	90	34
55—60	3517	2928	2700	2557	19	11	62	40	39	23	11	5	12	12	201	60
60—65	4889	4127	3636	3465	17	14	31	41	15	18	4	8	12	15	237	92
65—70	6632	5748	4733	4762	16	9	37	37	17	18	3	5	17	14	219	109
70—75	7129	7014	4828	5512	9	6	28	28	8	9	8	6	12	13	205	102
75—80	5928	6930	3871	5239	6	7	12	23	1	3	4	6	7	14	135	68
80 and upwards	5525	8293	3437	5680	2	4	10	27	—	3	—	6	10	18	82	48

Causes of Death.	90 Other diseases of the heart.		90 (1) Aortic valve disease.		90 (2) Mitral valve disease.		90 (3) Aortic and mitral valve disease.		90 (4) Other or unspecified valve disease.		90 (5) Fatty heart.		90 (6) Cardiac dilatation, cause unspecified.		90 (7) Other or unspecified myocardial disease.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	27250	32644	2054	1025	3270	5558	444	425	5529	6626	1202	1562	389	411	9177	10784
0—1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—5	14	18	1	1	3	3	1	—	6	4	—	—	—	—	—	—
5—10	84	83	2	—	26	22	3	3	41	46	1	—	—	1	—	1
10—15	154	259	7	5	48	105	12	9	63	104	—	—	1	1	2	2
15—20	260	288	14	6	91	117	11	12	94	103	2	—	1	3	5	7
20—25	243	277	18	15	71	121	12	11	89	82	1	2	5	—	5	7
25—30	235	367	26	11	60	154	19	17	76	100	7	12	1	3	10	11
30—35	291	402	30	20	76	149	16	13	88	124	4	11	8	1	9	25
35—40	417	543	48	17	102	173	18	15	124	168	12	24	5	2	38	30
40—45	728	780	118	32	131	240	19	22	203	214	30	40	8	6	89	64
45—50	1169	1294	138	42	203	316	30	21	286	362	67	89	23	9	229	230
50—55	1778	1844	223	77	232	420	42	25	448	516	111	125	22	16	411	357
55—60	2418	2446	275	104	295	449	52	34	557	576	145	193	34	31	597	611
60—65	3351	3318	292	136	367	560	46	49	726	703	204	225	51	34	1018	946
65—70	4461	4607	304	146	491	726	66	57	930	971	226	277	60	61	1511	1476
70—75	4586	5376	264	160	455	741	53	60	784	1000	195	212	60	76	1835	1965
75—80	3718	5141	180	129	347	697	22	47	607	890	108	207	59	80	1641	2064
80 and upwards	3343	5601	114	124	272	565	22	30	407	663	89	145	51	87	1777	2988

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1925.
(TOTAL DEATHS REGISTERED).

Causes of Death.	90 (8) Disordered action of the heart.		90 (9) Heart disease (undefined).		91 Diseases of the arteries.		91 (*a*) Aneurysm.		91 (*b*) Arterio-sclerosis.		91 (*b*) (1) With record of cerebral vascular lesion.		91 (*b*) (2) Without record of cerebral vascular lesion.		91 (*c*) Other diseases of the arteries.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	537	835	4648	5418	10998	7947	829	236	10074	7617	3107	2698	6967	4919	95	94
0—1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—5	—	1	3	9	—	—	—	—	—	—	—	—	—	—	—	—
5—10	—	—	11	10	—	—	—	—	—	—	—	—	—	—	—	—
10—15	1	—	20	33	1	2	1	1	—	—	—	—	—	—	—	1
15—20	3	3	39	37	2	2	2	2	—	—	—	—	—	—	—	—
20—25	3	5	39	34	2	3	2	3	—	—	—	—	—	—	—	—
25—30	3	8	33	51	7	6	4	5	3	1	—	1	3	—	—	—
30—35	8	10	52	49	17	5	8	2	9	2	2	1	7	1	—	1
35—40	12	15	58	99	37	28	21	12	16	16	7	8	9	8	—	—
40—45	17	28	113	134	111	39	46	3	63	36	22	20	41	16	2	—
45—50	20	37	173	188	240	105	93	20	144	83	50	47	94	36	3	2
50—55	34	49	255	259	459	235	156	38	297	195	131	134	166	61	6	2
55—60	54	74	409	374	762	331	155	29	601	296	233	172	368	124	6	6
60—65	62	104	585	561	1187	598	154	35	1022	557	383	265	639	292	11	6
65—70	89	123	784	770	1847	922	99	34	1732	877	619	379	1113	498	16	11
70—75	96	147	844	1015	2243	1445	48	23	2179	1409	717	557	1462	852	16	13
75—80	75	125	679	902	2023	1653	31	17	1973	1619	533	547	1440	1072	19	17
80 and upwards	60	106	551	893	2060	2573	9	12	2035	2526	410	567	1625	1959	16	35

Causes of Death.	92 Embolism and thrombosis (not cerebral).		93 Diseases of the veins (varices, hæmorrhoids, phlebitis, etc.).		94 Diseases of the lymphatic system (lymphangitis, etc.).		96* 95 Hæmorrhage without stated cause.		V. 97–107 Diseases of the respiratory system.		97 Diseases of the nasal fossæ and annexa.		97 (1) Diseases of the nose.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	185	192	159	252	55	43	20	19	41548	36281	85	65	23	15
0—1	1	—	—	—	12	13	4	4	6900	5091	12	6	9	4
1—5	—	2	—	—	13	2	—	—	4799	4177	6	1	4	1
5—10	1	—	—	—	3	2	—	1	583	569	2	3	—	1
10—15	—	3	1	—	2	1	—	—	275	216	1	4	—	—
15—20	2	1	3	1	1	—	—	—	425	266	12	6	2	—
20—25	4	—	1	1	2	1	—	1	482	279	13	7	2	2
25—30	2	5	3	6	—	1	2	—	495	350	3	3	1	—
30—35	6	11	1	4	2	2	2	2	676	505	4	5	1	2
35—40	3	9	3	9	—	—	—	1	1021	543	3	4	1	2
40—45	4	10	5	21	2	1	1	—	1529	662	7	7	1	—
45—50	13	24	10	26	1	1	1	1	1877	884	1	5	—	1
50—55	17	25	18	33	3	1	3	—	2167	1156	7	2	1	—
55—60	22	13	26	23	2	1	1	1	2496	1562	1	2	—	—
60—65	26	14	30	45	5	2	—	1	3022	2152	7	4	1	1
65—70	29	20	15	32	3	3	1	2	3593	3042	3	2	—	—
70—75	28	19	22	29	2	3	2	1	4019	4147	2	1	—	—
75—80	15	17	10	15	1	4	2	—	3490	4438	—	—	—	—
80 and upwards	12	19	11	7	1	5	1	4	3699	6242	1	3	—	1

* **96.** Other diseases of the circulatory system, 45, 45, 45, 45, 50, 50, 50, 50, 50, 50, 55, 55, 55, 55, 60, 60, 60, 60, 60, 65, 65, 65, 65, 70, 70, 70, 70, 70, 75, 75, 75, 75, 75, 75, 80, 80, 80, *20, 25, 55, 55, 60, 60, 65, 65, 65, 65, 65, 65, 65, 70, 70, 70, 70, 70, 75, 75, 80, 80, 80, 80, 80.*

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1925.
(TOTAL DEATHS REGISTERED).

Causes of Death.	97 (2) Diseases of the accessory nasal sinuses.		98 Diseases of the larynx.		98 (1) Laryngismus stridulus.		98 (2) Laryngitis.		98 (3) Other diseases of the larynx.		99 Bronchitis.		99 (*a*) Acute.		99 (*b*) Chronic.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	62	50	247	177	66	33	173	141	8	3	17323	17929	4103	5253	6348	5091
0—1	3	2	50	31	24	14	26	17	—	—	2102	1553	1030	742	18	12
1—5	2	—	106	79	36	15	69	64	1	—	674	653	345	350	16	14
5—10	2	2	31	29	5	4	26	23	—	2	54	55	31	23	3	8
10—15	1	4	2	3	1	—	1	3	—	—	32	16	10	4	12	6
15—20	10	6	5	—	—	—	5	—	—	—	31	32	9	8	15	17
20—25	11	5	3	1	—	—	3	1	—	—	35	40	9	9	15	25
25—30	2	3	1	2	—	—	1	2	—	—	53	39	9	12	32	16
30—35	3	3	2	2	—	—	1	2	1	—	82	51	22	16	38	16
35—40	2	2	4	1	—	—	4	1	—	—	168	96	32	33	84	43
40—45	6	7	3	3	—	—	3	3	—	—	339	160	60	51	184	58
45—50	1	4	3	2	—	—	2	2	1	—	537	259	92	70	281	106
50—55	6	2	6	2	—	—	5	2	1	—	723	470	117	131	383	186
55—60	1	2	7	2	—	—	7	2	—	—	1015	735	189	204	512	288
60—65	6	3	6	4	—	—	5	4	1	—	1479	1135	262	290	776	467
65—70	3	2	6	7	—	—	5	7	1	—	2064	1793	352	466	1003	675
70—75	2	1	3	3	—	—	2	2	1	1	2628	2822	468	719	1162	976
75—80	—	—	1	1	—	—	1	1	—	—	2470	3186	466	809	948	977
80 and upwards	1	2	8	5	—	—	7	5	1	—	2837	4834	600	1316	866	1201

Causes of Death.	99 (*c* & *d*) Not stated whether acute or chronic.		100 & 101 Pneumonia (all forms).		100 Broncho-pneumonia.		101 Pneumonia (lobar or not otherwise defined).		101 (*a*) Pneumonia, lobar.		101 (*b*) Pneumonia, not otherwise defined.		102 Pleurisy.		102 (1) Empyema.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	6872	7585	21090	15900	10535	9249	10555	6651	6378	3718	4177	2933	710	433	305	138
0—1	1054	799	4660	3441	3980	2941	680	500	248	148	432	352	18	10	13	10
1—5	313	289	3911	3377	3127	2693	784	684	349	302	435	382	78	45	71	42
5—10	20	24	465	451	258	242	207	209	113	117	94	92	22	19	15	14
10—15	10	6	219	180	59	55	160	125	102	78	58	47	8	8	4	3
15—20	7	7	340	201	53	40	287	161	188	114	99	47	23	13	17	9
20—25	11	6	396	206	55	39	341	167	226	108	115	59	22	15	14	7
25—30	12	11	397	271	53	55	344	216	241	147	103	69	23	16	15	9
30—35	22	19	543	390	70	82	473	308	341	203	132	105	20	24	11	5
35—40	52	20	765	379	112	97	653	282	464	197	189	85	24	26	15	9
40—45	95	51	1037	442	174	94	863	348	590	234	273	114	47	8	21	—
45—50	164	83	1118	515	232	135	886	380	607	240	279	140	59	27	25	7
50—55	223	153	1196	574	277	169	919	405	622	271	297	134	55	21	18	5
55—60	314	243	1199	670	295	247	904	423	561	260	343	163	63	29	21	4
60—65	441	378	1220	827	344	299	876	528	547	313	329	215	75	32	23	6
65—70	709	652	1195	1009	366	415	829	594	480	327	349	267	55	40	11	4
70—75	998	1127	1048	1056	403	524	645	532	347	301	298	231	60	31	8	3
75—80	1056	1400	778	955	348	528	430	427	235	209	195	218	35	36	2	1
80 and upwards	1371	2317	603	956	329	594	274	362	117	149	157	213	23	33	1	—

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1925.
(TOTAL DEATHS REGISTERED).

Causes of Death.	102 (2) Other pleurisy.		103 Congestion and hæmorrhagic infarct of lung.		104 Gangrene of the lung.		105 Asthma.		106 Pulmonary emphysema.		107 Other diseases of the respiratory system.		107 (*a*) Chronic interstitial pneumonia.		107 (*b*) Diseases of the mediastinum.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	405	295	533	771	20	13	1137	846	138	54	265	93	191	46	7	2
0—1	5	—	51	41	—	—	2	1	—	—	5	8	—	—	—	—
1—5	7	3	12	16	—	—	9	4	—	—	3	2	3	2	—	—
5—10	7	5	2	3	—	1	5	8	1	—	1	—	—	—	—	—
10—15	4	5	4	1	—	1	6	3	—	—	3	—	2	—	1	—
15—20	6	4	6	2	1	—	2	9	—	—	5	3	3	2	—	—
20—25	8	8	2	1	—	1	8	4	—	—	3	4	3	1	—	—
25—30	8	7	4	1	1	—	9	13	1	1	3	4	1	1	—	—
30—35	9	19	4	1	1	1	14	22	1	1	5	8	3	1	—	1
35—40	9	17	6	4	1	2	39	25	—	—	11	6	8	3	—	—
40—45	26	8	6	6	1	2	66	28	6	1	17	5	10	2	—	—
45—50	34	20	14	8	3	1	104	58	9	2	29	7	18	4	—	—
50—55	37	16	9	7	4	2	122	69	14	6	31	3	24	3	—	—
55—60	42	25	18	13	4	—	126	93	19	7	44	11	31	6	2	—
60—65	52	26	17	27	1	—	165	104	23	5	29	14	24	12	1	—
65—70	44	36	45	43	1	1	168	135	18	5	38	7	31	5	2	—
70—75	52	28	87	103	1	—	146	116	20	12	24	3	22	2	—	—
75—80	33	35	98	162	—	—	79	84	16	9	13	5	8	2	1	1
80 and upwards	22	33	148	332	1	1	67	70	10	5	1	3	—	—	—	—

Causes of Death.	107 (*c*) Other diseases included under 107.		VI. 108–127 Diseases of the digestive system.		108 Diseases of the buccal cavity and annexa.		108 (1) Diseases of the teeth and gums.		108 (2) Ludwig's angina.		108 (3) Other diseases included under 108.		109 Diseases of the pharynx and tonsils.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	67	45	14930	12581	289	196	211	129	53	39	25	28	351	278
0—1	5	8	3852	2615	22	19	11	8	6	7	5	4	26	13
1—5	—	—	1133	942	28	20	18	11	8	8	2	1	88	51
5—10	1	—	338	403	12	4	7	2	5	1	—	1	45	47
10—15	—	—	270	218	8	1	5	—	3	1	—	—	20	18
15—20	2	1	332	221	9	7	7	5	2	2	—	—	22	16
20—25	—	3	312	202	7	11	5	7	1	4	1	—	22	11
25—30	2	3	278	282	7	8	6	5	1	3	—	—	17	13
30—35	2	6	382	296	17	10	13	9	3	1	1	—	14	11
35—40	3	3	486	362	9	11	8	10	1	1	—	—	15	15
40—45	7	3	696	486	19	17	16	16	3	1	—	—	11	13
45—50	11	3	867	632	27	12	23	4	3	6	1	2	12	16
50—55	7	—	981	739	22	9	15	6	5	1	2	2	12	10
55—60	11	5	1037	879	21	13	14	11	5	—	2	2	12	12
60—65	4	2	1087	875	31	18	26	13	1	1	4	4	14	11
65—70	5	2	1029	962	21	11	16	9	3	1	2	1	5	7
70—75	2	1	786	902	14	6	10	3	2	1	2	2	7	8
75—80	4	2	559	796	5	8	4	7	—	—	1	1	5	4
80 and upwards	1	3	505	769	10	11	7	3	1	—	2	8	4	2

TABLE 17—*contd.*

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1925. (TOTAL DEATHS REGISTERED).

uses of Death.	109 (1) Tonsillitis, etc., adenoid vegetations.		109 (2) Other diseases included under 109.		110 Diseases of the œsophagus.		111 Ulcer of the stomach or duodenum.		111 (*a*) Ulcer of the stomach.		111 (*b*) Ulcer of the duodenum.		112 Other diseases of the stomach.		112 (1) Inflammation of the stomach.	
ges at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Ages	279	239	72	39	30	13	2454	998	1561	812	893	186	980	1062	812	906
)—1	17	7	9	6	—	—	4	2	4	1	—	1	320	221	301	207
1—5	73	46	15	5	1	1	—	1	—	1	—	—	67	57	64	51
5—10	38	42	7	5	—	—	3	3	3	1	—	2	15	21	11	18
)—15	19	18	1	—	2	—	1	5	1	4	—	1	8	7	5	4
5—20	19	14	3	2	—	—	23	16	17	13	6	3	8	7	3	6
)—25	20	8	2	3	—	1	70	16	48	15	22	1	8	4	6	2
5—30	15	10	2	3	—	—	91	33	52	29	39	4	7	15	5	10
)—35	10	9	4	2	1	—	152	30	96	28	56	2	6	15	3	10
5—40	14	12	1	3	—	1	203	62	131	55	72	7	12	14	9	6
)—45	8	12	3	1	1	—	282	102	170	83	112	19	28	21	24	17
5—50	10	16	2	—	—	1	350	119	239	99	111	20	30	30	18	23
)—55	8	8	4	2	1	1	321	134	202	117	119	17	47	37	34	27
5—60	6	11	6	1	2	1	305	126	190	102	115	24	56	51	35	39
)—65	7	10	7	1	8	1	247	101	157	79	90	22	53	69	42	60
5—70	4	5	1	2	3	2	213	99	124	75	89	24	69	91	53	78
)—75	5	7	2	1	2	—	111	64	75	47	36	17	79	104	61	90
5—80	2	2	3	2	7	1	52	44	34	30	18	14	72	123	60	105
) and wards	4	2	—	—	2	3	26	41	18	33	8	8	95	175	78	153

uses of Death.	112 (2) Other diseases included under 112.		113 & 114 Diarrhœa and enteritis.		113 & 114 (1) Ulceration of the intestines.		113 & 114 (2) Colitis.		113 & 114 (3) Other diseases included under 113 & 114.		115* 116 Diseases due to other intestinal parasites.		116* (*a, b, c, d, e, f*) 117 Appendicitis and typhlitis.		118 Hernia, intestinal obstruction.	
ges at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Ages	168	156	4550	3778	122	166	168	218	4260	3394	6	7	1624	1238	2148	2134
)—1	19	14	3138	2169	2	2	63	47	3073	2120	—	—	3	2	296	146
1—5	3	6	698	627	3	2	18	12	677	613	4	3	116	77	92	43
5—10	4	3	52	77	—	—	4	3	48	74	—	—	141	150	46	14
)—15	3	3	27	24	2	1	1	1	24	22	—	—	155	112	38	19
5—20	5	1	17	24	2	11	3	—	12	13	—	—	180	96	49	28
)—25	2	2	11	18	4	8	2	4	5	6	—	1	127	84	41	22
5—30	2	5	22	35	9	21	3	3	10	11	—	—	74	80	35	45
)—35	3	5	22	46	13	27	1	6	8	13	—	—	81	63	50	52
5—40	3	8	22	33	8	18	4	5	10	10	1	—	89	58	59	62
)—45	4	4	35	38	9	10	5	7	21	21	—	—	107	62	85	101
5—50	12	7	42	38	19	13	4	9	19	16	—	—	99	90	92	122
)—55	13	10	52	57	10	18	8	12	34	27	—	2	107	84	130	131
5—60	21	12	56	54	5	8	8	10	43	36	1	1	93	83	140	204
)—65	11	9	59	67	11	8	4	12	44	47	—	—	84	66	191	211
5—70	16	13	63	90	10	5	10	22	43	63	—	—	81	58	258	254
)—75	18	14	70	122	4	7	7	27	59	88	—	—	45	38	213	249
5—80	12	18	75	118	5	5	11	18	59	95	—	—	27	28	175	228
) and wards	17	22	89	141	6	2	12	20	71	119	—	—	15	7	158	203

***115.** Ankylostomiasis —; **116** (*a*). Cestodes (hydatids of the liver excepted) 1, 35, 55, *20, 50, 50, 55* ;
116 (*b*). Trematodes —; **116** (*c*). Nematodes 1, *1* ; **116** (*d*). Coccidia —;
116 (*e*). Other parasites —; **116** (*f*). Undefined parasites 1, 1, *1, 1*.

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1925.
(TOTAL DEATHS REGISTERED).

Causes of Death.	118 (*a*) Hernia.		118 (*b*) Intestinal obstruction.		119 Other diseases of the intestines.		120 Acute yellow atrophy of the liver.		121 Hydatid tumour of the liver.		122 Cirrhosis of the liver.		122 (*a*) Returned as alcoholic.		122 (*b*) Not returned as alcoholic.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	830	931	1318	1203	241	255	15	58	12	9	1201	646	87	49	1114	597
0—1	59	16	237	130	21	17	1	—	—	—	2	—	—	—	2	—
1—5	20	3	72	40	9	7	1	2	—	—	6	1	—	—	6	1
5—10	3	—	43	14	3	5	1	—	—	—	—	2	—	—	—	2
10—15	1	3	37	16	4	4	—	2	—	1	1	1	—	—	1	1
15—20	6	—	43	28	4	5	2	5	—	—	2	—	—	—	2	—
20—25	9	2	32	20	2	3	3	8	—	2	3	1	—	—	3	1
25—30	7	7	28	38	3	8	1	10	1	—	3	4	—	—	3	4
30—35	8	7	42	45	1	6	1	14	—	2	13	13	3	2	10	11
35—40	7	16	52	46	5	15	—	5	1	—	29	24	3	3	26	21
40—45	29	39	56	62	11	12	—	2	1	1	68	34	4	4	64	30
45—50	34	51	58	71	19	15	1	3	2	—	109	80	13	9	96	71
50—55	61	67	69	64	19	15	—	4	3	1	166	100	14	7	152	93
55—60	60	116	80	88	29	20	2	1	1	—	217	104	12	10	205	94
60—65	90	128	101	83	31	22	—	1	1	1	233	85	21	4	212	81
65—70	135	148	123	106	19	22	—	—	1	—	173	85	11	4	162	81
70—75	101	120	112	129	24	33	2	—	1	1	105	52	4	3	101	49
75—80	100	114	75	114	15	22	—	1	—	—	56	36	2	3	54	33
80 and upwards	100	94	58	109	22	24	—	—	—	—	15	24	—	—	15	24

Causes of Death.	123 Biliary calculi.		124 Other diseases of the liver.		125 Diseases of the pancreas.		127* 126 Peritonitis of unstated origin.		VII. 128–142 Non-venereal diseases of the genito-urinary system.		128 Acute nephritis (including unspecified under 10 years of age).		129 Chronic nephritis (including unspecified over 10 years of age).		130* 131 Other diseases of the kidneys and annexa.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	323	763	432	689	147	187	127	270	10792	7915	756	651	5763	5445	341	35
0—1	—	—	9	10	1	1	9	15	87	47	33	21	1	3	17	1
1—5	—	—	11	8	—	—	12	44	100	89	65	65	13	11	13	1
5—10	—	—	7	10	1	—	12	70	75	50	44	30	27	16	—	
10—15	—	—	4	4	—	2	2	18	97	106	39	43	47	55	6	
15—20	—	—	8	4	—	3	8	10	121	119	48	28	62	71	3	
20—25	—	3	4	5	4	3	10	9	151	163	43	31	86	87	13	
25—30	4	4	9	10	2	5	2	12	132	220	32	30	80	101	13	1
30—35	5	9	11	11	3	8	5	6	191	263	40	39	117	126	9	1
35—40	9	15	15	22	12	10	5	15	243	406	33	35	169	204	12	2
40—45	11	26	19	30	10	14	8	13	360	514	35	41	263	285	15	2
45—50	27	43	31	33	22	19	4	11	518	630	71	42	355	372	18	2
50—55	35	71	29	54	27	19	10	10	759	743	73	54	526	505	34	3
55—60	29	104	49	69	16	28	8	8	947	790	41	55	677	605	23	3
60—65	51	105	60	82	18	28	6	7	1237	853	44	35	767	682	37	3
65—70	55	112	45	95	16	29	7	7	1569	877	42	50	848	713	35	2
70—75	41	122	55	88	7	8	10	7	1652	850	41	25	810	691	42	2
75—80	30	86	30	87	6	6	4	4	1370	606	19	17	534	477	17	2
80 and upwards	26	63	36	67	2	4	5	4	1183	589	13	10	381	441	34	1

* **127.** Other diseases of the digestive system —; **130.** Chyluria 30, 45, 45.

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1925. (TOTAL DEATHS REGISTERED).

Causes of Death.	132 Calculi of the urinary passages.		133 Diseases of the bladder.		133 (1) Cystitis.		133 (2) Other diseases of the bladder.		134 Diseases of the urethra, urinary abscess, etc.		134 (*a*) Stricture of the urethra.		134 (*b*) Other diseases of the urethra, etc.		135 Diseases of the prostate.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	204	102	654	256	621	247	33	9	341	5	296	—	45	5	2665	—
0—1	—	—	—	2	—	2	—	—	—	—	—	—	—	—	—	—
1—5	1	—	2	—	2	—	—	—	—	—	—	—	—	—	—	—
5—10	4	1	—	2	—	2	—	—	—	—	—	—	—	—	—	—
10—15	3	1	2	1	2	1	—	—	—	—	—	—	—	—	—	—
15—20	4	1	4	4	3	4	1	—	—	—	—	—	—	—	—	—
20—25	3	4	3	2	2	2	1	—	2	—	2	—	—	—	—	—
25—30	6	5	—	5	—	5	—	—	—	1	—	—	—	1	1	—
30—35	11	5	5	5	5	5	—	—	7	—	3	—	4	—	1	—
35—40	12	9	8	3	8	3	—	—	7	—	6	—	1	—	2	—
40—45	17	11	7	6	6	6	1	—	19	—	17	—	2	—	2	—
45—50	22	7	10	10	10	9	—	1	26	—	25	—	1	—	13	—
50—55	18	15	25	10	24	10	1	—	49	1	43	—	6	1	32	—
55—60	17	8	32	15	29	15	3	—	53	—	48	—	5	—	102	—
60—65	20	13	55	22	52	21	3	1	50	—	40	—	10	—	259	—
65—70	20	2	110	25	105	24	5	1	56	1	49	—	7	1	456	—
70—75	23	9	113	40	107	37	6	3	39	1	34	—	5	1	581	—
75—80	9	7	130	38	123	35	7	3	21	1	17	—	4	1	636	—
80 and upwards	14	4	148	66	143	66	5	—	12	—	12	—	—	—	580	—

Causes of Death.	136 Non-venereal diseases of the male genital organs.		137 Cysts and other tumours of the ovary not returned as malignant.		138 Salpingitis and pelvic abscess in females.		138 (1) Salpingitis.		138 (2) Pelvic abscess in females.		139 Tumours of the uterus not returned as malignant.		140 Non-puerperal uterine hæmorrhage.		141 Other diseases of the female genital organs.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	58	—	—	282	—	260	—	229	—	31	—	387	—	21	—	140
0—1	30	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
1—5	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
5—10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—15	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	3
15—20	—	—	—	2	—	5	—	3	—	2	—	—	—	2	—	1
20—25	1	—	—	4	—	27	—	26	—	1	—	—	—	—	—	—
25—30	—	—	—	9	—	43	—	42	—	1	—	4	—	5	—	7
30—35	—	—	—	8	—	36	—	33	—	3	—	11	—	2	—	11
35—40	—	—	—	21	—	43	—	37	—	6	—	53	—	2	—	6
40—45	2	—	—	23	—	32	—	26	—	6	—	77	—	1	—	15
45—50	1	—	—	27	—	29	—	28	—	1	—	84	—	5	—	27
50—55	2	—	—	28	—	18	—	14	—	4	—	66	—	2	—	8
55—60	2	—	—	24	—	10	—	6	—	4	—	24	—	—	—	12
60—65	5	—	—	27	—	7	—	6	—	1	—	17	—	—	—	10
65—70	2	—	—	36	—	5	—	4	—	1	—	12	—	—	—	10
70—75	2	—	—	24	—	2	—	2	—	—	—	18	—	—	—	11
75—80	4	—	—	18	—	1	—	1	—	—	—	12	—	2	—	6
80 and upwards	1	—	—	31	—	1	—	—	—	1	—	9	—	—	—	7

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1925. (TOTAL DEATHS REGISTERED).

Causes of Death.	141 (1) Other diseases of the uterus.		141 (2) Diseases of the other female genital organs not included in other headings.		142 Non-puerperal diseases of the breast.		VIII. 143–150 The puerperal state.		143 Accidents of pregnancy.		143 (*a*) Abortion.		143 (*b*) Ectopic gestation.		143 (*c*) Other accidents.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	—	105	—	35	7	14	—	2900	—	318	—	89	—	87	—	142
0—1	—	—	—	4	6	5	—	—	—	—	—	—	—	—	—	—
1—5	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—
5—10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—15	—	1	—	2	—	—	—	—	—	—	—	—	—	—	—	—
15—20	—	—	—	1	—	—	—	64	—	7	—	3	—	2	—	2
20—25	—	—	—	—	—	—	—	483	—	31	—	5	—	7	—	19
25—30	—	4	—	3	—	—	—	692	—	61	—	16	—	19	—	26
30—35	—	7	—	4	—	1	—	670	—	88	—	29	—	35	—	24
35—40	—	5	—	1	—	1	—	613	—	81	—	22	—	19	—	40
40—45	—	14	—	1	—	—	—	330	—	44	—	13	—	5	—	26
45—50	—	23	—	4	—	—	—	47	—	6	—	1	—	—	—	5
50—55	—	6	—	2	—	2	—	1	—	—	—	—	—	—	—	—
55—60	—	9	—	3	—	1	—	—	—	—	—	—	—	—	—	—
60—65	—	9	—	1	—	2	—	—	—	—	—	—	—	—	—	—
65—70	—	9	—	1	—	—	—	—	—	—	—	—	—	—	—	—
70—75	—	8	—	3	1	—	—	—	—	—	—	—	—	—	—	—
75—80	—	5	—	1	—	1	—	—	—	—	—	—	—	—	—	—
80 and upwards	—	5	—	2	—	1	—	—	—	—	—	—	—	—	—	—

Causes of Death.	144 Puerperal hæmorrhage.		145 Other accidents of childbirth.		146 Puerperal sepsis.		147 Puerperal phlegmasia alba dolens, embolism, sudden death.		147 (1) Puerperal phlegmasia alba dolens not returned as septic.		147 (2) Puerperal embolism and sudden death.		148 Puerperal albuminuria and convulsions.		150* 149 Childbirth not assignable to other headings (puerperal insanity).	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	—	373	—	331	—	1110	—	240	—	35	—	205	—	499	—	23
0—1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—15	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—20	—	6	—	3	—	19	—	4	—	—	—	4	—	24	—	—
20—25	—	37	—	48	—	217	—	37	—	2	—	35	—	108	—	4
25—30	—	69	—	70	—	301	—	49	—	6	—	43	—	133	—	8
30—35	—	97	—	76	—	241	—	67	—	9	—	58	—	100	—	1
35—40	—	106	—	80	—	209	—	52	—	10	—	42	—	77	—	5
40—45	—	51	—	48	—	103	—	29	—	8	—	21	—	50	—	5
45—50	—	6	—	6	—	20	—	2	—	—	—	2	—	7	—	—
50—55	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
55—60	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
60—65	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
65—70	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
70—75	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
75—80	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
80 and upwards	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

* 150. Puerperal diseases of the breast *15, 20, 25, 35, 35, 35.*

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1925.
(TOTAL DEATHS REGISTERED).

Causes of Death.	IX. 151–154 Diseases of the skin and cellular tissue.		151 Gangrene.		151 (1) Senile gangrene.		151 (2) Other gangrene.		152 Carbuncle, boil.		153 Cellulitis, acute abscess.		153 (1) Cellulitis.		153 (2) Acute abscess.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	1736	1534	645	602	598	552	47	50	244	122	411	327	313	238	98	89
0—1	293	194	3	4	—	—	3	4	8	5	62	51	23	25	39	26
1—5	52	54	5	7	—	—	5	7	3	—	17	21	10	10	7	11
5—10	12	6	4	—	—	—	4	—	1	—	3	5	2	4	1	1
10—15	16	10	—	—	—	—	—	—	6	3	9	5	7	3	2	2
15—20	26	23	—	2	—	—	—	2	7	4	18	13	12	12	6	1
20—25	21	23	1	—	—	—	1	—	8	9	12	12	11	8	1	4
25—30	16	20	—	3	—	—	—	3	6	7	9	6	7	4	2	2
30—35	35	22	1	2	—	—	1	2	15	6	14	10	13	6	1	4
35—40	26	24	2	1	—	—	2	1	11	8	11	9	9	6	2	3
40—45	39	35	4	3	—	—	4	3	13	9	18	16	13	12	5	4
45—50	43	43	2	3	—	—	2	3	14	14	23	15	21	13	2	2
50—55	81	47	8	4	1	1	7	3	27	5	34	20	29	16	5	4
55—60	85	61	11	15	4	3	7	12	27	9	32	13	25	12	7	1
60—65	118	74	37	20	33	20	4	—	31	10	37	25	32	19	5	6
65—70	136	126	56	51	53	49	3	2	20	12	34	19	29	17	5	2
70—75	205	184	125	105	125	102	—	3	20	7	29	30	27	26	2	4
75—80	239	235	166	135	163	131	3	4	14	10	27	32	24	24	3	8
80 and upwards	293	353	220	247	219	246	1	1	13	4	22	25	19	21	3	4

Causes of Death.	154 Other diseases of the skin and its annexa.		154 (1) Ulcer, bedsore.		154 (2) Eczema.		154 (3) Pemphigus.		154 (4) Other diseases included under 154.		X. 155–158 Diseases of the bones and organs of locomotion.		155 Diseases of the bones.		155 (1) Acute infective osteomyelitis and periostitis.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	436	483	96	198	67	44	132	91	141	150	527	337	405	244	291	146
0—1	220	134	4	2	41	17	112	72	63	43	28	23	19	15	15	12
1—5	27	26	2	2	12	7	2	2	11	15	42	44	37	42	35	40
5—10	4	1	—	—	—	—	2	—	2	1	71	46	63	37	61	36
10—15	1	2	—	1	1	—	—	—	—	1	102	32	90	28	84	25
15—20	1	4	—	—	—	1	1	—	—	3	65	12	58	11	51	8
20—25	—	2	—	1	—	—	—	—	—	1	17	14	11	7	7	5
25—30	1	4	—	1	—	—	—	2	1	1	11	11	11	8	6	2
30—35	5	4	2	1	—	—	—	—	3	3	15	10	10	5	7	2
35—40	2	6	1	—	—	—	1	2	—	4	12	12	8	8	4	5
40—45	4	7	2	2	—	1	1	1	1	3	17	11	9	6	3	4
45—50	4	11	—	4	—	1	2	2	2	4	11	14	5	7	3	1
50—55	12	18	6	9	1	1	2	1	3	7	23	7	15	4	4	2
55—60	15	24	9	17	—	1	1	—	5	6	20	21	12	12	3	3
60—65	13	19	4	11	3	—	—	1	6	7	33	17	18	13	5	—
65—70	26	44	10	25	2	1	2	2	12	16	16	11	11	5	2	—
70—75	31	42	15	28	3	4	3	1	10	9	18	19	12	10	1	—
75—80	32	58	23	38	—	4	1	4	8	12	15	17	10	14	—	1
80 and upwards	38	77	18	56	4	6	2	1	14	14	11	16	6	12	—	—

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1925.
(TOTAL DEATHS REGISTERED).

Causes of Death.	155 (2) Other diseases of the bones.		156 Diseases of the joints.		157* 158 Other diseases of the organs of locomotion.		XI. 159 Congenital malformations.		159 (1) Congenital hydrocephalus.		159 (2) Congenital malformation of heart.		159 (3) Other congenital malformations.		XII. 160–163 Diseases of early infancy.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	114	98	82	57	38	36	2053	1628	164	114	801	618	1088	896	11293	8538
0—1	4	3	6	7	3	1	1831	1422	117	80	685	513	1029	829	11292	8538
1—5	2	2	4	2	1	—	102	112	32	20	42	52	28	40	—	—
5—10	2	1	7	8	1	1	38	24	8	6	24	13	6	5	—	—
10—15	6	3	10	3	2	1	19	21	4	4	12	13	3	4	1	—
15—20	7	3	7	1	—	—	13	12	—	1	13	10	—	1	—	—
20—25	4	2	4	2	2	5	13	6	1	—	10	6	2	—	—	—
25—30	5	6	—	2	—	1	11	4	1	—	8	4	2	—	—	—
30—35	3	3	3	5	1	—	5	2	—	—	1	—	4	2	—	—
35—40	4	3	2	2	2	2	4	4	—	2	3	—	1	2	—	—
40—45	6	2	4	3	4	2	8	3	—	—	2	—	6	3	—	—
45—50	2	6	3	2	2	5	3	5	1	1	1	1	1	3	—	—
50—55	11	2	5	1	3	2	1	4	—	—	—	1	1	3	—	—
55—60	9	9	5	3	3	6	2	5	—	—	—	2	2	3	—	—
60—65	13	13	10	2	5	2	2	2	—	—	—	2	2	—	—	—
65—70	9	5	3	4	2	2	1	2	—	—	—	1	1	1	—	—
70—75	11	10	4	6	2	3	—	—	—	—	—	—	—	—	—	—
75—80	10	13	3	2	2	1	—	—	—	—	—	—	—	—	—	—
80 and upwards	6	12	2	2	3	2	—	—	—	—	—	—	—	—	—	—

* **157. Amputation,** 30, 45.

Causes of Death.	160 Congenital debility, sclerema and icterus.		160 (1) Congenital debility and sclerema.		160 (2) Icterus neonatorum.		161 Premature birth, injury at birth.		161 (1) Premature birth.		161 (2) Injury at birth.		162 Other diseases peculiar to early infancy.		162 (1) Diseases of the umbilicus.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	2741	1812	2506	1650	235	162	7688	5904	7025	5509	663	395	743	706	72	67
0—1	2741	1812	2506	1650	235	162	7687	5904	7025	5509	662	395	743	706	72	67
1—5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—15	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
15—20	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
20—25	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25—30	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30—35	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
35—40	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
40—45	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
45—50	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
50—55	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
55—60	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
60—65	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
65—70	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
70—75	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
75—80	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
80 and upwards	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1925.
(TOTAL DEATHS REGISTERED).

auses of Death.	162 (2) Atelectasis.		162 (3) Other diseases included under 162.		163 Lack of care.		XIII. 164 Old age.		164 (1) Senile dementia.		164 (2) Other forms of senile decay.		XIV. 165–203 External causes.		Suicide. 165–174 Total.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
ll Ages	581	518	90	121	121	116	10202	15112	760	957	9442	14155	12782	5532	2852	1232
0—1	581	518	90	121	121	116	—	—	—	—	—	—	362	334	—	—
1—5	—	—	—	—	—	—	—	—	—	—	—	—	866	464	—	—
5—10	—	—	—	—	—	—	—	—	—	—	—	—	562	260	—	—
10—15	—	—	—	—	—	—	—	—	—	—	—	—	420	119	3	2
15—20	—	—	—	—	—	—	—	—	—	—	—	—	777	223	44	47
20—25	—	—	—	—	—	—	—	—	—	—	—	—	899	226	126	81
25—30	—	—	—	—	—	—	—	—	—	—	—	—	759	218	125	86
30—35	—	—	—	—	—	—	—	—	—	—	—	—	663	192	159	88
35—40	—	—	—	—	—	—	—	—	—	—	—	—	737	223	217	123
40—45	—	—	—	—	—	—	—	—	—	—	—	—	865	234	272	128
45—50	—	—	—	—	—	—	1	—	—	—	1	—	1000	319	354	188
50—55	—	—	—	—	—	—	1	2	1	1	—	1	1082	314	387	140
55—60	—	—	—	—	—	—	18	17	6	11	12	6	883	350	344	135
60—65	—	—	—	—	—	—	119	113	58	41	61	72	898	302	338	85
65—70	—	—	—	—	—	—	346	432	104	99	242	333	729	315	227	65
70—75	—	—	—	—	—	—	1652	1866	177	174	1475	1692	538	387	140	36
75—80	—	—	—	—	—	—	2631	3351	197	261	2434	3090	375	398	84	21
80 and pwards	—	—	—	—	—	—	5434	9331	217	370	5217	8961	367	654	32	7

Causes of Death.	Suicide—*continued.* 165 & 166 By solid or liquid poisons and corrosive substances.		167 By poisonous gas.		168 By hanging or strangulation.		169 By drowning.		170 By firearms.		171 By cutting or piercing instruments.		172 By jumping from high places.		173 By crushing.		174 By other means.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	254	212	465	297	608	172	508	327	197	14	549	95	83	57	182	35	6	23
0—1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—15	1	—	—	—	1	—	1	2	—	—	—	—	—	—	—	—	—	—
15—20	3	7	8	8	15	—	5	25	6	1	1	3	1	—	5	3	—	—
20—25	13	16	21	14	21	8	20	33	19	2	15	2	3	3	14	3	—	—
25—30	13	27	17	11	22	7	20	25	13	3	17	6	5	2	18	1	—	4
30—35	15	14	40	28	26	11	19	20	11	—	26	6	4	—	17	5	1	4
35—40	21	26	35	26	48	12	27	28	18	4	46	11	7	5	15	3	—	8
40—45	32	21	51	31	53	17	47	31	18	2	44	13	6	6	18	4	3	3
45—50	35	35	67	56	66	19	62	46	28	1	65	15	10	10	21	6	—	—
50—55	39	19	56	38	79	25	77	37	26	—	74	8	8	7	27	5	1	1
55—60	28	20	61	28	73	31	65	30	25	—	70	11	10	10	12	3	—	2
60—65	23	13	49	23	79	15	66	20	15	—	79	8	10	5	17	1	—	—
65—70	16	7	33	15	64	13	44	16	8	—	48	7	7	6	6	1	1	—
70—75	10	5	15	14	36	10	29	4	5	—	35	2	4	—	6	—	—	1
75—80	3	1	9	4	19	3	19	9	5	—	18	2	6	2	5	—	—	—
80 and upwards	2	1	3	1	6	1	7	1	—	1	11	1	2	1	1	—	—	—

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1925.
(TOTAL DEATHS REGISTERED).

Causes of Death.	175–196 201–203 Violent d'ths excluding suicide and homicide.		175 Food poisoning.		176 Poisoning by venomous animals.		177 Other acute accidental poisonings.		178 Conflagration.		179 Accidental burns (conflagration excepted).		180 Accidental mechanical suffocation.		181 Accidental absorption of irrespirable or poisonous gas.		182 Accidental drowning.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	9812	4156	23	14	18	16	93	68	27	23	724	863	300	262	103	60	1302	315
0—1	327	300	2	—	2	—	4	—	1	1	57	37	228	218	—	3	9	16
1—5	859	451	5	—	1	1	11	8	8	3	422	265	10	11	4	—	112	30
5—10	557	255	1	—	1	—	2	3	1	2	53	70	3	5	—	—	128	19
10—15	414	113	2	3	2	4	2	1	1	2	5	38	2	2	1	—	104	11
15—20	729	166	2	—	1	1	2	1	—	1	12	49	5	—	10	4	110	27
20—25	763	125	3	—	—	1	—	4	—	—	9	36	6	2	9	—	104	16
25—30	624	113	—	1	2	1	4	4	—	—	10	27	8	2	4	3	60	20
30—35	498	99	—	2	2	2	7	4	1	—	9	12	1	1	6	7	63	14
35—40	512	96	—	—	1	—	5	6	3	—	5	16	4	1	6	2	60	20
40—45	591	96	—	1	1	—	7	2	1	—	15	12	4	1	5	5	69	21
45—50	637	124	1	2	2	1	10	6	1	1	11	23	4	—	11	3	88	20
50—55	693	171	4	1	—	—	13	8	3	2	10	21	5	4	8	3	107	20
55—60	537	210	1	—	2	1	5	5	1	1	10	32	1	7	4	1	82	23
60—65	553	215	2	—	1	1	4	7	1	2	10	23	4	1	9	4	93	27
65—70	495	248	—	—	—	2	8	1	1	2	16	35	6	—	4	5	61	15
70—75	398	350	—	4	—	—	3	2	2	3	21	59	4	1	7	4	27	9
75—80	290	377	—	—	—	1	4	5	—	2	20	45	3	1	8	10	14	3
80 and upwards	335	647	—	—	—	—	2	1	2	1	29	63	2	5	7	6	11	4

Causes of Death.	183 Accidental injury by firearms.		184 Accidental injury by cutting or piercing instruments.		185 Accidental injury by fall.		186 Accidental injury in mining and quarrying.		187 Accidental injury by machinery.		188 Accidental injury by other forms of crushing (vehicles, railways, etc.).		189 Injury by animals (poisoning excepted).		190 Wounds of war	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	78	7	6	1	1577	1385	1015	—	213	5	3797	965	56	6	63	—
0—1	—	—	1	—	10	5	—	—	—	—	3	1	—	—	—	—
1—5	2	—	—	—	29	20	—	—	1	1	217	96	7	2	—	—
5—10	2	—	—	—	32	12	—	—	5	—	308	135	6	—	—	—
10—15	10	2	1	—	26	7	18	—	8	—	212	40	3	—	—	—
15—20	9	2	1	—	55	5	127	—	23	—	340	71	4	—	—	—
20—25	10	1	1	—	57	7	104	—	26	2	394	45	2	—	—	—
25—30	7	—	—	—	52	7	98	—	24	—	299	40	2	—	13	—
30—35	6	1	—	—	42	9	90	—	10	—	219	31	1	1	17	—
35—40	7	—	1	—	60	12	114	—	21	1	191	25	—	—	15	—
40—45	6	—	—	1	99	10	108	—	23	—	215	36	1	—	13	—
45—50	6	—	1	—	124	24	96	—	16	—	237	39	3	—	3	—
50—55	5	—	—	—	120	50	106	—	24	1	254	57	5	1	1	—
55—60	2	1	—	—	103	54	58	—	11	—	219	75	7	—	1	—
60—65	1	—	—	—	135	82	51	—	9	—	199	56	5	1	—	—
65—70	5	—	—	—	141	125	33	—	9	—	190	57	4	—	—	—
70—75	—	—	—	—	151	179	10	—	2	—	150	74	2	—	—	—
75—80	—	—	—	—	139	239	2	—	1	—	86	59	2	1	—	—
80 and upwards	—	—	—	—	202	538	—	—	—	—	64	28	2	—	—	—

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1925.
(TOTAL DEATHS REGISTERED).

Causes of Death.	191* 192 Hunger or thirst.		193 Excessive cold.		194 Excessive heat.		195* 196 Electricity (lightning excepted).		Homicide. 197–199 Total.		197 By firearms.		198 By cutting or piercing instruments.		199 By other means.		200* 201 Fracture (cause not specified).	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	7	6	40	16	76	45	41	1	118	144	10	10	21	39	87	95	25	6
0—1	—	—	—	1	1	3	—	—	35	34	—	—	2	3	33	31	3	2
1—5	—	—	—	—	7	6	—	—	7	13	—	—	3	6	4	7	1	—
5—10	—	1	—	—	2	5	3	—	5	5	—	—	2	3	3	2	—	—
10—15	—	—	1	—	2	2	1	1	3	4	2	1	—	1	1	2	—	—
15—20	—	—	—	—	1	—	3	—	4	10	1	1	—	5	3	4	—	—
20—25	—	—	2	—	3	—	8	—	10	20	1	—	2	8	7	12	—	—
25—30	1	—	—	—	1	—	8	—	10	19	—	3	4	2	6	14	3	—
30—35	—	—	—	—	4	1	6	—	6	5	1	1	2	2	3	2	3	—
35—40	1	—	—	1	4	2	3	—	8	4	—	—	2	1	6	3	2	—
40—45	—	—	—	—	2	—	3	—	2	10	1	1	—	4	1	5	1	—
45—50	—	—	2	—	4	2	3	—	9	7	2	2	1	—	6	5	1	—
50—55	—	—	3	—	6	3	1	—	2	3	—	—	—	—	2	3	5	—
55—60	1	—	6	1	10	6	1	—	2	5	1	—	—	3	1	2	2	1
60—65	1	—	4	3	8	2	1	—	7	2	1	—	1	1	5	1	3	2
65—70	1	1	5	1	7	4	—	—	7	2	—	1	2	—	5	1	—	—
70—75	1	3	7	5	6	5	—	—	—	1	—	—	—	—	—	1	—	1
75—80	1	1	3	3	4	4	—	—	1	—	—	—	—	—	1	—	—	—
80 and upwards	—	—	7	1	4	—	—	—	—	—	—	—	—	—	—	—	1	—

* **191.** Execution of civilians by belligerent armies —. **195.** Lightning 15, 15, 15, 15, 20, 20, 25, 30, 30, 30, 35, 35, 40, 45, 55, 60, 60 ; **200.** Infanticide. Deaths from this cause are shown under Nos. 197–199.

Causes of Death.	202 Other and unstated forms of accidental violence; Execution.		203 Violent deaths of unknown causation.		XV. 204–205 Ill-defined diseases.		204 Sudden death.		205 Cause of death unstated or ill-defined.		205 (1) Heart failure 1–70 years.		205 (2) Other ill-defined causes.		205 (3) Cause not specified	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	207	88	4	4	923	681	162	98	761	583	514	353	197	183	50	47
0—1	6	12	—	1	51	37	—	—	51	37	—	—	35	19	16	18
1—5	21	8	1	—	78	90	2	2	76	88	4	2	71	85	1	1
5—10	10	3	—	—	5	9	—	3	5	6	3	1	1	5	1	—
10—15	13	—	—	—	6	9	—	3	6	6	4	5	2	1	—	—
15—20	20	5	—	—	6	4	2	1	4	3	3	3	1	—	—	—
20—25	23	10	—	1	11	9	4	2	7	7	6	6	—	1	1	—
25—30	27	8	—	—	9	9	1	1	8	8	7	6	—	1	1	1
30—35	8	14	—	—	12	16	5	5	7	11	6	7	—	1	1	3
35—40	7	10	—	—	25	17	4	6	21	11	18	7	2	4	1	—
40—45	17	7	—	—	41	27	8	2	33	25	26	20	4	1	3	4
45—50	11	3	1	—	70	35	17	3	53	32	47	29	3	1	3	2
50—55	13	—	—	—	79	55	13	11	66	44	54	34	8	6	4	4
55—60	9	2	—	—	115	90	30	18	85	72	65	62	13	8	7	2
60—65	10	3	—	1	170	99	38	16	132	83	120	74	9	5	3	4
65—70	4	—	—	—	207	135	38	25	169	110	151	97	11	10	7	3
70—75	4	1	1	—	16	14	—	—	16	14	—	—	16	11	—	3
75—80	2	2	1	1	13	11	—	—	13	11	—	—	12	10	1	1
80 and upwards	2	—	—	—	9	15	—	—	9	15	—	—	9	14	—	1

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1925. (Civilian population only).

Causes of Death.	All Causes.		I. 1–42 Epidemic, Endemic and Infectious Diseases.		1 Enteric fever.		1 (*a*) Typhoid fever.		1 (*b*) Paratyphoid fever.		2, 3, 4* 5 Malaria.		6* 7 Measles.		8 Scarlet fever.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	27625	26966	4749	4014	23	26	21	20	2	6	4	—	178	167	49	52
0—1	3194	2405	397	363	—	—	—	—	—	—	—	—	38	34	—	4
1—5	1476	1322	681	673	1	—	1	—	—	—	—	—	131	118	30	26
5—10	430	386	166	195	1	1	1	1	—	—	—	—	9	13	14	11
10—15	328	319	91	105	1	—	1	—	—	—	—	—	—	—	3	4
15—20	520	571	224	321	1	—	1	—	—	—	—	—	—	—	2	4
20—25	612	623	313	356	4	3	4	2	—	1	—	—	—	—	—	—
25—30	584	673	309	298	1	2	1	2	—	—	—	—	—	—	—	1
30—35	641	633	274	231	1	—	1	—	—	—	—	—	—	—	—	1
35—40	798	753	304	221	4	1	4	1	—	—	3	—	—	1	—	1
40—45	1148	919	354	213	2	5	2	4	—	1	1	—	—	—	—	—
45—50	1485	1205	358	196	2	3	1	3	1	—	—	—	—	—	—	—
50—55	1873	1471	344	152	1	4	1	3	—	1	—	—	—	—	—	—
55—60	2238	1726	312	159	—	4	—	3	—	1	—	—	—	—	—	—
60—65	2523	2013	259	130	3	—	2	—	1	—	—	—	—	—	—	—
65—70	2752	2371	164	117	1	1	1	1	—	—	—	—	—	—	—	—
70—75	2715	2812	103	95	—	1	—	—	—	1	—	—	—	1	—	—
75—80	2215	2811	63	93	—	1	—	—	—	1	—	—	—	—	—	—
80 and upwards	2093	3953	33	96	—	—	—	—	—	—	—	—	—	—	—	—

* **2.** Typhus —; **3.** Relapsing fever (Spirillum obermeieri) —; **4.** Mediterranean fever —.; **6.** Small-pox *55.*

Causes of Death.	9 Whooping cough.		10 Diphtheria.		11 Influenza.		11 (*a*) With pulmonary complications.		11 (*b*) Without pulmonary complications.		12* 13 Mumps.		14* 15 Cholera nostras.		16 Dysentery.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	412	457	234	259	492	590	351	400	141	190	1	—	—	—	10	15
0—1	183	194	12	10	18	13	9	9	9	4	—	—	—	—	—	—
1—5	220	248	143	125	12	19	4	13	8	6	1	—	—	—	—	—
5—10	7	14	61	89	6	8	5	5	1	3	—	—	—	—	—	—
10—15	1	—	11	25	6	3	6	2	—	1	—	—	—	—	—	—
15—20	—	—	5	8	8	22	6	15	2	7	—	—	—	—	1	1
20—25	—	—	—	1	14	14	14	8	—	6	—	—	—	—	1	1
25—30	—	—	—	—	13	12	9	7	4	5	—	—	—	—	—	—
30—35	1	—	1	—	10	19	7	16	3	3	—	—	—	—	—	2
35—40	—	—	—	—	19	26	12	22	7	4	—	—	—	—	—	—
40—45	—	—	—	1	20	30	18	20	2	10	—	—	—	—	1	—
45—50	—	1	—	—	38	22	29	17	9	5	—	—	—	—	2	1
50—55	—	—	—	—	42	43	35	26	7	17	—	—	—	—	1	—
55—60	—	—	—	—	60	45	45	31	15	14	—	—	—	—	3	1
60—65	—	—	1	—	49	46	36	33	13	13	—	—	—	—	1	3
65—70	—	—	—	—	53	57	37	45	16	12	—	—	—	—	—	1
70—75	—	—	—	—	51	59	35	40	16	19	—	—	—	—	—	2
75—80	—	—	—	—	45	69	23	44	22	25	—	—	—	—	—	3
80 and upwards	—	—	—	—	28	83	21	47	7	36	—	—	—	—	—	—

* **12.** Miliary fever —; **14.** Asiatic cholera, —.

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1925. (Civilian population only).

Causes of Death.	16 (*a*) Amœbic.		16 (*b*) Bacillary.		16 (*c*) Other or unspecified.		17,18,19,20* 21 Erysipelas.		22 Acute poliomyelitis.		23 Encephalitis lethargica.		24 Meningococcal meningitis.		25 Other epidemic and endemic diseases.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	1	1	1	3	8	11	57	62	9	4	55	76	33	34	13	8
0—1	—	—	—	—	—	—	10	6	1	—	1	1	19	14	6	3
1—5	—	—	—	—	—	—	1	2	1	3	2	3	8	9	4	3
5—10	—	—	—	—	—	—	2	2	1	—	2	6	2	2	1	—
10—15	—	—	—	—	—	—	—	1	2	—	4	6	1	2	1	—
15—20	—	—	—	1	1	—	2	2	1	—	6	4	1	4	—	—
20—25	—	—	1	—	—	1	3	1	—	—	6	5	1	—	1	1
25—30	—	—	—	—	—	—	2	1	—	—	1	5	1	—	—	—
30—35	—	—	—	—	—	2	—	3	—	—	—	4	—	—	—	—
35—40	—	—	—	—	—	—	3	2	1	—	2	4	—	—	—	—
40—45	—	—	—	—	1	—	2	7	—	—	6	7	—	—	—	1
45—50	—	—	—	—	2	1	5	4	1	—	4	7	—	—	—	—
50—55	—	—	—	—	1	—	3	4	—	1	7	10	—	1	—	—
55—60	1	—	—	1	2	—	5	3	—	—	6	4	—	2	—	—
60—65	—	1	—	1	1	1	8	3	—	—	4	5	—	—	—	—
65—70	—	—	—	—	—	1	5	6	—	—	4	3	—	—	—	—
70—75	—	—	—	—	—	2	2	6	—	—	—	1	—	—	—	—
75—80	—	—	—	—	—	3	3	5	1	—	—	1	—	—	—	—
80 and upwards	—	—	—	—	—	—	1	4	—	—	—	—	—	—	—	—

* **17.** Plague —; **18.** Yellow fever —; **19.** Spirochætosis ictero-hæmorrhagica *40*; **20.** Leprosy —.

Causes of Death.	26* 27 Anthrax.		28* 29 Tetanus.		30 Mycoses.		Tuberculosis 31–37 All forms.		31 Respiratory system.		32 Nervous system.		33 Intestines and peritoneum.		34 Vertebral Column.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	2	—	14	7	10	10	3001	2156	2571	1790	184	167	43	51	20	18
0—1	—	—	1	—	—	1	65	57	8	3	27	38	6	5	—	—
1—5	—	—	2	1	—	—	121	115	11	16	73	70	10	8	—	—
5—10	—	—	—	—	—	—	56	49	9	11	32	32	2	3	—	—
10—15	—	—	2	1	—	—	54	61	23	43	20	8	2	2	—	—
15—20	—	—	3	—	3	—	188	272	147	245	16	5	5	5	4	4
20—25	—	—	—	—	—	1	281	327	255	301	6	5	1	4	4	2
25—30	—	—	1	1	—	2	286	269	272	252	3	3	4	3	3	2
30—35	—	—	—	1	—	—	260	198	248	185	3	2	1	7	1	—
35—40	—	—	—	1	1	1	259	179	247	167	1	1	3	5	—	—
40—45	—	—	2	1	1	1	313	155	289	146	—	1	3	1	4	—
45—50	1	—	2	—	2	1	285	147	273	131	1	1	1	3	—	1
50—55	1	—	1	—	2	—	271	81	262	76	1	—	1	2	1	—
55—60	—	—	—	—	1	—	228	93	219	86	1	—	1	—	1	1
60—65	—	—	—	—	—	1	183	68	170	59	—	—	2	—	—	2
65—70	—	—	—	1	—	—	91	43	85	38	—	—	—	2	—	1
70—75	—	—	—	—	—	1	44	23	40	17	—	1	—	1	2	3
75—80	—	—	—	—	—	—	14	12	12	8	—	—	1	—	—	1
80 and upwards	—	—	—	—	—	1	2	7	1	6	—	—	—	—	—	1

* **26.** Glanders — **28.** Rabies —.

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1925.
(Civilian population only).

Causes of Death.	Tuberculosis—*contd.*															
	35 Joints.		36 Other organs.		36 (*a*) Skin and subcutaneous tissue.		36 (*b*) Bones (vertebral column excepted).		36 (*c*) Lymphatic system (abdominal glands excepted).		36 (*d*) Genito-urinary system.		36 (*e*) Others in 36.		37 Disseminated.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	19	10	31	40	1	4	—	4	6	5	23	23	1	4	133	80
0—1	—	—	—	2	—	1	—	—	—	1	—	—	—	—	24	9
1—5	—	—	2	3	—	—	—	1	2	1	—	1	—	—	25	18
5—10	2	—	—	—	—	—	—	—	—	—	—	—	—	—	11	3
10—15	1	2	3	1	—	—	—	—	1	—	2	1	—	—	5	5
15—20	3	3	—	2	—	—	—	1	—	—	—	—	—	1	13	8
20—25	3	1	—	4	—	1	—	—	—	—	—	2	—	1	12	10
25—30	1	—	—	3	—	—	—	—	—	—	—	2	—	1	3	6
30—35	1	—	2	2	1	—	—	—	—	—	1	2	—	—	4	1
35—40	—	—	2	3	—	—	—	—	—	—	2	3	—	—	6	3
40—45	4	1	4	2	—	—	—	—	—	—	4	1	—	1	9	4
45—50	1	1	4	6	—	—	—	1	1	—	3	5	—	—	5	4
50—55	—	—	4	2	—	—	—	—	—	—	3	2	1	—	2	
55—60	—	2	—	1	—	—	—	1	—	—	—	—	—	—	6	3
60—65	—	—	8	5	—	1	—	—	2	2	6	2	—	—	3	1
65—70	1	—	2	2	—	—	—	—	—	—	2	2	—	—	3	—
70—75	1	—	—	1	—	—	—	—	—	1	—	—	—	—	1	—
75—80	1	—	—	1	—	1	—	—	—	—	—	—	—	—	—	
80 and upwards	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—

Causes of Death.	Tuberculosis—*contd.*				38 Syphilis.		39*		40 (1) Gonococcal infection (ophthalmia excepted).		40 (2) Gonorrhœal or purulent ophthalmia.		42*		II. 43–69 General diseases not included in I. 1–42	
	37 (*a*) Acute.		37 (*b*) Chronic or unstated.				40 Gonococcal infection.						41 Purulent infection, Septicæmia.			
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	61	41	72	39	111	49	5	2	4	—	1	2	35	38	3736	442
0—1	14	4	10	5	38	17	1	2	—	—	1	2	3	7	35	2
1—5	15	14	10	4	1	1	—	—	—	—	—	—	3	—	35	2
5—10	5	2	6	1	—	—	—	—	—	—	—	—	4	—	37	2
10—15	1	4	4	1	2	—	—	—	—	—	—	—	3	2	25	2
15—20	5	5	8	3	—	—	—	—	—	—	—	—	3	4	30	3
20—25	7	4	5	6	1	—	—	—	—	—	—	—	1	2	32	4
25—30	2	2	1	4	3	3	—	—	—	—	—	—	1	2	46	5
30—35	1	1	3	1	1	2	—	—	—	—	—	—	—	1	46	6
35—40	3	—	3	3	9	2	1	—	1	—	—	—	2	3	69	12
40—45	3	2	6	2	5	3	1	—	1	—	—	—	—	1	136	23
45—50	2	1	3	3	14	7	1	—	1	—	—	—	1	3	223	33
50—55	—	1	2	—	14	4	—	—	—	—	—	—	1	4	348	49
55—60	1	1	5	2	5	5	—	—	—	—	—	—	4	1	518	49
60—65	—	—	3	2	5	—	1	—	1	—	—	—	4	4	597	59
65—70	2	—	1	—	8	4	—	—	—	—	—	—	2	1	620	57
70—75	—	—	1	—	4	1	—	—	—	—	—	—	2	—	483	5
75—80	—	—	—	2	—	—	—	—	—	—	—	—	—	2	298	3
80 and upwards	—	—	1	—	1	—	—	—	—	—	—	—	1	1	158	3

***39.** Soft chancre — **42.** (1) Vaccinia 0. (2) Other diseases included under 42 —.

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1925. (Civilian population only).

Causes of Death.	Cancer, Malignant Disease.															
	43–49 Total.		43 Buccal cavity.		44 Pharynx, œsophagus, stomach, liver and annexa.		45 Peritoneum, intestines and rectum.		46 Female genital organs.		47 Breast.		48 Skin.		49 Other or unspecified organs.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	3101	3527	346	54	1132	855	649	733	—	725	7	707	59	40	908	413
0—1	3	3	—	—	—	—	—	—	—	—	—	—	—	—	3	3
1—5	7	9	1	—	—	—	—	2	—	1	—	—	—	1	6	5
5—10	8	2	—	—	—	—	—	—	—	—	—	—	—	—	8	2
10—15	3	3	—	—	—	—	—	—	—	—	—	—	—	—	3	3
15—20	13	5	1	—	1	—	3	—	—	2	—	—	—	—	8	3
20—25	12	14	—	1	1	1	—	4	—	3	—	—	—	—	11	5
25—30	21	28	1	—	3	3	5	3	—	6	—	10	1	—	11	6
30—35	24	48	1	—	6	11	7	6	—	15	—	9	1	—	9	7
35—40	57	87	3	3	17	11	12	11	—	28	—	21	—	—	25	13
40—45	106	196	7	1	38	27	22	27	—	59	—	59	3	3	36	20
45—50	182	285	12	4	73	60	33	22	—	87	—	75	3	3	61	34
50—55	310	407	43	3	118	78	48	74	—	119	—	100	1	1	100	32
55—60	463	418	56	9	185	101	82	76	—	98	2	86	8	3	130	45
60—65	538	503	74	6	210	128	113	114	—	102	—	81	6	3	135	69
65—70	544	474	59	8	213	133	131	116	—	83	2	80	11	3	128	51
70—75	411	445	50	5	142	140	91	119	—	61	1	61	7	6	120	53
75—80	266	325	23	5	91	89	63	82	—	35	2	66	7	8	80	40
80 and upwards	133	275	15	9	34	73	39	77	—	26	—	59	11	9	34	22

Causes of Death.	50 Tumours not returned as malignant (brain & female genital organs excepted).		51 Rheumatic fever.		52 Chronic rheumatism, osteo-arthritis, gout.		53 Scurvy.		54, 55* 56 Rickets.		57 Diabetes.		58 Anæmia, chlorosis.		58 (*a*) Pernicious anæmia.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	48	35	85	103	83	163	—	1	20	8	168	247	78	123	62	108
0—1	—	—	1	—	—	—	—	1	8	3	—	—	—	3	—	—
1—5	1	2	5	5	—	—	—	—	10	5	—	1	3	—	—	—
5—10	2	1	16	21	—	—	—	—	1	—	—	—	—	—	—	—
10—15	—	1	17	17	—	1	—	—	—	—	—	4	—	—	—	—
15—20	—	—	9	9	—	—	—	—	—	—	1	3	—	5	—	3
20—25	—	—	5	8	1	—	—	—	1	—	—	6	2	4	2	2
25—30	—	1	4	3	1	—	—	—	—	—	9	5	2	2	1	1
30—35	1	3	3	3	1	—	—	—	—	—	8	2	4	2	3	2
35—40	1	2	1	3	—	4	—	—	—	—	4	7	1	4	—	4
40—45	6	2	7	3	2	1	—	—	—	—	5	7	—	9	—	8
45—50	5	1	4	9	1	5	—	—	—	—	13	10	8	9	6	8
50—55	8	1	2	5	3	11	—	—	—	—	10	22	7	13	6	13
55—60	5	1	6	7	10	10	—	—	—	—	17	27	7	14	6	12
60—65	3	5	2	4	12	19	—	—	—	—	22	39	9	17	9	16
65—70	6	4	—	1	15	25	—	—	—	—	28	39	18	15	16	15
70—75	4	4	3	4	15	26	—	—	—	—	35	43	9	16	5	16
75—80	4	3	—	—	8	32	—	—	—	—	9	20	7	6	7	6
80 and upwards	2	4	—	1	14	29	—	—	—	—	7	12	1	4	1	2

* **54.** Pellagra :— **55.** Beri-beri :—

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1925. (Civilian population only).

Causes of Death.	58 (*b*) Other anæmias and chlorosis.		59* 60 Diseases of the thyroid gland.		60 (*a*) Exophthalmic goitre.		60 (*b*) Other diseases of the thyroid gland.		61* 62 Diseases of the thymus.		63 Diseases of the adrenals.		64 Diseases of the spleen.		65 Leukæmia, lymphadenoma.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	16	15	9	98	1	67	8	31	19	12	15	13	—	3	73	63
0—1	—	3	1	—	—	—	1	—	16	7	—	—	—	—	—	—
1—5	3	—	1	—	—	—	1	—	1	—	—	—	—	—	5	3
5—10	—	—	1	—	—	—	1	—	1	1	—	—	—	—	6	2
10—15	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	3
15—20	—	2	—	3	—	3	—	—	—	3	1	—	—	—	6	4
20—25	—	2	1	3	—	3	1	—	—	1	3	3	—	1	5	3
25—30	1	1	—	5	—	5	—	—	1	—	2	1	—	1	5	3
30—35	1	—	—	5	—	4	—	1	—	—	1	1	—	—	2	5
35—40	1	—	1	11	—	11	1	—	—	—	—	1	—	—	2	2
40—45	—	1	—	7	—	5	—	2	—	—	1	1	—	—	5	1
45—50	2	1	—	11	—	8	—	3	—	—	1	—	—	—	6	7
50—55	1	—	—	24	—	16	—	8	—	—	—	2	—	—	7	5
55—60	1	2	—	8	—	7	—	1	—	—	2	1	—	—	5	11
60—65	—	1	—	4	—	3	—	1	—	—	2	1	—	—	6	5
65—70	2	—	2	8	—	2	2	6	—	—	—	2	—	—	4	5
70—75	4	—	1	3	—	—	1	3	—	—	2	—	—	—	3	1
75—80	—	—	1	4	1	—	—	4	—	—	—	—	—	1	2	3
80 and upwards	—	2	—	2	—	—	—	2	—	—	—	—	—	—	1	—

* **59.** Diseases of the pituitary gland 55, 60, *35*, *40*, *45*; **61.** (1) Tetany 0, 0, 0, *0*, *35*. (2) Other diseases of the parathyroid glands —;

Causes of Death.	65 (*a*) Leukæmia.		65 (*b*) Lymphadenoma. (Hodgkin's disease).		66 Alcoholism (acute or chronic).		67 Chronic poisoning by mineral substances.		68* 69 Other general diseases.		III. 70–86 Diseases of the nervous system and sense organs.		70 Encephalitis.		71 Meningitis	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	42	43	31	20	12	6	1	—	19	14	2077	2322	32	18	82	8
0—1	—	—	—	—	—	—	—	—	3	3	114	78	1	—	21	1
1—5	4	3	1	—	—	—	—	—	2	—	62	67	5	1	24	2
5—10	4	2	2	—	—	—	—	—	2	1	26	22	—	—	8	
10—15	2	2	1	1	—	—	—	—	2	—	34	31	1	1	5	
15—20	3	3	3	1	—	—	—	—	—	1	38	33	2	3	5	
20—25	1	3	4	—	—	—	—	—	2	—	37	21	1	2	1	
25—30	2	2	3	1	—	—	—	—	1	1	27	32	4	3	1	
30—35	—	2	2	3	1	—	—	—	1	—	54	42	3	1	2	
35—40	1	—	1	2	2	1	—	—	—	—	63	48	2	—	2	
40—45	2	1	3	—	3	1	1	—	—	—	107	81	2	2	2	
45—50	4	5	2	2	1	1	—	—	2	—	113	92	4	1	2	
50—55	5	2	2	3	1	1	—	—	—	—	150	134	1	—	2	
55—60	2	7	3	4	2	1	—	—	—	1	202	188	2	3	3	
60—65	4	4	2	1	1	—	—	—	1	2	232	231	1	—	—	
65—70	2	3	2	2	1	—	—	—	2	—	245	279	—	—	3	
70—75	3	1	—	—	—	—	—	—	—	2	246	339	2	—	1	
75—80	2	3	—	—	—	1	—	—	1	2	188	292	—	—	—	—
80 and upwards	1	—	—	—	—	—	—	—	—	1	139	312	1	1	—	—

* **68.** Chronic poisoning by organic substances: *40*.

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1925.
(Civilian population only).

Causes of Death.	72 Tabes dorsalis (locomotor ataxy).		73 Other diseases of the spinal cord.		74 Cerebral hæmorrhage, apoplexy.		74 (*a*) Cerebral hæmorrhage.		74 (*b*) Cerebral embolism and thrombosis.		75 Paralysis of unstated origin.		75 (*a*) Hemiplegia.		75 (*b*) Other forms of paralysis.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	98	20	66	64	981	1441	781	1144	200	297	49	89	41	81	8	8
0—1	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—
1—5	—	—	—	—	—	1	—	—	—	1	1	—	1	—	—	—
5—10	—	—	—	—	—	2	—	—	—	2	—	—	—	—	—	—
10—15	—	—	1	—	1	3	1	3	—	—	—	—	—	—	—	—
15—20	1	—	1	—	3	3	3	2	—	1	—	—	—	—	—	—
20—25	—	—	1	1	2	1	2	1	—	—	—	—	—	—	—	—
25—30	—	—	—	—	4	1	4	1	—	—	—	2	—	2	—	—
30—35	—	—	1	3	3	4	3	2	—	2	—	1	—	1	—	—
35—40	1	2	1	1	6	9	6	8	—	1	—	1	—	—	—	1
40—45	8	1	4	4	23	17	21	15	2	2	1	—	1	—	—	—
45—50	11	1	7	4	35	44	30	38	5	6	—	2	—	1	—	1
50—55	12	2	5	11	60	70	48	66	12	4	2	2	2	2	—	—
55—60	19	2	13	14	101	124	92	114	9	10	2	3	1	3	1	—
60—65	14	7	16	8	130	167	110	139	20	28	9	7	8	6	1	1
65—70	17	2	7	6	166	211	131	166	35	45	4	14	3	12	1	2
70—75	6	2	3	8	197	269	156	212	41	57	11	20	8	18	3	2
75—80	8	1	2	3	133	241	96	178	37	63	14	20	14	19	—	1
80 and upwards	1	—	4	1	116	274	77	199	39	75	5	17	3	17	2	—

Causes of Death.	76 General paralysis of the insane.		77 Other forms of insanity.		78 Epilepsy.		79 & 80 Convulsions (non-puerperal).		81 Chorea.		82 Hysteria and neuritis.		83 Cerebral softening.		84 Other diseases of the nervous system.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	213	53	37	61	92	107	72	53	1	4	10	16	18	20	226	214
0—1	—	—	—	—	1	1	68	40	—	—	—	—	—	—	11	11
1—5	—	—	—	—	6	1	4	13	—	—	—	—	—	—	9	16
5—10	—	—	—	—	2	—	—	—	1	1	1	—	—	—	5	4
10—15	—	—	—	—	7	3	—	—	—	1	—	—	—	—	7	3
15—20	1	4	—	—	10	9	—	—	—	2	1	—	—	—	4	5
20—25	4	—	3	2	8	5	—	—	—	—	—	—	—	—	9	4
25—30	3	1	1	4	4	13	—	—	—	—	1	—	—	—	4	5
30—35	15	3	3	4	4	14	—	—	—	—	—	1	1	—	13	7
35—40	23	4	—	7	10	7	—	—	—	—	—	1	—	—	13	11
40—45	39	15	2	9	6	6	—	—	—	—	—	2	—	—	15	17
45—50	32	8	4	6	4	4	—	—	—	—	—	1	—	2	13	13
50—55	43	10	3	5	5	8	—	—	—	—	—	—	1	—	11	24
55—60	27	5	8	6	5	5	—	—	—	—	—	6	1	3	19	11
60—65	18	1	7	3	7	11	—	—	—	—	3	1	2	3	24	17
65—70	6	2	3	9	6	7	—	—	—	—	2	2	1	2	29	19
70—75	1	—	1	4	2	4	—	—	—	—	2	—	2	5	18	24
75—80	1	—	2	1	3	7	—	—	—	—	—	2	8	3	15	11
80 and upwards	—	—	—	1	2	2	—	—	—	—	—	—	2	2	7	12

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1925. (Civilian population only).

Causes of Death.	85 Diseases of the eye and annexa.		86 Diseases of the ear and of the mastoid sinus.		IV. 87–96 Diseases of the circulatory system.		87–90 Heart disease (all forms).		87 Pericarditis.		88 Acute endocarditis and myocarditis.		89 Angina pectoris.		90 Other diseases of the heart.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	1	7	99	72	5154	5589	3729	4424	32	26	138	157	131	57	3428	4184
0—1	—	1	11	8	3	2	—	1	—	1	—	—	—	—	—	—
1—5	—	1	13	10	11	6	8	5	5	2	2	2	—	—	1	1
5—10	—	—	9	9	25	19	24	18	5	1	8	3	—	—	11	14
10—15	—	—	12	13	32	57	32	56	2	4	6	10	—	—	24	42
15—20	—	—	10	5	56	75	56	75	1	3	12	20	—	—	43	52
20—25	—	—	8	5	53	58	51	57	2	—	12	17	—	—	37	40
25—30	—	—	5	2	43	74	43	70	—	—	17	19	—	—	26	51
30—35	—	—	9	1	59	79	56	75	—	2	17	21	—	—	39	52
35—40	—	—	5	3	74	99	67	87	1	3	20	13	1	—	45	71
40—45	—	—	5	3	122	135	103	126	1	1	17	14	3	—	82	111
45—50	—	—	1	1	223	223	178	192	1	2	10	8	7	2	160	180
50—55	—	—	5	1	337	252	258	211	4	1	3	8	7	4	244	198
55—60	—	—	2	2	439	371	321	315	4	1	7	9	23	7	287	298
60—65	—	—	1	3	576	481	435	393	1	4	3	4	26	6	405	379
65—70	—	1	1	3	787	709	554	564	3	—	—	4	26	10	525	550
70—75	—	1	—	1	846	838	563	657	1	—	3	4	20	13	539	640
75—80	—	1	2	2	755	931	508	683	1	—	—	1	12	6	495	676
80 and upwards	1	2	—	—	713	1180	472	839	—	1	1	—	6	9	465	829

Causes of Death.	90 (1–4) Valvular disease.		90 (5–8) Other defined heart disease.		90 (9) Heart disease undefined.		91 Diseases of the arteries.		91 (*a*) Aneurysm.		91 (*b*) Arteriosclerosis.		91 (*b*) 1 With record of cerebral vascular lesion.		91 (*b*) 2 Without record of cerebral vascular lesion.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	1198	1558	1816	2100	414	526	1365	1114	147	59	1199	1043	305	339	894	704
0—1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—5	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
5—10	9	12	—	—	2	2	—	—	—	—	—	—	—	—	—	—
10—15	20	36	—	—	4	6	—	—	—	—	—	—	—	—	—	—
15—20	35	43	1	3	7	6	—	—	—	—	—	—	—	—	—	—
20—25	29	35	1	3	7	2	2	—	2	—	—	—	—	—	—	—
25—30	19	34	4	7	3	10	—	3	—	2	—	1	—	1	—	—
30—35	26	39	7	8	6	5	2	3	1	1	1	1	—	—	1	1
35—40	29	52	13	12	3	7	7	11	2	4	5	7	2	4	3	3
40—45	48	63	22	28	12	20	19	8	3	1	16	7	4	3	12	4
45—50	87	102	50	58	23	20	41	25	14	5	26	20	13	7	13	13
50—55	112	96	93	79	39	23	69	34	36	10	32	23	10	13	22	10
55—60	129	135	124	124	34	39	109	52	27	6	82	44	30	25	52	19
60—65	151	162	214	181	40	36	133	84	16	10	113	74	34	31	79	43
65—70	162	194	301	282	62	74	225	136	27	5	198	130	58	55	140	75
70—75	130	207	323	325	86	108	278	177	9	5	265	169	69	62	196	107
75—80	130	191	316	398	49	87	245	245	9	6	230	239	50	78	180	161
80 and upwards	82	157	347	592	36	80	235	336	1	4	231	328	35	60	196	268

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1925.
(Civilian population only).

Causes of Death.	91 (*c*) Other diseases of the arteries.		92 Embolism and thrombosis (not cerebral).		93 Diseases of the veins, (varices, hæmorrhoids, phlebitis, etc.).		94 Diseases of the lymphatic system (Lymphangitis, etc.).		96* 95 Hæmorrhage without stated cause.		V. 97–107 Diseases of the respiratory system.		97 Diseases of the nasal fossæ and annexa.		98 Diseases of the larynx.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	19	12	23	17	19	25	9	6	1	—	5066	4631	10	13	16	12
0—1	—	—	—	—	—	—	3	1	—	—	721	556	1	—	2	1
1—5	—	—	—	—	—	—	3	1	—	—	463	379	—	—	8	3
5—10	—	—	—	—	—	—	1	1	—	—	48	48	1	—	1	2
10—15	—	—	—	1	—	—	—	—	—	—	22	27	—	—	—	1
15—20	—	—	—	—	—	—	—	—	—	—	26	38	—	1	—	—
20—25	—	—	—	—	—	1	—	—	—	—	47	30	—	1	—	—
25—30	—	—	—	—	—	—	—	—	—	—	41	45	1	1	—	1
30—35	—	1	—	1	—	—	—	—	1	—	60	66	1	1	—	1
35—40	—	—	—	1	—	—	—	—	—	—	107	63	—	1	—	—
40—45	—	—	—	—	—	1	—	—	—	—	205	72	2	2	—	1
45—50	1	—	1	1	2	5	—	—	—	—	277	124	—	1	1	—
50—55	1	1	3	2	4	5	1	—	—	—	345	173	2	1	1	—
55—60	—	2	5	2	2	2	—	—	—	—	402	226	—	1	—	—
60—65	4	—	1	—	5	4	1	—	—	—	429	316	2	1	2	—
65—70	—	1	5	3	1	4	—	1	—	—	483	404	—	1	—	1
70—75	4	3	2	2	3	1	—	1	—	—	523	552	—	—	—	—
75—80	6	—	2	1	—	1	—	1	—	—	437	602	—	—	—	—
80 and upwards	3	4	4	3	2	1	—	—	—	—	430	910	—	1	1	1

* **96.** Other diseases of the circulatory system 45, 50, 50, 55, 55, 60, 65, 65, *25, 65, 80*.

Causes of Death.	99 Bronchitis.		99 (*a*) Acute.		99 (*b*) Chronic.		99 (*c* & *d*) Not stated whether acute or chronic.		100 & 101 Pneumonia (all forms).		100 Broncho-pneumonia.		101 Pneumonia (lobar or not otherwise defined).		101 (*a*) Pneumonia, lobar.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	1986	2177	395	564	918	799	673	814	2684	2111	1437	1329	1247	782	861	481
0—1	141	108	71	53	4	3	66	52	569	442	489	386	80	56	40	26
1—5	30	32	19	18	—	—	11	14	415	337	328	280	87	57	57	32
5—10	3	4	1	2	1	1	1	1	40	41	26	21	14	20	11	15
10—15	1	3	—	1	1	1	—	1	18	21	2	11	16	10	13	7
15—20	2	6	1	1	1	3	—	2	21	26	4	8	17	18	11	12
20—25	5	2	1	1	1	1	3	—	37	25	9	8	28	17	23	12
25—30	6	3	1	—	3	1	2	2	28	32	7	9	21	23	13	16
30—35	10	4	2	—	7	4	1	—	44	46	11	15	33	31	25	21
35—40	15	8	4	2	8	5	3	1	81	45	16	20	65	25	44	21
40—45	51	18	6	4	36	5	9	9	136	47	34	17	102	30	79	20
45—50	98	46	11	9	58	26	29	11	152	64	44	21	108	43	81	32
50—55	121	64	15	17	73	28	33	19	185	93	58	35	127	58	94	41
55—60	176	94	26	20	102	45	48	29	192	113	66	43	126	70	93	40
60—65	195	155	24	39	121	74	50	42	183	137	67	56	116	81	83	55
65—70	257	235	47	53	121	103	89	79	192	135	72	71	120	64	84	35
70—75	294	344	49	76	144	154	101	114	175	177	78	112	97	65	60	41
75—80	281	399	56	98	127	151	98	150	117	154	63	101	54	53	36	27
80 and upwards	300	652	61	170	110	194	129	288	99	176	63	115	36	61	14	28

TABLE 17—*contd.*

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1925. (Civilian population only).

Causes of Death.	101 (*b*) Pneumonia, not otherwise defined.		102 Pleurisy.		103 Congestion and hæmorrhagic infarct of lung.		104 Gangrene of the lung.		105 Asthma.		106 Pulmonary emphysema.		107 Other diseases of the respiratory system.		107 (*a*) Chronic interstitial pneumonia.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	386	301	102	56	73	128	5	1	133	105	25	13	32	15	23	10
0—1	40	30	4	2	4	3	—	—	—	—	—	—	—	—	—	—
1—5	30	25	10	6	—	—	—	—	—	—	—	—	—	1	—	1
5—10	3	5	2	1	—	—	—	—	—	—	—	—	1	—	—	—
10—15	3	3	—	1	—	—	—	—	1	1	—	—	2	—	1	—
15—20	6	6	2	2	1	—	—	—	—	1	—	—	—	2	—	2
20—25	5	5	4	—	—	—	—	—	—	1	—	—	1	1	1	1
25—30	8	7	3	4	—	—	—	—	2	3	—	—	1	1	—	—
30—35	8	10	2	6	—	—	—	—	2	5	—	—	1	3	—	—
35—40	21	4	3	3	—	—	—	—	5	5	—	—	3	1	2	1
40—45	23	10	5	1	—	—	—	—	8	2	1	1	2	—	2	—
45—50	27	11	8	4	2	—	—	—	8	8	3	—	5	1	3	1
50—55	33	17	13	3	—	—	2	1	16	8	2	2	3	1	2	1
55—60	33	30	7	3	2	1	2	—	16	11	4	1	3	2	3	2
60—65	33	26	12	5	3	5	—	—	26	11	3	1	3	1	3	1
65—70	36	29	6	4	7	7	—	—	17	18	1	3	3	—	2	—
70—75	37	24	14	2	16	17	1	—	16	11	4	1	3	—	3	—
75—80	18	26	4	4	24	32	—	—	9	11	1	2	1	—	1	—
80 and upwards	22	33	3	5	14	63	—	—	7	9	6	2	—	1	—	—

Causes of Death.	107 (*b*) Diseases of the mediastinum.		107 (*c*) Other diseases included under 107.		VI. 108–127 Diseases of the digestive system.		108 Diseases of the buccal cavity and annexa.		108 (1) Diseases of the teeth and gums.		108 (2 & 3) Other diseases of the buccal cavity and annexa.		109 Diseases of the pharynx and tonsils.		110 Diseases of the œsophagus.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	1	1	8	4	1865	1512	36	30	22	20	14	10	36	35	2	1
0—1	—	—	—	—	554	355	3	3	1	1	2	2	4	3	—	—
1—5	—	—	—	—	106	83	2	3	2	2	—	1	11	9	—	—
5—10	—	—	1	—	19	37	1	—	—	—	1	—	2	2	—	—
10—15	1	—	—	—	27	36	—	1	—	—	—	1	1	1	—	—
15—20	—	—	—	—	35	24	—	1	—	1	—	—	3	2	—	—
20—25	—	—	—	—	39	21	2	2	—	2	2	—	4	1	—	—
25—30	—	—	1	1	26	32	—	2	—	2	—	—	3	2	—	—
30—35	—	1	1	2	53	31	2	—	1	—	1	—	1	—	—	—
35—40	—	—	1	—	72	50	1	1	—	1	1	—	1	3	—	—
40—45	—	—	—	—	80	65	—	2	—	2	—	—	1	1	—	—
45—50	—	—	2	—	116	64	7	—	6	—	1	—	—	3	—	—
50—55	—	—	1	—	137	95	1	3	—	2	1	1	1	3	—	—
55—60	—	—	—	—	140	110	1	1	1	1	—	—	—	2	1	—
60—65	—	—	—	—	149	104	6	—	5	—	1	—	2	—	1	—
65—70	—	—	1	—	116	108	3	4	2	4	1	—	—	3	—	1
70—75	—	—	—	—	85	95	3	1	2	—	1	1	1	—	—	—
75—80	—	—	—	—	59	99	3	2	2	2	1	—	1	—	—	—
80 and upwards	—	—	—	1	52	103	1	4	—	—	1	4	—	—	—	—

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1925. (Civilian population only).

Causes of Death.	111 Ulcer of the stomach or duodenum.		111 (*a*) Ulcer of the stomach.		111 (*b*) Ulcer of the duodenum.		112 Other diseases of the stomach.		113 & 114 Diarrhœa and enteritis.		115* 116* Diseases due to other intestinal parasites.		117 Appendicitis and typhlitis.		118 Hernia, Intestinal obstruction.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	381	145	260	118	121	27	60	67	604	442	1	1	189	162	225	264
0—1	2	—	2	—	—	—	17	10	489	312	—	—	—	—	37	19
1—5	—	1	—	1	—	—	2	2	64	49	—	—	11	7	11	5
5—10	—	—	—	—	—	—	—	—	—	7	—	—	12	15	3	1
10—15	—	—	—	—	—	—	—	—	1	3	—	—	20	21	2	3
15—20	2	—	2	—	—	—	—	2	2	—	—	—	16	16	6	1
20—25	9	1	8	1	1	—	—	1	—	1	—	—	16	9	2	1
25—30	10	4	8	4	2	—	—	—	1	2	—	—	8	10	3	4
30—35	17	4	13	4	4	—	—	1	4	5	—	—	12	6	6	3
35—40	40	10	27	8	13	2	1	—	2	4	—	—	10	7	8	8
40—45	40	13	24	11	16	2	2	1	3	6	—	—	10	6	5	14
45—50	51	16	36	12	15	4	1	1	5	3	—	—	16	11	10	10
50—55	64	16	43	13	21	3	2	2	6	3	—	—	13	15	16	20
55—60	49	22	38	18	11	4	6	2	2	4	1	1	6	11	16	26
60—65	38	15	24	11	14	4	6	4	1	5	—	—	9	9	27	29
65—70	27	16	16	16	11	—	5	10	6	4	—	—	11	7	27	26
70—75	15	9	9	7	6	2	7	1	10	8	—	—	10	5	19	29
75—80	13	8	7	5	6	3	4	11	5	10	—	—	4	7	12	32
80 and upwards	4	10	3	7	1	3	7	19	3	16	—	—	5	—	15	33

* **115.** Ankylostomiasis — ; **116** (*a*) Cestodes (hydatids of the liver excepted) 55, *55*.

Causes of Death.	118 (*a*) Hernia.		118 (*b*) Intestinal obstruction.		119 Other diseases of the intestines.		120 Acute yellow atrophy of the liver.		121 Hydatid tumour of the liver.		122 Cirrhosis of the liver.		122 (*a*) Returned as alcoholic.		122 (*b*) Not returned as alcoholic.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	77	110	148	154	29	41	2	9	1	—	175	106	15	11	160	95
0—1	5	2	32	17	1	—	—	—	—	—	—	—	—	—	—	—
1—5	1	—	10	5	1	—	1	1	—	—	3	—	—	—	3	—
5—10	1	—	2	1	—	1	—	—	—	—	—	—	—	—	—	—
10—15	—	1	2	2	1	1	—	—	—	—	1	—	—	—	1	—
15—20	1	—	5	1	—	—	—	1	—	—	—	—	—	—	—	—
20—25	1	—	1	1	—	—	—	1	—	—	—	—	—	—	—	—
25—30	—	—	3	4	—	2	—	1	—	—	—	—	—	—	—	—
30—35	2	—	4	3	—	2	—	2	—	—	8	3	3	1	5	2
35—40	1	2	7	6	1	2	—	1	—	—	3	5	—	—	3	5
40—45	2	6	3	8	1	1	—	—	—	—	11	13	—	3	11	10
45—50	2	3	8	7	2	—	—	1	—	—	12	8	1	2	11	6
50—55	6	9	10	11	1	2	—	1	—	—	24	17	3	—	21	17
55—60	9	11	7	15	3	5		—	—	—	40	13	2	3	38	10
60—65	11	18	16	11	7	6	—	—	1	—	39	12	3	1	36	11
65—70	12	13	15	13	1	5	—	—	—	—	18	15	—	—	18	15
70—75	10	13	9	16	3	7	—	—	—	—	7	11	3	1	4	10
75—80	4	18	8	14	1	3	—	—	—	—	7	6	—	—	7	6
80 and upwards	9	14	6	19	6	4	—	—	—	—	2	3	—	—	2	3

TABLE 17—*contd.*

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1925.
(Civilian population only).

Causes of Death.	123 Biliary calculi.		124 Other diseases of the liver.		125 Diseases of the pancreas.		127* 126 Peritonitis of unstated origin.		VII. 128–142 Non-venereal diseases of the genito-urinary system.		128 Acute nephritis (including unspecified under 10 years of age).		129 Chronic nephritis (including unspecified over 10 years of age).		130* 131 Other diseases of the kidneys and annexa.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	29	80	51	59	21	28	23	42	1313	1000	50	44	713	704	59	59
0—1	—	—	1	1	—	—	—	7	14	7	2	2	1	1	6	3
1—5	—	—	—	—	—	—	—	6	8	7	5	3	1	2	1	1
5—10	—	—	—	—	—	—	1	11	7	1	2	—	3	—	—	—
10—15	—	—	1	1	—	1	—	4	15	17	5	4	8	13	2	—
15—20	—	—	1	1	—	—	5	—	14	9	4	3	9	5	1	1
20—25	—	—	1	1	1	—	4	3	16	19	4	4	8	11	4	1
25—30	—	1	1	1	—	1	—	2	13	22	1	3	9	12	2	—
30—35	1	—	1	2	—	3	1	—	20	27	2	3	15	17	1	1
35—40	—	5	1	2	3	—	1	2	27	48	2	2	20	29	3	4
40—45	—	2	2	3	2	3	3	—	52	61	3	3	38	26	2	3
45—50	2	3	5	5	2	2	3	1	71	94	8	2	44	53	2	5
50—55	2	6	2	1	4	3	1	3	85	110	2	4	61	75	3	10
55—60	3	14	10	6	1	3	—	—	109	101	5	4	70	81	5	5
60—65	5	13	6	5	1	5	—	1	147	97	3	—	89	82	6	4
65—70	6	5	7	9	4	3	1	—	186	89	2	2	106	75	5	3
70—75	4	12	4	8	—	2	2	2	198	123	—	2	98	97	7	9
75—80	3	13	3	6	3	1	—	—	174	78	—	1	74	58	3	5
80 and upwards	3	6	5	7	—	1	1	—	157	90	—	2	59	67	6	4

* **127.** Other diseases of the digestive system —; **130.** Chyluria 30.

Causes of Death.	132 Calculi of the urinary passages.		133 Diseases of the bladder.		134 Diseases of the urethra, urinary abscess, etc.		134 (*a*) Stricture of the urethra.		134 (*b*) Other diseases of the urethra, etc.		135 Diseases of the prostate.		136 Non-venereal diseases of the male genital organs.		137 Cysts and other tumours of the ovary not returned as malignant.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	26	17	69	44	60	—	50	—	10	—	327	—	6	—	—	29
0—1	—	—	—	1	—	—	—	—	—	—	—	—	3	—	—	—
1—5	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
5—10	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—15	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—20	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
20—25	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
25—30	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
30—35	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
35—40	1	1	—	—	—	—	—	—	—	—	1	—	—	—	—	1
40—45	1	4	3	2	4	—	3	—	1	—	—	—	1	—	—	1
45—50	5	2	2	4	6	—	5	—	1	—	4	—	—	—	—	3
50—55	1	3	4	3	7	—	6	—	1	—	7	—	—	—	—	4
55—60	3	—	6	4	9	—	6	—	3	—	10	—	1	—	—	5
60—65	2	3	6	1	3	—	2	—	1	—	38	—	—	—	—	2
65—70	3	—	9	4	15	—	13	—	2	—	46	—	—	—	—	3
70—75	3	1	15	8	6	—	6	—	—	—	69	—	—	—	—	3
75—80	1	1	8	6	5	—	4	—	1	—	82	—	1	—	—	2
80 and upwards	2	—	15	9	5	—	5	—	—	—	70	—	—	—	—	5

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1925.
(Civilian population only).

Causes of Death.	138 Salpingitis and pelvic abscess in females.		139 Tumours of the uterus not returned as malignant.		140 Non-puerperal uterine hæmorrhage.		141 Other diseases of the female genital organs.		142 Non-puerperal diseases of the breast.		VIII. 143–150 The puerperal state.		143 Accidents of pregnancy.		143 (*a*) Abortion.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	—	33	—	58	—	1	—	9	2	2	—	263	—	29	—	4
0—1	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—
1—5	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
5—10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—15	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—20	—	—	—	—	—	—	—	—	—	—	—	5	—	1	—	1
20—25	—	2	—	—	—	—	—	—	—	—	—	38	—	2	—	—
25—30	—	5	—	—	—	—	—	1	—	—	—	75	—	6	—	1
30—35	—	5	—	—	—	—	—	—	—	—	—	57	—	12	—	2
35—40	—	5	—	6	—	—	—	—	—	—	—	60	—	6	—	—
40—45	—	5	—	14	—	—	—	3	—	—	—	21	—	2	—	—
45—50	—	8	—	16	—	—	—	1	—	—	—	7	—	—	—	—
50—55	—	2	—	9	—	—	—	—	—	—	—	—	—	—	—	—
55—60	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—
60—65	—	—	—	3	—	—	—	1	—	1	—	—	—	—	—	—
65—70	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—
70—75	—	—	—	2	—	—	—	1	—	—	—	—	—	—	—	—
75—80	—	—	—	4	—	1	—	—	—	—	—	—	—	—	—	—
80 and upwards	—	—	—	2	—	—	—	—	—	1	—	—	—	—	—	—

Causes of Death.	143 (*b*) Ectopic gestation.		143 (*c*) Other accidents.		144 Puerperal hæmorrhage.		145 Other accidents of childbirth.		146 Puerperal sepsis.		147 Puerperal phlegmasia alba dolens, embolism, sudden death.		148 Puerperal albuminuria and convulsions.		150* 149 Childbirth not assignable else where (puerperal insanity).	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	—	16	—	9	—	34	—	23	—	117	—	19	—	39	—	2
0—1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—15	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—20	—	—	—	—	—	—	—	—	—	—	—	—	—	4	—	—
20—25	—	1	—	1	—	2	—	6	—	22	—	1	—	4	—	1
25—30	—	3	—	2	—	6	—	6	—	34	—	6	—	17	—	—
30—35	—	8	—	2	—	10	—	5	—	22	—	2	—	6	—	—
35—40	—	4	—	2	—	10	—	5	—	25	—	7	—	6	—	1
40—45	—	—	—	2	—	6	—	—	—	9	—	2	—	2	—	—
45—50	—	—	—	—	—	—	—	1	—	5	—	1	—	—	—	—
50—55	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
55—60	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
60—65	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
65—70	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
70—75	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
75—80	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
80 and upwards	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

* **150.** Puerperal diseases of the breast —.

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1925.
(Civilian population only).

Causes of Death.	IX. 151–154 Diseases of the skin and cellular tissue.		151 Gangrene.		152 Carbuncle, boil.		153 Cellulitis, acute abscess.		154 Other diseases of the skin and its annexa.		X. 155–158 Diseases of the bones and organs of locomotion.		155 Diseases of the bones.		156 Diseases of the joints.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	157	184	43	69	36	19	47	47	31	49	76	45	63	31	10	4
0—1	19	17	—	—	2	1	6	8	11	8	2	4	2	4	—	—
1—5	6	6	—	1	—	—	2	3	4	2	7	4	7	3	—	1
5—10	1	2	—	—	—	—	1	1	—	1	12	6	10	6	2	—
10—15	1	—	—	—	1	—	—	—	—	—	19	3	17	3	2	—
15—20	4	6	—	—	2	3	2	1	—	2	11	—	7	—	4	—
20—25	—	5	—	—	—	2	—	3	—	—	2	5	2	4	—	—
25—30	5	4	—	—	2	2	3	—	—	2	2	1	2	—	—	—
30—35	4	5	—	2	3	1	1	2	—	—	—	2	—	1	—	1
35—40	4	5	1	—	—	1	3	3	—	1	3	3	2	2	—	—
40—45	4	2	—	—	2	1	2	1	—	—	3	3	3	1	—	1
45—50	4	3	—	—	2	—	2	2	—	1	—	2	—	—	—	—
50—55	5	6	—	—	1	1	3	3	1	2	—	1	—	—	—	—
55—60	7	9	1	2	3	2	2	2	1	3	3	—	1	—	1	—
60—65	10	5	2	—	4	1	4	3	—	1	3	5	3	4	—	—
65—70	20	14	5	4	5	1	5	4	5	5	2	1	2	—	—	1
70—75	23	19	11	12	3	1	4	3	5	3	3	—	2	—	1	—
75—80	14	29	7	14	3	1	4	6	—	8	1	2	1	2	—	—
80 and upwards	26	47	16	34	3	1	3	2	4	10	3	3	2	1	—	—

Causes of Death.	157* 158 Other diseases of the organs of locomotion.		XI. 159 Congenital mal-formations.		XII. 160–163 Diseases of early infancy.		160 Congenital debility.		161 Premature birth, injury at birth.		161 (1) Premature birth.		161 (2) Injury at birth.		162 Other diseases peculiar to early infancy.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	3	10	228	143	1074	825	233	155	736	562	650	529	86	33	83	89
0—1	—	—	206	123	1074	825	233	155	736	562	650	529	86	33	83	89
1—5	—	—	7	14	—	—	—	—	—	—	—	—	—	—	—	—
5—10	—	—	3	2	—	—	—	—	—	—	—	—	—	—	—	—
10—15	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
15—20	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—
20—25	—	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—
25—30	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
30—35	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
35—40	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
40—45	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—
45—50	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
50—55	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
55—60	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
60—65	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
65—70	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
70—75	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
75—80	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
80 and upwards	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—

*157. Amputation —.

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1925.
(Civilian population only).

Causes of Death.	163 Lack of care.		XIII. 164 Old age.		XIV. 165–203 External causes.		Suicide. 165–174 Total.		165 & 166 By solid or liquid poisons and corrosive substances.		167 By poisonous gas.		168 By hanging or strangulation.		169 By drowning.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	22	19	667	1196	1442	804	351	192	47	49	93	60	52	19	42	25
0—1	22	19	—	—	52	49	—	—	—	—	—	—	—	—	—	—
1—5	—	—	—	—	89	53	—	—	—	—	—	—	—	—	—	—
5—10	—	—	—	—	85	26	—	—	—	—	—	—	—	—	—	—
10—15	—	—	—	—	61	12	1	1	1	—	—	—	—	—	—	1
15—20	—	—	—	—	80	25	—	2	—	—	—	—	—	—	—	1
20—25	—	—	—	—	70	27	18	11	2	5	6	3	3	1	1	2
25—30	—	—	—	—	70	40	12	16	—	7	6	2	1	1	2	4
30—35	—	—	—	—	69	24	23	13	2	6	5	2	2	1	4	3
35—40	—	—	—	—	73	32	34	18	4	4	8	4	5	3	2	2
40—45	—	—	—	—	83	36	33	20	4	1	8	10	8	2	5	2
45—50	—	—	1	—	99	60	37	35	6	9	11	11	5	3	4	4
50—55	—	—	—	—	120	55	51	25	10	4	15	10	7	3	6	1
55—60	—	—	1	1	98	62	43	25	3	5	12	9	7	2	7	2
60—65	—	—	7	6	112	38	42	9	5	2	9	4	5	—	6	1
65—70	—	—	34	29	92	46	28	4	3	2	7	—	8	1	3	—
70—75	—	—	123	130	82	77	15	12	4	4	1	4	1	2	2	2
75—80	—	—	175	237	51	51	8	1	1	—	3	1	—	—	—	—
80 and upwards	—	—	326	793	56	91	6	—	2	—	2	—	—	—	—	—

Causes of Death.	Suicide—*contd.* 170 By firearms.		171 By cutting or piercing instruments.		172 By jumping from high places.		173 By crushing.		174 By other means.		175–196 201–203 Violent deaths, excluding suicide and homicide.		175 Food poisoning.		176 Poisoning by venomous animals.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	21	—	52	7	20	21	24	6	—	5	1072	588	2	2	2	1
0—1	—	—	—	—	—	—	—	—	—	—	48	44	—	—	—	—
1—5	—	—	—	—	—	—	—	—	—	—	88	51	—	—	—	—
5—10	—	—	—	—	—	—	—	—	—	—	84	26	—	—	—	—
10—15	—	—	—	—	—	—	—	—	—	—	60	11	—	—	1	—
15—20	—	—	—	—	—	—	—	1	—	—	80	20	—	—	—	—
20—25	—	—	1	—	1	—	4	—	—	—	52	12	—	—	—	—
25—30	1	—	—	—	2	2	—	—	—	—	54	18	—	1	—	—
30—35	3	—	2	—	3	—	2	—	—	1	44	11	—	—	—	1
35—40	3	—	8	1	2	1	2	—	—	3	38	13	—	—	—	—
40—45	1	—	3	3	1	2	3	—	—	—	50	15	—	—	—	—
45—50	3	—	5	2	2	3	1	3	—	—	60	25	—	1	1	—
50—55	3	—	9	—	—	5	1	1	—	1	69	29	1	—	—	—
55—60	3	—	8	1	2	5	1	1	—	—	54	37	—	—	—	—
60—65	1	—	7	—	2	2	7	—	—	—	69	29	1	—	—	—
65—70	2	—	4	—	1	1	—	—	—	—	62	42	—	—	—	—
70—75	1	—	3	—	1	—	2	—	—	—	67	64	—	—	—	—
75—80	—	—	2	—	2	—	—	—	—	—	43	50	—	—	—	—
80 and upwards	—	—	—	—	1	—	1	—	—	—	50	91	—	—	—	—

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1925. (Civilian population only).

Causes of Death.	177 Other acute accidental poisonings.		178 Conflagration.		179 Accidental burns (conflagration excepted).		180 Accidental mechanical suffocation.		181 Accidental absorption of irrespirable or poisonous gas.		182 Accidental drowning.		183 Accidental injury by firearms.		184 Accidental injury by cutting or piercing instruments.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	17	14	4	1	70	98	44	37	23	7	99	30	4	—	1	1
0—1	—	—	—	—	10	8	32	28	—	—	1	3	—	—	—	—
1—5	1	1	1	—	39	29	2	1	2	—	3	2	—	—	—	—
5—10	1	—	—	—	2	6	—	1	—	—	13	1	—	—	—	—
10—15	—	—	—	—	—	3	1	—	1	—	7	—	2	—	—	—
15—20	—	1	—	—	2	4	1	—	1	—	7	1	—	—	—	—
20—25	—	—	—	—	—	2	1	—	2	—	6	2	1	—	—	—
25—30	—	—	—	—	1	6	—	1	1	1	5	—	—	—	—	—
30—35	4	1	—	—	—	1	—	—	—	1	7	—	—	—	—	—
35—40	—	2	2	—	—	—	—	—	1	1	7	3	1	—	—	—
40—45	4	1	—	—	—	—	1	—	—	—	7	5	—	—	—	1
45—50	4	2	—	—	1	5	1	—	3	—	3	3	—	—	1	—
50—55	1	—	—	—	1	2	—	1	4	—	8	1	—	—	—	—
55—60	—	2	—	—	—	4	—	1	—	—	7	2	—	—	—	—
60—65	1	1	—	—	—	3	1	—	3	2	8	4	—	—	—	—
65—70	—	—	1	1	2	3	1	—	1	1	5	1	—	—	—	—
70—75	—	2	—	—	5	10	—	1	—	—	5	2	—	—	—	—
75—80	1	1	—	—	4	7	2	1	2	1	—	—	—	—	—	—
80 and upwards	—	—	—	—	3	5	1	2	2	—	—	—	—	—	—	—

Causes of Death.	185 Accidental injury by fall.		186 Accidental injury in mining and quarrying.		187 Accidental injury by machinery.		188 Accidental injury by other forms of crushing (vehicles, etc.).		189 Injury by animals (poisoning excepted).		190 Wounds of war.		191* 192 Hunger or thirst.		193 Excessive cold.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	231	190	—	—	21	1	514	185	—	—	6	—	—	1	—	—
0—1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—5	8	5	—	—	—	—	29	11	—	—	—	—	—	—	—	—
5—10	2	1	—	—	—	—	64	16	—	—	—	—	—	—	—	—
10—15	3	—	—	—	2	—	39	7	—	—	—	—	—	—	—	—
15—20	12	—	—	—	3	—	51	13	—	—	—	—	—	—	—	—
20—25	8	—	—	—	2	—	29	6	—	—	—	—	—	—	—	—
25—30	7	2	—	—	2	—	36	7	—	—	2	—	—	—	—	—
30—35	6	1	—	—	—	—	22	4	—	—	2	—	—	—	—	—
35—40	8	2	—	—	1	1	16	2	—	—	1	—	—	—	—	—
40—45	13	1	—	—	2	—	21	5	—	—	1	—	—	—	—	—
45—50	23	3	—	—	1	—	18	10	—	—	—	—	—	—	—	—
50—55	16	10	—	—	4	—	30	15	—	—	—	—	—	—	—	—
55—60	15	8	—	—	—	—	32	20	—	—	—	—	—	—	—	—
60—65	20	9	—	—	2	—	31	9	—	—	—	—	—	—	—	—
65—70	22	20	—	—	1	—	29	16	—	—	—	—	—	—	—	—
70—75	20	30	—	—	—	—	37	18	—	—	—	—	—	1	—	—
75—80	15	24	—	—	1	—	17	16	—	—	—	—	—	—	—	—
80 and upwards	31	74	—	—	—	—	13	10	—	—	—	—	—	—	—	—

***191. Execution of civilians by belligerent armies —.**

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1925. (Civilian population only).

Causes of Death.	194 Excessive heat.		195* 196 Electricity (lightning excepted).		Homicide. 197–199 All forms.		197 By firearms.		198 By cutting or piercing instruments.		199 By other means.		200* 201 Fracture (cause not specified).	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	5	3	3	1	19	24	—	—	6	5	13	19	2	1
0—1	—	2	—	—	4	5	—	—	—	1	4	4	1	1
1—5	—	—	—	—	1	2	—	—	1	2	—	—	1	—
5—10	—	—	—	—	1	—	—	—	1	—	—	—	—	—
10—15	1	—	—	1	—	—	—	—	—	—	—	—	—	—
15—20	—	—	—	—	—	3	—	—	—	1	—	2	—	—
20—25	—	—	1	—	—	4	—	—	—	—	—	4	—	—
25—30	—	—	—	—	4	6	—	—	2	—	2	6	—	—
30—35	1	—	—	—	2	—	—	—	—	—	2	—	—	—
35—40	—	—	1	—	1	1	—	—	—	—	1	1	—	—
40—45	—	—	—	—	—	1	—	—	—	1	—	—	—	—
45—50	2	1	—	—	2	—	—	—	1	—	1	—	—	—
50—55	1	—	—	—	—	1	—	—	—	—	—	1	—	—
55—60	—	—	—	—	1	—	—	—	—	—	1	—	—	—
60—65	—	—	1	—	1	—	—	—	—	—	1	—	—	—
65—70	—	—	—	—	2	—	—	—	1	—	1	—	—	—
70—75	—	—	—	—	—	1	—	—	—	—	—	1	—	—
75—80	—	—	—	—	—	—	—	—	—	—	—	—	—	—
80 and upwards	—	—	—	—	—	—	—	—	—	—	—	—	—	—

***195.** Lightning —; **200.** Infanticide. Deaths from this cause are shown under Nos. 197–199.

Causes of Death.	202 Other and unstated forms of accidental violence; Execution.		203 Violent deaths of unknown causation.		XV. 204–205 Ill-defined diseases.		204 Sudden death.		205 Cause of death unstated or ill-defined.		205 (1) Heart failure, 1–70 years.		205 (2 & 3) Others.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	24	13	—	2	21	16	3	1	18	15	7	3	11	12
0—1	2	1	—	1	3	5	—	—	3	5	—	—	3	5
1—5	2	2	—	—	1	5	—	—	1	5	—	—	1	5
5—10	2	1	—	—	1	—	—	—	1	—	—	—	1	—
10—15	3	—	—	—	—	1	—	—	—	1	—	1	—	—
15—20	3	1	—	—	—	1	—	—	—	1	—	1	—	—
20—25	2	2	—	—	—	—	—	—	—	—	—	—	—	—
25—30	—	—	—	—	1	—	—	—	1	—	—	—	1	—
30—35	2	2	—	—	1	—	1	—	—	—	—	—	—	—
35—40	—	2	—	—	1	—	—	—	1	—	1	—	—	—
40—45	1	2	—	—	—	—	—	—	—	—	—	—	—	—
45—50	2	—	—	—	—	1	—	—	—	1	—	1	—	—
50—55	3	—	—	—	2	1	—	—	2	1	1	—	1	1
55—60	—	—	—	—	7	—	2	—	5	—	2	—	3	—
60—65	1	—	—	1	1	1	—	—	1	1	—	—	1	1
65—70	—	—	—	—	3	1	—	1	3	—	3	—	—	—
70—75	—	—	—	—	—	—	—	—	—	—	—	—	—	—
75—80	1	—	—	—	—	—	—	—	—	—	—	—	—	—
80 and upwards	—	—	—	—	—	—	—	—	—	—	—	—	—	—

AGGREGATE OF COUNTY BOROUGHS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1925. (Civilian population only).

Causes of Death.	All Causes.		I. 1–42 Epidemic, Endemic and Infectious Diseases.		1 Enteric fever.		1 (*a*) Typhoid fever.		1 (*b*) Paratyphoid fever.		2, 3, 4* 5 Malaria.		6* 7 Measles.		8 Scarlet fever.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	86899	81809	15957	13442	67	59	64	52	3	7	28	3	1497	1230	237	238
0—1	12311	9188	1525	1168	—	—	—	—	—	—	—	—	344	220	11	5
1—5	6602	5971	2894	2870	4	1	4	—	—	1	—	—	1054	930	132	120
5—10	1547	1425	666	670	—	3	—	3	—	—	—	1	92	70	54	68
10—15	1120	1117	341	495	7	3	6	3	1	—	—	—	1	1	18	24
15—20	1729	1674	753	1031	7	3	7	3	—	—	1	—	1	1	7	6
20—25	1877	1986	973	1089	12	10	12	10	—	—	2	—	1	4	4	7
25—30	1829	1973	856	918	6	11	6	11	—	—	3	—	1	2	3	4
30—35	2007	2045	837	756	8	4	8	3	—	1	1	—	1	—	5	4
35—40	2613	2356	984	710	4	7	4	6	—	1	4	1	—	1	2	—
40—45	3641	2805	1145	585	7	6	7	6	—	—	3	1	—	—	—	—
45—50	4745	3555	1232	595	2	3	1	2	1	1	5	—	1	—	1	—
50—55	5838	4375	1101	473	4	3	4	3	—	—	3	—	—	—	—	—
55—60	6352	5052	810	429	1	—	1	—	—	—	1	—	1	—	—	—
60—65	7523	5987	768	416	3	4	3	1	—	3	2	—	—	—	—	—
65—70	7832	7168	475	364	2	1	1	1	1	—	1	—	—	—	—	—
70—75	8028	8268	314	367	—	—	—	—	—	—	1	—	—	1	—	—
75—80	5972	7459	153	239	—	—	—	—	—	—	1	—	—	—	—	—
80 and upwards	5333	9405	130	267	—	—	—	—	—	—	—	—	—	—	—	—

* **2.** Typhus —; **3.** Relapsing fever (Spirillum obermeieri) —; **4.** Mediterranean fever —; **6.** Small-pox *0, 5.*

Causes of Death.	9 Whooping cough.		10 Diphtheria.		11 Influenza.		11 (*a*) With pulmonary complications.		11 (*b*) Without pulmonary complications.		12* 13 Mumps.		14* 15 Cholera nostras.		16 Dysentery.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	1177	1370	527	558	2098	2103	1447	1392	651	711	4	2	2	—	25	18
0—1	547	514	27	26	71	59	37	41	34	18	3	—	—	—	2	2
1—5	603	806	269	298	86	79	54	47	32	32	—	2	—	—	3	—
5—10	25	48	177	175	28	39	18	20	10	19	—	—	—	—	—	1
10—15	—	—	37	31	18	32	13	19	5	13	—	—	—	—	—	—
15—20	—	—	7	9	69	47	51	27	18	20	—	—	—	—	—	—
20—25	1	—	2	8	56	53	33	32	23	21	—	—	—	—	—	—
25—30	—	—	1	2	62	68	50	43	12	25	—	—	—	—	2	1
30—35	—	—	2	1	70	69	55	52	15	17	—	—	—	—	2	2
35—40	—	—	3	2	100	101	83	65	17	36	—	—	—	—	3	2
40—45	—	—	2	1	135	83	102	56	33	27	—	—	—	—	5	2
45—50	—	—	—	1	181	109	147	79	34	30	1	—	—	—	3	1
50—55	—	—	—	—	176	114	123	76	53	38	—	—	2	—	1	3
55—60	—	—	—	1	197	148	154	99	43	49	—	—	—	—	1	4
60—65	—	1	—	1	224	180	145	124	79	56	—	—	—	—	1	—
65—70	1	—	—	1	219	226	147	166	72	60	—	—	—	—	—	—
70—75	—	—	—	1	196	276	116	183	80	93	—	—	—	—	—	—
75—80	—	—	—	—	113	193	61	118	52	75	—	—	—	—	—	—
80 and upwards	—	1	—	—	97	227	58	145	39	82	—	—	—	—	2	—

* **12.** Miliary fever —; **14.** Asiatic cholera —.

AGGREGATE OF COUNTY BOROUGHS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1925. (Civilian population only).

Causes of Death.	16 (*a*) Amœbic.		16 (*b*) Bacillary.		16 (*c*) Other or unspecified.		17, 18, 19, 20* 21 Erysipelas.		22 Acute poliomyelitis.		23 Encephalitis lethargica.		24 Meningococcal meningitis.		25 Other epidemic and endemic diseases.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	6	—	3	4	16	14	190	171	27	31	241	252	89	61	45	25
0—1	—	—	—	1	2	1	24	25	2	3	2	2	33	14	21	10
1—5	—	—	—	—	3	—	3	5	9	15	25	26	23	17	21	11
5—10	—	—	—	—	—	1	1	—	2	3	14	8	12	6	2	2
10—15	—	—	—	—	—	—	1	1	5	3	18	12	8	10	1	1
15—20	—	—	—	—	—	—	1	4	4	2	22	23	6	3	—	—
20—25	—	—	—	—	—	—	2	1	2	1	13	18	2	4	—	—
25—30	—	—	1	—	1	1	7	2	—	—	12	16	1	2	—	—
30—35	1	—	—	1	1	1	8	3	—	1	14	22	—	1	—	—
35—40	2	—	—	—	1	2	6	10	3	2	14	15	1	2	—	—
40—45	1	—	1	1	3	1	10	6	—	—	19	13	2	—	—	1
45—50	1	—	—	1	2	—	14	7	—	—	22	24	—	1	—	—
50—55	1	—	—	—	—	3	22	10	—	—	18	22	1	—	—	—
55—60	—	—	—	—	1	4	16	12	—	—	20	16	—	—	—	—
60—65	—	—	—	—	1	—	26	20	—	—	13	17	—	—	—	—
65—70	—	—	—	—	—	—	19	15	—	—	11	10	—	1	—	—
70—75	—	—	—	—	—	—	12	20	—	1	3	4	—	—	—	—
75—80	—	—	—	—	—	—	6	11	—	—	—	3	—	—	—	—
80 and upwards	—	—	1	—	1	—	12	19	—	—	1	1	—	—	—	—

* **17.** Plague —; **18.** Yellow Fever —; **19.** Spirochætosis ictero-hæmorrhagica 25, 35; **20.** Leprosy —.

Causes of Death.	26* 27 Anthrax.		28* 29 Tetanus.		30 Mycoses.		Tuberculosis. 31–37 All forms.		31 Respiratory system.		32 Nervous system.		33 Intestines and peritoneum.		34 Vertebral column.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	5	1	31	8	17	17	9173	6973	7468	5526	677	572	334	313	132	81
0—1	—	—	3	—	7	8	228	144	32	14	106	72	57	27	1	—
1—5	—	—	—	—	1	—	648	540	129	108	302	258	107	72	5	5
5—10	—	—	2	1	—	—	246	233	60	68	117	92	22	33	7	4
10—15	—	—	1	—	—	2	222	370	93	224	55	67	26	29	11	7
15—20	—	1	8	3	2	—	606	923	466	771	32	38	32	44	17	10
20—25	—	—	2	—	—	—	866	976	748	888	28	18	12	19	16	8
25—30	—	—	2	—	—	1	748	800	674	725	8	7	14	22	11	8
30—35	2	—	—	1	—	—	720	633	663	588	7	6	13	14	7	3
35—40	—	—	—	1	—	1	826	554	771	521	9	6	10	11	7	3
40—45	—	—	1	1	1	—	942	460	898	421	3	5	7	10	9	4
45—50	2	—	4	—	—	—	959	424	916	392	4	3	8	8	13	4
50—55	—	—	3	1	1	—	834	295	792	275	1	—	9	7	6	2
55—60	—	—	1	—	3	—	543	234	511	201	2	—	5	8	7	8
60—65	—	—	2	—	1	1	455	183	416	156	1	—	9	7	9	7
65—70	—	—	1	—	1	—	195	105	183	92	2	—	3	1	3	5
70—75	1	—	1	—	—	1	90	57	83	49	—	—	—	1	2	2
75—80	—	—	—	—	—	3	30	27	22	24	—	—	—	—	1	—
80 and upwards	—	—	—	—	—	—	15	15	11	9	—	—	—	—	—	1

* **26.** Glanders —; **28.** Rabies —.

AGGREGATE OF COUNTY BOROUGHS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1925.
(Civilian population only.)

Causes of Death.	Tuberculosis—*contd.*															
	35 Joints.		36 Other organs.		36 (*a*) Skin and subcutaneous tissue.		36 (*b*) Bones (vertebral column excepted).		36 (*c*) Lymphatic system (abdominal glands excptd).		36 (*d*) Genito-urinary system.		36 (*e*) Others in 36.		37 Disseminated.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	55	38	100	83	8	13	31	17	11	19	47	33	3	1	407	360
0—1	—	1	2	5	—	1	1	1	1	3	—	—	—	—	30	25
1—5	—	5	7	7	—	—	1	4	4	2	—	1	2	—	98	85
5—10	2	4	3	2	—	—	1	—	1	1	1	1	—	—	35	30
10—15	6	3	4	4	—	—	2	—	—	1	2	3	—	—	27	36
15—20	8	6	11	3	—	—	5	—	2	2	4	1	—	—	40	51
20—25	5	1	5	10	—	1	—	—	—	3	5	6	—	—	52	32
25—30	2	3	14	7	—	1	6	1	1	1	7	4	—	—	25	28
30—35	5	2	7	5	1	1	2	1	1	—	3	3	—	—	18	15
35—40	3	5	11	2	1	—	1	2	—	—	9	—	—	—	15	6
40—45	2	1	5	7	—	2	1	1	—	—	4	4	—	—	18	12
45—50	1	1	4	7	1	1	—	3	—	—	3	2	—	1	13	9
50—55	7	—	6	6	—	2	2	—	—	2	4	2	—	—	13	5
55—60	5	2	5	5	2	1	2	1	—	—	1	3	—	—	8	10
60—65	4	1	6	5	2	2	2	—	—	1	2	2	—	—	10	7
65—70	—	1	3	3	1	—	1	1	—	1	1	1	—	—	1	3
70—75	1	1	3	1	—	—	2	—	1	1	—	—	—	—	1	3
75—80	2	—	2	2	—	1	2	1	—	—	—	—	—	—	3	1
80 and upwards	2	1	2	2	—	—	—	1	—	1	1	—	1	—	—	2

Causes of Death.	Tuberculosis—*contd.*				38 Syphilis.		39*		40 (1) Gonococcal infection (ophthalmia excepted).		40 (2) Gonorrhœal or purulent ophthalmia.		42*		II. 43–69 General diseases not included in I. 1–42	
	37 (*a*) Acute		37 (*b*) Chronic or unstated.				40 Gonococcal infection.						41 Purulent infection, septicæmia.			
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	133	137	274	223	342	234	14	6	11	1	3	5	118	80	10349	12409
0—1	12	12	18	13	191	121	3	5	—	—	3	5	5	9	124	89
1—5	38	38	60	47	13	14	—	—	—	—	—	—	—	6	143	137
5—10	10	17	25	13	1	3	—	—	—	—	—	—	10	8	89	77
10—15	8	13	19	23	1	1	—	—	—	—	—	—	3	4	119	139
15—20	13	20	27	31	3	3	1	—	1	—	—	—	8	3	119	112
20—25	10	12	42	20	1	5	—	—	—	—	—	—	7	2	84	125
25—30	12	9	13	19	2	4	—	—	—	—	—	—	5	5	111	133
30—35	9	2	9	13	3	8	—	—	—	—	—	—	1	7	121	234
35—40	3	1	12	5	9	7	3	—	3	—	—	—	5	4	189	410
40—45	6	3	12	9	11	8	—	1	—	1	—	—	7	2	377	708
45—50	6	5	7	4	23	17	1	—	1	—	—	—	13	8	677	1066
50—55	2	2	11	3	21	16	3	—	3	—	—	—	12	9	1142	1358
55—60	2	2	6	8	18	12	—	—	—	—	—	—	8	2	1450	1489
60—65	—	1	10	6	26	6	1	—	1	—	—	—	14	3	1683	1581
65—70	—	—	1	3	14	3	1	—	1	—	—	—	10	2	1583	1678
70—75	1	—	—	3	3	3	1	—	1	—	—	—	6	3	1271	1431
75—80	1	—	2	1	1	2	—	—	—	—	—	—	2	—	713	964
80 and upwards	—	—	—	2	1	1	—	—	—	—	—	—	2	3	354	678

* **39.** Soft chancre —; **42.** (1) Vaccinia 0. (2) Other diseases included under 42—.

AGGREGATE OF COUNTY BOROUGHS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1925.
(Civilian population only.)

Causes of Death.	Cancer, Malignant Disease.															
	43–49 Total.		43 Buccal cavity.		44 Pharynx, œsophagus, stomach, liver and annexa.		45 Peritoneum, intestines and rectum.		46 Female genital organs.		47 Breast.		48 Skin.		49 Other or unspecified organs.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	8039	9174	995	150	3024	2331	1831	1740	—	2048	10	1784	225	136	1954	985
0—1	4	4	—	—	1	—	—	1	—	—	—	—	—	—	3	3
1—5	14	16	1	—	—	1	1	1	—	—	—	—	—	—	12	14
5—10	10	4	1	—	—	—	1	—	—	1	—	—	—	—	8	3
10—15	13	6	—	—	—	1	—	—	—	—	—	—	—	—	13	5
15—20	23	10	1	—	2	1	1	1	—	1	—	—	—	—	19	7
20—25	28	26	—	—	5	3	5	6	—	3	—	1	2	—	16	13
25—30	46	57	3	2	11	4	5	16	—	15	—	6	2	1	25	13
30—35	59	134	2	1	18	15	15	20	—	49	—	26	1	2	23	21
35—40	121	298	4	8	44	44	27	35	—	112	1	72	3	1	42	26
40—45	272	543	18	8	111	88	62	57	—	175	—	155	5	3	76	57
45—50	512	868	52	8	221	154	90	105	—	298	1	209	11	6	137	88
50—55	964	1103	148	17	403	238	174	161	—	326	1	256	23	6	215	99
55—60	1228	1176	182	20	480	279	227	202	—	295	2	242	34	13	303	125
60—65	1421	1226	190	14	537	332	325	249	—	261	1	221	30	15	338	134
65—70	1339	1290	165	26	512	404	350	310	—	198	1	196	28	19	283	137
70—75	1079	1116	122	20	382	373	301	245	—	163	1	190	37	15	236	110
75—80	607	740	67	9	196	243	180	179	—	95	1	110	23	30	140	74
80 and upwards	299	557	39	17	101	151	67	152	—	56	1	100	26	25	65	56

Causes of Death.	50 Tumours not returned as malignant (brain and female genital organs excptd).		51 Rheumatic fever.		52 Chronic rheumatism, osteo-arthritis, gout.		53 Scurvy.		54, 55* 56 Rickets.		57 Diabetes.		58 Anæmia, chlorosis.		58 (*a*) Pernicious anæmia.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	142	106	307	413	267	571	9	1	138	105	641	820	399	578	359	506
0—1	1	—	—	—	—	—	4	—	60	32	—	—	6	5	—	—
1—5	2	—	8	9	—	—	3	1	76	68	3	5	9	8	—	3
5—10	3	3	49	46	—	—	—	—	1	3	5	5	3	4	2	3
10—15	—	—	63	95	1	1	1	—	—	—	14	15	9	3	6	1
15—20	1	5	44	59	—	—	—	—	1	1	16	7	4	7	1	3
20—25	1	—	18	33	—	—	—	—	—	—	12	14	6	13	5	10
25—30	2	1	15	21	2	3	—	—	—	—	23	16	7	11	5	8
30—35	1	2	8	20	4	7	—	—	—	—	26	12	9	30	7	26
35—40	10	4	12	22	2	4	—	—	—	1	13	20	11	30	9	27
40—45	10	7	21	20	9	11	—	—	—	—	21	35	18	46	18	37
45—50	20	9	21	13	13	22	—	—	—	—	35	40	33	56	31	52
50—55	19	8	8	22	15	26	1	—	—	—	41	60	51	60	50	52
55—60	21	13	18	20	24	59	—	—	—	—	75	81	58	82	55	79
60—65	14	18	12	10	41	81	—	—	—	—	104	128	65	69	64	67
65—70	13	6	6	12	66	93	—	—	—	—	94	161	49	67	49	59
70—75	9	11	2	6	48	99	—	—	—	—	84	127	42	45	40	40
75—80	9	11	2	5	27	102	—	—	—	—	48	65	14	30	13	28
80 and upwards	6	8	—	—	15	63	—	—	—	—	27	29	5	12	4	11

* **54.** Pellagra *35, 40, 45, 50;* **55.** Beri-beri 25, 45.

AGGREGATE OF COUNTY BOROUGHS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1925. (Civilian population only).

Causes of Death.	58 (*b*) Other anæmias and chlorosis.		59* 60 Diseases of the thyroid gland.		60 (*a*) Exophthalmic goitre.		60 (*b*) Other diseases of the thyroid gland.		61* 62 Diseases of the thymus.		63 Diseases of the adrenals.		64 Diseases of the spleen.		65 Leukæmia, lymphadenoma.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	40	72	46	310	24	197	22	113	30	22	29	36	3	7	158	129
0—1	6	5	1	—	—	—	1	—	19	16	—	1	—	—	3	1
1—5	9	5	1	6	—	—	1	6	5	3	—	—	—	—	6	7
5—10	1	1	—	1	—	—	—	1	1	1	—	—	—	—	13	5
10—15	3	2	—	4	—	2	—	2	3	1	—	—	—	—	7	9
15—20	3	4	5	10	1	7	4	3	1	—	—	2	1	—	15	4
20—25	1	3	4	24	1	20	3	4	1	1	2	2	—	—	7	10
25—30	2	3	1	13	1	9	—	4	—	—	3	2	—	1	7	4
30—35	2	4	—	14	—	14	—	—	—	—	2	3	—	—	9	10
35—40	2	3	2	18	1	17	1	1	—	—	2	2	—	—	12	8
40—45	—	9	6	30	5	20	1	10	—	—	3	3	—	—	10	7
45—50	2	4	7	36	7	28	—	8	—	—	7	6	—	—	18	10
50—55	1	8	4	44	3	34	1	10	—	—	3	3	—	2	15	14
55—60	3	3	5	35	2	21	3	14	—	—	1	2	2	1	12	12
60—65	1	2	4	23	2	9	2	14	—	—	5	4	—	1	12	11
65—70	—	8	—	29	—	13	—	16	—	—	1	3	—	1	7	7
70—75	2	5	3	11	1	2	2	9	—	—	—	3	—	—	3	9
75—80	1	2	3	6	—	1	3	5	—	—	—	—	—	1	1	1
80 and upwards	1	1	—	6	—	—	—	6	—	—	—	—	—	—	1	—

* **59.** Diseases of the pituitary gland 45, 65, *55*, *55*; **61.** 1. Tetany 0, 0, 1, 1, 1, *0*, *0*, *0*, *0*, *0*, *0*, *0*, *0*, *1*, *1*, *1*, *1*.
2. Other diseases of the parathyroid glands 50.

Causes of Death.	65 (*a*) Leukæmia.		65 (*b*) Lymphadenoma. (Hodgkin's disease).		66 Alcoholism (acute or chronic).		67 Chronic poisoning by mineral substances.		68* 69 Other general diseases.		III. 70–86 Diseases of the Nervous system and sense organs.		70 Encephalitis.		71 Meningitis.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	90	82	68	47	25	18	14	4	92	97	7953	8032	71	46	367	288
0—1	1	1	2	—	—	—	—	—	24	22	788	558	5	1	99	74
1—5	6	6	—	1	—	—	—	—	13	10	323	267	9	4	121	88
5—10	8	3	5	2	—	—	—	—	4	5	102	83	2	3	33	27
10—15	2	7	5	2	—	—	—	—	8	5	126	106	5	6	26	14
15—20	9	2	6	2	—	—	—	—	8	7	95	91	4	3	15	14
20—25	3	4	4	6	—	—	—	—	5	2	108	94	7	2	10	15
25—30	3	4	4	—	1	—	—	1	3	3	111	86	8	4	9	3
30—35	4	7	5	3	1	1	1	—	1	1	144	112	7	3	4	3
35—40	7	4	5	4	1	—	—	—	3	2	207	142	3	1	7	5
40—45	5	5	5	2	3	1	2	1	2	3	289	225	3	6	1	3
45—50	9	9	9	1	5	4	2	—	2	1	413	355	3	3	7	8
50—55	10	8	5	6	7	4	5	—	8	11	536	500	5	4	7	6
55—60	7	7	5	5	1	2	2	—	3	4	683	629	1	2	6	6
60—65	10	4	2	7	2	2	1	1	2	7	865	798	3	—	8	5
65—70	5	6	2	1	3	2	1	1	3	6	904	1028	2	2	4	5
70—75	—	4	3	5	1	1	—	—	—	3	1036	1056	—	—	4	—
75—80	—	1	1	—	—	1	—	—	2	2	692	968	2	—	5	5
80 and upwards	1	—	—	—	—	—	—	—	1	3	531	934	2	2	1	7

* **68.** Chronic poisoning by organic substances —;

AGGREGATE OF COUNTY BOROUGHS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1925.
(Civilian population only).

Causes of Death.	72 Tabes dorsalis (locomotor ataxy).		73 Other diseases of the spinal cord.		74 Cerebral hæmorrhage, apoplexy.		74 (*a*) Cerebral hæmorrhage.		74 (*b*) Cerebral embolism and thrombosis.		75 Paralysis of unstated origin.		75 (*a*) Hemiplegia.		75 (*b*) Other forms of paralysis.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M	F.
All Ages	226	65	266	198	3994	4880	3512	4232	482	648	353	377	323	344	30	33
0—1	—	—	—	—	2	2	2	1	—	1	—	1	—	1	—	—
1—5	—	—	—	—	—	3	—	3	—	—	—	—	—	—	—	—
5—10	—	—	—	—	3	—	2	—	1	—	1	—	1	—	—	—
10—15	—	—	4	1	3	2	3	1	—	1	2	1	—	—	2	1
15—20	—	—	4	5	5	1	3	—	2	1	2	1	1	—	1	1
20—25	—	1	6	6	5	5	3	3	2	2	1	1	—	1	1	—
25—30	—	—	8	3	14	11	12	10	2	1	—	—	—	—	—	—
30—35	3	—	9	3	18	16	17	9	1	7	2	—	2	—	—	—
35—40	9	4	9	9	34	30	32	26	2	4	—	2	—	1	—	1
40—45	11	7	20	15	62	63	56	55	6	8	4	8	3	8	1	—
45—50	27	8	23	14	144	169	129	147	15	22	9	12	9	10	—	2
50—55	28	6	32	24	258	294	231	260	27	34	28	10	28	9	—	1
55—60	46	17	35	34	397	418	356	372	41	46	30	22	27	21	3	1
60—65	48	12	45	35	564	551	492	494	72	57	46	54	43	50	3	4
65—70	30	7	30	18	642	819	575	725	67	94	76	55	70	52	6	3
70—75	18	2	25	17	823	880	735	763	88	117	70	71	59	66	11	5
75—80	6	1	11	9	560	823	494	708	66	115	48	64	47	61	1	3
80 and upwards	—	—	5	5	460	793	370	655	90	138	34	75	33	64	1	11

Causes of Death.	76 General paralysis of the insane.		77 Other forms of insanity.		78 Epilepsy.		79 & 80 Convulsions (non-puerperal).		81 Chorea.		82 Hysteria and neuritis.		83 Cerebral softening.		84 Other diseases of the nervous system.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	512	129	151	232	358	338	768	546	12	36	36	45	52	54	542	576
0—1	—	—	—	—	10	4	648	439	—	—	—	—	—	—	5	18
1—5	—	—	—	—	11	11	115	102	—	—	—	—	—	—	27	26
5—10	1	—	—	—	16	4	4	1	1	9	—	—	—	—	23	13
10—15	3	—	—	—	22	18	—	1	8	13	—	—	—	—	17	13
15—20	4	—	—	1	24	20	—	—	2	5	—	1	—	—	20	11
20—25	4	—	3	4	33	30	—	—	1	3	—	—	—	1	15	14
25—30	8	3	3	10	26	23	—	—	—	1	1	—	—	—	15	17
30—35	30	13	2	8	32	24	—	—	—	1	1	2	—	—	22	31
35—40	76	16	8	17	26	19	—	2	—	1	2	—	—	1	21	25
40—45	109	23	8	19	26	26	—	—	—	—	—	3	2	—	34	46
45—50	101	23	20	30	24	25	1	1	—	—	2	6	2	2	37	51
50—55	70	17	18	42	19	27	—	—	—	2	9	6	4	1	49	52
55—60	54	14	21	35	30	25	—	—	—	1	5	4	4	1	47	47
60—65	35	11	28	29	24	25	—	—	—	—	5	10	3	5	48	53
65—70	11	5	24	19	11	24	—	—	—	—	2	5	13	5	58	59
70—75	3	3	9	10	11	15	—	—	—	—	8	3	10	12	54	42
75—80	2	1	4	4	7	10	—	—	—	—	1	3	8	14	38	34
80 and upwards	1	—	3	4	6	8	—	—	—	—	—	2	6	12	12	24

AGGREGATE OF COUNTY BOROUGHS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1925.
(Civilian population only.)

Causes of Death.	85 Diseases of the eye and annexa.		86 Diseases of the ear and of the mastoid sinus.		IV. 87–96 Diseases of the circulatory system.		87–90 Heart disease (all forms).		87 Peri-carditis.		88 Acute endo-carditis and myocarditis.		89 Angina pectoris.		90 Other diseases of the heart.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	7	9	238	213	13708	14221	9649	11257	63	52	391	391	390	194	8805	10620
0—1	—	3	19	16	9	9	2	—	1	—	1	—	—	—	—	—
1—5	1	1	39	32	22	13	18	12	4	3	8	5	—	—	6	4
5—10	1	—	17	26	62	66	60	65	5	5	18	25	—	—	37	35
10—15	3	—	33	37	96	141	95	138	4	8	23	24	—	—	68	106
15—20	—	—	15	29	154	127	150	124	2	3	42	22	—	—	106	99
20—25	—	—	23	12	126	153	121	150	3	4	27	33	—	—	91	113
25—30	1	1	18	10	149	194	144	189	5	1	40	40	—	—	99	148
30—35	—	—	14	8	162	212	149	206	—	2	35	40	2	—	112	164
35—40	—	—	12	10	237	282	221	265	3	4	44	47	6	1	168	213
40—45	—	—	9	6	417	416	363	390	2	2	47	61	15	5	299	322
45—50	—	—	13	3	646	580	533	532	4	1	22	8	20	9	487	514
50—55	—	1	9	8	978	843	774	734	8	1	21	16	42	12	703	705
55—60	—	—	7	3	1312	1029	986	891	8	4	19	12	61	21	898	854
60—65	1	1	7	7	1721	1477	1231	1250	7	4	12	12	65	41	1147	1193
65—70	—	—	1	5	2179	1896	1506	1522	3	2	11	10	68	35	1424	1475
70—75	—	1	1	—	2334	2359	1497	1766	2	3	11	12	63	34	1421	1717
75—80	—	—	—	—	1718	2058	1011	1483	2	3	7	9	31	23	971	1448
80 and upwards	—	1	1	1	1386	2366	788	1540	—	2	3	15	17	13	768	1510

Causes of Death.	90 (1–4) Valvular disease.		90 (5–8) Other defined heart disease.		90 (9) Heart disease undefined.		91 Diseases of the arteries.		91 (*a*) Aneurysm.		91 (*b*) Arterio-sclerosis.		91 (*b*) 1 With record of cerebral vascular lesion.		91 (*b*) 2 Without record of cerebral vascular lesion.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	3856	4594	3655	4541	1294	1485	3901	2798	327	78	3552	2692	1010	903	2542	1789
0—1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—5	6	2	—	1	—	1	—	—	—	—	—	—	—	—	—	—
5—10	34	29	1	2	2	4	—	—	—	—	—	—	—	—	—	—
10—15	60	92	2	2	6	12	1	1	1	1	—	—	—	—	—	—
15—20	87	85	5	4	14	10	1	1	1	1	—	—	—	—	—	—
20—25	74	93	5	3	12	17	—	2	—	2	—	—	—	—	—	—
25—30	81	121	6	9	12	18	3	1	1	1	2	—	—	—	2	—
30—35	92	128	9	18	11	18	8	1	5	—	3	1	—	1	3	—
35—40	117	144	26	30	25	39	15	11	9	4	6	7	3	3	3	4
40—45	199	212	58	66	42	44	49	10	17	1	30	9	9	5	21	4
45—50	263	293	155	146	69	75	102	34	37	9	64	24	21	17	43	7
50—55	390	395	238	230	75	80	191	85	69	14	120	71	49	48	71	23
55—60	446	392	321	343	131	119	306	135	63	11	241	121	83	73	158	48
60—65	489	515	476	510	182	168	471	206	64	7	403	196	134	86	269	110
65—70	557	618	639	634	228	223	656	354	33	13	617	339	199	133	418	206
70—75	483	612	724	833	214	272	809	571	19	5	788	561	241	185	547	376
75—80	302	500	516	749	153	199	696	568	7	4	687	559	166	179	521	380
80 and upwards	176	363	474	961	118	186	593	818	1	5	591	804	105	173	486	631

TABLE 17—*contd.*

AGGREGATE OF COUNTY BOROUGHS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1925. (Civilian population only).

Causes of Death.	91 (*c*) Other diseases of the arteries.		92 Embolism and thrombosis (not cerebral).		93 Diseases of the veins, (varices, hæmorrhoids, phlebitis, etc.).		94 Diseases of the lymphatic system (Lymphangitis, etc.).		96* 95 Hæmorrhage without stated cause.		V. 97–107 Diseases of the respiratory system.		97 Diseases of the nasal fossæ and annexa.		98 Diseases of the larynx.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	22	28	67	59	59	81	19	15	3	7	16795	14362	33	24	78	60
0—1	—	—	—	—	—	—	5	7	2	2	3009	2187	7	4	17	12
1—5	—	—	—	—	—	—	4	1	—	—	2264	1974	1	1	32	24
5—10	—	—	1	—	—	—	1	—	—	1	259	226	—	1	11	8
10—15	—	—	—	1	—	—	—	1	—	—	121	81	1	—	—	—
15—20	—	—	1	1	2	1	—	—	—	—	169	99	6	3	—	—
20—25	—	—	3	—	—	—	2	—	—	1	175	125	6	3	1	1
25—30	—	—	—	1	2	2	—	1	—	—	221	133	—	—	—	1
30—35	—	—	4	5	—	—	1	—	—	—	323	206	2	3	1	1
35—40	—	—	—	3	1	2	—	—	—	1	482	230	2	1	2	1
40—45	2	—	3	5	1	10	1	1	—	—	669	261	2	2	1	—
45—50	1	1	6	5	5	8	—	1	—	—	859	387	—	2	1	—
50—55	2	—	5	9	5	15	1	—	—	—	946	521	2	—	3	1
55—60	2	3	5	2	13	1	1	—	1	—	1016	683	1	—	2	—
60—65	4	3	9	5	9	15	—	—	—	—	1245	921	1	2	1	2
65—70	6	2	10	5	5	11	2	2	—	1	1334	1235	1	—	2	5
70—75	2	5	15	10	9	10	1	—	—	—	1496	1609	1	1	—	2
75—80	2	5	4	3	4	4	—	—	—	—	1168	1527	—	—	1	—
80 and upwards	1	9	1	4	3	2	—	1	—	1	1039	1957	—	1	3	2

* **96.** Other diseases of the circulatory system 50, 50, 60, 70, 70, 70, 75, 75, 75, 80, *60, 65, 70, 70.*

Causes of Death.	99 Bronchitis.		99 (*a*) Acute.		99 (*b*) Chronic.		99 (*c* & *d*) Not stated whether acute or chronic.		100 & 101 Pneumonia (all forms).		100 Broncho-pneumonia.		101 Pneumonia (lobar, or not otherwise defined).		101 (*a*) Pneumonia, lobar.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	6827	7009	1562	1927	2564	2061	2701	3021	8964	6559	4598	3930	4366	2629	2767	1526
0—1	891	648	455	295	8	3	428	350	2065	1495	1767	1272	298	223	114	70
1—5	307	304	149	160	8	7	150	137	1872	1621	1501	1305	371	316	156	134
5—10	21	21	13	6	2	3	6	12	215	183	115	100	100	83	53	43
10—15	17	8	5	2	5	4	7	2	97	71	33	24	64	47	40	27
15—20	16	12	3	3	9	7	4	2	130	70	17	12	113	58	78	42
20—25	9	20	3	3	5	12	1	5	149	94	28	15	121	79	86	55
25—30	23	16	4	4	15	7	4	5	186	104	25	18	161	86	120	65
30—35	43	22	10	6	20	4	13	12	260	162	36	34	224	128	172	91
35—40	88	45	15	17	42	19	31	9	352	159	60	39	292	120	214	85
40—45	167	78	28	27	84	27	55	24	446	169	71	33	375	136	271	98
45—50	276	124	53	35	127	45	96	44	496	224	105	61	391	163	270	105
50—55	317	223	51	53	156	93	110	77	538	253	116	73	422	180	305	125
55—60	441	346	74	102	229	139	138	105	495	281	118	114	377	167	241	105
60—65	665	531	105	119	348	216	212	196	481	322	136	123	345	199	220	125
65—70	821	790	121	196	415	298	285	296	416	362	120	150	296	212	183	131
70—75	1042	1172	168	267	486	417	388	488	351	361	144	174	207	187	122	110
75—80	872	1118	140	252	332	343	400	523	242	323	102	181	140	142	82	70
80 and upwards	811	1531	165	380	273	417	373	734	173	305	104	202	69	103	40	45

AGGREGATE OF COUNTY BOROUGHS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1925.
(Civilian population only.)

Causes of Death.	101 (*b*) Pneumonia not otherwise defined.		102 Pleurisy.		103 Congestion and hæmorrhagic infarct of lung.		104 Gangrene of the lung.		105 Asthma.		106 Pulmonary emphysema.		107 Other diseases of the respiratory system.		107 (*a*) Chronic interstitial pneumonia.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	1599	1103	266	152	155	214	5	7	342	291	43	13	82	33	57	15
0—1	184	153	8	6	18	17	—	—	—	1	—	—	3	4	—	—
1—5	215	182	44	16	4	5	—	—	2	2	—	—	2	1	2	1
5—10	47	40	8	7	2	—	—	1	1	5	1	—	—	—	—	—
10—15	24	20	3	1	2	—	—	1	—	—	—	—	1	—	1	—
15—20	35	16	10	5	2	1	1	—	1	7	—	—	3	1	2	—
20—25	35	24	8	6	1	—	—	—	1	—	—	—	—	1	—	—
25—30	41	21	7	5	1	1	—	—	3	4	1	1	—	1	—	—
30—35	52	37	9	6	—	1	1	1	4	7	1	1	2	2	2	1
35—40	78	35	14	11	3	2	—	1	18	9	—	—	3	1	2	1
40—45	104	38	20	3	4	2	—	—	21	6	3	—	5	1	1	—
45—50	121	58	16	6	6	3	2	—	46	23	6	2	10	3	7	2
50—55	117	55	19	8	5	3	1	1	50	30	5	1	6	1	5	1
55—60	136	62	20	10	5	9	—	—	30	31	7	2	15	4	10	2
60—65	125	74	27	14	4	3	—	—	48	40	6	2	12	5	9	4
65—70	113	81	22	10	11	9	—	1	47	54	2	1	12	3	10	1
70—75	85	77	20	11	33	24	—	—	39	35	5	1	5	2	4	1
75—80	58	72	8	14	17	43	—	—	19	26	6	1	3	2	2	1
80 and upwards	29	58	3	13	37	91	—	1	12	11	—	1	—	1	—	—

Causes of Death.	107 (*b*) Diseases of the mediastinum.		107 (*c*) Other diseases included under 107.		VI. 108–127 Diseases of the digestive system.		108 Diseases of the buccal cavity and annexa.		108 (1) Diseases of the teeth and gums.		108 (2 & 3) Other diseases of the buccal cavity and annexa.		109 Diseases of the pharynx and tonsils.		110 Diseases of the œsophagus.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	1	1	24	17	5580	4566	92	63	67	36	25	27	113	111	6	2
0—1	—	—	3	4	1735	1188	9	8	4	2	5	6	6	4	—	—
1—5	—	—	—	—	498	412	9	8	7	6	2	2	30	24	—	—
5—10	—	—	—	—	119	151	5	3	3	2	2	1	15	21	—	—
10—15	—	—	—	—	90	54	1	—	—	—	1	—	7	6	1	—
15—20	—	—	1	1	121	78	4	2	4	2	—	—	7	9	—	—
20—25	—	—	—	1	89	66	1	4	1	3	—	1	8	3	—	1
25—30	—	—	—	1	94	95	2	4	2	1	—	3	5	4	—	—
30—35	—	—	—	1	134	93	2	1	—	1	2	—	6	5	—	—
35—40	—	—	1	—	163	111	2	2	2	2	—	—	3	5	—	—
40—45	—	—	4	1	272	174	6	7	6	7	—	—	5	5	1	—
45—50	—	—	3	1	335	215	11	5	10	1	1	4	5	4	—	—
50—55	—	—	1	—	367	247	9	1	6	1	3	—	3	5	—	—
55—60	—	—	5	2	366	317	13	4	8	2	5	2	2	3	—	1
60—65	—	—	3	1	345	304	5	4	5	2	—	2	5	4	2	—
65—70	1	—	1	2	332	324	5	2	3	1	2	1	1	2	—	—
70—75	—	—	1	1	234	298	3	3	2	1	1	2	1	4	1	—
75—80	—	1	1	—	153	227	—	1	—	1	—	—	2	2	1	—
80 and upwards	—	—	—	1	133	212	5	4	4	1	1	3	2	1	—	—

AGGREGATE OF COUNTY BOROUGHS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1925. (Civilian population only).

Causes of Death.	111 Ulcer of the stomach or duodenum.		111 (*a*) Ulcer of the stomach.		111 (*b*) Ulcer of the duodenum.		112 Other diseases of the stomach.		113 & 114 Diarrhœa and enteritis.		115* 116* Diseases due to other intestinal parasites.		117 Appendicitis and typhlitis.		118 Hernia, intestinal obstruction.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	848	314	543	262	305	52	383	371	2075	1629	1	1	520	384	709	702
0—1	1	1	1	1	—	—	137	95	1469	1011	—	—	1	1	101	50
1—5	—	—	—	—	—	—	30	23	348	294	—	—	34	26	31	14
5—10	1	—	1	—	—	—	7	13	23	31	—	—	51	49	9	5
10—15	—	—	—	—	—	—	4	3	9	7	—	—	48	24	17	6
15—20	9	5	7	3	2	2	4	2	7	8	—	—	63	31	19	7
20—25	18	2	11	2	7	—	3	2	4	5	—	1	37	29	11	6
25—30	33	10	19	8	14	2	5	4	5	14	—	—	26	25	8	19
30—35	59	9	38	8	21	1	3	4	11	16	—	—	28	22	15	18
35—40	71	17	47	16	24	1	4	4	8	12	1	—	27	14	18	20
40—45	113	32	70	30	43	2	8	10	20	8	—	—	36	20	34	36
45—50	139	42	97	37	42	5	16	7	20	12	—	—	29	34	33	36
50—55	111	48	72	42	39	6	23	15	24	20	—	—	39	26	38	44
55—60	112	45	64	36	48	9	18	16	25	18	—	—	31	34	47	72
60—65	73	31	49	26	24	5	15	18	20	24	—	—	24	20	64	79
65—70	63	31	40	21	23	10	31	27	17	33	—	—	22	13	89	91
70—75	28	23	18	17	10	6	22	41	23	38	—	—	11	8	72	83
75—80	12	11	7	9	5	2	26	40	19	37	—	—	9	4	55	66
80 and upwards	5	7	2	6	3	1	27	47	23	41	—	—	4	4	48	50

* **115.** Ankylostomiasis —; *116* (*a*) Cestodes (hydatids of the liver excepted), 35, *20*.

Causes of Death.	118 (*a*) Hernia.		118 (*b*) Intestinal obstruction.		119 Other diseases of the intestines.		120 Acute yellow atrophy of the liver.		121 Hydatid tumour of the liver.		122 Cirrhosis of the liver.		122 (*a*) Returned as alcoholic.		122 (*b*) Not returned as alcoholic.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	269	336	440	366	75	90	2	21	3	3	399	219	32	22	367	197
0—1	24	8	77	42	4	11	—	—	—	—	1	—	—	—	1	—
1—5	5	2	26	12	2	1	—	—	—	—	2	—	—	—	2	—
5—10	—	—	9	5	1	3	—	—	—	—	—	1	—	—	—	1
10—15	—	—	17	6	2	1	—	—	—	1	—	1	—	—	—	1
15—20	4	—	15	7	1	2	—	3	—	—	2	—	—	—	2	—
20—25	2	—	9	6	1	2	—	2	—	—	1	—	—	—	1	—
25—30	2	4	6	15	—	—	—	4	1	—	2	3	—	—	2	3
30—35	1	4	14	14	1	1	—	6	—	—	3	3	—	1	3	2
35—40	4	6	14	14	2	6	—	2	—	—	13	8	2	—	11	8
40—45	10	16	24	20	4	8	—	1	1	1	23	11	2	1	21	10
45—50	15	15	18	21	7	6	1	1	—	—	46	32	7	4	39	28
50—55	18	29	20	15	5	6	—	1	1	1	71	29	3	5	68	24
55—60	21	43	26	29	12	6	1	—	—	—	69	48	4	5	65	43
60—65	29	51	35	28	8	3	—	1	—	—	74	29	9	2	65	27
65—70	42	58	47	33	7	6	—	—	—	—	56	28	5	1	51	27
70—75	34	41	38	42	8	13	—	—	—	—	26	10	—	1	26	9
75—80	33	33	22	33	5	10	—	—	—	—	8	10	—	2	8	8
80 and upwards	25	26	23	24	5	5	—	—	—	—	2	6	—	—	2	6

AGGREGATE OF COUNTY BOROUGHS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1925. (Civilian population only).

Causes of Death.	123 Biliary calculi.		124 Other diseases of the liver.		125 Diseases of the pancreas.		127* 126 Peritonitis of unstated origin.		VII. 128–142 Non-venereal diseases of the genito-urinary system.		128 Acute nephritis (including unspecified under 10 years of age).		129 Chronic nephritis (including unspecified over 10 years of age).		130* 131 Other diseases of the kidneys and annexa.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	115	250	148	241	47	70	44	95	3698	2731	314	231	2022	1882	100	107
0—1	—	—	2	4	—	1	4	2	34	16	14	7	—	1	9	2
1—5	—	—	4	5	—	—	8	17	46	31	31	20	2	4	7	6
5—10	—	—	3	2	—	—	4	23	31	20	23	12	8	7	—	1
10—15	—	—	1	1	—	—	—	4	40	36	20	14	16	19	2	1
15—20	—	—	3	1	—	1	2	7	45	49	21	14	17	28	2	2
20—25	—	1	1	1	1	2	3	5	51	66	11	18	32	35	4	2
25—30	2	2	4	1	—	—	1	5	54	88	14	6	33	44	4	3
30—35	1	1	3	4	1	1	1	2	75	102	14	14	42	45	6	7
35—40	1	3	7	9	4	4	2	5	89	148	16	10	60	83	5	8
40—45	7	11	8	11	2	7	4	6	138	200	16	21	98	109	4	12
45—50	10	16	13	11	5	7	—	2	210	207	30	17	140	112	4	8
50—55	15	22	17	20	7	6	4	3	336	275	32	22	236	194	9	11
55—60	14	30	13	27	8	11	1	2	358	303	17	16	259	231	7	14
60—65	21	42	21	34	11	12	2	3	439	290	10	14	293	228	7	9
65—70	18	46	14	33	5	10	4	2	548	277	21	16	297	232	9	7
70—75	15	36	20	34	2	4	2	1	525	264	13	6	256	221	10	6
75—80	7	19	7	22	1	2	1	3	413	199	8	3	159	162	5	7
80 and upwards	4	21	7	21	—	2	1	3	266	160	3	1	74	127	6	1

* **127.** Other diseases of the digestive system — ; **130.** Chyluria 45, 45.

Causes of Death.	132 Calculi of the urinary passages.		133 Diseases of the bladder.		134 Diseases of the urethra, urinary abscess, etc.		134 (*a*) Stricture of the urethra.		134 (*b*) Other diseases of the urethra, &c.		135 Diseases of the prostate.		136 Non-venereal diseases of the male genital organs.		137 Cysts and other tumours of the ovary not returned as malignant.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	79	37	205	79	146	—	130	—	16	—	803	—	25	—	—	82
0—1	—	—	—	1	—	—	—	—	—	—	—	—	9	—	—	—
1—5	1	—	1	—	—	—	—	—	—	—	—	—	4	—	—	—
5—10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—15	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
15—20	3	1	2	2	—	—	—	—	—	—	—	—	—	—	—	2
20—25	1	—	1	1	1	—	1	—	—	—	—	—	1	—	—	1
25—30	2	2	—	2	—	—	—	—	—	—	1	—	—	—	—	2
30—35	8	2	4	3	1	—	—	—	1	—	—	—	—	—	—	5
35—40	3	5	2	2	3	—	3	—	—	—	—	—	—	—	—	6
40—45	8	5	2	3	8	—	7	—	1	—	1	—	1	—	—	6
45—50	8	3	6	3	13	—	13	—	—	—	6	—	1	—	—	9
50—55	13	6	10	2	23	—	20	—	3	—	12	—	1	—	—	6
55—60	2	4	9	6	23	—	22	—	1	—	40	—	1	—	—	7
60—65	10	6	19	11	25	—	21	—	4	—	73	—	2	—	—	7
65—70	10	—	37	7	20	—	19	—	1	—	152	—	2	—	—	8
70—75	6	2	44	9	16	—	13	—	3	—	178	—	2	—	—	9
75—80	2	1	38	12	9	—	7	—	2	—	191	—	1	—	—	5
80 and upwards	1	—	29	14	4	—	4	—	—	—	149	—	—	—	—	9

TABLE 17—*contd.*

AGGREGATE OF COUNTY BOROUGHS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1925. (Civilian population only).

Causes of Death.	138 Salpingitis and pelvic abscess in females.		139 Tumours of the uterus not returned as malignant.		140 Non-puerperal uterine hæmorrhage.		141 Other diseases of the female genital organs.		142 Non-puerperal diseases of the breast.		VIII. 143–150 The puerperal state.		143 Accidents of pregnancy.		143 (*a*) Abortion.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	—	112	—	140	—	6	—	50	2	5	—	1055	—	117	—	39
0—1	—	—	—	—	—	—	—	2	2	3	—	—	—	—	—	—
1—5	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
5—10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—15	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—20	—	—	—	—	—	—	—	—	—	—	—	17	—	2	—	1
20—25	—	9	—	—	—	—	—	—	—	—	—	178	—	11	—	2
25—30	—	22	—	—	—	3	—	4	—	—	—	240	—	24	—	5
30—35	—	16	—	7	—	—	—	3	—	—	—	241	—	35	—	14
35—40	—	15	—	16	—	—	—	3	—	—	—	230	—	26	—	7
40—45	—	16	—	26	—	—	—	2	—	—	—	129	—	16	—	9
45—50	—	12	—	29	—	2	—	12	—	—	—	20	—	3	—	1
50—55	—	8	—	20	—	—	—	4	—	2	—	—	—	—	—	—
55—60	—	5	—	14	—	—	—	6	—	—	—	—	—	—	—	—
60—65	—	4	—	8	—	—	—	3	—	—	—	—	—	—	—	—
65—70	—	2	—	4	—	—	—	1	—	—	—	—	—	—	—	—
70—75	—	1	—	6	—	—	—	4	—	—	—	—	—	—	—	—
75—80	—	—	—	5	—	1	—	3	—	—	—	—	—	—	—	—
80 and upwards	—	1	—	5	—	—	—	2	—	—	—	—	—	—	—	—

Causes of Death.	143 (*b*) Ectopic gestation.		143 (*c*) Other accidents.		144 Puerperal hæmorrhage.		145 Other accidents of childbirth.		146 Puerperal sepsis.		147 Puerperal phlegmasia alba dolens, puerperal embolism, sudden death.		148 Puerperal albuminuria and convulsions.		150* 149 Childbirth not assignable elsewhere (puerperal insanity).	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	—	29	—	49	—	113	—	110	—	479	—	81	—	144	—	10
0—1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—15	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—20	—	—	—	1	—	3	—	—	—	6	—	3	—	3	—	—
20—25	—	1	—	8	—	11	—	17	—	95	—	10	—	32	—	2
25—30	—	8	—	11	—	20	—	29	—	117	—	19	—	28	—	3
30—35	—	12	—	9	—	31	—	18	—	100	—	21	—	36	—	—
35—40	—	7	—	12	—	25	—	28	—	102	—	19	—	25	—	4
40—45	—	1	—	6	—	20	—	18	—	48	—	9	—	17	—	1
45—50	—	—	—	2	—	3	—	—	—	11	—	—	—	3	—	—
50—55	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
55—60	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
60—65	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
65—70	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
70—75	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
75—80	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
80 and upwards	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

*150. Puerperal diseases of the breast *35*.

AGGREGATE OF COUNTY BOROUGHS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1925.
(Civilian population only.)

Causes of Death.	IX. 151–154 Diseases of the skin and cellular tissue.		151 Gangrene.		152 Carbuncle, boil.		153 Cellulitis, acute abscess.		154 Other diseases of the skin and its annexa.		X. 155–158 Diseases of the bones and organs of locomotion.		155 Diseases of the bones.		156 Diseases of the joints.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	627	487	213	167	80	32	153	103	181	185	175	107	137	69	24	27
0—1	144	93	1	1	2	2	26	20	115	70	11	10	8	4	3	6
1—5	22	17	3	1	—	—	11	6	8	10	10	15	10	14	—	1
5—10	4	—	—	—	1	—	—	—	3	—	26	14	25	8	1	5
10—15	6	1	—	—	—	1	6	—	—	—	29	12	24	10	4	1
15—20	9	9	—	—	—	1	8	6	1	2	27	6	25	6	2	—
20—25	9	5	—	—	3	—	6	4	—	1	6	5	4	1	—	1
25—30	5	8	—	2	1	3	3	2	1	1	5	2	5	2	—	—
30—35	14	5	1	—	3	—	9	4	1	1	4	3	1	1	2	2
35—40	7	6	—	1	3	2	2	1	2	2	4	3	3	1	1	2
40—45	15	13	3	1	4	3	8	7	—	2	5	4	2	2	2	2
45—50	12	14	1	1	4	5	6	3	1	5	5	4	2	2	1	—
50—55	36	17	6	1	14	1	13	8	3	7	10	4	7	2	2	1
55—60	37	20	4	5	12	2	13	4	8	9	7	7	5	4	1	1
60—65	49	24	18	8	12	4	13	8	6	4	13	2	6	2	3	—
65—70	44	38	22	18	8	4	10	5	4	11	1	2	1	1	—	—
70—75	64	58	43	29	5	2	6	11	10	16	5	4	4	2	1	2
75—80	71	79	51	45	1	2	11	9	8	23	5	4	4	3	—	1
80 and upwards	79	80	60	54	7	—	2	5	10	21	2	6	1	4	1	2

Causes of Death.	157* 158 Other diseases of the organs of locomotion.		XI. 159 Congenital mal-formations.		XII. 160–163 Diseases of early infancy.		160 Congenital debility.		161 Premature birth, injury at birth.		161 (1) Premature birth.		161 (2) Injury at birth.		162 Other diseases peculiar to early infancy.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	13	11	699	575	4131	3228	987	674	2845	2251	2624	2101	221	150	259	258
0—1	—	—	629	499	4131	3228	987	674	2845	2251	2624	2101	221	150	259	258
1—5	—	—	33	49	—	—	—	—	—	—	—	—	—	—	—	—
5—10	—	1	11	8	—	—	—	—	—	—	—	—	—	—	—	—
10—15	1	1	8	7	—	—	—	—	—	—	—	—	—	—	—	—
15—20	—	—	6	—	—	—	—	—	—	—	—	—	—	—	—	—
20—25	2	3	4	1	—	—	—	—	—	—	—	—	—	—	—	—
25—30	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
30—35	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
35—40	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
40—45	1	—	2	2	—	—	—	—	—	—	—	—	—	—	—	—
45—50	2	2	1	3	—	—	—	—	—	—	—	—	—	—	—	—
50—55	1	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—
55—60	1	2	—	2	—	—	—	—	—	—	—	—	—	—	—	—
60—65	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
65—70	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
70—75	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
75—80	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
80 and upwards	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

* **157.** Amputation 30.

AGGREGATE OF COUNTY BOROUGHS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1925.
(Civilian population only.)

Causes of Death.	163 Lack of care.		XIII. 164 Old age.		XIV. 165–203 External causes.		Suicide. 165–174 Total.		165 & 166 By solid or liquid poisons and corrosive substances.		167 By poisonous gas.		168 By hanging or strangulation.		169 By drowning.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	40	45	2871	4472	4107	1910	970	422	85	70	218	139	182	60	145	90
0—1	40	45	—	—	159	128	—	—	—	—	—	—	—	—	—	—
1—5	—	—	—	—	316	147	—	—	—	—	—	—	—	—	—	—
5—10	—	—	—	—	178	104	—	—	—	—	—	—	—	—	—	—
10—15	—	—	—	—	141	43	1	1	—	—	—	—	1	—	—	1
15—20	—	—	—	—	230	55	12	14	—	4	5	5	3	—	1	4
20—25	—	—	—	—	248	76	40	27	6	4	11	7	9	3	6	12
25—30	—	—	—	—	220	73	41	32	5	10	10	6	4	1	4	8
30—35	—	—	—	—	190	74	58	33	5	2	21	16	7	2	4	5
35—40	—	—	—	—	242	80	76	49	7	11	11	16	16	3	9	10
40—45	—	—	—	—	299	78	109	40	14	8	28	13	18	6	17	7
45—50	—	—	—	—	327	102	130	63	12	10	36	19	25	9	13	14
50—55	—	—	1	1	363	116	123	48	10	9	24	16	22	7	26	11
55—60	—	—	8	9	279	112	120	40	11	4	25	8	25	15	14	6
60—65	—	—	67	42	285	103	105	32	6	3	20	13	13	5	21	8
65—70	—	—	138	174	242	115	87	24	5	3	16	10	19	5	19	3
70—75	—	—	582	662	165	152	38	14	2	1	9	9	14	3	4	1
75—80	—	—	775	1058	111	134	21	4	2	—	1	1	5	1	6	—
80 and upwards	—	—	1300	2526	112	218	9	1	—	1	1	—	1	—	1	—

Causes of Death.	Suicide—*continued.* 170 By firearms.		171 By cutting or piercing instruments.		172 By jumping from high places.		173 By crushing.		174 By other means.		175–196 201–203 Violent deaths, excluding suicide and homicide.		175 Food poisoning.		176 Poisoning by venomous animals.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	26	1	216	31	38	15	60	8	—	8	3086	1434	5	5	4	2
0—1	—	—	—	—	—	—	—	—	—	—	146	118	2	—	—	—
1—5	—	—	—	—	—	—	—	—	—	—	311	143	2	—	—	—
5—10	—	—	—	—	—	—	—	—	—	—	177	103	—	—	—	—
10—15	—	—	—	—	—	—	—	—	—	—	139	40	—	2	—	1
15—20	—	1	1	—	—	—	2	—	—	—	215	36	—	—	—	—
20—25	—	—	4	—	1	—	3	1	—	—	203	42	—	—	—	—
25—30	3	—	8	3	2	—	5	1	—	3	176	35	—	—	1	—
30—35	—	—	12	3	1	—	8	2	—	3	129	37	—	1	—	—
35—40	3	—	21	5	4	2	5	1	—	1	161	30	—	—	1	—
40—45	2	—	21	2	2	2	7	1	—	1	189	32	—	—	1	—
45—50	5	—	23	5	5	6	11	—	—	—	195	35	—	—	—	—
50—55	4	—	25	3	3	1	9	1	—	—	239	67	—	—	—	—
55—60	6	—	30	5	5	2	4	—	—	—	159	69	1	—	—	—
60—65	1	—	34	1	7	1	3	1	—	—	175	71	—	—	1	1
65—70	—	—	22	2	5	1	1	—	—	—	153	91	—	—	—	—
70—75	2	—	6	—	—	—	1	—	—	—	127	138	—	2	—	—
75—80	—	—	4	2	2	—	1	—	—	—	89	130	—	—	—	—
80 and upwards	—	—	5	—	1	—	—	—	—	—	103	217	—	—	—	—

TABLE 17—*contd.*

AGGREGATE OF COUNTY BOROUGHS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1925. (Civilian population only).

Causes of Death.	177 Other acute accidental poisonings.		178 Con-flagration.		179 Accidental burns (con-flagration excepted).		180 Accidental mechanical suffocation.		181 Accidental absorption of irrespirable or poisonous gas.		182 Accidental drowning.		183 Accidental injury by firearms.		184 Accidental injury by cutting or piercing instruments.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	31	18	8	8	302	328	135	107	43	29	423	95	6	—	1	—
0—1	2	—	—	—	24	17	107	89	—	3	2	4	—	—	—	—
1—5	4	2	—	1	180	98	4	3	1	—	30	4	—	—	—	—
5—10	—	—	1	—	22	38	1	2	—	—	38	8	—	—	—	—
10—15	—	—	1	1	2	14	—	—	—	—	36	4	—	—	—	—
15—20	—	—	—	1	5	18	2	—	4	—	34	7	—	—	—	—
20—25	—	2	—	—	7	14	2	2	5	—	28	2	1	—	1	—
25—30	—	1	—	—	2	6	2	1	1	1	21	7	1	—	—	—
30—35	1	1	—	—	3	4	—	1	1	3	20	7	—	—	—	—
35—40	3	1	1	—	4	8	3	1	3	—	25	7	—	—	—	—
40—45	—	—	—	—	9	2	2	—	—	2	21	7	—	—	—	—
45—50	4	2	1	1	6	7	1	—	4	2	29	4	2	—	—	—
50—55	8	2	2	1	6	10	4	3	3	1	38	12	1	—	—	—
55—60	3	2	—	—	2	14	—	3	4	—	28	6	—	—	—	—
60—65	1	3	—	—	2	9	2	—	4	1	36	7	—	—	—	—
65—70	3	1	—	—	8	12	3	—	1	3	22	6	1	—	—	—
70—75	1	—	1	1	8	20	2	—	5	3	6	2	—	—	—	—
75—80	1	1	—	1	4	14	—	—	2	4	7	—	—	—	—	—
80 and upwards	—	—	1	1	8	23	—	2	5	6	2	1	—	—	—	—

Causes of Death.	185 Accidental injury by fall.		186 Accidental injury in mining and quarrying.		187 Accidental injury by machinery.		188 Accidental injury by other forms of crushing (vehicles, etc.).		189 Injury by animals (poisoning excepted).		190 Wounds of war.		191* 192 Hunger or thirst.		193 Excessive cold.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	631	516	146	—	72	2	1103	269	8	1	33	—	1	1	11	1
0—1	2	1	—	—	—	—	2	—	—	—	—	—	—	—	—	—
1—5	7	8	—	—	—	1	65	24	2	—	—	—	—	—	—	—
5—10	9	6	—	—	1	—	99	46	—	—	—	—	—	—	—	—
10—15	11	5	2	—	4	—	79	12	1	—	—	—	—	—	—	—
15—20	18	1	30	—	7	—	108	8	1	—	—	—	—	—	—	—
20—25	26	3	14	—	7	1	100	12	1	—	—	—	—	—	1	—
25—30	26	3	16	—	6	—	75	12	—	—	7	—	1	—	—	—
30—35	21	2	8	—	7	—	52	12	—	—	10	—	—	—	—	—
35—40	25	5	19	—	6	—	55	5	—	—	8	—	—	—	—	—
40—45	54	3	19	—	6	—	61	16	1	—	5	—	—	—	—	—
45—50	60	6	7	—	8	—	67	9	—	—	1	—	—	—	1	—
50—55	48	21	15	—	8	—	93	16	—	1	1	—	—	—	1	—
55—60	44	18	7	—	5	—	57	21	—	—	1	—	—	—	2	—
60—65	52	34	4	—	3	—	64	12	—	—	—	—	—	—	1	—
65—70	52	54	3	—	3	—	51	13	2	—	—	—	—	1	2	—
70—75	64	82	2	—	1	—	31	24	—	—	—	—	—	—	1	1
75—80	45	87	—	—	—	—	27	20	—	—	—	—	—	—	1	—
80 and upwards	67	177	—	—	—	—	17	7	—	—	—	—	—	—	1	—

* **191.** Execution of civilians by belligerent armies — •

AGGREGATE OF COUNTY BOROUGHS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1925. (Civilian population only).

Causes of Death.	194 Excessive heat.		195* 196 Electricity (lightning excepted).		Homicide. 197–199 All forms.		197 By firearms.		198 By cutting or piercing instruments.		199 By other means.		200* 201 Fracture (cause not specified).	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	18	16	13	—	51	54	6	5	10	15	35	34	8	2
0—1	1	—	—	—	13	10	—	—	—	—	13	10	1	—
1—5	3	—	—	—	5	4	—	—	2	1	3	3	—	—
5—10	—	3	2	—	1	1	—	—	—	1	1	—	—	—
10—15	—	1	—	—	1	2	1	—	—	—	—	2	—	—
15—20	—	—	—	—	3	5	—	1	—	3	3	1	—	—
20—25	1	—	1	—	5	7	1	—	2	2	2	5	—	—
25—30	—	—	4	—	3	6	—	2	2	1	1	3	2	—
30—35	—	—	2	—	3	4	1	1	2	2	—	1	1	—
35—40	2	1	1	—	5	1	—	—	1	1	4	—	—	—
40—45	—	—	2	—	1	6	1	1	—	2	—	3	—	—
45—50	—	1	1	—	2	4	1	—	—	—	1	4	—	—
50—55	2	—	—	—	1	1	—	—	—	—	1	1	3	—
55—60	2	3	—	—	—	3	—	—	—	2	—	1	—	—
60—65	1	1	—	—	5	—	1	—	1	—	3	—	1	2
65—70	2	1	—	—	2	—	—	—	—	—	2	—	—	—
70—75	2	3	—	—	—	—	—	—	—	—	—	—	—	—
75—80	1	2	—	—	1	—	—	—	—	—	1	—	—	—
80 and upwards	1	—	—	—	—	—	—	—	—	—	—	—	—	—

* **195.** Lightning 30, 35. **200** Infanticide. Deaths from this cause are shown under Nos. 197-199.

Causes of Death.	202 Other and unstated forms of accidental violence; Execution.		203 Violent deaths of unknown causation.		XV. 204–205 Ill-defined diseases.		204 Sudden death.		205 Cause of death unstated or ill-defined.		205 (1) Heart failure, 1–70 years.		205 (2 & 3) Others.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	82	33	—	1	249	212	58	36	191	176	127	91	64	85
0—1	3	4	—	—	13	15	—	—	13	15	—	—	13	15
1—5	13	2	—	—	31	39	—	—	31	39	—	—	31	39
5—10	4	—	—	—	—	6	—	3	—	3	—	1	—	2
10—15	3	—	—	—	3	2	—	1	3	1	2	1	1	—
15—20	6	1	—	—	1	—	1	—	—	—	—	—	—	—
20—25	8	6	—	—	4	3	2	1	2	2	2	2	—	—
25—30	11	4	—	—	2	2	—	—	2	2	2	1	—	1
30—35	2	6	—	—	2	6	1	2	1	4	1	3	—	1
35—40	4	2	—	—	8	3	2	1	6	2	5	2	1	—
40—45	8	2	—	—	13	10	1	—	12	10	9	8	3	2
45—50	3	3	—	—	28	7	9	2	19	5	18	5	1	—
50—55	6	—	—	—	21	19	5	4	16	15	14	11	2	4
55—60	3	2	—	—	26	23	11	7	15	16	14	14	1	2
60—65	3	1	—	—	43	29	14	8	29	21	26	19	3	2
65—70	—	—	—	—	51	37	12	7	39	30	34	24	5	6
70—75	3	—	—	—	2	8	—	—	2	8	—	—	2	8
75—80	1	—	—	1	—	2	—	—	—	2	—	—	—	2
80 and upwards	1	—	—	—	1	1	—	—	1	1	—	—	1	1

AGGREGATE OF URBAN DISTRICTS (OTHER THAN LONDON AND THE COUNTY BOROUGHS).—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1925.

(Civilian population only.)

Causes of Death.	All Causes.		I. 1–42 Epidemic, endemic and Infectious Diseases.		1 Enteric fever.		1 (*a*) Typhoid fever.		1 (*b*) Paratyphoid fever.		2, 3, 4* 5 Malaria.		6* 7 Measles.		8 Scarlet fever.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	78365	77664	12020	11210	65	70	61	64	4	6	17	1	879	801	123	151
0—1	9731	7274	1013	890	—	—	—	—	—	—	—	—	204	150	6	3
1—5	4555	4173	1846	1872	5	—	4	—	1	—	—	—	602	567	52	75
5—10	1327	1227	511	577	1	2	1	2	—	—	—	—	64	74	40	37
10—15	968	964	321	416	3	9	3	8	—	1	—	—	5	3	13	13
15—20	1584	1542	660	860	11	6	11	6	—	—	—	—	2	—	3	11
20—25	1785	1708	828	934	6	10	6	9	—	1	1	—	—	1	5	3
25—30	1614	1875	743	868	8	6	8	6	—	—	2	—	—	1	1	4
30—35	1731	1860	701	699	8	8	8	7	—	1	3	—	1	2	—	4
35—40	2080	2126	740	650	6	7	6	7	—	—	3	1	—	—	—	—
40—45	2908	2449	844	542	2	7	2	7	—	—	2	—	—	1	1	—
45—50	3578	3188	831	477	5	3	4	2	1	1	3	—	—	1	1	1
50—55	4613	3872	751	386	4	3	4	3	—	—	—	—	—	—	1	—
55—60	5557	4541	607	377	1	1	—	—	1	1	2	—	1	1	—	—
60—65	6777	5736	512	365	3	3	3	3	—	—	—	—	—	—	—	—
65—70	7760	7081	428	359	1	2	—	2	1	—	1	—	—	—	—	—
70—75	8051	8346	304	325	1	1	1	1	—	—	—	—	—	—	—	—
75—80	6827	8345	208	292	—	2	—	1	—	1	—	—	—	—	—	—
80 and upwards	6919	11357	172	321	—	—	—	—	—	—	—	—	—	—	—	—

* **2.** Typhus—; **3.** Relapsing fever (Spirillum obermeieri) —; **4.** Mediterranean fever —; **6.** Small pox, *0, 60.*

Causes of Death.	9 Whooping cough.		10 Diphtheria.		11 Influenza.		11 (*a*) With pulmonary complications.		11 (*b*) Without pulmonary complications.		12* 13 Mumps.		14* 15 Cholera nostras.		16 Dysentery.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	814	1001	418	422	2106	2188	1360	1280	746	908	5	6	—	—	22	18
0—1	406	441	18	15	77	63	49	36	28	27	—	—	—	—	2	1
1—5	379	524	193	172	73	71	34	37	39	34	1	1	—	—	1	—
5—10	24	31	152	172	27	34	12	13	15	21	1	3	—	—	—	—
10—15	2	2	37	41	25	36	15	18	10	18	—	1	—	—	1	—
15—20	—	—	6	6	64	64	35	34	29	30	—	—	—	—	—	—
20—25	—	1	1	4	78	52	54	33	24	19	1	—	—	—	1	1
25—30	—	1	1	3	59	48	37	29	22	19	—	—	—	—	1	—
30—35	—	—	—	1	70	74	53	51	17	23	—	—	—	—	1	1
35—40	—	—	2	1	101	93	77	53	24	40	—	—	—	—	3	—
40—45	—	—	3	1	117	106	83	72	34	34	—	—	—	—	4	—
45—50	—	—	1	1	133	113	103	74	30	39	—	—	—	—	3	2
50—55	—	—	1	2	172	98	129	56	43	42	—	—	—	—	1	2
55—60	—	—	—	—	173	139	111	96	62	43	—	—	—	—	—	3
60—65	1	—	1	2	192	187	138	105	54	82	—	—	—	—	1	1
65—70	2	—	—	—	205	230	143	139	62	91	—	—	—	—	1	2
70—75	—	1	1	1	220	250	133	146	87	104	—	1	—	—	1	3
75—80	—	—	1	—	166	235	84	142	82	93	2	—	—	—	1	1
80 and upwards	—	—	—	—	154	295	70	146	84	149	—	—	—	—	—	1

* **12.** Miliary Fever—; **14.** Asiatic Cholera —.

AGGREGATE OF URBAN DISTRICTS (OTHER THAN LONDON AND THE COUNTY BOROUGHS).—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1925.
(Civilian population only.)

Causes of Death.	16 (*a*) Amœbic.		16 (*b*) Bacillary.		16 (*c*) Other or unspecified.		17, 18, 19, 20* 21 Erysipelas.		22 Acute poliomyelitis.		23 Encephalitis lethargica.		24 Meningococcal meningitis.		25 Other epidemic and endemic diseases.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	1	—	2	—	19	18	135	110	29	21	249	245	46	35	20	12
0—1	—	—	—	—	2	1	12	14	4	—	2	4	7	6	7	2
1—5	—	—	—	—	1	—	4	1	10	10	28	34	15	11	9	4
5—10	—	—	—	—	—	—	1	1	5	2	14	14	7	4	1	5
10—15	—	—	—	—	1	—	2	1	2	2	16	22	4	4	—	1
15—20	—	—	—	—	—	—	1	1	4	2	27	19	8	—	—	—
20—25	—	—	—	—	1	1	2	2	2	2	16	15	2	3	—	—
25—30	—	—	—	—	1	—	4	2	1	1	8	12	—	—	—	—
30—35	—	—	—	—	1	1	1	3	—	1	12	13	—	1	—	—
35—40	1	—	—	—	2	—	3	7	1	—	13	12	—	2	—	—
40—45	—	—	1	—	3	—	6	5	—	—	16	19	2	—	1	—
45—50	—	—	—	—	3	2	11	5	—	1	19	15	—	1	2	—
50—55	—	—	1	—	—	2	14	8	—	—	17	20	—	—	—	—
55—60	—	—	—	—	—	3	13	16	—	—	26	15	—	2	—	—
60—65	—	—	—	—	1	1	10	11	—	—	22	15	—	—	—	—
65—70	—	—	—	—	1	2	19	12	—	—	11	8	1	—	—	—
70—75	—	—	—	—	1	3	15	4	—	—	1	5	—	—	—	—
75—80	—	—	—	—	1	1	10	5	—	—	1	3	—	1	—	—
80 and upwards	—	—	—	—	—	1	7	12	—	—	—	—	—	—	—	—

* **17.** Plague —; **18.** Yellow fever —; **19.** Spirochætosis ictero-hæmorrhagica —; **20.** Leprosy, —.

Causes of Death.	26* 27 Anthrax.		28* 29 Tetanus.		30 Mycoses.		Tuberculosis. 31–37 All forms.		31 Respiratory system.		32 Nervous system.		33 Intestines and peritoneum.		34 Vertebral column.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	2	—	44	12	20	8	6699	5895	5316	4621	504	459	312	318	92	92
0—1	—	—	4	2	8	2	154	116	15	20	67	57	46	21	1	—
1—5	—	—	1	1	1	1	462	389	59	50	228	197	100	78	5	5
5—10	—	—	2	3	—	—	167	186	35	46	80	80	23	29	5	4
10—15	—	—	7	—	1	—	195	274	79	168	51	51	22	24	8	3
15—20	—	—	8	—	1	—	512	747	374	640	37	27	37	33	13	6
20—25	—	—	5	—	2	—	695	830	612	737	13	10	15	31	7	11
25—30	—	—	3	—	—	—	647	780	586	702	9	13	11	24	11	7
30—35	—	—	—	1	2	—	596	578	541	526	7	7	10	16	4	4
35—40	—	—	—	—	—	1	598	517	560	478	1	3	9	12	7	7
40—45	—	—	4	2	—	—	662	395	613	351	4	5	11	16	8	7
45—50	1	—	3	—	1	2	627	313	584	277	3	3	8	9	5	7
50—55	—	—	1	2	1	—	511	240	467	201	2	3	7	11	5	8
55—60	—	—	3	—	1	1	357	186	335	158	1	2	4	6	2	4
60—65	1	—	—	1	2	1	257	137	232	116	—	—	2	2	4	4
65—70	—	—	2	—	—	—	171	101	151	79	1	—	3	3	5	4
70—75	—	—	—	—	—	—	55	55	49	42	—	1	2	1	1	4
75—80	—	—	1	—	—	—	25	41	21	26	—	—	1	2	1	7
80 and upwards	—	—	—	—	—	—	8	10	3	4	—	—	1	—	—	—

* **26.** Glanders —; **28.** Rabies —.

AGGREGATE OF URBAN DISTRICTS (OTHER THAN LONDON AND THE COUNTY BOROUGHS).—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1925.

(Civilian population only).

Causes of Death.	Tuberculosis—*continued.*															
	35 Joints.		36 Other organs.		36 (*a*) Skin and subcutaneous tissue.		36 (*b*) Bones (vertebral column excepted).		36 (*c*) Lymphatic system (abdominal glands excptd).		36 (*d*) Genito-urinary system.		36 (*e*) Others in 36.		37 Disseminated.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	49	32	92	84	5	14	11	17	23	12	50	38	3	3	334	289
0—1	—	—	4	1	—	—	1	—	3	1	—	—	—	—	21	17
1—5	2	—	14	2	—	—	—	—	11	1	3	—	—	1	54	57
5—10	2	—	1	5	—	1	—	—	1	2	—	2	—	—	21	22
10—15	6	1	4	3	—	—	—	2	3	—	1	1	—	—	25	24
15—20	7	2	5	6	—	1	—	—	1	—	4	5	—	—	39	33
20—25	3	7	7	2	—	—	2	—	—	—	4	2	1	—	38	32
25—30	4	7	4	6	—	1	—	—	—	—	4	5	—	—	22	21
30—35	2	2	6	4	—	—	—	—	1	1	4	3	1	—	26	19
35—40	3	—	7	9	1	—	—	2	—	—	6	7	—	—	11	8
40—45	1	1	10	3	—	—	1	—	1	—	8	3	—	—	15	12
45—50	2	1	4	8	—	1	—	2	—	2	3	3	1	—	21	8
50—55	4	2	9	6	1	1	2	2	1	—	5	3	—	—	17	9
55—60	5	—	4	5	—	2	—	2	—	—	4	—	—	1	6	11
60—65	3	3	5	7	1	2	2	2	1	2	1	1	—	—	11	5
65—70	4	1	2	7	—	1	1	2	—	2	1	1	—	1	5	7
70—75	—	3	2	2	1	1	—	—	—	—	1	1	—	—	1	2
75—80	1	—	—	4	—	2	—	1	—	—	—	1	—	—	1	2
80 and upwards	—	2	4	4	1	1	2	2	—	1	1	—	—	—	—	—

Causes of Death.	Tuberculosis—*continued.*				38 Syphilis.		39*		40 (1) Gonococcal infection (ophthalmia excepted).		40 (2) Gonorrhœal or purulent ophthalmia.		42*		II. 43–69 General diseases not included in I. 1–42.	
	37 (*a*) Acute.		37 (*b*) Chronic or unstated.				40 Gonococcal infection.						41 Purulent infection, septicæmia.			
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	103	119	231	170	196	114	8	4	5	3	3	1	123	93	10120	12888
0—1	7	12	14	5	94	62	3	1	—	—	3	1	5	6	90	55
1—5	23	25	31	32	6	8	—	—	—	—	—	—	4	3	142	97
5—10	8	8	13	14	3	1	—	—	—	—	—	—	2	8	77	68
10—15	6	13	19	11	2	3	—	—	—	—	—	—	6	4	95	100
15—20	11	19	28	14	—	—	—	—	—	—	—	—	13	4	100	123
20—25	10	13	28	19	1	3	—	—	—	—	—	—	10	7	98	116
25—30	5	6	17	15	4	5	—	1	—	1	—	—	4	4	102	140
30—35	9	5	17	14	3	5	—	2	—	2	—	—	4	5	133	214
35—40	3	2	8	6	5	2	—	—	—	—	—	—	5	7	169	354
40—45	6	6	9	6	11	3	2	—	2	—	—	—	11	3	341	646
45—50	6	4	15	4	10	11	2	—	2	—	—	—	9	8	578	1018
50—55	1	2	16	7	16	4	—	—	—	—	—	—	12	7	966	1330
55—60	2	—	4	11	16	2	1	—	1	—	—	—	13	11	1306	1424
60—65	5	—	6	5	11	1	—	—	—	—	—	—	11	5	1588	1680
65—70	1	3	4	4	7	3	—	—	—	—	—	—	7	1	1631	1783
70—75	—	—	1	2	6	1	—	—	—	—	—	—	4	3	1360	1617
75—80	—	1	1	1	—	—	—	—	—	—	—	—	1	4	862	1199
80 and upwards	—	—	—	—	1	—	—	—	—	—	—	—	2	3	482	924

* **39.** Soft chancre —; **42.** (1) Vaccinia *0*. (2) Other diseases included under 42—.

AGGREGATE OF URBAN DISTRICTS (OTHER THAN LONDON AND THE COUNTY BOROUGHS).—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1925.
(Civilian population only).

Causes of Death.	Cancer, Malignant Disease.															
	43–49 Total.		43 Buccal cavity.		44 Pharynx, œsophagus, stomach, liver and annexa.		45 Peritoneum, intestines and rectum.		46 Female genital organs.		47 Breast.		48 Skin.		49 Other or unspecified organs.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	7838	9546	822	132	2932	2534	1848	1923	—	1939	11	1861	284	143	1941	1014
0—1	1	2	—	—	—	1	—	—	—	—	—	—	—	—	1	1
1—5	28	10	—	1	2	—	1	—	—	—	—	—	—	—	25	9
5—10	9	9	1	—	1	—	1	—	—	3	—	—	—	—	6	6
10—15	9	10	—	—	2	—	—	—	—	1	—	—	—	—	7	9
15—20	24	17	1	1	1	—	2	—	—	2	—	—	—	—	20	14
20—25	29	26	3	2	1	1	1	6	—	5	—	1	1	—	23	11
25—30	43	49	2	1	15	5	8	8	—	13	—	9	1	2	17	11
30—35	55	111	1	3	14	14	16	15	—	42	—	21	2	2	22	14
35—40	104	238	3	4	35	28	18	32	—	76	—	62	3	3	45	33
40—45	245	487	13	9	93	90	62	50	—	159	—	124	6	6	71	49
45—50	436	805	50	8	170	142	88	94	—	246	2	235	8	3	118	77
50—55	790	1056	91	14	311	224	170	159	—	285	1	246	23	9	194	119
55—60	1085	1115	145	17	413	285	253	186	—	256	—	235	21	7	253	129
60—65	1342	1298	158	21	530	369	316	267	—	268	—	228	39	8	299	137
65—70	1369	1342	147	12	533	436	355	304	—	230	4	201	37	11	293	148
70—75	1129	1248	105	14	423	442	282	311	—	170	1	176	54	25	264	110
75—80	726	960	59	15	264	291	177	285	—	112	—	161	40	26	186	70
80 and upwards	414	763	43	10	124	206	98	206	—	71	3	162	49	41	97	67

Causes of Death.	50 Tumours not returned as malignant. (brain and female genital organs excepted).		51 Rheumatic fever.		52 Chronic rheumatism, osteo-arthritis, gout.		53 Scurvy.		54, 55* 56 Rickets.		57 Diabetes.		58 Anæmia, chlorosis.		58 (*a*) Pernicious anæmia.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	118	138	281	337	263	598	5	3	81	56	602	916	457	608	413	543
0—1	—	—	—	—	—	—	3	1	22	15	—	—	7	5	—	1
1—5	2	3	10	2	—	—	2	1	53	39	4	1	9	6	3	4
5—10	—	5	39	36	—	—	—	—	3	—	3	3	4	3	1	2
10—15	—	1	54	71	—	—	—	—	—	—	5	5	3	3	3	1
15—20	2	2	27	46	2	—	—	—	—	1	19	28	5	8	5	5
20—25	2	—	21	24	—	3	—	—	—	—	9	17	7	13	5	12
25—30	—	4	17	18	—	1	—	—	—	1	19	18	6	12	4	10
30—35	2	1	18	22	2	3	—	—	—	—	13	20	15	17	12	14
35—40	4	7	10	16	1	9	—	—	1	—	12	23	17	24	14	22
40—45	3	3	11	19	5	17	—	—	1	—	21	30	22	37	21	29
45—50	12	9	14	24	14	24	—	—	1	—	28	25	40	57	37	51
50—55	11	11	13	15	20	38	—	—	—	—	43	62	52	85	50	75
55—60	16	15	14	14	27	32	—	1	—	—	51	112	65	75	63	71
60—65	12	20	15	6	28	72	—	—	—	—	94	138	73	80	67	77
65—70	15	14	8	7	53	111	—	—	—	—	105	164	60	97	60	94
70—75	15	19	6	15	49	111	—	—	—	—	98	135	44	56	43	50
75—80	13	8	3	1	34	100	—	—	—	—	59	85	22	23	19	18
80 and upwards	9	16	1	1	28	77	—	—	—	—	19	50	6	7	6	7

* **54.** Pellagra *25, 40, 50* ; **55.** Beri-beri 45.

AGGREGATE OF URBAN DISTRICTS (OTHER THAN LONDON AND THE COUNTY BOROUGHS).—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1925.

(Civilian population only.)

Causes of Death.	58 (*b*) Other anæmias and chlorosis.		59 * 60 Diseases of the thyroid gland.		60 (*a*) Exophthalmic goitre.		60 (*b*) Other diseases of the thyroid gland.		61 * 62 Diseases of the thymus.		63 Diseases of the adrenals.		64 Diseases of the spleen.		65 Leukæmia, lymphadenoma.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	44	65	54	349	25	238	29	111	34	17	42	68	4	5	189	138
0—1	7	4	4	4	—	—	4	4	25	10	—	—	—	—	1	—
1—5	6	2	4	10	—	—	4	10	5	5	1	—	—	—	8	9
5—10	3	1	3	2	—	—	3	2	2	—	—	—	—	—	12	7
10—15	—	2	1	2	—	1	1	1	—	—	—	—	—	—	18	5
15—20	—	3	3	15	2	10	1	5	—	—	2	2	—	—	11	3
20—25	2	1	5	17	3	15	2	2	1	—	1	3	—	—	15	7
25—30	2	2	2	22	2	21	—	1	—	1	4	5	1	—	8	5
30—35	3	3	2	17	2	15	—	2	—	1	1	4	—	1	17	12
35—40	3	2	1	22	1	19	—	3	1	—	—	6	—	—	10	7
40—45	1	8	3	34	2	31	1	3	—	—	2	6	—	—	14	7
45—50	3	6	6	32	4	28	2	4	—	—	5	10	1	2	8	22
50—55	2	10	4	39	3	29	1	10	—	—	4	6	1	—	17	9
55—60	2	4	5	34	4	25	1	9	—	—	6	6	—	—	18	11
60—65	6	3	5	41	1	23	4	18	—	—	8	5	—	1	9	10
65—70	—	3	1	26	1	12	—	14	—	—	2	7	1	—	13	13
70—75	1	6	4	17	—	5	4	12	—	—	3	6	—	—	6	4
75—80	3	5	—	11	—	3	—	8	—	—	1	2	—	1	3	4
80 and upwards	—	—	1	4	—	1	1	3	—	—	2	—	—	—	1	3

*** 59.** Diseases of the pituitary gland 30, 35, 45, *25*, *60* ;

61. (1) Tetany 0, 0, 0, 0, 0, 0, 0, 40, *0*, *0*, *0*, *0*, *1*, *1*.
(2) Other diseases of the parathyroid glands —.

Causes of Death.	65 (*a*) Leukæmia.		65 (*b*) Lymphadenoma. (Hodgkin's disease).		66 Alcoholism (acute or chronic).		67 Chronic poisoning by mineral substances.		68 * 69 Other general diseases.		III. 70–86 Diseases of the nervous system and sense organs.		70 Encephalitis.		71 Meningitis.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	96	88	93	50	44	19	11	—	83	78	8135	8386	58	32	340	275
0—1	1	—	—	—	—	—	—	—	20	14	758	476	3	1	74	50
1—5	6	8	2	1	—	—	—	—	16	9	284	253	6	2	93	79
5—10	4	7	8	—	—	—	—	—	2	3	106	102	2	4	40	37
10—15	9	4	9	1	—	—	—	—	5	3	108	82	5	3	32	21
15—20	4	2	7	1	—	—	—	—	5	1	135	98	8	—	27	13
20—25	9	4	6	3	—	—	1	—	6	6	94	87	4	1	7	11
25—30	2	1	6	4	2	—	—	—	—	2	89	98	5	—	8	11
30—35	11	9	6	3	1	1	—	—	6	4	112	120	2	3	8	9
35—40	5	4	5	3	5	—	—	—	1	2	175	130	4	3	6	6
40—45	7	5	7	2	8	2	2	—	3	3	254	203	1	1	10	6
45—50	5	10	3	12	6	5	—	—	5	3	332	331	4	1	7	9
50—55	10	7	7	2	7	4	2	—	2	3	482	453	4	3	7	3
55—60	7	4	11	7	13	3	2	—	4	6	638	574	3	3	4	8
60—65	4	8	5	2	—	3	1	—	1	5	861	808	5	3	7	4
65—70	6	7	7	6	2	—	1	—	1	2	1019	997	—	3	8	2
70—75	3	3	3	1	—	1	1	—	5	5	1116	1240	1	—	1	3
75—80	2	2	1	2	—	—	1	—	—	4	876	1120	1	1	1	2
80 and upwards	1	3	—	—	—	—	—	—	1	3	696	1214	—	—	—	1

*** 68.** Chronic poisoning by organic substances 20, 35, *50*.

AGGREGATE OF URBAN DISTRICTS (OTHER THAN LONDON AND THE COUNTY BOROUGHS).—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1925.

(Civilian population only.)

Causes of Death.	72 Tabes dorsalis (locomotor ataxy).		73 Other diseases of the spinal cord.		74 Cerebral hæmorrhage, apoplexy.		74 (*a*) Cerebral hæmorrhage.		74 (*b*) Cerebral embolism and thrombosis.		75 Paralysis of unstated origin.		75 (*a*) Hemiplegia.		75 (*b*) Other forms of paralysis.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	211	35	281	201	4310	5359	3799	4628	511	731	344	397	304	357	40	40
0—1	—	—	1	—	—	2	—	1	—	1	1	1	1	—	—	1
1—5	—	—	—	1	—	1	—	1	—	—	1	2	—	1	1	1
5—10	—	—	—	2	—	3	—	2	—	1	—	3	—	2	—	1
10—15	—	—	8	3	3	—	3	—	—	—	1	—	—	—	1	—
15—20	—	—	8	1	3	5	1	4	2	1	—	1	—	1	—	—
20—25	1	—	9	4	6	6	5	3	1	3	1	—	—	—	1	—
25—30	1	—	7	5	9	15	9	11	—	4	—	1	—	—	—	1
30—35	1	—	2	7	17	17	15	16	2	1	1	—	1	—	—	—
35—40	7	1	7	8	30	33	26	24	4	9	1	4	—	3	1	1
40—45	11	3	19	11	50	58	40	53	10	5	4	5	4	2	—	3
45—50	17	9	21	12	133	171	119	145	14	26	5	12	3	10	2	2
50—55	34	4	32	28	216	296	200	275	16	21	16	14	15	12	1	2
55—60	37	5	31	16	363	401	320	354	43	47	30	22	26	19	4	3
60—65	41	5	43	32	565	596	508	533	57	63	42	34	40	31	2	3
65—70	37	2	46	28	713	798	630	714	83	84	62	53	59	48	3	5
70—75	14	3	28	20	896	996	811	851	85	145	77	73	70	68	7	5
75—80	7	2	15	15	710	924	616	786	94	138	58	91	49	82	9	9
80 and upwards	3	1	4	8	596	1037	496	855	100	182	44	81	36	78	8	3

Causes of Death.	76 General paralysis of the insane.		77 Other forms of insanity.		78 Epilepsy.		79 & 80 Convulsions (non-puerperal).		81 Chorea.		82 Hysteria and neuritis.		83 Cerebral softening.		84 Other diseases of the nervous system.	
Ages at Death.	M.	F	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	381	67	103	182	374	358	760	498	8	27	37	44	66	92	635	645
0—1	—	—	—	—	6	4	639	390	—	—	—	—	—	—	12	8
1—5	—	—	—	—	17	12	112	102	—	1	—	—	—	—	22	32
5—10	—	—	—	—	15	8	6	5	4	6	—	—	—	—	18	11
10—15	—	—	1	—	11	10	1	—	1	6	—	—	—	—	13	14
15—20	1	1	1	5	37	31	1	—	2	7	—	—	—	—	18	16
20—25	2	4	3	5	32	26	—	1	—	3	—	—	—	—	13	16
25—30	3	3	3	4	27	27	—	—	—	1	—	—	—	—	18	25
30—35	19	3	5	8	29	38	—	—	—	—	—	1	—	—	16	27
35—40	54	7	6	9	28	23	—	—	—	—	—	3	—	2	22	29
40—45	75	15	9	21	28	27	—	—	1	—	—	2	1	3	36	44
45—50	64	16	7	18	24	24	—	—	—	—	2	1	2	—	40	53
50—55	70	7	16	24	23	20	—	—	—	2	3	4	2	4	53	38
55—60	45	5	16	14	18	30	1	—	—	—	8	7	3	9	72	48
60—65	30	1	11	37	18	26	—	—	—	—	9	8	7	3	75	53
65—70	14	1	16	18	23	17	—	—	—	1	6	3	13	10	75	56
70—75	1	2	2	14	19	16	—	—	—	—	5	8	15	15	56	85
75—80	—	2	5	4	11	10	—	—	—	—	1	5	14	18	53	45
80 and upwards	3	—	2	1	8	9	—	—	—	—	3	2	9	28	23	45

AGGREGATE OF URBAN DISTRICTS (OTHER THAN LONDON AND THE COUNTY BOROUGHS).—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1925.

(Civilian population only.)

Causes of Death.	85 Diseases of the eye and annexa.		86 Diseases of the ear and of the mastoid sinus.		IV. 87–96 Diseases of the circulatory system.		87–90 Heart disease (all forms).		87 Peri-carditis.		88 Acute endo-carditis and myocarditis.		89 Angina pectoris.		90 Other diseases of the heart.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	5	11	222	163	13296	14403	9689	11629	50	44	278	341	486	215	8875	11029
0—1	—	1	22	19	4	7	1	3	—	2	1	1	—	—	—	—
1—5	1	—	32	21	14	14	10	13	—	3	4	3	—	—	6	7
5—10	—	2	21	21	48	38	47	37	6	1	12	12	—	—	29	24
10—15	—	—	32	25	68	119	67	117	5	3	17	36	—	—	45	78
15—20	—	—	29	18	102	132	98	131	1	—	20	30	—	—	77	101
20—25	—	1	16	9	100	129	100	126	2	1	21	35	—	—	77	90
25—30	—	—	8	6	105	156	101	149	2	2	25	29	1	—	73	118
30—35	1	—	11	7	127	174	121	165	1	4	17	34	3	1	100	126
35—40	—	—	10	2	184	252	173	240	1	4	24	40	4	4	144	192
40—45	—	1	9	6	330	293	294	274	3	2	34	30	16	3	241	239
45—50	—	—	6	5	473	483	394	426	2	—	19	12	23	6	350	408
50—55	—	—	6	6	781	761	613	659	9	2	18	16	31	13	555	628
55—60	—	—	7	6	1175	974	922	852	4	5	26	10	77	24	815	813
60—65	1	2	7	4	1656	1411	1247	1178	4	6	9	15	94	34	1140	1123
65—70	—	1	6	4	2200	1946	1566	1631	6	4	17	16	84	46	1459	1565
70—75	1	2	—	3	2284	2359	1570	1888	2	3	9	7	70	42	1489	1836
75—80	—	1	—	—	1927	2348	1269	1786	1	2	2	7	52	25	1214	1752
80 and upwards	1	—	—	1	1718	2807	1096	1954	1	—	3	8	31	17	1061	1929

Causes of Death.	90 (1–4) Valvular disease.		90 (5–8) Other defined heart disease.		90 (9) Heart disease undefined.		91 Disease of the arteries.		91 (*a*) Aneurysm.		91 (*b*) Arterio-sclerosis.		91 (*b*) 1 With record of cerebral vascular lesion.		91 (*b*) 2 Without record of cerebral vascular lesion.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	3692	4624	3543	4429	1640	1976	3468	2587	231	79	3197	2463	1094	906	2103	1557
0—1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—5	4	4	—	—	2	3	—	—	—	—	—	—	—	—	—	—
5—10	23	21	—	—	6	3	—	—	—	—	—	—	—	—	—	—
10—15	35	68	2	1	8	9	—	1	—	—	—	—	—	—	—	—
15—20	65	79	5	5	7	17	1	1	1	1	—	—	—	—	—	—
20—25	59	76	7	5	11	9	—	1	—	1	—	—	—	—	—	—
25—30	54	91	5	13	14	14	2	1	1	1	1	—	—	—	1	—
30—35	69	93	11	13	20	20	4	1	—	1	4	—	2	—	2	—
35—40	101	131	18	20	25	41	7	4	6	3	1	1	—	—	1	1
40—45	154	165	42	29	45	45	31	13	20	1	11	12	6	6	5	6
45—50	207	230	89	114	54	64	70	36	27	5	42	30	11	19	31	11
50—55	305	358	157	159	93	111	152	85	40	12	109	72	54	53	55	19
55—60	392	407	261	285	162	121	233	101	42	10	189	90	81	50	108	40
60—65	494	493	417	415	229	215	385	209	48	13	337	193	142	101	195	92
65—70	603	653	581	655	275	257	620	299	20	12	592	281	226	127	366	154
70—75	512	670	706	798	271	368	702	453	12	9	684	441	248	184	436	257
75—80	360	605	608	808	246	339	646	543	8	7	627	526	191	186	436	340
80 and upwards	255	480	634	1109	172	340	615	839	6	3	600	817	133	180	467	637

TABLE 17—*contd.*

AGGREGATE OF URBAN DISTRICTS (OTHER THAN LONDON AND THE COUNTY BOROUGHS).—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1925.

(Civilian population only.)

Causes of Death.	91 (*c*) Other diseases of the arteries.		92 Embolism and thrombosis (not cerebral).		93 Diseases of the veins, (varices, hæmorrhoids, phlebitis, etc.).		94 Diseases of the lymphatic system (Lymphangitis, etc.).		96* 95 Hæmorrhage without stated cause.		V. 97-107 Diseases of the respiratory system.		97 Diseases of the nasal fossæ and annexa.		98 Diseases of the larynx.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	40	45	56	72	46	86	17	14	9	6	13020	11521	26	21	92	62
0—1	—	—	—	—	—	—	2	4	1	—	2140	1625	—	1	18	12
1—5	—	—	—	1	—	—	4	—	—	—	1493	1329	4	—	42	31
5—10	—	—	—	—	—	—	1	1	—	—	194	194	1	1	13	12
10—15	—	1	—	1	—	—	1	—	—	—	77	70	—	3	2	1
15—20	—	—	1	—	1	—	1	—	—	—	142	77	5	1	—	—
20—25	—	—	—	—	—	—	—	1	—	—	179	81	4	2	1	—
25—30	—	—	1	3	—	3	—	—	1	—	164	119	2	2	1	—
30—35	—	—	1	3	—	3	1	1	—	1	208	155	1	1	1	—
35—40	—	—	2	3	2	5	—	—	—	—	288	170	—	2	1	—
40—45	—	—	1	2	2	4	1	—	1	—	468	227	2	2	2	1
45—50	1	1	4	12	1	8	1	—	1	1	513	248	1	2	—	—
50—55	3	1	7	8	6	9	—	—	2	—	653	322	2	1	2	1
55—60	2	1	7	6	11	14	—	—	—	1	739	451	—	1	2	—
60—65	—	3	9	6	10	14	2	2	—	1	910	640	1	1	2	—
65—70	8	6	7	8	5	7	1	—	1	—	1170	983	1	—	2	1
70—75	6	3	7	4	4	9	1	2	—	—	1314	1345	1	—	2	1
75—80	11	10	5	8	3	8	—	2	2	—	1158	1451	—	—	—	1
80 and upwards	9	19	4	7	1	2	1	1	—	2	1210	2034	1	1	1	1

* **96.** Other diseases of the circulatory system 45, 45, 50, 55, 55, 60, 60, 60, 75, 75, 80, *20, 60, 65, 70, 70, 70, 75, 80, 80.*

Causes of Death.	99 Bronchitis.		99 (*a*) Acute.		99 (*b*) Chronic.		99 (*c* & *d*) Not stated whether acute or chronic.		100 & 101 Pneumonia (all forms).		100 Broncho-pneumonia.		101 Pneumonia (lobar, or not otherwise defined).		101 (*a*) Pneumonia, lobar.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	5531	5761	1386	1809	1895	1455	2250	2497	6382	4952	3116	2779	3266	2173	1847	1152
0—1	713	556	329	277	4	4	380	275	1386	1040	1172	886	214	154	70	34
1—5	223	219	121	122	7	3	95	94	1193	1051	950	817	243	234	96	103
5—10	25	19	15	8	—	3	10	8	146	150	88	82	58	68	30	37
10—15	7	3	3	1	3	1	1	1	61	57	16	14	45	43	28	28
15—20	8	9	3	3	5	5	—	1	118	65	21	12	97	53	62	37
20—25	17	13	4	4	9	9	4	—	144	54	14	9	130	45	80	26
25—30	19	14	4	8	11	5	4	1	127	93	15	18	112	75	76	46
30—35	24	20	9	9	8	6	7	5	167	119	16	23	151	96	98	62
35—40	48	33	11	12	24	13	13	8	217	116	24	22	193	94	140	64
40—45	93	54	17	13	50	24	26	17	322	144	42	26	280	118	179	77
45—50	129	66	23	20	78	25	28	21	311	150	55	38	256	112	167	64
50—55	226	128	39	44	119	40	68	44	341	161	76	46	265	115	164	74
55—60	285	222	64	59	129	84	92	79	352	183	84	62	268	121	156	76
60—65	440	332	92	98	220	127	128	107	353	243	88	84	265	159	156	93
65—70	685	544	116	158	327	182	242	204	359	359	114	137	245	222	130	109
70—75	859	903	157	249	361	276	341	378	327	343	117	168	210	175	107	93
75—80	804	1060	165	271	299	311	340	478	273	297	126	153	147	144	75	74
80 and upwards	926	1566	214	453	241	337	471	776	185	327	98	182	87	145	33	55

AGGREGATE OF URBAN DISTRICTS (OTHER THAN LONDON AND THE COUNTY BOROUGHS).—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1925.

(Civilian population only.)

Causes of Death.	101 (*b*) Pneumonia not otherwise defined.		102 Pleurisy.		103 Congestion and hæmorrhagic infarct of lung.		104 Gangrene of the lung.		105 Asthma.		106 Pulmonary emphysema.		107 Other diseases of the respiratory system.		107 (*a*) Chronic interstitial pneumonia.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	1419	1021	223	140	194	254	6	3	434	289	48	15	84	24	61	13
0—1	144	120	3	1	19	14	—	—	1	—	—	—	—	1	—	—
1—5	147	131	17	18	7	9	—	—	6	1	—	—	1	—	1	—
5—10	28	31	7	7	—	3	—	—	2	2	—	—	—	—	—	—
10—15	17	15	3	4	1	—	—	—	3	2	—	—	—	—	—	—
15—20	35	16	7	1	2	—	—	—	—	1	—	—	2	—	1	—
20—25	50	19	4	7	1	1	—	—	6	3	—	—	2	1	2	—
25—30	36	29	9	6	1	—	—	—	4	3	—	—	1	1	1	1
30—35	53	34	6	7	3	—	—	—	5	6	—	—	1	2	1	—
35—40	53	30	4	6	2	2	1	—	13	8	—	—	2	3	1	1
40—45	101	41	18	4	—	1	—	2	23	17	2	—	6	2	4	1
45—50	89	48	26	5	4	4	—	1	38	18	—	—	4	2	3	1
50—55	101	41	15	8	3	1	1	—	41	21	6	1	16	—	11	—
55—60	112	45	22	8	7	2	2	—	50	30	5	3	14	2	8	—
60—65	109	66	28	8	6	10	1	—	60	38	10	1	9	7	7	6
65—70	115	113	14	19	20	14	1	—	63	43	9	1	16	2	13	2
70—75	103	82	22	11	24	38	—	—	63	43	7	6	9	—	8	—
75—80	72	70	10	12	38	52	—	—	27	26	6	2	—	1	—	1
80 and upwards	54	90	8	8	56	103	—	—	29	27	3	1	1	—	—	—

Causes of Death.	107 (*b*) Diseases of the mediastinum.		107 (*c*) Other diseases included under 107.		VI. 108–127 Diseases of the digestive system.		108 Diseases of the buccal cavity and annexa.		108 (1) Diseases of the teeth and gums.		108 (2 & 3) Other diseases of the buccal cavity and annexa.		109 Diseases of the pharynx and tonsils.		110 Diseases of the œsophagus.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	3	—	20	11	4819	4205	107	63	83	40	24	23	131	76	15	5
0—1	—	—	—	1	1096	749	5	7	3	4	2	3	11	5	—	—
1—5	—	—	—	—	372	297	11	6	7	—	4	6	34	8	1	—
5—10	—	—	—	—	133	127	4	1	3	—	1	1	19	13	—	—
10—15	—	—	—	—	94	80	5	—	4	—	1	—	7	4	—	—
15—20	—	—	1	—	110	81	3	3	1	1	2	2	3	2	—	—
20—25	—	—	—	1	113	73	3	5	3	2	—	3	6	3	—	—
25—30	—	—	—	—	95	97	3	1	2	1	1	—	7	5	—	—
30—35	—	—	—	2	121	108	9	4	9	3	—	1	2	3	1	—
35—40	—	—	1	2	148	125	2	5	2	5	—	—	7	3	—	1
40—45	—	—	2	1	234	153	12	6	9	5	3	1	3	5	—	—
45—50	—	—	1	1	289	247	7	4	7	1	—	3	3	8	—	1
50—55	—	—	5	—	319	251	8	3	6	2	2	1	8	1	1	1
55—60	2	—	4	2	348	301	4	4	3	4	1	—	4	5	1	—
60—65	1	—	1	1	377	306	16	8	12	6	4	2	6	3	4	1
65—70	—	—	3	—	339	346	7	2	6	2	1	—	3	1	1	—
70—75	—	—	1	—	273	329	6	—	4	—	2	—	4	4	1	—
75—80	—	—	—	—	179	291	—	3	—	3	—	—		2	3	1
80 and upwards	—	—	1	—	179	244	2	1	2	1	—	—	2	1	2	—

AGGREGATE OF URBAN DISTRICTS (OTHER THAN LONDON AND THE COUNTY BOROUGHS).—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1925.
(Civilian population only).

Causes of Death.	111 Ulcer of the stomach or duodenum.		111 (*a*) Ulcer of the stomach.		111 (*b*) Ulcer of the duodenum.		112 Other diseases of the stomach.		113 & 114 Diarrhœa and enteritis.		115* / 116* Diseases due to other intestinal parasites.		117 Appendicitis and typhlitis.		118 Hernia, intestinal obstruction.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	767	339	464	273	303	66	338	382	1280	1172	3	3	574	442	721	747
0—1	—	—	—	—	—	—	115	78	833	607	—	—	2	—	110	43
1—5	—	—	—	—	—	—	24	18	206	206	3	1	46	20	31	17
5—10	1	2	1	1	—	1	7	5	25	23	—	—	44	54	23	5
10—15	1	2	1	1	—	1	4	2	11	8	—	—	54	44	10	7
15—20	10	9	6	8	4	1	3	1	6	7	—	—	68	38	13	15
20—25	27	5	19	5	8	—	5	—	4	5	—	—	42	33	19	10
25—30	27	13	14	12	13	1	—	9	11	9	—	—	31	27	9	13
30—35	50	11	28	10	22	1	2	8	6	18	—	—	23	19	17	22
35—40	56	20	32	18	24	2	5	4	7	10	—	—	28	25	21	22
40—45	85	31	48	23	37	8	15	7	9	14	—	—	41	23	29	33
45—50	113	42	75	36	38	6	7	15	10	16	—	—	34	30	32	48
50—55	90	45	55	39	35	6	14	15	15	19	—	2	29	27	49	40
55—60	89	39	53	33	36	6	22	21	20	22	—	—	44	25	45	69
60—65	88	36	52	27	36	9	15	29	22	28	—	—	32	25	60	71
65—70	70	31	36	21	34	10	17	37	23	33	—	—	27	29	77	89
70—75	40	21	28	15	12	6	29	34	16	53	—	—	16	13	63	88
75—80	12	19	9	12	3	7	17	44	25	47	—	—	9	8	59	91
80 and upwards	8	13	7	12	1	1	37	55	31	47	—	—	4	2	54	64

***115.** Ankylostomiasis — ; **116** (*a*) Cestodes (hydatids of the liver excepted) 1, *50*, *50*; **116** (*c*) Nematodes, 1. **116** (*f*) Undefined parasites 1, *1*.

Causes of Death.	118 (*a*) Hernia.		118 (*b*) Intestinal obstruction.		119 Other diseases of the intestines.		120 Acute yellow atrophy of the liver.		121 Hydatid tumour of the liver.		122 Cirrhosis of the liver.		122 (*a*) Returned as alcoholic.		122 (*b*) Not returned as alcoholic.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	267	314	454	433	91	73	7	19	8	4	420	221	26	12	394	209
0—1	21	3	89	40	9	3	—	—	—	—	1	—	—	—	1	—
1—5	7	—	24	17	6	3	—	1	—	—	1	—	—	—	1	—
5—10	—	—	23	5	1	—	1	—	—	—	—	—	—	—	—	—
10—15	—	1	10	6	—	2	—	2	—	—	—	—	—	—	—	—
15—20	—	—	13	15	2	1	—	1	—	—	—	—	—	—	—	—
20—25	6	2	13	8	1	—	3	3	—	2	1	1	—	—	1	1
25—30	3	3	6	10	2	3	1	4	—	—	1	1	—	—	1	1
30—35	3	2	14	20	—	1	—	4	—	1	1	4	—	—	1	4
35—40	1	5	20	17	2	4	—	1	1	—	10	8	—	2	10	6
40—45	12	12	17	21	5	2	—	—	—	—	22	8	2	—	20	8
45—50	12	24	20	24	9	6	—	1	2	—	39	33	3	3	36	30
50—55	22	17	27	23	11	6	—	1	2	—	54	38	5	2	49	36
55—60	17	35	28	34	11	4	—	1	1	—	72	37	3	2	69	35
60—65	29	44	31	27	8	9	—	—	—	1	81	27	7	1	74	26
65—70	40	51	37	38	6	8	—	—	1	—	64	27	4	1	60	26
70—75	26	44	37	44	9	9	2	—	1	—	45	22	1	1	44	21
75—80	34	42	25	49	3	4	—	—	—	—	21	11	1	—	20	11
80 and upwards	34	29	20	35	6	8	—	—	—	—	7	4	—	—	7	4

AGGREGATE OF URBAN DISTRICTS (OTHER THAN LONDON AND THE COUNTY BOROUGHS).—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1925.

(Civilian population only.)

Causes of Death.	123 Biliary calculi.		124 Other diseases of the liver.		125 Diseases of the pancreas.		127 * 126 Peritonitis of unstated origin.		VII. 128–142 Non-venereal diseases of the genito-urinary system.		128 Acute nephritis (including unspecified under 10 years of age).		129 Chronic nephritis (including unspecified over 10 years of age).		130 * 131 Other diseases of the kidneys and annexa.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	119	281	142	236	57	54	39	88	3565	2688	262	244	1916	1843	110	120
0—1	—	—	6	3	1	—	3	3	24	15	8	7	—	—	2	6
1—5	—	—	6	2	—	—	3	15	31	29	19	22	7	4	4	3
5—10	—	—	2	1	1	—	5	23	28	15	13	11	13	4	—	—
10—15	—	—	—	—	—	1	2	8	29	35	9	17	16	14	2	1
15—20	—	—	2	1	—	—	—	3	39	43	15	8	23	29	—	2
20—25	—	1	—	3	1	1	1	1	48	45	16	5	26	23	1	2
25—30	—	1	2	6	1	3	—	2	44	75	15	12	26	31	2	7
30—35	3	6	5	2	—	2	2	3	67	85	19	17	41	41	—	5
35—40	3	6	2	8	2	3	2	5	87	146	11	14	64	67	2	11
40—45	3	8	5	10	4	2	1	4	119	163	13	10	90	94	5	4
45—50	12	17	10	13	11	8	—	5	153	220	22	15	115	142	8	9
50—55	14	25	7	20	13	6	4	2	232	246	24	20	161	168	17	7
55—60	8	46	18	16	4	8	5	4	335	253	15	25	240	188	9	12
60—65	15	33	23	27	5	7	2	1	429	306	21	16	253	242	14	16
65—70	22	40	14	34	6	10	1	5	502	335	14	20	272	270	13	8
70—75	13	48	18	34	5	1	5	2	564	287	19	13	278	234	12	8
75—80	14	27	12	32	1	1	1	1	438	204	5	9	158	159	7	9
80 and upwards	12	23	10	24	2	1	2	1	396	186	4	3	133	133	12	10

* **127.** Other diseases of the digestive system —; **130.** Chyluria —.

Causes of Death.	132 Calculi of the urinary passages.		133 Diseases of the bladder.		134 Diseases of the urethra, urinary abscess, etc.		134 (*a*) Stricture of the urethra.		134 (*b*) Other diseases of the urethra, etc.		135 Diseases of the prostate.		136 Non-venereal diseases of the male genital organs.		137 Cysts and other tumours of the ovary not returned as malignant.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	59	29	193	75	91	2	77	—	14	2	914	—	18	—	—	114
0—1	—	—	—	—	—	—	—	—	—	—	—	—	12	—	—	—
1—5	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
5—10	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—15	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
15—20	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
20—25	2	2	2	—	1	—	1	—	—	—	—	—	—	—	—	2
25—30	1	3	—	1	—	—	—	—	—	—	—	—	—	—	—	7
30—35	1	1	1	1	5	—	2	—	3	—	—	—	—	—	—	3
35—40	5	2	1	1	3	—	2	—	1	—	1	—	—	—	—	7
40—45	5	2	1	1	5	—	5	—	—	—	—	—	—	—	—	10
45—50	4	1	2	2	1	—	1	—	—	—	1	—	—	—	—	11
50—55	2	4	5	2	14	—	12	—	2	—	8	—	1	—	—	12
55—60	8	2	12	2	13	—	12	—	1	—	38	—	—	—	—	9
60—65	4	2	19	7	17	—	14	—	3	—	99	—	2	—	—	14
65—70	4	1	35	9	12	1	10	—	2	1	152	—	—	—	—	16
70—75	8	4	29	11	14	1	12	—	2	1	204	—	—	—	—	7
75—80	3	3	44	10	3	—	3	—	—	—	216	—	2	—	—	9
80 and upwards	9	2	40	27	3	—	3	—	—	—	195	—	—	—	—	7

AGGREGATE OF URBAN DISTRICTS (OTHER THAN LONDON AND THE COUNTY BOROUGHS).—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1925.
(Civilian population only).

Causes of Death.	138 Salpingitis and pelvic abscess in females.		139 Tumours of the uterus not returned as malignant.		140 Non-puerperal uterine hæmorrhage.		141 Other diseases of the female genital organs.		142 Non-puerperal diseases of the breast.		VIII. 143–150 The puerperal state.		143 Accidents of pregnancy.		143 (*a*) Abortion.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	—	78	—	121	—	9	—	51	2	2	—	966	—	114	—	27
0—1	—	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—
1—5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—15	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—
15—20	—	2	—	—	—	1	—	—	—	—	—	22	—	2	—	—
20—25	—	11	—	—	—	—	—	—	—	—	—	151	—	9	—	2
25—30	—	9	—	2	—	2	—	1	—	—	—	244	—	22	—	8
30—35	—	10	—	4	—	—	—	2	—	1	—	227	—	29	—	8
35—40	—	18	—	23	—	2	—	1	—	—	—	199	—	34	—	8
40—45	—	6	—	28	—	1	—	7	—	—	—	111	—	16	—	1
45—50	—	6	—	25	—	1	—	8	—	—	—	11	—	2	—	—
50—55	—	7	—	22	—	2	—	2	—	—	—	1	—	—	—	—
55—60	—	4	—	5	—	—	—	6	—	—	—	—	—	—	—	—
60—65	—	2	—	2	—	—	—	4	—	1	—	—	—	—	—	—
65—70	—	1	—	4	—	—	—	5	—	—	—	—	—	—	—	—
70—75	—	1	—	4	—	—	—	4	—	—	—	—	—	—	—	—
75—80	—	1	—	1	—	—	—	3	—	—	—	—	—	—	—	—
80 and upwards	—	—	—	1	—	—	—	3	—	—	—	—	—	—	—	—

Causes of Death.	143 (*b*) Ectopic gestation.		143 (*c*) Other accidents.		144 Puerperal hæmorrhage.		145 Other accidents of childbirth.		146 Puerperal sepsis.		147 Puerperal phlegmasia alba dolens, puerperal embolism, sudden death.		148 Puerperal albuminuria and convulsions.		150* 149 Childbirth not assignable elsewhere (puerperal insanity).	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	—	29	—	58	—	145	—	116	—	308	—	87	—	188	—	4
0—1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—15	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—20	—	2	—	—	—	2	—	2	—	5	—	1	—	9	—	—
20—25	—	2	—	5	—	16	—	10	—	54	—	19	—	42	—	—
25—30	—	4	—	10	—	29	—	22	—	101	—	13	—	56	—	1
30—35	—	10	—	11	—	37	—	31	—	69	—	29	—	32	—	—
35—40	—	8	—	18	—	47	—	31	—	46	—	14	—	25	—	—
40—45	—	3	—	12	—	12	—	17	—	30	—	11	—	22	—	3
45—50	—	—	—	2	—	1	—	3	—	3	—	—	—	2	—	—
50—55	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
55—60	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
60—65	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
65—70	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
70—75	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
75—80	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
80 and upwards	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

* **150.** Puerperal diseases of the breast *15, 20, 35, 35.*

AGGREGATE OF URBAN DISTRICTS (OTHER THAN LONDON AND THE COUNTY BOROUGHS).—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1925.

(Civilian population only).

Causes of Death.	IX. 151–154 Diseases of the skin and cellular tissue.		151 Gangrene.		152 Carbuncle, boil.		153 Cellulitis, acute abscess.		154 Other diseases of the skin and its annexa		X. 155–158 Diseases of the bones and organs of locomotion.		155 Diseases of the bones.		156 Diseases of the joints.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	531	546	200	229	78	52	124	110	129	155	168	114	125	87	28	18
0—1	86	60	—	3	4	2	17	14	65	41	7	6	5	4	1	1
1—5	18	25	1	4	3	—	3	10	11	11	18	18	14	18	3	—
5—10	3	3	2	—	—	—	1	3	—	—	16	15	14	13	2	2
10—15	6	5	—	—	2	—	3	3	1	2	31	11	30	10	1	1
15—20	6	5	—	1	3	—	3	4	—	—	15	6	14	5	1	1
20—25	8	8	1	—	3	5	4	3	—	—	6	2	4	1	2	—
25—30	3	4	—	1	1	1	2	2	—	—	4	6	4	4	—	2
30—35	8	9	—	—	3	5	3	3	2	1	8	1	6	—	1	1
35—40	9	7	—	—	4	4	5	2	—	1	2	2	2	2	—	—
40—45	12	13	1	2	3	3	4	5	4	3	6	3	3	2	1	—
45—50	18	18	1	2	6	6	9	7	2	3	4	7	1	5	2	1
50—55	24	12	—	2	9	3	11	2	4	5	11	—	7	—	2	—
55—60	26	22	4	4	8	5	12	3	2	10	6	10	3	5	2	2
60—65	31	34	9	9	8	4	11	10	3	11	7	5	4	3	3	1
65—70	41	43	17	17	4	3	11	7	9	16	11	3	7	1	2	2
70—75	70	65	42	38	9	4	12	10	7	13	7	10	4	6	1	3
75—80	78	82	55	49	6	5	5	11	12	17	6	5	2	4	3	1
80 and upwards	84	131	67	97	2	2	8	11	7	21	3	4	1	4	1	—

Causes of Death.	157* 158 Other diseases of the organs of locomotion.		XI. 159 Congenital malformations.		XII. 160–163 Diseases of early infancy.		160 Congenital debility.		161 Premature birth, injury at birth.		161 (1) Premature birth.		161 (2) Injury at birth.		162 Other diseases peculiar to early infancy.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	14	9	724	552	3757	2787	944	587	2544	1940	2335	1810	209	130	232	223
0—1	1	1	645	488	3756	2787	944	587	2543	1940	2335	1810	208	130	232	223
1—5	1	—	37	26	—	—	—	—	—	—	—	—	—	—	—	—
5—10	—	—	12	8	—	—	—	—	—	—	—	—	—	—	—	—
10—15	—	—	8	7	1	—	—	—	1	—	—	—	1	—	—	—
15—20	—	—	3	9	—	—	—	—	—	—	—	—	—	—	—	—
20—25	—	1	3	1	—	—	—	—	—	—	—	—	—	—	—	—
25—30	—	—	6	3	—	—	—	—	—	—	—	—	—	—	—	—
30—35	1	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—
35—40	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
40—45	2	1	3	1	—	—	—	—	—	—	—	—	—	—	—	—
45—50	—	1	1	2	—	—	—	—	—	—	—	—	—	—	—	—
50—55	2	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—
55—60	1	3	2	2	—	—	—	—	—	—	—	—	—	—	—	—
60—65	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
65—70	2	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
70—75	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
75—80	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
80 and upwards	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

* **157.** Amputation 45.

AGGREGATE OF URBAN DISTRICTS (OTHER THAN LONDON AND THE COUNTY BOROUGHS).—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1925.

(Civilian population only.)

Causes of Death.	163 Lack of care.		XIII. 164 Old age.		XIV. 165–203 External causes.		Suicide. 165–174 Total.		165 & 166 By solid or liquid poisons and corrosive substances.		167 By poisonous gas.		168 By hanging or strangulation.		169 By drowning.	
Ages at Death.	M.	F.	M.	F.	M	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	37	37	3571	5377	4290	1786	945	400	88	59	134	81	219	60	190	121
0—1	37	37	—	—	103	104	—	—	—	—	—	—	—	—	—	—
1—5	—	—	—	—	269	184	—	—	—	—	—	—	—	—	—	—
5—10	—	—	—	—	197	78	—	—	—	—	—	—	—	—	—	—
10—15	—	—	—	—	129	36	1	—	—	—	—	—	—	—	1	—
15—20	—	—	—	—	269	86	22	19	3	1	3	2	8	—	2	14
20—25	—	—	—	—	305	78	25	26	2	2	2	4	3	1	9	14
25—30	—	—	—	—	256	62	40	22	4	6	1	3	15	4	9	5
30—35	—	—	—	—	241	64	52	30	8	5	13	7	8	6	7	9
35—40	—	—	—	—	267	83	73	42	8	9	14	6	18	5	12	10
40—45	—	—	—	—	278	86	79	46	8	8	12	6	15	6	16	13
45—50	—	—	—	—	359	107	125	63	11	10	17	23	21	4	30	16
50—55	—	—	—	1	362	88	130	40	12	4	16	10	34	10	27	12
55—60	—	—	8	5	317	110	118	44	13	7	22	7	19	10	28	13
60—65	—	—	33	41	304	101	115	30	10	6	17	5	31	5	19	7
65—70	—	—	108	147	234	98	73	21	5	1	8	4	24	4	14	4
70—75	—	—	588	672	166	96	54	6	4	—	4	1	13	3	9	—
75—80	—	—	959	1221	132	126	28	9	—	—	5	2	6	2	4	4
80 and upwards	—	—	1875	3290	102	199	10	2	—	—	—	1	4	—	3	—

Causes of Death.	Suicide—*contd.* 170 By firearms.		171 By cutting or piercing instruments.		172 By jumping from high places.		173 By crushing.		174 By other means.		175–196 201–203 Violent deaths, excluding suicide and homicide.		175 Food poisoning.		176 Poisoning by venomous animals.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	51	3	175	42	19	15	66	13	3	6	3314	1339	7	5	4	6
0—1	—	—	—	—	—	—	—	—	—	—	93	93	—	—	1	—
1—5	—	—	—	—	—	—	—	—	—	—	268	180	1	—	—	1
5—10	—	—	—	—	—	—	—	—	—	—	194	75	1	—	—	—
10—15	—	—	—	—	—	—	—	—	—	—	126	35	—	1	—	1
15—20	2	—	—	2	1	—	3	—	—	—	246	65	2	—	—	—
20—25	2	—	4	1	1	2	2	2	—	—	276	45	—	—	—	1
25—30	1	—	4	3	1	—	5	—	—	1	215	34	—	—	—	—
30—35	2	—	8	2	—	—	5	1	1	—	188	33	—	1	—	—
35—40	5	3	11	3	1	2	4	2	—	2	193	39	—	—	—	—
40—45	7	—	12	7	2	2	6	3	1	1	198	37	—	1	—	—
45—50	6	—	29	7	2	1	9	2	—	—	232	42	1	—	1	1
50—55	7	—	19	3	3	—	12	1	—	—	231	47	2	1	—	—
55—60	10	—	18	2	3	3	5	1	—	1	199	65	—	—	2	1
60—65	3	—	28	6	1	1	6	—	—	—	188	69	—	—	—	—
65—70	1	—	14	4	1	3	5	1	1	—	159	76	—	—	—	—
70—75	1	—	20	1	1	—	2	—	—	1	112	90	—	1	—	—
75—80	4	—	5	—	2	1	2	—	—	—	104	117	—	—	—	1
80 and upwards	—	—	3	1	—	—	—	—	—	—	92	197	—	—	—	—

AGGREGATE OF URBAN DISTRICTS (OTHER THAN LONDON AND THE COUNTY BOROUGHS).—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1925.

(Civilian population only).

Causes of Death.	177 By acute accidental poisonings.		178 Conflagration.		179 Accidental burns (conflagration excepted).		180 Accidental mechanical suffocation.		181 Accidental absorption of irrespirable or poisonous gas.		182 Accidental drowning.		183 Accidental injury by firearms.		184 Accidental injury by cutting or piercing instruments.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	29	25	10	8	228	282	83	78	26	16	454	118	17	4	2	—
0—1	1	—	1	—	18	9	60	65	—	—	5	7	—	—	1	—
1—5	2	4	5	1	124	99	2	6	1	—	43	12	1	—	—	—
5—10	—	1	—	2	18	11	2	2	—	—	50	5	—	—	—	—
10—15	1	1	—	1	3	10	1	1	—	—	36	6	2	1	—	—
15—20	2	—	—	—	4	19	2	—	3	3	39	13	2	1	—	—
20—25	—	1	—	—	2	15	1	—	1	—	40	7	—	1	—	—
25—30	4	2	—	—	6	7	4	—	2	—	17	8	1	—	—	—
30—35	1	2	—	—	2	4	1	—	4	2	22	4	—	1	—	—
35—40	1	2	—	—	1	7	1	—	2	1	19	8	1	—	1	—
40—45	2	—	1	—	5	8	1	1	3	2	21	9	3	—	—	—
45—50	2	2	—	—	3	7	1	—	3	—	35	9	3	—	—	—
50—55	3	5	—	1	2	5	—	—	1	1	34	2	1	—	—	—
55—60	—	1	1	—	7	8	1	2	—	1	26	7	—	—	—	—
60—65	1	1	—	1	6	8	1	1	1	—	32	10	1	—	—	—
65—70	4	—	—	1	3	11	2	—	1	1	19	5	2	—	—	—
70—75	1	—	1	1	6	17	1	—	1	1	9	3	—	—	—	—
75—80	2	2	—	—	9	17	1	—	3	4	2	1	—	—	—	—
80 and upwards	2	1	1	—	9	20	1	—	—	—	5	2	—	—	—	—

Causes of Death.	185 Accidental injury by fall.		186 Accidental injury in mining and quarrying.		187 Accidental injury by machinery.		188 Accidental injury by other forms of crushing (vehicles, etc.).		189 Injury by animals (poisoning excepted).		190 Wounds of war.		191* 192 Hunger or thirst.		193 Excessive cold.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	452	421	551	—	74	2	1209	320	19	1	15	—	2	—	17	6
0—1	3	4	—	—	—	—	1	—	—	—	—	—	—	—	—	1
1—5	11	6	—	—	—	—	69	42	2	1	—	—	—	—	—	—
5—10	14	3	—	—	2	—	98	49	4	—	—	—	—	—	—	—
10—15	5	2	9	—	2	—	62	11	1	—	—	—	—	—	—	—
15—20	18	2	58	—	6	—	101	26	1	—	—	—	—	—	—	—
20—25	16	2	56	—	15	1	130	14	1	—	—	—	—	—	—	—
25—30	11	2	50	—	9	—	92	12	1	—	2	—	—	—	—	—
30—35	10	4	53	—	3	—	81	9	—	—	4	—	—	—	—	—
35—40	18	4	62	—	9	—	67	11	—	—	4	—	1	—	—	—
40—45	20	6	58	—	8	—	65	9	—	—	4	—	—	—	—	—
45—50	28	9	56	—	4	—	85	14	1	—	1	—	—	—	1	—
50—55	37	12	63	—	6	1	72	17	1	—	—	—	—	—	1	—
55—60	33	20	35	—	3	—	78	20	2	—	—	—	1	—	3	1
60—65	39	22	28	—	2	—	65	25	—	—	—	—	—	—	2	1
65—70	47	36	14	—	4	—	59	21	2	—	—	—	—	—	—	1
70—75	39	45	7	—	1	—	39	20	—	—	—	—	—	—	3	—
75—80	52	76	2	—	—	—	29	12	2	—	—	—	—	—	2	2
80 and upwards	51	166	—	—	—	—	16	8	1	—	—	—	—	—	5	—

* 191. Execution of civilians by belligerent armies —.

AGGREGATE OF URBAN DISTRICTS (OTHER THAN LONDON AND THE COUNTY BOROUGHS).—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1925.
(Civilian population only).

Causes of Death.	194 Excessive heat.		195* 196 Electricity (lightning excepted).		Homicide. 197–199 All forms.		197 By firearms.		198 By cutting or piercing instruments.		199 By other means.		200* 201 Fracture (cause not specified).	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	26	14	20	—	31	47	2	2	4	14	25	31	10	3
0—1	—	1	—	—	10	11	—	—	1	2	9	9	1	1
1—5	3	5	—	—	1	4	—	—	—	2	1	2	—	—
5—10	1	1	1	—	3	3	—	—	1	2	2	1	—	—
10—15	1	—	1	—	2	1	1	1	—	—	1	—	—	—
15—20	—	—	3	—	1	2	1	—	—	1	—	1	—	—
20—25	1	—	5	—	4	7	—	—	—	4	4	3	—	—
25—30	—	—	3	—	1	6	—	—	—	1	1	5	1	—
30—35	1	1	3	—	1	1	—	—	—	—	1	1	2	—
35—40	2	—	—	—	1	2	—	—	1	—	—	2	2	—
40—45	2	—	1	—	1	3	—	—	—	1	1	2	1	—
45—50	—	—	2	—	2	2	—	1	—	—	2	1	—	—
50—55	3	2	—	—	1	1	—	—	—	—	1	1	2	—
55—60	3	3	1	—	—	1	—	—	—	—	—	1	—	1
60—65	4	—	—	—	1	2	—	—	—	1	1	1	1	—
65—70	1	—	—	—	2	1	—	—	1	—	1	1	—	—
70—75	3	—	—	—	—	—	—	—	—	—	—	—	—	1
75—80	—	1	—	—	—	—	—	—	—	—	—	—	—	—
80 and upwards	1	—	—	—	—	—	—	—	—	—	—	—	—	—

* **195.** Lightning 15, 20, 20, 35, 45. **200.** Infanticide, Deaths from this cause are shown under Nos. 197–199.

Causes of Death.	202 Other and unstated forms of accidental violence; Execution.		203 Violent deaths of unknown causation.		XV. 204–205 Ill-defined diseases.		204 Sudden death.		205 Cause of death unstated or ill-defined.		205 (1) Heart failure, 1–70 years.		205 (2 & 3) Others.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	54	29	—	1	349	235	52	30	297	205	216	126	81	79
0—1	1	5	—	—	9	12	—	—	9	12	—	—	9	12
1—5	4	3	—	—	31	29	1	—	30	29	3	1	27	28
5—10	3	1	—	—	2	2	—	—	2	2	2	—	—	2
10—15	2	—	—	—	1	3	—	2	1	1	—	1	1	—
15—20	4	1	—	—	3	—	1	—	2	—	1	—	1	—
20—25	6	2	—	1	3	3	1	1	2	2	1	2	1	—
25—30	12	3	—	—	3	3	—	—	3	3	3	3	—	—
30—35	1	5	—	—	2	4	2	2	—	2	—	—	—	2
35—40	1	6	—	—	10	7	—	3	10	4	8	1	2	3
40—45	3	1	—	—	19	8	3	1	16	7	14	4	2	3
45—50	4	—	—	—	27	19	7	1	20	18	18	15	2	3
50—55	3	—	—	—	32	19	2	4	30	15	24	13	6	2
55—60	3	—	—	—	50	38	8	5	42	33	34	27	8	6
60—65	5	—	—	—	69	38	17	5	52	33	48	29	4	4
65—70	1	—	—	—	77	40	10	6	67	34	60	30	7	4
70—75	1	1	—	—	5	1	—	—	5	1	—	—	5	1
75—80	—	1	—	—	4	6	—	—	4	6	—	—	4	6
80 and upwards	—	—	—	—	2	3	—	—	2	3	—	—	2	3

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1925.
(Civilian population only.)

Causes of Death.	All Causes.		I. 1–42, Epidemic, Endemic and Infectious Diseases.		1 Enteric fever.		1 (*a*) Typhoid fever.		1 (*b*) Paratyphoid, fever.		2, 3, 4* 5 Malaria.		6* 7 Measles.		8 Scarlet fever.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	47530	45527	6316	6088	32	45	27	37	5	8	10	—	299	286	68	69
0—1	5262	3951	440	469	—	—	—	—	—	—	—	—	56	53	2	—
1—5	1949	1716	733	725	—	—	—	—	—	—	—	—	195	170	25	30
5—10	685	660	248	279	2	2	1	1	1	1	—	—	34	45	14	15
10—15	570	514	180	206	1	5	1	4	—	1	1	—	5	5	13	8
15—20	856	796	322	439	6	7	6	7	—	—	—	—	5	4	4	2
20—25	989	974	418	516	6	2	6	2	—	—	—	—	1	4	4	4
25—30	914	995	443	485	4	4	3	4	1	—	—	—	—	3	—	3
30—35	921	1026	392	368	1	3	1	3	—	—	2	—	—	2	2	1
35—40	1069	1101	383	350	—	2	—	2	—	—	3	—	1	—	—	3
40—45	1393	1297	373	288	—	2	—	1	—	1	—	—	—	—	—	—
45—50	1747	1584	403	260	1	4	1	4	—	—	—	—	—	—	—	—
50—55	2153	2054	339	234	2	4	1	2	1	2	—	—	1	—	—	1
55—60	2748	2490	326	208	3	1	2	—	1	1	—	—	1	—	—	1
60—65	3844	3161	340	223	3	8	2	7	1	1	3	—	—	—	2	—
65—70	4985	4134	304	224	2	1	2	—	—	1	1	—	—	—	1	1
70—75	5408	5059	262	279	—	—	—	—	—	—	—	—	—	—	1	—
75—80	5261	5518	202	231	1	—	1	—	—	—	—	—	—	—	—	—
80 and upwards	6776	8497	208	304	—	—	—	—	—	—	—	—	—	—	—	—

*2. Typhus —; 3. Relapsing fever (Spirillum obermeieri) —; 4. Mediterranean fever —; 6. Smallpox 25, 55, 70, 0.

Causes of Death.	9 Whooping cough.		10 Diphtheria.		11 Influenza.		11 (*a*) With pulmonary complications.		11 (*b*) Without pulmonary complications.		12* 13 Mumps.		14* 15 Cholera nostras		16 Dysentery.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	367	460	169	187	1601	1532	966	840	635	692	8	2	—	—	16	11
0—1	189	234	10	3	63	48	35	27	28	21	1	—	—	—	—	—
1—5	160	207	75	69	46	55	32	30	14	25	2	1	—	—	—	—
5—10	15	15	55	79	18	21	10	7	8	14	1	—	—	—	—	—
10—15	—	—	23	19	22	19	8	6	14	13	—	—	—	—	—	—
15—20	—	2	3	4	40	37	21	15	19	22	—	—	—	—	1	—
20—25	—	—	—	4	49	30	29	13	20	17	1	—	—	—	—	1
25—30	—	1	—	2	39	32	22	20	17	12	—	—	—	—	3	—
30—35	—	—	2	—	32	45	21	25	11	20	—	—	—	—	1	—
35—40	—	—	—	1	58	44	38	25	20	19	—	—	—	—	—	—
40—45	—	—	—	—	67	45	45	30	22	15	1	—	—	—	3	—
45—50	—	—	1	1	78	62	52	37	26	25	—	—	—	—	1	—
50—55	—	—	—	1	98	74	65	51	33	23	1	—	—	—	2	—
55—60	—	—	—	2	107	75	70	40	37	35	—	—	—	—	1	2
60—65	—	—	—	—	138	97	87	59	51	38	—	—	—	—	2	3
65—70	1	1	—	—	179	138	109	79	70	59	—	1	—	—	1	2
70—75	1	—	—	1	201	217	126	128	75	89	—	—	—	—	—	2
75—80	—	—	—	1	167	205	92	106	75	99	1	—	—	—	1	1
80 and upwards	1	—	—	—	199	288	104	142	95	146	—	—	—	—	—	—

*12. Miliary fever —; 14. Asiatic cholera —.

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1925. (Civilian population only).

Causes of Death.	16 (*a*) Amœbic.		16 (*b*) Bacillary.		16 (*c*) Other or unspecified		17, 18, 19, 20* 21 Erysipelas.		22 Acute poliomyelitis.		23 Encephalitis lethargica.		24 Meningococcal meningitis.		25 Other epidemic and endemic diseases.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	1	1	—	—	15	10	67	58	20	15	118	133	32	22	5	13
0—1	—	—	—	—	—	—	4	5	1	2	1	3	6	5	1	4
1—5	—	—	—	—	—	—	—	5	5	7	8	10	5	7	3	5
5—10	—	—	—	—	—	—	—	1	3	2	11	6	6	1	—	2
10—15	—	—	—	—	—	—	—	—	3	1	5	6	5	3	—	—
15—20	—	—	—	—	1	—	2	—	4	2	12	18	2	2	—	—
20—25	—	1	—	—	—	—	1	1	1	—	7	11	3	1	—	—
25—30	—	—	—	—	3	—	3	—	1	1	13	3	—	—	—	—
30—35	—	—	—	—	1	—	—	1	1	—	8	4	—	1	—	1
35—40	—	—	—	—	—	—	4	8	—	—	10	12	1	—	—	—
40—45	—	—	—	—	3	—	2	—	1	—	4	12	2	1	—	1
45—50	1	—	—	—	—	—	9	4	—	—	8	10	1	—	—	—
50—55	—	—	—	—	2	—	4	6	—	—	5	13	—	—	—	—
55—60	—	—	—	—	1	2	4	3	—	—	9	9	—	—	—	—
60—65	—	—	—	—	2	3	7	3	—	—	7	6	1	—	—	—
65—70	—	—	—	—	1	2	5	3	—	—	6	5	—	1	1	—
70—75	—	—	—	—	—	2	9	6	—	—	3	4	—	—	—	—
75—80	—	—	—	—	1	1	8	6	—	—	1	1	—	—	—	—
80 and upwards	—	—	—	—	—	—	5	6	—	—	—	—	—	—	—	—

***17.** Plague —; **18.** Yellow Fever —; **19.** Spirochtæosis ictero-hæmorrhagica 45, 50, 55; **20.** Leprosy 25, 30.

Causes of Death.	26* 27 Anthrax.		28* 29 Tetanus.		30 Mycoses.		Tuberculosis. 31–37 All forms.		31 Respiratory system.		32 Nervous system.		33 Intestines and peritoneum.		34 Vertebral column.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	1	—	30	12	10	8	3281	3129	2575	2450	239	229	156	169	59	42
0—1	—	—	1	—	5	5	61	71	5	11	30	38	17	13	—	—
1—5	—	—	1	—	—	—	201	150	23	16	102	74	48	35	—	1
5—10	—	—	3	3	—	—	82	82	17	23	38	30	9	12	—	4
10—15	—	—	3	2	—	—	94	136	37	83	23	24	18	14	4	1
15—20	1	—	2	2	1	—	235	355	173	281	19	23	15	19	3	4
20—25	—	—	—	—	—	—	338	452	294	391	10	16	12	16	7	3
25—30	—	—	1	—	—	—	374	433	330	391	5	7	5	14	11	3
30—35	—	—	2	—	—	1	334	306	292	273	2	5	8	12	11	2
35—40	—	—	1	1	—	1	297	273	262	241	3	5	2	10	7	3
40—45	—	—	1	—	—	—	284	221	253	200	3	2	5	8	6	4
45—50	—	—	3	—	1	—	280	175	249	153	3	3	8	4	3	3
50—55	—	—	2	1	—	—	208	132	196	115	—	1	2	4	1	3
55—60	—	—	5	2	1	—	186	107	174	90	—	—	2	2	2	3
60—65	—	—	2	1	—	—	153	101	133	79	—	1	3	5	3	4
65—70	—	—	2	—	1	—	92	66	81	57	1	—	2	—	1	2
70—75	—	—	—	—	—	1	42	45	37	34	—	—	—	—	—	2
75—80	—	—	1	—	1	—	17	16	16	11	—	—	—	1	—	—
80 and upwards	—	—	—	—	—	—	3	8	3	1	—	—	—	—	—	—

***26.** Glanders —; **28.** Rabies — .

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1925. (Civilian population only).

Causes of Death.	Tuberculosis—*contd.*															
	35 Joints.		36 Other organs.		36 (*a*) Skin and subcutaneous tissue.		36 (*b*) Bones (vertebral column excepted).		36 (*c*) Lymphatic system (abdominal glands excptd.).		36 (*d*) Genito-urinary system.		36 (*e*) Others in 36.		37 Disseminated.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	31	18	55	48	6	7	4	9	9	8	35	24	1	—	166	173
0—1	—	—	1	1	—	—	—	—	1	1	—	—	—	—	8	8
1—5	1	1	2	—	—	—	—	—	2	—	—	—	—	—	25	23
5—10	3	—	1	—	—	—	—	—	1	—	—	—	—	—	14	13
10—15	3	—	1	1	—	—	—	—	—	—	1	1	—	—	8	13
15—20	2	—	2	2	—	1	—	1	1	—	1	—	—	—	21	26
20—25	2	—	3	7	1	—	—	—	—	—	2	7	—	—	10	19
25—30	5	—	5	4	2	—	1	1	—	—	2	3	—	—	13	14
30—35	2	—	6	3	2	—	1	1	2	—	1	2	—	—	13	11
35—40	2	1	7	3	—	—	—	—	—	1	7	2	—	—	14	10
40—45	—	1	5	1	—	1	1	—	—	—	4	—	—	—	12	5
45—50	2	1	5	5	—	1	—	—	—	—	4	4	1	—	10	6
50—55	1	1	3	2	—	—	—	—	—	—	3	2	—	—	5	6
55—60	—	2	3	6	—	1	—	1	—	2	3	2	—	—	5	4
60—65	4	3	5	4	—	1	—	1	1	2	4	—	—	—	5	5
65—70	1	—	5	2	1	—	1	—	1	1	2	1	—	—	1	5
70—75	2	4	1	3	—	2	—	1	—	—	1	—	—	—	2	2
75—80	1	2	—	1	—	—	—	1	—	—	—	—	—	—	—	1
80 and upwards	—	2	—	3	—	—	—	2	—	1	—	—	—	—	—	2

Causes of Death.	Tuberculosis—*contd.*				38 Syphilis.		39*		40 (1) Gonococcal infection (ophthalmia excepted).		40 (2) Gonorrhœal or purulent ophthalmia.		42*		II. 43–69 General diseases not included in I. 1–42.	
	37 (*a*) Acute.		37 (*b*) Chronic or unstated.				40 Gonococcal infection.						41 Purulent infection, septicæmia.			
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	45	58	121	115	77	62	3	1	3	1	—	—	93	42	6443	7794
0—1	5	3	3	5	30	32	2	—	2	—	—	—	7	3	50	37
1—5	6	10	19	13	2	3	—	—	—	—	—	—	5	6	68	48
5—10	5	3	9	10	1	—	—	—	—	—	—	—	3	5	56	38
10—15	2	2	6	11	1	—	—	—	—	—	—	—	4	2	56	69
15—20	6	11	15	15	—	1	—	—	—	—	—	—	4	3	66	69
20—25	2	8	8	11	1	1	—	—	—	—	—	—	6	5	57	75
25—30	3	5	10	9	1	2	—	—	—	—	—	—	2	1	54	82
30—35	5	2	8	9	3	2	—	—	—	—	—	—	3	1	71	143
35—40	4	6	10	4	6	2	—	—	—	—	—	—	2	3	89	198
40—45	4	3	8	2	3	4	—	1	—	1	—	—	5	1	185	360
45—50	1	1	9	5	11	2	—	—	—	—	—	—	8	2	309	515
50—55	1	—	4	6	6	2	—	—	—	—	—	—	9	—	489	734
55—60	—	1	5	3	2	3	—	—	—	—	—	—	5	3	621	800
60—65	1	2	4	3	3	3	1	—	1	—	—	—	18	1	941	1024
65—70	—	1	1	4	4	4	—	—	—	—	—	—	7	1	1096	1114
70—75	—	—	2	2	2	1	—	—	—	—	—	—	2	2	974	1033
75—80	—	—	—	1	1	—	—	—	—	—	—	—	3	1	748	802
80 and upwards	—	—	—	2	—	—	—	—	—	—	—	—	—	2	513	653

***39.** Soft chancre —; **42.** (1) Vaccinia — . (2) Other diseases included under 42, 65.

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1925.
(Civilian population only).

Causes of Death.	Cancer, Malignant disease.															
	43-49 Total.		43 Buccal cavity.		44 Pharynx, œsophagus, stomach, liver and annexa.		45 Peritoneum, intestines and rectum.		46 Female genital organs.		47 Breast.		48 Skin.		49 Other or unspecified organs.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	5004	5690	486	92	1912	1708	1213	1205	—	993	11	1020	218	113	1164	559
0—1	3	5	—	—	—	1	—	—	—	—	—	—	—	—	3	4
1—5	10	6	—	—	1	—	2	—	—	—	—	—	—	—	7	6
5—10	14	3	—	—	—	—	—	—	—	—	—	—	—	—	14	3
10—15	6	6	—	—	—	—	1	1	—	—	—	—	—	—	5	5
15—20	14	6	1	—	—	—	2	1	—	3	—	—	—	1	11	1
20—25	14	10	—	—	1	2	—	4	—	1	—	—	1	—	12	3
25—30	20	29	—	1	3	2	4	3	—	11	—	4	2	—	11	8
30—35	33	59	2	1	8	9	4	10	—	21	—	8	1	2	18	8
35—40	45	123	1	3	17	23	11	14	—	42	—	25	1	—	15	16
40—45	124	241	8	1	44	49	26	33	—	61	1	71	5	5	40	21
45—50	224	388	23	6	87	90	53	57	—	94	—	107	3	2	58	32
50—55	400	583	29	8	182	132	83	102	—	140	—	131	9	7	97	63
55—60	488	609	59	11	185	154	120	116	—	139	—	118	15	4	109	67
60—65	770	782	73	14	329	236	174	165	—	130	5	146	19	6	170	85
65—70	929	857	95	16	387	305	220	195	—	137	2	116	23	14	202	74
70—75	828	800	80	16	323	284	225	209	—	103	1	112	34	14	165	62
75—80	648	642	70	7	231	235	168	169	—	59	1	99	43	19	135	54
80 and upwards	434	541	45	8	114	186	120	126	—	52	1	83	62	39	92	47

Causes of Death.	50 Tumours not returned as malignant (brain and female genital organs excepted).		51 Rheumatic fever.		52 Chronic rheumatism, osteo-arthritis, gout.		53 Scurvy.		54, 55* 56 Rickets.		57 Diabetes.		58. Anæmia, chlorosis.		58 (*a*) Pernicious anæmia.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	74	77	159	199	232	386	2	—	42	28	400	560	269	384	240	350
0—1	—	—	—	—	—	—	—	—	17	8	—	—	5	1	2	1
1—5	2	3	4	1	—	—	2	—	20	19	3	2	4	3	1	—
5—10	1	1	19	16	—	—	—	—	1	—	7	6	3	2	—	2
10—15	—	1	21	39	—	—	—	—	2	—	14	9	2	2	1	2
15—20	—	1	21	27	—	—	—	—	1	—	12	13	3	4	2	3
20—25	1	1	13	12	2	—	—	—	—	—	7	17	3	17	3	14
25—30	—	—	8	13	1	—	—	—	—	—	8	15	4	11	3	9
30—35	—	1	7	12	1	4	—	—	—	—	9	15	10	21	9	20
35—40	1	4	4	11	1	5	—	—	—	1	12	8	8	20	6	18
40—45	4	3	8	7	3	9	—	—	—	—	20	22	13	40	12	35
45—50	6	2	15	9	7	18	—	—	—	—	14	18	23	34	21	32
50—55	5	6	9	13	3	22	—	—	1	—	26	38	28	28	26	28
55—60	8	5	7	14	20	28	—	—	—	—	28	57	44	45	39	43
60—65	10	3	12	11	39	36	—	—	—	—	48	86	43	55	42	49
65—70	12	14	7	4	39	56	—	—	—	—	60	91	34	52	34	47
70—75	9	11	2	7	51	79	—	—	—	—	54	80	27	36	27	34
75—80	7	11	2	1	28	71	—	—	—	—	48	54	13	11	11	11
80 and upwards	8	10	—	2	37	58	—	—	—	—	30	29	2	2	1	2

* **54.** Pellagra *30, 30*; **55.** Beri-beri —.

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1925. (Civilian population only).

Causes of Death.	58 (*b*) Other anæmias and chlorosis.		59* 60 Diseases of the thyroid gland.		60 (*a*) Exophthalmic goitre.		60 (*b*) Other diseases of the thyroid gland.		61* 62 Diseases of the thymus.		63 Diseases of the adrenals.		64 Diseases of the spleen.		65 Leukæmia, lymphadenoma.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	29	34	25	255	14	178	11	77	19	16	18	32	3	3	118	93
0—1	3	—	—	—	—	—	—	—	9	9	—	—	—	—	1	—
1—5	3	3	—	2	—	—	—	2	5	4	—	—	—	—	9	3
5—10	3	—	1	2	—	—	1	2	—	—	—	—	—	—	9	3
10—15	1	—	1	3	—	1	1	2	3	1	—	—	—	—	3	8
15—20	1	1	—	9	—	6	—	3	1	—	1	2	—	—	12	4
20—25	—	3	2	11	2	11	—	—	1	1	1	—	—	—	7	6
25—30	1	2	2	7	2	6	—	1	—	1	2	3	—	—	8	2
30—35	1	1	2	17	2	16	—	1	—	—	2	1	—	—	4	9
35—40	2	2	1	14	1	11	—	3	—	—	2	4	—	—	10	6
40—45	1	5	3	23	1	19	2	4	—	—	1	7	—	—	5	5
45—50	2	2	—	24	—	21	—	3	—	—	4	4	—	—	11	9
50—55	2	—	2	33	1	26	1	7	—	—	—	1	2	—	11	6
55—60	5	2	5	28	2	23	3	5	—	—	2	4	1	—	12	8
60—65	1	6	2	31	1	19	1	12	—	—	2	3	—	3	9	8
65—70	—	5	4	27	2	13	2	14	—	—	1	3	—	—	4	6
70—75	—	2	—	12	—	4	—	8	—	—	—	—	—	—	1	6
75—80	2	—	—	7	—	1	—	6	—	—	—	—	—	—	2	1
80 and upwards	1	—	—	5	—	1	—	4	—	—	—	—	—	—	—	3

* **59.** Diseases of the pituitary gland 35, 40, *65*; **61.** 1. Tetany 0, 1, 1, 1, 55, *0, 0, 1, 5.* 2. Other diseases of the parathyroid glands —.

Causes of Death.	65 (*a*) Leukæmia.		65 (*b*) Lymphadenoma. (Hodgkin's disease).		66 Alcoholism (acute or chronic).		67 Chronic poisoning by mineral substances.		68* 69 Other general diseases.		III. 70–86 Diseases of the Nervous system and sense organs.		70 Encephalitis.		71 Meningitis.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	66	60	52	33	14	12	5	—	51	51	4912	5074	30	23	223	152
0—1	1	—	—	—	—	—	—	—	14	12	447	292	1	1	66	33
1—5	7	3	2	—	—	—	—	—	6	4	145	131	2	1	61	44
5—10	4	2	5	1	—	—	—	—	1	4	69	51	1	1	21	20
10—15	3	5	—	3	—	—	—	—	4	—	55	45	5	1	14	16
15—20	6	3	6	1	—	—	—	—	1	3	57	47	2	4	9	6
20—25	3	3	4	3	—	—	—	—	6	—	70	45	2	—	9	4
25—30	6	1	2	1	—	—	—	—	1	1	53	31	2	—	4	3
30—35	1	5	3	4	1	1	—	—	2	1	51	59	2	1	4	—
35—40	5	3	5	3	2	2	—	—	2	—	86	77	—	—	6	4
40—45	2	4	3	1	2	2	1	—	—	1	127	101	1	3	4	4
45—50	7	8	4	1	3	2	1	—	1	6	145	164	2	2	—	6
50—55	4	4	7	2	1	1	—	—	1	3	205	236	1	2	3	2
55—60	7	4	5	4	2	1	2	—	1	1	303	330	4	2	11	8
60—65	7	5	2	3	1	2	—	—	4	4	447	428	2	1	4	2
65—70	1	4	3	2	1	—	1	—	4	3	602	588	—	—	5	—
70—75	1	4	—	2	—	1	—	—	2	1	718	776	1	1	2	—
75—80	1	—	1	1	—	—	—	—	—	4	653	754	—	2	—	—
80 and upwards	—	2	—	1	1	—	—	—	1	3	679	919	2	1	—	—

* **68.** Chronic poisoning by organic substances 60, *45.*

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1925.
(Civilian population only.)

Causes of Death.	72 Tabes dorsalis (locomotor ataxy).		73 Other diseases of the spinal cord.		74 Cerebral hæmorrhage apoplexy.		74 (*a*) Cerebral hæmorrhage.		74 (*b*) Cerebral embolism and thrombosis.		75 Paralysis of unstated origin.		75 (*a*) Hemiplegia.		75 (*b*) Other forms of paralysis.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	67	9	178	138	2719	3344	2406	2898	313	446	236	253	191	222	45	31
0—1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—5	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—
5—10	—	—	1	1	—	1	—	1	—	—	—	1	—	1	—	—
10—15	—	—	4	1	1	1	1	1	—	—	2	—	—	—	2	—
15—20	—	—	7	4	2	2	2	2	—	—	—	—	—	—	—	—
20—25	—	—	7	3	5	4	4	4	1	—	1	—	—	—	1	—
25—30	1	—	4	3	5	2	4	—	1	2	—	—	—	—	—	—
30—35	—	2	1	3	7	10	6	8	1	2	—	1	—	—	—	1
35—40	2	—	6	7	12	19	12	15	—	4	—	1	—	1	—	—
40—45	5	1	13	5	24	25	24	19	—	6	2	2	1	2	1	—
45—50	5	1	12	10	41	84	34	71	7	13	1	4	1	4	—	—
50—55	12	3	13	12	101	146	97	127	4	19	1	3	1	3	—	—
55—60	9	1	9	18	167	217	150	193	17	24	11	17	11	12	—	5
60—65	13	—	25	12	296	332	265	295	31	37	24	14	19	13	5	1
65—70	13	—	27	25	432	439	392	394	40	45	30	43	23	38	7	5
70—75	3	1	27	10	544	648	489	571	55	77	60	39	46	33	14	6
75—80	4	—	17	16	523	627	459	539	64	88	48	59	40	53	8	6
80 and upwards	—	—	5	8	559	786	467	657	92	129	56	69	49	62	7	7

Causes of Death.	76 General paralysis of the insane.		77 Other forms of insanity.		78 Epilepsy.		79 & 80 Convulsions (non-puerperal).		81 Chorea.		82 Hysteria and neuritis.		83 Cerebral softening.		84 Other diseases of the nervous system.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	137	36	65	82	272	223	402	296	3	13	17	28	57	42	391	366
0—1	—	—	—	—	5	3	353	247	—	—	—	—	—	—	7	4
1—5	—	—	—	—	5	6	47	48	—	2	—	—	—	—	18	16
5—10	—	—	—	—	13	6	—	1	2	3	—	—	—	—	14	6
10—15	—	—	—	1	15	8	—	—	—	2	—	—	—	—	7	7
15—20	1	—	1	—	16	15	—	—	1	2	—	—	—	—	5	8
20—25	—	—	1	3	23	16	—	—	—	2	1	2	—	—	10	6
25—30	1	—	1	2	24	11	—	—	—	—	—	1	—	—	7	6
30—35	6	4	1	1	18	18	1	—	—	1	—	1	—	—	6	17
35—40	21	5	3	5	19	18	—	—	—	—	—	2	—	—	15	14
40—45	28	7	7	8	20	16	1	—	—	1	1	—	1	1	17	24
45—50	31	5	8	7	18	15	—	—	—	—	1	1	1	1	23	27
50—55	16	2	8	11	17	19	—	—	—	—	1	1	2	1	23	32
55—60	12	3	14	10	17	13	—	—	—	—	1	3	2	3	44	32
60—65	7	4	8	17	16	6	—	—	—	—	—	6	3	2	44	29
65—70	6	3	7	11	14	23	—	—	—	—	4	2	9	3	50	39
70—75	5	—	3	5	11	16	—	—	—	—	7	4	10	9	45	42
75—80	2	2	2	—	8	10	—	—	—	—	—	2	8	9	36	24
80 and upwards	1	1	1	1	13	4	—	—	—	—	1	3	21	13	20	33

TABLE 17—*contd.*

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1925.
(Civilian population only).

Causes of Death.	85 Diseases of the eye and annexa.		86 Diseases of the ear and of the mastoid sinus.		IV. 87–96 Diseases of the circulatory system.		87–90 Heart disease (all forms).		87 Peri-carditis.		88 Acute endo-carditis and myocarditis		89 Angina pectoris.		90 Other diseases of the heart.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	9	6	106	63	8964	8633	6610	7058	43	22	160	140	278	85	6129	6811
0—1	—	—	15	4	5	3	1	—	1	—	—	—	—	—	—	—
1—5	1	1	11	12	7	12	5	11	1	1	3	4	—	—	1	6
5—10	—	—	17	11	17	18	17	18	2	2	8	6	—	—	7	10
10—15	—	—	7	8	35	43	33	43	4	1	12	9	—	—	17	33
15—20	—	—	13	6	40	48	40	48	2	1	5	11	—	—	33	36
20—25	—	1	11	4	50	45	49	45	1	—	11	10	—	1	37	34
25—30	—	—	4	3	48	65	44	62	—	1	9	11	—	—	35	50
30—35	1	—	4	—	57	76	51	71	1	2	12	9	—	—	38	60
35—40	—	—	2	2	81	85	73	79	2	1	14	11	—	—	57	67
40—45	—	1	3	3	154	142	141	125	3	2	28	13	5	2	105	108
45—50	—	—	2	1	220	229	191	208	3	3	8	9	10	4	170	192
50—55	—	—	7	2	357	367	303	325	4	1	13	6	10	5	276	313
55—60	1	—	1	3	591	554	471	499	3	1	10	9	40	8	418	481
60—65	1	—	4	3	935	758	722	644	5	—	7	10	52	11	658	623
65—70	2	—	3	—	1466	1197	1107	1045	4	3	9	7	41	18	1053	1017
70—75	—	1	—	—	1665	1458	1198	1201	4	—	5	5	52	13	1137	1183
75—80	3	2	2	1	1528	1593	1083	1287	2	2	3	6	40	14	1038	1265
80 and upwards	—	—	—	—	1708	1940	1081	1347	1	1	3	4	28	9	1049	1333

Causes of Death.	90 (1–4) Valvular disease.		90 (5–8) Other defined heart disease.		90 (9) Heart disease undefined.		91 Disease of the arteries.		91 (*a*) Aneurysm.		91 (*b*) Arterio-sclerosis.		91 (*b*) 1 With record of cerebral vascular lesion.		91 (*b*) 2 Without record of cerebral vascular lesion.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	2546	2858	2286	2522	1297	1431	2258	1448	123	20	2121	1419	698	550	1423	869
0—1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—5	1	2	—	—	—	4	—	—	—	—	—	—	—	—	—	—
5—10	6	9	—	—	1	1	—	—	—	—	—	—	—	—	—	—
10—15	15	27	—	—	2	6	—	—	—	—	—	—	—	—	—	—
15—20	23	31	—	1	10	4	—	—	—	—	—	—	—	—	—	—
20—25	27	25	1	3	9	6	—	—	—	—	—	—	—	—	—	—
25—30	26	36	5	5	4	9	2	1	2	1	—	—	—	—	—	—
30—35	22	46	2	8	14	6	3	—	2	—	1	—	—	—	1	—
35—40	44	46	9	9	4	12	7	2	4	1	3	1	2	1	1	—
40—45	69	68	22	15	14	25	11	8	6	—	5	8	3	6	2	2
45—50	100	116	43	47	27	29	24	10	15	1	9	9	5	4	4	5
50—55	138	189	90	79	48	45	46	31	10	2	36	29	18	20	18	9
55—60	212	229	124	157	82	95	114	43	23	2	89	41	39	24	50	17
60—65	297	278	227	203	134	142	198	99	26	5	169	94	73	47	96	47
65—70	469	435	365	366	219	216	346	133	19	4	325	127	136	64	189	63
70—75	431	472	433	444	273	267	454	244	8	4	442	238	159	126	283	112
75—80	364	467	443	521	231	277	436	297	7	—	429	295	126	104	303	191
80 and upwards	302	382	522	664	225	287	617	580	1	—	613	577	137	154	476	423

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1925.
(Civilian population only).

Causes of Death.	91 (*c*) Other diseases of the arteries.		92 Embolism and thrombosis (not cerebral).		93 Diseases of the veins, (varices, hæmorrhoids, phlebitis, etc.).		94 Diseases of the lymphatic system (Lymphangitis, etc.).		96* / 95 Hæmorrhage without stated cause.		V. 97–107 Diseases of the respiratory system.		97 Diseases of the nasal fossæ and annexa.		98 Diseases of the larynx.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	14	9	38	44	34	60	10	8	7	6	6630	5767	15	7	60	43
0—1	—	—	1	—	—	—	2	1	1	2	1030	723	4	1	13	6
1—5	—	—	—	1	—	—	2	—	—	—	579	495	1	—	24	21
5—10	—	—	—	—	—	—	—	—	—	—	82	101	—	1	6	7
10—15	—	—	—	—	1	—	1	—	—	—	53	38	—	1	—	1
15—20	—	—	—	—	—	—	—	—	—	—	82	52	1	1	5	—
20—25	—	—	1	—	—	—	—	—	—	—	74	43	2	1	1	—
25—30	—	—	—	1	1	1	—	—	1	—	63	53	—	—	—	—
30—35	—	—	1	2	1	1	—	1	1	1	82	78	—	—	—	—
35—40	—	—	1	2	—	2	—	—	—	—	137	80	1	—	—	—
40—45	—	—	—	3	2	6	—	—	—	—	182	102	1	1	—	1
45—50	—	—	2	6	2	5	—	—	—	—	227	125	—	—	1	2
50—55	—	—	2	6	3	4	1	1	1	—	223	140	1	—	—	—
55—60	2	—	5	3	—	6	1	1	—	—	339	202	—	—	3	2
60—65	3	—	7	3	6	12	2	—	—	—	438	275	3	—	1	2
65—70	2	2	7	4	4	10	—	—	—	1	606	420	1	1	2	—
70—75	4	2	4	3	6	9	—	—	2	1	686	641	—	—	1	—
75—80	—	2	4	5	3	2	1	1	—	—	727	858	—	—	—	—
80 and upwards	3	3	3	5	5	2	—	3	1	1	1020	1341	—	—	3	1

*96. Other diseases of the circulatory system 45, 50, 65, 65, 70, 75, 80, *55, 55, 65, 65, 65, 65, 75, 80, 80.*

Causes of Death.	99 Bronchitis.		99 (*a*) Acute.		99 (*b*) Chronic.		99 (*c* & *d*) Not stated whether acute or chronic.		100 & 101 Pneumonia (all forms).		100 Broncho-pneumonia.		101 Pneumonia (lobar or not otherwise defined).		101 (*a*) Pneumonia, lobar.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	2978	2982	760	953	970	776	1248	1253	3028	2278	1376	1211	1652	1067	888	559
0—1	357	241	175	117	2	2	180	122	640	464	552	397	88	67	24	18
1—5	114	98	56	50	1	4	57	44	431	368	348	291	83	77	40	33
5—10	5	11	2	7	—	1	3	3	64	77	29	39	35	38	19	22
10—15	7	2	2	—	3	—	2	2	41	31	8	6	33	25	19	16
15—20	5	5	2	1	—	2	3	2	65	40	11	8	54	32	34	23
20—25	4	5	1	1	—	3	3	1	61	33	3	7	58	26	35	15
25—30	5	6	—	—	3	3	2	3	51	42	5	10	46	32	30	20
30—35	5	5	1	1	3	2	1	2	69	63	6	10	63	53	44	29
35—40	16	10	2	2	9	6	5	2	110	59	10	16	100	43	64	27
40—45	28	10	9	7	14	2	5	1	128	82	24	18	104	64	60	39
45—50	34	23	5	6	18	10	11	7	158	77	28	15	130	62	88	39
50—55	59	55	12	17	35	25	12	13	132	67	27	15	105	52	59	31
55—60	113	73	25	23	52	20	36	30	160	93	27	28	133	65	71	39
60—65	179	117	41	34	87	50	51	33	203	125	53	36	150	89	88	40
65—70	301	224	68	59	140	92	93	73	228	153	60	57	168	96	83	52
70—75	433	403	94	127	171	129	168	147	195	175	64	70	131	105	58	57
75—80	513	609	105	188	190	172	218	249	146	181	57	93	89	88	42	38
80 and upwards	800	1085	160	313	242	253	398	519	146	148	64	95	82	53	30	21

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1925. (Civilian population only).

Causes of Death.	101 (*b*) Pneumonia, not otherwise defined.		102 Pleurisy.		103 Congestion and hæmorrhagic infarct of lung.		104 Gangrene of the lung.		105 Asthma.		106 Pulmonary emphysema.		107 Other diseases of the respiratory system.		107 (*a*) Chronic interstitial pneumonia.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	764	508	118	85	111	175	3	2	228	161	22	13	67	21	50	8
0—1	64	49	3	1	10	7	—	—	1	—	—	—	2	3	—	—
1—5	43	44	7	5	1	2	—	—	1	1	—	—	—	—	—	—
5—10	16	16	5	4	—	—	—	—	2	1	—	—	—	—	—	—
10—15	14	9	2	2	1	1	—	—	2	—	—	—	—	—	—	—
15—20	20	9	4	5	1	1	—	—	1	—	—	—	—	—	—	—
20—25	23	11	5	2	—	—	—	1	1	—	—	—	—	1	—	—
25—30	16	12	4	1	2	—	—	—	—	3	—	—	1	1	—	—
30—35	19	24	3	5	1	—	—	—	3	4	—	—	1	1	—	—
35—40	36	16	3	6	1	—	—	1	3	3	—	—	3	1	3	—
40—45	44	25	4	—	2	3	1	—	14	3	—	—	4	2	3	1
45—50	42	23	9	12	2	1	1	—	12	9	—	—	10	1	5	—
50—55	46	21	8	2	1	3	—	—	15	10	1	2	6	1	6	1
55—60	62	26	14	8	4	1	—	—	30	21	3	1	12	3	10	2
60—65	62	49	8	5	4	9	—	—	31	15	4	1	5	1	5	1
65—70	85	44	13	7	7	13	—	—	41	20	6	—	7	2	6	2
70—75	73	48	4	7	14	24	—	—	28	27	4	4	7	1	7	1
75—80	47	50	13	6	19	35	—	—	24	21	3	4	9	2	5	—
80 and upwards	52	32	9	7	41	75	1	—	19	23	1	1	—	1	—	—

Causes of Death.	107 (*b*) Diseases of the mediastinum.		107 (*c*) Other diseases included under 107.		VI. 108–127 Diseases of the digestive system.		108 Diseases of the buccal cavity and annexa.		108 (1) Diseases of the teeth and gums.		108 (2 & 3) Other diseases of the buccal cavity and annexa.		109 Diseases of the pharynx and tonsils.		110 Diseases of the œsophagus.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	2	—	15	13	2622	2298	53	40	38	33	15	7	69	56	7	
0—1	—	—	2	3	467	323	5	1	3	1	2	—	5	1	—	—
1—5	—	—	—	—	157	150	6	3	2	3	4	—	13	10	—	
5—10	—	—	—	—	67	88	2	—	1	—	1	—	9	11	—	—
10—15	—	—	—	—	59	48	2	—	1	—	1	—	5	7	1	—
15—20	—	—	—	—	63	38	2	1	2	1	—	—	8	3	—	—
20—25	—	—	—	1	60	42	1	—	1	—	—	—	3	4	—	—
25—30	—	—	1	1	55	58	2	1	2	1	—	—	2	2	—	—
30—35	—	—	1	1	69	64	3	5	2	5	1	—	5	3	—	—
35—40	—	—	—	1	95	76	4	3	4	2	—	1	4	4	—	—
40—45	—	—	1	1	106	94	1	2	1	2	—	—	2	2	—	—
45—50	—	—	5	1	124	106	2	3	—	2	2	1	4	1	—	—
50—55	—	—	—	—	158	146	4	2	3	1	1	1	—	1	—	—
55—60	—	—	2	1	182	151	3	4	2	4	1	—	6	2	—	—
60—65	—	—	—	—	216	161	4	6	4	5	—	1	1	4	1	—
65—70	1	—	—	—	242	184	6	3	5	2	1	1	1	1	2	
70—75	—	—	—	—	194	180	2	2	2	2	—	—	1	—	—	—
75—80	1	—	3	2	167	179	2	2	2	1	—	1	—	—	3	—
80 and upwards	—	—	—	1	141	210	2	2	1	1	1	1	—	—	—	

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1925. (Civilian population only).

Causes of Death.	111 Ulcer of the stomach or duodenum.		111 (*a*) Ulcer of the stomach.		111 (*b*) Ulcer of the duodenum.		112 Other diseases of the stomach.		113 & 114 Diarrhœa and enteritis.		115* 116* Diseases due to other intestinal parasites.		117 Appendicitis and typhlitis.		118 Hernia, intestinal obstruction.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	447	200	288	159	159	41	198	242	591	535	1	2	327	250	484	421
0—1	1	1	1	—	—	1	51	38	347	239	—	—	—	1	48	34
1—5	—	—	—	—	—	—	11	14	80	78	1	2	25	24	19	7
5—10	1	1	1	—	—	1	1	3	4	16	—	—	34	32	11	3
10—15	—	3	—	3	—	—	—	2	6	6	—	—	33	23	9	3
15—20	2	2	2	2	—	—	1	2	2	9	—	—	32	11	10	5
20—25	14	8	9	7	5	1	—	1	3	7	—	—	25	13	9	5
25—30	20	6	11	5	9	1	1	2	5	10	—	—	7	18	12	9
30—35	24	6	15	6	9	—	1	2	1	7	—	—	18	16	10	9
35—40	33	15	24	13	9	2	2	6	5	7	—	—	22	12	10	12
40—45	42	26	27	19	15	7	3	3	3	10	—	—	19	13	17	18
45—50	46	19	30	14	16	5	6	7	7	7	—	—	19	15	17	28
50—55	56	25	32	23	24	2	8	5	7	15	—	—	26	16	27	27
55—60	55	20	35	15	20	5	10	12	9	10	—	—	12	13	31	37
60—65	48	19	32	15	16	4	17	18	16	10	—	—	19	12	40	32
65—70	53	21	32	17	21	4	16	17	17	20	—	—	21	9	65	48
70—75	28	11	20	8	8	3	21	28	21	23	—	—	8	12	59	49
75—80	15	6	11	4	4	2	25	28	26	24	—	—	5	9	49	39
80 and upwards	9	11	6	8	3	3	24	54	32	37	—	—	2	1	41	56

***115.** Ankylostomiasis —; **116** (*c*) Nematodes, *1*; **116** (*f*) Undefined parasites, 1, *1*.

Causes of Death.	118 (*a*) Hernia.		118 (*b*) Intestinal obstruction.		119 Other diseases of the intestines.		120 Acute yellow atrophy of the liver.		121 Hydatid tumour of the liver.		122 Cirrhosis of the liver.		122 (*a*) Returned as alcoholic.		122 (*b*) Not returned as alcoholic.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	216	171	268	250	46	51	4	9	—	2	206	100	14	4	192	96
0—1	9	3	39	31	7	3	1	—	—	—	—	—	—	—	—	—
1—5	7	1	12	6	—	3	—	—	—	—	—	1	—	—	—	1
5—10	2	—	9	3	1	1	—	—	—	—	—	1	—	—	—	1
10—15	1	1	8	2	1	—	—	—	—	—	—	—	—	—	—	—
15—20	1	—	9	5	1	2	2	—	—	—	—	—	—	—	—	—
20—25	—	—	9	5	—	1	—	2	—	—	1	—	—	—	1	—
25—30	2	—	10	9	1	3	—	1	—	—	—	—	—	—	—	—
30—35	1	1	9	8	—	2	1	2	—	1	1	3	—	—	1	3
35—40	1	3	9	9	—	3	—	1	—	—	2	3	1	1	1	2
40—45	5	5	12	13	1	1	—	1	—	—	12	2	—	—	12	2
45—50	5	9	12	19	1	3	—	—	—	—	12	7	2	—	10	7
50—55	15	12	12	15	2	1	—	1	—	—	17	16	3	—	14	16
55—60	13	27	18	10	3	5	—	—	—	—	36	6	3	—	33	6
60—65	21	15	19	17	8	4	—	—	—	—	39	17	2	—	37	17
65—70	41	26	24	22	5	3	—	—	—	—	35	15	2	2	33	13
70—75	31	22	28	27	4	4	—	—	—	1	27	9	—	—	27	9
75—80	29	21	20	18	6	5	—	1	—	—	20	9	1	1	19	8
80 and upwards	32	25	9	31	5	7	—	—	—	—	4	11	—	—	4	11

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1925. (Civilian population only).

Causes of Death.	123 Biliary calculi.		124 Other diseases of the liver.		125 Diseases of the pancreas.		127* 126 Peritonitis of unstated origin.		VII. 128–142 Non-venereal diseases of the genito-urinary system.		128 Acute nephritis (including unspecified under 10 years of age).		129 Chronic nephritis (including unspecified over 10 years of age).		130* 131 Other diseases of the kidneys and annexa.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	59	152	89	153	21	35	20	45	2204	1496	129	132	1103	1016	71	66
0—1	—	—	—	2	—	—	2	3	15	9	9	5	—	1	—	1
1—5	—	—	1	1	—	—	1	6	15	22	10	20	3	1	1	1
5—10	—	—	2	7	—	—	2	13	9	14	6	7	3	5	—	—
10—15	—	—	2	2	—	—	—	2	13	18	5	8	7	9	—	—
15—20	—	—	2	1	—	2	1	—	22	18	8	3	12	9	—	—
20—25	—	1	1	—	1	—	2	—	33	33	11	4	18	18	4	3
25—30	2	—	1	2	1	1	1	3	20	35	2	9	11	14	5	—
30—35	—	2	2	3	2	2	1	1	28	49	5	5	18	23	2	6
35—40	5	1	5	3	3	3	—	3	37	64	4	9	22	25	2	6
40—45	1	5	4	6	1	2	—	3	48	90	3	7	36	56	3	4
45—50	2	7	3	4	4	2	1	3	84	109	11	8	56	65	4	5
50—55	4	18	3	13	3	4	1	2	106	112	15	8	68	68	5	6
55—60	4	14	8	20	3	6	2	2	145	133	4	10	108	105	2	5
60—65	10	17	10	16	1	4	2	2	222	160	10	5	132	130	10	9
65—70	9	21	10	19	1	6	1	—	333	176	5	12	173	136	8	5
70—75	9	26	13	12	—	1	1	2	365	176	9	4	178	139	13	6
75—80	6	27	8	27	1	2	1	—	345	125	6	4	143	98	2	5
80 and upwards	7	13	14	15	—	—	1	—	364	153	6	4	115	114	10	4

* **127.** Other diseases of the digestive system —; **130.** Chyluria —.

Causes of Death.	132 Calculi of the urinary passages.		133 Diseases of the bladder.		134 Diseases of the urethra, urinary abscess, etc.		134 (*a*) Stricture of the urethra.		134 (*b*) Other diseases of the urethra, etc.		135 Diseases of the prostate.		136 Non-venereal diseases of the male genital organs.		137 Cysts and other tumours of the ovary not returned as malignant.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	40	19	187	58	44	3	39	—	5	3	620	—	9	—	—	57
0—1	—	—	—	—	—	—	—	—	—	—	—	—	6	—	—	—
1—5	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
5—10	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—
10—15	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—20	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
20—25	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	1
25—30	2	—	—	1	—	1	—	—	—	1	—	—	—	—	—	—
30—35	1	1	—	1	1	—	1	—	—	—	1	—	—	—	—	—
35—40	3	1	5	—	1	—	1	—	—	—	—	—	—	—	—	7
40—45	3	—	1	—	2	—	2	—	—	—	—	—	—	—	—	6
45—50	5	1	—	1	6	—	6	—	—	—	2	—	—	—	—	4
50—55	2	2	6	3	5	1	5	—	—	1	5	—	—	—	—	6
55—60	4	2	5	3	8	—	8	—	—	—	14	—	—	—	—	3
60—65	4	2	11	3	5	—	3	—	2	—	49	—	1	—	—	4
65—70	3	1	29	5	9	—	7	—	2	—	106	—	—	—	—	9
70—75	6	2	25	12	3	—	3	—	—	—	130	—	—	—	—	5
75—80	3	2	40	10	4	1	3	—	1	1	147	—	—	—	—	2
80 and upwards	2	2	64	16	—	—	—	—	—	—	166	—	1	—	—	10

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1925.
(Civilian population only).

Causes of Death.	138 Salpingitis and pelvic abscess in females.		139 Tumours of the uterus not returned as malignant.		140 Non-puerperal uterine hæmorrhage.		141 Other diseases of the female genital organs.		142 Non-puerperal diseases of the breast.		VIII. 143–150 The puerperal state.		143 Accidents of pregnancy.		143 (*a*) Abortion.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	—	37	—	68	—	5	—	30	1	5	—	616	—	58	—	19
0—1	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—
1—5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—15	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—20	—	3	—	—	—	1	—	1	—	—	—	20	—	2	—	1
20—25	—	5	—	—	—	—	—	—	—	—	—	116	—	9	—	1
25—30	—	7	—	2	—	—	—	1	—	—	—	133	—	9	—	2
30—35	—	5	—	—	—	2	—	6	—	—	—	145	—	12	—	5
35—40	—	5	—	8	—	—	—	2	—	1	—	124	—	15	—	7
40—45	—	5	—	9	—	—	—	3	—	—	—	69	—	10	—	3
45—50	—	3	—	14	—	2	—	6	—	—	—	9	—	1	—	—
50—55	—	1	—	15	—	—	—	2	—	—	—		—	—	—	—
55—60	—	1	—	3	—	—	—	—	—	1	—	—	—	—	—	—
60—65	—	1	—	4	—	—	—	2	—	—	—	—	—	—	—	—
65—70	—	1	—	4	—	—	—	3	—	—	—	—	—	—	—	—
70—75	—	—	—	6	—	—	—	2	1	—	—	—	—	—	—	—
75—80	—	—	—	2	—	—	—	—	—	1	—	—	—	—	—	—
80 and upwards	—	—	—	1	—	—	—	2	—	—	—	—	—	—	—	—

Causes of Death.	143 (*b*) Ectopic gestation.		143 (*c*) Other accidents.		144 Puerperal hæmorrhage.		145 Other accidents of childbirth.		146 Puerperal sepsis.		147 Puerperal phlegmasia alba dolens, puerperal embolism, sudden death.		148 Puerperal albuminuria and convulsions.		150* 149 Childbirth not assignable elsewhere (puerperal insanity).	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	—	13	—	26	—	81	—	82	—	206	—	53	—	128	—	7
0—1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—15	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—20	—	—	—	1	—	1	—	1	—	8	—	—	—	8	—	—
20—25	—	3	—	5	—	8	—	15	—	46	—	7	—	30	—	1
25—30	—	4	—	3	—	14	—	13	—	49	—	11	—	32	—	4
30—35	—	5	—	2	—	19	—	22	—	50	—	15	—	26	—	1
35—40	—	—	—	8	—	24	—	16	—	36	—	12	—	21	—	—
40—45	—	1	—	6	—	13	—	13	—	16	—	7	—	9	—	1
45—50	—	—	—	1	—	2	—	2	—	1	—	1	—	2	—	—
50—55	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
55—60	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
60—65	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
65—70	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
70—75	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
75—80	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
80 and upwards	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

* **150.** Puerperal diseases of the breast, *25*.

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1925.
(Civilian population only).

Causes of Death.	IX. 151–154 Diseases of the skin and cellular tissue.		151 Gangrene.		152 Carbuncle, boil.		153 Cellulitis, acute abscess.		154 Other diseases of the skin and its annexa.		X. 155–158 Diseases of the bones and organs of locomotion.		155 Diseases of the bones.		156 Diseases of the joints.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	414	317	189	137	47	19	83	67	95	94	105	71	78	57	19	8
0—1	44	24	2	—	—	—	13	9	29	15	8	3	4	3	2	—
1—5	6	6	1	1	—	—	1	2	4	3	7	7	6	7	1	—
5—10	4	1	2	—	—	—	1	1	1	—	17	11	14	10	2	1
10—15	3	4	—	—	3	2	—	2	—	—	23	6	19	5	3	1
15—20	5	3	—	1	2	—	3	2	—	—	10	—	10	—	—	—
20—25	2	5	—	—	1	2	1	2	—	1	2	2	1	1	1	1
25—30	1	4	—	—	1	1	—	2	—	1	—	2	—	2	—	—
30—35	9	3	—	—	6	—	1	1	2	2	3	4	3	3	—	1
35—40	6	6	1	—	4	1	1	3	—	2	3	4	1	3	1	—
40—45	8	7	—	—	4	2	4	3	—	2	3	1	1	1	1	—
45—50	8	8	—	—	1	3	6	3	1	2	2	1	2	—	—	1
50—55	16	12	2	1	3	—	7	7	4	4	2	2	1	2	1	—
55—60	15	10	2	4	4	—	5	4	4	2	4	4	3	3	1	—
60—65	28	11	8	3	7	1	9	4	4	3	10	5	5	4	4	1
65—70	31	31	12	12	3	4	8	3	8	12	2	5	1	3	1	1
70—75	48	42	29	26	3	—	7	6	9	10	3	5	2	2	1	1
75—80	76	45	53	27	4	2	7	6	12	10	3	6	3	5	—	—
80 and upwards	104	95	77	62	1	1	9	7	17	25	3	3	2	3	—	—

Causes of Death.	157* 158 Other diseases of the organs of locomotion.		XI. 159 Congenital mal-formations.		XII. 160–163 Diseases of early infancy.		160 Congenital debility.		161 Premature birth, injury at birth.		161 (1) Premature birth.		161 (2) Injury at birth.		162 Other diseases peculiar to early infancy.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	8	6	402	358	2331	1698	577	396	1563	1151	1416	1069	147	82	169	136
0—1	2	—	351	312	2331	1698	577	396	1563	1151	1416	1069	147	82	169	136
1—5	—	—	25	23	—	—	—	—	—	—	—	—	—	—	—	—
5—10	1	—	12	6	—	—	—	—	—	—	—	—	—	—	—	—
10—15	1	—	2	6	—	—	—	—	—	—	—	—	—	—	—	—
15—20	—	—	2	2	—	—	—	—	—	—	—	—	—	—	—	—
20—25	—	—	3	4	—	—	—	—	—	—	—	—	—	—	—	—
25—30	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—
30—35	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
35—40	1	1	1	2	—	—	—	—	—	—	—	—	—	—	—	—
40—45	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
45—50	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
50—55	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
55—60	—		—	1	—	—	—	—	—	—	—	—	—	—	—	—
60—65	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
65—70	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
70—75	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
75—80	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
80 and upwards	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

* **157.** Amputation —.

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1925.
(Civilian population only).

Causes of Death.	163 Lack of care.		XIII. 164 Old age.		XIV. 165–203 External causes.		Suicide. 165–174 Total.		165–166 By solid or liquid poisons and corrosive substances.		167 By poisonous gas.		168 By hanging or strangulation.		169 By drowning.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	22	15	3093	4067	2791	1032	556	218	32	34	18	17	153	33	131	91
0—1	22	15	—	—	48	53	—	—	—	—	—	—	—	—	—	—
1—5	—	—	—	—	192	80	—	—	—	—	—	—	—	—	—	—
5—10	—	—	—	—	102	52	—	—	—	—	—	—	—	—	—	—
10—15	—	—	—	—	89	28	—	—	—	—	—	—	—	—	—	—
15—20	—	—	—	—	185	57	10	12	—	2	—	1	4	—	2	6
20—25	—	—	—	—	217	45	32	17	3	5	1	—	6	3	4	5
25—30	—	—	—	—	171	43	27	16	3	4	—	—	2	1	5	8
30—35	—	—	—	—	152	30	25	12	—	1	1	3	9	2	4	3
35—40	—	—	—	—	145	28	28	14	2	2	1	—	8	1	4	6
40—45	—	—	—	—	197	34	48	22	6	4	3	2	11	3	9	9
45—50	—	—	—	—	209	50	60	27	5	6	3	3	15	3	15	12
50—55	—	—	—	—	234	55	81	27	7	2	1	2	16	5	18	13
55—60	—	—	1	2	189	66	63	26	1	4	2	4	22	4	16	9
60—65	—	—	12	24	197	60	76	14	2	2	3	1	30	5	20	4
65—70	—	—	66	82	161	56	39	16	3	1	2	1	13	3	8	9
70—75	—	—	359	402	125	62	33	4	—	—	1	—	8	2	14	1
75—80	—	—	722	835	81	87	27	7	—	1	—	—	8	—	9	5
80 and upwards	—	—	1933	2722	97	146	7	4	—	—	—	—	1	1	3	1

Causes of Death.	Suicide—*contd.* 170 By firearms.		171 By cutting or piercing instruments.		172 By jumping from high places.		173 By crushing.		174 By other means.		175–196 201–203 Violent deaths. excluding suicide and homicide.		175 Food poisoning.		176 Poisoning by venomous animals.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	82	10	103	15	5	6	29	8	3	4	2219	795	9	2	7	7
0—1	—	—	—	—	—	—	—	—	—	—	40	45	—	—	1	—
1—5	—	—	—	—	—	—	—	—	—	—	192	77	2	—	1	—
5—10	—	—	—	—	—	—	—	—	—	—	102	51	—	—	1	—
10—15	—	—	—	—	—	—	—	—	—	—	89	27	2	—	1	2
15—20	4	—	—	1	—	—	—	2	—	—	175	45	—	—	1	1
20—25	9	2	5	1	—	1	4	—	—	—	184	26	3	—	—	—
25—30	6	3	4	—	—	—	7	—	—	—	143	26	—	—	1	1
30—35	5	—	4	1	—	—	2	2	—	—	127	18	—	—	1	1
35—40	4	1	5	2	—	—	4	—	—	2	116	14	—	—	—	—
40—45	6	2	8	1	1	—	2	—	2	1	149	12	—	—	—	—
45—50	13	1	8	1	1	—	—	1	—	—	146	22	—	1	—	—
50—55	12	—	21	2	1	1	4	2	1	—	153	28	1	—	—	—
55—60	6	—	14	3	—	—	2	1	—	1	125	39	—	—	—	—
60—65	10	—	10	1	—	1	1	—	—	—	121	46	1	—	—	—
65—70	5	—	8	1	—	1	—	—	—	—	121	39	—	—	—	2
70—75	1	—	6	1	2	—	1	—	—	—	92	58	—	1	—	—
75—80	1	—	7	—	—	1	2	—	—	—	54	80	—	—	—	—
80 and upwards	—	1	3	—	—	1	—	—	—	—	90	142	—	—	—	—

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1925. (Civilian population only).

Causes of Death.	177 Other acute accidental poisonings.		178 Conflagration.		179 Accidental burns (conflagration excepted).		180 Accidental mechanical suffocation.		181 Accidental absorption of irrespirable or poisonous gas.		182 Accidental drowning.		183 Accidental injury by firearms.		184 Accidental injury by cutting or piercing instruments.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	16	11	5	6	124	155	38	40	10	8	308	72	48	3	2	—
0—1	1	—	—	1	5	3	29	36	—	—	1	2	—	—	—	—
1—5	4	1	2	1	79	39	2	1	—	—	36	12	1	—	—	—
5—10	1	2	—	—	11	15	—	—	—	—	27	5	2	—	—	—
10—15	1	—	—	—	—	11	—	1	—	—	25	1	6	1	1	—
15—20	—	—	—	—	1	8	—	—	1	1	28	6	6	1	1	—
20—25	—	1	—	—	—	5	2	—	1	—	25	5	8	—	—	—
25—30	—	1	—	—	1	8	2	—	—	1	11	5	5	—	—	—
30—35	1	—	1	—	4	3	—	—	1	1	14	3	4	—	—	—
35—40	1	1	—	—	—	1	—	—	—	—	9	2	5	—	—	—
40—45	1	1	—	—	1	2	—	—	2	1	18	—	3	—	—	—
45—50	—	—	—	—	1	4	1	—	1	1	19	4	1	—	—	—
50—55	1	1	1	—	1	4	1	—	—	1	26	5	3	—	—	—
55—60	2	—	—	1	1	6	—	1	—	—	21	8	2	1	—	—
60—65	1	2	1	1	2	3	—	—	1	1	17	6	—	—	—	—
65—70	1	—	—	—	3	9	—	—	1	—	15	3	2	—	—	—
70—75	1	—	—	1	2	12	1	—	1	—	7	2	—	—	—	—
75—80	—	1	—	1	3	7	—	—	1	1	5	2	—	—	—	—
80 and upwards	—	—	—	—	9	15	—	1	—	—	4	1	—	—	—	—

Causes of Death.	185 Accidental injury by fall.		186 Accidental injury in mining and quarrying.		187 Accidental injury by machinery.		188 Accidental injury by other forms of crushing (vehicles, etc.).		189 Injury by animals (poisoning excepted).		190 Wounds of war.		191* 192 Hunger or thirst.		193 Excessive cold.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	259	258	318	—	46	—	885	191	29	4	6	—	4	4	12	9
0—1	3	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
1—5	3	1	—	—	1	—	54	19	3	1	—	—	—	—	—	—
5—10	7	2	—	—	2	—	47	24	2	—	—	—	—	1	—	—
10—15	7	—	7	—	—	—	32	10	1	—	—	—	—	—	1	—
15—20	6	2	39	—	7	—	72	24	2	—	—	—	—	—	—	—
20—25	5	2	34	—	2	—	97	13	—	—	—	—	—	—	1	—
25—30	7	—	32	—	7	—	69	9	1	—	1	—	—	—	—	—
30—35	5	2	29	—	—	—	57	6	1	1	1	—	—	—	—	—
35—40	9	1	33	—	5	—	50	7	—	—	2	—	—	—	—	1
40—45	12	—	31	—	7	—	67	6	—	—	1	—	—	—	—	—
45—50	13	6	33	—	3	—	65	6	2	—	1	—	—	—	—	—
50—55	19	7	28	—	6	—	59	9	4	—	—	—	—	—	1	—
55—60	11	8	16	—	3	—	52	14	5	—	—	—	—	—	1	—
60—65	24	17	19	—	2	—	39	10	5	1	—	—	1	—	1	2
65—70	20	15	16	—	1	—	51	7	—	—	—	—	1	—	3	—
70—75	28	22	1	—	—	—	43	12	2	—	—	—	1	2	3	4
75—80	27	52	—	—	—	—	13	11	—	1	—	—	1	1	—	1
80 and upwards	53	121	—	—	—	—	18	3	1	—	—	—	—	—	1	1

* **191.** Execution of civilians by belligerent armies —

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1925. (Civilian population only).

Causes of Death.	194 Excessive heat.		195* 196 Electricity (lightning excepted).		Homicide. 197–199 All forms.		197 By firearms.		198 By cutting or piercing instruments.		199 By other means.		200* 201 Fracture (cause not specified).	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	27	12	4	—	16	19	2	3	1	5	13	11	5	—
0—1	—	—	—	—	8	8	—	—	1	—	7	8	—	—
1—5	1	1	—	—	—	3	—	—	—	1	—	2	—	—
5—10	1	1	—	—	—	1	—	—	—	—	—	1	—	—
10—15	—	1	—	—	—	1	—	—	—	1	—	—	—	—
15—20	1	—	—	—	—	—	—	—	—	—	—	—	—	—
20—25	1	—	1	—	1	2	—	—	—	2	1	—	—	—
25—30	1	—	1	—	1	1	—	1	—	—	1	—	—	—
30—35	2	—	1	—	—	—	—	—	—	—	—	—	—	—
35—40	—	1	—	—	1	—	—	—	—	—	1	—	—	—
40—45	—	—	—	—	—	—	—	—	—	—	—	—	—	—
45—50	2	—	—	—	3	1	1	1	—	—	2	—	1	—
50—55	—	1	1	—	—	—	—	—	—	—	—	—	—	—
55—60	5	—	—	—	1	1	1	—	—	1	—	—	2	—
60—65	3	1	—	—	—	—	—	—	—	—	—	—	1	—
65—70	4	3	—	—	1	1	—	1	—	—	1	—	—	—
70—75	1	2	—	—	—	—	—	—	—	—	—	—	—	—
75—80	3	1	—	—	—	—	—	—	—	—	—	—	—	—
80 and upwards	2	—	—	—	—	—	—	—	—	—	—	—	1	—

* **195.** Lightning 15, 15, 15, 25, 30, 30, 40, 55, 60, 60. **200.** Infanticide. Deaths from this cause are shown under Nos. 197–199.

Causes of Death.	202 Other and unstated forms of accidental violence; Execution.		203 Violent deaths of unknown causation.		XV. 204–205 Ill-defined diseases.		204 Sudden death.		205 Cause of death unstated or ill-defined.		205 (1) Heart failure, 1–70 years.		205 (2 & 3) Others.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F	M.	F.	M.	F.	M.	F.
All Ages	43	13	4	—	303	218	48	31	255	187	164	133	91	54
0—1	—	2	—	—	26	5	—	—	26	5	—	—	26	5
1—5	2	1	1	—	15	17	1	2	14	15	1	1	13	14
5—10	1	1	—	—	2	1	—	—	2	1	1	—	1	1
10—15	5	—	—	—	2	3	—	—	2	3	2	2	—	1
15—20	7	2	—	—	2	3	—	1	2	2	2	2	—	—
20—25	4	—	—	—	3	3	—	—	3	3	3	2	—	1
25—30	3	1	—	—	3	4	1	1	2	3	2	2	—	1
30—35	3	1	—	—	7	6	1	1	6	5	5	4	1	1
35—40	2	—	—	—	6	7	2	2	4	5	4	4	—	1
40—45	5	2	—	—	9	9	4	1	5	8	3	8	2	—
45—50	2	—	1	—	15	8	1	—	14	8	11	8	3	—
50—55	1	—	—	—	24	16	6	3	18	13	15	10	3	3
55—60	3	—	—	—	32	29	9	6	23	23	15	21	8	2
60—65	1	2	—	—	57	31	7	3	50	28	46	26	4	2
65—70	3	—	—	—	76	57	16	11	60	46	54	43	6	3
70—75	—	—	1	—	9	5	—	—	9	5	—	—	9	5
75—80	—	1	1	—	9	3	—	—	9	3	—	—	9	3
80 and upwards	1	—	—	—	6	11	—	—	6	11	—	—	6	11

TABLE 17A.—ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS OF CHILDREN UNDER FIVE, 1925.

International List Number	Causes of Death.		Total under 5 years.	Under 4 weeks	4 wks–3 m'ths	3–6 m'ths	6–12 m'ths	1 year.	2 years.	3 years.	4–5 years.
	ALL CAUSES	M.	45 080	13,078	5,201	4,751	7,468	7,743	3,132	2,072	1,635
		F.	36,000	9,893	3,770	3,278	5,877	6,822	2,925	1,982	1,453
7	Measles	M.	2,624	6	16	60	560	1,201	391	237	153
		F.	2,242	1	10	21	425	1,025	409	228	123
8	Scarlet fever	M.	258	2	1	4	12	47	68	68	56
		F.	263	—	—	—	12	44	72	75	60
9	Whooping cough	M.	2,687	28	241	293	763	828	266	172	96
		F.	3,168	53	301	262	767	1,064	351	237	133
10	Diphtheria	M.	747	3	5	6	53	146	139	183	212
		F.	718	—	7	8	39	120	142	180	222
11	Influenza	M.	446	32	50	44	103	102	51	41	23
		F.	407	24	36	35	88	82	61	38	43
13	Mumps	M.	8	2	2	—	—	—	2	1	1
		F.	4	—	—	—	—	—	—	1	3
21	Erysipelas	M.	58	4	30	7	9	6	—	1	1
		F.	63	12	21	7	10	8	3	1	1
22	Acute poliomyelitis, acute poliocncephalitis.	M.	33	2	—	3	3	10	7	5	3
		F.	40	—	—	—	5	13	6	14	2
23	Encephalitis lethargica ..	M.	69	—	—	1	5	18	20	11	14
		F.	83	—	—	1	9	22	24	19	8
24	Meningococcal meningitis ..	M.	116	—	9	23	33	22	16	7	6
		F.	83	—	3	12	24	17	13	8	6
25 (1)	German measles	M.	22	—	—	2	5	9	4	2	—
		F.	13	—	—	1	5	4	3	—	—
25 (2)	Varicella	M.	45	2	2	6	14	12	3	3	3
		F.	24	—	1	2	9	8	1	1	2
31–37	Tuberculosis, all forms ..	M.	1,940	3	46	119	340	586	391	240	215
		F.	1,582	8	14	81	285	459	311	252	172
31	Tuberculosis, respiratory system.	M.	282	1	4	12	43	88	59	39	36
		F.	238	2	—	9	37	79	45	45	21
32	Tuberculosis, nervous system	M.	935	—	17	60	153	279	191	131	104
		F.	804	3	6	39	157	208	162	131	98
33	Tuberculosis, intestines and peritoneum.	M.	391	2	17	27	80	115	71	40	39
		F.	259	2	7	19	38	85	43	45	20
34–36	Tuberculosis, other organs ..	M.	47	—	1	1	7	18	8	3	9
		F.	39	—	—	2	8	6	8	6	9
37	Disseminated tuberculosis ..	M.	285	—	7	19	57	86	62	27	27
		F.	242	1	1	12	45	81	53	25	24
	(*a*) Acute	M.	120	—	3	10	25	38	26	13	5
		F.	118	1	1	8	21	37	26	11	13
	(*b*) Chronic or unstated ..	M.	165	—	4	9	32	48	36	14	22
		F.	124	—	—	4	24	44	27	14	11
38	Syphilis	M.	375	141	119	52	41	14	3	4	1
		F.	258	80	87	41	24	12	11	3	—
40 (2)	Gonorrhœal or purulent ophthalmia.	M.	7	4	3	—	—	—	—	—	—
		F.	8	6	2	—	—	—	—	—	—
41	Purulent infection, septicæmia.	M.	32	9	4	2	5	3	4	3	2
		F.	40	6	7	5	7	4	5	4	2
42 (1)	Vaccinia	M.	2	—	—	2	—	—	—	—	—
		F.	1	—	1	—	—	—	—	—	—
43–49	Cancer	M.	70	1	3	2	5	16	19	10	14
		F.	55	1	6	1	6	15	10	6	10

TABLE 17A.—ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS OF CHILDREN UNDER FIVE, 1925—*cont.*

International List Number	Causes of Death.		Total under 5 years.	Under 4 weeks.	4 wks.–3 m'ths	3–6 m'ths	6–12 m'ths	1 year.	2 years.	3 years.	4–5 years.
51	Rheumatic fever	M.	28	—	1	—	—	—	2	7	18
		F.	17	—	—	—	—	1	2	9	5
56	Rickets	M.	266	1	4	24	78	112	29	10	8
		F.	189	1	3	9	45	88	29	10	4
62	Diseases of the thymus ..	M.	85	10	17	35	7	9	4	1	2
		F.	54	11	9	12	10	4	2	5	1
65*a*	Leukæmia	M.	26	—	—	—	3	4	6	7	6
		F.	21	—	—	—	1	4	4	6	6
69 (1)	Purpura	M.	47	12	9	1	7	7	4	6	1
		F.	40	14	1	4	6	3	6	—	6
69 (2)	Hæmophilia	M.	43	25	3	2	—	5	3	2	3
		F.	27	21	3	—	1	—	1	—	1
71	Meningitis	M.	559	24	30	61	145	143	72	47	37
		F.	409	8	24	42	100	100	62	47	26
78	Epilepsy	M.	61	5	3	8	6	8	16	6	9
		F.	42	4	2	1	5	6	10	6	8
79–80	Convulsions	M.	1,986	831	327	245	305	217	44	13	4
		F.	1,381	510	219	182	205	187	47	21	10
84 (1)	Idiocy	M.	64	5	2	4	8	12	12	13	8
		F.	73	4	3	10	11	18	10	11	6
86	Diseases of the ear and of the mastoid sinus.	M.	162	2	9	15	41	46	14	18	17
		F.	122	2	3	22	20	24	21	12	18
	1. Diseases of the mastoid sinus	M.	47	—	2	3	12	14	7	4	5
		F.	33	—	—	9	4	4	7	2	7
	2. Other ear diseases ..	M.	115	2	7	12	29	32	7	14	12
		F.	89	2	3	13	16	20	14	10	11
87–90	Heart disease	M.	45	—	—	2	2	12	8	10	11
		F.	45	—	2	1	1	7	9	13	12
98 (1)	Laryngismus stridulus ..	M.	60	7	5	3	9	11	4	12	9
		F.	29	4	2	3	5	5	4	4	2
98 (2)	Laryngitis	M.	95	2	3	6	15	27	9	21	12
		F.	81	2	5	2	8	18	18	17	11
99	Bronchitis	M.	2,776	287	590	509	716	443	126	69	36
		F.	2,206	210	426	361	556	446	129	53	25
100–101	Pneumonia (all forms) ..	M.	8,571	306	791	1,137	2,426	2,482	797	391	241
		F.	6,818	234	580	774	1,853	2,060	730	354	233
100	Broncho-pneumonia ..	M.	7,107	254	695	974	2,057	2,066	615	281	165
		F.	5,634	187	508	661	1,585	1,697	574	263	159
101	(*a*) Lobar	M.	597	14	37	58	139	167	79	60	43
		F.	450	11	18	37	82	149	79	38	36
	(*b*) Pneumonia not otherwise defined	M.	867	38	59	105	230	249	103	50	33
		F.	734	36	54	76	186	214	77	53	38
102	Pleurisy	M.	96	—	4	3	11	38	19	11	10
		F.	55	1	—	—	9	19	10	6	10
	1. Empyema	M.	84	—	2	2	9	35	18	9	9
		F.	52	1	—	—	9	18	10	5	9
	2. Other pleurisy	M.	12	—	2	1	2	3	1	2	1
		F.	3	—	—	—	—	1	—	1	1
103	Congestion and pulmonary infarct.	M.	63	15	15	6	15	9	2	1	—
		F.	57	12	8	9	12	10	2	3	1
97,98(3) 104–107	Other respiratory diseases ..	M.	38	2	5	8	4	5	5	5	4
		F.	22	1	2	4	8	4	2	1	—
108 (1)	Diseases of the teeth and gums	M.	29	4	1	1	5	12	1	2	3
		F.	19	1	4	1	2	8	2	—	1

TABLE 17A.—ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS OF CHILDREN UNDER FIVE, 1925—*cont.*

International List Number	Causes of Death.		Total under 5 years.	Under 4 weeks	4 wks–3 m'ths	3–6 m'ths	6–12 m'ths	1 year.	2 years.	3 years.	4–5 years.
109 (1)	Tonsillitis, etc., adenoid vegetations.	M.	90	1	—	2	14	10	15	27	21
		F.	53	—	2	—	5	5	9	7	25
112 (1)	Gastritis	M.	365	56	117	78	50	39	15	5	5
		F.	258	43	69	46	49	26	13	6	6
113–114	Diarrhœa and enteritis ..	M.	3,836	312	800	1,056	970	499	119	51	29
		F.	2,796	184	494	724	767	424	113	57	33
117	Appendicitis, typhlitis ..	M.	119	—	1	1	1	12	24	29	51
		F.	79	1	—	—	1	5	13	28	31
118	Hernia, intestinal obstruction	M.	388	29	28	98	141	40	22	20	10
		F.	189	22	6	58	60	16	12	6	9
	(*a*) Hernia	M.	79	10	11	22	16	12	4	4	—
		F.	19	9	2	2	3	1	2	—	—
	(*b*) Intestinal obstruction..	M.	309	19	17	76	125	28	18	16	10
		F.	170	13	4	56	57	15	10	6	9
128	Acute nephritis	M.	98	7	6	5	15	28	16	11	10
		F.	86	4	5	7	5	24	14	17	10
129	Chronic nephritis	M.	14	—	—	1	—	2	5	3	3
		F.	14	—	1	1	1	3	2	5	1
153	Cellulitis, acute abscess ..	M.	79	17	15	12	18	11	2	1	3
		F.	72	18	11	9	13	11	6	3	1
	1. Cellulitis	M.	33	9	7	3	4	5	1	1	3
		F.	35	10	6	6	3	6	2	2	—
	2. Acute abscess	M.	46	8	8	9	14	6	1	—	—
		F.	37	8	5	3	10	5	4	1	1
154 (2)	Eczema	M.	53	9	5	11	16	10	2	—	—
		F.	24	4	2	4	7	7	—	—	—
154 (3)	Pemphigus	M.	114	94	11	3	4	1	—	—	1
		F.	74	57	11	2	2	—	—	2	—
151–152, 154 (1), 154 (4)	Other skin diseases ..	M.	99	39	16	7	16	12	4	4	1
		F.	78	20	17	8	9	16	2	3	3
155 (1)	Acute infective osteomyelitis and periostitis.	M.	50	2	3	4	6	7	11	4	13
		F.	52	—	5	2	5	7	8	10	15
159	Congenital malformations ..	M.	1,933	1,065	444	186	136	46	26	18	12
		F.	1,534	875	324	119	104	63	27	13	9
	1. Congenital hydrocephalus	M.	149	28	17	28	44	16	9	5	2
		F.	100	29	16	14	21	11	5	3	1
	2. Congenital malformation of heart.	M.	727	458	125	53	49	18	8	10	6
		F.	565	349	88	37	39	33	10	5	4
	3. Other congenital malformations.	M.	1,057	579	302	105	43	12	9	3	4
		F.	869	497	220	68	44	19	12	5	4
160	Congenital debility, sclerema and icterus.	M.	2,741	1,546	679	379	137	—	—	—	—
		F.	1,812	1,098	383	216	115	—	—	—	—
	1. Congenital debility and sclerema.	M.	2,506	1,329	662	378	137	—	—	—	—
		F.	1,650	946	373	216	115	—	—	—	—
	2. Icterus neonatorum ..	M.	235	217	17	1	—	—	—	—	—
		F.	162	152	10	—	—	—	—	—	—
161	Premature birth, injury at birth.	M.	7,687	7,048	554	68	17	—	—	—	—
		F.	5,904	5,339	480	74	11	—	—	—	—
	1. Premature birth ..	M.	7,025	6,403	539	66	17	—	—	—	—
		F.	5,509	4,960	467	71	11	—	—	—	—
	2. Injury at birth	M.	662	645	15	2	—	—	—	—	—
		F.	395	379	13	3	—	—	—	—	—
162 (1)	Diseases of the umbilicus ..	M.	72	58	14	—	—	—	—	—	—
		F.	67	54	13	—	—	—	—	—	—

TABLE 17A.—ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS OF CHILDREN UNDER FIVE, 1925—*cont.*

International List Number	Causes of Death.		Total under 5 years.	Under 4 weeks	4 wks–3 m'ths	3–6 m'ths	6–12 m'ths	1 year.	2 years.	3 years.	4–5 years.
162 (2)	Atelectasis	M.	581	564	17	—	—	—	—	—	—
		F.	518	499	19	—	—	—	—	—	—
163	Lack of care	M.	121	120	1	—	—	—	—	—	—
		F.	116	116	—	—	—	—	—	—	—
175–203	Violent deaths	M.	1,228	142	77	67	76	242	241	206	177
		F.	798	140	75	51	68	145	113	120	86
179	Accidental burns (conflagration excepted).	M.	479	4	3	3	47	157	134	83	48
		F.	302	—	6	4	27	97	74	57	37
	1. By Clothing	M.	41	—	—	1	3	13	6	9	9
		F.	46	—	—	—	4	3	10	16	13
	2. Otherwise (*or not stated how*)	M.	69	4	1	—	13	14	17	12	8
		F.	75	—	4	3	9	16	18	15	10
	3. Scalds	M.	369	—	2	2	31	130	111	62	31
		F.	181	—	2	1	14	78	46	26	14
180	Accidental mechanical suffocation.	M.	238	96	69	53	10	5	2	3	—
		F.	229	92	65	40	21	4	4	1	2
	1. In bed or not stated how	M.	206	89	63	43	7	3	—	1	—
		F.	205	88	61	34	18	1	2	1	—
	2. Otherwise than in 1 ..	M.	32	7	6	10	3	2	2	2	—
		F.	24	4	4	6	3	3	2	—	2
182	Accidental drowning.. ..	M.	121	4	—	—	5	21	31	30	30
		F.	46	13	—	2	1	10	4	11	5
188	Accidental, by certain forms of crushing (vehicles, railways, etc.).	M.	220	—	—	—	3	15	43	70	89
		F.	97	—	1	—	—	12	20	30	34
	1. Road Vehicles	M.	208	—	—	—	3	15	38	69	83
		F.	90	—	1	—	—	11	17	28	33
	2. Otherwise	M.	12	—	—	—	—	—	5	1	6
		F.	7	—	—	—	—	1	3	2	1
	Other violence	M.	170	38	5	11	11	44	31	20	10
		F.	124	35	3	5	19	22	11	21	8
	Other causes	M.	773	192	63	77	97	162	69	53	60
		F.	717	188	61	43	82	161	71	60	51

Table 18.—England and Wales.—Deaths Tabulated by Cause and by Month of Occurrence, 1924–1925.

Note.—The figures for the last three months of the year 1925 are not available at the time of going to press. Totals for any period made up from this table will differ from the corresponding figures shown in other tables which are tabulated according to the date of registration.

International List No.	Causes of Death.		1924. Oct.	1924. Nov.	1924. Dec.	1925. Jan.	1925. Feb.	1925. Mar.	1925. Apr.	1925. May	1925. June	1925. July	1925. Aug.	1925. Se
	ALL CAUSES..	M.	16826	18428	20266	22989	21953	24588	21561	19553	17146	16456	16296	164
		F.	16228	17738	19634	22881	21985	24207	20593	18075	15605	15270	14941	155
1–42	I. Epidemic, Endemic and Infectious Diseases.	M.	2295	2639	3038	3739	4342	4952	4178	3523	2811	2452	2264	2
		F.	2045	2256	2679	3451	4242	4547	3579	2900	2478	2184	2037	19
1	Enteric fever	M.	31	15	23	19	10	13	13	10	21	15	18	
		F.	31	31	18	19	15	17	11	12	17	18	18	
	(a) Typhoid fever ..	M.	30	14	23	17	10	13	13	10	20	13	17	
		F.	28	29	17	16	12	14	9	10	16	16	15	
	(b) Paratyphoid fever ..	M.	1	1	—	2	—	—	—	—	1	2	1	
		F.	3	2	1	3	3	3	2	2	1	2	3	
2	Typhus	M.	—	—	—	—	—	—	—	—	—	—	—	
		F.	—	—	—	—	—	—	—	—	—	—	—	
3	Relapsing Fever (Spirillum obermeieri)	M.	—	—	—	—	—	—	—	—	—	—	—	
		F.	—	—	—	—	—	—	—	—	—	—	—	
4	Mediterranean fever	M.	—	—	1	—	—	—	—	—	—	—	—	
		F.	—	—	—	—	—	—	—	—	—	—	—	
5	Malaria	M.	7	11	3	6	5	6	5	6	4	6	2	
		F.	—	—	—	—	—	—	—	1	—	—	—	
6	Small-pox	M.	—	—	—	—	2	—	1	—	—	—	—	
		F.	—	1	—	3	—	—	—	—	—	—	—	
7	Measles	M.	85	160	230	219	260	406	502	358	262	162	124	
		F.	69	135	224	197	232	369	385	319	273	133	106	
8	Scarlet fever	M.	32	45	41	57	44	40	49	38	45	30	24	
		F.	44	43	54	50	48	58	51	47	40	40	31	
9	Whooping cough	M.	76	88	143	244	306	424	346	325	229	216	142	
		F.	75	98	173	325	391	403	419	356	281	230	194	
10	Diphtheria	M.	77	118	138	147	128	135	116	100	86	83	88	
		F.	121	105	145	172	156	135	105	89	95	95	69	
11	Influenza	M.	161	284	403	754	1409	1466	829	368	190	110	99	
		F.	156	233	375	809	1596	1580	829	268	116	78	73	
	(a) 1. With pneumonic complications.	M.	71	125	183	339	652	648	384	169	67	42	37	
		F.	56	72	147	301	616	585	295	93	36	27	17	
	(a) 2. With other pulmonary complications.	M.	24	48	78	176	300	342	172	68	40	17	12	
		F.	20	36	67	226	429	418	196	52	25	10	9	
	(b) 1. With non-pulmonary complications.	M.	44	70	84	120	239	276	149	97	60	33	36	
		F.	46	84	108	145	273	301	209	89	32	21	37	
	(b) 2. Without stated complication.	M.	22	41	58	119	218	200	124	34	23	18	14	
		F.	34	41	53	137	278	276	129	34	23	20	10	
13	Mumps	M.	1	—	—	1	2	6	2	—	—	—	1	
		F.	—	—	2	—	4	—	1	—	—	1	—	
15	Cholera nostras	M.	—	—	—	—	—	—	—	—	—	1	—	
		F.	—	—	—	—	—	—	—	—	—	—	—	
16	Dysentery	M.	7	6	2	5	4	4	9	3	3	9	7	
		F.	5	15	7	5	12	4	5	3	4	3	6	
	(a) Amœbic	M.	2	—	—	2	—	1	1	2	—	2	—	
		F.	—	—	—	—	—	1	—	—	1	—	—	
	(b) Bacillary	M.	—	—	1	—	1	—	—	—	—	—	2	
		F.	—	4	4	1	1	1	1	—	1	1	—	
	(c) Other or unspecified..	M.	5	6	1	3	3	3	8	1	3	7	5	
		F.	5	11	3	4	11	2	4	3	2	2	6	
19	Spirochætosis ictero-hæmorrhagica	M.	—	1	—	—	—	—	—	1	—	—	—	
		F.	—	—	—	—	—	—	—	1	—	—	—	
20	Leprosy	M.	—	—	—	—	—	—	—	—	—	—	—	
		F.	—	—	—	—	—	—	—	—	—	—	—	

TABLE 18.—ENGLAND AND WALES.—DEATHS TABULATED BY CAUSE AND BY MONTH OF OCCURRENCE, 1924–1925—*cont.*

national List No.	Causes of Death.		1924. Oct.	Nov.	Dec.	1925. Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.
1	Erysipelas	M.	26	34	38	48	41	48	47	38	25	21	21	22
		F.	28	23	29	36	29	46	34	40	25	34	20	23
22	Acute poliomyelitis.. ..	M.	13	7	11	5	11	7	7	7	5	7	9	7
		F.	11	8	12	7	5	4	7	9	4	6	6	3
	1. Poliomyelitis ..	M.	9	6	9	4	10	6	5	6	4	5	5	7
		F.	8	7	11	4	4	3	5	6	2	6	4	2
	2. Polioencephalitis ..	M.	4	1	2	1	1	1	2	1	1	2	4	—
		F.	3	1	1	3	1	1	2	3	2	—	2	1
23	Encephalitis lethargica ..	M.	47	38	47	46	63	59	56	82	63	56	51	35
		F.	39	53	42	59	58	51	56	74	70	65	52	64
24	Meningococcal meningitis ..	M.	8	13	9	15	19	26	21	13	17	14	15	13
		F.	8	7	12	11	17	20	18	18	10	15	6	11
25	Other epidemic diseases ..	M.	2	5	2	6	7	10	8	7	5	7	5	7
		F.	2	3	4	4	4	6	6	9	7	5	6	2
	(1) German measles ..	M.	—	—	—	1	1	4	4	2	2	1	1	2
		F.	—	—	2	—	—	4	4	4	4	—	1	—
	(2) Varicella	M.	2	4	2	5	6	6	2	5	2	6	4	2
		F.	2	3	1	3	4	1	2	5	2	4	4	1
	(3) Other diseases included under 25.	M.	—	1	—	—	—	—	2	—	1	—	—	3
		F.	—	—	1	1	—	1	—	—	1	1	1	1
26	Glanders	M.	—	—	—	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—
27	Anthrax	M.	1	—	1	—	—	2	4	—	—	2	1	1
		F.	—	—	—	—	1	—	—	—	—	—	—	—
29	Tetanus	M.	12	10	12	9	6	6	8	15	7	8	17	7
		F.	1	1	4	1	2	1	—	4	4	7	5	3
30	Mycoses	M.	9	11	8	6	3	4	4	14	5	3	4	3
		F.	1	4	3	7	2	3	2	4	5	4	5	3
	(1) Actinomycosis ..	M.	2	4	4	3	—	2	2	2	3	—	2	2
		F.	—	3	1	1	2	1	1	2	2	2	1	2
	(2) Other mycoses ..	M.	7	7	4	3	3	2	2	12	2	3	2	1
		F.	1	1	2	6	—	2	1	2	3	2	4	1
31–37	Tuberculosis (all forms) ..	M.	1613	1718	1824	2054	1945	2182	2064	2042	1767	1624	1544	1509
		F.	1397	1440	1513	1679	1608	1778	1600	1601	1475	1392	1387	1270
31	,, Respiratory system	M.	1321	1397	1478	1693	1588	1774	1656	1580	1383	1322	1223	1212
		F.	1105	1160	1204	1327	1317	1427	1237	1223	1131	1062	1066	1023
32	,, Nervous system ..	M.	100	109	122	137	128	142	166	200	158	117	119	98
		F.	103	87	111	126	117	140	141	163	150	116	109	90
33	,, Intestines and peritoneum ..	M.	63	85	73	88	60	77	84	89	79	65	73	50
		F.	72	76	47	78	62	59	81	82	74	91	78	58
34	,, Vertebral column ..	M.	20	19	31	25	32	28	25	27	23	18	17	23
		F.	34	28	23	19	11	23	21	16	28	18	26	18
35	,, Joints	M.	16	13	15	12	18	17	15	10	14	11	12	11
		F.	6	9	7	7	11	4	16	11	7	3	9	8
36	,, Other organs ..	M.	14	22	24	21	16	36	20	29	26	19	24	24
		F.	17	25	31	35	16	21	27	17	14	20	23	14
	(*a*) Skin and subcutaneous tissue.	M.	2	2	2	2	3	2	2	1	2	—	5	1
		F.	3	2	7	5	5	4	4	2	2	3	4	1
	(*b*) Bones (Vertebral column excepted).	M.	1	7	5	1	4	8	3	5	2	6	4	2
		F.	3	5	3	3	1	2	6	3	—	5	7	4
	(*c*) Lymphatic system (abdominal glands excepted).	M.	2	1	4	6	3	7	1	8	3	4	1	5
		F.	2	7	8	6	4	2	4	2	3	3	5	4
	(*d*) Genito-urinary system.	M.	7	11	10	11	6	19	12	15	18	8	13	15
		F.	7	10	10	19	6	13	12	9	9	9	6	5
	(*e*) Others in 36 ..	M.	2	1	3	1	—	—	2	—	1	1	1	1
		F.	2	1	3	2	—	—	1	1	—	—	1	—

TABLE 18.—ENGLAND AND WALES.—DEATHS TABULATED BY CAUSE AND BY MONTH OF OCCURRENCE, 1924–1925—*cont.*

International List No.	Causes of Death.		1924. Oct.	Nov.	Dec.	1925. Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sep
37	Disseminated tuberculosis ..	M.	79	73	81	78	103	108	98	107	84	72	76	[illegible]
		F.	60	55	90	87	74	104	77	89	71	82	76	[illegible]
	(*a*) Acute	M.	34	34	28	27	37	27	35	25	35	33	21	[illegible]
		F.	24	23	36	29	37	47	27	41	25	33	30	[illegible]
	(*b*) Chronic or unstated ..	M.	45	39	53	51	66	81	63	82	49	39	55	[illegible]
		F.	36	32	54	58	37	57	50	48	46	49	46	[illegible]
38	Syphilis	M.	51	51	76	67	53	78	58	60	47	49	67	[illegible]
		F.	37	44	40	39	37	45	39	30	34	36	35	[illegible]
39	Soft Chancre	M.	—	—	—	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—
40	Gonococcal infection.. ..	M.	3	—	3	1	4	3	—	5	—	3	2	
		F.	1	1	2	2	1	—	—	—	2	—	2	
	(1) Gonococcal infection (ophthalmia excepted).	M.	3	—	1	—	3	1	—	4	—	3	2	
		F.	1	1	1	—	1	—	—	—	2	—	—	—
	(2) Gonorrhœal or purulent ophthalmia.	M.	—	—	2	1	1	2	—	1	—	—	—	
		F.	—	—	1	2	—	—	—	—	—	—	2	
41	Purulent infection, septicæmia	M.	33	24	23	30	20	27	29	31	29	25	23	[illegible]
		F.	19	11	20	26	24	27	11	15	16	22	15	[illegible]
42	Other infectious diseases ..	M.	—	—	—	—	—	—	—	—	1	1	—	[illegible]
		F.	—	—	—	—	—	—	—	—	—	—	1	—
	(1) Vaccinia	M.	—	—	—	—	—	—	—	—	1	1	—	—
		F.	—	—	—	—	—	—	—	—	—	—	1	—
43–69	II. General diseases not included above.	M.	2561	2598	2531	2622	2296	2654	2572	2573	2488	2450	2529	[illegible]
		F.	3101	2990	3088	3282	2908	3254	2955	3121	2900	3025	3036	[illegible]
43–49	Cancer, Malignant disease ..	M.	2040	2026	1935	2000	1779	2038	1988	2026	1974	1991	2029	[illegible]
		F.	2391	2296	2298	2443	2128	2326	2207	2345	2162	2303	2328	[illegible]
43	„ Buccal cavity ..	M.	232	238	201	218	196	231	230	222	212	223	218	[illegible]
		F.	29	41	38	39	35	40	32	39	48	34	20	[illegible]
44	„ Pharynx, œsophagus, stomach, liver and annexa.	M.	728	747	723	771	679	767	733	741	748	733	744	[illegible]
		F.	649	602	600	621	558	611	596	623	579	614	634	[illegible]
45	„ Peritoneum, intestines and rectum.	M.	474	457	458	458	400	488	480	464	453	467	482	[illegible]
		F.	462	447	468	483	473	469	460	442	412	481	455	[illegible]
46	„ Female genital organs..	F.	488	471	494	507	431	482	461	493	449	453	464	[illegible]
47	„ Breast	M.	3	4	6	5	5	2	3	1	4	2	1	
		F.	448	444	419	507	385	439	398	452	422	426	452	[illegible]
48	„ Skin	M.	69	70	61	57	62	58	60	63	64	60	59	
		F.	45	45	40	35	21	38	33	37	37	41	29	
49	„ Other or unspecified organs.	M.	534	510	486	491	437	492	482	535	493	506	525	[illegible]
		F.	270	246	239	251	225	247	227	259	215	254	274	[illegible]
50	Tumours not returned as malignant (brain and female genital organs excepted).	M.	35	37	32	30	26	29	32	35	22	27	37	
		F.	30	25	21	39	22	38	24	27	25	27	28	
51	Rheumatic fever	M.	59	91	66	85	58	73	63	67	61	62	58	
		F.	79	60	86	83	99	95	81	82	98	85	76	
52	Chronic rheumatism, osteo-arthritis, gout.	M.	59	69	76	89	67	89	77	67	61	60	44	
		F.	113	135	145	159	158	179	157	128	105	138	121	[illegible]
	(1) Chronic rheumatism, chronic arthritis.	M.	15	13	15	22	8	16	14	15	7	12	9	
		F.	13	17	17	15	22	15	19	15	7	15	22	
	(2) Rheumatoid and osteo-arthritis.	M.	36	44	49	51	44	53	39	39	44	37	30	
		F.	98	116	123	143	132	160	138	108	95	120	97	[illegible]
	(3) Gout	M.	8	12	12	16	15	20	24	13	10	11	5	
		F.	2	2	5	1	4	4	—	5	3	3	2	—
53	Scurvy..	M.	2	3	—	—	2	1	4	1	1	2	—	—
		F.	3	2	—	2	1	—	1	1	—	—	—	—
54	Pellagra	M.	—	1	—	—	—	—	—	—	—	—	—	—
		F.	1	—	—	2	—	—	1	1	2	—	3	—

TABLE 18.—ENGLAND AND WALES.—DEATHS TABULATED BY CAUSE AND BY MONTH OF OCCURRENCE, 1924–1925—*cont.*

national List No.	Causes of Death.		1924. Oct.	Nov.	Dec.	1925. Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.
55	Beri-beri	M.	—	—	1	—	—	—	1	—	—	—	—	1
		F.	—	—	—	—	—	—	—	—	—	—	—	—
56	Rickets	M.	21	31	24	35	27	35	27	30	21	10	23	18
		F.	8	15	12	18	18	26	15	24	18	20	6	14
57	Diabetes	M.	142	144	174	158	152	164	158	145	137	121	128	120
		F.	212	198	233	221	208	260	202	201	175	173	193	193
58	Anæmia, chlorosis	M.	100	100	112	99	88	120	114	100	99	95	85	92
		F.	141	112	142	149	125	141	118	145	152	134	141	152
	(*a*) Pernicious anæmia ..	M.	89	91	100	85	83	102	101	89	87	88	73	82
		F.	128	102	129	128	113	127	101	128	139	110	127	138
	(*b*) Other anæmias and chlorosis.	M.	11	9	12	14	5	18	13	11	12	7	12	10
		F.	13	10	13	21	12	14	17	17	13	24	14	14
59	Diseases of the pituitary gland	M.	1	1	1	1	1	—	2	1	2	—	1	—
		F.	1	—	—	1	—	2	—	1	2	—	1	1
60	Diseases of the thyroid gland	M.	9	9	5	11	9	13	13	10	8	10	15	12
		F.	54	79	82	78	69	100	79	81	69	68	60	75
	(*a*) Exophthalmic goitre ..	M.	4	1	3	7	2	10	8	4	1	5	7	5
		F.	33	52	62	57	43	63	52	58	50	53	44	53
	(*b*) (1) Myxœdema ..	M.	1	2	—	1	2	—	—	2	2	1	2	4
		F.	12	20	10	10	18	18	14	12	5	7	7	10
	(*b*) (2) Cretinism.. ..	M.	—	4	1	1	2	1	4	3	2	3	3	1
		F.	—	1	4	3	2	5	4	4	5	1	1	4
	(*b*) (3) Other diseases of the thyroid gland.	M.	4	2	1	2	3	2	1	1	3	1	3	2
		F.	9	6	6	8	6	14	9	7	9	7	8	8
61	Diseases of the parathyroid glands.	M.	2	1	4	2	2	3	6	1	—	4	—	1
		F.	—	1	—	4	5	3	2	3	1	—	2	—
62	Diseases of the thymus ..	M.	11	4	11	12	12	10	4	7	10	5	5	13
		F.	4	4	6	6	5	9	6	7	3	2	2	4
63	Diseases of the adrenals ..	M.	5	8	5	11	12	4	7	9	8	7	8	7
		F.	9	9	13	12	11	13	12	14	21	13	10	8
64	Diseases of the spleen ..	M.	—	—	3	1	2	—	1	2	1	1	1	—
		F.	—	—	3	1	1	3	—	1	1	1	4	—
65	Leukæmia, lymphadenoma ..	M.	43	45	53	52	34	48	40	39	49	35	49	52
		F.	41	39	26	35	36	33	26	38	36	40	35	36
	(*a*) Leukæmia	M.	16	24	32	23	23	19	21	24	25	19	34	30
		F.	23	24	15	20	22	19	21	26	22	26	21	22
	(*b*) Lymphadenoma (Hodgkin's disease).	M.	27	21	21	29	11	29	19	15	24	16	15	22
		F.	18	15	11	15	14	14	5	12	14	14	14	14
66	Alcoholism (Acute or chronic)	M.	9	8	8	7	6	7	7	10	12	5	15	3
		F.	—	3	4	10	4	5	5	3	5	3	3	3
67	Chronic poisoning by mineral substances.	M.	4	4	3	1	—	2	5	2	3	1	1	—
		F.	—	—	—	—	—	—	—	1	—	—	1	—
	(1) Occupational lead poisoning.	M.	3	4	3	1	—	2	5	1	2	1	1	—
		F.	—	—	—	—	—	—	—	—	—	—	1	—
	(2) Others	M.	1	—	—	—	—	—	—	1	1	—	—	—
		F.	—	—	—	—	—	—	—	1	—	—	—	—
68	Chronic poisoning by organic substances.	M.	1	—	—	—	1	—	1	—	—	—	—	—
		F.	—	—	—	—	—	—	1	1	—	—	—	—
69	Other general diseases ..	M.	18	16	18	28	18	18	22	21	19	14	30	14
		F.	14	12	17	19	18	21	18	17	25	18	22	22
	(1) Purpura	M.	8	11	10	18	5	11	12	10	12	7	15	5
		F.	5	5	10	11	11	17	10	9	15	8	14	14
	(2) Hæmophilia	M.	5	4	6	8	5	6	5	5	6	5	12	4
		F.	—	2	4	2	2	—	5	4	5	5	—	7
	(3) Other diseases included under 69.	M.	5	1	2	2	8	1	5	6	1	2	3	5
		F.	9	5	3	6	5	4	3	4	5	5	8	1

TABLE 18.—ENGLAND AND WALES.—DEATHS TABULATED BY CAUSE AND BY MONTH OF OCCURRENCE, 1924–1925—*cont.*

International List No.	Causes of Death.		1924. Oct.	Nov.	Dec.	1925. Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.
70–86	III. Diseases of the Nervous System and Sense Organs.	M.	1738	1823	2005	2116	2044	2245	2043	1818	1625	1677	1686	1646
		F.	1807	1967	2102	2274	1996	2313	2065	1904	1743	1802	1671	1747
70	Encephalitis	M.	13	14	18	19	13	17	25	15	10	13	22	19
		F.	7	11	3	16	9	8	9	6	6	13	7	13
	(1) Cerebral abscess ..	M.	12	12	12	8	8	13	17	8	7	8	13	15
		F.	5	9	2	9	5	8	5	4	3	5	5	7
	(2) Other diseases included under 70.	M.	1	2	6	11	5	4	8	7	3	5	9	4
		F.	2	2	1	7	4	—	4	2	3	8	2	6
71	Meningitis	M.	87	80	71	80	78	101	105	101	56	88	89	76
		F.	54	60	69	93	64	64	69	85	55	64	68	51
72	Tabes dorsalis (Locomotor-ataxy).	M.	54	52	54	53	54	67	58	40	37	41	44	48
		F.	10	9	9	12	8	12	11	7	9	9	12	11
73	Other diseases of the spinal cord.	M.	72	85	75	65	71	75	56	64	44	53	68	62
		F.	52	56	47	58	46	51	53	41	40	50	44	58
74	Cerebral hæmorrhage, apoplexy, etc.	M.	900	978	1058	1117	1088	1191	1072	908	864	855	840	816
		F.	1133	1243	1296	1446	1259	1512	1322	1179	1100	1111	1021	1078
	(*a*) (1) Cerebral hæmorrhage so returned.	M.	679	765	823	876	848	948	839	720	672	671	674	653
		F.	859	970	1014	1104	972	1179	1037	922	883	876	785	845
	(*a*) (2) Apoplexy lesion unstated.	M.	101	89	109	109	84	111	103	72	88	68	68	68
		F.	121	103	106	121	119	119	107	109	70	93	100	93
	(*b*) (1) Cerebral embolism	M.	30	32	32	34	29	36	19	31	25	17	16	16
		F.	37	46	47	63	47	52	41	35	38	34	33	26
	(*b*) (2) Cerebral thrombosis.	M.	90	92	94	98	127	96	111	85	79	99	82	79
		F.	116	124	129	158	121	162	137	113	109	108	103	114
75	Paralysis of unstated origin..	M.	59	66	86	82	97	93	75	63	73	87	83	60
		F.	92	90	113	101	115	107	103	94	87	75	76	87
	(*a*) Hemiplegia	M.	51	59	78	73	81	81	67	58	62	77	70	53
		F.	82	77	97	91	109	97	89	87	74	55	70	84
	(*b*) Other forms of paralysis	M.	8	7	8	9	16	12	8	5	11	10	13	7
		F.	10	13	16	10	6	10	14	7	13	20	6	3
76	General paralysis of the insane	M.	90	88	98	130	103	119	105	93	89	70	92	83
		F.	20	22	22	26	28	22	30	23	16	16	23	24
77	Other forms of insanity ..	M.	15	20	23	26	27	37	24	26	26	30	35	27
		F.	34	54	40	55	36	52	47	46	48	48	35	41
78	Epilepsy	M.	86	82	87	92	100	131	109	85	81	89	66	84
		F.	84	89	94	97	83	106	108	89	72	76	66	67
79–80	Convulsions (non-puerperal)	M.	134	131	175	206	187	183	189	170	151	145	151	147
		F.	97	118	152	139	115	136	110	121	101	103	104	98
81	Chorea..	M.	1	1	2	3	4	—	3	1	1	4	2	—
		F.	5	4	12	6	14	11	6	11	6	5	5	5
82	Hysteria and neuritis ..	M.	10	11	9	9	8	11	5	7	10	8	9	10
		F.	14	9	16	11	6	12	6	10	15	16	15	14
83	Cerebral softening	M.	24	25	39	17	17	10	6	11	13	19	13	19
		F.	23	37	36	11	10	9	6	3	11	28	20	25
84	Other diseases of the nervous system.	M.	139	138	160	161	146	160	154	176	120	114	125	140
		F.	141	119	148	154	154	164	143	146	128	149	138	138
	(1) Idiocy, imbecility ..	M.	12	5	12	24	11	13	15	16	9	6	11	11
		F.	7	11	14	15	17	10	11	16	9	14	13	10
	(2) Cerebral tumour ..	M.	44	42	55	44	36	41	46	52	36	37	37	44
		F.	42	38	39	53	32	41	42	41	44	39	44	43
	(3) Disseminated sclerosis	M.	25	25	35	25	35	38	34	34	17	25	22	27
		F.	32	22	29	23	40	33	29	20	23	37	29	30
	(4) Paralysis agitans ..	M.	40	42	35	42	40	48	39	51	36	36	36	40
		F.	30	24	40	40	44	47	48	45	36	39	34	38
	(5) Other diseases included under 84.	M.	18	24	23	26	24	20	20	23	22	10	19	18
		F.	30	24	26	23	21	33	13	24	16	20	18	17

TABLE 18.—ENGLAND AND WALES.—DEATHS TABULATED BY CAUSE AND BY MONTH OF OCCURRENCE, 1924–1925—*cont.*

International List No.	Causes of Death.		1924. Oct.	1924. Nov.	1924. Dec.	1925. Jan.	1925. Feb.	1925. Mar.	1925. Apr.	1925. May	1925. June	1925. July	1925. Aug.	1925. Sept.
85	Diseases of the eye and annexa.	M.	1	3	1	1	1	1	3	3	—	3	2	—
		F.	—	1	3	5	1	2	3	3	4	1	3	1
86	Diseases of the ear and of the mastoid sinus.	M.	53	49	49	55	50	49	54	55	50	58	45	55
		F.	41	45	42	44	48	45	39	40	45	38	34	36
	(1) Diseases of the mastoid sinus.	M.	17	16	14	13	13	17	20	18	13	16	19	24
		F.	17	14	11	16	16	18	8	9	9	15	8	11
	(2) Diseases of the ear ..	M.	36	33	35	42	37	32	34	37	37	42	26	31
		F.	24	31	31	28	32	27	31	31	36	23	26	25
87–96	IV. Diseases of the circulatory system.	M.	2928	3131	3384	3947	3532	3988	3449	3304	3047	2777	2784	2924
		F.	3081	3357	3597	4178	3874	4266	3656	3389	2862	2777	2684	2849
87–90	Heart diseases	M.	2141	2242	2447	2856	2528	2889	2488	2390	2175	1983	2037	2115
		F.	2452	2684	2885	3397	3112	3405	2938	2703	2241	2236	2168	2238
87	Pericarditis	M.	10	16	10	16	17	16	16	21	14	5	13	9
		F.	9	12	16	12	15	10	10	15	11	12	10	8
88	Acute endocarditis and myocarditis.	M.	70	78	86	88	66	85	82	73	70	76	80	85
		F.	86	86	89	83	83	87	79	91	79	68	77	91
	(1) Infective endocarditis	M.	39	28	41	47	37	36	42	35	41	49	42	51
		F.	43	60	43	41	37	32	30	44	35	38	38	43
	(2) Other acute endocarditis.	M.	20	34	24	27	14	29	20	23	17	19	21	21
		F.	27	16	31	25	25	28	29	22	30	19	27	28
	(3) Acute myocarditis ..	M.	11	16	21	14	15	20	20	15	12	8	17	13
		F.	16	10	15	17	21	27	20	25	14	11	12	20
89	Angina pectoris	M.	107	100	114	122	100	115	114	121	90	88	89	84
		F.	41	61	49	48	45	51	39	49	35	54	35	36
90	Other diseases of the heart ..	M.	1954	2048	2237	2630	2345	2673	2276	2175	2001	1814	1855	1937
		F.	2316	2525	2731	3254	2969	3257	2810	2548	2116	2102	2046	2103
	(1) Aortic valve disease ..	M.	130	154	188	194	159	191	168	184	161	151	137	149
		F.	56	74	72	108	95	103	77	82	79	75	71	61
	(2) Mitral valve disease ..	M.	231	250	269	304	297	293	282	264	236	241	226	250
		F.	454	469	464	555	499	535	475	425	362	369	364	388
	(3) Aortic and mitral valve disease.	M.	41	40	29	38	34	44	36	43	31	35	23	43
		F.	23	28	34	40	38	42	27	32	30	36	20	31
	(4) Other or unspecified valve disease.	M.	439	402	526	544	477	542	461	462	440	338	394	399
		F.	517	575	570	629	606	664	600	501	445	414	447	418
	(5) Fatty heart	M.	101	115	108	116	98	117	102	113	89	84	90	70
		F.	104	131	155	192	139	150	131	120	101	95	119	83
	(6) Cardiac dilatation (cause unspecified).	M.	30	40	29	40	41	32	31	27	28	29	31	30
		F.	32	34	28	42	48	41	34	24	21	29	23	25
	(7) Other or unspecified myocardial disease.	M.	574	605	703	904	759	900	742	700	644	599	602	634
		F.	689	723	861	1074	973	1052	916	860	651	677	612	676
	(8) Disordered action of the heart.	M.	38	30	34	45	43	53	55	38	39	43	36	42
		F.	45	56	66	65	84	97	61	67	48	56	63	63
	(9) Heart disease (undefined).	M.	370	412	351	445	437	501	399	344	333	294	316	320
		F.	396	435	481	549	487	573	489	437	379	351	327	358
91	Disease of the arteries ..	M.	758	856	903	1040	968	1063	932	884	832	768	713	768
		F.	564	628	672	748	710	813	680	647	582	505	479	569
	(*a*) Aneurysm	M.	79	72	72	68	74	69	76	66	56	62	48	67
		F.	25	20	21	20	25	22	17	20	12	12	13	28
	(*b*) Arterio-sclerosis ..	M.	675	773	821	964	887	982	852	806	767	699	663	697
		F.	534	601	643	721	673	776	653	624	564	491	463	534
	(1) With record of cerebral vascular lesion	M.	204	218	251	294	288	294	266	257	258	198	223	211
		F.	214	210	246	244	208	281	241	242	218	182	162	221
	(2) Without record of cerebral vascular lesion.	M.	471	555	570	670	599	688	586	549	509	501	440	486
		F.	320	391	397	477	465	495	412	382	346	309	301	313
	(*c*) Other diseases of the arteries.	M.	4	11	10	8	7	12	4	12	9	7	2	4
		F.	5	7	8	7	12	15	10	3	6	2	3	7

TABLE 18.—ENGLAND AND WALES.—DEATHS TABULATED BY CAUSE AND BY MONTH OF OCCURRENCE, 1924–1925—*cont.*

International List No.	Causes of Death.		1924. Oct.	1924. Nov.	1924. Dec.	1925. Jan.	1925. Feb.	1925. Mar.	1925. Apr.	1925. May	1925. June	1925. July	1925. Aug.	1925. Sept.
92	Embolism and thrombosis (not cerebral).	M.	18	14	15	18	15	13	12	15	19	13	12	17
		F.	20	16	16	17	13	18	13	19	14	15	13	17
93	Diseases of the veins (varices, hæmorrhoids, phlebitis, etc.)	M.	4	12	11	24	11	16	10	8	9	3	15	13
		F.	38	18	19	14	29	24	15	15	21	14	20	18
94	Diseases of the lymphatic system (lymphangitis, etc.)	M.	2	4	4	4	5	4	3	4	4	6	5	7
		F.	1	6	3	1	6	5	3	1	2	1	2	5
95	Hæmorrhage without stated cause.	M.	2	1	2	2	2	1	—	1	5	2	1	1
		F.	5	3	—	—	1	—	5	1	2	4	1	1
96	Other diseases of the Circulatory System.	M.	3	2	2	3	3	2	4	2	3	2	1	3
		F.	1	2	2	1	3	1	2	3	—	2	1	1
97–107	V. Diseases of the respiratory system.	M.	2204	3103	3673	4777	4428	4902	3871	3033	2261	2013	1670	1850
		F.	1852	2749	3338	4405	4161	4514	3444	2346	1585	1439	1196	1496
97	Diseases of the nasal fossæ and annexa.	M.	4	6	4	12	5	6	5	9	6	6	7	3
		F.	2	6	9	7	9	11	5	2	4	3	4	3
	(1) Diseases of the nose ..	M.	2	2	—	2	2	3	1	2	—	—	3	—
		F.	—	1	3	4	5	—	—	—	—	1	1	—
	(2) Diseases of the accessory nasal sinuses.	M.	2	4	4	10	3	3	4	7	6	6	4	3
		F.	2	5	6	3	4	11	5	2	4	2	3	3
98	Diseases of the larynx ..	M.	18	11	21	27	26	28	20	22	11	9	13	10
		F.	13	9	19	24	20	14	14	22	7	12	6	10
	(1) Laryngismus stridulus	M.	7	1	4	5	8	7	7	6	4	3	3	4
		F.	2	—	6	5	2	5	—	8	2	4	1	1
	(2) Laryngitis	M.	10	10	17	22	17	21	13	15	5	6	10	6
		F.	10	9	13	19	18	9	14	13	4	8	5	9
	(3) Other diseases ..	M.	1	—	—	—	1	—	—	1	2	—	—	—
		F.	1	—	—	—	—	—	—	1	1	—	—	—
99	Bronchitis	M.	858	1260	1597	2110	2032	2225	1549	1169	812	649	590	683
		F.	841	1276	1612	2298	2232	2378	1682	1064	621	541	479	647
	(*a*) Acute	M.	171	311	402	570	503	500	339	239	148	108	106	145
		F.	226	376	482	738	704	707	499	271	137	122	83	177
	(*b*) Chronic	M.	332	483	553	698	659	772	537	444	338	296	270	287
		F.	259	368	455	601	585	629	465	325	223	194	183	211
	(*c* & *d*) Not stated whether acute or chronic.	M.	355	466	642	842	870	953	673	486	326	245	214	251
		F.	356	532	675	959	943	1042	718	468	261	225	213	259
100–101	Pneumonia (all forms) ..	M.	1144	1580	1776	2298	2118	2332	2053	1627	1274	1190	886	991
		F.	844	1243	1498	1860	1681	1834	1547	1079	818	770	601	715
100	Broncho-pneumonia	M.	579	812	980	1239	1161	1146	994	706	573	479	415	454
		F.	466	730	927	1130	974	1078	851	591	442	434	306	398
101	Pneumonia (Lobar or not otherwise defined)	M.	565	768	796	1059	957	1186	1059	921	701	711	471	537
		F.	378	513	571	730	707	756	696	488	376	336	295	317
	(*a*) Lobar	M.	326	484	451	628	545	698	624	581	417	450	303	324
		F.	214	279	317	384	388	434	372	275	215	202	147	202
	(*b*) Not otherwise defined..	M.	239	284	345	431	412	488	435	340	284	261	168	213
		F.	164	234	254	346	319	322	324	213	161	134	148	115
102	Pleurisy	M.	44	57	68	71	56	62	65	68	48	53	58	47
		F.	33	37	55	28	37	45	43	39	31	35	23	26
	(1) Empyema	M.	18	25	24	30	21	32	27	25	20	20	35	19
		F.	10	7	16	12	8	13	16	17	4	10	11	8
	(2) Other pleurisy ..	M.	26	32	44	41	35	30	38	43	28	33	23	28
		F.	23	30	39	16	29	32	27	22	27	25	12	18
103	Congestion and hæmorrhagic infarct of lung.	M.	27	49	55	73	35	62	30	37	25	39	45	34
		F.	53	81	52	74	72	95	63	68	61	37	48	49
104	Gangrene of the lung ..	M.	5	2	4	5	1	1	3	—	3	1	—	3
		F.	4	1	—	—	3	3	—	1	1	1	2	1
105	Asthma	M.	65	98	104	136	120	139	117	75	58	41	44	54
		F.	52	79	78	104	92	113	76	56	35	34	29	36
106	Pulmonary emphysema ..	M.	10	18	21	15	10	20	10	14	5	4	6	3
		F.	5	5	2	6	4	9	9	6	—	—	—	2

TABLE 18.—ENGLAND AND WALES.—DEATHS TABULATED BY CAUSE AND BY MONTH OF OCCURRENCE, 1924–1925—*cont.*

International List No.	Causes of Death.		1924. Oct.	Nov.	Dec.	1925. Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.
107	Other diseases of the respiratory system.	M.	29	22	23	30	25	27	19	12	19	21	21	22
		F.	5	12	13	4	11	12	5	9	7	6	4	7
	(*a*) Chronic interstitial pneumonia.	M.	21	16	15	21	18	17	11	7	14	17	13	19
		F.	3	8	3	4	8	7	2	3	4	1	3	2
	(*b*) Diseases of the mediastinum.	M.	—	—	—	—	—	2	3	—	1	—	—	—
		F.	—	—	1	—	—	—	—	—	—	1	—	1
	(*c*) Other diseases included under 107.	M.	8	6	8	9	7	8	5	5	4	4	8	3
		F.	2	4	9	—	3	5	3	6	3	4	1	4
108–127	VI. Diseases of the Digestive System.	M.	1349	1180	1219	1138	1064	1147	1071	1125	1066	1226	1607	1659
		F.	1114	962	975	1006	926	965	970	879	908	989	1316	1336
108	Diseases of the buccal cavity and annexa.	M.	26	17	13	34	19	21	32	19	18	23	30	28
		F.	22	17	19	9	22	18	21	16	18	16	13	17
	(1) Diseases of the teeth and gums.	M.	18	9	5	24	9	16	24	13	17	16	21	22
		F.	13	11	14	8	14	9	13	9	12	12	10	11
	(2) Ludwig's angina ..	M.	4	4	5	6	6	4	6	3	—	6	6	5
		F.	7	1	4	1	5	5	3	4	3	2	3	4
	(3) Other diseases included under 108.	M.	4	4	3	4	4	1	2	3	1	1	3	1
		F.	2	5	1	—	3	4	5	3	3	2	—	2
109	Diseases of the pharynx and tonsils.	M.	13	19	24	22	30	25	26	34	40	26	25	34
		F.	18	27	19	28	20	16	22	22	19	23	24	21
	(1) Tonsillitis, etc., adenoid vegetations.	M.	11	13	21	18	21	17	21	29	30	21	20	29
		F.	15	21	12	23	16	13	18	21	14	18	22	18
	(2) Other diseases included under 109.	M.	2	6	3	4	9	8	5	5	10	5	5	5
		F.	3	6	7	5	4	3	4	1	5	5	2	3
110	Diseases of the œsophagus..	M.	—	3	1	2	2	3	1	2	3	—	3	4
		F.	4	2	1	—	2	1	2	2	—	—	1	1
111	Ulcer of the stomach or duodenum.	M.	176	181	232	214	196	212	184	217	179	225	194	184
		F.	71	65	75	77	87	96	91	86	62	75	78	88
	(*a*) Ulcer of the stomach ..	M.	110	115	139	146	129	127	115	125	107	142	123	126
		F.	59	59	58	65	77	75	73	74	50	56	67	65
	(*b*) Ulcer of the duodenum	M.	66	66	93	68	67	85	69	92	72	83	71	58
		F.	12	6	17	12	10	21	18	12	12	19	11	23
112	Other diseases of the stomach	M.	76	88	91	90	61	81	82	90	71	73	92	82
		F.	86	91	82	112	85	90	94	90	76	74	76	85
	(1) Inflammation of the stomach.	M.	62	65	78	83	50	69	68	77	63	58	79	59
		F.	71	80	71	97	74	73	86	71	71	61	63	74
	(2) Other diseases included under 112.	M.	14	23	13	7	11	12	14	13	8	15	13	23
		F.	15	11	11	15	11	17	8	19	5	13	13	11
113–114	Diarrhœa and enteritis ..	M.	507	361	334	264	238	241	237	246	243	359	765	804
		F.	410	299	290	218	215	191	186	163	237	336	608	603
	(1) Ulceration of the intestines.	M.	6	7	12	4	10	9	11	8	10	9	13	8
		F.	12	13	20	6	21	14	13	11	15	21	16	9
	(2) Colitis	M.	21	12	12	15	14	12	9	6	11	15	17	16
		F.	24	28	17	14	18	15	17	11	15	24	23	26
	(3) Other diseases included under 113–114.	M.	480	342	310	245	214	220	217	232	222	335	735	780
		F.	374	258	253	198	176	162	156	141	207	291	569	568
116	Diseases due to other intestinal parasites.	M.	1	3	1	—	—	2	—	—	—	—	1	—
		F.	3	1	1	—	—	—	—	—	—	1	1	—
	(*a*) Cestodes (hydatids of the liver excepted).	M.	1	2	—	—	—	1	—	—	—	—	1	—
		F.	2	—	—	—	—	—	—	—	—	1	1	—
	(*b*) Trematodes	M.	—	—	—	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—
	(*c*) Nematodes (other than ankylostoma).	M.	—	—	1	—	—	1	—	—	—	—	—	—
		F.	1	1	—	—	—	—	—	—	—	—	—	—
	(*f*) Undefined parasites ..	M.	—	1	—	—	—	—	—	—	—	—	—	—
		F.	—	—	1	—	—	—	—	—	—	—	—	—

TABLE 18.—ENGLAND AND WALES.—DEATHS TABULATED BY CAUSE AND BY MONTH OF OCCURRENCE, 1924–1925—*cont.*

International List No.	Causes of Death.		1924. Oct.	Nov.	Dec.	1925. Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.
117	Appendicitis, typhlitis ..	M.	160	120	130	142	136	139	134	125	115	143	144	136
		F.	108	90	109	119	88	99	117	124	102	97	98	98
118	Hernia, intestinal obstruction.	M.	195	161	184	156	191	188	172	173	202	177	171	167
		F.	143	165	178	206	184	193	194	148	153	142	164	194
	(*a*) Hernia	M.	73	73	71	54	85	82	72	65	61	57	78	59
		F.	66	72	92	82	71	81	82	73	65	53	74	76
	(*b*) Intestinal obstruction	M.	122	88	113	102	106	106	100	108	141	120	93	108
		F.	77	93	86	124	113	112	112	75	88	89	90	118
119	Other diseases of the intestines.	M.	18	25	16	21	27	28	16	26	18	16	12	20
		F.	24	16	20	18	18	29	15	21	15	16	21	25
120	Acute yellow atrophy of the liver.	M.	1	2	—	1	1	1	2	1	4	1	1	2
		F.	3	4	4	3	5	5	7	7	8	2	5	1
121	Hydatid tumour of the liver..	M.	—	—	—	—	—	1	1	1	1	1	—	2
		F.	3	1	1	2	—	—	—	1	1	2	2	—
122	Cirrhosis of the liver ..	M.	92	98	101	120	78	102	100	102	90	97	93	108
		F.	55	45	53	55	45	57	54	49	50	44	58	60
	(*a*) Returned as alcoholic ..	M.	5	6	12	11	7	14	6	3	7	7	2	8
		F.	5	5	6	6	6	4	5	8	2	2	3	4
	(*b*) Not returned as alcoholic	M.	87	92	89	109	71	88	94	99	83	90	91	100
		F.	50	40	47	49	39	53	49	41	48	42	55	56
123	Biliary calculi	M.	25	27	28	26	22	31	35	27	17	28	27	31
		F.	58	53	56	65	62	73	70	50	63	68	68	60
124	Other diseases of the liver ..	M.	39	45	38	32	36	46	29	39	36	36	32	31
		F.	58	55	47	56	54	60	59	69	65	50	53	53
125	Diseases of the pancreas ..	M.	12	20	13	7	18	19	10	11	12	10	11	12
		F.	18	14	12	16	18	20	11	7	11	13	20	15
126	Peritonitis of unstated origin	M.	8	10	13	7	9	7	10	12	17	11	6	14
		F.	30	17	8	22	21	17	27	24	28	30	26	15
128–142	VII. Non-puerperal diseases of the genito-urinary system.	M.	837	940	977	1001	942	994	910	930	737	766	854	800
		F.	592	611	709	744	638	717	637	670	584	580	558	624
128	Acute nephritis (including unspecified under 10 years of age).	M.	56	63	70	74	66	82	69	55	57	49	51	56
		F.	53	58	67	65	48	60	45	57	49	34	42	54
129	Chronic nephritis (including unspecified over 10 years of age).	M.	463	478	520	546	502	534	515	506	394	403	418	408
		F.	407	388	490	515	438	505	453	458	396	381	377	435
130	Chyluria	M.	—	—	—	1	—	—	—	—	—	—	2	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—
131	Other diseases of the kidneys and annexa.	M.	32	31	39	32	35	39	27	32	21	24	26	25
		F.	31	35	28	30	27	22	36	25	31	25	34	31
132	Calculi of the urinary passages	M.	14	18	24	16	19	21	12	20	14	19	24	14
		F.	8	9	7	8	9	9	5	8	7	7	11	7
133	Diseases of the bladder ..	M.	52	70	64	69	57	82	56	63	44	41	39	45
		F.	15	19	21	24	26	28	20	19	21	23	13	18
	(1) Cystitis	M.	52	66	61	65	55	80	55	60	40	38	38	40
		F.	15	17	19	22	25	28	19	19	21	21	13	18
	(2) Other diseases ..	M.	—	4	3	4	2	2	1	3	4	3	1	5
		F.	—	2	2	2	1	—	1	—	—	2	—	—
134	Diseases of the urethra, urinary abscess, etc.	M.	27	40	36	43	31	26	32	36	26	19	22	19
		F.	—	1	—	1	1	—	—	1	1	—	—	—
	(*a*) Stricture of the urethra	M.	20	32	32	39	27	21	25	30	22	19	21	16
		F.	—	—	—	—	—	—	—	—	—	—	—	—
	(*b*) Other diseases ..	M.	7	8	4	4	4	5	7	6	4	—	1	3
		F.	—	1	—	1	1	—	—	1	1	—	—	—
135	Diseases of the prostate ..	M.	188	234	215	215	225	202	196	215	179	200	265	229
136	Non-venereal diseases of the male genital organs.	M.	5	6	8	5	7	7	3	3	2	10	7	3

TABLE 18.—ENGLAND AND WALES.—DEATHS TABULATED BY CAUSE AND BY MONTH OF OCCURRENCE, 1924–1925—*cont.*

International List No	Causes of Death.		1924. Oct.	Nov.	Dec.	1925. Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.
137	Cysts and other tumours of the ovary not returned as malignant.	F.	22	31	20	23	25	26	20	23	18	33	15	17
138	Salpingitis and pelvic abscess in females.	F.	21	19	24	29	27	23	18	20	18	17	19	22
	(1) Salpingitis	F.	18	14	19	25	25	22	15	16	17	15	19	19
	(2) Pelvic abscess in females	F.	3	5	5	4	2	1	3	4	1	2	—	3
139	Tumours of the uterus not returned as malignant.	F.	28	37	36	32	23	36	31	37	30	41	27	28
140	Non-puerperal uterine hæmorrhage.	F.	—	1	4	2	2	—	—	3	—	5	4	1
141	Other diseases of the female genital organs.	F.	6	12	10	14	10	8	8	17	10	14	15	11
	(1) Other diseases of the uterus.	F.	4	8	7	11	10	6	3	13	6	12	12	10
	(2) Diseases of the other female genital organs not included above.	F.	2	4	3	3	—	2	5	4	4	2	3	1
142	Non-puerperal diseases of the breast.	M.	—	—	1	—	—	1	—	—	—	1	—	1
		F.	1	1	2	1	2	—	1	2	3	—	1	—
143–150	VIII. The Puerperal State ..	F.	259	218	232	273	243	238	266	243	215	231	211	213
143	Accidents of pregnancy ..	F.	27	34	28	29	23	18	29	26	22	30	30	26
	(*a*) Abortion	F.	10	12	11	9	2	6	10	13	4	6	10	5
	(*b*) Ectopic gestation ..	F.	4	8	8	7	8	4	11	5	4	6	10	9
	(*c*) Other accidents	F.	13	14	9	13	13	8	8	8	14	18	10	12
144	Puerperal hæmorrhage ..	F.	43	22	25	31	34	30	22	39	34	35	27	33
145	Other accidents of childbirth ..	F.	35	19	23	23	31	21	33	31	34	25	18	21
146	Puerperal sepsis	F.	87	79	91	112	95	95	106	89	69	86	74	75
147	Puerperal phlegmasia alba dolens, embolism, sudden death.	F.	23	21	20	25	20	30	25	16	21	21	15	13
	(1) Puerperal phlegmasia alba dolens not returned as septic.	F.	4	4	6	5	3	5	3	2	2	4	2	2
	(2) Puerperal embolism and sudden death.	F.	19	17	14	20	17	25	22	14	19	17	13	11
148	Puerperal albuminuria and convulsions.	F.	41	42	44	49	38	42	47	41	34	34	46	41
149	Childbirth not assignable above (puerperal insanity).	F.	2	1	1	2	2	2	2	1	1	—	1	3
150	Puerperal diseases of the breast	F.	1	—	—	2	—	—	2	—	—	—	—	1
151–154	IX. Diseases of the skin and cellular tissue.	M.	121	127	136	157	157	162	164	162	141	123	127	122
		F.	117	119	118	135	128	178	154	136	114	106	127	96
151	Gangrene	M.	48	48	47	56	58	69	69	66	56	45	47	41
		F.	48	46	42	53	53	73	60	65	42	31	62	30
	(1) Senile gangrene ..	M.	41	45	44	53	51	64	63	60	54	38	45	39
		F.	40	42	38	46	52	64	55	62	39	30	54	28
	(2) Other gangrene ..	M.	7	3	3	3	7	5	6	6	2	7	2	2
		F.	8	4	4	7	1	9	5	3	3	1	8	2
152	Carbuncle, boil	M.	16	16	20	19	19	17	15	24	23	15	18	28
		F.	8	6	7	7	10	12	17	6	8	12	12	4
153	Cellulitis, acute abscess ..	M.	29	34	38	42	45	33	39	34	29	27	29	22
		F.	25	27	30	35	26	33	28	29	26	28	21	20
	(1) Cellulitis	M.	18	24	33	34	36	20	28	24	23	20	23	15
		F.	19	18	23	24	18	21	21	19	22	22	16	16
	(2) Acute abscess	M.	11	10	5	8	9	13	11	10	6	7	6	7
		F.	6	9	7	11	8	12	7	10	4	6	5	4

TABLE 18.—ENGLAND AND WALES.—DEATHS TABULATED BY CAUSE AND BY MONTH OF OCCURRENCE, 1924–1925—*cont.*

International List No.	Causes of Death.		1924. Oct.	Nov.	Dec.	1925. Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept
154	Other diseases of the skin and its annexa.	M.	28	29	31	40	35	43	41	38	33	36	33	31
		F.	36	40	39	40	39	60	49	36	38	35	32	42
	(1) Ulcer, bedsore ..	M.	10	3	8	6	4	11	6	6	9	12	10	6
		F.	15	17	18	17	17	22	23	10	21	18	14	15
	(2) Eczema	M.	2	6	4	5	11	5	9	10	3	5	3	3
		F.	4	2	1	4	7	2	5	5	2	2	2	4
	(3) Pemphigus	M.	10	6	6	15	8	13	8	12	12	11	12	10
		F.	6	5	6	8	5	13	7	9	7	8	6	4
	(4) Other diseases included under 154.	M.	6	14	13	14	12	14	18	10	9	8	8	12
		F.	11	16	14	11	10	23	14	12	8	7	10	19
155–158	X. Diseases of the bones and organs of locomotion.	M.	38	32	48	47	54	51	57	41	46	32	29	45
		F.	24	24	27	35	31	28	38	30	16	25	21	29
155	Diseases of the bones ..	M.	23	24	39	36	40	38	47	34	37	19	23	39
		F.	20	18	23	24	22	22	33	23	12	19	14	15
	(1) Acute infective osteomyelitis and periostitis.	M.	19	19	29	27	32	30	34	21	24	15	19	32
		F.	11	11	20	15	13	13	19	11	4	14	10	10
	(2) Other diseases of the bones.	M.	4	5	10	9	8	8	13	13	13	4	4	7
		F.	9	7	3	9	9	9	14	12	8	5	4	5
156	Diseases of the joints ..	M.	10	5	7	10	12	8	8	4	4	9	4	4
		F.	2	6	2	6	4	3	1	6	3	5	6	10
157	Amputation	M.	—	—	—	1	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—
158	Other diseases of the organs of locomotion.	M.	5	3	2	—	2	5	2	3	5	4	2	2
		F.	2	—	2	5	5	3	4	1	1	1	1	4
159	XI. Malformations	M.	176	154	174	159	176	198	187	187	155	158	137	169
		F.	118	125	123	162	124	134	148	129	116	143	119	123
	(1) Congenital hydrocephalus.	M.	15	9	17	14	11	18	13	8	13	14	6	13
		F.	6	10	7	13	10	8	14	4	7	12	7	5
	(2) Congenital malformation of heart.	M.	83	73	61	63	70	84	57	62	61	66	59	61
		F.	51	41	46	69	46	65	61	49	40	51	43	33
	(3) Other congenital malformations.	M.	78	72	96	82	95	96	117	117	81	78	72	95
		F.	61	74	70	80	68	61	73	76	69	80	69	85
160–163	XII. Diseases of early infancy	M.	898	908	1040	1081	993	1107	1008	919	844	826	829	836
		F.	682	705	802	825	781	872	741	667	609	588	630	641
160	Congenital debility, icterus and sclerema.	M.	207	204	231	276	224	295	252	230	190	181	191	222
		F.	150	132	148	185	160	192	164	142	122	104	121	138
	(1) Congenital debility and sclerema.	M.	187	190	211	258	210	265	229	208	167	156	178	202
		F.	133	126	136	168	146	176	147	126	113	91	111	127
	(2) Icterus neonatorum ..	M.	20	14	20	18	14	30	23	22	23	25	13	20
		F.	17	6	12	17	14	16	17	16	9	13	10	1
161	Premature birth, injury at birth.	M.	628	630	730	726	681	728	669	618	572	581	579	54
		F.	452	506	576	557	550	596	499	454	437	414	446	44
	(1) Premature birth ..	M.	566	581	681	674	635	674	614	546	514	524	525	49
		F.	418	487	545	524	520	567	463	423	404	376	408	40
	(2) Injury at birth ..	M.	62	49	49	52	46	54	55	72	58	57	54	4
		F.	34	19	31	33	30	29	36	31	33	38	38	3
162	Other diseases peculiar to early infancy.	M.	57	60	67	66	79	69	79	65	67	51	50	6
		F.	69	54	68	69	61	70	72	59	43	62	55	4
	(1) Diseases of the umbilicus.	M.	4	4	5	4	8	11	6	8	4	6	7	
		F.	1	7	8	6	3	8	9	9	5	3	4	
	(2) Atelectasis	M.	45	44	54	52	60	50	61	47	52	41	38	4
		F.	56	42	53	49	42	54	45	44	32	50	39	3
	(3) Other diseases included under 162.	M.	8	12	8	10	11	8	12	10	11	4	5	
		F.	12	5	7	14	16	8	18	6	6	9	12	
163	Lack of care	M.	6	14	12	13	9	15	8	6	15	13	9	
		F.	11	13	10	14	10	14	6	12	7	8	8	1

TABLE 18.—ENGLAND AND WALES.—DEATHS TABULATED BY CAUSE AND BY MONTH OF OCCURRENCE, 1924–1925—*cont.*

International List No.	Causes of Death.		1924. Oct.	1924. Nov.	1924. Dec.	1925. Jan.	1925. Feb.	1925. Mar.	1925. Apr.	1925. May	1925. June	1925. July	1925. Aug.	1925. Sept.
164	XIII. Old age	M.	693	743	880	1,056	977	1,133	876	766	660	662	578	642
		F.	993	1,164	1,281	1,566	1,443	1,652	1,421	1,152	982	926	899	977
	(1) Senile dementia ..	M.	38	38	59	74	92	85	51	44	54	47	46	51
		F.	48	64	74	89	102	110	75	89	69	58	48	51
	(2) Other forms of senile decay.	M.	655	705	821	982	885	1,048	825	722	606	615	532	591
		F.	945	1,100	1,207	1,477	1,341	1,542	1,346	1,063	913	868	851	926
165–203	XIV. External causes ..	M.	910	956	1,078	1,059	859	975	1,088	1,119	1,192	1,222	1,130	1,022
		F.	394	438	511	466	433	470	448	448	449	417	397	418
165–174	Suicide	M.	183	192	211	236	200	262	273	266	275	261	243	209
		F.	89	75	80	96	88	99	111	101	118	111	101	100
165–166	By solid or liquid poisons and corrosive substances.	M.	16	14	23	21	15	16	17	31	19	24	24	20
		F.	15	7	16	16	13	21	16	17	20	26	14	15
167	By poisonous gas	M.	28	33	34	41	27	45	46	29	42	36	41	33
		F.	19	21	12	14	17	21	26	28	32	18	21	31
168	By hanging or strangulation.	M.	44	35	40	54	41	60	57	53	63	45	51	58
		F.	16	11	11	16	7	14	18	20	14	15	22	14
169	By drowning	M.	41	32	40	42	40	36	47	50	46	48	52	31
		F.	22	20	29	27	33	27	34	23	32	25	27	26
170	By firearms	M.	9	19	18	14	12	24	21	28	24	12	16	12
		F.	—	—	2	1	—	2	3	—	—	4	2	—
171	By cutting or piercing instruments.	M.	27	41	35	42	44	56	61	54	61	61	38	42
		F.	10	7	5	11	6	6	5	5	10	15	8	5
172	By jumping from high places	M.	4	4	7	5	7	4	10	6	5	12	8	3
		F.	1	5	3	4	5	4	5	4	7	4	3	4
173	By crushing	M.	14	13	13	15	14	20	13	15	15	23	13	10
		F.	3	2	2	6	3	2	1	3	—	3	3	5
174	By other means	M.	—	1	1	2	—	1	1	—	—	—	—	—
		F.	3	2	—	1	4	2	3	1	3	1	1	—
175–196 & 201–203	Violent deaths excluding suicide and homicide.	M.	723	751	855	816	652	707	807	842	897	949	872	807
		F.	295	356	423	358	334	364	321	334	313	288	282	304
175	Food poisoning	M.	2	1	3	2	—	1	—	3	4	4	2	1
		F.	3	—	—	—	—	—	3	2	2	2	2	—
176	Poisoning by venomous animals.	M.	1	1	1	—	1	—	—	1	1	2	6	3
		F.	—	—	—	—	—	1	—	1	—	4	3	4
177	Other acute accidental poisonings.	M.	4	4	6	3	2	6	4	12	6	13	14	7
		F.	2	1	4	3	3	8	7	6	5	3	8	7
178	Conflagration	M.	—	2	4	3	4	—	4	—	2	1	2	1
		F.	—	2	1	2	3	1	1	—	—	1	1	1
179	Accidental burns (conflagration excepted).	M.	51	61	60	87	55	69	62	67	47	48	43	58
		F.	54	84	101	92	87	82	68	44	45	34	38	60
180	Accidental mechanical suffocation.	M.	28	32	36	46	20	32	28	22	11	15	15	17
		F.	17	15	33	33	21	32	23	19	12	14	12	20
181	Accidental absorption of irrespirable or poisonous gas.	M.	5	8	13	10	12	9	15	7	3	6	5	7
		F.	2	5	3	6	4	4	4	5	—	2	4	5
182	Accidental drowning ..	M.	69	76	121	91	72	72	101	124	182	208	157	71
		F.	26	24	26	26	11	26	19	32	41	34	27	24
183	Accidental injury by firearms	M.	5	5	4	3	2	7	9	9	5	7	8	7
		F.	1	1	—	—	1	1	2	—	—	—	—	—
184	Accidental injury by cutting or piercing instruments.	M.	3	—	—	—	1	1	—	—	—	—	1	3
		F.	—	—	—	—	—	—	1	—	—	—	—	—
185	Accidental injury by fall ..	M.	108	101	147	158	120	117	142	116	127	128	122	126
		F.	87	128	120	122	134	134	114	120	85	79	83	91
186	Accidental injury in mining and quarrying.	M.	98	85	100	92	74	87	83	91	69	86	72	7
		F.	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 18.—ENGLAND AND WALES.—DEATHS TABULATED BY CAUSE AND BY MONTH OF OCCURRENCE, 1924–1925—*cont.*

International List No.	Causes of Death.		1924. Oct.	Nov.	Dec.	1925. Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.
187	Accidental injury by machinery.	M.	23	16	19	28	17	24	17	19	12	13	12	8
		F.	—	—	—	—	1	1	—	—	1	—	1	—
188	Accidental injury by other forms of crushing (vehicles, railways, etc.).	M.	297	325	306	257	243	248	309	328	360	357	362	391
		F.	94	85	120	64	59	63	74	92	97	80	90	81
189	Injury by animals (poisoning excepted).	M.	2	5	5	1	2	4	5	7	1	4	12	—
		F.	1	1	1	1	2	1	—	—	—	—	—	1
190	Wounds of war	M.	6	2	4	6	4	4	5	2	7	2	5	4
		F.	—	—	—	—	—	—	—	—	—	—	—	—
192	Hunger or thirst	M.	—	3	1	2	—	2	1	—	—	—	—	1
		F.	1	—	—	—	1	1	1	—	—	—	1	—
193	Excessive cold	M.	2	4	4	4	5	3	4	—	—	—	—	—
		F.	1	1	2	2	2	—	—	—	1	—	—	2
194	Excessive heat	M.	—	—	—	—	—	—	—	3	42	28	2	1
		F.	1	—	—	—	—	—	—	1	20	24	—	—
195	Lightning	M.	—	—	—	—	—	—	—	6	1	4	4	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—
196	Electricity (lightning excepted).	M.	5	3	5	1	4	1	2	3	2	8	6	3
		F.	—	—	—	—	—	—	—	—	—	—	1	—
197–199	Homicide	M.	4	13	12	7	7	6	8	11	20	12	15	6
		F.	10	7	8	12	11	7	16	13	18	18	14	14
197	By firearms	M.	—	1	—	2	1	1	—	—	2	—	1	1
		F.	—	—	1	1	—	1	—	—	3	1	—	—
198	By cutting or piercing instrument.	M.	—	—	2	2	1	1	2	4	3	1	2	1
		F.	3	1	2	3	1	2	5	4	7	4	6	3
199	By other means	M.	4	12	10	3	5	4	6	7	15	11	12	4
		F.	7	6	5	8	10	4	11	9	8	13	8	11
201	Fracture (cause not specified)	M.	3	1	3	—	2	3	2	2	2	3	2	1
		F.	—	—	—	1	—	1	1	1	—	—	—	—
202	Other and unstated forms of accidental violence, execution.	M.	10	15	11	21	12	17	14	20	13	12	20	22
		F.	4	7	8	6	5	8	3	10	4	11	10	7
203	Violent deaths of unknown causation.	M.	1	1	2	1	—	—	—	—	—	—	—	—
		F.	1	2	4	—	—	—	—	1	—	—	1	1
204–205	XV. Ill-defined diseases. ..	M.	78	94	83	90	89	80	87	53	73	72	72	61
		F.	49	53	52	79	57	59	71	61	44	38	39	41
204	Sudden death..	M.	13	11	15	13	19	10	18	5	18	15	14	14
		F.	6	8	5	18	10	10	7	7	6	3	5	4
205	Cause of death unstated or ill-defined.	M.	65	83	68	77	70	70	69	48	55	57	58	47
		F.	43	45	47	61	47	49	64	54	38	35	34	37
	(1) Heart failure (1-70 years).	M.	42	49	44	51	48	43	46	30	41	37	42	34
		F.	28	28	33	42	24	32	37	36	20	11	20	23
	(2) Other ill-defined causes	M.	18	27	17	23	18	22	22	14	10	16	13	11
		F.	14	14	11	17	20	13	22	15	13	19	12	14
	(3) Cause not specified. ..	M.	5	7	7	3	4	5	1	4	4	4	3	2
		F.	1	3	3	2	3	4	5	3	5	5	2	—

TABLE 19.—ENGLAND AND WALES.—CAUSES OF DEATH OF NON-CIVILIANS AT DIFFERENT AGE PERIODS, 1925.

Causes of Death.	All Ages.	15—	20—	25—	30—	35—	40—	45—	50—	55 years and upwards
ALL CAUSES	456	50*	137	91	45	60	36	26	7	4
Enteric fever	1	—	—	1	—	—	—	—	—	—
Malaria	3	—	—	—	—	2	1	—	—	—
Scarlet fever	1	1	—	—	—	—	—	—	—	—
Influenza	11	2	3	2	1	—	3	—	—	—
Encephalitis lethargica	3	—	1	—	1	1	—	—	—	—
Meningococcal meningitis	2	2	—	—	—	—	—	—	—	—
Tetanus	1	1	—	—	—	—	—	—	—	—
Mycoses	2	—	1	1	—	—	—	—	—	—
Tuberculosis of the respiratory system	65	3	22	9	13	14	3	1	—	—
Tuberculosis of the nervous system	4	1	3	—	—	—	—	—	—	—
Other tuberculosis	11	—	7	2	1	1	—	—	—	—
Purulent infection, Septicæmia	2	—	1	1	—	—	—	—	—	—
Cancer	20	—	2	4	—	2	5	4	2	1
Rheumatic fever	1	1	—	—	—	—	—	—	—	—
Diabetes	3	—	1	2	—	—	—	—	—	—
Pernicious anæmia	4	1	1	—	—	1	—	1	—	—
Leukæmia, Lymphadenoma	3	2	1	—	—	—	—	—	—	—
Purpura	1	—	—	—	1	—	—	—	—	—
Other general diseases	1	—	1	—	—	—	—	—	—	—
Encephalitis	5	1	3	—	—	—	—	1	—	—
Meningitis	4	2	1	1	—	—	—	—	—	—
Cerebral hæmorrhage, Apoplexy	3	1	1	—	—	—	—	1	—	—
General paralysis of the insane	11	—	—	1	3	3	2	2	—	—
Other forms of insanity	2	—	—	1	1	—	—	—	—	—
Epilepsy	1	—	—	1	—	—	—	—	—	—
Cerebral tumour	5	—	2	—	—	2	—	—	1	—
Other diseases of the nervous system	1	1	—	—	—	—	—	—	—	—
Diseases of the ear and of the mastoid sinus	7	1	—	3	2	1	—	—	—	—
Acute myocarditis	1	—	—	—	—	1	—	—	—	—
Valvular disease	5	—	1	1	1	1	1	—	—	—
Diseases of the arteries	6	—	—	—	—	1	1	3	1	—
Other diseases of the circulatory system	10	1	1	2	1	2	—	2	—	1
Bronchitis	1	—	—	—	—	1	—	—	—	—
Broncho-pneumonia	8	—	1	1	1	2	3	—	—	—
Lobar pneumonia	15	5*	2	2	2	2	1	1	—	—
Pneumonia (type not stated)	9	3	2	2	—	1	1	—	—	—
Pleurisy	1	—	1	—	—	—	—	—	—	—
Ulcer of the stomach	6	—	1	—	2	1	1	1	—	—
Ulcer of the duodenum	5	—	1	1	—	2	1	—	—	
Appendicitis and typhlitis	14	1	7	2	—	2	1	1	—	—
Hernia, Intestinal obstruction	9	1	—	3	2	2	—	—	—	1
Diseases of the liver	4	—	1	1	—	1	—	1	—	—
Other diseases of the digestive system	6	1	1	1	1	—	1	—	—	1
Acute nephritis	1	—	1	—	—	—	—	—	—	—
Chronic nephritis	9	1	2	1	1	3	1	—	—	—
Other diseases	15	4	4	3	—	1	2	1	—	—
Suicide	30	—	11	5	1	6	3	2	2	—
Accidental drowning	18	2	5	6	—	—	2	2	1	—
Accidental injury by firearms	3	1	—	—	2	—	—	—	—	—
Accidental injury by fall	4	1	2	1	—	—	—	—	—	—
Injury by other forms of crushing (vehicles, railways, &c.)	86	8	38	27	7	3	1	2	—	—
Wounds of war	3	—	—	1	—	—	2	—	—	—
Other violence	8	1	3	2	1	1	—	—	—	—
Ill-defined causes	1	—	1	—	—	—	—	—	—	—

* Including 2 aged 14 years.

Table 20.

Causes of Death at Different Periods of Life—1925. All Areas—England and Wales—(Total Deaths Registered).

	Causes of Death.	Sex.	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
	All Causes ..	M	240,875	30,498	7,743	6,839	6,977	10,137	26,123	63,630	47,531	41,397
		F	231,966	22,818	6,822	6,360	6,612	9,874	24,886	52,010	45,239	57,345
1	Enteric fever ..	M	188	—	1	9	16	53	63	38	7	1
		F	200	—	1	—	25	41	75	48	7	3
2	Small-pox	M	3	—	—	—	—	—	1	1	1	—
		F	6	3	—	—	1	—	—	2	—	—
3	Measles	M	2,853	642	1,201	781	210	10	4	5	—	—
		F	2,484	457	1,025	760	211	14	13	2	2	—
4	Scarlet fever ..	M	478	19	47	192	169	30	14	5	2	—
		F	510	12	44	207	180	37	26	3	1	—
5	Whooping cough ..	M	2,770	1,325	828	534	74	1	1	1	5	1
		F	3,288	1,383	1,064	721	110	3	2	2	2	1
6	Diphtheria ..	M	1,348	67	146	534	553	24	17	5	1	1
		F	1,426	54	120	544	631	44	16	12	4	1
7	Influenza	M	6,308	229	102	115	150	383	978	2,058	1,324	969
		F	6,413	183	82	142	192	319	895	1,552	1,453	1,595
8	Encephalitis lethargica ..	M	666	6	18	45	84	110	154	207	39	3
		F	706	10	22	51	80	113	173	208	40	9
9	Meningococcal meningitis ..	M	202	65	22	29	45	27	10	3	1	—
		F	152	39	17	27	32	17	10	7	2	1
10	Tuberculosis of respiratory system	M	17,995	60	88	134	353	3,094	7,538	5,930	709	89
		F	14,387	48	79	111	666	4,254	6,167	2,565	408	89
11	Other tuberculous diseases	M	4,239	448	498	712	763	663	651	408	71	25
		F	3,766	340	380	624	725	628	584	351	87	47
12	Cancer, malignant disease	M	24,002	11	16	43	72	159	1,386	11,160	7,628	3,527
		F	27,937	14	15	26	43	114	2,728	12,622	7,572	4,803
13	Rheumatic fever ..	M	833	1	—	27	278	159	154	172	34	8
		F	1,052	—	1	16	341	218	213	196	56	11
14	Diabetes	M	1,814	—	3	7	48	77	225	649	558	247
		F	2,543	—	—	9	47	105	255	943	840	344
15	Cerebral hæmorrhage, &c. ..	M	12,866	4	—	1	12	34	330	3,806	4,751	3,928
		F	16,028	5	4	3	15	29	350	4,286	5,395	5,941
16	Heart disease ..	M	29,691	4	12	29	375	667	2,153	9,582	9,561	7,308
		F	34,368	4	7	34	492	756	2,573	9,309	10,274	10,919
17	Arterio-sclerosis ..	M	10,074	—	—	—	—	—	91	2,064	3,911	4,008
		F	7,617	—	—	—	—	—	55	1,131	2,286	4,145
18	Bronchitis ..	M	17,323	2,102	443	231	86	66	642	3,754	4,692	5,307
		F	17,929	1,553	446	207	71	72	346	2,599	4,615	8,020
19	Pneumonia (all forms)	M	21,090	4,660	2,482	1,429	684	736	2,742	4,733	2,243	1,381
		F	15,900	3,441	2,060	1,317	631	407	1,482	2,586	2,065	1,911
20	Other respiratory diseases	M	3,135	138	90	124	88	105	337	1,075	677	501
		F	2,452	97	56	91	83	66	232	569	509	749
21	Ulcer of stomach or duodenum ..	M	2,454	4	—	—	4	93	728	1,223	324	78
		F	998	2	—	1	8	32	227	480	163	85
22	Diarrhœa, &c. ..	M	4,550	3,138	499	199	79	28	101	209	133	164
		F	3,778	2,169	424	203	101	42	152	216	212	259
23	Appendicitis and typhlitis.. ..	M	1,624	3	12	104	296	307	351	383	126	42
		F	1,238	2	5	72	262	180	263	323	96	35
24	Cirrhosis of liver ..	M	1,201	2	2	4	1	5	113	725	278	71
		F	646	—	—	1	3	1	75	369	137	60
25	Acute and chronic nephritis ..	M	6,519	34	30	48	157	239	769	2,554	1,741	947
		F	6,096	24	27	49	144	217	861	2,350	1,479	945
26	Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—
		F	1,110	—	—	—	—	236	854	20	—	—
27	Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—
		F	1,790	—	—	—	—	311	1,451	28	—	—
28	Congenital debility and malformation, premature birth.. ..	M	12,482	12,259	46	56	58	26	28	8	1	—
		F	9,344	9,138	63	49	45	18	13	16	2	—
29	Suicide	M	2,852	—	—	—	3	170	773	1,423	367	116
		F	1,232	—	—	—	2	128	425	548	101	28
30	Other deaths from violence.. ..	M	9,930	362	242	624	979	1,506	2,251	2,440	900	626
		F	4,300	334	145	319	377	321	442	737	601	1,024
31	Other defined diseases	M	40,462	4,864	860	805	1,329	1,348	3,431	8,575	7,223	12,027
		F	41,589	3,469	661	760	1,076	1,138	3,859	7,651	6,681	16,294
32	Causes ill-defined or unknown ..	M	923	51	55	23	11	17	87	434	223	22
		F	681	37	74	16	18	13	69	279	149	26

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1925.
(Civilian population only).

Causes of Death.	Sex.	Administrative County of London. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	27,625	3,194	748	728	758	1,132	3,171	8,119	5,467	4,308
	F	26,966	2,405	679	643	705	1,194	2,978	6,415	5,183	6,764
1 Enteric fever ..	M	23	—	—	1	2	5	8	6	1	—
	F	26	—	—	—	1	3	8	11	2	1
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	—
3 Measles	M	178	38	84	47	9	—	—	—	—	—
	F	167	34	67	51	13	—	1	—	1	—
4 Scarlet fever ..	M	49	—	7	23	17	2	—	—	—	—
	F	52	4	4	22	15	4	3	—	—	—
5 Whooping cough ..	M	412	183	131	89	8	—	1	—	—	—
	F	457	194	145	103	14	—	—	1	—	—
6 Diphtheria ..	M	234	12	28	115	72	5	1	1	—	—
	F	259	10	20	105	114	9	1	—	—	—
7 Influenza	M	492	18	5	7	12	22	62	189	104	73
	F	590	13	12	7	11	36	87	156	116	152
8 Encephalitis lethargica ..	M	55	1	—	2	6	12	9	21	4	—
	F	76	1	1	2	12	9	20	26	4	1
9 Meningococcal meningitis ..	M	33	19	3	5	3	2	1	—	—	—
	F	34	14	5	4	4	4	—	3	—	—
10 Tuberculosis of respiratory system	M	2,571	8	2	9	32	402	1,056	924	125	13
	F	1,790	3	9	7	54	546	750	352	55	14
11 Other tuberculous diseases	M	430	57	47	63	78	67	62	43	10	3
	F	366	54	45	54	56	53	51	37	11	5
12 Cancer, malignant disease	M	3,101	3	1	6	11	25	208	1,493	955	399
	F	3,527	3	5	4	5	19	359	1,613	919	600
13 Rheumatic fever ..	M	85	1	—	5	33	14	15	14	3	—
	F	103	—	—	5	38	17	12	25	5	1
14 Diabetes	M	168	—	—	—	—	1	26	62	63	16
	F	247	—	—	1	4	9	21	98	82	32
15 Cerebral hæmorrhage, &c. ..	M	1,022	1	—	1	1	5	37	337	374	266
	F	1,522	—	1	—	5	4	34	417	510	551
16 Heart disease ..	M	3,729	—	4	4	56	107	269	1,192	1,117	980
	F	4,424	1	1	4	74	132	358	1,111	1,221	1,522
17 Arterio-sclerosis ..	M	1,199	—	—	—	—	—	22	253	463	461
	F	1,043	—	—	—	—	—	16	161	299	567
18 Bronchitis ..	M	1,986	141	17	13	4	7	82	590	551	581
	F	2,177	108	22	10	7	8	33	359	579	1,051
19 Pneumonia (all forms)	M	2,684	569	259	156	58	58	289	712	367	216
	F	2,111	442	224	113	62	51	170	407	312	330
20 Other respiratory diseases	M	396	11	12	6	8	8	42	151	88	70
	F	343	6	2	8	6	9	43	73	65	131
21 Ulcer of stomach or duodenum ..	M	381	2	—	—	—	11	107	202	42	17
	F	145	—	—	1	—	1	31	69	25	18
22 Diarrhœa, &c. ..	M	604	489	52	12	1	2	10	14	16	8
	F	442	312	36	13	10	1	17	15	12	26
23 Appendicitis and typhlitis.. ..	M	189	—	2	9	32	32	40	44	21	9
	F	162	—	1	6	36	25	29	46	12	7
24 Cirrhosis of liver ..	M	175	—	1	2	1	—	22	115	25	9
	F	106	—	—	—	—	—	21	50	26	9
25 Acute and chronic nephritis ..	M	763	3	1	5	18	25	90	282	206	133
	F	748	3	2	3	17	23	95	301	176	128
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—
	F	117	—	—	—	—	22	90	5	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—
	F	146	—	—	—	—	21	123	2	—	—
28 Congenital debility and malformation, premature birth.. ..	M	1,197	1,175	2	5	4	5	5	1	—	—
	F	860	840	5	9	3	1	—	1	1	—
29 Suicide	M	351	—	—	—	1	18	102	173	43	14
	F	192	—	—	—	1	13	67	94	16	1
30 Other deaths from violence.. ..	M	1,091	52	32	57	145	132	193	256	131	93
	F	612	49	20	33	37	39	65	121	107	141
31 Other defined diseases	M	4,006	408	57	86	145	165	409	1,034	755	947
	F	4,105	309	48	77	105	134	473	857	626	1,476
32 Causes ill-defined or unknown ..	M	21	3	1		1	—	3	10	3	—
	F	16	5	4	1	1	1	—	3	1	—

TABLE 20—*contd.*

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1925.
(Civilian population only).

Causes of Death.	Sex.	Aggregate of County Boroughs (England and Wales). All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	86,899	12,311	3,612	2,990	2,667	3,606	10,090	24,458	15,860	11,305
	F	81,809	9,188	3,166	2,805	2,542	3,660	9,179	18,969	15,436	16,864
1 Enteric fever ..	M	67	—	1	3	7	19	25	10	2	—
	F	59	—	1	—	6	13	28	10	1	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—
	F	2	1	—	—	1	—	—	—	—	—
3 Measles	M	1,497	344	657	397	93	2	2	2	—	—
	F	1,230	220	540	390	71	5	3	—	1	—
4 Scarlet fever ..	M	237	11	28	104	72	11	10	1	—	—
	F	238	5	25	95	92	13	8	—	—	—
5 Whooping cough ..	M	1,177	547	374	229	25	1	—	—	1	—
	F	1,370	514	477	329	48	—	—	1	—	1
6 Diphtheria ..	M	527	27	60	209	214	9	8	—	—	—
	F	558	26	66	232	206	17	6	3	2	—
7 Influenza	M	2,098	71	34	52	46	125	367	778	415	210
	F	2,103	59	28	51	71	100	321	551	502	420
8 Encephalitis lethargica ..	M	241	2	3	22	32	35	59	73	14	1
	F	252	2	7	19	20	41	66	79	14	4
9 Meningococcal meningitis ..	M	89	33	10	13	20	8	4	1	—	—
	F	61	14	6	11	16	7	5	1	1	—
10 Tuberculosis of respiratory system	M	7,468	32	51	78	153	1,214	3,006	2,635	266	33
	F	5,526	14	46	62	292	1,659	2,255	1,024	141	33
11 Other tuberculous diseases	M	1,705	196	211	308	315	258	230	156	19	12
	F	1,447	130	145	287	311	240	192	112	21	9
12 Cancer, malignant disease	M	8,039	4	5	9	23	51	498	4,125	2,418	906
	F	9,174	4	4	12	10	36	1,032	4,373	2,406	1,297
13 Rheumatic fever ..	M	307	—	—	8	112	62	56	59	8	2
	F	413	—	1	8	141	92	83	65	18	5
14 Diabetes	M	641	—	2	1	19	28	83	255	178	75
	F	820	—	—	5	20	21	83	309	288	94
15 Cerebral hæmorrhage, &c. ..	M	4,317	2	—	—	7	11	133	1,470	1,594	1,100
	F	5,224	3	1	2	2	7	129	1,522	1,817	1,741
16 Heart disease ..	M	9,649	2	5	13	155	271	877	3,524	3,003	1,799
	F	11,257	—	2	10	203	274	1,050	3,407	3,288	3,023
17 Arterio-sclerosis ..	M	3,552	—	—	—	—	—	41	828	1,405	1,278
	F	2,692	—	—	—	—	—	17	412	900	1,363
18 Bronchitis ..	M	6,827	891	207	100	38	25	321	1,699	1,863	1,683
	F	7,009	648	215	89	29	32	161	1,224	1,962	2,649
19 Pneumonia (all forms)	M	8,964	2,065	1,169	703	312	279	1,244	2,010	767	415
	F	6,559	1,495	980	641	254	164	594	1,080	723	628
20 Other respiratory diseases	M	1,004	53	42	43	30	40	130	357	200	109
	F	794	44	24	25	24	28	75	208	159	207
21 Ulcer of stomach or duodenum ..	M	848	1	—	—	1	27	276	435	91	17
	F	314	1	—	—	—	7	68	166	54	18
22 Diarrhœa, &c. ..	M	2,075	1,469	253	95	32	11	44	89	40	42
	F	1,629	1,011	208	86	38	13	50	74	71	78
23 Appendicitis and typhlitis.. ..	M	520	1	3	31	99	100	117	123	33	13
	F	384	1	2	24	73	60	81	114	21	8
24 Cirrhosis of liver ..	M	399	1	—	2	—	3	41	260	82	10
	F	219	—	—	—	2	—	25	138	38	16
25 Acute and chronic nephritis ..	M	2,336	14	13	20	67	81	293	1,017	587	244
	F	2,113	8	8	16	52	95	332	834	475	293
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—
	F	479	—	—	—	—	101	367	11	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—
	F	576	—	—	—	—	94	473	9	—	—
28 Congenital debility and malformation, premature birth.. ..	M	4,531	4,461	14	19	19	10	5	2	1	—
	F	3,500	3,424	33	16	15	1	5	6	—	—
29 Suicide	M	970	—	—	—	1	52	284	478	125	30
	F	422	—	—	—	1	41	154	183	38	5
30 Other deaths from violence.. ..	M	3,137	159	87	229	318	426	667	776	282	193
	F	1,488	128	42	105	146	90	151	250	229	347
31 Other defined diseases	M	13,428	1,912	360	294	454	442	1,244	3,177	2,413	3,132
	F	13,685	1,421	271	285	390	406	1,344	2,725	2,221	4,622
32 Causes ill-defined or unknown ..	M	249	13	23	8	3	5	25	118	53	1
	F	212	15	34	5	8	3	21	78	45	3

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1925.
(Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts (England and Wales). All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	78,365	9,731	2,392	2,163	2,295	3,369	8,333	20,525	15,811	13,746
	F	77,664	7,274	2,127	2,046	2,191	3,250	8,310	17,337	15,427	19,702
1 Enteric fever ..	M	65	—	—	5	4	17	24	13	2	—
	F	70	—	—	—	11	16	28	10	3	2
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—
	F	2	1	—	—	—	—	—	1	—	—
3 Measles	M	879	204	343	259	69	2	1	1	—	—
	F	801	150	314	253	77	1	4	2	—	—
4 Scarlet fever ..	M	123	6	8	44	53	8	2	2	—	—
	F	151	3	9	66	50	14	8	1	—	—
5 Whooping cough ..	M	814	406	229	150	26	—	—	1	2	—
	F	1,001	441	313	211	33	1	1	—	1	—
6 Diphtheria ..	M	418	18	40	153	189	7	6	3	1	1
	F	422	15	28	144	213	10	6	5	1	—
7 Influenza	M	2,106	77	32	41	52	142	347	670	425	320
	F	2,188	63	25	46	70	116	321	537	480	530
8 Encephalitis lethargica ..	M	249	2	11	17	30	43	49	84	12	1
	F	245	4	9	25	36	34	56	65	13	3
9 Meningococcal meningitis ..	M	46	7	7	8	11	10	2	—	1	—
	F	35	6	5	6	8	3	3	3	—	1
10 Tuberculosis of respiratory system	M	5,316	15	24	35	114	986	2,300	1,618	200	24
	F	4,621	20	22	28	214	1,377	2,057	752	121	30
11 Other tuberculous diseases	M	1,383	139	164	239	248	221	203	134	26	9
	F	1,274	96	142	197	246	200	213	124	35	21
12 Cancer, malignant disease	M	7,838	1	8	20	18	53	447	3,653	2,498	1,140
	F	9,546	2	3	7	19	43	885	4,274	2,590	1,723
13 Rheumatic fever ..	M	281	—	—	10	93	48	56	56	14	4
	F	337	—	—	2	107	70	75	59	22	2
14 Diabetes	M	602	—	1	3	8	28	65	216	203	78
	F	916	—	—	1	8	45	91	337	299	135
15 Cerebral hæmorrhage, &c. ..	M	4,614	1	—	—	3	9	111	1,361	1,738	1,391
	F	5,716	2	1	1	5	12	128	1,536	1,910	2,121
16 Heart disease ..	M	9,689	1	2	8	114	198	689	3,176	3,136	2,365
	F	11,629	3	2	11	154	257	828	3,115	3,519	3,740
17 Arterio-sclerosis ..	M	3,197	—	—	—	—	—	17	677	1,276	1,227
	F	2,463	—	—	—	—	—	13	385	722	1,343
18 Bronchitis ..	M	5,531	713	149	74	32	25	184	1,080	1,544	1,730
	F	5,761	556	146	73	22	22	121	748	1,447	2,626
19 Pneumonia (all forms)	M	6,382	1,386	781	412	207	262	833	1,357	686	458
	F	4,952	1,040	628	423	207	119	472	737	702	624
20 Other respiratory diseases	M	1,107	41	26	51	32	34	111	378	254	180
	F	808	29	20	39	35	17	78	176	179	235
21 Ulcer of stomach or duodenum ..	M	767	—	—	—	2	37	218	380	110	20
	F	339	—	—	—	4	14	75	162	52	32
22 Diarrhœa, &c. ..	M	1,280	833	144	62	36	10	33	67	39	56
	F	1,172	607	128	78	31	12	51	85	86	94
23 Appendicitis and typhlitis	M	574	2	5	41	98	110	123	139	43	13
	F	442	—	2	18	98	71	94	107	42	10
24 Cirrhosis of liver ..	M	420	1	1	—	—	1	34	246	109	28
	F	221	—	—		—	1	21	135	49	15
25 Acute and chronic nephritis ..	M	2,178	8	11	15	51	80	279	851	583	300
	F	2,087	7	8	18	46	65	286	816	537	304
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—
	F	308	—	—	—	—	59	246	3	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—
	F	658	—	—	—	—	114	535	9	—	—
28 Congenital debility and malformation, premature birth.. ..	M	4,212	4,132	19	18	21	6	13	3	—	—
	F	3,079	3,015	12	14	15	10	5	7	1	—
29 Suicide	M	945	—	—	—	1	47	244	488	127	38
	F	400	—	—	—	—	45	140	177	27	11
30 Other deaths from violence.. ..	M	3,345	103	77	192	325	527	798	854	273	196
	F	1,386	104	62	122	114	119	155	229	167	314
31 Other defined diseases	M	13,655	1,626	290	295	455	452	1,110	2,839	2,427	4,161
	F	14,399	1,098	225	257	363	380	1,292	2,626	2,381	5,777
32 Causes ill-defined or unknown ..	M	349	9	20	11	3	6	34	178	82	6
	F	235	12	23	6	5	3	22	114	41	9

TABLE 20—*contd.*

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1925.
(Civilian population only).

Causes of Death.	Sex.	Aggregate of Rural Districts (England and Wales). All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	47,530	5,262	991	958	1,255	1,845	4,297	10,492	10,393	12,037
	F	45,527	3,951	850	866	1,174	1,770	4,419	9,289	9,193	14,015
1 Enteric fever ..	M	32	—	—	—	3	12	5	9	2	1
	F	45	—	—	—	7	9	11	17	1	—
2 Small-pox	M	3	—	—	—	—	—	1	1	1	—
	F	1	1	—	—	—	—	—	—	—	—
3 Measles	M	299	56	117	78	39	6	1	2	—	—
	F	286	53	104	66	50	8	5	—	—	—
4 Scarlet fever ..	M	68	2	4	21	27	8	2	2	2	—
	F	69	—	6	24	23	6	7	2	1	—
5 Whooping cough ..	M	367	189	94	66	15	—	—	—	2	1
	F	460	234	129	78	15	2	1	—	1	—
6 Diphtheria ..	M	169	10	18	57	78	3	2	1	—	—
	F	187	3	6	63	98	8	3	4	1	1
7 Influenza	M	1,601	63	31	15	40	89	196	421	380	366
	F	1,532	48	17	38	40	67	166	308	355	493
8 Encephalitis lethargica ..	M	118	1	4	4	16	19	35	29	9	1
	F	133	3	5	5	12	29	31	38	9	1
9 Meningococcal meningitis ..	M	32	6	2	3	11	5	3	2	—	—
	F	22	5	1	6	4	3	2	—	1	—
10 Tuberculosis of respiratory system	M	2,575	5	11	12	54	467	1,137	752	118	19
	F	2,450	11	2	14	106	672	1,105	437	91	12
11 Other tuberculous diseases	M	706	56	76	102	122	106	152	75	16	1
	F	679	60	48	86	112	135	128	78	20	12
12 Cancer, malignant disease	M	5,004	3	2	8	20	28	222	1,882	1,757	1,082
	F	5,690	5	3	3	9	16	452	2,362	1,657	1,183
13 Rheumatic fever ..	M	159	—	—	4	40	34	27	43	9	2
	F	199	—	—	1	55	39	43	47	11	3
14 Diabetes	M	400	—	—	3	21	19	49	116	114	78
	F	560	—	—	2	15	30	60	199	171	83
15 Cerebral hæmorrhage, &c. ..	M	2,910	—	—	—	1	7	49	637	1,045	1,171
	F	3,566	—	1	—	3	6	59	811	1,158	1,528
16 Heart disease ..	M	6,610	1	1	4	50	89	309	1,687	2,305	2,164
	F	7,058	—	2	9	61	93	337	1,676	2,246	2,634
17 Arterio-sclerosis ..	M	2,121	—	—	—	—	—	9	303	767	1,042
	F	1,419	—	—	—	—	—	9	173	365	872
18 Bronchitis ..	M	2,978	357	70	44	12	9	54	385	734	1,313
	F	2,982	241	63	35	13	10	31	268	627	1,694
19 Pneumonia (all forms)	M	3,028	640	273	158	105	126	358	653	423	292
	F	2,278	464	228	140	108	73	246	362	328	329
20 Other respiratory diseases	M	624	33	10	24	18	21	52	189	135	142
	F	507	18	10	19	18	12	36	112	106	176
21 Ulcer of stomach or duodenum ..	M	447	1	—	—	1	16	119	205	81	24
	F	200	1	—	—	4	10	53	83	32	17
22 Diarrhœa, &c. ..	M	591	347	50	30	10	5	14	39	38	58
	F	535	239	52	26	22	16	34	42	43	61
23 Appendicitis and typhlitis.. ..	M	327	—	2	23	67	57	66	76	29	7
	F	250	1	—	24	55	24	59	56	21	10
24 Cirrhosis of liver ..	M	206	—	—	—	—	1	15	104	62	24
	F	100	—	—	1	1	—	8	46	24	20
25 Acute and chronic nephritis ..	M	1,232	9	5	8	21	49	101	404	365	270
	F	1,148	6	9	12	29	34	148	399	291	220
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—
	F	206	—	—	—	—	54	151	1	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—
	F	410	—	—	—	—	82	320	8	—	—
28 Congenital debility and malformation, premature birth.. ..	M	2,542	2,491	11	14	14	5	5	2	—	—
	F	1,905	1,859	13	10	12	6	3	2	—	—
29 Suicide	M	556	—	—	—	—	42	128	280	72	34
	F	218	—	—	—	—	29	64	94	20	11
30 Other deaths from violence.. ..	M	2,235	48	46	146	191	360	537	549	214	144
	F	814	53	21	59	80	73	71	137	98	222
31 Other defined diseases	M	9,287	918	153	130	275	257	624	1,516	1,628	3,786
	F	9,400	641	117	141	218	218	750	1,443	1,453	4,419
32 Causes ill-defined or unknown ..	M	303	26	11	4	4	5	25	128	85	15
	F	218	5	13	4	4	6	26	84	62	14

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1925.
(Civilian population only).

Causes of Death.	Sex.	Aggregate of Northern Counties.* All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	88,073	12,929	3,768	3,051	2,808	3,871	9,705	24,022	16,586	11,333
	F	82,677	9,708	3,236	2,895	2,714	3,677	9,361	19,451	15,981	15,654
1 Enteric fever ..	M	82	—	1	5	6	26	25	17	2	—
	F	69	—	—	—	5	19	27	15	3	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—
	F	2	1	—	—	1	—	—	—	—	—
3 Measles	M	1,508	364	652	394	89	4	2	3	—	—
	F	1,243	257	502	386	87	3	7	1	—	—
4 Scarlet fever ..	M	255	14	32	102	81	16	8	1	1	—
	F	265	6	25	110	101	14	8	1	—	—
5 Whooping cough ..	M	1,088	486	343	225	31	1	—	—	1	1
	F	1,278	486	439	312	38	—	1	1	1	—
6 Diphtheria ..	M	439	26	56	176	166	7	8	—	—	—
	F	431	27	52	172	163	10	4	1	2	—
7 Influenza	M	2,226	81	31	44	51	169	394	791	442	223
	F	2,252	65	31	63	87	108	373	621	528	376
8 Encephalitis lethargica ..	M	251	—	7	21	36	42	60	76	9	—
	F	253	3	10	19	25	41	64	78	10	3
9 Meningococcal meningitis ..	M	82	26	10	11	19	11	4	1	—	—
	F	59	15	7	9	18	5	5	—	—	—
10 Tuberculosis of respiratory system	M	6,416	28	53	78	171	1,108	2,546	2,182	227	23
	F	5,122	28	41	59	336	1,534	2,078	913	115	18
11 Other tuberculous diseases	M	1,750	172	220	318	334	281	229	162	28	6
	F	1,583	130	184	279	352	266	210	124	28	10
12 Cancer, malignant disease	M	7,714	2	7	12	21	49	507	3,937	2,338	841
	F	8,716	4	2	11	15	27	954	4,205	2,317	1,181
13 Rheumatic fever ..	M	334	—	—	7	110	64	62	74	11	6
	F	424	—	1	7	134	93	97	71	19	2
14 Diabetes	M	623	—	2	1	20	35	89	240	170	66
	F	888	—	—	4	14	33	96	374	295	72
15 Cerebral hæmorrhage, &c. ..	M	4,744	2	—	—	7	10	127	1,567	1,860	1,171
	F	5,397	2	1	3	6	10	136	1,632	1,982	1,625
16 Heart disease ..	M	9,570	1	5	15	169	269	836	3,487	3,053	1,735
	F	11,220	1	2	13	188	296	1,064	3,621	3,416	2,619
17 Arterio-sclerosis ..	M	3,992	—	—	—	—	—	38	850	1,654	1,450
	F	2,868	—	—	—	—	—	15	469	971	1,413
18 Bronchitis ..	M	6,826	1,059	248	120	41	36	294	1,642	1,884	1,502
	F	6,919	761	242	115	34	41	173	1,229	1,945	2,379
19 Pneumonia (all forms)	M	9,223	2,105	1,216	723	358	341	1,269	2,019	808	384
	F	6,746	1,510	1,003	680	309	186	647	1,085	750	576
20 Other respiratory diseases	M	1,036	56	42	53	36	43	114	375	199	118
	F	765	43	23	35	24	25	73	204	154	184
21 Ulcer of stomach or duodenum ..	M	804	1	—	—	2	37	263	395	93	13
	F	296	1	—	—	4	8	75	150	48	10
22 Diarrhœa, &c. ..	M	2,079	1,419	267	105	54	10	46	94	47	37
	F	1,679	1,000	221	104	55	13	54	69	85	78
23 Appendicitis and typhlitis.. ..	M	537	—	4	33	106	133	114	111	31	5
	F	397	—	3	24	89	55	91	98	26	11
24 Cirrhosis of liver ..	M	415	2	1	2	—	2	35	255	97	21
	F	170	—	—	1	1	—	10	108	38	12
25 Acute and chronic nephritis ..	M	2,389	14	17	20	69	95	309	1,007	612	246
	F	2,316	14	14	23	53	81	377	930	543	281
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—
	F	433	—	—	—	—	95	330	8	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—
	F	744	—	—	—	—	135	595	14	—	—
28 Congenital debility and malformation, premature birth.. ..	M	4,870	4,793	14	18	24	10	8	3	—	—
	F	3,772	3,697	29	15	16	5	7	3	—	—
29 Suicide	M	993	—	—	—	—	55	282	494	129	33
	F	356	—	—	—	1	36	134	159	23	3
30 Other deaths from violence.. ..	M	3,565	119	98	236	328	535	838	907	320	184
	F	1,528	102	62	125	150	139	169	241	223	317
31 Other defined diseases	M	13,874	2,144	419	320	476	474	1,161	3,142	2,474	3,264
	F	14,167	1,542	303	316	400	395	1,460	2,878	2,393	4,480
32 Causes ill-defined or unknown ..	M	388	15	23	12	3	8	37	190	96	4
	F	319	13	39	10	8	4	27	148	66	4

* See footnote to Table 14.

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1925.
(Civilian population only).

Causes of Death.	Sex.	Aggregate of Midland Counties.* All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	72,796	8,756	2,048	1,885	2,093	2,930	7,662	18,136	14,748	14,538
	F	69,925	6,541	1,809	1,753	1,918	2,940	7,240	14,817	13,679	19,228
1 Enteric fever ..	M	39	—	—	—	3	9	15	9	3	—
	F	57	—	1	—	9	12	22	12	1	—
2 Small-pox	M	2	—	—	—	—	—	—	1	1	—
	F	3	2	—	—	—	—	—	1	—	—
3 Measles	M	745	138	305	220	74	4	2	2	—	—
	F	681	95	279	218	79	7	3	—	—	—
4 Scarlet fever ..	M	108	4	5	40	45	9	4	1	—	—
	F	142	2	15	65	38	13	8	1	—	—
5 Whooping cough ..	M	817	421	231	143	19	—	—	1	2	—
	F	953	429	292	196	32	2	—	—	1	1
6 Diphtheria ..	M	425	22	38	146	201	9	4	3	1	1
	F	464	10	36	178	205	18	8	8	1	—
7 Influenza	M	2,183	82	42	44	57	118	319	685	456	380
	F	2,079	63	26	40	61	102	267	461	478	581
8 Encephalitis lethargica ..	M	207	3	5	14	27	26	55	62	12	3
	F	237	5	8	16	29	43	60	58	17	1
9 Meningococcal meningitis ..	M	54	15	6	8	12	7	4	2	—	—
	F	30	5	4	7	6	5	2	1	—	—
10 Tuberculosis of respiratory system	M	5,301	11	22	22	95	921	2,287	1,709	203	31
	F	4,287	10	19	21	153	1,282	1,892	756	131	23
11 Other tuberculous diseases	M	1,217	131	147	208	217	175	200	115	17	7
	F	1,028	95	101	176	182	175	172	95	18	14
12 Cancer, malignant disease	M	7,657	5	6	17	22	57	406	3,342	2,519	1,283
	F	8,774	4	3	6	14	42	801	3,826	2,444	1,634
13 Rheumatic fever ..	M	246	—	—	5	92	46	40	50	12	1
	F	304	—	—	2	110	62	55	54	15	6
14 Diabetes	M	594	—	1	4	15	18	66	216	189	85
	F	811	—	—	3	21	38	76	275	279	119
15 Cerebral hæmorrhage, &c. ..	M	4,056	—	—	—	3	9	100	1,093	1,462	1,389
	F	5,068	1	1	—	2	7	105	1,266	1,649	2,037
16 Heart disease ..	M	9,130	2	—	6	94	190	597	2,738	3,023	2,480
	F	10,425	1	4	12	140	204	681	2,612	3,087	3,684
17 Arterio-sclerosis ..	M	2,685	—	—	—	—	—	18	511	1,022	1,134
	F	1,949	—	—	—	—	—	15	272	557	1,105
18 Bronchitis ..	M	5,139	534	107	59	25	11	173	891	1,398	1,941
	F	5,362	434	113	49	24	13	80	651	1,297	2,701
19 Pneumonia (all forms)	M	5,825	1,262	655	371	171	213	781	1,261	663	448
	F	4,317	962	533	343	168	100	406	646	601	558
20 Other respiratory diseases	M	952	44	23	35	27	27	95	303	222	176
	F	738	26	20	28	28	19	64	154	157	242
21 Ulcer of stomach or duodenum ..	M	726	1	—	—	2	23	198	365	114	23
	F	299	—	—	—	1	13	62	149	47	27
22 Diarrhœa, &c. ..	M	1,167	792	111	42	14	10	28	58	42	70
	F	1,013	567	107	48	26	16	46	67	55	81
23 Appendicitis and typhlitis.. ..	M	523	2	6	33	105	77	118	124	43	15
	F	371	1	—	19	81	51	82	101	30	6
24 Cirrhosis of liver ..	M	362	—	—	—	—	—	35	214	90	23
	F	225	—	—	—	2	1	30	125	48	19
25 Acute and chronic nephritis ..	M	1,849	10	8	12	38	73	221	690	500	297
	F	1,617	6	6	14	44	67	219	612	385	264
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—
	F	347	—	—	—	—	69	272	6	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—
	F	477	—	—	—	—	70	403	4	—	—
28 Congenital debility and malformation, premature birth.. ..	M	3,860	3,789	21	18	16	6	8	1	1	—
	F	2,841	2,778	15	13	17	7	3	8	—	—
29 Suicide	M	875	—	—	—	2	56	231	423	119	44
	F	416	—	—	—	—	53	138	171	39	15
30 Other deaths from violence.. ..	M	2,866	117	63	201	295	444	611	672	255	208
	F	1,197	116	29	81	111	74	114	218	154	300
31 Other defined diseases	M	12,866	1,354	227	233	416	388	1,021	2,439	2,299	4,489
	F	13,209	916	181	217	329	371	1,128	2,142	2,129	5,796
32 Causes ill-defined or unknown ..	M	320	17	19	4	6	4	25	155	80	10
	F	204	13	16	1	6	4	26	65	59	14

* See footnote to Table 14.

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1925.
(Civilian population only).

Causes of Death.	Sex.	Aggregate of Southern Counties (including London).* All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	62,051	6,245	1,300	1,321	1,562	2,321	6,526	16,927	12,976	12,873
	F	63,522	4,658	1,193	1,197	1,443	2,405	6,356	14,247	12,813	19,210
1 Enteric fever ..	M	50	—	—	2	5	13	16	11	2	1
	F	62	—	—	—	7	8	23	18	3	3
2 Small-pox	M	1	—	—	—	—	—	1	—	—	—
	F	1	—	—	—	—	—	—	1	—	—
3 Measles	M	295	61	117	87	29	1	—	—	—	—
	F	270	49	112	77	26	1	2	1	2	—
4 Scarlet fever ..	M	82	1	7	35	31	3	1	3	1	—
	F	88	4	4	29	30	9	10	1	1	—
5 Whooping cough ..	M	661	309	198	133	18	—	1	—	2	—
	F	795	348	245	167	32	1	1	1	—	—
6 Diphtheria ..	M	372	14	41	161	145	8	2	1	—	—
	F	413	15	25	143	209	15	3	2	1	—
7 Influenza	M	1,445	52	23	23	30	70	179	443	323	302
	F	1,675	40	20	25	33	80	193	380	351	553
8 Encephalitis lethargica ..	M	168	3	3	9	18	29	32	56	18	—
	F	187	2	3	16	24	25	39	61	12	5
9 Meningococcal meningitis ..	M	49	22	4	6	9	5	2	—	1	—
	F	55	17	6	11	7	6	2	3	2	1
10 Tuberculosis of respiratory system	M	4,975	13	7	18	59	790	2,143	1,681	235	29
	F	3,777	8	11	14	115	1,055	1,658	740	135	41
11 Other tuberculous diseases	M	935	113	102	142	155	129	163	100	20	11
	F	891	97	81	128	134	138	157	102	36	18
12 Cancer, malignant disease	M	7,196	4	3	14	26	46	387	3,168	2,337	1,211
	F	8,781	6	9	6	11	33	791	3,803	2,369	1,753
13 Rheumatic fever ..	M	180	1	—	8	58	35	38	33	7	—
	F	202	—	—	5	63	34	30	52	15	3
14 Diabetes	M	478	—	—	2	10	13	55	154	163	81
	F	710	—	—	2	11	26	70	235	224	142
15 Cerebral hæmorrhage, &c. ..	M	3,055	2	—	1	2	9	78	856	1,044	1,063
	F	4,448	—	2	—	7	11	79	1,049	1,403	1,897
16 Heart disease ..	M	8,890	1	6	5	78	169	544	2,661	2,803	2,623
	F	10,468	1	1	9	125	197	607	2,416	3,098	4,014
17 Arterio-sclerosis ..	M	2,843	—	—	—	—	—	31	567	1,022	1,223
	F	2,447	—	—	—	—	—	23	322	651	1,451
18 Bronchitis ..	M	4,042	334	50	32	11	15	126	898	1,067	1,509
	F	4,578	229	55	25	8	16	68	569	1,108	2,500
19 Pneumonia (all forms)	M	4,555	913	422	244	113	112	484	1,162	642	463
	F	3,835	708	361	198	119	96	351	719	617	666
20 Other respiratory diseases	M	906	30	21	20	17	23	101	310	204	180
	F	791	16	7	18	20	19	81	174	166	290
21 Ulcer of stomach or duodenum ..	M	762	2	—	—	—	21	209	390	104	36
	F	330	—	—	1	1	7	66	146	64	45
22 Diarrhœa, &c. ..	M	959	700	82	29	5	5	19	41	36	42
	F	774	445	57	28	14	7	41	57	47	78
23 Appendicitis and typhlitis.. ..	M	442	1	2	30	71	67	85	119	47	20
	F	376	1	2	21	73	56	68	105	34	16
24 Cirrhosis of liver ..	M	356	—	1	2	1	2	37	223	66	24
	F	217	—	—	—	—	—	31	114	46	26
25 Acute and chronic nephritis ..	M	1,746	7	4	6	33	51	173	653	484	335
	F	1,670	4	3	9	30	52	181	625	442	324
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—
	F	243	—	—	—	—	50	187	6	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—
	F	383	—	—	—	—	71	304	8	—	—
28 Congenital debility and malformation, premature birth.. ..	M	2,750	2,689	10	13	13	9	12	4	—	—
	F	1,963	1,911	13	17	9	5	1	5	2	—
29 Suicide	M	777	—	—	—	1	36	204	395	106	35
	F	392	—	—	—	1	29	128	190	36	8
30 Other deaths from violence.. ..	M	2,353	98	58	115	277	304	459	584	251	207
	F	1,266	97	36	70	80	81	131	231	192	348
31 Other defined diseases	M	10,604	864	135	181	346	354	929	2,356	1,965	3,474
	F	11,333	651	132	175	252	273	1,023	2,066	1,741	5,020
32 Causes ill-defined or unknown ..	M	124	11	4	3	1	2	15	58	26	4
	F	101	9	8	3	2	4	7	45	15	8

* See footnote to Table 14.

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1925.
(Civilian population only).

	Causes of Death.	Sex.	Aggregate of Wales and Monmouth.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
	All Causes ..	M	17,499	2,568	627	582	512	830	1,998	4,509	3,221	2,652
		F	15,842	1,911	584	515	537	852	1,929	3,495	2,766	3,253
1	Enteric fever ..	M	16	—	—	2	2	5	6	1	—	—
		F	12	—	—	—	4	2	3	3	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
3	Measles	M	305	79	127	80	18	1	—	—	—	—
		F	290	56	132	79	19	3	1	—	—	—
4	Scarlet fever ..	M	32	—	3	15	12	1	1	—	—	—
		F	15	—	—	3	11	1	—	—	—	—
5	Whooping cough ..	M	204	109	56	33	6	—	—	—	—	—
		F	262	120	88	46	8	—	—	—	—	—
6	Diphtheria ..	M	112	5	11	51	41	—	3	1	—	—
		F	118	2	7	51	54	1	1	1	—	1
7	Influenza	M	443	14	6	4	12	21	80	139	103	64
		F	407	15	5	14	11	29	62	90	96	85
8	Encephalitis lethargica ..	M	37	—	3	1	3	12	5	13	—	—
		F	29	—	1	—	2	4	10	11	1	—
9	Meningococcal meningitis ..	M	15	2	2	4	5	2	—	—	—	—
		F	8	2	—	—	1	1	1	3	—	—
10	Tuberculosis of respiratory system	M	1,238	8	6	16	28	250	523	357	44	6
		F	1,201	2	8	17	62	383	539	156	27	7
11	Other tuberculous diseases	M	322	32	29	44	57	67	55	31	6	1
		F	264	18	14	41	57	49	45	30	5	5
12	Cancer, malignant disease	M	1,415	—	—	—	3	5	75	706	434	192
		F	1,666	—	1	3	3	12	182	788	442	235
13	Rheumatic fever ..	M	72	—	—	7	18	13	14	15	4	1
		F	122	—	—	2	34	29	31	19	7	—
14	Diabetes	M	116	—	—	—	3	10	13	39	36	15
		F	134	—	—	—	1	8	13	59	42	11
15	Cerebral hæmorrhage, &c. ..	M	1,008	—	—	—	—	4	25	289	385	305
		F	1,115	2	—	—	—	1	30	339	361	382
16	Heart disease ..	M	2,087	—	1	3	34	37	167	693	682	470
		F	2,255	1	—	—	39	59	221	660	673	602
17	Arterio-sclerosis ..	M	549	—	—	—	—	—	2	133	213	201
		F	353	—	—	—	—	—	2	68	107	176
18	Bronchitis ..	M	1,315	175	38	20	9	4	48	323	343	355
		F	1,070	129	36	18	5	2	25	150	265	440
19	Pneumonia (all forms)	M	1,455	380	189	91	40	59	190	290	130	86
		F	1,002	261	163	96	35	25	78	136	97	111
20	Other respiratory diseases	M	237	8	4	16	8	10	25	87	52	27
		F	158	12	6	10	11	3	14	37	32	33
21	Ulcer of stomach or duodenum ..	M	151	—	—	—	—	10	50	72	13	6
		F	73	1	—	—	2	4	24	35	4	3
22	Diarrhœa, &c. ..	M	345	227	39	23	6	3	8	16	8	15
		F	312	157	39	23	6	6	11	23	25	22
23	Appendicitis and typhlitis.. ..	M	108	—	—	8	14	22	29	28	5	2
		F	94	—	—	8	19	18	22	19	6	2
24	Cirrhosis of liver ..	M	67	—	—	—	—	1	5	33	25	3
		F	34	—	—	—	—	—	4	22	5	3
25	Acute and chronic nephritis ..	M	525	3	1	10	17	16	60	204	145	69
		F	493	—	4	3	17	17	84	183	109	76
26	Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—
		F	87	—	—	—	—	22	65	—	—	—
27	Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—
		F	186	—	—	—	—	35	149	2	—	—
28	Congenital debility and malformation, premature birth.. ..	M	1,002	988	1	7	5	1	—	—	—	—
		F	768	752	6	4	3	1	2	—	—	—
29	Suicide	M	177	—	—	—	—	12	41	107	13	4
		F	68	—	—	—	—	10	25	28	3	2
30	Other deaths from violence.. ..	M	1,024	28	23	72	79	162	287	272	74	27
		F	309	19	18	43	36	27	28	47	32	59
31	Other defined diseases	M	3,032	502	79	71	91	100	276	629	485	799
		F	2,880	360	45	52	95	99	248	565	418	998
32	Causes ill-defined or unknown ..	M	90	8	9	4	1	2	10	31	21	4
		F	57	2	11	2	2	1	9	21	9	—

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1925.
(Civilian population only).

Causes of Death.	Sex.	Aggregate of County Boroughs (North).* All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	49,082	7,348	2,302	1,832	1,542	2,117	5,648	14,265	8,695	5,333
	F	45,306	5,554	2,019	1,724	1,514	2,063	5,187	10,809	8,490	7,946
1 Enteric fever ..	M	40	—	1	3	2	13	14	7	—	—
	F	32	—	—	—	1	8	16	6	1	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—
	F	2	1	—	—	1	—	—	—	—	—
3 Measles	M	921	216	414	236	50	2	1	2	—	—
	F	737	147	315	236	34	2	3	—	—	—
4 Scarlet fever ..	M	160	8	26	69	46	6	5	—	—	—
	F	163	4	18	64	67	6	4	—	—	—
5 Whooping cough ..	M	693	307	224	147	14	1	—	—	—	—
	F	818	288	289	213	27	—	—	1	—	—
6 Diphtheria ..	M	284	16	39	111	105	7	6	—	—	—
	F	275	17	39	113	93	9	2	1	1	—
7 Influenza	M	1,083	42	15	26	20	74	198	427	202	79
	F	1,128	38	18	29	42	50	192	307	274	178
8 Encephalitis lethargica ..	M	132	—	3	14	17	18	33	41	6	—
	F	136	1	5	7	11	19	33	50	8	2
9 Meningococcal meningitis ..	M	55	22	6	7	12	5	3	—	—	—
	F	40	10	5	5	13	3	4	—	—	—
10 Tuberculosis of respiratory system	M	4,140	19	38	56	97	671	1,591	1,500	151	17
	F	3,032	11	34	42	201	908	1,197	559	70	10
11 Other tuberculous diseases	M	975	104	123	185	192	155	117	84	12	3
	F	848	65	95	169	187	148	109	62	11	2
12 Cancer, malignant disease	M	4,277	2	4	3	7	28	274	2,337	1,247	375
	F	4,689	3	—	6	6	14	547	2,322	1,197	594
13 Rheumatic fever ..	M	183	—	—	6	60	35	34	42	4	2
	F	236	—	1	5	76	56	52	34	11	1
14 Diabetes	M	336	—	1	1	10	20	53	140	82	29
	F	443	—	—	3	10	10	53	179	148	40
15 Cerebral hæmorrhage, &c. ..	M	2,389	1	—	—	5	4	77	855	901	546
	F	2,667	2	1	2	2	4	67	831	997	761
16 Heart disease ..	M	5,098	—	5	10	102	172	503	1,988	1,537	781
	F	5,982	—	—	6	119	167	646	2,026	1,719	1,299
17 Arterio-sclerosis ..	M	2,237	—	—	—	—	—	29	521	915	772
	F	1,636	—	—	—	—	—	9	258	574	795
18 Bronchitis ..	M	4,051	601	143	68	25	23	208	1,107	1,083	793
	F	4,080	411	141	62	20	25	109	817	1,212	1,283
19 Pneumonia (all forms)	M	5,532	1,268	724	462	211	184	787	1,278	420	198
	F	4,033	930	629	424	169	113	384	673	390	321
20 Other respiratory diseases	M	535	30	27	23	17	27	64	197	103	47
	F	402	24	17	13	12	14	39	120	83	80
21 Ulcer of stomach or duodenum ..	M	444	1	—	—	1	17	142	232	44	7
	F	152	—	—	—	—	3	35	79	27	8
22 Diarrhœa, &c. ..	M	1,308	913	181	65	23	4	28	58	22	14
	F	998	631	150	53	26	6	25	33	34	40
23 Appendicitis and typhlitis.. ..	M	263	—	2	17	46	62	55	62	16	3
	F	212	—	2	13	42	33	46	58	11	7
24 Cirrhosis of liver ..	M	234	1	—	2	—	2	22	159	40	8
	F	94	—	—	—	1	—	5	65	17	6
25 Acute and chronic nephritis ..	M	1,356	10	10	12	46	48	175	597	341	117
	F	1,200	4	5	12	30	50	202	458	277	162
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—
	F	255	—	—	—	—	57	192	6	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—
	F	330	—	—	—	—	63	262	5	—	—
28 Congenital debility and malformation, premature birth.. ..	M	2,544	2,504	6	10	12	7	3	2	—	—
	F	2,034	1,994	23	6	6	1	3	1	—	—
29 Suicide	M	530	—	—	—	—	36	166	256	61	11
	F	206	—	—	—	1	17	75	94	17	2
30 Other deaths from violence.. ..	M	1,756	80	55	121	176	233	390	440	162	99
	F	869	69	30	68	91	65	93	136	139	178
31 Other defined diseases	M	7,349	1,194	241	173	243	258	651	1,852	1,306	1,431
	F	7,411	894	180	170	219	211	766	1,565	1,232	2,174
32 Causes ill-defined or unknown ..	M	177	9	14	5	3	5	19	81	40	1
	F	166	10	22	3	7	1	17	63	40	3

* See footnote to Table 14.

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1925.
(Civilian population only).

Causes of Death.	Sex.	Aggregate of County Boroughs (Midland).* All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	25,720	3,546	995	882	799	1,045	3,015	6,894	4,786	3,758
	F	24,447	2,648	879	794	731	1,123	2,721	5,446	4,590	5,515
1 Enteric fever ..	M	18	—	—	—	3	4	8	2	1	—
	F	19	—	1	—	4	5	6	3	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
3 Measles	M	444	90	189	131	33	—	1	—	—	—
	F	387	60	172	122	30	3	—	—	—	—
4 Scarlet fever ..	M	61	3	2	25	22	5	3	1	—	—
	F	63	1	7	28	18	7	2	—	—	—
5 Whooping cough ..	M	383	187	117	71	7	—	—	—	1	—
	F	441	178	151	98	13	—	—	—	—	1
6 Diphtheria ..	M	182	10	20	71	77	2	2	—	—	—
	F	210	8	23	92	76	6	3	2	—	—
7 Influenza	M	725	22	16	22	18	36	118	268	149	76
	F	661	18	9	12	22	28	95	182	152	143
8 Encephalitis lethargica ..	M	79	1	—	6	13	9	18	26	5	1
	F	81	1	1	7	4	17	25	22	4	—
9 Meningococcal meningitis ..	M	23	9	3	3	5	1	1	1	—	—
	F	12	2	1	3	2	3	1	—	—	—
10 Tuberculosis of respiratory system	M	2,269	7	10	10	39	370	946	799	79	9
	F	1,676	3	9	9	60	525	706	307	44	13
11 Other tuberculous diseases	M	493	58	62	96	79	66	77	47	4	4
	F	416	48	42	79	89	59	59	33	4	3
12 Cancer, malignant disease	M	2,496	1	1	4	9	15	153	1,202	780	331
	F	2,829	1	2	5	3	17	308	1,332	754	407
13 Rheumatic fever ..	M	88	—	—	—	42	18	14	11	3	—
	F	135	—	—	2	54	27	24	19	6	3
14 Diabetes	M	195	—	1	—	5	6	20	76	62	25
	F	253	—	—	2	8	8	18	90	100	27
15 Cerebral hæmorrhage, &c. ..	M	1,264	—	—	—	2	4	33	416	457	352
	F	1,643	—	—	—	—	1	41	476	544	581
16 Heart disease ..	M	2,857	2	—	3	42	76	254	985	903	592
	F	3,412	—	2	4	57	82	279	915	1,028	1,045
17 Arterio-sclerosis ..	M	851	—	—	—	—	—	10	203	332	306
	F	647	—	—	—	—	—	6	98	211	332
18 Bronchitis ..	M	2,003	203	49	24	13	2	90	426	575	621
	F	2,104	169	56	17	8	5	35	316	543	955
19 Pneumonia (all forms)	M	2,540	576	332	188	77	72	355	549	255	136
	F	1,819	425	269	162	63	39	158	281	237	185
20 Other respiratory diseases	M	307	15	9	15	6	11	44	99	66	42
	F	250	11	5	8	9	7	25	57	53	75
21 Ulcer of stomach or duodenum ..	M	266	—	—	—	—	7	83	136	36	4
	F	97	—	—	—	—	3	24	53	13	4
22 Diarrhœa, &c. ..	M	565	418	55	21	7	5	9	19	13	18
	F	461	299	44	26	6	5	16	27	23	15
23 Appendicitis and typhlitis.. ..	M	178	1	1	9	39	29	46	41	8	4
	F	112	—	—	7	22	11	28	39	5	—
24 Cirrhosis of liver ..	M	98	—	—	—	—	—	12	64	22	—
	F	82	—	—	—	1	—	17	45	12	7
25 Acute and chronic nephritis ..	M	635	4	2	6	17	27	90	254	150	85
	F	594	4	3	3	16	30	89	256	125	68
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—
	F	167	—	—	—	—	34	128	5	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—
	F	153	—	—	—	—	20	131	2	—	—
28 Congenital debility and malformation, premature birth.. ..	M	1,388	1,366	6	6	5	3	1	—	1	—
	F	1,042	1,015	7	7	8	—	1	4	—	—
29 Suicide	M	282	—	—	—	1	12	74	142	40	13
	F	138	—	—	—	—	18	48	55	15	2
30 Other deaths from violence.. ..	M	919	55	26	82	92	133	171	221	80	59
	F	403	47	7	26	43	19	38	76	54	93
31 Other defined diseases	M	4,052	516	89	88	146	132	378	872	751	1,080
	F	4,106	353	61	74	114	143	406	741	658	1,556
32 Causes ill-defined or unknown ..	M	59	2	5	1	—	—	4	34	13	—
	F	34	5	7	1	1	1	4	10	5	—

* See footnote to Table 14.

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1925.
(Civilian population only).

Causes of Death.	Sex.	Aggregate of County Boroughs (South).* All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	8,306	839	164	153	224	274	912	2,274	1,708	1,758
	F	8,840	561	150	162	188	297	855	1,970	1,815	2,842
1 Enteric fever ..	M	6	—	—	—	1	1	2	1	1	—
	F	7	—	—	—	1	—	5	1	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
3 Measles	M	44	10	19	10	5	—	—	—	—	—
	F	40	2	24	10	3	—	—	—	1	—
4 Scarlet fever ..	M	10	—	—	7	2	—	1	—	—	—
	F	10	—	—	3	5	—	2	—	—	—
5 Whooping cough ..	M	51	26	15	6	4	—	—	—	—	—
	F	62	24	22	9	7	—	—	—	—	—
6 Diphtheria ..	M	41	1	1	16	23	—	—	—	—	—
	F	46	1	3	15	24	1	1	—	1	—
7 Influenza	M	210	6	1	4	5	10	35	57	46	46
	F	256	2	—	6	3	18	27	48	63	89
8 Encephalitis lethargica ..	M	25	1	—	2	2	6	6	5	3	—
	F	31	—	1	5	4	4	7	6	2	2
9 Meningococcal meningitis ..	M	2	1	—	—	—	1	—	—	—	—
	F	8	2	—	3	1	1	—	—	1	—
10 Tuberculosis of respiratory system	M	707	2	2	4	9	111	310	236	27	6
	F	533	—	1	6	17	134	226	116	24	9
11 Other tuberculous diseases	M	157	20	17	20	34	16	24	18	3	5
	F	132	15	7	25	23	21	18	15	5	3
12 Cancer, malignant disease	M	940	1	—	2	5	7	52	410	294	169
	F	1,318	—	2	1	1	4	130	551	373	256
13 Rheumatic fever ..	M	26	—	—	1	8	6	5	5	1	—
	F	17	—	—	—	3	3	3	6	1	1
14 Diabetes	M	73	—	—	—	3	1	6	22	24	17
	F	97	—	—	—	2	2	8	27	35	23
15 Cerebral hæmorrhage, &c. ..	M	484	1	—	—	—	1	16	132	172	162
	F	733	—	—	—	—	2	17	160	222	332
16 Heart disease ..	M	1,267	—	—	—	6	17	84	395	418	347
	F	1,415	—	—	—	18	13	66	322	417	579
17 Arterio-sclerosis ..	M	346	—	—	—	—	—	2	71	119	154
	F	311	—	—	—	—	—	1	37	85	188
18 Bronchitis ..	M	494	55	7	3	—	—	6	88	131	204
	F	599	31	10	6	1	2	12	62	138	337
19 Pneumonia (all forms)	M	527	120	67	29	17	9	47	116	58	64
	F	479	88	47	29	16	8	35	87	69	100
20 Other respiratory diseases	M	120	6	3	3	4	2	19	44	20	19
	F	115	3	1	3	3	6	8	25	18	48
21 Ulcer of stomach or duodenum ..	M	96	—	—	—	—	3	29	49	9	6
	F	50	—	—	—	—	—	7	26	12	5
22 Diarrhœa, &c. ..	M	110	73	6	5	—	2	5	8	4	7
	F	97	40	6	2	2	2	8	10	10	17
23 Appendicitis and typhlitis.. ..	M	59	—	—	4	11	8	8	14	8	6
	F	44	1	—	3	5	10	6	13	5	1
24 Cirrhosis of liver ..	M	47	—	—	—	—	—	5	29	11	2
	F	34	—	—	—	—	—	2	22	7	3
25 Acute and chronic nephritis ..	M	237	—	1	—	1	4	14	113	64	40
	F	225	—	—	1	6	12	23	81	56	46
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—
	F	31	—	—	—	—	4	27	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—
	F	60	—	—	—	—	6	52	2	—	—
28 Congenital debility and malformation, premature birth.. ..	M	388	383	1	2	1	—	1	—	—	—
	F	259	256	1	1	—	—	—	1	—	—
29 Suicide	M	120	—	—	—	—	3	33	59	19	6
	F	63	—	—	—	—	6	24	27	6	—
30 Other deaths from violence.. ..	M	285	16	4	13	35	32	57	72	27	29
	F	150	6	3	7	6	4	15	24	27	58
31 Other defined diseases	M	1,430	116	19	22	48	34	144	329	249	469
	F	1,611	90	21	27	37	33	125	296	237	745
32 Causes ill-defined or unknown ..	M	4	1	1	—	—	—	1	1	—	—
	F	7	—	1	—	—	1	—	5	—	—

* See footnote to Table 14.

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1925.
(Civilian population only).

Causes of Death.	Sex.	Aggregate of County Boroughs (Wales and Monmouth).									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	3,791	578	151	123	102	170	515	1,025	671	456
	F	3,216	425	118	125	109	177	416	744	541	561
1 Enteric fever ..	M	3	—	—	—	1	1	1	—	—	—
	F	1	—	—	—	—	—	1	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
3 Measles	M	88	28	35	20	5	—	—	—	—	—
	F	66	11	29	22	4	—	—	—	—	—
4 Scarlet fever ..	M	6	—	—	3	2	—	1	—	—	—
	F	2	—	—	—	2	—	—	—	—	—
5 Whooping cough ..	M	50	27	18	5	—	—	—	—	—	—
	F	49	24	15	9	1	—	—	—	—	—
6 Diphtheria ..	M	20	—	—	11	9	—	—	—	—	—
	F	27	—	1	12	13	1	—	—	—	—
7 Influenza	M	80	1	2	—	3	5	16	26	18	9
	F	58	1	1	4	4	4	7	14	13	10
8 Encephalitis lethargica ..	M	5	—	—	—	—	2	2	1	—	—
	F	4	—	—	—	1	1	1	1	—	—
9 Meningococcal meningitis ..	M	9	1	1	3	3	1	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	—
10 Tuberculosis of respiratory system	M	352	4	1	8	8	62	159	100	9	1
	F	285	—	2	5	14	92	126	42	3	1
11 Other tuberculous diseases	M	80	14	9	7	10	21	12	7	—	—
	F	51	2	1	14	12	12	6	2	1	1
12 Cancer, malignant disease	M	326	—	—	—	2	1	19	176	97	31
	F	338	—	—	—	—	1	47	168	82	40
13 Rheumatic fever ..	M	10	—	—	1	2	3	3	1	—	—
	F	25	—	—	1	8	6	4	6	—	—
14 Diabetes	M	37	—	—	—	1	1	4	17	10	4
	F	27	—	—	—	—	1	4	13	5	4
15 Cerebral hæmorrhage, &c. ..	M	180	—	—	—	—	2	7	67	64	40
	F	181	1	—	—	—	—	4	55	54	67
16 Heart disease ..	M	427	—	—	—	5	6	36	156	145	79
	F	448	—	—	—	9	12	59	144	124	100
17 Arterio-sclerosis ..	M	118	—	—	—	—	—	—	33	39	46
	F	98	—	—	—	—	—	1	19	30	48
18 Bronchitis ..	M	279	32	8	5	—	—	17	78	74	65
	F	226	37	8	4	—	—	5	29	69	74
19 Pneumonia (all forms)	M	365	101	46	24	7	14	55	67	34	17
	F	228	52	35	26	6	4	17	39	27	22
20 Other respiratory diseases	M	42	2	3	2	3	—	3	17	11	1
	F	27	6	1	1	—	1	3	6	5	4
21 Ulcer of stomach or duodenum ..	M	42	—	—	—	—	—	22	18	2	—
	F	15	1	—	—	—	1	2	8	2	1
22 Diarrhœa, &c. ..	M	92	65	11	4	2	—	2	4	1	3
	F	73	41	8	5	4	—	1	4	4	6
23 Appendicitis and typhlitis.. ..	M	20	—	—	1	3	1	8	6	1	—
	F	16	—	—	1	4	6	1	4	—	—
24 Cirrhosis of liver ..	M	20	—	—	—	—	1	2	8	9	—
	F	9	—	—	—	—	—	1	6	2	—
25 Acute and chronic nephritis ..	M	108	—	—	2	3	2	14	53	32	2
	F	94	—	—	—	—	3	18	39	17	17
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—
	F	26	—	—	—	—	6	20	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—
	F	33	—	—	—	—	5	28	—	—	—
28 Congenital debility and malformation, premature birth.. ..	M	211	208	1	1	1	—	—	—	—	—
	F	165	159	2	2	1	—	1	—	—	—
29 Suicide	M	38	—	—	—	—	1	11	21	5	—
	F	15	—	—	—	—	—	7	7	—	1
30 Other deaths from violence.. ..	M	177	8	2	13	15	28	49	43	13	6
	F	66	6	2	4	6	2	5	14	9	18
31 Other defined diseases	M	597	86	11	11	17	18	71	124	107	152
	F	557	84	9	14	20	19	47	123	94	147
32 Causes ill-defined or unknown ..	M	9	1	3	2	—	—	1	2	—	—
	F	5	—	4	1	—	—	—	—	—	—

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1925.
(Civilian population only).

	Causes of Death.	Sex.	Aggregate of Urban Districts (North).*									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
	All Causes ..	M	28,331	4,034	1,085	920	933	1,293	3,037	7,498	5,638	3,893
		F	27,349	2,964	913	873	868	1,155	3,068	6,575	5,560	5,373
1	Enteric fever ..	M	32	—	—	2	2	10	10	7	1	—
		F	26	—	—	—	2	8	10	4	2	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
3	Measles	M	435	114	170	123	26	1	1	—	—	—
		F	369	74	134	120	36	—	4	1	—	—
4	Scarlet fever ..	M	66	4	5	22	27	7	1	—	—	—
		F	74	2	5	33	25	7	2	—	—	—
5	Whooping cough ..	M	292	130	89	63	10	—	—	—	—	—
		F	340	137	118	75	9	—	1	—	—	—
6	Diphtheria ..	M	121	7	14	51	47	—	2	—	—	—
		F	128	9	12	46	58	1	1	—	1	—
7	Influenza	M	785	25	7	13	19	67	148	263	165	78
		F	761	22	7	21	33	38	125	232	170	113
8	Encephalitis lethargica ..	M	94	—	4	6	15	20	21	26	2	—
		F	90	2	3	10	11	17	26	18	2	1
9	Meningococcal meningitis ..	M	16	3	2	3	3	5	—	—	—	—
		F	11	2	2	2	3	1	1	—	—	—
10	Tuberculosis of respiratory system	M	1,735	7	11	18	55	331	717	532	61	3
		F	1,536	12	7	13	95	466	635	270	31	7
11	Other tuberculous diseases	M	585	54	74	98	111	96	82	56	11	3
		F	534	43	69	78	128	81	69	48	13	5
12	Cancer, malignant disease	M	2,503	—	3	8	8	18	178	1,238	760	290
		F	2,945	1	2	5	9	8	306	1,405	800	409
13	Rheumatic fever ..	M	113	—	—	—	42	18	24	20	6	3
		F	130	—	—	1	43	26	32	22	6	—
14	Diabetes	M	198	—	1	—	1	10	26	73	67	20
		F	333	—	—	1	3	16	30	149	109	25
15	Cerebral hæmorrhage, &c. ..	M	1,741	1	—	—	2	4	41	557	714	422
		F	2,022	—	—	1	3	6	52	632	715	613
16	Heart disease ..	M	3,177	—	—	4	51	71	259	1,132	1,051	609
		F	3,879	1	1	3	51	95	317	1,220	1,259	932
17	Arterio-sclerosis ..	M	1,245	—	—	—	—	—	7	257	534	447
		F	891	—	—	—	—	—	2	163	295	431
18	Bronchitis ..	M	2,059	325	73	40	13	11	71	439	596	491
		F	2,182	255	80	40	10	11	58	341	590	797
19	Pneumonia (all forms)	M	2,786	629	373	205	112	125	372	564	276	130
		F	2,031	426	290	201	99	47	194	307	283	184
20	Other respiratory diseases	M	352	15	13	22	14	10	38	127	71	42
		F	265	19	2	15	9	8	24	58	58	72
21	Ulcer of stomach or duodenum ..	M	264	—	—	—	1	14	83	124	38	4
		F	105	—	—	—	2	3	27	54	17	2
22	Diarrhœa, &c. ..	M	563	377	65	27	24	5	14	24	17	10
		F	511	275	55	40	18	3	19	31	38	32
23	Appendicitis and typhlitis.. ..	M	207	—	1	12	41	56	46	38	11	2
		F	128	—	1	6	32	17	28	30	11	3
24	Cirrhosis of liver ..	M	140	1	1	—	—	—	8	78	43	9
		F	52	—	—	—	—	—	4	32	13	3
25	Acute and chronic nephritis ..	M	813	1	6	5	18	38	110	339	201	95
		F	876	7	5	8	15	24	131	385	214	87
26	Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—
		F	126	—	—	—	—	23	101	2	—	—
27	Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—
		F	298	—	—	—	—	48	246	4	—	—
28	Congenital debility and malformation, premature birth.. ..	M	1,630	1,605	6	4	8	2	4	1	—	—
		F	1,217	1,195	2	5	7	3	3	2	—	—
29	Suicide	M	345	—	—	—	—	13	84	182	50	16
		F	108	—	—	—	—	11	46	49	2	—
30	Other deaths from violence.. ..	M	1,255	28	34	74	106	194	302	346	112	59
		F	458	20	22	41	40	49	56	70	63	97
31	Other defined diseases	M	4,625	706	128	114	177	165	373	989	814	1,159
		F	4,821	460	84	103	126	137	511	988	853	1,559
32	Causes ill-defined or unknown ..	M	154	2	5	6	—	2	15	86	37	1
		F	102	2	12	5	1	1	7	58	15	1

* See footnote to Table 14.

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1925.
(Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts (Midland).* All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	27,167	3,113	700	648	791	1,144	2,950	7,024	5,543	5,254
	F	26,689	2,340	644	670	735	1,140	2,819	5,711	5,246	7,384
1 Enteric fever ..	M	13	—	—	—	—	2	7	3	1	—
	F	23	—	—	—	5	4	10	3	1	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—
	F	2	1	—	—	—	—	—	1	—	—
3 Measles	M	202	34	84	59	23	1	—	1	—	—
	F	207	27	79	77	23	1	—	—	—	—
4 Scarlet fever ..	M	31	1	—	13	15	1	1	—	—	—
	F	52	1	4	29	12	2	3	1	—	—
5 Whooping cough ..	M	284	153	77	45	8	—	—	1	—	—
	F	336	159	92	70	13	1	—	—	1	—
6 Diphtheria ..	M	169	6	12	51	89	5	1	3	1	1
	F	159	1	10	54	81	6	3	4	—	—
7 Influenza	M	745	30	15	18	21	43	119	236	134	129
	F	770	19	11	13	20	51	113	161	170	212
8 Encephalitis lethargica ..	M	79	1	3	6	9	9	19	28	3	1
	F	92	2	4	9	20	11	16	22	8	—
9 Meningococcal meningitis ..	M	18	4	3	3	3	4	1	—	—	—
	F	10	2	2	2	2	1	—	1	—	—
10 Tuberculosis of respiratory system	M	2,008	4	8	9	36	360	891	609	78	13
	F	1,662	2	9	9	66	483	763	273	50	7
11 Other tuberculous diseases	M	442	49	53	75	83	70	63	39	7	3
	F	384	29	45	67	58	67	72	32	9	5
12 Cancer, malignant disease	M	2,959	1	4	10	6	26	161	1,351	956	444
	F	3,524	1	—	—	6	20	307	1,543	963	684
13 Rheumatic fever ..	M	93	—	—	3	30	18	14	21	6	1
	F	100	—	—	—	32	20	20	19	7	2
14 Diabetes	M	233	—	—	3	3	8	27	89	73	30
	F	312	—	—	—	4	18	29	104	102	55
15 Cerebral hæmorrhage, &c. ..	M	1,573	—	—	—	—	3	43	425	581	521
	F	1,937	1	1	—	2	3	41	468	642	779
16 Heart disease ..	M	3,500	—	—	2	33	80	221	1,091	1,142	931
	F	4,055	1	1	6	57	98	278	1,032	1,156	1,426
17 Arterio-sclerosis ..	M	999	—	—	—	—	—	4	212	383	400
	F	755	—	—	—	—	—	5	112	206	432
18 Bronchitis ..	M	1,875	206	35	21	9	6	60	333	514	691
	F	1,963	182	39	19	8	6	28	231	477	973
19 Pneumonia (all forms)	M	2,111	438	227	116	58	85	297	475	238	177
	F	1,652	357	183	133	68	46	159	232	227	247
20 Other respiratory diseases	M	395	14	7	14	11	8	34	137	96	74
	F	280	5	9	16	11	6	27	56	58	92
21 Ulcer of stomach or duodenum ..	M	275	—	—	—	1	9	69	147	41	8
	F	120	—	—	—	—	5	21	64	16	14
22 Diarrhœa, &c. ..	M	390	253	42	15	6	2	11	25	10	26
	F	343	177	42	14	10	5	18	24	19	34
23 Appendicitis and typhlitis.. ..	M	203	1	4	17	36	29	46	46	19	5
	F	164	—	—	4	38	29	36	38	17	2
24 Cirrhosis of liver ..	M	163	—	—	—	—	—	19	97	38	9
	F	95	—	—	—	—	1	9	52	27	6
25 Acute and chronic nephritis ..	M	700	4	3	4	14	21	96	268	202	88
	F	589	—	2	6	17	20	80	206	148	110
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—
	F	99	—	—	—	—	15	83	1	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—
	F	182	—	—	—	—	26	155	1	—	—
28 Congenital debility and malformation, premature birth.. ..	M	1,417	1,387	8	7	6	2	6	1	—	—
	F	1,017	996	4	5	4	5	1	2	—	—
29 Suicide	M	346	—	—	—	1	22	98	165	48	12
	F	174	—	—	—	—	22	59	74	12	7
30 Other deaths from violence.. ..	M	1,072	40	21	58	130	180	251	222	93	77
	F	485	45	17	40	36	35	54	87	56	115
31 Other defined diseases	M	4,755	481	86	97	158	150	381	941	851	1,610
	F	5,070	327	84	97	140	131	420	840	852	2,179
32 Causes ill-defined or unknown ..	M	117	6	8	2	2	—	10	58	28	3
	F	76	5	6	—	2	2	9	27	22	3

* See footnote to Table 14.

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1925.
(Civilian population only).

	Causes of Death.	Sex.	Aggregate of Urban Districts (South).* All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
	All Causes ..	M	14,526	1,268	239	262	305	523	1,406	3,819	3,185	3,519
		F	16,177	959	210	224	320	546	1,509	3,436	3,372	5,601
1	Enteric fever ..	M	11	—	—	1	2	2	4	2	—	—
		F	14	—	—	—	1	3	6	2	—	2
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
3	Measles	M	52	9	10	23	10	—	—	—	—	—
		F	39	11	13	8	6	—	—	1	—	—
4	Scarlet fever ..	M	10	1	—	3	4	—	—	2	—	—
		F	14	—	—	2	5	4	3	—	—	—
5	Whooping cough ..	M	128	66	31	26	3	—	—	—	2	—
		F	168	75	51	36	6	—	—	—	—	—
6	Diphtheria ..	M	69	1	8	22	35	2	1	—	—	—
		F	78	3	2	17	51	3	1	1	—	—
7	Influenza	M	358	14	6	7	4	19	45	95	82	86
		F	449	13	5	5	13	12	49	98	93	161
8	Encephalitis lethargica ..	M	51	1	1	4	3	6	9	20	7	—
		F	44	—	1	6	4	4	9	15	3	2
9	Meningococcal meningitis ..	M	9	—	1	1	4	1	1	—	1	—
		F	9	1	1	2	2	1	1	—	—	1
10	Tuberculosis of respiratory system	M	1,036	2	1	3	11	179	469	322	45	4
		F	885	4	1	1	26	240	409	158	32	14
11	Other tuberculous diseases	M	198	23	25	40	24	26	34	21	3	2
		F	231	17	18	32	32	35	49	28	12	8
12	Cancer, malignant disease	M	1,790	—	1	2	3	7	72	749	612	344
		F	2,353	—	—	—	3	7	194	961	633	555
13	Rheumatic fever ..	M	37	—	—	2	12	6	11	6	—	—
		F	43	—	—	—	14	7	8	10	4	—
14	Diabetes	M	131	—	—	—	4	5	8	43	46	25
		F	211	—	—	—	1	8	29	60	62	51
15	Cerebral hæmorrhage, &c. ..	M	839	—	—	—	1	1	14	232	264	327
		F	1,263	—	—	—	—	3	18	266	387	589
16	Heart disease ..	M	2,095	1	1	—	11	31	117	624	653	658
		F	2,690	—	—	2	23	35	124	562	818	1,127
17	Arterio-sclerosis ..	M	709	—	—	—	—	—	4	138	264	303
		F	661	—	—	—	—	—	5	80	169	407
18	Bronchitis ..	M	897	82	16	3	4	5	29	137	240	381
		F	1,103	48	10	7	—	4	17	95	247	675
19	Pneumonia (all forms)	M	778	133	67	36	16	21	80	191	122	112
		F	758	105	55	33	20	15	83	142	156	149
20	Other respiratory diseases	M	232	8	5	5	3	10	26	67	57	51
		F	190	2	4	2	7	3	20	45	48	59
21	Ulcer of stomach or duodenum ..	M	159	—	—	—	—	6	48	76	24	5
		F	80	—	—	—	—	4	14	31	17	14
22	Diarrhœa, &c. ..	M	147	88	17	7	3	1	3	8	8	12
		F	145	65	5	8	1	2	10	18	15	21
23	Appendicitis and typhlitis.. ..	M	108	1	—	6	14	13	21	40	9	4
		F	103	—	1	6	18	16	17	30	11	4
24	Cirrhosis of liver ..	M	84	—	—	—	—	1	5	52	18	8
		F	59	—	—	—	—	—	6	41	6	6
25	Acute and chronic nephritis ..	M	424	3	1	1	8	11	42	157	113	88
		F	411	—	—	1	3	12	32	152	124	87
26	Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—
		F	48	—	—	—	—	14	34	—	—	—
27	Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—
		F	89	—	—	—	—	20	67	2	—	—
28	Congenital debility and malformation, premature birth.. ..	M	637	620	5	3	4	1	3	1	—	—
		F	459	445	4	3	2	1	—	3	1	—
29	Suicide	M	172	—	—	—	—	7	41	93	24	7
		F	90	—	—	—	—	8	23	45	11	3
30	Other deaths from violence.. ..	M	508	19	11	20	47	73	103	144	42	49
		F	295	31	10	17	22	20	31	50	38	76
31	Other defined diseases	M	2,821	196	30	46	75	87	212	583	539	1,053
		F	3,162	135	29	35	59	65	247	524	482	1,586
32	Causes ill-defined or unknown ..	M	36	—	2	1	—	2	4	16	10	1
		F	33	4	—	1	1	—	3	16	3	5

* See footnote to Table 14.

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1925.
(Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts (Wales and Monmouth). All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	8,341	1,316	368	333	266	409	940	2,184	1,445	1,080
	F	7,449	1,011	360	279	268	409	914	1,615	1,249	1,344
1 Enteric fever ..	M	9	—	—	2	—	3	3	1	—	—
	F	7	—	—	—	3	1	2	1	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
3 Measles	M	190	47	79	54	10	—	—	—	—	—
	F	186	38	88	48	12	—	—	—	—	—
4 Scarlet fever ..	M	16	—	3	6	7	—	—	—	—	—
	F	11	—	—	2	8	1	—	—	—	—
5 Whooping cough ..	M	110	57	32	16	5	—	—	—	—	—
	F	157	70	52	30	5	—	—	—	—	—
6 Diphtheria ..	M	59	4	6	29	18	—	2	—	—	—
	F	57	2	4	27	23	—	1	—	—	—
7 Influenza	M	218	8	4	3	8	13	35	76	44	27
	F	208	9	2	7	4	15	34	46	47	44
8 Encephalitis lethargica ..	M	25	—	3	1	3	8	—	10	—	—
	F	19	—	1	—	1	2	5	10	—	—
9 Meningococcal meningitis ..	M	3	—	1	1	1	—	—	—	—	—
	F	5	1	—	—	1	—	1	2	—	—
10 Tuberculosis of respiratory system	M	537	2	4	5	12	116	223	155	16	4
	F	538	2	5	5	27	188	250	51	8	2
11 Other tuberculous diseases	M	158	13	12	26	30	29	24	18	5	1
	F	125	7	10	20	28	17	23	16	1	3
12 Cancer, malignant disease	M	586	—	—	—	1	2	36	315	170	62
	F	724	—	1	2	1	8	78	365	194	75
13 Rheumatic fever ..	M	38	—	—	5	9	6	7	9	2	—
	F	64	—	—	1	18	17	15	8	5	—
14 Diabetes	M	40	—	—	—	—	5	4	11	17	3
	F	60	—	—	—	—	3	3	24	26	4
15 Cerebral hæmorrhage, &c. ..	M	461	—	—	—	—	1	13	147	179	121
	F	494	1	—	—	—	—	17	170	166	140
16 Heart disease ..	M	917	—	1	2	19	16	92	329	290	168
	F	1,005	1	—	—	23	29	109	301	286	256
17 Arterio-sclerosis ..	M	244	—	—	—	—	—	2	70	95	77
	F	156	—	—	—	—	—	1	30	52	73
18 Bronchitis ..	M	700	100	25	10	6	3	24	171	194	167
	F	513	71	17	7	4	1	18	81	133	181
19 Pneumonia (all forms)	M	707	186	114	55	21	31	84	127	50	39
	F	511	152	100	56	20	11	36	56	36	44
20 Other respiratory diseases	M	128	4	1	10	4	6	13	47	30	13
	F	73	3	5	6	8	—	7	17	15	12
21 Ulcer of stomach or duodenum ..	M	69	—	—	—	—	8	18	33	7	3
	F	34	—	—	—	2	2	13	13	2	2
22 Diarrhœa, &c. ..	M	180	115	20	13	3	2	5	10	4	8
	F	173	90	26	16	2	2	4	12	14	7
23 Appendicitis and typhlitis.. ..	M	56	—	—	6	7	12	10	15	4	2
	F	47	—	—	2	10	9	13	9	3	1
24 Cirrhosis of liver ..	M	33	—	—	—	—	—	2	19	10	2
	F	15	—	—	—	—	—	2	10	3	—
25 Acute and chronic nephritis ..	M	241	—	1	5	11	10	31	87	67	29
	F	211	—	1	3	11	9	43	73	51	20
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—
	F	35	—	—	—	—	7	28	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—
	F	89	—	—	—	—	20	67	2	—	—
28 Congenital debility and malformation, premature birth.. ..	M	528	520	—	4	3	1	—	—	—	—
	F	386	379	2	1	2	1	1	—	—	—
29 Suicide	M	82	—	—	—	—	5	21	48	5	3
	F	28	—	—	—	—	4	12	9	2	1
30 Other deaths from violence.. ..	M	510	16	11	40	42	80	142	142	26	11
	F	148	8	13	24	16	15	14	22	10	26
31 Other defined diseases	M	1,454	243	46	38	45	50	144	326	223	339
	F	1,346	176	28	22	38	47	114	274	194	453
32 Causes ill-defined or unknown ..	M	42	1	5	2	1	2	5	18	7	1
	F	24	1	5	—	1	—	3	13	1	—

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1925.
(Civilian population only).

Causes of Death.	Sex.	Aggregate of Rural Districts (North).* All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	10,660	1,547	381	299	333	461	1,020	2,259	2,253	2,107
	F	10,022	1,190	304	298	332	459	1,106	2,067	1,931	2,335
1 Enteric fever ..	M	10	—	—	—	2	3	1	3	1	—
	F	11	—	—	—	2	3	1	5	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
3 Measles	M	152	34	68	35	13	1	—	1	—	—
	F	137	36	53	30	17	1	—	—	—	—
4 Scarlet fever ..	M	29	2	1	11	8	3	2	1	1	—
	F	28	—	2	13	9	1	2	1	—	—
5 Whooping cough ..	M	103	49	30	15	7	—	—	—	1	1
	F	120	61	32	24	2	—	—	—	1	—
6 Diphtheria ..	M	34	3	3	14	14	—	—	—	—	—
	F	28	1	1	13	12	—	1	—	—	—
7 Influenza	M	358	14	9	5	12	28	48	101	75	66
	F	363	5	6	13	12	20	56	82	84	85
8 Encephalitis lethargica ..	M	25	—	—	1	4	4	6	9	1	—
	F	27	—	2	2	3	5	5	10	—	—
9 Meningococcal meningitis ..	M	11	1	2	1	4	1	1	1	—	—
	F	8	3	—	2	2	1	—	—	—	—
10 Tuberculosis of respiratory system	M	541	2	4	4	19	106	238	150	15	3
	F	554	5	—	4	40	160	246	84	14	1
11 Other tuberculous diseases	M	190	14	23	35	31	30	30	22	5	—
	F	201	22	20	32	37	37	32	14	4	3
12 Cancer, malignant disease	M	934	—	—	1	6	3	55	362	331	176
	F	1,082	—	—	—	—	5	101	478	320	178
13 Rheumatic fever ..	M	38	—	—	1	8	11	4	12	1	1
	F	58	—	—	1	15	11	13	15	2	1
14 Diabetes	M	89	—	—	—	9	5	10	27	21	17
	F	112	—	—	—	1	7	13	46	38	7
15 Cerebral hæmorrhage, &c. ..	M	614	—	—	—	—	2	9	155	245	203
	F	708	—	—	—	1	—	17	169	270	251
16 Heart disease ..	M	1,295	1	—	1	16	26	74	367	465	345
	F	1,359	—	1	4	18	34	101	375	438	388
17 Arterio-sclerosis ..	M	510	—	—	—	—	—	2	72	205	231
	F	341	—	—	—	—	—	4	48	102	187
18 Bronchitis ..	M	716	133	32	12	3	2	15	96	205	218
	F	657	95	21	13	4	5	6	71	143	299
19 Pneumonia (all forms)	M	905	208	119	56	35	32	110	177	112	56
	F	682	154	84	55	41	26	69	105	77	71
20 Other respiratory diseases	M	149	11	2	8	5	6	12	51	25	29
	F	98	—	4	7	3	3	10	26	13	32
21 Ulcer of stomach or duodenum ..	M	96	—	—	—	—	6	38	39	11	2
	F	39	1	—	—	2	2	13	17	4	—
22 Diarrhœa, &c. ..	M	208	129	21	13	7	1	4	12	8	13
	F	170	94	16	11	11	4	10	5	13	6
23 Appendicitis and typhlitis.. ..	M	67	—	1	4	19	15	13	11	4	—
	F	57	—	—	5	15	5	17	10	4	1
24 Cirrhosis of liver ..	M	41	—	—	—	—	—	5	18	14	4
	F	24	—	—	1	—	—	1	11	8	3
25 Acute and chronic nephritis ..	M	220	3	1	3	5	9	24	71	70	34
	F	240	3	4	3	8	7	44	87	52	32
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—
	F	52	—	—	—	—	15	37	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—
	F	116	—	—	—	—	24	87	5	—	—
28 Congenital debility and malformation, premature birth.. ..	M	696	684	2	4	4	1	1	—	—	—
	F	521	508	4	4	3	1	1	—	—	—
29 Suicide	M	118	—	—	—	—	6	32	56	18	6
	F	42	—	—	—	—	8	13	16	4	1
30 Other deaths from violence.. ..	M	554	11	9	41	46	108	146	121	46	26
	F	201	13	10	16	19	25	20	35	21	42
31 Other defined diseases	M	1,900	244	50	33	56	51	137	301	354	674
	F	1,935	188	39	43	55	47	183	325	308	747
32 Causes ill-defined or unknown ..	M	57	4	4	1	—	1	3	23	19	2
	F	51	1	5	2	—	2	3	27	11	—

*See footnote to Table 14.

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1925.
(Civilian population only).

Causes of Death.	Sex.	Aggregate of Rural Districts (Midland).* All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	19,909	2.097	353	355	503	741	1,697	4,218	4,419	5,526
	F	18,789	1,553	286	289	452	677	1,700	3,660	3,843	6,329
1 Enteric fever ..	M	8	—	—	—	—	3	—	4	1	—
	F	15	—	—	—	—	3	6	6	—	—
2 Small-pox	M	2	—	—	—	—	—	—	1	1	—
	F	1	1	—	—	—	—	—	—	—	—
3 Measles	M	99	14	32	30	18	3	1	1	—	—
	F	87	8	28	19	26	3	3	—	—	—
4 Scarlet fever ..	M	16	—	3	2	8	3	—	—	—	—
	F	27	—	4	8	8	4	3	—	—	—
5 Whooping cough ..	M	150	81	37	27	4	—	—	—	1	—
	F	176	92	49	28	6	1	—	—	—	—
6 Diphtheria ..	M	74	6	6	24	35	2	1	—	—	—
	F	95	1	3	32	48	6	2	2	1	—
7 Influenza	M	713	30	11	4	18	39	82	181	173	175
	F	648	26	6	15	19	23	59	118	156	226
8 Encephalitis lethargica ..	M	49	1	2	2	5	8	18	8	4	1
	F	64	2	3	—	5	15	19	14	5	1
9 Meningococcal meningitis ..	M	13	2	—	2	4	2	2	1	—	—
	F	8	1	1	2	2	1	1	—	—	—
10 Tuberculosis of respiratory system	M	1,024	—	4	3	20	191	450	301	46	9
	F	949	5	1	3	27	274	423	176	37	3
11 Other tuberculous diseases	M	282	24	32	37	55	39	60	29	6	—
	F	228	18	14	30	35	49	41	30	5	6
12 Cancer, malignant disease	M	2,202	3	1	3	7	16	92	789	783	508
	F	2,421	2	1	1	5	5	186	951	727	543
13 Rheumatic fever ..	M	65	—	—	2	20	10	12	18	3	—
	F	69	—	—	—	24	15	11	16	2	1
14 Diabetes	M	166	—	—	1	7	4	19	51	54	30
	F	246	—	—	1	9	12	29	81	77	37
15 Cerebral hæmorrhage, &c. ..	M	1,219	—	—	—	1	2	24	252	424	516
	F	1,488	—	—	—	—	3	23	322	463	677
16 Heart disease ..	M	2,773	—	—	1	19	34	122	662	978	957
	F	2,958	—	1	2	26	24	124	665	903	1,213
17 Arterio-sclerosis ..	M	835	—	—	—	—	—	4	96	307	428
	F	547	—	—	—	—	—	4	62	140	341
18 Bronchitis ..	M	1,261	125	23	14	3	3	23	132	309	629
	F	1,295	83	18	13	8	2	17	104	277	773
19 Pneumonia (all forms)	M	1,174	248	96	67	36	56	129	237	170	135
	F	846	180	81	48	37	15	89	133	137	126
20 Other respiratory diseases	M	250	15	7	6	10	8	17	67	60	60
	F	208	10	6	4	8	6	12	41	46	75
21 Ulcer of stomach or duodenum ..	M	185	1	—	—	1	7	46	82	37	11
	F	82	—	—	—	1	5	17	32	18	9
22 Diarrhœa, &c. ..	M	212	121	14	6	1	3	8	14	19	26
	F	209	91	21	8	10	6	12	16	13	32
23 Appendicitis and typhlitis.. ..	M	142	—	1	7	30	19	26	37	16	6
	F	95	1	—	8	21	11	18	24	8	4
24 Cirrhosis of liver ..	M	101	—	—	—	—	—	4	53	30	14
	F	48	—	—	—	1	—	4	28	9	6
25 Acute and chronic nephritis ..	M	514	2	3	2	7	25	35	168	148	124
	F	434	2	1	5	11	17	50	150	112	86
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—
	F	81	—	—	—	—	20	61	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—
	F	142	—	—	—	—	24	117	1	—	—
28 Congenital debility and malformation, premature birth.. ..	M	1,055	1,036	7	5	5	1	1	—	—	—
	F	782	767	4	1	5	2	1	2	—	—
29 Suicide	M	247	—	—	—	—	22	59	116	31	19
	F	104	—	—	—	—	13	31	42	12	6
30 Other deaths from violence.. ..	M	875	22	16	61	73	131	189	229	82	72
	F	309	24	5	15	32	20	22	55	44	92
31 Other defined diseases	M	4,059	357	52	48	112	106	262	626	697	1,799
	F	4,033	236	36	46	75	97	302	561	619	2,061
32 Causes ill-defined or unknown ..	M	144	9	6	1	4	4	11	63	39	7
	F	94	3	3	—	3	1	13	28	32	11

* See footnote to Table 14.

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1925
(Civilian population only).

	Causes of Death.	Sex.	Aggregate of Rural Districts (South).* All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
	All Causes ..	M	11,594	944	149	178	275	392	1,037	2,715	2,616	3,288
		F	11,539	733	154	168	230	368	1,014	2,426	2,443	4,003
1	Enteric fever ..	M	10	—	—	—	—	5	2	2	—	1
		F	15	—	—	—	4	2	4	4	1	—
2	Small-pox	M	1	—	—	—	—	—	1	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
3	Measles	M	21	4	4	7	5	1	—	—	—	—
		F	24	2	8	8	4	1	1	—	—	—
4	Scarlet fever ..	M	13	—	—	2	8	1	—	1	1	—
		F	12	—	—	2	5	1	2	1	1	—
5	Whooping cough ..	M	70	34	21	12	3	—	—	—	—	—
		F	108	55	27	19	5	1	1	—	—	—
6	Diphtheria ..	M	28	—	4	8	15	1	—	—	—	—
		F	30	1	—	6	20	2	—	1	—	—
7	Influenza	M	385	14	11	5	9	19	37	102	91	97
		F	380	12	3	7	6	14	30	78	79	151
8	Encephalitis lethargica ..	M	37	—	2	1	7	5	8	10	4	—
		F	36	1	—	3	4	8	3	14	3	—
9	Meningococcal meningitis ..	M	5	2	—	—	2	1	—	—	—	—
		F	4	—	—	2	—	—	1	—	1	—
10	Tuberculosis of respiratory system	M	661	1	2	2	7	98	308	199	38	6
		F	569	1	—	—	18	135	273	114	24	4
11	Other tuberculous diseases	M	150	13	13	19	19	20	43	18	4	1
		F	162	11	11	17	23	29	39	22	8	2
12	Cancer, malignant disease	M	1,365	—	1	4	7	7	55	516	476	299
		F	1,583	3	2	1	2	3	108	678	444	342
13	Rheumatic fever ..	M	32	—	—	—	5	9	7	8	3	—
		F	39	—	—	—	8	7	7	11	5	1
14	Diabetes	M	106	—	—	2	3	6	15	27	30	23
		F	155	—	—	1	4	7	12	50	45	36
15	Cerebral hæmorrhage, &c. ..	M	710	—	—	—	—	2	11	155	234	308
		F	930	—	1	—	2	2	10	206	284	425
16	Heart disease ..	M	1,799	—	1	1	5	14	74	450	615	639
		F	1,939	—	—	3	10	17	59	421	642	787
17	Arterio-sclerosis ..	M	589	—	—	—	—	—	3	105	176	305
		F	432	—	—	—	—	—	1	44	98	289
18	Bronchitis ..	M	665	56	10	13	3	3	9	83	145	343
		F	699	42	13	2	—	2	6	53	144	437
19	Pneumonia (all forms)	M	566	91	29	23	22	24	68	143	95	71
		F	487	73	35	23	21	22	63	83	80	87
20	Other respiratory diseases	M	158	5	1	6	2	3	14	48	39	40
		F	143	5	—	5	4	1	10	31	35	52
21	Ulcer of stomach or duodenum ..	M	126	—	—	—	—	1	25	63	29	8
		F	55	—	—	—	1	2	14	20	10	8
22	Diarrhœa, &c. ..	M	98	50	7	5	1	—	1	11	8	15
		F	90	28	10	5	1	2	6	14	10	14
23	Appendicitis and typhlitis.. ..	M	86	—	—	11	14	14	16	21	9	1
		F	67	—	—	6	14	5	16	16	6	4
24	Cirrhosis of liver ..	M	50	—	—	—	—	1	5	27	12	5
		F	18	—	—	—	—	—	2	1	7	8
25	Acute and chronic nephritis ..	M	322	1	1	—	6	11	27	101	101	74
		F	286	1	1	4	4	5	31	91	86	63
26	Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—
		F	47	—	—	—	—	10	36	1	—	—
27	Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—
		F	88	—	—	—	—	24	62	2	—	—
28	Congenital debility and malformation, premature birth.. ..	M	528	511	2	3	4	3	3	2	—	—
		F	385	370	3	4	4	3	1	—	—	—
29	Suicide	M	134	—	—	—	—	8	28	70	20	8
		F	47	—	—	—	—	2	14	24	3	4
30	Other deaths from violence.. ..	M	469	11	11	25	50	67	106	112	51	36
		F	209	11	3	13	15	18	20	36	20	73
31	Other defined diseases	M	2,347	144	29	27	78	68	164	410	422	1,005
		F	2,455	117	34	36	51	41	178	389	396	1,213
32	Causes ill-defined or unknown ..	M	63	7	—	2	—	—	7	31	13	3
		F	45	—	3	1	—	2	4	21	11	3

* See footnote to Table 14.

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1925
(Civilian population only).

Causes of Death.	Sex.	Aggregate of Rural Districts (Wales and Monmouth). All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	5,367	674	108	126	144	251	543	1,300	1,105	1,116
	F	5,177	475	106	111	160	266	599	1,136	976	1,348
1 Enteric fever ..	M	4	—	—	—	1	1	2	—	—	—
	F	4	—	—	—	1	1	—	2	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
3 Measles	M	27	4	13	6	3	1	—	—	—	—
	F	38	7	15	9	3	3	1	—	—	—
4 Scarlet fever ..	M	10	—	—	6	3	1	—	—	—	—
	F	2	—	—	1	1	—	—	—	—	—
5 Whooping cough ..	M	44	25	6	12	1	—	—	—	—	—
	F	56	26	21	7	2	—	—	—	—	—
6 Diphtheria ..	M	33	1	5	11	14	—	1	1	—	—
	F	34	—	2	12	18	—	—	1	—	1
7 Influenza	M	145	5	—	1	1	3	29	37	41	28
	F	141	5	2	3	3	10	21	30	36	31
8 Encephalitis lethargica ..	M	7	—	—	—	—	2	3	2	—	—
	F	6	—	—	—	—	1	4	—	1	—
9 Meningococcal meningitis ..	M	3	1	—	—	1	1	—	—	—	—
	F	2	1	—	—	—	1	—	—	—	—
10 Tuberculosis of respiratory system	M	349	2	1	3	8	72	141	102	19	1
	F	378	—	1	7	21	103	163	63	16	4
11 Other tuberculous diseases	M	84	5	8	11	17	17	19	6	1	—
	F	88	9	3	7	17	20	16	12	3	1
12 Cancer, malignant disease	M	503	—	—	—	—	2	20	215	167	99
	F	604	—	—	1	2	3	57	255	166	120
13 Rheumatic fever ..	M	24	—	—	1	7	4	4	5	2	1
	F	33	—	—	—	8	6	12	5	2	—
14 Diabetes	M	39	—	—	—	2	4	5	11	9	8
	F	47	—	—	—	1	4	6	22	11	3
15 Cerebral hæmorrhage, &c. ..	M	367	—	—	—	—	1	5	75	142	144
	F	440	—	—	—	—	1	9	114	141	175
16 Heart disease ..	M	743	—	—	1	10	15	39	208	247	223
	F	802	—	—	—	7	18	53	215	263	246
17 Arterio-sclerosis ..	M	187	—	—	—	—	—	—	30	79	78
	F	99	—	—	—	—	—	—	19	25	55
18 Bronchitis ..	M	336	43	5	5	3	1	7	74	75	123
		331	21	11	7	1	1	2	40	63	185
19 Pneumonia (all forms)	M	383	93	29	12	12	14	51	96	46	30
	F	263	57	28	14	9	10	25	41	34	45
20 Other respiratory diseases	M	67	2	—	4	1	4	9	23	11	13
	F	58	3	—	3	3	2	4	14	12	17
21 Ulcer of stomach or duodenum ..	M	40	—	—	—	—	2	10	21	4	3
	F	24	—	—	—	—	1	9	14	—	—
22 Diarrhœa, &c. ..	M	73	47	8	6	1	1	1	2	3	4
	F	66	26	5	2	—	4	6	7	7	9
23 Appendicitis and typhlitis.. ..	M	32	—	—	1	4	9	11	7	—	—
	F	31	—	—	5	5	3	8	6	3	1
24 Cirrhosis of liver ..	M	14	—	—	—	—	—	1	6	6	1
	F	10	—	—	—	—	—	1	6	—	3
25 Acute and chronic nephritis ..	M	176	3	—	3	3	4	15	64	46	38
	F	188	—	3	—	6	5	23	71	41	39
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—
	F	26	—	—	—	—	9	17	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—
	F	64	—	—	—	—	10	54	—	—	—
28 Congenital debility and malformation, premature birth.. ..	M	263	260	—	2	1	—	—	—	—	—
	F	217	214	2	1	—	—	—	—	—	—
29 Suicide	M	57	—	—	—	—	6	9	38	3	1
	F	25	—	—	—	—	6	6	12	1	—
30 Other deaths from violence.. ..	M	337	4	10	19	22	54	96	87	35	10
	F	95	5	3	15	14	10	9	11	13	15
31 Other defined diseases	M	981	173	22	22	29	32	61	179	155	308
	F	977	100	8	16	37	33	87	168	130	398
32 Causes ill-defined or unknown ..	M	39	6	1	—	—	—	4	11	14	3
	F	28	1	2	1	1	1	6	8	8	—

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1925
(Civilian population only).

Causes of Death.	Sex.	Greater London.* All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	43,558	4,932	1,093	1,050	1,222	1,813	4,992	12,601	8,658	7,197
	F	43,013	3,694	951	990	1,126	1,860	4,710	10,115	8,264	11,303
1 Enteric fever ..	M	35	—	—	2	3	6	15	8	1	—
	F	40	—	—	—	4	3	19	11	2	1
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	—
3 Measles	M	230	44	107	64	15	—	—	—	—	—
	F	213	40	85	68	18	—	1	—	1	—
4 Scarlet fever ..	M	66	—	9	30	21	3	1	2	—	—
	F	72	5	6	32	19	5	5	—	—	—
5 Whooping cough ..	M	583	271	179	117	13	—	1	1	1	—
	F	664	286	204	148	23	1	—	1	1	—
6 Diphtheria ..	M	335	12	36	141	134	7	2	3	—	—
	F	383	12	30	150	177	10	4	—	—	—
7 Influenza	M	851	25	13	17	22	39	116	304	172	143
	F	1,017	22	19	13	23	60	150	256	211	263
8 Encephalitis lethargica ..	M	97	3	3	5	11	17	17	36	5	—
	F	133	3	4	7	16	16	30	43	10	4
9 Meningococcal meningitis ..	M	48	23	5	7	7	4	2	—	—	—
	F	44	16	7	5	4	8	1	3	—	—
10 Tuberculosis of respiratory system	M	3,947	11	6	13	53	644	1,650	1,370	179	21
	F	2,748	5	11	11	87	836	1,158	539	84	17
11 Other tuberculous diseases	M	700	86	80	115	128	98	109	62	17	5
	F	578	71	58	101	88	90	87	59	16	8
12 Cancer, malignant disease	M	4,969	4	2	14	14	43	323	2,365	1,541	663
	F	5,903	3	6	4	12	27	608	2,663	1,551	1,029
13 Rheumatic fever ..	M	145	1	—	6	53	27	23	28	7	—
	F	177	—	—	5	65	34	27	35	9	2
14 Diabetes	M	297	—	—	1	2	8	41	108	106	31
	F	422	—	—	1	6	14	46	157	135	63
15 Cerebral hæmorrhage, &c. ..	M	1,763	2	—	1	1	9	66	563	628	493
	F	2,596	—	1	—	6	6	59	699	830	995
16 Heart disease ..	M	5,926	—	4	5	80	150	425	1,873	1,804	1,585
	F	6,956	1	2	6	107	193	537	1,733	1,915	2,462
17 Arterio-sclerosis ..	M	1,847	—	—	—	—	—	27	417	692	711
	F	1,623	—	—	—	—	—	20	230	453	920
18 Bronchitis ..	M	3,070	234	27	20	9	11	113	801	849	1,006
	F	3,412	172	35	19	9	8	52	508	853	1,756
19 Pneumonia (all forms)	M	3,881	795	373	205	86	98	433	1,015	520	356
	F	3,160	639	303	178	96	71	269	592	478	534
20 Other respiratory diseases	M	630	18	14	10	12	16	64	241	139	116
	F	505	10	4	13	13	14	59	105	102	185
21 Ulcer of stomach or duodenum ..	M	588	2	—	—	—	15	158	307	79	27
	F	225	—	—	1	—	5	41	109	39	30
22 Diarrhœa, &c. ..	M	846	672	69	14	4	3	15	34	19	16
	F	677	469	50	19	15	5	25	28	22	44
23 Appendicitis and typhlitis.. ..	M	306	1	3	17	57	49	68	68	31	12
	F	277	—	1	13	60	43	60	73	20	7
24 Cirrhosis of liver ..	M	259	—	1	2	1	—	34	165	46	10
	F	174	—	—	—	—	1	29	90	40	14
25 Acute and chronic nephritis ..	M	1,275	5	4	5	29	45	151	498	335	203
	F	1,126	3	3	5	24	41	141	449	267	193
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—
	F	172	—	—	—	—	31	136	5	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—
	F	235	—	—	—	—	28	202	5	—	—
28 Congenital debility and malformation, premature birth.. ..	M	1,961	1,925	7	8	5	5	8	2	1	—
	F	1,400	1,369	8	9	5	2	1	5	1	—
29 Suicide	M	561	—	—	—	1	30	168	270	71	21
	F	319	—	—	—	1	30	99	157	28	4
30 Other deaths from violence.. ..	M	1,703	93	44	88	219	223	310	410	184	132
	F	892	86	28	47	50	55	93	173	140	220
31 Other defined diseases	M	6,604	699	105	143	240	263	647	1,636	1,225	1,646
	F	6,847	476	80	134	197	222	750	1,382	1,054	2,552
32 Causes ill-defined or unknown ..	M	35	6	2	—	2	—	5	14	6	—
	F	22	6	6	1	1	1	1	4	2	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in METROPOLITAN BOROUGHS—1925 (Civilian population only).

Causes of Death.	Sex.	City of London. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	The Inner and Middle Temples. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	93	4	2	2	—	5	5	36	20	19	4	—	—	—	—	—	—	3	—	1
	F	65	2	1	3	—	2	8	15	14	20	—	—	—	—	—	—	—	—	—	—
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6 Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7 Influenza	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	1	1	—	1	—	—	—	—	—	—	—	—	—	—
8 Encephalitis lethargica	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	6	—	—	—	—	—	2	4	—	—	1	—	—	—	—	—	—	1	—	—
	F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
11 Other tuberculous diseases	M	2	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
12 Cancer, malignant disease	M	3	—	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—
	F	9	—	—	—	—	—	2	2	2	3	—	—	—	—	—	—	—	—	—	—
13 Rheumatic fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
14 Diabetes	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—
15 Cerebral hæmorrhage, &c.	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
16 Heart disease	M	20	—	—	—	—	—	—	3	8	9	1	—	—	—	—	—	—	1	—	—
	F	17	—	—	—	—	—	1	3	6	7	—	—	—	—	—	—	—	—	—	—
17 Arterio-sclerosis	M	3	—	—	—	—	—	—	1	—	2	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—
18 Bronchitis	M	5	1	—	—	—	—	—	2	2	—	1	—	—	—	—	—	—	—	—	1
	F	5	—	—	—	—	—	—	2	2	1	—	—	—	—	—	—	—	—	—	—
19 Pneumonia (all forms)	M	11	1	—	1	—	—	—	4	2	3	1	—	—	—	—	—	—	1	—	—
	F	4	—	—	—	—	—	1	—	1	2	—	—	—	—	—	—	—	—	—	—
20 Other respiratory diseases	M	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
21 Ulcer of stomach or duodenum	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
22 Diarrhœa, &c.	M	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	F	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
23 Appendicitis and typhlitis	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
24 Cirrhosis of liver	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis	M	6	—	—	—	—	—	—	4	2	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
28 Congenital debility and malformation, premature birth	M	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
29 Suicide	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30 Other deaths from violence	M	7	—	1	1	—	1	1	3	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
31 Other defined diseases	M	19	1	—	—	—	2	1	6	4	5	—	—	—	—	—	—	—	—	—	—
	F	12	—	—	—	—	—	2	5	1	4	—	—	—	—	—	—	—	—	—	—
32 Causes ill-defined or unknown	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in METROPOLITAN BOROUGHS—1925
(Civilian population only).

Causes of Death.	Sex.	Battersea. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Bermondsey. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	911	118	15	23	26	51	107	254	161	156	856	139	44	39	33	44	101	215	139	102
	F	894	68	16	15	24	42	98	207	186	238	714	73	24	25	27	44	78	181	120	142
1 Enteric fever ..	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	2	—	1	—	1	—	—	—	—	—	13	5	7	1	—	—	—	—	—	—
	F	2	—	1	—	1	—	—	—	—	—	8	2	2	2	2	—	—	—	—	—
4 Scarlet fever ..	M	2	—	—	2	—	—	—	—	—	—	2	—	1	1	—	—	—	—	—	—
	F	6	—	—	3	2	1	—	—	—	—	1	—	—	1	—	—	—	—	—	—
5 Whooping cough ..	M	14	6	6	2	—	—	—	—	—	—	14	7	2	5	—	—	—	—	—	—
	F	6	5	1	—	—	—	—	—	—	—	13	4	4	5	—	—	—	—	—	—
6 Diphtheria ..	M	4	—	—	3	1	—	—	—	—	—	18	1	3	12	2	—	—	—	—	—
	F	6	—	3	1	2	—	—	—	—	—	11	—	—	5	6	—	—	—	—	—
7 Influenza	M	20	—	—	2	—	2	3	8	4	1	9	1	—	—	—	—	3	3	1	1
	F	16	—	—	—	—	—	2	7	3	4	10	—	—	—	—	1	—	5	2	2
8 Encephalitis lethargica ..	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	5	3	—	1	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	86	1	—	—	3	17	35	26	3	1	77	—	—	—	3	17	32	22	3	—
	F	70	—	1	—	3	20	29	15	1	1	67	—	1	1	3	27	23	12	—	—
11 Other tuberculous diseases	M	24	3	1	1	5	5	6	3	—	—	20	5	2	6	4	1	—	2	—	—
	F	19	—	—	4	4	6	4	1	—	—	8	1	1	1	1	3	—	1	—	—
12 Cancer, malignant disease	M	105	—	—	—	1	—	8	54	28	14	91	—	—	—	—	—	8	50	25	8
	F	131	—	—	—	—	—	9	46	43	33	90	—	—	—	—	—	9	51	24	6
13 Rheumatic fever ..	M	1	—	—	—	1	—	—	—	—	—	2	—	—	—	1	1	—	—	—	—
	F	3	—	—	—	2	—	—	1	—	—	1	—	—	—	—	—	—	1	—	—
14 Diabetes	M	9	—	—	—	—	—	1	6	1	1	3	—	—	—	—	—	1	2	—	—
	F	8	—	—	—	—	—	—	3	2	3	3	—	—	—	—	—	—	2	—	1
15 Cerebral hæmorrhage, &c. ..	M	30	—	—	—	—	—	2	8	12	8	27	—	—	—	—	—	—	10	12	5
	F	50	—	—	—	1	—	3	14	17	15	31	—	—	—	1	—	1	11	13	5
16 Heart disease ..	M	151	—	—	—	2	4	8	45	39	53	98	—	—	1	5	5	5	37	25	20
	F	184	—	—	—	1	8	9	38	47	81	108	—	—	—	2	4	9	33	31	29
17 Arterio-sclerosis ..	M	29	—	—	—	—	—	—	4	14	11	41	—	—	—	—	—	2	4	12	23
	F	22	—	—	—	—	—	1	3	5	13	36	—	—	—	—	—	—	3	11	22
18 Bronchitis ..	M	65	8	1	—	—	—	2	20	14	20	61	6	1	—	1	—	5	11	21	16
	F	83	2	2	2	—	—	3	16	26	32	59	—	1	—	2	—	1	14	9	32
19 Pneumonia (all forms)	M	67	16	4	8	—	3	10	17	8	1	115	31	21	6	1	4	11	21	16	4
	F	40	14	3	3	—	1	5	7	3	4	80	18	15	7	3	1	6	12	12	6
20 Other respiratory diseases.. ..	M	9	—	—	—	1	—	2	—	3	3	7	—	—	—	—	—	2	2	3	—
	F	5	—	—	—	—	—	—	3	1	1	3	—	—	—	—	—	2	—	—	1
21 Ulcer of stomach or duodenum ..	M	20	—	—	—	—	1	3	12	2	2	10	—	—	—	—	—	3	6	1	—
	F	4	—	—	—	—	—	2	2	—	—	1	—	—	—	—	—	1	—	—	—
22 Diarrhœa, &c.	M	12	10	1	—	—	—	—	—	1	—	13	8	4	—	—	—	—	1	—	—
	F	9	4	1	—	1	—	2	—	—	1	9	5	—	1	1	—	—	2	—	—
23 Appendicitis and typhlitis.. ..	M	3	—	—	—	—	—	2	—	—	1	8	—	—	1	2	4	—	1	—	—
	F	4	—	—	—	2	—	1	—	—	1	7	—	—	—	2	1	2	2	—	—
24 Cirrhosis of liver ..	M	1	—	—	—	—	—	—	1	—	—	5	—	—	—	—	—	2	3	—	—
	F	2	—	—	—	—	—	—	—	2	—	1	—	—	—	—	—	—	1	—	—
25 Acute and chronic nephritis ..	M	26	—	—	—	2	3	2	8	8	3	23	1	—	1	—	3	4	7	3	4
	F	30	—	—	—	1	2	3	12	8	4	16	—	—	—	—	1	3	9	2	1
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	3	—	—	—	4	—	—	—	—	—	4	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	3	—	—	—	7	—	—	—	—	1	6	—	—	—
28 Congenital debility and malformation, premature birth.. ..	M	56	56	—	—	—	—	—	—	—	—	50	50	—	—	—	—	—	—	—	—
	F	32	32	—	—	—	—	—	—	—	—	31	30	—	1	—	—	—	—	—	—
29 Suicide	M	7	—	—	—	—	—	—	4	2	1	9	—	—	—	—	1	1	5	2	—
	F	8	—	—	—	1	—	2	5	—	—	4	—	—	—	—	1	1	2	—	—
30 Other deaths from violence.. ..	M	35	1	—	1	3	7	8	7	4	4	43	2	2	—	9	5	10	6	4	5
	F	14	1	—	—	1	1	4	4	3	—	12	2	—	—	1	—	1	2	3	3
31 Other defined diseases	M	129	17	1	4	5	9	14	29	18	32	92	19	1	4	5	2	12	22	11	16
	F	133	10	4	2	2	3	13	29	25	45	93	11	—	1	3	4	9	18	13	34
32 Causes ill-defined or unknown ..	M	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 20—*contd.*

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in METROPOLITAN BOROUGHS—1925 (Civilian population only).

Causes of Death.	Sex.	Bethnal Green. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Camberwell. All Ages	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	743	126	24	31	27	31	66	236	124	78	1594	184	33	41	46	75	184	450	299	282
	F	683	86	35	17	18	30	66	184	116	131	1474	128	36	48	40	67	158	346	257	394
1 Enteric fever	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	8	3	3	2	—	—	—	—	—	—	10	—	5	5	—	—	—	—	—	—
	F	6	—	6	—	—	—	—	—	—	—	11	2	3	5	1	—	—	—	—	—
4 Scarlet fever	M	1	—	—	1	—	—	—	—	—	—	5	—	1	3	1	—	—	—	—	—
	F	3	—	—	2	1	—	—	—	—	—	8	1	1	5	—	—	1	—	—	—
5 Whooping cough	M	28	14	7	6	1	—	—	—	—	—	18	9	7	2	—	—	—	—	—	—
	F	36	16	15	5	—	—	—	—	—	—	24	11	6	5	2	—	—	—	—	—
6 Diphtheria	M	9	1	1	5	2	—	—	—	—	—	19	2	—	9	6	1	1	—	—	—
	F	8	1	—	4	3	—	—	—	—	—	21	1	1	9	9	1	—	—	—	—
7 Influenza	M	9	—	—	—	1	—	—	7	1	—	38	5	—	—	—	1	2	18	8	4
	F	12	—	—	—	—	1	2	3	3	3	30	—	—	2	—	2	2	15	4	5
8 Encephalitis lethargica	M	2	—	—	1	—	—	—	1	—	—	3	—	—	—	—	1	1	—	1	—
	F	2	—	—	—	1	—	1	—	—	—	1	—	—	—	—	—	1	—	—	—
9 Meningococcal meningitis	M	3	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	1	1	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	80	—	—	1	—	10	28	37	4	—	167	—	—	1	5	34	69	50	8	—
	F	43	—	1	—	2	11	16	9	4	—	105	—	—	—	3	36	44	17	3	2
11 Other tuberculous diseases	M	15	3	1	6	—	—	1	3	—	1	25	4	—	—	8	5	3	4	1	—
	F	10	1	2	2	2	2	—	1	—	—	26	5	5	2	4	4	2	4	—	—
12 Cancer, malignant disease	M	78	—	—	—	—	—	10	40	24	4	162	—	—	1	—	—	12	90	32	27
	F	74	—	—	1	—	—	8	38	18	9	190	—	—	1	1	—	26	91	40	31
13 Rheumatic fever	M	1	—	—	—	1	—	—	—	—	—	4	—	—	—	2	—	—	2	—	—
	F	6	—	—	—	4	—	—	2	—	—	4	—	—	—	3	1	—	—	—	—
14 Diabetes	M	4	—	—	—	—	—	1	1	2	—	8	—	—	—	—	—	1	3	4	—
	F	10	—	—	—	—	—	—	7	3	—	11	—	—	1	—	1	1	5	3	—
15 Cerebral hæmorrhage, &c.	M	15	—	—	—	—	1	—	6	4	4	52	—	—	—	—	—	1	17	16	18
	F	20	—	—	—	—	—	—	9	7	4	74	—	—	—	—	—	2	17	25	30
16 Heart disease	M	142	—	—	—	3	6	7	42	42	42	200	—	—	—	2	6	17	59	60	56
	F	164	—	—	—	3	5	6	51	48	51	262	—	—	—	3	7	20	69	76	87
17 Arterio-sclerosis	M	16	—	—	—	—	—	—	6	4	6	61	—	—	—	—	—	—	11	28	22
	F	26	—	—	—	—	—	2	11	5	8	33	—	—	—	—	—	1	5	10	17
18 Bronchitis	M	50	4	—	—	—	—	3	23	12	8	121	9	1	—	—	—	7	30	34	46
	F	46	3	—	—	—	2	1	10	11	19	110	8	—	1	—	—	1	12	25	63
19 Pneumonia (all forms)	M	77	25	10	6	3	1	5	18	9	—	180	37	10	11	5	5	17	50	27	1
	F	53	18	7	—	—	1	4	13	5	5	117	23	11	7	3	1	8	29	16	1
20 Other respiratory diseases	M	4	—	—	—	—	—	—	2	2	—	28	3	—	—	1	2	2	11	5	
	F	4	—	—	—	—	—	—	2	—	2	19	—	—	—	1	—	—	3	6	
21 Ulcer of stomach or duodenum	M	6	—	—	—	—	—	1	5	—	—	16	—	—	—	—	1	2	9	4	—
	F	2	—	—	—	—	—	—	2	—	—	3	—	—	—	—	—	1	2	—	—
22 Diarrhœa, &c.	M	36	33	2	—	—	1	—	—	—	—	22	19	—	1	—	—	—	—	—	
	F	21	20	1	—	—	—	—	—	—	—	14	9	3	—	—	—	1	—	1	—
23 Appendicitis and typhlitis	M	3	—	—	—	1	1	—	1	—	—	11	—	—	—	1	3	3	3	1	—
	F	2	—	—	—	—	—	—	—	1	1	11	—	—	1	3	3	2	2	—	—
24 Cirrhosis of liver	M	5	—	—	—	—	—	—	4	—	1	10	—	—	—	—	—	—	7	3	—
	F	1	—	—	—	—	—	—	1	—	—	8	—	—	—	—	—	1	4	2	
25 Acute and chronic nephritis	M	20	—	—	—	—	—	4	9	7	—	56	—	—	—	—	—	7	22	18	
	F	8	—	—	—	—	—	1	5	1	1	42	—	—	—	1	2	7	20	9	
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	—	5	—	—	—	—	1	3	1	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	5	—	—	—	—	2	3	—	—	—	9	—	—	—	—	—	9	—	—	—
28 Congenital debility and malformation, premature birth	M	35	34	—	—	1	—	—	—	—	—	78	76	—	1	—	1	—	—	—	—
	F	19	19	—	—	—	—	—	—	—	—	47	45	—	1	1	—	—	—	—	—
29 Suicide	M	13	—	—	—	—	—	2	7	3	1	12	—	—	—	—	1	5	4	2	—
	F	6	—	—	—	—	—	4	1	1	—	5	—	—	—	—	—	3	1	—	
30 Other deaths from violence	M	24	2	—	1	6	4	2	6	3	—	53	—	4	1	7	8	10	10	5	
	F	8	—	—	1	—	2	1	—	1	3	29	2	2	2	1	—	1	8	6	
31 Other defined diseases	M	58	4	—	2	8	6	2	18	7	11	234	20	5	6	8	6	24	49	42	7
	F	83	7	3	2	2	4	15	17	8	25	253	21	3	5	4	8	21	41	31	11
32 Causes ill-defined or unknown	M	—	—	—	—	—	—	—	—	—	—	1	—		—	—	—	—	1	—	—
	F	2	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in METROPOLITAN BOROUGHS—1925
(Civilian population only).

Causes of Death.	Sex.	Chelsea. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Deptford. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	457	43	3	7	5	14	43	122	88	132	756	72	24	30	24	25	78	230	161	112
	F	429	21	5	5	9	12	39	122	89	127	643	65	16	24	25	32	63	162	119	137
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	2	—	—	2	—	—	—	—	—	—	19	4	9	5	1	—	—	—	—	—
	F	1	—	1	—	—	—	—	—	—	—	12	4	3	5	—	—	—	—	—	—
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	2	—	—	1	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
5 Whooping cough	M	2	—	2	—	—	—	—	—	—	—	9	3	2	3	1	—	—	—	—	—
	F	5	2	1	2	—	—	—	—	—	—	8	5	1	2	—	—	—	—	—	—
6 Diphtheria	M	3	—	1	1	—	1	—	—	—	—	7	—	—	2	5	—	—	—	—	—
	F	4	—	—	2	1	—	1	—	—	—	16	—	1	7	8	—	—	—	—	—
7 Influenza	M	13	1	—	—	—	—	2	5	1	4	13	1	—	—	—	—	—	3	5	4
	F	18	—	—	—	—	—	—	5	5	8	21	1	—	—	1	2	1	5	4	7
8 Encephalitis lethargica	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	4	1	—	—	1	1	1	—	—	—
9 Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	36	—	—	—	—	3	18	13	1	1	62	—	1	1	—	6	29	21	3	1
	F	18	—	—	—	—	3	9	4	1	1	42	—	—	—	3	14	15	9	1	—
11 Other tuberculous diseases	M	5	2	—	—	1	1	—	1	—	—	10	2	—	3	—	2	2	—	1	—
	F	3	1	—	1	—	1	—	—	—	—	10	1	2	1	3	—	1	2	—	—
12 Cancer, malignant disease	M	57	—	—	—	—	—	4	23	10	20	87	—	—	1	—	—	9	44	20	13
	F	74	—	—	—	—	1	5	32	20	16	77	—	—	—	—	—	8	38	17	14
13 Rheumatic fever	M	2	—	—	—	1	1	—	—	—	—	2	—	—	—	1	—	—	—	1	—
	F	1	—	—	—	1	—	—	—	—	—	2	—	—	1	—	1	—	—	—	—
14 Diabetes	M	4	—	—	—	—	—	—	2	2	—	8	—	—	—	—	—	—	3	4	1
	F	4	—	—	—	1	—	—	1	—	2	4	—	—	—	—	—	2	—	2	—
15 Cerebral hæmorrhage, &c.	M	23	—	—	—	—	1	2	9	6	5	22	—	—	—	—	—	1	9	7	5
	F	33	—	—	—	—	—	1	12	10	10	33	—	—	—	—	—	1	9	12	11
16 Heart disease	M	90	—	—	—	1	1	4	13	20	51	84	—	—	—	2	2	6	36	19	19
	F	63	—	—	—	2	1	3	14	18	25	92	—	—	1	2	5	6	33	26	19
17 Arterio-sclerosis	M	26	—	—	—	—	—	—	6	9	11	20	—	—	—	—	—	1	3	11	5
	F	35	—	—	—	—	—	—	3	8	24	16	—	—	—	—	—	—	3	8	5
18 Bronchitis	M	24	—	—	—	—	1	—	2	9	12	67	4	—	1	1	—	2	21	26	12
	F	33	—	1	—	—	—	—	7	9	16	56	3	3	—	—	—	2	8	18	22
19 Pneumonia (all forms)	M	39	10	—	3	—	—	1	9	9	7	64	12	7	5	2	1	2	21	11	3
	F	34	4	—	—	2	2	3	7	6	10	50	8	5	3	2	2	5	8	10	7
20 Other respiratory diseases	M	7	—	—	1	—	—	—	2	2	2	10	1	1	—	—	—	—	3	4	1
	F	3	—	—	—	—	—	—	3	—	—	5	1	—	—	—	—	1	—	1	2
21 Ulcer of stomach or duodenum	M	8	—	—	—	—	1	—	4	3	—	12	—	—	—	—	1	3	7	1	—
	F	1	—	—	—	—	—	—	1	—	—	5	—	—	—	—	—	—	3	—	2
22 Diarrhœa, &c.	M	12	10	—	—	—	—	—	—	1	1	10	5	1	—	—	—	—	3	1	—
	F	3	2	—	—	—	—	1	—	—	—	7	6	—	—	—	—	—	—	1	—
23 Appendicitis and typhlitis	M	—	—	—	—	—	—	—	—	—	—	6	—	—	—	3	1	—	—	1	1
	F	4	—	—	—	—	1	2	—	1	—	1	—	—	—	—	—	—	1	—	—
24 Cirrhosis of liver	M	4	—	—	—	—	—	—	2	—	2	5	—	—	—	—	—	—	3	2	—
	F	2	—	—	—	—	—	—	2	—	—	2	—	—	—	—	—	—	1	1	—
25 Acute and chronic nephritis	M	14	—	—	—	—	1	1	7	3	2	14	—	—	1	—	—	1	6	5	1
	F	10	—	—	—	—	—	1	3	4	2	19	—	—	—	1	1	3	9	2	3
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	3	—	—	—	7	—	—	—	—	1	5	1	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	—	3	1	—	—	2	—	—	—	—	—	2	—	—	—
28 Congenital debility and malformation, premature birth	M	13	13	—	—	—	—	—	—	—	—	24	24	—	—	—	—	—	—	—	—
	F	12	11	1	—	—	—	—	—	—	—	27	27	—	—	—	—	—	—	—	—
29 Suicide	M	3	—	—	—	—	—	1	2	—	—	11	—	—	—	—	—	2	5	4	—
	F	5	—	—	—	—	—	—	5	—	—	6	—	—	—	—	1	3	2	—	—
30 Other deaths from violence	M	19	—	—	—	1	—	5	7	1	5	44	1	1	—	5	7	11	10	6	3
	F	12	—	—	—	1	2	3	4	1	1	12	2	—	—	3	1	—	2	—	4
31 Other defined diseases	M	51	7	—	—	1	3	5	15	11	9	141	15	2	6	2	4	9	31	29	43
	F	42	1	1	—	1	1	4	16	6	12	106	5	1	4	1	3	7	28	16	41
32 Causes ill-defined or unknown	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in METROPOLITAN BOROUGHS—1925 (Civilian population only).

Causes of Death.	Sex.	Finsbury. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Fulham. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	534	64	17	13	13	26	66	178	95	62	870	122	27	18	16	34	117	252	168	116
	F	516	40	23	18	12	23	50	145	104	101	885	90	23	17	23	48	108	191	165	220
1 Enteric fever	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	3	1	2	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
	F	8	2	5	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	1	1	—	—	—	—	—
5 Whooping cough	M	5	2	2	1	—	—	—	—	—	—	23	12	7	4	—	—	—	—	—	—
	F	10	2	4	4	—	—	—	—	—	—	13	6	3	4	—	—	—	—	—	—
6 Diphtheria	M	3	1	1	1	—	—	—	—	—	—	2	—	—	2	—	—	—	—	—	—
	F	3	—	—	1	2	—	—	—	—	—	8	2	—	1	4	1	—	—	—	—
7 Influenza	M	6	1	—	—	—	—	—	5	—	—	22	1	—	—	1	—	3	6	5	[illegible]
	F	10	—	—	—	—	2	2	3	1	2	26	—	4	—	—	3	2	4	3	1[illegible]
8 Encephalitis lethargica	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
	F	1	—	—	—	—	1	—	—	—	—	3	—	—	—	—	2	—	1	—	—
9 Meningococcal meningitis	M	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	66	—	—	—	—	11	25	27	3	—	90	1	—	—	1	19	34	27	8	—
	F	44	1	—	—	5	11	14	12	—	1	68	—	—	—	1	18	37	10	1	
11 Other tuberculous diseases	M	6	—	—	—	2	2	2	—	—	—	8	2	1	—	1	2	1	1	—	—
	F	7	—	3	1	—	1	1	1	—	—	12	3	3	2	2	—	1	1	—	—
12 Cancer, malignant disease	M	59	—	—	—	1	—	7	30	16	5	91	—	—	—	—	1	6	40	31	1
	F	56	—	1	—	—	—	2	31	16	6	114	1	—	1	—	2	11	50	31	1
13 Rheumatic fever	M	2	—	—	—	1	—	1	—	—	—	2	—	—	—	1	1	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	2	—	—	—	1	—	—	1	—	—
14 Diabetes	M	3	—	—	—	—	—	2	—	1	—	8	—	—	—	—	1	—	2	3	
	F	1	—	—	—	—	—	—	1	—	—	11	—	—	—	1	1	1	5	1	
15 Cerebral hæmorrhage, &c.	M	18	—	—	—	—	—	1	4	10	3	27	—	—	—	—	—	3	13	8	
	F	30	—	—	—	—	—	—	12	12	6	41	—	—	—	—	—	2	10	15	1
16 Heart disease	M	49	—	—	1	—	3	4	27	11	3	116	—	—	—	2	1	9	40	42	2
	F	73	—	—	—	—	4	8	23	23	15	151	—	—	—	2	6	13	43	41	4
17 Arterio-sclerosis	M	38	—	—	—	—	—	—	6	11	21	47	—	—	—	—	—	1	13	15	1
	F	40	—	—	—	—	—	1	—	12	27	48	—	—	—	—	—	1	6	17	2
18 Bronchitis	M	61	7	—	—	—	—	1	20	16	17	54	6	1	—	—	—	2	16	14	1
	F	57	2	—	—	—	—	1	15	19	20	74	7	2	—	—	2	2	4	18	3
19 Pneumonia (all forms)	M	50	11	10	5	1	—	3	11	7	2	95	19	11	5	1	—	13	32	8	
	F	37	14	5	4	—	1	2	7	2	2	56	13	6	1	1	1	8	11	8	
20 Other respiratory diseases	M	3	—	—	—	—	—	—	2	—	1	4	1	—	—	—	—	2	1	—	—
	F	3	—	—	—	—	—	—	2	—	1	9	—	—	1	—	1	1	1	1	
21 Ulcer of stomach or duodenum	M	7	—	—	—	—	—	2	5	—	—	16	—	—	—	—	—	6	7	1	
	F	4	—	—	—	—	—	—	4	—	—	5	—	—	—	—	—	1	2	1	
22 Diarrhœa, &c.	M	17	15	1	—	—	—	—	—	1	—	26	22	1	1	—	—	1	1	—	—
	F	10	5	3	—	—	—	1	1	—	—	22	15	2	1	—	—	1	1	—	
23 Appendicitis and typhlitis	M	4	—	—	—	1	1	1	1	—	—	5	—	—	—	1	—	1	1	1	
	F	1	—	—	1	—	—	—	—	—	—	8	—	—	—	—	2	4	2	—	—
24 Cirrhosis of liver	M	3	—	—	—	—	—	—	2	1	—	9	—	—	—	—	—	4	5	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	2	—	—
25 Acute and chronic nephritis	M	18	—	—	—	—	—	3	9	5	1	26	1	—	—	2	1	3	11	7	
	F	17	—	—	—	—	1	—	9	5	2	20	—	—	—	1	1	1	8	5	
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	4	—	—	—	—	1	3	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	3	—	—	—	5	—	—	—	—	2	3	—	—	—
28 Congenital debility and malformation, premature birth	M	13	13	—	—	—	—	—	—	—	—	43	41	1	—	—	—	1	—	—	—
	F	9	7	—	2	—	—	—	—	—	—	31	31	—	—	—	—	—	—	—	—
29 Suicide	M	8	—	—	—	—	—	4	3	1	—	6	—	—	—	—	—	3	3	—	—
	F	4	—	—	—	—	—	1	3	—	—	6	—	—	—	—	—	4	2	—	—
30 Other deaths from violence	M	21	1	—	1	4	3	4	7	1	—	34	4	1	6	2	6	5	7	2	
	F	17	1	1	2	2	—	2	3	5	1	16	1	2	—	2	1	2	2	2	
31 Other defined diseases	M	69	11	1	4	3	5	6	19	11	9	113	12	3	—	3	2	19	25	23	
	F	65	4	1	1	3	2	10	17	9	18	124	11	1	3	6	4	10	24	21	
32 Causes ill-defined or unknown	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	—	2	—	—	—	1	—	—	1	—	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in METROPOLITAN BOROUGHS—1925 (Civilian population only).

Causes of Death.	Sex.	Greenwich. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Hackney. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	646	83	17	29	16	36	89	170	113	93	1259	150	44	32	34	52	149	380	214	204
	F	532	53	15	11	22	34	54	118	102	123	1358	117	33	33	29	58	174	267	268	379
1 Enteric fever	M	1	—	—	1	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	14	3	6	4	1	—	—	—	—	—	10	4	4	1	1	—	—	—	—	—
	F	6	2	2	2	—	—	—	—	—	—	9	1	5	3	—	—	—	—	—	—
4 Scarlet fever	M	2	—	1	1	—	—	—	—	—	—	2	—	—	2	—	—	—	—	—	—
	F	2	—	—	—	2	—	—	—	—	—	2	—	—	2	—	—	—	—	—	—
5 Whooping cough	M	12	3	2	7	—	—	—	—	—	—	14	9	3	2	—	—	—	—	—	—
	F	6	3	2	1	—	—	—	—	—	—	20	7	7	4	2	—	—	—	—	—
6 Diphtheria	M	7	—	—	3	4	—	—	—	—	—	13	1	2	6	4	—	—	—	—	—
	F	7	—	2	1	2	2	—	—	—	—	16	—	—	5	10	1	—	—	—	—
7 Influenza	M	12	—	—	—	—	—	—	6	5	1	29	3	—	—	—	—	3	17	2	4
	F	7	—	—	—	1	—	3	—	1	2	23	2	—	1	—	2	4	4	6	4
8 Encephalitis lethargica	M	1	—	—	—	—	—	—	—	1	—	2	—	—	—	—	—	1	1	—	—
	F	2	—	—	—	1	—	—	1	—	—	6	—	—	—	—	—	1	5	—	—
9 Meningococcal meningitis	M	2	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	64	1	—	—	1	18	26	15	3	—	103	—	—	—	—	14	49	36	4	—
	F	44	—	—	—	2	15	18	7	2	—	98	—	1	—	2	32	44	15	3	1
11 Other tuberculous diseases	M	8	1	3	2	—	—	—	2	—	—	14	2	4	4	1	1	—	2	—	—
	F	5	2	1	—	—	1	—	1	—	—	18	1	—	1	3	2	7	3	1	—
12 Cancer, malignant disease	M	64	—	—	1	—	—	6	27	22	8	141	—	1	—	1	1	13	63	50	12
	F	63	—	—	—	—	—	5	24	26	8	160	—	2	—	1	1	24	63	47	22
13 Rheumatic fever	M	6	—	—	—	1	—	3	—	2	—	3	—	—	1	2	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	3	—	—	—	—	—	—	3	—	—
14 Diabetes	M	8	—	—	—	—	—	3	1	2	2	5	—	—	—	—	—	1	1	3	—
	F	10	—	—	—	—	1	2	4	3	—	14	—	—	—	—	—	1	3	8	2
15 Cerebral hæmorrhage, &c.	M	21	—	—	—	—	—	2	6	8	5	62	—	—	—	1	—	2	19	22	18
	F	23	—	—	—	—	—	—	7	10	6	86	—	—	—	—	—	2	15	33	36
16 Heart disease	M	72	—	—	—	—	1	12	23	21	15	169	—	—	—	—	8	18	61	48	34
	F	86	—	—	—	3	1	8	26	23	25	245	—	—	1	3	6	27	52	59	97
17 Arterio-sclerosis	M	18	—	—	—	—	—	—	5	7	6	72	—	—	—	—	—	1	14	16	41
	F	11	—	—	—	—	—	—	—	6	5	66	—	—	—	—	—	1	6	14	45
18 Bronchitis	M	51	8	—	—	—	—	2	18	11	12	61	8	1	—	—	—	3	20	15	14
	F	52	5	—	1	1	—	—	8	10	27	108	4	1	—	—	—	—	18	33	52
19 Pneumonia (all forms)	M	47	9	4	5	3	4	7	6	7	2	123	28	23	8	5	4	10	24	6	15
	F	32	8	7	3	4	2	1	4	1	2	91	22	8	8	1	3	7	12	16	14
20 Other respiratory diseases	M	10	—	1	—	—	—	1	3	1	4	32	—	—	1	1	1	3	16	2	8
	F	6	—	—	1	—	—	2	1	—	2	23	—	—	—	—	—	1	5	6	11
21 Ulcer of stomach or duodenum	M	9	—	—	—	—	—	2	6	1	—	19	—	—	—	—	1	9	8	—	1
	F	5	—	—	—	—	—	1	3	1	—	11	—	—	—	—	1	3	3	3	1
22 Diarrhœa, &c.	M	12	12	—	—	—	—	—	—	—	—	27	23	1	1	—	—	1	—	1	—
	F	9	7	—	—	—	—	—	1	1	—	30	22	2	1	—	—	1	—	—	4
23 Appendicitis and typhlitis	M	7	—	—	1	1	—	4	1	—	—	9	—	—	—	1	1	2	3	2	—
	F	6	—	—	—	2	1	—	3	—	—	7	—	—	1	3	1	2	—	—	—
24 Cirrhosis of liver	M	—	—	—	—	—	—	—	—	—	—	12	—	—	—	1	—	—	10	1	—
	F	2	—	—	—	—	—	1	1	—	—	3	—	—	—	—	—	1	1	1	—
25 Acute and chronic nephritis	M	14	—	—	—	—	1	3	6	1	3	36	—	—	—	—	2	5	15	5	9
	F	11	—	—	—	1	—	1	5	3	1	39	—	1	1	—	1	5	17	7	7
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	6	—	—	—	—	—	6	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	—	9	—	—	—	—	1	7	1	—	—
28 Congenital debility and malformation, premature birth	M	35	35	—	—	—	—	—	—	—	—	56	53	—	—	—	3	—	—	—	—
	F	19	19	—	—	—	—	—	—	—	—	39	34	2	3	—	—	—	—	—	—
29 Suicide	M	11	—	—	—	—	1	2	4	2	2	20	—	—	—	—	—	4	14	2	—
	F	—	—	—	—	—	—	—	—	—	—	12	—	—	—	—	1	4	7	—	—
30 Other deaths from violence	M	37	—	—	3	3	7	6	11	3	4	39	—	2	1	8	5	7	9	4	3
	F	15	1	—	1	1	3	1	3	1	4	24	1	—	1	1	1	4	6	5	5
Other defined diseases	M	100	10	—	—	2	4	10	30	15	29	182	18	3	5	8	10	15	47	31	45
	F	99	6	1	—	2	8	8	19	14	41	185	20	4	1	3	5	21	28	25	78
32 Causes ill-defined or unknown	M	1	—	—	—	—	—	—	—	1	—	3	1	—	—	—	—	2	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—	—	—	1	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in METROPOLITAN BOROUGHS—1925 (Civilian population only).

Causes of Death.	Sex.	Hammersmith. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Hampstead. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	752	84	19	12	24	40	69	227	147	130	415	29	3	9	2	12	48	129	105	78
	F	857	70	16	16	33	45	101	187	149	240	508	30	1	4	3	18	50	132	108	162
1 Enteric fever	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	2	—	—	—	2	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
	F	5	2	—	2	1	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	1	1	1	—	—	—	—	1	—	1	—	—	—	—	—	—	—
5 Whooping cough	M	14	6	7	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	18	6	7	4	1	—	—	—	—	—	4	3	—	—	—	—	—	1	—	—
6 Diphtheria	M	5	—	—	3	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	7	—	—	2	4	1	—	—	—	—	2	—	—	1	1	—	—	—	—	—
7 Influenza	M	12	1	—	—	—	2	3	3	2	1	9	—	—	—	—	2	2	3	1	1
	F	23	—	—	—	—	4	5	5	3	6	18	—	—	—	—	1	3	4	5	5
8 Encephalitis lethargica	M	2	—	—	—	—	1	—	1	—	—	2	1	—	—	—	—	—	1	—	—
	F	4	—	—	—	1	—	1	2	—	—	1	—	—	—	—	—	—	1	—	—
9 Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	62	—	—	—	—	12	18	25	6	1	29	—	—	—	—	2	17	9	1	—
	F	62	—	—	—	1	23	22	13	3	—	23	—	—	—	—	4	13	4	1	1
11 Other tuberculous diseases	M	10	—	1	2	2	2	2	—	1	—	3	—	—	—	—	1	1	1	—	—
	F	6	—	1	1	2	1	1	—	—	—	5	2	—	—	1	1	1	—	—	—
12 Cancer, malignant disease	M	105	—	—	—	1	1	3	54	32	14	56	—	—	—	—	—	1	28	19	8
	F	112	—	—	—	—	3	18	47	22	22	86	1	—	—	—	2	8	37	20	18
13 Rheumatic fever	M	2	—	—	—	2	—	—	—	—	—	3	—	—	—	—	—	1	2	—	—
	F	3	—	—	—	1	—	1	1	—	—	1	—	—	—	—	—	—	1	—	—
14 Diabetes	M	7	—	—	—	—	—	1	2	3	1	1	—	—	—	—	—	—	1	—	—
	F	11	—	—	—	—	—	1	4	6	—	9	—	—	—	—	1	1	3	2	2
15 Cerebral hæmorrhage, &c.	M	30	—	—	—	—	—	3	13	7	7	18	—	—	—	—	—	1	5	6	6
	F	50	—	—	—	—	1	—	12	14	23	40	—	—	—	—	—	—	9	11	20
16 Heart disease	M	83	—	—	—	1	6	11	20	22	23	63	—	—	—	—	1	3	26	17	1
	F	129	—	—	—	6	2	9	29	31	52	79	—	—	—	—	2	3	16	26	3
17 Arterio-sclerosis	M	34	—	—	—	—	—	—	9	9	16	26	—	—	—	—	—	—	3	16	[illegible]
	F	32	—	—	—	—	—	1	5	10	16	18	—	—	—	—	—	—	7	6	[illegible]
18 Bronchitis	M	35	2	1	—	—	—	—	5	13	14	18	1	—	1	—	—	—	3	9	[illegible]
	F	61	5	1	1	—	—	1	5	11	37	30	—	—	—	—	—	—	5	8	1
19 Pneumonia (all forms)	M	71	13	7	2	2	—	6	22	12	7	36	5	2	3	—	—	4	12	4	[illegible]
	F	74	18	5	2	1	1	4	10	14	19	22	2	—	—	—	—	—	8	4	[illegible]
20 Other respiratory diseases	M	13	—	—	—	1	1	1	4	4	2	7	—	—	—	—	—	1	4	1	[illegible]
	F	5	—	—	—	—	—	—	2	2	1	9	—	—	—	—	1	2	3	1	[illegible]
21 Ulcer of stomach or duodenum	M	10	—	—	—	—	1	—	6	2	1	5	—	—	—	—	—	—	3	1	[illegible]
	F	6	—	—	—	—	—	2	2	1	1	3	—	—	—	—	—	1	1	—	[illegible]
22 Diarrhœa, &c.	M	14	14	—	—	—	—	—	—	—	—	4	3	—	—	—	—	—	—	1	—
	F	13	10	1	—	1	—	—	—	—	1	6	4	—	—	—	—	—	—	—	[illegible]
23 Appendicitis and typhlitis	M	6	—	—	—	1	—	1	3	1	—	5	—	—	—	—	—	2	2	1	—
	F	5	—	—	—	2	—	—	1	—	2	2	—	—	—	—	—	—	—	2	—
24 Cirrhosis of liver	M	8	—	—	—	—	—	1	6	1	—	1	—	—	—	—	—	—	1	—	—
	F	1	—	—	—	—	—	—	—	—	1	6	—	—	—	—	—	2	3	1	—
25 Acute and chronic nephritis	M	20	—	—	—	—	2	3	7	4	4	14	—	—	1	—	—	2	3	4	[illegible]
	F	28	—	—	—	4	—	2	9	6	7	12	—	—	—	—	1	1	4	4	[illegible]
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	6	—	—	—	—	1	5	—	—	—	2	—	—	—	—	—	2	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	7	—	—	—	—	1	6	—	—	—	3	—	—	—	—	—	3	—	—	—
28 Congenital debility and malformation, premature birth	M	35	35	—	—	—	—	—	—	—	—	9	8	—	1	—	—	—	—	—	—
	F	23	23	—	—	—	—	—	—	—	—	14	14	—	—	—	—	—	—	—	—
29 Suicide	M	12	—	—	—	—	—	4	6	—	2	8	—	—	—	—	—	3	2	2	[illegible]
	F	3	—	—	—	—	—	1	2	—	—	7	—	—	—	—	—	4	2	1	—
30 Other deaths from violence	M	34	4	2	2	5	5	3	8	3	2	14	3	—	1	—	2	1	2	2	[illegible]
	F	21	1	—	1	—	1	5	4	2	7	14	—	—	1	—	4	—	5	2	[illegible]
31 Other defined diseases	M	125	9	1	2	5	7	9	32	25	35	82	8	—	2	2	4	8	18	20	[illegible]
	F	136	5	1	2	7	4	15	33	24	45	90	4	—	2	1	1	5	18	14	[illegible]
32 Causes ill-defined or unknown	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in METROPOLITAN BOROUGHS—1925 (Civilian population only).

	Causes of Death.	Sex.	Holborn. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Islington. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
	All Causes	M	299	13	4	6	3	10	22	128	67	46	2127	229	64	44	56	96	260	629	413	336
		F	243	20	5	3	6	11	27	56	52	63	2055	185	52	51	44	85	217	504	415	502
1	Enteric fever	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
		F	1	—	—	—	1	—	—	—	—	—	3	—	—	—	—	—	—	2	1	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	—	—	—	—	—	—	—	—	—	—	10	1	5	3	1	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	13	3	8	2	—	—	—	—	—	—
4	Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	3	—	2	—	1	—	—	—	—	—
		F	1	—	—	—	—	1	—	—	—	—	4	1	—	1	2	—	—	—	—	—
5	Whooping cough	M	4	2	2	—	—	—	—	—	—	—	35	16	9	8	2	—	—	—	—	—
		F	5	2	1	2	—	—	—	—	—	—	29	9	7	12	1	—	—	—	—	—
6	Diphtheria	M	—	—	—	—	—	—	—	—	—	—	9	—	3	1	5	—	—	—	—	—
		F	2	—	—	—	2	—	—	—	—	—	11	—	1	5	5	—	—	—	—	—
7	Influenza	M	4	—	—	—	—	—	—	3	1	—	36	2	1	1	2	1	2	11	7	9
		F	5	—	—	—	—	2	—	—	2	1	41	2	1	—	—	1	2	15	11	9
8	Encephalitis lethargica	M	—	—	—	—	—	—	—	—	—	—	3	—	—	—	1	—	2	—	—	—
		F	1	—	—	—	—	—	1	—	—	—	4	—	—	—	1	—	2	—	—	1
9	Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
10	Tuberculosis of respiratory system	M	31	—	—	—	—	2	10	18	1	—	231	—	—	1	3	37	89	92	9	—
		F	14	—	—	—	—	4	7	3	—	—	141	—	1	—	2	46	56	33	2	1
11	Other tuberculous diseases	M	3	—	—	—	—	1	1	—	1	—	41	6	4	5	9	7	4	6	—	—
		F	6	1	2	1	—	1	—	1	—	—	30	6	1	6	3	2	4	4	2	2
12	Cancer, malignant disease	M	36	—	—	—	—	—	1	18	12	5	275	—	—	—	2	2	23	141	73	34
		F	30	—	—	—	—	—	3	10	12	5	273	—	—	—	—	1	24	128	74	46
13	Rheumatic fever	M	2	—	—	1	—	—	—	1	—	—	7	—	—	1	2	1	2	1	—	—
		F	—	—	—	—	—	—	—	—	—	—	10	—	—	1	2	—	2	3	2	—
14	Diabetes	M	1	—	—	—	—	—	—	—	1	—	8	—	—	—	—	—	1	3	4	—
		F	2	—	—	—	—	—	—	1	1	—	17	—	—	—	1	1	—	7	7	1
15	Cerebral hæmorrhage, &c.	M	16	—	—	—	—	1	—	3	6	6	89	—	—	1	—	1	2	21	35	29
		F	24	—	—	—	—	—	—	7	5	12	116	—	—	—	—	—	4	25	42	45
16	Heart disease	M	38	—	—	—	—	1	3	20	10	4	268	—	—	—	2	9	14	84	93	66
		F	31	—	—	—	—	1	3	7	11	9	337	—	—	—	5	9	35	96	89	103
17	Arterio-sclerosis	M	24	—	—	—	—	—	—	11	6	7	53	—	—	—	—	—	2	17	22	12
		F	20	—	—	—	—	—	1	—	6	13	38	—	—	—	—	—	2	8	13	15
18	Bronchitis	M	29	—	—	—	—	—	—	8	10	11	130	4	—	1	—	1	8	39	30	47
		F	26	3	—	—	—	—	—	6	4	13	156	9	1	—	—	—	1	20	56	69
19	Pneumonia (all forms)	M	26	2	—	1	—	1	2	13	6	1	246	49	25	9	3	3	25	61	40	31
		F	15	2	2	—	1	—	2	6	—	2	190	31	17	9	8	3	13	40	32	37
20	Other respiratory diseases	M	2	—	—	—	—	—	1	—	1	—	58	—	3	—	—	2	6	11	16	20
		F	2	—	—	—	—	—	—	—	2	—	61	1	—	—	—	1	3	3	7	46
21	Ulcer of stomach or duodenum	M	5	—	—	—	—	—	—	5	—	—	31	—	—	—	—	2	14	11	3	1
		F	1	—	—	—	—	—	—	—	1	—	10	—	—	—	—	—	1	6	3	—
22	Diarrhœa, &c.	M	5	3	—	—	—	—	1	—	1	—	46	37	5	—	1	—	2	—	1	—
		F	7	3	—	—	1	1	—	—	—	2	32	24	2	2	2	—	1	1	—	—
23	Appendicitis and typhlitis	M	—	—	—	—	—	—	—	—	—	—	19	—	—	—	2	4	5	3	2	3
		F	1	—	—	—	1	—	—	—	—	—	11	—	—	—	3	2	—	6	—	—
24	Cirrhosis of liver	M	5	—	1	—	—	—	—	3	1	—	10	—	—	—	—	—	2	6	1	1
		F	2	—	—	—	—	—	1	1	—	—	5	—	—	—	—	—	—	3	1	1
25	Acute and chronic nephritis	M	4	—	—	1	—	—	—	1	—	2	35	—	—	—	—	2	3	12	9	9
		F	7	—	—	—	—	—	1	3	2	1	45	1	—	—	1	2	9	14	10	8
26	Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	1	—	—	—	9	—	—	—	—	1	8	—	—	—
27	Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	1	—	—	—	12	—	—	—	—	3	9	—	—	—
28	Congenital debility and malformation, premature birth	M	5	5	—	—	—	—	—	—	—	—	88	85	—	1	1	—	1	—	—	—
		F	8	8	—	—	—	—	—	—	—	—	70	69	1	—	—	—	—	—	—	—
29	Suicide	M	7	—	—	—	—	—	1	3	3	—	28	—	—	—	—	3	9	11	5	—
		F	3	—	—	—	—	—	1	2	—	—	17	—	—	—	—	—	4	9	4	—
30	Other deaths from violence	M	13	—	—	1	1	—	1	6	3	1	70	3	2	5	10	7	12	15	7	9
		F	4	—	—	—	—	—	1	—	—	3	43	2	3	3	1	1	4	14	8	7
31	Other defined diseases	M	39	1	1	2	2	4	1	15	4	9	292	24	5	7	8	14	32	81	56	65
		F	23	1	—	—	—	1	4	9	6	2	323	27	8	8	7	12	33	66	51	111
32	Causes ill-defined or unknown	M	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	3	—	—
		F	—	—	—	—	—	—	—	—	—	—	3	—	1	1	—	—	—	1	—	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in METROPOLITAN BOROUGHS—1925 (Civilian population only).

Causes of Death.	Sex.	Kensington. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Lambeth. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	1057	131	31	23	21	33	105	294	241	178	1914	209	30	49	65	72	246	556	379	308
	F	1314	95	20	10	24	55	134	331	253	392	1945	145	32	56	45	79	217	440	394	537
1 Enteric fever	M	2	—	—	—	—	1	—	—	1	—	1	—	—	—	—	—	—	1	—	—
	F	1	—	—	—	—	—	—	—	—	1	4	—	—	—	—	2	1	1	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	11	2	8	1	—	—	—	—	—	—	2	—	—	2	—	—	—	—	—	—
	F	6	2	—	—	3	—	—	—	1	—	3	—	1	2	—	—	—	—	—	—
4 Scarlet fever	M	1	—	—	1	—	—	—	—	—	—	6	—	—	3	3	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	2	—	—	1	—	—	1	—	—	—
5 Whooping cough	M	11	4	3	3	1	—	—	—	—	—	24	12	9	3	—	—	—	—	—	—
	F	7	6	1	—	—	—	—	—	—	—	25	13	6	6	—	—	—	—	—	—
6 Diphtheria	M	5	—	1	3	1	—	—	—	—	—	26	1	3	13	9	—	—	—	—	—
	F	5	1	2	1	1	—	—	—	—	—	29	—	1	14	13	1	—	—	—	—
7 Influenza	M	13	—	—	—	—	—	3	3	6	1	38	—	—	1	2	2	9	14	6	4
	F	41	1	3	—	—	2	7	8	5	15	32	—	2	1	1	1	9	8	6	4
8 Encephalitis lethargica	M	2	—	—	—	1	—	—	1	—	—	4	—	—	1	—	—	—	3	—	—
	F	4	—	—	1	—	1	—	2	—	—	4	—	—	1	—	—	—	3	—	—
9 Meningococcal meningitis	M	3	2	—	—	1	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	2	1	—	—	1	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	66	—	—	1	—	7	30	24	3	1	188	1	—	1	2	27	94	54	9	—
	F	68	—	—	—	—	22	29	12	5	—	124	—	1	—	1	41	52	26	3	—
11 Other tuberculous diseases	M	17	1	3	2	4	4	2	1	—	—	25	5	2	2	2	4	7	2	1	—
	F	8	1	—	—	—	3	2	—	2	—	24	7	1	5	4	2	5	—	—	—
12 Cancer, malignant disease	M	117	—	—	—	—	2	8	56	34	17	213	—	—	—	—	—	13	105	65	30
	F	198	—	—	—	—	2	16	101	32	47	264	—	1	—	1	1	26	107	84	44
13 Rheumatic fever	M	2	—	—	—	1	1	—	—	—	—	9	1	—	1	3	3	—	1	—	—
	F	4	—	—	—	1	1	1	—	1	—	8	—	—	1	4	1	1	—	—	1
14 Diabetes	M	4	—	—	—	—	—	1	1	1	1	12	—	—	—	—	—	1	4	6	1
	F	9	—	—	—	—	—	1	4	1	3	22	—	—	—	—	—	1	9	8	4
15 Cerebral hæmorrhage, &c.	M	42	—	—	—	—	—	3	12	17	10	66	—	—	—	—	—	2	27	23	14
	F	79	—	—	—	—	—	—	27	21	31	125	—	—	—	—	—	2	42	31	50
16 Heart disease	M	143	—	—	—	2	3	8	43	40	47	250	—	1	—	6	8	22	81	67	65
	F	231	—	1	—	1	3	15	45	60	106	304	—	—	—	6	6	25	69	93	105
17 Arterio-sclerosis	M	50	—	—	—	—	—	1	10	23	16	75	—	—	—	—	—	2	19	28	26
	F	56	—	—	—	—	—	—	7	21	28	69	—	—	—	—	—	2	11	21	35
18 Bronchitis	M	81	5	—	1	1	—	3	19	30	22	164	8	—	—	—	1	3	52	44	56
	F	119	5	—	—	—	—	4	23	33	54	150	4	1	—	—	—	1	24	42	73
19 Pneumonia (all forms)	M	106	30	11	7	2	5	9	22	15	5	169	43	7	7	5	1	22	47	22	1
	F	113	22	10	6	5	7	5	18	17	23	140	24	13	11	1	2	8	27	30	24
20 Other respiratory diseases	M	14	—	—	—	1	1	2	3	5	2	19	2	—	—	—	—	1	11	3	[illegible]
	F	21	1	1	—	—	1	1	8	5	4	14	—	—	—	—	2	3	3	2	[illegible]
21 Ulcer of stomach or duodenum	M	23	—	—	—	—	1	3	15	3	1	35	—	—	—	—	—	14	14	6	[illegible]
	F	7	—	—	—	—	—	1	4	—	2	11	—	—	—	—	—	1	3	3	[illegible]
22 Diarrhœa, &c.	M	24	20	2	—	—	—	1	—	1	—	35	30	3	2	—	—	—	—	—	—
	F	13	7	1	—	—	—	1	3	1	—	17	12	1	1	1	—	—	—	—	
23 Appendicitis and typhlitis	M	7	—	—	—	—	—	3	3	1	—	11	—	1	1	1	3	2	3	—	—
	F	8	—	—	—	2	—	3	3	—	—	15	—	—	—	2	1	5	6	1	—
24 Cirrhosis of liver	M	11	—	—	—	—	—	1	8	2	—	12	—	—	—	—	—	2	8	2	—
	F	5	—	—	—	—	—	1	1	1	2	11	—	—	—	—	—	2	5	3	
25 Acute and chronic nephritis	M	28	—	—	—	—	2	3	7	10	6	54	—	—	—	1	2	6	17	17	1
	F	39	—	—	—	1	—	9	9	12	8	57	1	—	—	—	2	2	25	14	1
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	5	—	—	—	—	2	3	—	—	—	8	—	—	—	—	2	6	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	5	—	—	—	—	1	4	—	—	—	10	—	—	—	—	3	7	—	—	—
28 Congenital debility and malformation, premature birth	M	54	54	—	—	—	—	—	—	—	—	76	74	—	—	1	—	1	—	—	—
	F	35	34	—	—	1	—	—	—	—	—	52	52	—	—	—	—	—	—	—	—
29 Suicide	M	23	—	—	—	—	3	5	9	5	1	25	—	—	—	—	1	6	17	—	
	F	14	—	—	—	—	—	6	7	1	—	13	—	—	—	—	1	7	4	1	—
30 Other deaths from violence	M	38	3	—	3	3	1	5	13	8	2	79	2	2	6	15	11	12	10	14	
	F	21	3	—	—	3	1	2	3	3	6	58	4	1	4	4	4	5	15	9	1
31 Other defined diseases	M	158	10	3	1	2	2	14	44	36	46	295	29	2	6	15	9	27	66	66	7
	F	189	11	1	1	5	9	23	46	31	62	349	28	2	9	7	7	45	52	43	15
32 Causes ill-defined or unknown	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in METROPOLITAN BOROUGHS—1925
(Civilian population only).

Causes of Death.	Sex.	Lewisham. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Paddington. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	896	81	19	18	35	31	97	256	168	191	863	93	15	21	19	31	100	249	181	154
	F	1029	81	13	23	31	35	104	240	206	296	929	76	20	16	21	26	96	214	184	276
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	1	2	—	—
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	1	—	—	—	1	—	—	—	—	—	3	—	1	2	—	—	—	—	—	—
	F	2	—	—	1	1	—	—	—	—	—	7	2	2	3	—	—	—	—	—	—
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
	F	2	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	M	10	4	6	—	—	—	—	—	—	—	4	1	1	2	—	—	—	—	—	—
	F	8	5	—	3	—	—	—	—	—	—	9	5	2	1	1	—	—	—	—	—
6 Diphtheria	M	10	—	—	3	5	2	—	—	—	—	5	1	—	2	2	—	—	—	—	—
	F	7	—	2	3	2	—	—	—	—	—	6	3	—	3	—	—	—	—	—	—
7 Influenza	M	20	—	1	—	3	1	4	5	1	5	19	—	—	—	—	2	2	3	6	6
	F	22	—	—	1	1	—	3	6	3	8	29	2	1	—	2	3	4	3	8	6
8 Encephalitis lethargica	M	3	—	—	—	—	2	—	1	—	—	2	—	—	—	—	—	—	2	—	—
	F	4	—	—	—	—	—	1	2	1	—	2	—	—	—	—	—	2	—	—	—
9 Meningococcal meningitis	M	1	—	—	1	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	3	1	1	1	—	—	—	—	—	—	5	2	1	—	—	1	—	1	—	—
10 Tuberculosis of respiratory system	M	65	—	—	—	2	7	31	21	3	1	60	1	—	—	2	15	22	16	4	—
	F	53	—	—	—	1	15	24	12	1	—	35	—	—	—	2	7	17	6	2	1
11 Other tuberculous diseases	M	18	—	2	1	5	3	3	2	1	1	14	1	3	3	2	1	2	1	—	1
	F	14	2	3	—	4	—	3	2	—	—	11	1	—	—	3	2	2	3	—	—
12 Cancer, malignant disease	M	116	1	—	1	1	—	4	53	42	14	101	—	—	—	1	3	4	47	33	13
	F	163	—	—	—	—	—	15	75	34	39	132	—	—	—	—	—	17	50	35	30
13 Rheumatic fever	M	4	—	—	—	2	—	2	—	—	—	2	—	—	—	1	—	—	1	—	—
	F	3	—	—	—	1	1	—	1	—	—	4	—	—	—	1	—	1	2	—	—
14 Diabetes	M	4	—	—	—	—	—	—	2	2	—	12	—	—	—	—	—	4	3	4	1
	F	11	—	—	—	—	—	1	4	4	2	5	—	—	—	—	—	—	1	2	2
15 Cerebral hæmorrhage, &c.	M	60	—	—	—	—	—	—	17	22	21	26	—	—	—	—	—	2	10	7	7
	F	76	—	—	—	2	—	1	23	29	21	53	—	1	—	—	—	1	16	17	18
16 Heart disease	M	116	—	—	—	3	4	7	42	29	31	114	—	—	—	3	—	9	36	36	30
	F	150	—	—	—	6	7	12	33	43	49	161	1	—	—	1	2	9	45	42	61
17 Arterio-sclerosis	M	44	—	—	—	—	—	—	9	15	20	54	—	—	—	—	—	1	9	21	23
	F	33	—	—	—	—	—	—	3	13	17	58	—	—	—	—	—	1	6	16	35
18 Bronchitis	M	59	3	—	1	—	—	1	11	12	31	55	4	1	1	—	—	3	16	13	17
	F	95	4	—	—	1	—	1	11	18	60	60	2	—	—	1	—	1	10	14	32
19 Pneumonia (all forms)	M	64	6	7	4	1	1	8	24	5	8	81	19	5	2	—	2	11	21	15	6
	F	69	16	4	4	4	1	5	11	9	15	80	13	8	4	3	2	7	11	13	19
20 Other respiratory diseases	M	6	—	—	—	—	—	—	5	1	—	16	—	2	—	—	—	1	5	4	4
	F	17	—	—	1	—	—	4	3	4	5	7	1	—	—	—	—	1	1	—	4
21 Ulcer of stomach or duodenum	M	8	—	—	—	—	—	4	4	—	—	15	—	—	—	—	—	5	9	—	1
	F	5	—	—	—	—	—	—	3	—	2	3	—	—	—	—	—	1	1	—	1
22 Diarrhœa, &c.	M	17	12	—	—	—	1	1	1	2	—	19	15	1	1	—	—	—	1	—	1
	F	10	6	2	1	—	—	—	—	—	1	11	5	1	1	—	—	1	1	2	—
23 Appendicitis and typhlitis	M	3	—	—	—	—	—	1	1	1	—	10	—	—	1	1	1	2	1	2	2
	F	6	—	—	1	—	3	—	—	2	—	5	—	—	—	1	2	—	1	—	1
24 Cirrhosis of liver	M	5	—	—	—	—	—	—	3	2	—	9	—	—	—	—	—	2	4	3	—
	F	4	—	—	—	—	—	—	2	1	1	8	—	—	—	—	—	3	3	2	—
25 Acute and chronic nephritis	M	22	—	1	—	2	—	2	4	9	4	27	—	—	—	1	—	3	10	8	5
	F	22	—	—	—	2	1	5	8	1	5	23	—	—	—	—	1	—	10	5	7
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	4	—	—	—	—	1	3	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	—	4	—	—	—	5	—	—	—	—	—	5	—	—	—
28 Congenital debility and malformation, premature birth	M	43	42	—	1	—	—	—	—	—	—	36	36	—	—	—	—	—	—	—	—
	F	31	31	—	—	—	—	—	—	—	—	23	23	—	—	—	—	—	—	—	—
29 Suicide	M	9	—	—	—	—	1	—	8	—	—	14	—	—	—	—	—	5	9	—	—
	F	7	—	—	—	—	1	2	3	1	—	10	—	—	—	—	1	3	4	2	—
30 Other deaths from violence	M	30	1	1	3	4	5	6	5	4	1	35	3	1	3	2	1	2	16	4	3
	F	20	1	—	1	1	2	—	4	4	7	24	2	1	2	1	2	1	5	6	4
31 Other defined diseases	M	158	12	1	3	6	4	23	38	17	54	125	11	—	3	4	6	19	27	21	34
	F	186	15	1	5	5	4	20	34	38	64	148	13	3	2	5	2	16	34	18	55
32 Causes ill-defined or unknown	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in METROPOLITAN BOROUGHS—1925 (Civilian population only).

Causes of Death.	Sex.	Poplar. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	St. Marylebone. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	1044	168	39	31	35	41	104	279	192	155	586	50	18	13	9	20	76	175	134	91
	F	920	122	49	44	24	49	106	189	140	197	676	46	8	6	14	22	76	177	157	170
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	13	5	5	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	15	3	6	5	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	2	—	—	1	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	M	21	5	9	7	—	—	—	—	—	—	12	5	5	2	—	—	—	—	—	—
	F	40	16	16	7	1	—	—	—	—	—	10	4	4	2	—	—	—	—	—	—
6 Diphtheria	M	1	—	—	1	—	—	—	—	—	—	4	—	1	3	—	—	—	—	—	—
	F	6	—	1	5	—	—	—	—	—	—	3	—	—	1	2	—	—	—	—	—
7 Influenza	M	13	—	—	—	1	1	2	5	3	1	10	—	—	1	—	1	2	2	3	1
	F	7	—	—	—	—	1	2	—	2	2	15	—	—	—	—	—	3	8	1	3
8 Encephalitis lethargica	M	2	—	—	—	—	1	1	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis	M	1	—	—	—	1	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	4	1	1	—	—	1	—	1	—	—	1	1	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	83	2	—	—	2	10	34	32	2	1	50	—	—	—	—	7	21	17	5	—
	F	73	—	—	2	1	21	31	16	2	—	33	—	—	—	2	6	14	8	3	—
11 Other tuberculous diseases	M	20	3	4	3	6	2	2	—	—	—	3	—	1	1	—	—	1	—	—	—
	F	17	3	5	7	2	—	—	—	—	—	9	—	1	2	2	1	1	1	1	—
12 Cancer, malignant disease	M	104	—	—	—	—	1	10	45	37	11	67	—	—	—	—	2	4	27	23	11
	F	89	—	—	—	—	2	8	38	20	21	103	—	—	—	—	—	7	49	32	15
13 Rheumatic fever	M	1	—	—	—	1	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
	F	10	—	—	—	2	4	3	1	—	—	3	—	—	—	1	—	1	1	—	—
14 Diabetes	M	3	—	—	—	—	—	1	1	1	—	2	—	—	—	—	—	—	1	1	—
	F	6	—	—	—	—	—	—	2	2	2	6	—	—	—	—	—	1	3	1	1
15 Cerebral hæmorrhage, &c.	M	28	—	—	—	—	—	—	12	12	4	20	—	—	—	—	—	—	10	9	1
	F	37	—	—	—	—	1	3	9	13	11	50	—	—	—	—	—	1	14	16	19
16 Heart disease	M	127	—	—	—	2	4	11	35	40	35	70	—	—	—	3	1	5	19	27	15
	F	139	—	—	—	4	4	19	37	40	35	98	—	—	—	—	7	6	21	34	30
17 Arterio-sclerosis	M	67	—	—	—	—	—	1	8	26	32	30	—	—	—	—	—	2	5	7	16
	F	56	—	—	—	—	—	—	8	11	37	28	—	—	—	—	—	—	7	10	11
18 Bronchitis	M	82	7	1	1	—	—	3	23	22	25	42	1	—	1	—	—	3	12	14	11
	F	83	8	1	2	1	—	1	18	16	36	44	—	—	—	—	—	—	8	11	25
19 Pneumonia (all forms)	M	152	43	13	10	2	5	9	40	20	10	69	7	6	1	2	—	13	19	13	8
	F	109	29	15	6	2	4	9	19	12	13	61	8	1	—	1	3	5	13	13	17
20 Other respiratory diseases	M	11	—	—	—	1	1	1	8	—	—	11	1	—	—	—	—	—	5	3	2
	F	7	—	—	1	2	1	—	1	1	1	12	1	—	—	—	—	2	4	4	1
21 Ulcer of stomach or duodenum	M	9	—	—	—	—	1	1	6	1	—	15	—	—	—	—	1	3	7	3	1
	F	5	—	—	—	—	—	2	1	2	—	3	—	—	—	—	—	—	1	1	1
22 Diarrhœa, &c.	M	30	25	4	1	—	—	—	—	—	—	18	15	2	—	—	—	—	1	—	—
	F	25	21	2	1	—	—	—	—	—	1	12	8	1	—	1	—	—	—	2	—
23 Appendicitis and typhlitis	M	6	—	—	—	4	1	—	1	—	—	4	—	—	—	—	1	—	3	—	—
	F	4	—	—	—	—	2	—	2	—	—	6	—	—	—	1	—	1	3	1	—
24 Cirrhosis of liver	M	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—	—
	F	2	—	—	—	—	—	—	1	1	—	5	—	—	—	—	—	1	2	2	—
25 Acute and chronic nephritis	M	21	—	—	—	2	1	2	8	6	2	14	—	—	—	—	—	1	6	5	2
	F	17	—	—	—	—	—	4	7	5	1	24	—	—	—	—	1	5	6	7	5
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	7	—	—	—	—	3	4	—	—	—	3	—	—	—	—	—	2	1	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	—	4	—	—	—	4	—	—	—	—	1	3	—	—	—
28 Congenital debility and malformation, premature birth	M	56	56	—	—	—	—	—	—	—	—	11	11	—	—	—	—	—	—	—	—
	F	30	29	—	—	1	—	—	—	—	—	23	21	—	—	—	—	—	1	1	—
29 Suicide	M	9	—	—	—	—	—	3	6	—	—	8	—	—	—	—	—	2	4	1	1
	F	1	—	—	—	—	1	—	—	—	—	5	—	—	—	—	—	1	4	—	—
30 Other deaths from violence	M	53	3	1	3	6	6	11	12	7	4	21	3	—	1	2	4	5	4	—	2
	F	21	2	1	5	3	—	3	—	4	3	14	—	1	—	1	—	2	1	2	7
31 Other defined diseases	M	129	19	2	2	7	7	12	35	15	30	98	6	3	2	1	2	13	31	20	20
	F	105	10	1	3	4	4	12	28	9	34	100	3	—	1	3	3	19	21	15	35
32 Causes ill-defined or unknown	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in METROPOLITAN BOROUGHS—1925 (Civilian population only).

Causes of Death.	Sex.	St. Pancras. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Shoreditch. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	1447	173	40	46	34	52	158	448	299	197	772	116	30	27	27	35	94	216	135	92
	F	1294	107	34	36	26	47	163	339	255	287	644	115	43	30	27	23	72	135	104	95
1 Enteric fever	M	2	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	1	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	3	1	1	1	—	—	—	—	—	—	14	4	8	2	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	20	6	10	3	1	—	—	—	—	—
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	4	—	—	3	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
5 Whooping cough	M	36	15	10	9	2	—	—	—	—	—	13	10	—	3	—	—	—	—	—	—
	F	35	14	8	10	3	—	—	—	—	—	17	6	7	4	—	—	—	—	—	—
6 Diphtheria	M	16	1	3	10	2	—	—	—	—	—	3	—	—	1	2	—	—	—	—	—
	F	16	—	1	10	5	—	—	—	—	—	12	—	—	9	3	—	—	—	—	—
7 Influenza	M	18	—	—	—	—	2	3	5	3	5	12	—	—	—	—	—	1	7	3	1
	F	24	2	—	—	1	—	6	5	6	4	7	—	—	—	—	1	1	2	—	3
8 Encephalitis lethargica	M	8	—	—	—	1	2	1	3	1	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	2	1	—	—	3	—	—	—	1	—	1	1	—	—
9 Meningococcal meningitis	M	3	—	1	1	1	—	—	—	—	—	2	1	1	—	—	—	—	—	—	—
	F	2	—	—	—	1	1	—	—	—	—	1	1	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	114	—	1	—	—	12	46	48	6	1	83	—	—	—	—	16	30	30	7	—
	F	82	—	—	1	2	20	32	23	4	—	45	—	—	—	4	11	17	11	2	—
11 Other tuberculous diseases	M	26	1	1	6	4	2	6	4	2	—	15	2	2	4	1	5	1	—	—	—
	F	16	1	1	2	1	4	3	2	1	1	13	1	4	3	2	1	—	2	—	—
12 Cancer, malignant disease	M	174	—	—	—	—	4	9	76	68	17	67	—	—	—	1	1	2	37	21	5
	F	159	—	1	—	—	—	14	75	45	24	54	1	—	—	—	2	6	30	10	5
13 Rheumatic fever	M	2	—	—	—	1	1	—	—	—	—	3	—	—	—	—	—	1	2	—	—
	F	8	—	—	—	1	1	1	4	1	—	4	—	—	—	2	1	1	—	—	—
14 Diabetes	M	9	—	—	—	—	—	2	2	3	2	4	—	—	—	—	—	1	3	—	—
	F	9	—	—	—	—	—	2	2	5	—	3	—	—	—	—	—	—	1	2	—
15 Cerebral hæmorrhage, &c.	M	58	—	—	—	—	—	4	24	21	9	17	—	—	—	—	—	—	5	9	3
	F	71	—	—	—	1	—	2	22	22	24	28	—	—	—	—	—	1	6	12	9
16 Heart disease	M	173	—	1	—	1	6	10	66	51	38	68	—	—	—	2	4	9	24	20	9
	F	177	—	—	—	6	6	21	50	45	49	66	—	—	—	3	2	10	19	20	12
17 Arterio-sclerosis	M	48	—	—	—	—	—	2	13	18	15	45	—	—	—	—	—	1	10	11	23
	F	52	—	—	—	—	—	1	12	9	30	44	—	—	—	—	—	1	8	12	23
18 Bronchitis	M	129	8	2	1	—	1	4	36	41	36	91	11	1	—	1	—	4	37	17	20
	F	137	5	1	—	—	1	2	25	43	60	57	9	3	—	—	—	3	8	18	16
19 Pneumonia (all forms)	M	125	30	10	9	3	1	13	34	15	10	78	15	12	5	3	2	15	13	7	6
	F	102	16	17	6	1	2	11	28	9	12	69	22	12	6	4	—	7	9	8	1
20 Other respiratory diseases	M	30	2	2	—	—	—	5	15	4	2	9	—	—	2	—	—	2	3	1	1
	F	23	—	—	1	1	1	4	7	3	6	4	—	—	1	—	—	—	2	1	—
21 Ulcer of stomach or duodenum	M	10	—	—	—	—	—	5	5	—	—	6	—	—	—	—	—	1	4	1	—
	F	7	—	—	1	—	—	—	3	2	1	—	—	—	—	—	—	—	—	—	—
22 Diarrhœa, &c.	M	33	28	2	1	—	—	—	2	—	—	19	16	3	—	—	—	—	—	—	—
	F	25	19	1	—	—	—	3	—	1	1	24	18	4	1	—	—	1	—	—	—
23 Appendicitis and typhlitis	M	9	—	—	1	—	—	3	4	1	—	7	—	—	1	4	1	—	—	1	—
	F	4	—	—	—	—	2	1	1	—	—	5	—	—	1	—	—	1	3	—	—
24 Cirrhosis of liver	M	12	—	—	—	—	—	2	8	1	1	2	—	—	—	—	—	1	—	—	1
	F	8	—	—	—	—	—	4	3	1	—	1	—	—	—	—	—	—	—	—	1
25 Acute and chronic nephritis	M	39	1	—	1	—	1	10	15	5	6	43	—	—	—	—	—	5	9	16	13
	F	30	—	1	—	—	1	4	12	8	4	30	—	—	—	—	—	2	14	7	7
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	6	—	—	—	—	3	2	1	—	—	3	—	—	—	—	—	3	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	—	4	—	—	—	3	—	—	—	—	—	3	—	—	—
28 Congenital debility and malformation, premature birth	M	60	60	—	—	—	—	—	—	—	—	41	39	—	1	—	—	—	1	—	—
	F	36	36	—	—	—	—	—	—	—	—	36	36	—	—	—	—	—	—	—	—
29 Suicide	M	19	—	—	—	—	1	9	7	2	—	11	—	—	—	—	—	3	6	2	—
	F	3	—	—	—	—	—	—	3	—	—	5	—	—	—	—	—	2	2	1	—
30 Other deaths from violence	M	63	4	3	2	11	6	6	20	7	4	29	1	—	2	7	2	5	7	4	1
	F	39	3	2	2	—	3	7	5	9	8	14	6	—	—	—	1	1	1	4	1
31 Other defined diseases	M	228	22	3	4	8	12	17	61	50	51	85	17	2	3	5	4	12	18	15	9
	F	215	11	1	3	3	2	36	55	41	63	74	9	2	2	7	3	11	16	7	17
32 Causes ill-defined or unknown	M	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in METROPOLITAN BOROUGHS—1925 (Civilian population only).

Causes of Death.	Sex.	Southwark. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Stepney. All Ages	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	1379	181	49	43	38	46	152	443	256	171	1703	216	68	52	59	77	206	523	320	182
	F	1114	132	43	42	42	53	121	260	200	221	1420	188	65	33	41	84	163	374	246	226
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	12	2	6	4	—	—	—	—	—	—	16	1	8	7	—	—	—	—	—	—
	F	15	—	6	8	1	—	—	—	—	—	12	2	4	5	1	—	—	—	—	—
4 Scarlet fever	M	3	—	1	—	1	1	—	—	—	—	4	—	1	1	2	—	—	—	—	—
	F	5	1	—	2	1	1	—	—	—	—	2	—	1	—	1	—	—	—	—	—
5 Whooping cough	M	28	14	9	5	—	—	—	—	—	—	22	10	9	3	—	—	—	—	—	—
	F	24	11	10	3	—	—	—	—	—	—	46	19	18	7	2	—	—	—	—	—
6 Diphtheria	M	17	—	2	8	5	1	—	1	—	—	15	—	4	7	4	—	—	—	—	—
	F	14	2	1	7	4	—	—	—	—	—	9	—	2	3	4	—	—	—	—	—
7 Influenza	M	11	1	2	—	—	2	—	3	2	1	19	—	—	—	1	1	1	8	5	3
	F	14	—	—	—	—	1	3	5	2	3	21	—	—	—	—	—	3	9	7	2
8 Encephalitis lethargica	M	1	—	—	—	—	—	1	—	—	—	6	—	—	—	—	4	1	1	—	—
	F	5	—	—	—	1	1	1	1	1	—	7	—	1	—	2	2	1	1	—	—
9 Meningococcal meningitis	M	1	1	—	—	—	—	—	—	—	—	2	1	1	—	—	—	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	131	—	—	—	—	11	48	70	1	1	209	1	—	2	4	34	77	74	15	2
	F	73	—	—	—	4	30	25	13	1	—	112	1	3	3	3	36	38	21	6	1
11 Other tuberculous diseases	M	21	2	4	2	7	2	4	—	—	—	24	1	4	5	5	3	5	1	—	—
	F	14	3	2	3	2	—	3	1	—	—	20	5	2	2	2	5	3	1	—	—
12 Cancer, malignant disease	M	129	—	—	1	—	—	4	64	46	14	179	1	—	1	—	4	16	83	56	18
	F	136	—	—	1	—	—	17	59	43	16	137	—	—	—	—	—	18	64	37	18
13 Rheumatic fever	M	4	—	—	—	2	—	1	1	—	—	8	—	—	1	2	2	1	2	—	—
	F	5	—	—	—	3	1	—	—	1	—	5	—	—	—	4	1	—	—	—	—
14 Diabetes	M	8	—	—	—	—	—	—	4	4	—	11	—	—	—	—	—	2	6	2	1
	F	8	—	—	—	—	2	—	4	2	—	24	—	—	—	—	1	1	14	8	—
15 Cerebral hæmorrhage, &c.	M	45	1	—	—	—	—	1	21	10	12	57	—	—	—	—	—	1	17	26	13
	F	45	—	—	—	—	—	1	21	11	12	65	—	—	—	—	—	2	19	21	23
16 Heart disease	M	196	—	1	—	4	6	14	61	69	41	225	—	—	1	3	9	16	79	66	51
	F	195	—	—	—	5	4	12	48	55	71	235	—	—	—	2	13	30	77	53	60
17 Arterio-sclerosis	M	48	—	—	—	—	—	1	7	22	18	60	—	—	—	—	—	1	12	29	18
	F	35	—	—	—	—	—	—	5	12	18	48	—	—	—	—	—	—	14	16	18
18 Bronchitis	M	106	10	2	2	—	1	4	37	22	28	119	4	2	—	—	1	6	55	31	20
	F	103	4	—	—	—	2	2	23	21	51	96	2	3	2	1	1	2	29	29	27
19 Pneumonia (all forms)	M	140	30	11	13	4	4	16	42	14	6	195	38	22	11	3	4	25	54	26	12
	F	114	26	19	7	3	4	12	20	15	8	145	31	17	3	5	2	11	36	20	20
20 Other respiratory diseases	M	13	—	—	2	1	—	2	5	2	1	26	—	2	—	1	—	3	11	6	3
	F	12	1	—	2	—	—	4	1	1	3	15	—	1	—	1	—	3	5	3	2
21 Ulcer of stomach or duodenum	M	25	1	—	—	—	—	7	14	2	1	15	—	—	—	—	—	3	9	2	1
	F	1	—	—	—	—	—	1	—	—	—	9	—	—	—	—	—	2	5	2	—
22 Diarrhœa, &c.	M	38	28	5	—	—	—	1	1	1	2	74	57	10	3	—	—	—	1	2	1
	F	23	17	—	1	1	—	—	3	—	1	51	42	6	1	1	—	—	—	1	—
23 Appendicitis and typhlitis	M	2	—	—	—	1	—	—	1	—	—	14	—	—	—	5	3	2	3	1	—
	F	6	—	—	—	3	—	1	—	—	2	9	—	—	—	4	1	2	1	1	—
24 Cirrhosis of liver	M	8	—	—	—	—	—	—	8	—	—	11	—	—	—	—	—	1	6	1	3
	F	5	—	—	—	—	—	2	2	1	—	6	—	—	—	—	—	—	3	3	—
25 Acute and chronic nephritis	M	46	—	—	—	—	1	4	26	7	8	33	—	—	—	1	—	4	17	8	3
	F	43	—	—	2	2	1	5	20	5	8	35	—	—	—	2	1	7	18	5	2
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	8	—	—	—	—	2	5	1	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	1	3	—	—	—	9	—	—	—	—	2	7	—	—	—
28 Congenital debility and malformation, premature birth	M	64	63	—	—	—	—	1	—	—	—	67	66	—	—	1	—	—	—	—	—
	F	47	46	—	1	—	—	—	—	—	—	58	57	1	—	—	—	—	—	—	—
29 Suicide	M	11	—	—	—	—	1	5	4	—	1	12	—	—	—	—	1	4	5	1	1
	F	6	—	—	—	—	—	2	4	—	—	8	—	—	—	—	3	—	5	—	—
30 Other deaths from violence	M	63	2	3	3	5	7	10	17	11	5	61	3	—	4	18	4	13	13	6	—
	F	34	3	2	2	5	—	3	5	6	8	38	4	1	3	—	1	5	6	7	11
31 Other defined diseases	M	208	26	3	3	8	9	28	56	43	32	215	31	5	6	9	7	23	66	36	32
	F	125	17	2	3	7	5	23	25	23	20	189	25	4	4	6	13	23	45	27	42
32 Causes ill-defined or unknown	M	—	—	—	—	—	—	—	—	—	—	4	2	—	—	—	—	1	—	1	—
	F	1	—	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in METROPOLITAN BOROUGHS—1925
(Civilian population only).

Causes of Death.	Sex.	Stoke Newington. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Wandsworth. All Ages	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	296	28	4	5	4	15	39	72	74	55	1660	153	33	32	58	61	181	458	355	329
	F	335	27	4	5	4	12	34	73	61	115	1932	111	19	28	50	84	206	443	387	604
1 Enteric fever ..	M	1	—	—	—	—	—	1	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	1	3	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	5	—	—	1	3	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	4	—	—	—	4	—	—	—	—	—
5 Whooping cough ..	M	1	1	—	—	—	—	—	—	—	—	21	5	10	4	1	—	1	—	—	—
	F	5	2	3	—	—	—	—	—	—	—	17	7	6	4	—	—	—	—	—	—
6 Diphtheria ..	M	2	1	—	1	—	—	—	—	—	—	13	—	—	8	5	—	—	—	—	—
	F	2	—	—	—	2	—	—	—	—	—	15	—	—	2	12	1	—	—	—	—
7 Influenza	M	7	—	—	—	—	1	2	2	2	—	47	—	1	2	1	1	5	15	14	8
	F	8	—	—	—	—	—	—	4	1	3	69	1	—	2	2	3	12	15	14	20
8 Encephalitis lethargica ..	M	—	—	—	—	—	—	—	—	—	—	6	—	—	—	1	—	—	5	—	—
	F	1	—	—	—	—	—	—	1	—	—	6	—	—	—	1	—	2	1	2	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	3	—	—	—	2	1	—	—	—	—
10 Tuberculosis of respiratory system	M	31	—	—	—	1	2	18	9	1	—	130	—	—	—	2	25	54	45	3	1
	F	18	—	—	—	—	5	10	2	—	1	125	—	—	—	3	39	60	19	3	1
11 Other tuberculous diseases	M	5	—	—	1	—	2	2	—	—	—	29	3	3	3	8	3	2	6	1	—
	F	3	1	—	1	—	1	—	—	—	—	31	2	1	3	5	7	5	3	4	1
12 Cancer, malignant disease	M	31	—	—	—	—	1	3	12	13	2	189	1	—	—	1	1	12	83	56	35
	F	42	—	—	—	—	—	5	20	11	6	276	—	—	—	—	1	26	131	68	50
13 Rheumatic fever ..	M	2	—	—	—	1	—	1	—	—	—	6	—	—	—	2	2	1	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	7	—	—	—	1	4	—	2	—	—
14 Diabetes	M	2	—	—	—	—	—	1	—	—	1	12	—	—	—	—	—	—	4	7	1
	F	1	—	—	—	—	—	—	1	—	—	18	—	—	—	—	—	3	4	7	4
15 Cerebral hæmorrhage, &c. ..	M	10	—	—	—	—	—	—	2	4	4	81	—	—	—	—	1	3	18	33	26
	F	22	—	—	—	—	1	—	2	9	10	134	—	—	—	—	1	—	30	45	58
16 Heart disease ..	M	44	—	—	—	1	1	—	12	14	16	254	—	—	—	4	2	16	68	68	96
	F	57	—	—	—	—	2	5	17	8	25	334	—	—	2	4	8	18	57	91	154
17 Arterio-sclerosis ..	M	21	—	—	—	—	—	—	3	12	6	64	—	—	—	—	—	1	19	25	19
	F	20	—	—	—	—	—	—	4	5	11	66	—	—	—	—	—	—	10	13	43
18 Bronchitis ..	M	20	1	—	—	—	—	—	3	8	8	102	4	1	1	—	—	4	27	28	37
	F	22	—	—	—	—	—	—	1	4	17	142	6	—	—	—	—	1	18	37	80
19 Pneumonia (all forms)	M	22	5	3	—	—	1	2	7	3	1	108	18	7	5	6	1	15	33	15	8
	F	26	5	1	3	1	—	3	4	6	3	82	16	7	6	4	4	8	16	5	16
20 Other respiratory diseases	M	2	—	—	—	—	—	—	—	1	1	27	1	—	—	—	—	2	11	9	4
	F	10	—	—	—	—	—	2	—	2	6	26	—	—	—	—	1	4	5	8	8
21 Ulcer of stomach or duodenum ..	M	5	—	—	—	—	—	1	3	—	1	18	1	—	—	—	—	6	7	3	1
	F	1	—	—	—	—	—	—	1	—	—	13	—	—	—	—	—	1	9	3	—
22 Diarrhœa, &c. ..	M	4	3	—	—	—	—	—	1	—	—	20	13	3	—	—	—	2	—	1	1
	F	5	4	—	—	—	—	1	—	—	—	21	10	1	—	—	—	1	2	1	6
23 Appendicitis and typhlitis.. ..	M	—	—	—	—	—	—	—	—	—	—	17	—	1	2	1	3	2	3	4	1
	F	1	—	—	1	—	—	—	—	—	—	13	—	—	—	4	1	1	5	2	—
24 Cirrhosis of liver ..	M	3	—	—	—	—	—	1	2	—	—	6	—	—	1	—	—	—	4	1	—
	F	1	—	—	—	—	—	—	1	—	—	9	—	—	—	—	—	1	6	1	1
25 Acute and chronic nephritis ..	M	10	—	—	—	—	—	1	3	3	3	50	—	—	—	5	2	2	17	16	8
	F	6	—	—	—	—	—	—	3	2	1	57	—	—	—	—	—	8	18	15	16
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	—	9	—	—	—	—	3	6	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	10	—	—	—	—	—	10	—	—	—
28 Congenital debility and malformation, premature birth.. ..	M	14	14	—	—	—	—	—	—	—	—	85	83	1	—	—	—	1	—	—	—
	F	11	11	—	—	—	—	—	—	—	—	52	50	—	1	—	1	—	—	—	—
29 Suicide	M	6	—	—	—	—	1	2	3	—	—	23	—	—	—	1	1	8	9	2	2
	F	7	—	—	—	—	1	1	3	2	—	15	—	—	—	—	1	4	8	2	—
30 Other deaths from violence.. ..	M	13	1	—	—	—	5	3	1	3	—	59	1	3	2	5	7	15	9	9	8
	F	6	—	—	—	—	2	—	—	2	2	41	4	1	2	3	2	4	10	6	9
31 Other defined diseases	M	40	2	1	3	1	1	1	9	10	12	284	23	3	2	11	10	29	73	60	73
	F	56	3	—	—	1	—	4	9	9	30	332	15	2	6	5	6	30	71	60	137
32 Causes ill-defined or unknown ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
	F	1	1	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in METROPOLITAN BOROUGHS—1925
(Civilian population only).

Causes of Death.	Sex.	Westminster. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Woolwich. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	923	58	14	13	8	23	105	305	244	153	769	77	18	19	21	44	104	206	175	105
	F	808	48	14	9	16	38	98	194	195	196	750	64	14	15	25	36	97	189	137	173
1 Enteric fever	M	3	—	—	—	—	—	3	—	—	—	2	—	—	—	—	—	1	1	—	—
	F	1	—	—	—	—	—	—	—	1	—	2	—	—	—	—	—	—	2	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	1	—	1	—	—	—	—	—	—	—	5	2	1	1	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	4	1	2	1	—	—	—	—	—	—
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	3	—	—	1	2	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
5 Whooping cough	M	9	4	—	5	—	—	—	—	—	—	8	4	2	2	—	—	—	—	—	—
	F	6	2	3	1	—	—	—	—	—	—	9	3	2	3	1	—	—	—	—	—
6 Diphtheria	M	9	1	2	4	2	—	—	—	—	—	9	1	1	3	4	—	—	—	—	—
	F	8	—	1	2	4	1	—	—	—	—	4	—	1	—	3	—	—	—	—	—
7 Influenza	M	16	1	—	—	—	—	3	9	2	1	17	—	—	—	—	—	2	10	5	—
	F	25	1	1	—	1	1	3	5	4	9	13	1	—	—	1	2	2	2	4	1
8 Encephalitis lethargica	M	2	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	1	—	—	1	—	—	3	—	—	—	1	1	1	—	—	—
9 Meningococcal meningitis	M	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	1	—	—	—	—	—	1	—	—	2	2	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	79	—	—	1	1	7	27	35	7	1	91	—	—	—	—	20	43	26	2	—
	F	40	—	—	—	2	10	18	10	—	—	69	1	—	—	2	18	36	10	1	1
11 Other tuberculous diseases	M	5	3	—	—	—	—	2	—	—	—	14	5	1	1	1	5	—	—	1	—
	F	7	—	1	2	—	2	—	1	—	1	13	3	2	1	4	—	2	1	—	—
12 Cancer, malignant disease	M	121	—	—	—	—	1	4	54	43	19	83	—	—	—	1	—	4	47	23	8
	F	125	—	—	—	2	1	16	60	30	16	110	—	—	—	—	—	6	66	26	12
13 Rheumatic fever	M	1	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	3	—	—	—	2	—	—	1	—	—
14 Diabetes	M	4	—	—	—	—	—	1	1	1	1	3	—	—	—	—	—	—	2	1	—
	F	6	—	—	—	1	—	2	2	—	1	2	—	—	—	—	—	—	1	1	—
15 Cerebral hæmorrhage, &c.	M	28	—	—	—	—	—	—	10	10	8	33	—	—	—	—	—	1	8	12	12
	F	39	—	—	—	—	—	—	9	22	8	45	—	—	—	—	—	3	7	15	20
16 Heart disease	M	209	—	—	1	—	4	13	53	78	60	96	—	1	—	2	1	8	36	35	13
	F	155	—	—	—	—	4	10	31	47	63	101	—	—	—	4	3	6	29	35	24
17 Arterio-sclerosis	M	38	—	—	—	—	—	1	13	16	8	47	—	—	—	—	—	1	3	30	13
	F	23	—	—	—	—	—	—	2	9	12	12	—	—	—	—	—	—	4	—	8
18 Bronchitis	M	52	1	—	—	—	—	6	13	19	13	51	6	1	1	—	1	3	11	14	14
	F	54	4	1	—	—	—	1	5	19	24	59	4	—	1	—	—	1	6	15	32
19 Pneumonia (all forms)	M	72	8	7	—	—	2	8	26	12	9	55	9	4	4	1	3	7	8	13	6
	F	64	10	4	2	1	1	6	11	16	13	42	9	5	2	1	—	4	10	9	2
20 Other respiratory diseases	M	9	—	—	—	—	—	—	3	4	2	7	—	1	—	—	—	2	3	1	—
	F	9	—	—	—	—	—	1	3	—	5	9	—	—	—	1	—	2	2	4	—
21 Ulcer of stomach or duodenum	M	12	—	—	—	—	—	4	5	2	1	10	—	—	—	—	—	4	6	—	—
	F	9	—	—	—	—	—	3	4	1	1	9	—	—	—	—	—	6	2	1	—
22 Diarrhœa, &c.	M	13	10	1	1	—	—	—	1	—	—	3	3	—	—	—	—	—	—	—	—
	F	5	2	—	—	—	—	1	—	1	1	6	3	1	1	—	—	—	—	—	1
23 Appendicitis and typhlitis	M	3	—	—	—	—	—	1	1	1	—	9	—	—	1	1	3	3	1	—	—
	F	7	—	1	—	—	2	1	2	1	—	3	—	—	—	1	—	—	2	—	—
24 Cirrhosis of liver	M	11	—	—	1	—	—	2	6	2	—	4	—	—	—	—	—	1	2	1	—
	F	4	—	—	—	—	—	1	1	2	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis	M	30	—	—	—	—	—	4	12	8	6	20	—	—	—	2	1	2	4	7	4
	F	36	—	—	—	—	2	3	12	15	4	24	1	—	—	—	1	3	12	6	1
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	3	—	—	—	3	—	—	—	—	1	2	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	5	—	—	—	—	2	3	—	—	—	6	—	—	—	—	1	5	—	—	—
28 Congenital debility and malformation, premature birth	M	16	16	—	—	—	—	—	—	—	—	33	32	—	—	—	1	—	—	—	—
	F	19	19	—	—	—	—	—	—	—	—	26	26	—	—	—	—	—	—	—	—
29 Suicide	M	15	—	—	—	—	1	7	7	—	—	10	—	—	—	—	1	2	5	2	—
	F	8	—	—	—	—	—	6	2	—	—	4	—	—	—	—	1	1	2	—	—
30 Other deaths from violence	M	36	3	—	—	1	4	6	11	5	6	24	1	3	1	2	2	8	4	1	2
	F	31	2	1	—	1	3	2	8	5	9	10	1	1	—	1	1	1	1	1	3
31 Other defined diseases	M	126	10	3	—	2	4	13	44	32	18	131	14	3	4	4	6	11	29	27	33
	F	114	7	1	2	2	9	18	24	22	29	156	9	—	5	3	7	16	29	19	68
32 Causes ill-defined or unknown	M	2	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1925
(Civilian population only).

Causes of Death.	Sex.	Barnsley. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Barrow-in-Furness. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	536	103	31	29	24	30	62	141	72	44	406	51	12	10	15	15	44	119	80	60
	F	448	78	20	16	20	24	50	100	81	59	368	28	10	23	17	13	52	85	66	74
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	1	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	11	1	3	5	2	—	—	—	—	—	9	4	4	—	1	—	—	—	—	—
	F	5	2	1	1	1	—	—	—	—	—	12	5	1	5	1	—	—	—	—	—
4 Scarlet fever ..	M	4	1	—	1	2	—	—	—	—	—	3	—	1	1	1	—	—	—	—	—
	F	2	—	—	1	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
5 Whooping cough ..	M	4	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	9	6	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6 Diphtheria ..	M	2	—	—	1	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	3	—	—	3	—	—	—	—	—	—
7 Influenza	M	22	2	1	3	1	1	2	6	3	3	7	—	—	—	—	1	1	4	—	1
	F	22	—	1	—	1	2	3	8	3	4	7	—	—	2	1	—	1	1	1	1
8 Encephalitis lethargica ..	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	2	—	—
9 Meningococcal meningitis ..	M	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	35	—	—	1	1	5	17	10	1	—	24	1	—	—	1	3	14	5	—	—
	F	19	—	—	—	1	7	5	5	1	—	19	—	—	—	—	6	10	3	—	—
11 Other tuberculous diseases	M	12	1	2	1	1	1	3	3	—	—	9	—	1	4	1	1	1	1	—	—
	F	7	—	—	—	3	3	1	—	—	—	8	—	1	3	2	1	1	—	—	—
12 Cancer, malignant disease	M	32	—	—	—	—	—	—	22	6	4	39	—	—	—	—	1	2	22	11	3
	F	44	—	—	—	—	—	6	22	14	2	43	—	—	1	—	1	8	18	11	4
13 Rheumatic fever ..	M	2	—	—	—	—	1	—	1	—	—	2	—	—	—	2	—	—	—	—	—
	F	3	—	—	—	2	—	—	—	1	—	3	—	—	—	2	—	—	1	—	—
14 Diabetes	M	2	—	—	—	—	1	—	1	—	—	4	—	—	—	—	—	1	3	—	—
	F	2	—	—	—	—	—	1	—	1	—	5	—	—	—	—	—	3	1	1	—
15 Cerebral hæmorrhage, &c. ..	M	29	—	—	—	—	—	2	13	12	2	18	—	—	—	—	—	—	7	5	6
	F	27	—	—	—	—	—	1	3	16	7	25	—	—	—	—	—	—	11	7	7
16 Heart disease ..	M	37	—	—	—	1	2	3	18	11	2	57	—	—	—	1	2	3	18	22	11
	F	67	—	—	—	2	2	8	32	15	8	65	—	—	—	2	1	8	22	20	12
17 Arterio-sclerosis ..	M	20	—	—	—	—	—	2	5	7	6	25	—	—	—	—	—	—	6	12	7
	F	14	—	—	—	—	—	—	3	5	6	6	—	—	—	—	—	—	1	1	4
18 Bronchitis ..	M	60	16	5	1	1	—	3	12	13	9	43	6	3	—	—	—	2	11	10	11
	F	45	12	4	2	—	1	—	4	9	13	32	4	1	—	—	—	—	4	8	15
19 Pneumonia (all forms)	M	57	17	11	7	2	4	6	8	2	—	29	5	2	1	1	2	2	12	3	1
	F	39	9	7	7	2	—	6	5	1	2	22	3	1	4	2	—	2	4	4	2
20 Other respiratory diseases	M	6	1	—	2	—	1	—	1	1	—	4	—	—	—	—	—	3	—	1	—
	F	4	2	—	—	1	—	—	1	—	—	1	—	—	—	—	—	1	—	—	—
21 Ulcer of stomach or duodenum ..	M	4	—	—	—	—	—	3	1	—	—	4	—	—	—	—	—	3	1	—	—
	F	1	—	—	—	—	—	—	1	—	—	3	—	—	—	—	—	1	1	—	1
22 Diarrhœa, &c. ..	M	20	14	4	—	1	—	1	—	—	—	7	3	—	—	3	—	—	—	—	1
	F	17	12	3	1	—	—	—	—	1	—	6	4	1	1	—	—	—	—	—	—
23 Appendicitis and typhlitis.. ..	M	3	—	—	—	2	—	1	—	—	—	5	—	—	—	1	—	3	1	—	—
	F	2	—	—	—	1	—	—	1	—	—	7	—	—	1	4	1	—	1	—	—
24 Cirrhosis of liver ..	M	2	—	—	—	—	—	—	2	—	—	1	—	—	—	—	—	—	—	1	—
	F	2	—	—	—	—	—	—	2	—	—	1	—	—	—	—	—	—	—	1	—
25 Acute and chronic nephritis ..	M	18	—	—	1	1	—	—	7	6	3	3	—	—	—	—	—	—	3	—	—
	F	10	—	—	—	1	—	3	2	4	—	8	—	—	—	—	—	4	2	—	2
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	2	2	—	—	—	1	—	—	—	—	1	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	6	—	—	—	—	3	2	1	—	—	4	—	—	—	—	—	4	—	—	—
28 Congenital debility and malformation, premature birth.. ..	M	33	33	—	—	—	—	—	—	—	—	29	28	—	—	—	1	—	—	—	—
	F	23	23	—	—	—	—	—	—	—	—	12	11	—	—	1	—	—	—	—	—
29 Suicide	M	8	—	—	—	—	1	3	3	1	—	3	—	—	—	—	1	1	1	—	—
	F	4	—	—	—	—	—	2	2	—	—	1	—	—	—	—	—	1	—	—	—
30 Other deaths from violence.. ..	M	37	2	—	2	2	7	9	9	5	1	10	—	—	1	—	1	3	3	2	—
	F	8	—	—	1	1	1	2	2	1	—	6	—	—	—	1	—	1	1	—	3
31 Other defined diseases	M	73	13	3	2	6	6	7	18	4	14	66	4	1	2	2	2	4	21	12	18
	F	60	12	2	2	2	3	7	6	9	17	61	1	5	1	1	1	7	12	11	22
32 Causes ill-defined or unknown ..	M	1	—	—	1	—	—	—	—	—	—	4	—	—	1	—	—	1	—	1	1
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	1	1

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1925
(Civilian population only).

Causes of Death.	Sex.	Bath. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Birkenhead. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	416	32	5	6	18	14	37	112	94	98	987	160	44	36	33	39	107	284	157	127
	F	554	19	4	8	8	8	43	109	135	220	914	131	45	44	34	44	96	192	157	171
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	5	1	2	1	1	—	—	—	—	—	14	5	6	3	—	—	—	—	—	—
	F	3	—	1	1	1	—	—	—	—	—	17	1	8	6	2	—	—	—	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	3	—	—	1	2	—	—	—	—	—
	F	2	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ..	M	1	1	—	—	—	—	—	—	—	—	10	4	4	1	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	13	3	3	7	—	—	—	—	—	—
6 Diphtheria ..	M	1	—	—	1	—	—	—	—	—	—	8	—	3	2	3	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	10	—	1	6	3	—	—	—	—	—
7 Influenza	M	14	—	—	—	1	—	5	4	4	—	20	1	—	1	—	—	—	11	6	1
	F	28	—	—	—	—	1	1	5	9	12	14	—	—	1	—	—	—	4	2	7
8 Encephalitis lethargica ..	M	2	—	—	1	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—	—
	F	2	—	—	—	—	—	2	—	—	—	2	—	—	—	—	1	—	1	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	2	—	—	—	1	—	1	—	—	—
10 Tuberculosis of respiratory system	M	30	—	1	—	—	7	12	8	2	—	62	—	1	2	2	13	23	19	1	1
	F	19	—	—	—	—	3	6	8	1	1	62	1	2	1	3	23	20	10	1	1
11 Other tuberculous diseases	M	11	—	—	2	3	1	4	1	—	—	16	3	2	3	4	1	2	1	—	—
	F	4	—	1	—	2	—	1	—	—	—	18	4	3	5	2	1	2	1	—	—
12 Cancer, malignant disease	M	45	—	—	—	2	—	2	15	18	8	94	—	—	—	—	1	6	52	27	8
	F	81	—	—	—	—	—	5	31	21	24	112	—	—	—	1	3	7	59	27	15
13 Rheumatic fever ..	M	2	—	—	—	1	1	—	—	—	—	2	—	—	—	1	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	5	—	—	—	2	—	2	1	—	—
14 Diabetes	M	1	—	—	—	—	—	—	—	1	—	10	—	—	—	—	—	—	6	2	2
	F	8	—	—	—	—	—	1	1	4	2	8	—	—	—	—	—	2	4	2	—
15 Cerebral hæmorrhage, &c. ..	M	27	—	—	—	—	—	1	8	8	10	40	—	—	—	—	—	—	21	12	7
	F	48	—	—	—	—	—	1	10	13	24	54	—	—	—	—	1	1	15	21	16
16 Heart disease ..	M	75	—	—	—	—	—	4	20	23	28	94	—	—	—	3	6	10	42	20	13
	F	110	—	—	—	1	—	4	23	31	51	90	—	—	—	4	3	13	25	29	16
17 Arterio-sclerosis ..	M	27	—	—	—	—	—	—	4	15	8	62	—	—	—	—	—	1	5	25	31
	F	12	—	—	—	—	—	—	3	2	7	54	—	—	—	—	—	1	6	19	28
18 Bronchitis ..	M	22	1	—	—	—	—	—	3	7	11	76	11	3	—	1	—	6	18	15	22
	F	34	1	—	—	—	—	—	1	11	21	67	5	4	1	1	—	5	14	16	21
19 Pneumonia (all forms)	M	22	5	1	—	—	—	2	8	1	5	105	28	13	13	4	5	9	20	7	6
	F	21	1	—	1	—	—	1	3	9	6	104	32	14	12	1	5	8	10	9	13
20 Other respiratory diseases	M	2	—	—	—	—	—	1	1	—	—	11	—	1	—	1	—	—	5	1	3
	F	7	—	—	1	—	—	1	2	—	3	10	1	1	—	—	—	—	5	2	1
21 Ulcer of stomach or duodenum ..	M	3	—	—	—	—	—	1	2	—	—	9	1	—	—	—	—	2	6	—	—
	F	3	—	—	—	—	—	—	—	3	—	4	—	—	—	—	—	1	1	2	—
22 Diarrhœa, &c. ..	M	2	—	1	1	—	—	—	—	—	—	37	28	4	—	—	—	1	3	1	—
	F	3	—	—	—	—	—	—	—	3	—	29	20	2	2	1	1	1	2	—	—
23 Appendicitis and typhlitis.. ..	M	4	—	—	—	1	1	—	—	1	1	6	—	—	2	—	—	3	—	1	—
	F	1	—	—	—	1	—	—	—	—	—	3	—	—	—	1	—	1	—	—	1
24 Cirrhosis of liver ..	M	2	—	—	—	—	—	—	1	1	—	7	—	—	—	—	—	—	5	2	—
	F	2	—	—	—	—	—	—	—	2	—	1	—	—	—	—	—	—	1	—	—
25 Acute and chronic nephritis ..	M	14	—	—	—	—	—	—	10	2	2	37	—	—	—	—	2	7	18	9	1
	F	17	—	—	—	1	1	—	4	6	5	18	1	2	—	—	—	2	3	4	6
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	1	1	—	—	—	5	—	—	—	—	2	3	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	1	3	—	—	—	8	—	—	—	—	—	8	—	—	—
28 Congenital debility and malformation, premature birth.. ..	M	21	21	—	—	—	—	—	—	—	—	45	44	—	—	1	—	—	—	—	—
	F	11	11	—	—	—	—	—	—	—	—	44	44	—	—	—	—	—	—	—	—
29 Suicide	M	7	—	—	—	—	—	2	3	1	1	11	—	—	—	—	1	7	2	—	1
	F	7	—	—	—	—	—	3	3	1	—	5	—	—	—	—	—	2	3	—	—
30 Other deaths from violence.. ..	M	18	—	—	—	7	1	—	3	2	5	50	2	1	5	5	7	12	13	4	1
	F	11	1	—	—	—	—	2	—	3	5	16	1	2	1	3	1	1	3	3	1
31 Other defined diseases	M	58	3	—	—	2	3	3	20	8	19	154	33	6	2	4	3	16	36	24	30
	F	112	5	2	2	2	1	10	15	16	59	139	18	3	2	9	3	15	24	20	45
32 Causes ill-defined or unknown ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1925
(Civilian population only).

Causes of Death.	Sex.	Birmingham. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Blackburn. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	5911	827	228	174	170	228	710	1752	1072	750	846	107	22	24	25	33	107	260	177	91
	F	5216	561	199	156	169	221	615	1190	949	1156	925	78	32	26	28	39	105	228	230	159
1 Enteric fever	M	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	1	—	—
	F	3	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	51	13	25	8	5	—	—	—	—	—	15	5	6	2	2	—	—	—	—	—
	F	57	11	30	12	4	—	—	—	—	—	15	3	7	4	1	—	—	—	—	—
4 Scarlet fever	M	10	—	—	5	4	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	12	—	2	5	3	2	—	—	—	—	3	—	1	1	1	—	—	—	—	—
5 Whooping cough	M	112	52	37	22	1	—	—	—	—	—	7	1	3	3	—	—	—	—	—	—
	F	110	43	45	19	3	—	—	—	—	—	10	4	3	3	—	—	—	—	—	—
6 Diphtheria	M	43	6	2	16	19	—	—	—	—	—	3	—	—	1	2	—	—	—	—	—
	F	50	—	7	21	20	2	—	—	—	—	6	—	—	3	3	—	—	—	—	—
7 Influenza	M	195	6	3	6	3	8	34	84	40	11	19	—	—	—	—	1	5	11	2	—
	F	174	2	—	2	7	12	21	56	38	36	24	1	—	—	1	3	4	7	5	3
8 Encephalitis lethargica	M	17	1	—	2	2	3	2	5	2	—	4	—	—	—	—	—	1	2	1	—
	F	17	1	—	1	1	6	2	4	2	—	2	—	—	—	1	—	—	1	—	—
9 Meningococcal meningitis	M	6	4	1	—	1	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	5	2	—	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	547	1	1	1	6	75	219	228	16	—	51	—	—	—	1	8	22	17	2	1
	F	354	1	1	1	14	91	163	72	10	1	42	—	—	—	2	18	18	3	1	—
11 Other tuberculous diseases	M	97	11	11	20	14	10	18	11	2	—	12	1	1	3	—	4	1	2	—	—
	F	84	8	12	13	24	8	10	8	—	1	9	—	—	—	4	2	2	1	—	—
12 Cancer, malignant disease	M	613	—	—	2	1	3	48	314	179	66	77	—	—	—	—	—	5	37	25	10
	F	609	—	1	1	—	5	70	294	148	90	87	—	—	—	—	—	13	44	25	5
13 Rheumatic fever	M	17	—	—	—	9	4	4	—	—	—	5	—	—	—	3	1	—	1	—	—
	F	28	—	—	—	13	6	6	2	—	1	5	—	—	—	2	1	2	—	—	—
14 Diabetes	M	41	—	—	—	2	2	2	19	13	3	14	—	—	—	—	—	2	8	2	2
	F	45	—	—	—	—	1	3	19	16	6	15	—	—	1	—	1	1	5	6	1
15 Cerebral hæmorrhage, &c.	M	314	—	—	—	2	1	7	129	109	66	30	—	—	—	—	—	—	16	12	2
	F	374	—	—	—	—	1	14	110	120	129	67	—	—	—	—	—	2	16	27	22
16 Heart disease	M	675	1	—	1	10	12	66	227	208	150	123	—	—	—	4	2	11	44	39	23
	F	741	—	—	1	15	21	75	184	195	250	154	—	—	1	3	1	20	37	53	39
17 Arterio-sclerosis	M	163	—	—	—	—	—	—	40	78	45	39	—	—	—	—	—	1	10	16	12
	F	136	—	—	—	—	—	2	23	45	66	37	—	—	—	—	—	1	5	16	15
18 Bronchitis	M	410	36	7	3	3	1	18	93	125	124	63	11	2	—	3	—	1	15	14	17
	F	436	24	7	2	1	1	9	74	125	193	83	8	2	—	1	2	1	16	33	20
19 Pneumonia (all forms)	M	586	124	86	33	16	17	87	144	50	29	100	16	5	9	4	1	22	31	10	2
	F	375	87	59	36	12	9	34	63	39	36	88	14	10	10	1	1	11	20	17	4
20 Other respiratory diseases	M	61	5	1	4	—	4	11	19	10	7	7	1	—	—	—	—	1	3	1	1
	F	49	1	2	2	—	2	7	13	13	9	12	—	1	—	1	—	—	2	5	3
21 Ulcer of stomach or duodenum	M	75	—	—	—	—	5	20	41	8	1	5	—	—	—	—	1	3	1	—	—
	F	24	—	—	—	—	—	4	16	2	2	2	—	—	—	—	—	1	1	—	—
22 Diarrhœa, &c.	M	148	111	18	1	3	2	2	3	3	5	8	2	1	1	—	—	2	2	—	—
	F	100	59	12	10	2	—	7	4	5	1	9	7	1	—	—	—	1	—	—	—
23 Appendicitis and typhlitis	M	51	—	1	4	9	5	12	15	3	2	4	—	—	—	—	—	3	—	1	—
	F	24	—	—	3	4	4	6	6	1	—	6	—	—	—	1	—	2	3	—	—
24 Cirrhosis of liver	M	28	—	—	—	—	—	1	19	8	—	3	—	—	—	—	—	1	2	—	—
	F	27	—	—	—	1	—	4	16	5	1	1	—	—	—	—	—	—	1	—	—
25 Acute and chronic nephritis	M	125	—	—	3	3	4	15	65	24	11	20	—	—	—	—	—	3	7	10	—
	F	114	2	—	—	2	11	13	54	24	8	23	1	—	—	1	—	1	9	9	2
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	38	—	—	—	—	8	30	—	—	—	4	—	—	—	—	1	3	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	35	—	—	—	—	2	33	—	—	—	5	—	—	—	—	—	5	—	—	—
28 Congenital debility and malformation, premature birth	M	329	326	1	1	—	1	—	—	—	—	50	49	—	—	—	1	—	—	—	—
	F	236	234	1	—	1	—	—	—	—	—	28	27	1	—	—	—	—	—	—	—
29 Suicide	M	74	—	—	—	—	6	16	42	7	3	17	—	—	—	—	2	6	7	2	—
	F	26	—	—	—	—	2	9	10	5	—	3	—	—	—	—	1	1	1	—	—
30 Other deaths from violence	M	215	18	7	21	25	29	35	51	12	17	28	1	—	1	2	1	5	8	9	1
	F	107	13	3	6	13	4	9	22	17	20	9	—	—	—	1	—	1	5	—	2
31 Other defined diseases	M	891	112	27	21	32	36	91	191	171	210	136	19	4	4	4	10	12	33	30	20
	F	818	71	16	19	28	21	80	140	137	306	171	13	6	3	4	8	15	49	30	43
32 Causes ill-defined or unknown	M	16	—	—	—	—	—	—	12	4	—	4	—	—	—	—	1	—	2	1	—
	F	8	2	1	—	—	—	3	—	2	—	5	—	—	—	—	—	—	2	3	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1925
(Civilian population only).

Causes of Death.	Sex.	Blackpool. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Bolton. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	570	63	8	7	15	15	59	197	112	94	1244	146	46	23	43	59	120	408	260	139
	F	582	42	9	12	9	10	67	172	137	124	1227	116	37	25	33	37	144	359	268	208
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	1	—	1	—	—	—	—	—	—	—	11	6	4	1	—	—	—	—	—	—
	F	3	1	—	2	—	—	—	—	—	—	8	2	6	—	—	—	—	—	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	4	—	1	1	2	—	—	—	—	—	2	—	—	—	2	—	—	—	—	—
5 Whooping cough ..	M	3	3	—	—	—	—	—	—	—	—	12	6	4	2	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	20	10	4	6	—	—	—	—	—	—
6 Diphtheria ..	M	2	—	—	1	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	3	—	—	3	—	—	—	—	—	—	3	1	1	—	1	—	—	—	—	—
7 Influenza	M	14	—	—	—	—	1	2	7	2	2	50	3	1	—	2	5	11	16	8	4
	F	15	—	—	—	—	—	3	2	7	3	47	1	1	2	3	4	8	15	8	5
8 Encephalitis lethargica ..	M	2	—	1	—	—	—	1	—	—	—	6	—	—	—	1	1	—	3	1	—
	F	2	—	—	—	—	—	—	2	—	—	7	—	2	—	—	—	2	3	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	1	—	—	—	1	—	—	—	—	—
10 Tuberculosis of respiratory system	M	33	—	—	—	—	7	12	13	1	—	101	—	—	2	2	22	29	39	7	—
	F	31	—	—	—	1	6	16	6	2	—	54	—	—	1	1	13	26	10	3	—
11 Other tuberculous diseases	M	12	1	—	4	1	1	4	1	—	—	17	1	2	—	2	5	3	3	1	—
	F	7	—	2	1	1	1	1	1	—	—	19	—	2	6	3	2	2	3	—	1
12 Cancer, malignant disease	M	62	—	—	—	—	—	4	37	11	10	111	—	—	—	—	—	6	72	28	5
	F	85	—	—	—	—	—	6	45	27	7	135	—	—	—	—	—	13	74	31	17
13 Rheumatic fever ..	M	2	—	—	—	—	—	—	2	—	—	10	—	—	—	2	3	2	3	—	—
	F	1	—	—	—	—	—	1	—	—	—	6	—	—	—	1	1	2	1	1	—
14 Diabetes	M	15	—	—	—	—	—	1	8	5	1	9	—	—	—	—	1	1	4	1	2
	F	5	—	—	—	—	—	1	1	1	2	17	—	—	—	1	—	1	4	10	1
15 Cerebral hæmorrhage, &c. ..	M	33	—	—	—	—	—	—	12	11	10	60	—	—	—	1	—	2	21	27	9
	F	48	—	—	—	—	—	—	12	20	16	84	—	—	—	—	—	1	34	28	21
16 Heart disease ..	M	76	—	—	—	—	1	4	36	18	17	149	—	—	—	3	1	9	57	58	21
	F	73	—	—	—	—	—	2	32	29	10	186	—	—	1	4	3	25	83	46	24
17 Arterio-sclerosis ..	M	13	—	—	—	—	—	—	2	7	4	58	—	—	—	—	—	—	10	20	28
	F	14	—	—	—	—	—	—	3	4	7	57	—	—	—	—	—	—	6	16	35
18 Bronchitis ..	M	36	3	—	—	—	—	3	8	11	11	110	14	2	2	—	—	2	46	28	16
	F	50	3	—	—	—	—	2	8	12	25	141	10	5	1	—	—	6	33	51	35
19 Pneumonia (all forms)	M	41	9	2	—	1	—	10	11	4	4	131	26	23	5	7	5	19	25	18	3
	F	40	7	1	4	3	1	6	7	7	4	67	13	10	3	2	3	8	11	8	9
20 Other respiratory diseases	M	8	—	—	—	—	1	—	1	4	2	12	—	1	1	—	2	—	6	—	2
	F	6	—	—	—	—	—	—	2	2	2	3	1	—	—	—	—	—	—	1	1
21 Ulcer of stomach or duodenum ..	M	8	—	—	—	—	—	4	4	—	—	9	—	—	—	—	—	2	5	2	—
	F	3	—	—	—	—	—	1	2	—	—	5	—	—	—	—	—	—	3	2	—
22 Diarrhœa, &c. ..	M	7	5	—	—	1	—	—	1	—	—	35	26	3	2	—	—	1	1	—	2
	F	3	2	1	—		—	—	—	—	—	22	13	3	2	1	—	—	—	2	1
23 Appendicitis and typhlitis.. ..	M	4	—	—	—	1	1	—	1	1	—	7	—	—	1	2	—	1	3	—	—
	F	4	—	—	—	1	—	1	2	—	—	7	—	—	—	2	1	—	3	1	—
24 Cirrhosis of liver ..	M	1	—	—	—	—	—	—	—	1	—	10	—	—	—	—	—	1	7	—	2
	F	3	—	—	—	—	—	—	3	—	—	4	—	—	—	1	—	—	2	1	—
25 Acute and chronic nephritis ..	M	25	1	—	—	1	—	3	8	8	4	45	—	1	—	2	1	9	12	17	3
	F	14	—	—	—	—	—	3	8	2	1	46	—	—	1	3	2	7	17	12	4
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	1	1	—	—	—	8	—	—	—	—	—	8	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	7	—	—	—	—	—	7	—	—	—	5	—	—	—	—	—	5	—	—	—
28 Congenital debility and malformation, premature birth.. ..	M	27	27	—	—	—	—	—	—	—	—	38	38	—	—	—	—	—	—	—	—
	F	21	20	1	—	—	—	—	—	—	—	40	38	1	—	—	—	—	1	—	—
29 Suicide	M	10	—	—	—	—	1	4	2	3	—	14	—	—	—	—	—	4	8	2	—
	F	1	—	—	—	—	—	1	—	—	—	9	—	—	—	—	—	6	2	1	—
30 Other deaths from violence.. ..	M	24	3	1	1	4	—	2	6	4	3	45	—	1	6	7	7	7	10	3	4
	F	8	2	1	—	—	—	3	2	—	—	16	1	—	—	3	1	3	2	2	4
31 Other defined diseases	M	102	11	3	1	5	2	3	31	20	26	189	26	3	1	10	6	11	56	38	38
	F	123	7	2	1	1	1	9	31	24	47	207	26	2	2	4	7	20	52	44	50
32 Causes ill-defined or unknown ..	M	9	—	—	—	—	—	2	6	1	—	2	—	—	—	—	—	—	1	1	—
	F	5	—	—	—	—	—	2	3	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1925
(Civilian population only).

Causes of Death.	Sex.	Bootle. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Bournemouth. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	608	102	45	28	22	27	80	164	88	52	529	38	7	8	7	13	52	136	120	148
	F	482	86	24	13	19	25	58	96	78	83	654	23	3	7	14	22	50	150	152	233
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	19	3	13	3	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	8	2	4	1	—	—	1	—	—	—	1	—	—	—	—	—	—	—	1	—
4 Scarlet fever ..	M	5	—	—	3	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ..	M	7	4	2	1	—	—	—	—	—	—	3	2	—	1	—	—	—	—	—	—
	F	9	3	5	1	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
6 Diphtheria ..	M	2	—	—	1	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
	F	2	—	1	1	—	—	—	—	—	—	8	—	—	1	5	1	—	—	1	—
7 Influenza	M	3	—	—	—	—	—	1	—	1	1	15	2	—	—	—	—	3	2	4	4
	F	5	—	—	—	1	1	1	1	1	—	18	—	—	—	2	—	2	4	5	5
8 Encephalitis lethargica ..	M	2	—	—	—	—	—	1	1	—	—	4	—	—	—	—	2	—	1	1	—
	F	1	—	—	—	—	—	—	1	—	—	4	—	—	—	—	—	—	2	1	1
9 Meningococcal meningitis ..	M	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	71	—	1	1	2	12	30	19	4	2	49	—	—	—	—	4	18	20	7	—
	F	41	—	—	1	1	10	19	8	2	—	38	—	—	—	1	8	16	8	4	1
11 Other tuberculous diseases	M	11	1	4	1	1	3	1	—	—	—	8	—	1	1	2	1	1	1	1	—
	F	9	2	—	—	1	4	1	—	1	—	11	—	1	3	—	4	1	—	1	1
12 Cancer, malignant disease	M	51	—	—	—	—	1	6	25	17	2	57	—	—	—	—	—	2	23	20	12
	F	47	—	—	—	—	—	11	19	9	8	122	—	—	—	—	—	10	48	32	32
13 Rheumatic fever ..	M	4	—	—	—	4	—	—	—	—	—	2	—	—	—	1	—	—	—	1	—
	F	2	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
14 Diabetes	M	3	—	—	—	1	—	—	2	—	—	7	—	—	—	—	—	1	3	2	1
	F	4	—	—	—	1	—	—	1	2	—	9	—	—	—	1	—	—	5	1	2
15 Cerebral hæmorrhage, &c. ..	M	29	—	—	—	—	—	1	14	10	4	40	—	—	—	—	—	1	6	13	20
	F	19	—	—	—	—	—	2	4	9	4	59	—	—	—	—	1	1	11	13	33
16 Heart disease ..	M	45	—	—	2	1	3	4	20	10	5	102	—	—	—	—	1	5	25	35	36
	F	50	—	—	—	2	1	4	12	15	16	114	—	—	—	2	1	1	21	29	60
17 Arterio-sclerosis ..	M	22	—	—	—	—	—	—	7	3	12	30	—	—	—	—	—	—	5	5	20
	F	14	—	—	—	—	—	—	4	6	4	26	—	—	—	—	—	—	2	12	12
18 Bronchitis ..	M	30	6	—	—	—	—	1	6	10	7	20	1	1	—	—	—	—	10	3	5
	F	30	3	2	—	—	1	1	7	9	7	23	2	—	—	—	—	1	3	4	13
19 Pneumonia (all forms)	M	95	29	17	9	2	1	12	16	6	3	37	5	4	1	2	—	4	11	7	3
	F	57	16	5	4	2	1	3	14	3	9	26	2	—	2	1	—	2	4	7	8
20 Other respiratory diseases	M	11	1	—	—	—	—	1	6	2	1	11	—	—	—	—	—	2	4	—	5
	F	9	—	—	—	1	—	—	—	4	4	10	—	—	—	—	1	—	4	1	4
21 Ulcer of stomach or duodenum ..	M	5	—	—	—	—	1	3	—	1	—	3	—	—	—	—	—	1	1	—	1
	F	—	—	—	—	—	—	—	—	—	—	6	—	—	—	—	—	—	2	3	1
22 Diarrhœa, &c. ..	M	25	14	6	2	1	—	1	1	—	—	2	—	—	1	—	—	—	1	—	—
	F	19	14	4	—	1	—	—	—	—	—	7	1	—	—	—	—	1	4	1	—
23 Appendicitis and typhlitis.. ..	M	3	—	—	—	2	—	—	1	—	—	3	—	—	—	—	—	1	1	—	1
	F	2	—	—	—	1	1	—	—	—	—	4	—	—	—	—	1	—	1	2	—
24 Cirrhosis of liver ..	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	1	1	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—
25 Acute and chronic nephritis ..	M	16	—	—	1	1	—	—	6	6	2	16	—	—	—	—	—	1	6	7	2
	F	23	—	—	—	—	3	2	6	5	7	17	—	—	—	1	1	2	7	3	3
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	1	3	—	—	—	5	—	—	—	—	1	3	1	—	—
28 Congenital debility and malformation, premature birth.. ..	M	33	33	—	—	—	—	—	—	—	—	19	19	—	—	—	—	—	—	—	—
	F	31	31	—	—	—	—	—	—	—	—	13	12	—	—	—	—	—	1	—	—
29 Suicide	M	3	—	—	—	—	—	2	1	—	—	1	—	—	—	—	—	—	1	—	—
	F	3	—	—	—	—	—	2	—	—	1	5	—	—	—	—	1	2	2	—	—
30 Other deaths from violence.. ..	M	23	—	—	2	5	2	3	9	2	—	11	—	—	2	—	1	4	—	—	4
	F	10	—	1	2	1	—	1	1	1	3	14	1	—	—	—	1	2	2	4	4
31 Other defined diseases	M	77	9	2	2	1	3	7	28	12	13	85	9	1	1	1	4	8	14	13	34
	F	73	12	1	3	4	1	5	18	9	20	111	4	2	1	1	1	6	17	26	53
32 Causes ill-defined or unknown ..	M	12	1	—	—	—	—	5	2	4	—	—	—	—	—	—	—	—	—	—	—
	F	6	3	1	—	—	—	—	—	2	—	1	—	—	—	—	—	—	1	—	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1925 (Civilian population only).

Causes of Death.	Sex.	Bradford. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Brighton. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	2041	277	66	55	51	65	213	670	406	238	865	76	17	14	17	24	105	233	199	180
	F	2037	185	71	53	44	61	223	569	431	400	982	52	14	16	13	25	93	257	206	306
1 Enteric fever ..	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	39	11	19	7	2	—	—	—	—	—	14	6	6	2	—	—	—	—	—	—
	F	37	4	19	12	2	—	—	—	—	—	6	—	5	1	—	—	—	—	—	—
4 Scarlet fever ..	M	4	—	—	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	1	—	1	—	—	—	—	1	—	—	—	—	—	1	—	—	—
5 Whooping cough ..	M	22	16	4	2	—	—	—	—	—	—	3	2	—	1	—	—	—	—	—	—
	F	23	4	12	6	1	—	—	—	—	—	5	1	1	2	1	—	—	—	—	—
6 Diphtheria ..	M	11	1	1	5	2	1	1	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	6	1	—	3	1	1	—	—	—	—	3	—	1	1	1	—	—	—	—	—
7 Influenza	M	52	3	1	—	1	1	11	23	11	1	16	—	—	—	1	1	2	6	2	4
	F	45	1	—	—	1	1	6	11	18	7	27	1	—	1	—	3	4	6	7	5
8 Encephalitis lethargica ..	M	3	—	—	1	1	—	—	1	—	—	3	1	—	—	—	1	1	—	—	—
	F	10	—	—	—	—	1	—	6	2	1	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis ..	M	3	—	—	—	1	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	1	—	—	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	143	—	1	—	3	27	42	62	7	1	84	1	1	1	2	11	38	27	2	1
	F	91	—	1	1	5	22	42	18	2	—	63	—	1	1	2	11	24	20	4	—
11 Other tuberculous diseases	M	31	2	7	6	5	3	5	1	1	1	19	2	1	3	3	1	4	4	—	1
	F	28	2	2	4	8	4	3	4	1	—	14	2	—	4	—	1	3	1	1	2
12 Cancer, malignant disease	M	169	—	1	—	1	—	9	88	58	12	111	—	—	1	—	1	7	48	36	18
	F	243	—	—	1	—	—	24	122	64	32	134	—	—	1	1	—	10	55	42	25
13 Rheumatic fever ..	M	9	—	—	—	5	1	3	—	—	—	3	—	—	—	2	—	1	—	—	—
	F	7	—	—	1	3	—	2	1	—	—	3	—	—	—	—	2	—	1	—	—
14 Diabetes	M	21	—	—	—	—	—	2	11	7	1	7	—	—	—	—	—	1	2	2	2
	F	19	—	—	—	1	—	—	11	5	2	13	—	—	—	—	—	—	5	5	3
15 Cerebral hæmorrhage, &c. ..	M	124	—	—	—	—	—	3	52	39	30	46	—	—	—	—	—	—	8	25	13
	F	126	—	—	—	—	—	1	41	44	40	87	—	—	—	—	—	1	18	28	40
16 Heart disease ..	M	285	—	—	—	1	4	23	112	89	56	140	—	—	—	1	1	11	36	55	36
	F	367	—	—	—	6	5	36	121	119	80	155	—	—	—	1	1	9	49	43	52
17 Arterio-sclerosis ..	M	75	—	—	—	—	—	—	10	35	30	45	—	—	—	—	—	—	13	20	12
	F	80	—	—	—	—	—	—	12	32	36	42	—	—	—	—	—	—	4	11	27
18 Bronchitis ..	M	155	18	5	2	—	—	4	43	50	33	59	6	1	—	—	—	1	4	18	29
	F	149	10	2	3	—	—	7	31	48	48	66	3	—	—	—	1	1	8	18	35
19 Pneumonia (all forms)	M	214	56	10	12	4	5	33	66	22	6	47	6	8	3	—	1	7	14	4	4
	F	160	41	23	14	2	4	14	37	13	12	67	13	3	3	3	2	7	13	7	16
20 Other respiratory diseases	M	28	1	1	—	1	2	2	12	6	3	14	2	—	—	—	—	2	6	3	1
	F	11	—	—	—	—	1	—	4	3	3	9	—	—	—	—	1	2	3	2	1
21 Ulcer of stomach or duodenum ..	M	36	—	—	—	—	2	10	20	3	1	15	—	—	—	—	—	8	5	2	—
	F	11	—	—	—	—	—	2	7	2	—	8	—	—	—	—	—	1	6	—	1
22 Diarrhœa, &c. ..	M	32	23	4	1	—	—	1	3	—	—	7	6	—	—	—	—	—	—	—	1
	F	26	11	5	2	1	1	2	1	2	1	7	3	1	—	—	—	1	1	—	1
23 Appendicitis and typhlitis.. ..	M	6	—	—	1	1	1	2	1	—	—	1	—	—	—	1	—	—	—	—	—
	F	12	—	—	1	1	—	3	5	1	1	4	—	—	—	1	1	—	2	—	—
24 Cirrhosis of liver ..	M	14	—	—	—	—	—	1	7	5	1	10	—	—	—	—	—	1	7	2	—
	F	5	—	—	—	—	—	—	5	—	—	6	—	—	—	—	—	—	5	1	—
25 Acute and chronic nephritis ..	M	42	—	1	1	4	2	7	22	4	1	18	—	—	—	—	—	1	7	7	3
	F	46	—	—	—	—	3	11	15	11	6	21	—	—	—	1	—	3	9	5	3
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	5	—	—	—	—	1	4	—	—	—	3	—	—	—	—	—	3	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	14	—	—	—	—	3	11	—	—	—	6	—	—	—	—	—	6	—	—	—
28 Congenital debility and malformation, premature birth.. ..	M	99	99	—	—	—	—	—	—	—	—	31	31	—	—	—	—	—	—	—	—
	F	76	75	—	1	—	—	—	—	—	—	19	19	—	—	—	—	—	—	—	—
29 Suicide	M	30	—	—	—	—	1	6	18	4	1	14	—	—	—	—	—	4	8	2	—
	F	18	—	—	—	—	—	8	7	3	—	12	—	—	—	—	1	5	5	1	—
30 Other deaths from violence.. ..	M	57	1	1	6	7	7	17	14	2	2	27	1	—	2	2	2	6	10	2	2
	F	48	5	1	1	3	4	2	11	8	13	13	—	—	—	—	—	2	3	3	5
31 Other defined diseases	M	318	46	10	10	9	7	29	90	59	58	130	12	—	1	4	5	10	28	17	53
	F	347	30	6	1	7	9	42	86	48	118	188	10	2	2	2	1	10	43	28	90
32 Causes ill-defined or unknown ..	M	18	—	—	—	—	—	—	14	4	—	—	—	—	—	—	—	—	—	—	—
	F	19	—	—	1	—	—	1	12	5	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1925
(Civilian population only).

Causes of Death.	Sex.	Bristol. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Burnley. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	2554	278	122	131	99	106	280	638	486	414	758	100	34	33	32	32	88	226	142	71
	F	2628	233	104	114	69	128	266	569	501	644	755	78	24	33	18	33	105	190	155	119
1 Enteric fever ..	M	5	—	—	—	1	4	—	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	134	19	50	53	11	—	1	—	—	—	25	3	13	5	4	—	—	—	—	—
	F	118	15	52	40	9	2	—	—	—	—	24	6	10	7	1	—	—	—	—	—
4 Scarlet fever ..	M	14	1	—	6	4	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	14	—	1	4	5	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ..	M	33	11	17	5	—	—	—	—	—	—	4	3	—	1	—	—	—	—	—	—
	F	43	17	15	11	—	—	—	—	—	—	10	4	2	3	1	—	—	—	—	—
6 Diphtheria ..	M	35	—	5	16	14	—	—	—	—	—	10	1	1	2	6	—	—	—	—	—
	F	39	4	4	18	10	2	1	—	—	—	6	—	—	2	4	—	—	—	—	—
7 Influenza	M	60	1	2	1	—	5	7	23	13	8	24	1	—	1	1	4	4	9	2	2
	F	58	—	2	1	2	3	12	16	10	12	17	1	—	—	—	1	4	2	5	4
8 Encephalitis lethargica ..	M	9	—	—	—	2	—	1	5	1	—	1	—	—	—	1	—	—	—	—	—
	F	15	—	—	1	—	1	8	5	—	—	1	—	—	—	—	—	—	1	—	—
9 Meningococcal meningitis ..	M	1	1	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	204	—	—	—	10	32	69	82	9	2	47	—	—	—	1	7	20	17	2	—
	F	161	—	1	—	3	59	64	27	5	2	40	—	—	—	2	15	18	5	—	—
11 Other tuberculous diseases	M	49	4	4	9	11	9	7	3	1	1	16	1	1	2	5	4	1	2	—	—
	F	49	4	2	5	11	12	11	4	—	—	14	4	1	2	1	2	—	3	1	—
12 Cancer, malignant disease	M	214	—	—	2	2	1	11	87	82	29	59	—	—	—	—	—	5	29	19	6
	F	295	—	—	1	1	1	21	139	79	53	75	—	—	1	—	—	14	36	16	8
13 Rheumatic fever ..	M	11	—	—	—	5	3	2	1	—	—	3	—	—	—	1	1	—	1	—	—
	F	8	—	—	1	4	1	—	2	—	—	5	—	—	—	—	2	2	—	1	—
14 Diabetes	M	27	—	—	—	—	—	3	7	12	5	2	—	—	—	—	—	—	—	2	—
	F	32	—	—	1	—	—	1	9	16	5	12	—	—	1	—	—	2	2	6	1
15 Cerebral hæmorrhage, &c. ..	M	110	—	—	—	—	—	1	34	33	42	40	—	—	—	—	—	—	13	16	11
	F	185	—	—	—	—	—	1	54	62	68	45	—	—	—	—	—	2	16	20	7
16 Heart disease ..	M	296	—	—	—	2	9	27	103	90	65	95	—	—	—	—	4	12	42	27	10
	F	383	—	1	2	2	5	25	89	127	132	125	—	—	1	2	2	13	42	38	27
17 Arterio-sclerosis ..	M	79	—	—	—	—	—	4	17	29	29	40	—	—	—	—	—	—	9	22	9
	F	60	—	—	—	—	—	—	8	17	35	23	—	—	—	—	—	—	4	11	8
18 Bronchitis ..	M	167	23	5	1	2	—	4	20	50	62	77	13	2	3	—	—	8	17	20	14
	F	208	13	3	2	—	—	1	29	47	113	82	7	1	2	—	2	4	21	22	23
19 Pneumonia (all forms)	M	264	40	28	20	8	9	47	52	44	16	74	14	9	12	4	2	9	15	6	3
	F	184	40	17	16	7	2	21	23	38	20	65	11	7	6	1	3	7	14	9	7
20 Other respiratory diseases	M	48	3	1	2	—	1	8	12	15	6	5	—	—	—	—	—	2	1	1	1
	F	28	—	—	—	1	1	3	6	5	12	8	1	1	2	—	—	—	1	3	—
21 Ulcer of stomach or duodenum ..	M	22	—	—	—	—	—	5	12	5	—	6	—	—	—	—	—	2	2	2	—
	F	13	—	—	—	—	1	3	8	1	—	4	—	—	—	—	—	2	2	—	—
22 Diarrhœa, &c. ..	M	37	32	—	1	—	1	—	1	—	2	7	4	2	1	—	—	—	—	—	—
	F	35	25	2	2	—	1	2	—	—	3	9	2	1	—	—	—	1	1	1	3
23 Appendicitis and typhlitis.. ..	M	21	—	—	1	6	1	7	4	1	1	3	—	—	—	1	—	1	1	—	—
	F	9	—	—	1	1	1	4	2	—	—	2	—	—	—	—	—	2	—	—	—
24 Cirrhosis of liver ..	M	5	—	—	—	—	—	1	2	2	—	3	—	—	—	—	—	—	3	—	—
	F	12	—	—	—	—	—	1	5	2	4	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis ..	M	84	—	—	1	1	2	10	32	17	21	28	1	—	—	—	1	3	15	8	—
	F	75	—	—	—	2	2	9	30	20	12	13	—	—	—	—	2	4	5	2	—
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	23	—	—	—	—	6	16	1	—	—	3	—	—	—	—	—	3	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	13	—	—	—	—	2	9	2	—	—	7	—	—	—	—	—	7	—	—	—
28 Congenital debility and malformation, premature birth.. ..	M	102	98	1	1	—	1	1	—	—	—	39	36	—	—	3	—	—	—	—	—
	F	81	77	2	—	1	—	—	1	—	—	29	28	—	1	—	—	—	—	—	—
29 Suicide	M	31	—	—	—	—	1	6	19	5	—	16	—	—	—	—	2	5	9	—	—
	F	12	—	—	—	—	2	5	5	—	—	6	—	—	—	—	—	3	3	—	—
30 Other deaths from violence.. ..	M	91	—	3	4	7	11	21	32	4	9	21	—	2	3	2	3	1	6	2	2
	F	42	2	—	2	3	2	6	12	5	10	11	—	—	1	3	1	—	3	2	1
31 Other defined diseases	M	401	45	6	8	13	14	36	90	73	116	105	22	4	3	3	4	13	30	13	13
	F	432	36	2	6	7	18	42	91	67	163	115	14	1	4	3	3	16	26	18	30
32 Causes ill-defined or unknown ..	M	—	—	—	—	—	—	—	—	—	—	6	—	—	—	—	—	1	5	—	—
	F	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	1	3	—	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1925 (Civilian population only).

Causes of Death.	Sex.	Burton-upon-Trent. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Bury. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	378	47	5	11	7	11	46	106	73	72	417	34	13	10	15	17	54	132	81	61
	F	349	27	13	10	9	12	21	80	73	104	430	30	10	9	11	17	46	105	120	82
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	7	4	2	1	—	—	—	—	—	—	4	2	1	1	—	—	—	—	—	—
	F	6	—	2	4	—	—	—	—	—	—	3	—	2	1	—	—	—	—	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
5 Whooping cough ..	M	8	7	—	—	—	—	—	—	1	—	6	2	2	1	1	—	—	—	—	—
	F	8	4	1	3	—	—	—	—	—	—	5	2	1	1	1	—	—	—	—	—
6 Diphtheria ..	M	1	—	—	—	1	—	—	—	—	—	4	—	—	1	2	1	—	—	—	—
	F	2	—	—	—	2	—	—	—	—	—	3	—	—	—	3	—	—	—	—	—
7 Influenza	M	15	—	—	1	1	1	3	3	3	3	16	—	—	1	—	—	3	7	3	2
	F	11	—	—	1	1	1	1	2	2	3	14	—	—	—	—	1	4	2	4	3
8 Encephalitis lethargica ..	M	4	—	—	—	—	1	1	2	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—	—
9 Meningococcal meningitis ..	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	32	—	—	—	—	2	16	13	1	—	34	—	—	—	1	6	14	13	—	—
	F	21	—	—	—	1	6	8	6	—	—	26	—	—	—	1	8	13	3	1	—
11 Other tuberculous diseases	M	1	1	—	—	—	—	—	—	—	—	7	—	1	1	—	3	2	—	—	—
	F	3	—	—	—	1	1	—	—	1	—	4	1	—	2	1	—	—	—	—	—
12 Cancer, malignant disease	M	23	—	—	—	—	—	1	9	8	5	36	—	1	—	—	—	1	18	10	6
	F	36	—	—	—	—	—	1	19	10	6	56	—	—	—	—	—	5	28	9	14
13 Rheumatic fever ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	2	—	—	—	1	—	1	—	—	—
14 Diabetes	M	7	—	—	—	—	—	1	3	2	1	3	—	—	—	—	—	—	—	1	2
	F	3	—	—	—	—	—	1	1	—	1	5	—	—	—	—	—	—	1	4	—
15 Cerebral hæmorrhage, &c. ..	M	14	—	—	—	—	—	—	5	6	3	14	—	—	—	—	—	2	2	8	2
	F	19	—	—	—	—	—	—	4	9	6	21	—	—	1	—	—	—	3	12	5
16 Heart disease ..	M	44	—	—	—	2	—	6	16	11	9	59	—	—	—	1	—	8	24	17	9
	F	43	—	—	—	—	1	2	12	16	12	84	—	—	—	—	—	4	25	39	16
17 Arterio-sclerosis ..	M	23	—	—	—	—	—	—	5	8	10	22	—	—	—	—	—	—	6	10	6
	F	13	—	—	—	—	—	—	1	5	7	17	—	—	—	—	—	—	2	6	9
18 Bronchitis ..	M	24	4	—	1	—	—	1	5	6	7	46	3	—	—	1	1	6	11	13	11
	F	36	3	—	—	—	—	—	6	8	19	52	4	1	1	1	1	2	10	17	15
19 Pneumonia (all forms)	M	27	8	1	5	—	2	3	7	1	—	53	5	7	3	6	1	5	20	5	1
	F	21	3	6	2	1	—	3	1	2	3	22	4	5	2	1	2	2	3	3	—
20 Other respiratory diseases	M	5	—	—	—	—	1	—	1	2	1	7	—	—	1	—	—	—	2	2	2
	F	3	—	—	—	1	—	—	1	—	1	4	1	—	—	—	—	—	1	1	1
21 Ulcer of stomach or duodenum ..	M	4	—	—	—	—	—	2	2	—	—	6	—	—	—	—	—	3	3	—	—
	F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
22 Diarrhœa, &c. ..	M	6	5	—	1	—	—	—	—	—	—	2	1	—	—	—	—	—	1	—	—
	F	5	1	—	—	—	—	—	2	1	1	5	3	1	—	—	1	—	—	—	—
23 Appendicitis and typhlitis.. ..	M	4	—	—	—	—	—	1	3	—	—	1	—	—	—	—	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
24 Cirrhosis of liver ..	M	2	—	—	—	—	—	—	2	—	—	1	—	—	—	—	—	—	1	—	—
	F	2	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis ..	M	8	—	—	—	—	—	1	3	4	—	7	—	—	—	—	—	1	3	2	1
	F	4	—	—	—	—	—	—	2	2	—	7	—	—	—	—	1	1	4	1	—
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	1	2	—	—	—	3	—	—	—	—	—	3	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	5	—	—	—	—	1	4	—	—	—
28 Congenital debility and malformation, premature birth.. ..	M	15	15	—	—	—	—	—	—	—	—	11	11	—	—	—	—	—	—	—	—
	F	13	13	—	—	—	—	—	—	—	—	11	11	—	—	—	—	—	—	—	—
29 Suicide	M	3	—	—	—	—	—	1	2	—	—	5	—	—	—	—	1	1	—	3	—
	F	4	—	—	—	—	1	1	2	—	—	1	—	—	—	—	—	—	1	—	—
30 Other deaths from violence.. ..	M	17	1	1	1	1	2	4	3	4	—	8	—	—	1	1	—	2	4	—	—
	F	4	1	—	—	—	—	1	—	—	2	11	—	—	—	1	1	1	3	2	3
31 Other defined diseases	M	81	2	—	1	1	2	5	21	16	33	63	10	—	—	1	4	5	17	7	19
	F	83	2	2	—	2	—	—	19	15	43	65	4	—	1	—	1	6	17	20	16
32 Causes ill-defined or unknown ..	M	2	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	2	—	—	1	—	—	—	—	2	—	—	—	—	—	—	1	1	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1925 (Civilian population only).

Causes of Death.	Sex.	Canterbury. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Carlisle. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	157	16	1	1	3	3	20	36	26	51	348	32	12	10	10	21	40	98	68	57
	F	162	6	2	2	2	2	11	35	36	66	421	52	19	6	11	12	48	90	96	87
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	—	—	—	—	—	—	—	—	—	—	4	—	3	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	4	—	3	1	—	—	—	—	—	—
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	3	—	—	—	2	—	1	—	—	—
5 Whooping cough	M	3	2	1	—	—	—	—	—	—	—	4	3	1	—	—	—	—	—	—	—
	F	2	—	1	—	1	—	—	—	—	—	3	1	1	1	—	—	—	—	—	—
6 Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	1	—	1	—	—	—	—	—	—
7 Influenza	M	7	—	—	—	1	—	1	1	2	2	12	—	2	—	1	—	1	5	3	—
	F	7	—	—	—	—	—	—	2	3	2	10	1	—	—	1	—	2	1	3	
8 Encephalitis lethargica	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	3	1	1	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	1	—	—	—	1	—	—	—
10 Tuberculosis of respiratory system	M	11	—	—	—	—	1	6	3	1	—	22	—	—	—	1	4	11	5	1	—
	F	3	—	—	—	—	1	—	1	1	—	29	—	—	—	2	3	17	5	1	1
11 Other tuberculous diseases	M	3	—	—	—	1	1	1	—	—	—	2	2	—	—	—	—	—	—	—	—
	F	2	—	—	1	—	1	—	—	—	—	6	1	1	—	1	2	—	—	1	—
12 Cancer, malignant disease	M	18	—	—	—	—	—	1	9	3	5	39	—	—	—	—	—	—	25	8	6
	F	29	—	—	—	—	—	3	15	4	7	50	—	—	—	—	—	4	27	13	6
13 Rheumatic fever	M	1	—	—	—	—	—	—	1	—	—	5	—	—	—	1	3	1	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	5	—	—	—	1	1	3	—	—	—
14 Diabetes	M	—	—	—	—	—	—	—	—	—	—	7	—	—	—	—	2	3	2	—	—
	F	1	—	—	—	—	—	1	—	—	—	5	—	—	—	—	—	—	—	4	1
15 Cerebral hæmorrhage, &c.	M	8	—	—	—	—	—	—	3	1	4	22	—	—	—	—	1	—	9	6	6
	F	6	—	—	—	—	—	—	—	4	2	23	—	—	—	—	—	1	7	11	4
16 Heart disease	M	24	—	—	—	—	—	3	5	9	7	58	—	—	—	2	3	3	12	21	17
	F	29	—	—	—	—	—	3	7	7	12	69	—	—	—	—	—	3	14	23	29
17 Arterio-sclerosis	M	2	—	—	—	—	—	—	—	1	1	16	—	—	—	—	—	—	4	5	7
	F	6	—	—	—	—	—	—	—	3	3	28	—	—	—	—	—	—	1	12	15
18 Bronchitis	M	13	1	—	—	—	—	—	2	3	7	12	1	—	—	—	—	—	2	3	6
	F	10	—	—	—	—	—	—	1	2	7	30	3	1	—	—	—	1	7	7	11
19 Pneumonia (all forms)	M	8	4	—	—	—	—	1	2	—	1	17	4	2	3	—	2	1	2	2	1
	F	7	2	1	1	1	—	—	—	—	2	21	7	7	1	—	1	—	2	2	1
20 Other respiratory diseases	M	—	—	—	—	—	—	—	—	—	—	5	—	1	—	—	1	2	1	—	—
	F	2	—	—	—	—	—	—	1	—	1	3	—	—	—	—	—	1	2	—	—
21 Ulcer of stomach or duodenum	M	—	—	—	—	—	—	—	—	—	—	9	—	—	—	—	—	5	4	—	—
	F	1	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—	—	—	1	1
22 Diarrhœa, &c.	M	5	3	—	1	—	—	—	1	—	—	7	4	—	—	—	—	1	2	—	—
	F	1	—	—	—	—	—	—	—	—	1	6	3	—	—	—	—	1	1	1	—
23 Appendicitis and typhlitis	M	1	—	—	—	—	1	—	—	—	—	3	—	—	1	—	—	1	—	1	—
	F	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	2	—	—	1	—
24 Cirrhosis of liver	M	2	—	—	—	—	—	—	—	2	—	1	—	—	—	—	—	—	—	1	—
	F	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis	M	3	—	—	—	—	—	1	2	—	—	6	—	—	—	—	—	1	1	2	2
	F	1	—	—	—	—	—	—	1	—	—	13	—	—	—	—	—	2	6	4	1
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	4	—	—	—
28 Congenital debility and malformation, premature birth	M	3	3	—	—	—	—	—	—	—	—	13	12	—	—	—	—	—	1	—	—
	F	3	3	—	—	—	—	—	—	—	—	33	32	1	—	—	—	—	—	—	—
29 Suicide	M	3	—	—	—	—	—	3	—	—	—	5	—	—	—	—	—	3	2	—	—
	F	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	1	—	2	—	—
30 Other deaths from violence	M	2	1	—	—	—	—	1	—	—	—	17	1	—	—	3	3	3	4	2	1
	F	4	—	—	—	—	—	—	1	2	1	5	—	1	—	2	—	1	—	1	—
31 Other defined diseases	M	40	2	—	—	1	—	2	7	4	24	57	4	2	3	2	2	4	16	13	11
	F	44	1	—	—	—	—	2	4	10	27	59	3	3	2	2	2	6	15	11	15
32 Causes ill-defined or unknown	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1925
(Civilian population only).

Causes of Death.	Sex.	Chester. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Coventry. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	287	34	12	5	6	5	41	100	44	40	756	100	12	23	23	33	107	224	139	95
	F	280	28	5	9	7	5	28	75	56	67	661	68	14	16	23	40	85	165	109	141
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	—	—	—	—	—	—	—	—	—	—	7	3	1	3	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	7	1	5	1	—	—	—	—	—	—
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	M	4	3	1	—	—	—	—	—	—	—	3	2	—	1	—	—	—	—	—	—
	F	7	3	3	1	—	—	—	—	—	—	7	3	3	—	1	—	—	—	—	—
6 Diphtheria	M	—	—	—	—	—	—	—	—	—	—	7	—	1	4	2	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	9	—	1	2	5	—	—	1	—	—
7 Influenza	M	5	—	—	—	—	1	2	1	1	—	20	—	—	—	—	2	7	6	3	2
	F	3	—	—	—	—	—	—	1	1	1	12	1	1	—	1	—	3	2	2	2
8 Encephalitis lethargica	M	—	—	—	—	—	—	—	—	—	—	8	—	—	—	1	2	2	3	—	—
	F	1	—	—	—	—	—	—	1	—	—	6	—	—	1	—	3	1	1	—	—
9 Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	23	—	—	—	—	1	10	10	1	1	85	—	—	—	1	12	38	28	6	—
	F	14	—	—	1	3	1	4	4	1	—	56	—	—	2	3	19	24	8	—	—
11 Other tuberculous diseases	M	5	—	2	—	2	1	—	—	—	—	18	5	—	3	5	1	3	1	—	—
	F	4	—	—	3	—	—	1	—	—	—	11	1	1	4	2	1	—	1	1	—
12 Cancer, malignant disease	M	33	—	—	1	—	—	3	19	7	3	85	—	—	—	1	1	6	43	26	8
	F	31	—	—	—	—	—	6	15	4	6	74	—	—	—	—	1	6	42	18	7
13 Rheumatic fever	M	2	—	—	—	—	—	1	1	—	—	3	—	—	—	2	—	1	—	—	—
	F	3	—	—	—	—	2	—	1	—	—	2	—	—	—	1	1	—	—	—	—
14 Diabetes	M	—	—	—	—	—	—	—	—	—	—	6	—	—	—	—	—	—	4	2	—
	F	—	—	—	—	—	—	—	—	—	—	8	—	—	—	—	1	—	4	3	—
15 Cerebral hæmorrhage, &c.	M	21	—	—	—	—	—	1	10	4	6	34	—	—	—	—	—	2	10	11	11
	F	27	—	—	—	—	—	1	6	11	9	48	—	—	—	—	—	2	17	16	13
16 Heart disease	M	42	—	—	—	2	2	2	18	10	8	75	—	—	—	1	4	6	25	28	11
	F	52	—	—	—	—	—	3	18	14	17	91	—	—	—	—	2	13	30	26	20
17 Arterio-sclerosis	M	15	—	—	—	—	—	—	4	5	6	26	—	—	—	—	—	—	8	11	7
	F	17	—	—	—	—	—	—	1	8	8	17	—	—	—	—	—	—	3	7	7
18 Bronchitis	M	24	6	1	—	—	—	2	3	6	6	65	7	2	1	1	—	3	17	16	18
	F	18	1	—	1	—	—	—	7	6	3	47	5	1	—	1	—	1	6	10	23
19 Pneumonia (all forms)	M	25	6	5	1	—	—	7	5	—	1	55	9	4	3	3	—	13	14	3	6
	F	14	1	2	1	—	2	1	3	1	3	36	8	2	3	1	1	3	10	5	3
20 Other respiratory diseases	M	10	—	—	—	—	—	3	6	1	—	13	—	—	2	—	1	3	7	—	—
	F	—	—	—	—	—	—	—	—	—	—	13	1	—	1	—	—	1	3	2	5
21 Ulcer of stomach or duodenum	M	—	—	—	—	—	—	—	—	—	—	7	—	—	—	—	—	3	3	1	—
	F	1	—	—	—	—	—	—	1	—	—	9	—	—	—	—	1	2	4	1	1
22 Diarrhœa, &c.	M	5	3	—	2	—	—	—	—	—	—	9	6	—	2	—	—	—	1	—	—
	F	4	2	—	—	—	—	—	—	1	1	11	7	—	—	—	—	—	2	1	1
23 Appendicitis and typhlitis	M	—	—	—	—	—	—	—	—	—	—	8	—	—	—	3	1	1	3	—	—
	F	3	—	—	—	1	—	—	2	—	—	6	—	—	—	2	1	2	1	—	—
24 Cirrhosis of liver	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis	M	9	—	—	—	—	—	—	6	2	1	15	—	—	—	1	2	2	9	—	1
	F	5	—	—	—	—	—	1	2	1	1	14	—	—	—	1	—	3	7	1	2
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	3	—	—	—	9	—	—	—	—	1	7	1	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	2	—	—	—
28 Congenital debility and malformation, premature birth	M	11	11	—	—	—	—	—	—	—	—	52	50	1	—	—	1	—	—	—	—
	F	11	11	—	—	—	—	—	—	—	—	24	23	—	—	1	—	—	—	—	—
29 Suicide	M	5	—	—	—	—	—	3	2	—	—	10	—	—	—	—	—	4	4	2	—
	F	3	—	—	—	—	—	—	2	1	—	4	—	—	—	—	—	1	2	1	—
30 Other deaths from violence	M	10	—	1	1	—	—	5	3	—	—	18	—	—	3	—	4	4	3	3	1
	F	8	3	—	—	—	—	2	—	1	2	12	4	—	—	—	—	1	4	—	3
31 Other defined diseases	M	37	5	2	—	2	—	2	11	7	8	122	18	2	1	1	2	9	33	26	30
	F	48	7	—	1	1	—	6	11	6	16	124	12	—	2	4	8	13	16	15	54
32 Causes ill-defined or unknown	M	1	—	—	—	—	—	—	1	—	—	3	—	1	—	—	—	—	1	1	—
	F	—	—	—	—	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1925
(Civilian population only).

Causes of Death.	Sex.	Croydon. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Darlington. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	1028	104	22	16	29	37	118	295	198	209	466	80	20	13	15	21	48	107	89	73
	F	1143	83	16	25	26	41	119	259	215	359	415	56	12	16	17	12	64	80	68	90
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	5	—	3	1	1	—	—	—	—	—	7	3	3	1	—	—	—	—	—	—
	F	3		2	1	—	—	—	—	—	—	7	1	3	3	—	—	—	—	—	—
4 Scarlet fever	M	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
5 Whooping cough	M	2	—	2	—	—	—	—	—	—	—	11	7	2	2	—	—	—	—	—	—
	F	7	4	1	—	2	—	—	—	—	—	15	8	3	3	1	—	—	—	—	—
6 Diphtheria	M	4	—	—	1	3	—	—	—	—	—	4	—	2	—	2	—	—	—	—	—
	F	4	—	1	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7 Influenza	M	29	—	—	1	—	1	6	8	6	7	16	—	1	—	—	1	2	6	5	1
	F	32	—	—	2	—	2	9	1	8	10	14	—	—	—	3	—	3	2	3	3
8 Encephalitis lethargica	M	4	—	—	—	—	1	1	1	1	—	4	—	—	1	—	1	—	2	—	—
	F	6	—	1	—	1	1	1	1	—	1	1	—	—	1	—	—	—	—	—	—
9 Meningococcal meningitis	M	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	89	1	—	—	1	16	35	31	5	—	34	—	—	—	1	7	15	11	—	—
	F	61	—	—	—	3	14	25	13	5	1	26	—	—	—	3	6	10	7	—	—
11 Other tuberculous diseases	M	18	2	2	2	7	1	1	1	1	1	15	1	1	1	6	3	1	2	—	—
	F	16	1	—	6	2	1	4	1	1	—	9	1	1	1	3	—	2	1	—	—
12 Cancer, malignant disease	M	126	1	—	—	—	2	11	50	42	20	31	—	—	—	—	1	2	16	5	7
	F	193	—	1	—	—	—	23	85	49	35	41	—	—	—	—	—	4	20	9	8
13 Rheumatic fever	M	3	—	—	—	—	2	1	—	—	—	1	—	—	—	—	—	—	—	1	—
	F	3	—	—	—	1	—	—	2	—	—	3	—	—	—	1	2	—	—	—	—
14 Diabetes	M	9	—	—	—	1	1	1	3	3	—	2	—	—	—	—	—	—	1	1	—
	F	6	—	—	—	—	—	1	1	3	1	7	—	—	—	—	—	3	2	2	—
15 Cerebral hæmorrhage, &c.	M	58	1	—	—	—	1	3	14	19	20	26	—	—	—	—	—	2	6	7	11
	F	84	—	—	—	—	1	2	20	23	38	20	—	—	—	—	—	—	8	7	5
16 Heart disease	M	116	—	—	—	—	1	9	39	33	34	43	—	—	—	2	2	6	11	13	9
	F	160	—	—	—	—	2	8	37	41	72	54	—	—	—	1	1	7	10	17	18
17 Arterio-sclerosis	M	61	—	—	—	—	—	1	17	12	31	36	—	—	—	—	—	—	6	19	11
	F	77	—	—	—	—	—	—	5	20	52	27	—	—	—	—	—	—	2	3	22
18 Bronchitis	M	48	5	—	1	—	—	1	9	10	22	37	9	1	1	—	—	1	2	12	11
	F	67	2	—	—	1	—	1	7	16	40	26	6	1	1	1	—	1	3	8	5
19 Pneumonia (all forms)	M	88	16	9	5	3	—	5	22	13	15	55	19	5	6	2	4	6	6	3	4
	F	70	13	6	5	1	—	2	10	15	18	38	12	3	3	—	1	6	6	4	3
20 Other respiratory diseases	M	15	—	1	—	1	—	3	7	1	2	2	—	—	—	—	—	—	1	1	—
	F	13	—	—	—	—	1	2	3	—	7	1	—	—	—	—	—	—	1	—	—
21 Ulcer of stomach or duodenum	M	16	—	—	—	—	—	5	7	2	2	4	—	—	—	—	—	2	2	—	—
	F	6	—	—	—	—	—	1	3	2	—	—	—	—	—	—	—	—	—	—	—
22 Diarrhœa, &c.	M	18	17	1	—	—	—	—	—	—	—	4	4	—	—	—	—	—	—	—	—
	F	16	13	—	1	—	—	—	1	—	1	7	2	—	—	1	—	1	1	—	2
23 Appendicitis and typhlitis	M	8	—	—	1	—	2	2	2	—	1	3	—	—	—	1	—	1	—	1	—
	F	13	—	—	2	2	4	3	2	—	—	2	—	1	—	1	—	—	—	—	—
24 Cirrhosis of liver	M	7	—	—	—	—	—	1	3	3	—	—	—	—	—	—	—	—	—	—	—
	F	6	—	—	—	—	—	—	3	2	1	2	—	—	—	—	—	—	2	—	—
25 Acute and chronic nephritis	M	36	—	—	—	—	1	3	21	6	5	8	1	—	—	—	—	1	5	1	—
	F	30	—	—	1	—	3	3	11	7	5	7	—	—	—	—	—	—	3	3	1
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	6	—	—	—	—	2	4	—	—	—	7	—	—	—	—	1	6	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	7	—	—	—	—	—	7	—	—	—	2	—	—	—	—	—	2	—	—	—
28 Congenital debility and malformation, premature birth	M	39	39	—	—	—	—	—	—	—	—	27	27	—	—	—	—	—	—	—	—
	F	37	37	—	—	—	—	—	—	—	—	15	15	—	—	—	—	—	—	—	—
29 Suicide	M	16	—	—	—	—	—	4	11	1	—	6	—	—	—	—	—	1	5	—	—
	F	8	—	—	—	—	1	2	4	1	—	—	—	—	—	—	—	—	—	—	—
30 Other deaths from violence	M	40	1	—	—	4	5	8	15	4	3	13	1	1	—	1	1	3	4	1	1
	F	23	—	—	3	—	1	3	4	—	12	5	1	—	2	—	—	1	—	—	1
31 Other defined diseases	M	171	20	4	3	8	3	17	34	36	46	71	8	4	1	—	1	5	18	16	18
	F	188	13	3	3	11	8	18	45	22	65	75	10	—	2	1	1	18	10	11	22
32 Causes ill-defined or unknown	M	—	—	—	—	—	—	—	—	—	—	6	—	—	—	—	—	—	3	3	—
	F	1	—	1	—	—	—	—	—	—	—	3	—	—	—	—	—	—	2	1	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1925
(Civilian population only).

Causes of Death.	Sex.	Derby. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Dewsbury. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	820	104	18	22	22	32	90	205	178	149	409	66	11	13	13	15	38	121	81	51
	F	777	85	16	15	22	30	86	196	166	161	413	33	9	9	15	11	46	118	89	83
1 Enteric fever	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	2	1	1	—	—	—	—	—	—	—	10	3	2	3	2	—	—	—	—	—
	F	2	—	1	1	—	—	—	—	—	—	9	4	2	2	—	—	1	—	—	—
4 Scarlet fever	M	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
5 Whooping cough	M	6	2	3	1	—	—	—	—	—	—	3	2	1	—	—	—	—	—	—	—
	F	8	7	1	—	—	—	—	—	—	—	3	2	1	—	—	—	—	—	—	—
6 Diphtheria	M	7	—	—	4	3	—	—	—	—	—	2	—	—	—	2	—	—	—	—	—
	F	8	—	—	2	6	—	—	—	—	—	2	—	—	2	—	—	—	—	—	—
7 Influenza	M	33	1	—	—	—	1	2	11	11	7	5	—	2	—	—	—	—	2	1	—
	F	19	—	—	—	1	—	5	5	4	4	15	1	—	—	1	—	5	4	1	3
8 Encephalitis lethargica	M	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	5	—	—	—	—	1	1	3	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	1	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	66	—	—	—	1	13	32	17	3	—	17	—	—	—	—	4	7	5	1	—
	F	45	—	—	1	2	6	24	10	2	—	11	—	1	1	2	2	3	2	—	—
11 Other tuberculous diseases	M	15	1	2	4	4	—	1	3	—	—	5	—	—	2	1	1	—	1	—	—
	F	10	1	—	3	1	2	2	1	—	—	6	1	—	—	1	1	1	2	—	—
12 Cancer, malignant disease	M	77	—	—	—	—	1	4	36	24	12	25	—	—	—	—	1	1	18	5	—
	F	94	—	—	—	—	3	9	47	22	13	45	—	—	—	—	—	4	24	10	7
13 Rheumatic fever	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	1	—	—	—
	F	5	—	—	—	1	1	1	2	—	—	—	—	—	—	—	—	—	—	—	—
14 Diabetes	M	5	—	—	—	—	1	—	2	2	—	5	—	—	—	—	—	—	4	1	—
	F	9	—	—	—	2	1	—	2	2	2	6	—	—	—	—	—	1	4	1	—
15 Cerebral hæmorrhage, &c.	M	57	—	—	—	—	—	—	15	28	14	41	—	—	—	—	—	2	17	16	6
	F	47	—	—	—	—	—	2	11	17	17	49	—	—	—	—	—	3	16	17	13
16 Heart disease	M	110	—	—	—	1	4	9	33	38	25	47	—	—	—	2	—	4	15	15	11
	F	137	—	1	—	4	2	7	49	50	24	63	—	—	—	1	1	9	19	21	12
17 Arterio-sclerosis	M	22	—	—	—	—	—	—	6	10	6	14	—	—	—	—	—	—	1	6	7
	F	13	—	—	—	—	—	—	1	4	8	6	—	—	—	—	—	—	2	—	4
18 Bronchitis	M	75	9	3	1	—	—	3	14	18	27	63	10	1	4	—	—	4	15	17	12
	F	73	10	1	—	—	—	—	14	24	24	68	2	—	2	2	2	3	14	20	23
19 Pneumonia (all forms)	M	57	15	6	6	—	2	8	15	3	2	37	9	4	1	1	3	7	10	2	—
	F	47	16	9	5	1	—	8	4	4	—	27	6	2	1	3	2	4	5	3	1
20 Other respiratory diseases	M	3	—	—	—	—	—	1	—	1	1	2	1	—	—	—	1	—	—	—	—
	F	9	2	—	2	—	2	1	—	1	1	—	—	—	—	—	—	—	—	—	—
21 Ulcer of stomach or duodenum	M	1	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—	1	1	—	—
	F	4	—	—	—	—	—	1	2	1	—	1	—	—	—	—	—	—	—	—	1
22 Diarrhœa, &c.	M	11	6	—	—	—	—	—	2	2	1	11	8	—	1	—	1	—	—	1	—
	F	9	4	1	—	—	—	2	1	1	—	6	2	2	—	—	—	1	1	—	—
23 Appendicitis and typhlitis	M	9	—	—	1	1	1	3	2	1	—	4	—	—	—	—	1	2	1	—	—
	F	4	—	—	—	1	1	—	2	—	—	—	—	—	—	—	—	—	—	—	—
24 Cirrhosis of liver	M	2	—	—	—	—	—	1	1	—	—	1	—	—	—	—	—	—	1	—	—
	F	2	—	—	—	—	—	1	1	—	—	2	—	—	—	—	—	—	1	1	—
25 Acute and chronic nephritis	M	26	—	1	—	1	1	6	12	3	2	19	—	—	—	1	2	3	6	6	1
	F	20	—	—	—	—	—	5	9	3	3	11	—	—	—	—	—	3	4	4	—
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	3	—	—	—	1	—	—	—	—	—	1	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	2	1	—	—	—	1	—	—	—	—	1	—	—	—	—
28 Congenital debility and malformation, premature birth	M	47	46	—	1	—	—	—	—	—	—	24	22	1	1	—	—	—	—	—	—
	F	34	33	—	—	1	—	—	—	—	—	11	11	—	—	—	—	—	—	—	—
29 Suicide	M	2	—	—	—	1	—	—	1	—	—	4	—	—	—	—	—	—	3	—	1
	F	6	—	—	—	—	—	3	2	1	—	2	—	—	—	—	—	—	2	—	—
30 Other deaths from violence	M	20	—	1	3	3	1	7	1	2	2	12	1	—	—	1	1	3	4	2	—
	F	5	2	—	—	—	—	—	—	—	3	5	—	—	—	—	1	1	—	2	
31 Other defined diseases	M	162	23	1	—	6	7	12	32	31	50	54	10	—	1	2	—	3	17	8	1
	F	154	10	1	1	2	8	10	30	30	62	60	4	1	—	4	1	6	17	9	1
32 Causes ill-defined or unknown	M	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1925
(Civilian population only).

Causes of Death.	Sex.	Dudley. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Eastbourne. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	415	85	30	23	17	12	45	82	70	51	293	25	2	—	5	7	32	77	66	79
	F	378	54	30	27	20	19	43	63	63	59	373	5	4	5	5	9	37	77	100	131
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	17	3	6	6	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	17	1	8	7	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	M	7	2	2	3	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
	F	6	3	1	2	—	—	—	—	—	—	2	—	1	1	—	—	—	—	—	—
6 Diphtheria	M	4	—	2	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7 Influenza	M	13	—	—	—	—	1	5	3	3	1	19	—	—	—	—	1	1	6	5	6
	F	7	1	—	—	—	1	1	2	2	—	22	—	—	—	—	1	—	2	8	11
8 Encephalitis lethargica	M	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	1	—
	F	1	—	—	—	—	—	—	1	—	—	2	—	—	1	—	—	—	1	—	—
9 Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—
10 Tuberculosis of respiratory system	M	18	—	—	1	—	3	7	5	2	—	23	—	—	—	—	1	10	12	—	—
	F	19	—	—	—	—	8	9	1	1	—	23	—	—	1	—	4	12	6	—	—
11 Other tuberculous diseases	M	6	—	—	2	—	2	2	—	—	—	2	—	—	—	—	1	1	—	—	—
	F	7	—	2	1	1	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—
12 Cancer, malignant disease	M	25	—	—	—	—	—	1	10	10	4	33	—	—	—	—	—	1	11	12	9
	F	22	1	—	—	—	—	4	11	6	—	60	—	1	—	—	1	5	22	21	10
13 Rheumatic fever	M	3	—	—	—	2	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	1	1	—	—	—	—	1	—	—	—	—	—	—	—	1	—
14 Diabetes	M	1	—	—	—	—	—	1	—	—	—	3	—	—	—	—	—	—	—	1	2
	F	3	—	—	—	—	—	1	—	2	—	6	—	—	—	—	—	—	2	3	1
15 Cerebral hæmorrhage, &c.	M	14	—	—	—	—	—	—	3	7	4	17	—	—	—	—	—	2	4	4	7
	F	25	—	—	—	—	—	—	7	12	6	34	—	—	—	—	—	2	5	15	12
16 Heart disease	M	26	—	—	—	—	2	3	8	11	2	51	—	—	—	—	—	3	15	17	16
	F	24	—	—	—	1	—	6	11	5	1	70	—	—	—	2	—	3	11	22	32
17 Arterio-sclerosis	M	7	—	—	—	—	—	—	—	3	4	16	—	—	—	—	—	—	1	8	7
	F	9	—	—	—	—	—	—	—	3	6	15	—	—	—	—	—	—	1	2	12
18 Bronchitis	M	44	6	3	1	1	—	1	12	9	11	16	—	—	—	—	—	—	—	6	10
	F	44	4	2	1	1	—	1	16	8	11	24	—	1	—	—	—	—	2	3	18
19 Pneumonia (all forms)	M	72	21	8	8	3	1	7	14	6	4	13	2	—	—	—	—	2	5	1	3
	F	46	9	10	8	2	2	5	4	3	3	20	2	1	1	—	—	3	7	2	4
20 Other respiratory diseases	M	4	—	—	—	1	—	1	1	—	1	4	—	—	—	—	1	—	—	1	2
	F	3	—	—	—	—	—	1	1	1	—	2	—	—	—	—	—	—	—	1	1
21 Ulcer of stomach or duodenum	M	4	—	—	—	—	—	—	4	—	—	3	—	—	—	—	—	1	2	—	—
	F	1	—	—	—	—	—	—	1	—	—	5	—	—	—	—	—	1	2	1	1
22 Diarrhœa, &c.	M	13	7	5	—	—	—	1	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	14	8	4	1	—	—	—	—	1	—	2	—	—	—	—	—	—	—	—	2
23 Appendicitis and typhlitis	M	4	—	—	—	1	1	—	2	—	—	4	—	—	—	1	1	—	1	—	1
	F	1	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
24 Cirrhosis of liver	M	2	—	—	—	—	—	—	1	1	—	4	—	—	—	—	—	1	2	1	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis	M	9	—	—	—	—	—	4	3	1	1	7	—	—	—	1	—	—	3	1	2
	F	2	—	—	—	—	1	—	1	—	—	7	—	—	—	—	—	1	1	4	1
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	7	—	—	—	—	1	6	—	—	—	—	—	—	—	—	—	—	—	—	—
28. Congenital debility and malformation, premature birth	M	35	35	—	—	—	—	—	—	—	—	16	16	—	—	—	—	—	—	—	—
	F	20	20	—	—	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—	—
29 Suicide	M	6	—	—	—	—	—	1	4	—	1	2	—	—	—	—	—	1	1	—	—
	F	3	—	—	—	—	1	1	1	—	—	1	—	—	—	—	—	—	1	—	—
30 Other deaths from violence	M	18	2	—	—	4	2	2	4	4	—	8	3	—	—	1	—	1	1	2	—
	F	4	1	—	—	1	—	—	2	—	—	6	—	—	—	1	—	—	1	2	2
31 Other defined diseases	M	57	8	3	2	1	—	8	5	12	18	49	3	1	—	2	2	8	13	6	14
	F	80	6	2	3	9	2	3	4	19	32	67	1	—	1	2	3	10	12	14	24
32 Causes ill-defined or unknown	M	5	1	1	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1925
(Civilian population only).

Causes of Death.	Sex.	East Ham. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Exeter. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	796	74	16	21	18	42	108	247	169	101	396	48	5	4	8	16	35	102	71	107
	F	704	61	10	21	19	29	84	165	137	178	431	25	8	5	8	15	35	81	94	160
1 Enteric fever ..	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	2	—	—	—	—	—	2	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	1	1	—	—	—	—	—	4	—	3	—	1	—	—	—	—	—
4 Scarlet fever ..	M	2	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ..	M	10	5	2	3	—	—	—	—	—	—	4	4	—	—	—	—	—	—	—	—
	F	13	6	4	3	—	—	—	—	—	—	3	1	2	—	—	—	—	—	—	—
6 Diphtheria ..	M	4	—	—	1	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	8	—	—	5	2	—	1	—	—	—	1	—	—	1	—	—	—	—	—	—
7 Influenza	M	14	—	1	—	1	2	2	5	3	—	10	—	—	—	—	1	1	4	—	[illegible]
	F	16	—	—	1	1	—	3	4	4	3	6	—	—	—	—	—	—	2	—	[illegible]
8 Encephalitis lethargica ..	M	2	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	80	—	1	1	—	14	33	28	2	1	31	—	—	2	1	7	11	9	1	—
	F	52	—	—	—	—	16	22	12	2	—	27	—	—	—	1	9	10	6	1	—
11 Other tuberculous diseases	M	16	—	3	5	2	2	3	—	1	—	7	—	—	—	3	1	2	—	1	—
	F	9	1	—	2	1	1	2	2	—	—	7	2	1	2	1	1	—	—	—	—
12 Cancer, malignant disease	M	102	—	—	—	—	—	6	55	28	13	32	—	—	—	1	1	—	11	10	[illegible]
	F	98	—	—	—	—	1	10	38	29	20	67	—	—	—	—	—	7	25	21	1[illegible]
13 Rheumatic fever ..	M	3	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	8	—	—	—	5	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—
14 Diabetes	M	8	—	—	—	—	1	2	2	1	2	3	—	—	—	—	—	—	—	2	[illegible]
	F	8	—	—	—	—	—	1	3	3	1	7	—	—	—	1	—	—	1	3	[illegible]
15 Cerebral hæmorrhage, &c. ..	M	28	—	—	—	—	—	2	9	10	7	21	—	—	—	—	—	—	5	8	[illegible]
	F	43	—	—	—	—	—	2	15	10	16	46	—	—	—	—	—	—	7	14	2[illegible]
16 Heart disease ..	M	104	—	—	—	4	3	12	30	37	18	60	—	—	—	—	2	3	28	13	1[illegible]
	F	105	—	—	—	2	2	11	24	32	34	60	—	—	—	—	1	2	15	22	2[illegible]
17 Arterio-sclerosis ..	M	13	—	—	—	—	—	—	7	5	1	16	—	—	—	—	—	—	4	6	[illegible]
	F	18	—	—	—	—	—	—	2	5	11	17	—	—	—	—	—	—	1	4	1[illegible]
18 Bronchitis ..	M	74	3	1	—	—	—	3	19	20	28	32	3	—	—	—	—	—	2	9	1[illegible]
	F	65	1	—	1	—	—	—	11	11	41	40	2	—	—	—	—	—	2	13	2[illegible]
19 Pneumonia (all forms)	M	64	13	3	2	1	2	7	20	9	7	23	5	2	—	—	—	3	4	3	[illegible]
	F	50	9	5	3	1	—	3	11	8	10	17	1	2	—	—	—	1	4	3	[illegible]
20 Other respiratory diseases	M	10	—	—	—	—	—	1	5	3	1	5	—	—	—	—	—	—	2	1	[illegible]
	F	8	—	—	—	1	—	1	2	3	1	5	—	—	—	—	—	1	1	—	[illegible]
21 Ulcer of stomach or duodenum ..	M	13	—	—	—	—	1	2	9	1	—	6	—	—	—	—	1	2	3	—	—
	F	3	—	—	—	—	—	—	2	1	—	1	—	—	—	—	—	1	—	—	—
22 Diarrhœa, &c. ..	M	10	9	—	—	—	—	—	1	—	—	6	4	1	—	—	—	—	—	—	
	F	6	4	—	—	—	—	—	1	—	1	4	2	—	—	—	—	1	—	—	
23 Appendicitis and typhlitis.. ..	M	3	—	—	—	—	—	2	—	1	—	2	—	—	—	—	—	—	1	1	—
	F	3	—	—	—	—	1	2	—	—	—	2	—	—	—	—	—	—	1	1	—
24 Cirrhosis of liver ..	M	2	—	—	—	—	—	—	2	—	—	1	—	—	—	—	—	—	1	—	—
	F	3	—	—	—	—	—	1	1	—	1	1	—	—	—	—	—	—	1	—	—
25 Acute and chronic nephritis ..	M	29	—	—	—	1	1	2	10	12	3	22	—	—	—	—	1	1	8	8	[illegible]
	F	23	—	—	—	1	—	3	11	6	2	17	—	—	—	—	1	1	5	6	[illegible]
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	—	2	—	—	—	—	1	1	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	6	—	—	—	—	—	6	—	—	—	3	—	—	—	—	—	3	—	—	—
28 Congenital debility and malformation, premature birth.. ..	M	36	35	1	—	—	—	—	—	—	—	20	20	—	—	—	—	—	—	—	—
	F	37	36	—	—	—	—	—	1	—	—	12	12	—	—	—	—	—	—	—	—
29 Suicide	M	11	—	—	—	—	2	4	5	—	—	8	—	—	—	—	—	3	4	1	—
	F	2	—	—	—	—	—	—	1	1	—	2	—	—	—	—	—	1	1	—	—
30 Other deaths from violence.. ..	M	35	1	1	2	2	8	9	8	4	—	12	1	1	—	1	1	3	3	1	
	F	11	1	—	1	—	—	3	3	1	2	6	—	—	1	—	1	—	1	—	
31 Other defined diseases	M	121	8	3	4	3	5	14	32	32	20	75	11	1	2	2	1	6	13	6	3
	F	100	3	1	3	3	7	10	19	19	35	72	5	—	1	4	1	4	8	6	4
32 Causes ill-defined or unknown ..	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1925
(Civilian population only).

Causes of Death.	Sex.	Gateshead. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Gloucester. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	939	193	93	50	36	53	98	202	128	86	340	34	9	7	17	17	47	77	58	74
	F	869	148	73	57	46	45	112	172	108	108	337	21	6	8	3	19	46	61	72	101
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	1	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	52	8	29	15	—	—	—	—	—	—	8	3	—	2	3	—	—	—	—	—
	F	31	6	11	8	6	—	—	—	—	—	6	—	3	2	1	—	—	—	—	—
4 Scarlet fever	M	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	6	—	1	3	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	M	27	10	11	6	—	—	—	—	—	—	4	3	1	—	—	—	—	—	—	—
	F	32	13	10	8	1	—	—	—	—	—	4	2	—	2	—	—	—	—	—	—
6 Diphtheria	M	4	—	1	1	2	—	—	—	—	—	4	—	—	1	3	—	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7 Influenza	M	11	2	—	—	1	1	3	1	3	—	10	—	—	—	—	—	1	4	1	4
	F	14	—	—	—	1	—	3	4	2	4	13	1	—	—	—	—	2	3	2	5
8 Encephalitis lethargica	M	2	—	—	—	—	—	1	1	—	—	2	—	—	1	—	—	—	—	—	1
	F	2	—	—	—	—	—	—	2	—	—	3	—	—	—	—	—	2	—	1	—
9 Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	89	—	1	2	4	20	36	20	5	1	32	—	—	—	—	5	15	11	1	—
	F	68	—	1	3	10	15	26	11	1	1	25	—	—	—	—	12	9	4	—	—
11 Other tuberculous diseases	M	24	1	2	2	7	7	1	3	1	—	13	1	3	1	3	3	1	1	—	—
	F	26	1	2	8	11	4	—	—	—	—	2	—	—	—	—	1	1	—	—	—
12 Cancer, malignant disease	M	68	—	—	—	—	1	2	37	24	4	26	—	—	—	—	—	—	10	10	6
	F	71	—	—	—	—	—	10	34	15	12	48	—	—	—	—	1	14	18	9	6
13 Rheumatic fever	M	4	—	—	—	1	2	1	—	—	—	2	—	—	—	1	—	1	—	—	—
	F	3	—	—	—	1	1	1	—	—	—	3	—	—	—	1	1	1	—	—	—
14 Diabetes	M	6	—	—	—	—	1	—	3	2	—	1	—	—	—	—	—	—	—	1	—
	F	1	—	—	—	—	—	—	—	1	—	4	—	—	—	—	—	1	1	2	—
15 Cerebral hæmorrhage, &c.	M	36	—	—	—	—	—	2	9	12	13	17	—	—	—	—	—	—	6	6	5
	F	44	—	—	—	—	—	—	17	15	12	29	—	—	—	—	—	1	6	10	12
16 Heart disease	M	65	—	—	—	2	2	9	26	20	6	31	—	—	—	—	2	4	9	10	6
	F	77	—	—	1	2	1	11	28	18	16	42	—	—	—	—	1	—	7	18	16
17 Arterio-sclerosis	M	23	—	—	—	—	—	—	7	7	9	19	—	—	—	—	—	—	5	8	6
	F	14	—	—	—	—	—	—	2	7	5	12	—	—	—	—	—	—	1	4	7
18 Bronchitis	M	71	22	4	3	—	1	5	12	8	16	27	1	—	—	—	—	—	3	8	15
	F	61	14	6	3	1	1	3	9	10	14	24	—	1	2	—	—	—	1	5	15
19 Pneumonia (all forms)	M	109	28	25	11	5	1	9	22	6	2	17	3	3	—	1	1	6	2	—	1
	F	101	31	24	13	2	1	10	13	3	4	15	4	1	—	—	—	—	5	2	3
20 Other respiratory diseases	M	9	1	2	—	1	—	—	3	—	2	3	—	—	—	—	—	—	1	1	1
	F	15	—	3	3	—	1	3	2	2	1	3	—	1	—	—	—	—	—	—	2
21 Ulcer of stomach or duodenum	M	7	—	—	—	—	—	2	3	1	1	4	—	—	—	—	—	2	2	—	—
	F	3	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—
22 Diarrhœa, &c.	M	37	26	4	1	2	—	—	3	1	—	7	4	—	—	—	—	—	2	1	—
	F	28	12	4	3	—	1	1	1	3	3	3	1	—	1	—	—	—	—	—	1
23 Appendicitis and typhlitis	M	3	—	—	—	1	2	—	—	—	—	2	—	—	—	—	1	1	—	—	—
	F	7	—	—	—	1	1	3	2	—	—	1	—	—	—	—	—	1	—	—	—
24 Cirrhosis of liver	M	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—	—
	F	3	—	—	—	—	—	—	1	2	—	1	—	—	—	—	—	1	—	—	—
25 Acute and chronic nephritis	M	24	—	—	—	2	—	4	14	2	2	12	—	—	—	1	1	4	5	1	—
	F	30	—	—	1	1	2	2	14	8	2	10	—	—	—	—	1	1	—	4	4
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	11	—	—	—	—	6	4	1	—	—	4	—	—	—	—	—	3	1	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	9	—	—	—	—	3	6	—	—	—	3	—	—	—	—	1	2	—	—	—
28 Congenital debility and malformation, premature birth	M	72	70	1	—	—	—	—	1	—	—	11	11	—	—	—	—	—	—	—	—
	F	47	47	—	—	—	—	—	—	—	—	11	10	—	1	—	—	—	—	—	—
29 Suicide	M	12	—	—	—	—	2	4	2	4	—	3	—	—	—	—	—	—	1	1	1
	F	6	—	—	—	1	1	3	1	—	—	1	—	—	—	—	—	1	—	—	—
30 Other deaths from violence	M	35	1	3	2	2	7	10	6	3	1	13	2	—	—	2	2	3	1	2	1
	F	14	—	1	—	5	3	2	—	1	2	7	—	—	—	—	—	1	3	1	2
31 Other defined diseases	M	140	24	10	6	6	5	9	25	26	29	68	5	2	2	2	2	7	14	7	27
	F	135	24	9	3	2	2	22	22	19	32	63	3	—	—	1	1	5	11	14	28
32 Causes ill-defined or unknown	M	7	—	—	—	—	1	—	3	3	—	—	—	—	—	—	—	—	—	—	—
	F	8	—	1	—	—	—	1	5	1	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1925 (Civilian population only).

Causes of Death.	Sex.	Great Yarmouth										Grimsby.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	338	40	7	12	8	16	31	87	67	70	506	66	15	21	17	19	66	130	105	67
	F	399	29	9	6	12	30	31	75	64	143	451	59	13	13	18	21	57	93	72	105
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	—	1	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	2	1	1	—	—	—	—	—	—	—	2	1	—	1	—	—	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	—	5	1	2	1	1	—	—	—	—	—
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	M	2	1	—	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
	F	10	4	2	2	2	—	—	—	—	—	4	1	2	1	—	—	—	—	—	—
6 Diphtheria	M	1	—	—	—	1	—	—	—	—	—	4	—	—	4	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	4	—	—	4	—	—	—	—	—	—
7 Influenza	M	6	—	—	1	—	—	2	—	3	—	15	—	—	1	1	—	2	6	4	1
	F	12	—	—	—	1	2	2	2	4	1	11	—	—	—	—	—	2	—	3	6
8 Encephalitis lethargica	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	4	—	—	1	1	1	1	—	—	—
9 Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	1	1	—	—	—	—	—
10 Tuberculosis of respiratory system	M	33	1	1	—	—	8	12	8	3	—	44	—	—	1	1	6	20	13	3	—
	F	39	—	—	—	—	19	6	11	1	2	35	—	—	—	1	8	16	9	1	—
11 Other tuberculous diseases	M	9	1	—	4	1	1	1	1	—	—	14	2	2	3	2	2	1	2	—	—
	F	8	1	—	2	3	—	1	1	—	—	13	2	1	2	3	3	1	1	—	—
12 Cancer, malignant disease	M	34	—	—	—	—	—	1	17	8	8	46	—	—	—	1	—	4	24	14	3
	F	38	—	—	—	—	—	3	19	13	3	54	—	—	—	—	—	6	25	16	7
13 Rheumatic fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	1	1	—	1	—	—	2	—	—	—	1	1	—	—	—	—
14 Diabetes	M	1	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—	—	—	2	—
	F	4	—	—	—	—	—	—	3	—	1	4	—	—	—	1	—	2	—	—	1
15 Cerebral hæmorrhage, &c.	M	20	—	—	—	—	—	—	6	7	7	15	—	—	—	—	—	1	2	7	5
	F	26	—	—	—	—	—	—	4	9	13	26	—	—	—	—	—	—	13	4	9
16 Heart disease	M	41	—	—	—	1	2	2	15	14	7	62	—	—	—	1	—	7	26	17	11
	F	47	—	—	—	1	3	3	10	7	23	50	—	—	—	3	2	3	13	14	15
17 Arterio-sclerosis	M	10	—	—	—	—	—	—	2	4	4	14	—	—	—	—	—	—	5	6	3
	F	20	—	—	—	—	—	—	4	1	15	7	—	—	—	—	—	—	1	4	2
18 Bronchitis	M	17	2	—	—	—	—	—	3	4	8	38	4	—	1	—	—	5	9	11	8
	F	27	—	—	—	—	—	—	—	6	21	39	4	1	—	—	—	2	3	11	18
19 Pneumonia (all forms)	M	23	10	3	2	1	—	1	3	2	1	41	12	6	3	2	1	5	4	4	4
	F	26	7	4	1	1	2	3	1	4	3	24	8	5	1	1	1	1	4	2	1
20 Other respiratory diseases	M	4	—	—	—	—	—	1	—	1	2	9	1	—	—	—	—	1	1	4	2
	F	7	—	—	—	—	—	—	—	—	7	7	3	—	—	—	—	—	1	2	1
21 Ulcer of stomach or duodenum	M	2	—	—	—	—	—	—	2	—	—	2	—	—	—	—	—	2	—	—	—
	F	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	1	—
22 Diarrhœa, &c.	M	2	1	—	1	—	—	—	—	—	—	7	7	—	—	—	—	—	—	—	—
	F	3	1	—	—	—	—	1	1	—	—	8	6	—	1	—	—	—	—	—	1
23 Appendicitis and typhlitis	M	2	—	—	—	—	1	1	—	—	—	3	—	—	1	—	2	—	—	—	—
	F	4	—	—	—	1	—	2	1	—	—	2	—	—	—	1	—	—	—	1	—
24 Cirrhosis of liver	M	2	—	—	—	—	—	—	2	—	—	2	—	—	—	—	—	—	2	—	—
	F	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—	—
25 Acute and chronic nephritis	M	9	—	—	—	—	1	3	1	4	—	12	—	—	1	—	1	1	1	6	2
	F	9	—	—	—	1	—	1	3	2	2	14	—	—	—	1	1	—	2	4	6
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	2	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	1	1	—	—	—	6	—	—	—	—	—	6	—	—	—
28 Congenital debility and malformation, premature birth	M	17	16	—	1	—	—	—	—	—	—	24	23	1	—	—	—	—	—	—	—
	F	10	10	—	—	—	—	—	—	—	—	22	22	—	—	—	—	—	—	—	—
29 Suicide	M	6	—	—	—	—	—	1	4	1	—	8	—	—	—	—	—	2	4	1	1
	F	2	—	—	—	—	—	—	—	2	—	2	—	—	—	—	1	1	—	—	—
30 Other deaths from violence	M	11	—	1	1	1	2	1	3	1	1	19	1	—	2	2	4	3	4	3	—
	F	4	—	1	—	—	—	2	—	—	1	6	3	1	—	—	1	—	—	—	1
31 Other defined diseases	M	84	7	1	1	3	1	5	19	15	32	118	15	6	2	6	3	11	26	22	27
	F	95	5	2	1	1	2	6	13	14	51	96	9	1	1	3	2	13	21	9	37
32 Causes ill-defined or unknown	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1925
(Civilian population only).

Causes of Death.	Sex.	Halifax. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Hastings. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	760	73	23	28	21	37	67	265	155	91	413	18	5	5	8	11	45	106	101	114
	F	754	59	17	18	11	31	90	176	183	169	467	13	—	5	5	9	38	110	84	203
1 Enteric fever ..	M	3	—	—	—	—	2	—	1	—	—	1	—	—	—	—	1	—	—	—	—
	F	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	13	1	6	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	9	3	4	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever ..	M	1	—	—	1	—	—	—	—	—	—	2	—	—	1	1	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ..	M	3	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	8	4	3	1	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
6 Diphtheria ..	M	5	—	—	4	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	5	—	2	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7 Influenza	M	19	—	—	—	—	2	6	8	2	1	13	—	—	—	1	—	—	2	5	5
	F	26	—	—	—	—	1	6	9	7	3	25	—	—	—	—	1	2	6	6	10
8 Encephalitis lethargica ..	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	1	—	—
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis ..	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	40	1	—	—	—	13	12	12	1	1	46	—	—	1	—	2	24	14	5	—
	F	39	—	1	—	1	12	11	14	—	—	26	—	—	—	1	4	13	6	2	—
11 Other tuberculous diseases	M	18	1	4	2	4	4	—	1	2	—	8	1	2	1	—	—	3	1	—	—
	F	13	—	1	1	2	4	5	—	—	—	5	—	—	1	—	1	1	2	—	—
12 Cancer, malignant disease	M	78	—	—	—	—	—	5	50	15	8	57	—	—	—	—	—	6	20	16	15
	F	94	—	—	—	—	1	12	34	33	14	75	—	—	—	—	—	7	31	16	21
13 Rheumatic fever ..	M	2	—	—	—	1	—	1	—	—	—	2	—	—	1	—	1	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	1	—	—	—	1	—	—	—	—	—
14 Diabetes	M	9	—	—	—	—	—	2	3	3	1	7	—	—	—	—	—	—	4	2	1
	F	9	—	—	—	—	—	2	3	3	1	7	—	—	—	—	—	—	1	4	2
15 Cerebral hæmorrhage, &c. ..	M	56	—	—	—	—	—	1	23	23	9	21	—	—	—	—	—	—	6	7	8
	F	71	—	—	—	—	—	5	23	19	24	38	—	—	—	—	—	2	8	9	19
16 Heart disease ..	M	93	—	—	—	—	1	10	38	29	15	59	—	—	—	—	1	2	20	18	18
	F	129	—	—	—	—	2	18	33	43	33	78	—	—	—	1	1	1	14	15	46
17 Arterio-sclerosis ..	M	37	—	—	—	—	—	—	14	15	8	17	—	—	—	—	—	—	3	7	7
	F	27	—	—	—	—	—	—	5	6	16	19	—	—	—	—	—	—	3	1	15
18 Bronchitis ..	M	57	8	—	—	—	1	1	12	21	14	23	1	—	—	—	—	—	4	6	12
	F	52	4	—	—	—	—	1	8	18	21	22	—	—	—	—	—	—	3	4	15
19 Pneumonia (all forms)	M	68	19	5	6	3	4	11	14	4	2	20	4	2	—	1	—	2	4	4	3
	F	55	11	3	6	1	3	7	9	8	7	21	4	—	2	—	—	1	4	2	8
20 Other respiratory diseases	M	15	1	—	—	2	1	2	8	1	—	3	—	—	—	—	—	1	1	1	—
	F	4	—	—	1	—	—	1	1	—	1	9	—	—	—	1	1	—	1	1	5
21 Ulcer of stomach or duodenum ..	M	8	—	—	—	—	—	3	5	—	—	4	—	—	—	—	—	1	1	2	—
	F	3	—	—	—	—	—	1	—	2	—	3	—	—	—	—	—	—	2	1	—
22 Diarrhœa, &c. ..	M	6	2	2	—	1	—	—	1	—	—	2	1	—	—	—	—	—	—	1	—
	F	3	2	—	—	1	—	—	—	—	—	2	—	—	—	—	—	1	1	—	—
23 Appendicitis and typhlitis.. ..	M	8	—	—	—	2	2	1	3	—	—	1	—	—	—	—	—	—	—	1	—
	F	4	—	—	—	1	—	—	2	1	—	1	—	—	—	—	—	—	1	—	—
24 Cirrhosis of liver ..	M	5	—	—	—	—	—	—	4	—	1	2	—	—	—	—	—	1	1	—	—
	F	3	—	—	—	—	—	—	3	—	—	1	—	—	—	—	—	—	1	—	—
25 Acute and chronic nephritis ..	M	23	—	—	2	1	—	2	12	5	1	14	—	—	—	—	—	—	5	3	6
	F	29	—	—	—	1	—	3	9	10	6	12	—	—	—	—	—	2	4	3	3
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	1	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	6	—	—	—	—	3	3	—	—	—	—	—	—	—	—	—	—	—	—	—
28 Congenital debility and malformation, premature birth.. ..	M	26	26	—	—	—	—	—	—	—	—	10	9	—	—	—	—	1	—	—	—
	F	25	25	—	—	—	—	—	—	—	—	3	3	—	—	—	—	—	—	—	—
29 Suicide	M	19	—	—	—	—	—	2	12	4	1	6	—	—	—	—	1	2	1	2	—
	F	4	—	—	—	—	—	2	2	—	—	4	—	—	—	—	—	—	4	—	—
30 Other deaths from violence.. ..	M	19	1	1	4	3	3	—	7	—	—	10	—	—	—	2	2	—	2	2	2
	F	10	1	1	2	—	—	—	2	3	1	12	—	—	—	—	—	2	1	2	7
31 Other defined diseases	M	128	13	3	2	2	4	8	37	30	29	83	2	1	1	3	3	1	16	19	37
	F	120	9	2	3	2	4	10	18	30	42	101	5	—	2	1	1	5	17	18	52
32 Causes ill-defined or unknown ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1925 (Civilian population only).

	Causes of Death.	Sex.	Huddersfield										Ipswich.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
	All Causes ..	M	731	58	19	15	23	24	72	282	155	83	515	64	18	8	9	21	60	129	110	96
		F	760	52	9	12	13	29	78	235	180	152	513	38	11	11	12	18	49	111	117	146
1	Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	1	—	—	—	1	—	1	—	—	—	—	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	7	1	2	2	2	—	—	—	—	—	8	3	3	1	1	—	—	—	—	—
		F	2	—	1	1	—	—	—	—	—	—	7	—	4	2	1	—	—	—	—	—
4	Scarlet fever ..	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5	Whooping cough ..	M	4	1	2	1	—	—	—	—	—	—	10	5	5	—	—	—	—	—	—	—
		F	4	2	1	—	1	—	—	—	—	—	8	3	4	1	—	—	—	—	—	—
6	Diphtheria ..	M	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	1	1	—	—	—	—	1	—	—	1	—	—	—	—	—	—
7	Influenza	M	23	—	—	—	1	1	6	7	6	2	9	2	1	—	—	—	2	1	2	1
		F	22	2	—	—	—	—	5	9	1	5	17	1	—	—	—	—	1	2	5	8
8	Encephalitis lethargica ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	4	—	—	1	—	1	—	1	1	—
9	Meningococcal meningitis ..	M	1	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
		F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
10	Tuberculosis of respiratory system	M	60	—	1	—	1	9	17	29	3	—	53	—	—	—	1	9	18	23	2	—
		F	42	—	—	2	2	11	21	6	—	—	29	—	—	—	—	10	12	6	1	—
11	Other tuberculous diseases	M	13	4	—	1	2	1	2	3	—	—	9	—	1	2	1	2	1	2	—	—
		F	10	—	1	—	1	4	3	—	1	—	4	—	—	3	1	—	—	—	—	—
12	Cancer, malignant disease	M	79	1	—	—	—	—	4	37	27	10	66	—	1	—	1	—	3	25	24	12
		F	98	—	—	1	—	—	5	52	26	14	77	—	—	—	1	1	6	34	23	12
13	Rheumatic fever ..	M	5	—	—	—	1	1	1	2	—	—	2	—	—	—	—	—	1	1	—	—
		F	4	—	—	—	1	1	1	1	—	—	2	—	—	—	2	—	—	—	—	—
14	Diabetes	M	12	—	—	—	2	1	—	4	5	—	5	—	—	—	—	—	1	2	1	1
		F	7	—	—	—	—	—	1	2	3	1	4	—	—	—	—	—	—	—	3	1
15	Cerebral hæmorrhage, &c. ..	M	43	—	—	—	—	—	1	14	17	11	31	—	—	—	—	—	3	7	11	10
		F	63	—	—	—	—	—	—	26	24	13	38	—	—	—	—	—	—	11	11	16
16	Heart disease ..	M	88	—	—	—	1	1	6	43	29	8	56	—	—	—	1	1	4	16	23	11
		F	155	—	—	—	1	3	13	57	49	32	76	—	—	1	1	1	4	14	31	24
17	Arterio-sclerosis ..	M	64	—	—	—	—	—	1	27	20	16	4	—	—	—	—	—	—	1	2	1
		F	37	—	—	—	—	—	—	6	19	12	1	—	—	—	—	—	—	—	1	—
18	Bronchitis ..	M	43	4	1	1	1	—	2	16	9	9	35	7	1	—	—	—	—	6	9	12
		F	60	4	1	1	1	—	—	8	18	27	45	2	—	—	—	—	—	6	14	23
19	Pneumonia (all forms)	M	51	8	6	4	1	4	7	16	5	—	34	4	2	4	—	1	9	7	6	1
		F	38	5	2	1	2	—	3	15	9	1	27	6	1	1	2	1	1	5	6	4
20	Other respiratory diseases	M	7	1	2	—	—	1	—	1	2	—	6	1	1	—	—	—	—	3	1	—
		F	4	—	—	—	—	1	—	1	2	—	5	—	—	—	—	—	—	2	2	1
21	Ulcer of stomach or duodenum ..	M	6	—	—	—	—	—	2	3	1	—	4	—	—	—	—	—	1	3	—	—
		F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
22	Diarrhœa, &c. ..	M	2	2	—	—	—	—	—	—	—	—	8	7	—	1	—	—	—	—	—	—
		F	1	—	—	—	—	1	—	—	—	—	5	1	—	—	—	—	1	—	3	—
23	Appendicitis and typhlitis.. ..	M	9	—	—	1	3	1	1	3	—	—	2	—	—	—	—	1	1	—	—	—
		F	3	—	—	—	—	1	—	2	—	—	4	—	—	1	1	—	—	2	—	—
24	Cirrhosis of liver ..	M	2	—	—	—	—	—	1	—	1	—	3	—	—	—	—	—	1	2	—	—
		F	5	—	—	—	—	—	1	4	—	—	1	—	—	—	—	—	—	1	—	—
25	Acute and chronic nephritis ..	M	42	—	—	—	—	2	5	28	5	2	17	—	—	—	—	2	—	7	6	2
		F	25	—	—	—	—	2	4	11	7	1	9	—	—	—	—	—	3	3	3	—
26	Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	1	1	—	—	—	4	—	—	—	—	—	4	—	—	—
27	Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	7	—	—	—	—	—	6	1	—	—	1	—	—	—	—	—	1	—	—	—
28	Congenital debility and malformation, premature birth.. ..	M	28	27	1	—	—	—	—	—	—	—	27	27	—	—	—	—	—	—	—	—
		F	28	27	—	1	—	—	—	—	—	—	19	19	—	—	—	—	—	—	—	—
29	Suicide	M	10	—	—	—	—	—	4	5	1	—	5	—	—	—	—	—	—	2	2	1
		F	5	—	—	—	—	—	1	4	—	—	3	—	—	—	—	1	2	—	—	—
30	Other deaths from violence.. ..	M	25	1	1	4	5	—	2	6	2	4	16	—	—	—	1	3	6	4	1	1
		F	10	—	1	1	2	1	1	1	1	2	6	1	—	—	—	—	—	3	—	2
31	Other defined diseases	M	105	8	3	—	1	2	10	38	22	21	101	8	3	—	3	2	9	15	18	43
		F	124	12	2	4	1	2	11	28	20	44	109	5	1	—	3	3	12	17	13	55
32	Causes ill-defined or unknown ..	M	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	1	2	—
		F	—	—	—	—	—	—	—	—	—	—	5	—	—	—	—	—	1	4	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1925
(Civilian population only).

Causes of Death.	Sex.	Kingston-upon-Hull. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Leeds. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	2042	344	90	69	61	89	237	539	353	260	3254	443	92	86	74	138	376	977	686	382
	F	1892	258	88	87	71	99	228	353	320	388	2783	305	86	75	85	159	333	676	550	514
1 Enteric fever	M	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	2	—	—	—	—	—	1	1	—	—	2	—	—	—	—	—	1	1	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	29	6	11	11	1	—	—	—	—	—	23	7	11	3	1	1	—	—	—	—
	F	36	11	9	16	—	—	—	—	—	—	16	4	5	5	1	—	1	—	—	—
4 Scarlet fever	M	2	—	—	1	1	—	—	—	—	—	10	—	4	2	4	—	—	—	—	—
	F	2	—	—	2	—	—	—	—	—	—	5	—	1	3	1	—	—	—	—	—
5 Whooping cough	M	34	18	11	5	—	—	—	—	—	—	24	12	4	7	1	—	—	—	—	—
	F	45	13	18	12	2	—	—	—	—	—	23	9	7	6	1	—	—	—	—	—
6 Diphtheria	M	9	—	—	2	3	3	1	—	—	—	19	1	2	7	8	1	—	—	—	—
	F	16	2	1	7	5	—	—	1	—	—	20	—	1	6	11	2	—	—	—	—
7 Influenza	M	42	1	1	1	1	1	12	12	9	4	71	8	—	3	—	2	12	24	17	5
	F	25	—	1	2	—	3	5	6	6	2	83	8	4	1	3	4	15	20	16	12
8 Encephalitis lethargica	M	11	—	—	1	2	2	4	2	—	—	5	—	1	1	—	1	1	1	—	—
	F	9	1	—	1	1	4	1	1	—	—	7	—	—	—	—	2	1	3	1	—
9 Meningococcal meningitis	M	6	3	1	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	3	—	—	—	—	—	2	1	—	—	1	—	—	—	—	—
10 Tuberculosis of respiratory system	M	160	—	2	—	3	38	65	48	4	—	290	2	1	5	2	38	116	111	11	4
	F	145	2	—	1	14	48	60	20	—	—	215	2	1	2	10	71	90	35	4	—
11 Other tuberculous diseases	M	38	7	6	6	7	4	8	—	—	—	62	8	7	17	7	9	7	5	2	—
	F	35	3	4	6	11	7	1	3	—	—	45	3	5	6	11	8	6	5	1	—
12 Cancer, malignant disease	M	161	—	1	1	—	2	12	75	56	14	302	—	—	—	—	3	15	147	111	26
	F	197	—	—	—	—	1	27	85	53	31	304	—	—	—	1	—	34	146	79	44
13 Rheumatic fever	M	8	—	—	2	2	—	1	3	—	—	10	—	—	—	1	2	3	2	1	1
	F	13	—	—	—	4	2	2	3	1	1	6	—	—	—	2	3	—	1	—	—
14 Diabetes	M	13	—	—	—	—	—	3	5	5	—	31	—	—	1	1	2	1	13	10	3
	F	18	—	—	—	—	—	1	8	4	5	34	—	—	—	1	1	3	11	15	3
15 Cerebral hæmorrhage, &c.	M	109	—	—	—	1	—	2	22	47	37	187	—	—	—	—	—	4	55	82	46
	F	112	—	—	—	—	1	1	24	49	37	205	—	—	—	—	—	3	63	83	56
16 Heart disease	M	244	—	2	—	6	6	14	105	67	44	367	—	—	—	7	13	33	159	105	50
	F	274	—	—	1	6	6	27	81	79	74	403	—	—	—	8	18	39	128	126	84
17 Arterio-sclerosis	M	61	—	—	—	—	—	—	13	26	22	144	—	—	—	—	—	3	30	66	45
	F	45	—	—	—	—	—	1	8	18	18	100	—	—	—	—	—	2	14	25	59
18 Bronchitis	M	164	23	7	3	2	1	6	44	43	35	272	25	4	—	1	—	17	75	89	61
	F	141	16	10	2	2	—	3	21	33	54	238	14	5	1	—	—	9	48	77	84
19 Pneumonia (all forms)	M	254	78	34	18	9	4	33	47	15	16	339	61	35	19	11	14	43	104	39	13
	F	173	50	32	25	6	1	19	9	16	15	209	39	31	25	8	14	17	36	19	20
20 Other respiratory diseases	M	28	1	1	—	—	2	2	8	10	4	34	1	—	2	1	—	3	17	7	3
	F	25	4	—	—	—	2	1	4	5	9	22	—	2	1	—	3	1	7	3	5
21 Ulcer of stomach or duodenum	M	18	—	—	—	—	1	6	9	1	1	25	—	—	—	—	1	11	10	3	—
	F	4	—	—	—	—	—	2	1	1	—	10	—	—	—	—	—	—	3	5	2
22 Diarrhœa, &c.	M	61	55	—	3	1	1	—	—	—	1	91	66	10	2	2	1	1	6	1	2
	F	41	33	3	2	1	—	1	1	—	—	80	62	6	1	3	1	—	3	1	3
23 Appendicitis and typhlitis	M	13	—	—	—	3	4	4	2	—	—	12	—	—	—	—	6	3	3	—	—
	F	5	—	—	1	—	1	—	3	—	—	9	—	—	—	3	—	3	2	1	—
24 Cirrhosis of liver	M	12	—	—	1	—	—	—	7	3	1	28	—	—	—	—	1	2	20	4	1
	F	3	—	—	—	—	—	—	3	—	—	8	—	—	—	—	—	1	4	1	2
25 Acute and chronic nephritis	M	39	—	—	—	2	1	7	15	10	4	113	—	1	—	3	8	12	35	32	22
	F	29	—	—	—	—	2	7	11	5	4	92	1	—	1	2	5	12	31	25	15
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	11	—	—	—	—	3	7	1	—	—	26	—	—	—	—	5	21	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	21	—	—	—	—	8	12	1	—	—	14	—	—	—	—	3	11	—	—	—
28 Congenital debility and malformation, premature birth	M	104	104	—	—	—	—	—	—	—	—	159	156	—	1	2	—	—	—	—	—
	F	90	89	1	—	—	—	—	—	—	—	108	103	3	1	—	—	1	—	—	—
29 Suicide	M	25	—	—	—	—	1	7	12	5	—	33	—	—	—	—	2	9	15	7	—
	F	7	—	—	—	—	—	3	2	2	—	8	—	—	—	—	1	1	3	2	1
30 Other deaths from violence	M	66	4	1	3	5	7	17	23	4	2	111	10	1	8	10	14	26	23	12	7
	F	33	4	1	—	4	—	8	1	6	9	54	5	3	2	5	7	7	7	10	8
31 Other defined diseases	M	327	44	10	10	12	10	32	87	47	75	487	85	11	8	12	19	52	120	87	93
	F	326	30	4	8	12	10	38	54	41	129	431	54	11	14	13	11	54	104	54	116
32 Causes ill-defined or unknown	M	3	—	2	—	—	—	—	—	1	—	4	1	—	—	—	—	1	2	—	—
	F	6	—	4	1	—	—	—	—	1	—	4	—	1	—	—	—	—	1	2	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1925
(Civilian population only).

Causes of Death.	Sex.	Leicester. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Lincoln. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	1578	220	51	52	58	73	186	397	302	239	422	40	9	11	4	13	57	113	93	82
	F	1551	151	46	47	53	76	191	371	293	323	365	40	8	5	6	12	33	79	73	109
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	29	8	11	9	1	—	—	—	—	—	4	1	2	1	—	—	—	—	—	—
	F	22	4	10	6	2	—	—	—	—	—	2	—	—	1	1	—	—	—	—	—
4 Scarlet fever	M	5	1	—	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	5	—	1	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	M	36	20	11	5	—	—	—	—	—	—	5	3	—	2	—	—	—	—	—	—
	F	38	16	12	9	1	—	—	—	—	—	2	1	—	—	1	—	—	—	—	—
6 Diphtheria	M	19	—	2	8	8	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	14	1	—	6	5	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7 Influenza	M	44	3	—	1	1	4	6	16	7	6	8	—	—	—	—	—	1	4	2	1
	F	39	—	—	1	1	1	7	6	12	11	13	—	—	—	—	—	1	3	5	4
8 Encephalitis lethargica	M	8	—	—	—	1	1	1	5	—	—	3	—	—	—	—	1	2	—	—	—
	F	2	—	—	—	—	1	1	—	—	—	1	—	—	—	—	—	—	1	—	—
9 Meningococcal meningitis	M	3	2	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	172	1	1	—	2	33	75	53	6	1	39	—	—	—	—	6	17	14	1	1
	F	148	1	—	—	4	37	80	21	2	3	19	—	1	—	—	8	5	3	2	—
11 Other tuberculous diseases	M	34	1	—	7	9	7	6	3	—	1	13	1	3	3	—	1	3	2	—	—
	F	33	6	1	9	8	3	2	4	—	—	7	1	1	1	1	1	2	—	—	—
12 Cancer, malignant disease	M	158	1	—	—	2	1	10	69	51	24	39	—	—	—	—	—	—	14	16	9
	F	198	—	—	1	—	—	21	99	55	22	56	—	—	—	—	—	4	29	14	9
13 Rheumatic fever	M	7	—	—	—	4	1	—	2	—	—	—	—	—	—	—	—	—	—	—	—
	F	8	—	—	—	4	1	1	1	—	1	1	—	—	—	—	—	1	—	—	—
14 Diabetes	M	15	—	—	—	1	—	1	6	5	2	8	—	—	—	—	—	2	2	2	2
	F	18	—	—	—	1	2	3	6	6	—	6	—	—	—	—	—	—	3	3	—
15 Cerebral hæmorrhage, &c.	M	84	—	—	—	—	—	2	27	32	23	15	—	—	—	—	—	—	7	4	4
	F	112	—	—	—	—	—	—	35	32	45	23	—	—	—	—	—	1	1	5	16
16 Heart disease	M	149	1	—	—	1	6	14	53	44	30	61	—	—	—	1	—	4	17	21	18
	F	198	—	—	—	5	5	15	53	61	59	51	—	—	—	—	2	2	14	13	20
17 Arterio-sclerosis	M	68	—	—	—	—	—	1	21	18	28	29	—	—	—	—	—	—	6	9	14
	F	40	—	—	—	—	—	2	8	12	18	16	—	—	—	—	—	—	—	4	12
18 Bronchitis	M	92	8	3	1	—	—	5	17	31	27	29	1	1	2	—	—	2	3	8	12
	F	125	10	1	—	—	1	1	18	38	56	35	5	3	—	—	—	—	1	9	17
19 Pneumonia (all forms)	M	145	32	13	11	6	3	16	35	20	9	34	3	2	1	1	1	5	10	7	4
	F	113	24	19	6	4	2	9	19	16	14	27	6	2	2	—	—	3	1	4	9
20 Other respiratory diseases	M	17	1	—	—	2	1	4	2	3	4	4	—	—	—	—	—	—	3	—	1
	F	7	—	—	—	1	—	—	3	2	1	3	—	—	—	—	—	—	1	2	—
21 Ulcer of stomach or duodenum	M	17	—	—	—	—	1	7	7	1	1	8	—	—	—	—	—	2	5	1	—
	F	3	—	—	—	—	—	1	1	1	—	1	—	—	—	—	—	—	1	—	—
22 Diarrhœa, &c.	M	44	31	5	4	—	1	—	—	1	2	3	2	—	—	—	—	—	1	—	—
	F	31	24	1	2	—	—	—	4	—	—	7	3	1	—	1	—	1	—	1	—
23 Appendicitis and typhlitis	M	5	—	—	—	2	1	—	2	—	—	3	—	—	—	—	2	1	—	—	—
	F	9	—	—	—	1	—	—	7	1	—	—	—	—	—	—	—	—	—	—	—
24 Cirrhosis of liver	M	3	—	—	—	—	—	—	—	3	—	1	—	—	—	—	—	1	—	—	—
	F	3	—	—	—	—	—	1	2	—	—	1	—	—	—	—	—	—	1	—	—
25 Acute and chronic nephritis	M	40	—	—	—	1	—	5	17	10	7	15	—	—	—	—	1	3	5	2	4
	F	35	1	—	—	1	1	4	19	7	2	7	—	—	—	—	—	1	4	2	—
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	12	—	—	—	—	3	9	—	—	—	1	—	—	—	—	—	—	1	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	7	—	—	—	—	1	6	—	—	—	1	—	—	—	—	—	1	—	—	—
28 Congenital debility and malformation, premature birth	M	80	79	1	—	—	—	—	—	—	—	22	22	—	—	—	—	—	—	—	—
	F	44	41	—	1	2	—	—	—	—	—	18	18	—	—	—	—	—	—	—	—
29 Suicide	M	16	—	—	—	—	2	3	6	5	—	6	—	—	—	—	—	2	1	3	—
	F	11	—	—	—	—	3	3	4	—	1	2	—	—	—	—	1	—	—	1	—
30 Other deaths from violence	M	42	3	1	1	4	5	7	11	6	4	11	—	—	1	1	1	3	4	1	—
	F	29	2	—	2	4	3	2	6	3	7	5	—	—	1	2	—	—	—	1	1
31 Other defined diseases	M	245	28	3	2	11	5	23	45	58	70	57	7	1	1	1	—	8	13	14	12
	F	246	21	1	1	8	10	23	54	45	83	60	6	—	—	—	—	11	15	7	21
32 Causes ill-defined or unknown	M	1	—	—	—	—	—	—	—	1	—	4	—	—	—	—	—	—	2	2	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1925
(Civilian population only).

Causes of Death.	Sex.	Liverpool. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Manchester. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	6231	1106	478	291	194	275	707	1665	941	574	5747	789	224	209	168	233	727	1841	1008	548
	F	5720	840	423	271	204	264	600	1313	936	869	5213	575	190	185	158	269	606	1318	992	920
1 Enteric fever ..	M	4	—	—	—	—	2	2	—	—	—	8	—	—	—	—	1	4	3	—	—
	F	1	—	—	—	—	1	—	—	—	—	2	—	—	—	—	1	1	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	220	65	102	47	5	—	—	1	—	—	77	19	25	29	4	—	—	—	—	—
	F	183	49	83	45	6	—	—	—	—	—	51	8	20	22	1	—	—	—	—	—
4 Scarlet fever ..	M	50	5	12	26	7	—	—	—	—	—	25	1	5	11	6	—	2	—	—	—
	F	42	3	7	17	14	—	1	—	—	—	34	—	4	15	12	2	1	—	—	—
5 Whooping cough ..	M	112	45	41	22	4	—	—	—	—	—	93	39	31	21	2	—	—	—	—	—
	F	120	37	49	31	3	—	—	—	—	—	118	46	42	25	4	—	—	1	—	—
6 Diphtheria ..	M	48	2	13	17	16	—	—	—	—	—	48	7	4	15	20	1	1	—	—	—
	F	56	3	17	19	16	—	1	—	—	—	51	3	6	23	17	2	—	—	—	—
7 Influenza	M	73	—	1	1	2	4	10	34	15	6	121	6	1	4	—	9	22	54	21	4
	F	106	—	1	1	2	5	13	36	29	19	138	2	—	4	5	4	24	42	32	25
8 Encephalitis lethargica ..	M	23	—	—	1	1	2	9	8	2	—	15	—	—	3	4	—	3	4	1	—
	F	16	—	1	2	3	2	3	5	—	—	11	—	—	—	2	1	6	2	—	—
9 Meningococcal meningitis ..	M	15	6	1	1	3	4	—	—	—	—	4	2	—	1	—	—	1	—	—	—
	F	9	4	2	—	2	1	—	—	—	—	8	2	1	2	2	1	—	—	—	—
10 Tuberculosis of respiratory system	M	623	7	14	13	13	99	228	222	26	1	605	2	3	5	8	75	227	255	29	1
	F	413	3	8	7	29	123	141	83	15	4	400	1	4	1	13	129	149	88	14	1
11 Other tuberculous diseases	M	138	17	16	30	27	23	16	7	2	—	100	9	12	18	21	16	9	14	1	—
	F	122	10	17	25	29	22	10	6	2	1	87	6	10	16	16	16	14	8	1	—
12 Cancer, malignant disease	M	518	—	—	—	—	5	43	294	137	39	545	—	1	—	1	3	34	315	145	46
	F	518	1	—	—	—	1	65	266	118	67	515	1	—	—	1	2	53	272	126	60
13 Rheumatic fever ..	M	16	—	—	—	7	4	2	3	—	—	20	—	—	2	7	4	2	5	—	—
	F	26	—	—	1	10	6	9	—	—	—	39	—	—	—	17	9	7	4	2	—
14 Diabetes	M	33	—	—	—	—	3	7	11	8	4	25	—	—	—	1	2	7	7	5	3
	F	42	—	—	—	2	1	5	20	7	7	44	—	—	—	1	1	6	17	15	4
15 Cerebral hæmorrhage, &c. ..	M	239	—	—	—	1	—	10	91	87	50	221	—	—	—	—	—	11	77	91	42
	F	263	—	—	—	—	—	8	96	86	73	288	—	—	—	1	1	9	83	109	85
16 Heart disease ..	M	553	—	1	1	16	30	61	190	160	94	490	—	—	—	8	17	57	204	141	63
	F	594	—	—	—	18	28	61	196	162	129	650	—	—	—	13	22	80	241	156	138
17 Arterio-sclerosis ..	M	196	—	—	—	—	—	8	41	84	63	264	—	—	—	—	—	1	57	107	99
	F	166	—	—	—	—	—	—	38	53	75	190	—	—	—	—	—	1	32	73	84
18 Bronchitis ..	M	395	51	21	2	4	6	18	116	95	82	640	66	11	9	3	2	39	224	189	97
	F	446	34	13	4	1	1	12	99	146	136	639	33	11	9	4	4	20	161	202	195
19 Pneumonia (all forms)	M	892	240	144	75	30	26	92	189	62	34	638	134	70	38	25	24	100	178	45	24
	F	702	178	125	76	26	11	58	101	71	56	422	80	65	33	10	10	53	95	40	36
20 Other respiratory diseases	M	62	4	6	2	2	1	10	27	9	1	54	3	2	3	1	2	8	22	9	4
	F	52	5	3	—	—	1	6	18	10	9	37	1	—	1	—	1	9	9	11	5
21 Ulcer of stomach or duodenum ..	M	56	—	—	—	—	1	17	32	5	1	49	—	—	—	—	—	15	28	6	—
	F	17	—	—	—	—	2	5	8	1	1	12	—	—	—	—	—	—	7	4	1
22 Diarrhœa, &c. ..	M	270	180	51	10	3	—	4	13	6	3	147	111	23	6	—	—	—	5	2	—
	F	225	144	52	10	3	—	2	7	4	3	98	67	12	4	1	—	4	2	3	5
23 Appendicitis and typhlitis.. ..	M	33	—	1	—	6	8	6	9	2	1	35	—	1	3	5	11	4	8	3	—
	F	32	—	—	3	2	8	6	10	3	—	14	—	—	1	2	6	3	2	—	—
24 Cirrhosis of liver ..	M	10	—	—	—	—	1	1	8	—	—	30	—	—	—	—	—	2	22	4	2
	F	12	—	—	—	—	—	—	7	4	1	10	—	—	—	—	—	1	7	2	—
25 Acute and chronic nephritis ..	M	191	2	2	2	5	2	22	80	53	23	138	—	1	1	7	8	17	64	31	9
	F	190	—	—	—	4	10	40	74	38	24	106	—	—	—	6	5	21	38	24	12
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	26	—	—	—	—	8	17	1	—	—	26	—	—	—	—	4	22	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	33	—	—	—	—	2	31	—	—	—	25	—	—	—	—	6	19	—	—	—
28 Congenital debility and malformation, premature birth.. ..	M	299	297	—	1	1	—	—	—	—	—	256	251	—	2	2	1	—	—	—	—
	F	243	237	6	—	—	—	—	—	—	—	228	224	2	—	—	1	1	—	—	—
29 Suicide	M	38	—	—	—	—	2	15	19	2	—	69	—	—	—	—	4	26	33	6	—
	F	26	—	—	—	—	1	9	13	3	—	18	—	—	—	—	4	5	9	—	—
30 Other deaths from violence.. .	M	202	13	11	17	17	22	34	52	24	12	181	8	9	13	14	23	42	50	14	8
	F	131	7	4	13	14	4	10	25	29	25	107	5	2	12	7	12	8	22	22	17
31 Other defined diseases	M	912	172	38	23	24	30	91	215	159	160	842	130	25	25	29	29	93	209	156	146
	F	892	125	32	17	19	26	86	199	149	239	844	96	11	17	23	25	88	176	156	252
32 Causes ill-defined or unknown ..	M	10	—	3	—	—	—	1	3	3	—	7	1	—	—	—	1	—	3	2	—
	F	16	—	3	—	1	—	1	5	6	—	1	—	—	—	—	—	1	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1925 (Civilian population only).

Causes of Death.	Sex.	Middlesbrough. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Newcastle-on-Tyne. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	1092	203	77	71	51	46	141	265	151	87	2140	319	117	99	68	120	259	563	358	237
	F	910	140	64	55	49	49	116	210	115	112	1778	235	92	94	55	86	220	443	263	290
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	1	2	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
3 Measles	M	25	6	12	7	—	—	—	—	—	—	63	9	30	18	6	—	—	—	—	—
	F	29	5	13	9	2	—	—	—	—	—	51	4	28	18	1	—	—	—	—	—
4 Scarlet fever	M	3	—	—	2	1	—	—	—	—	—	8	—	1	1	5	1	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	6	—	—	3	2	—	1	—	—	—
5 Whooping cough	M	5	3	—	2	—	—	—	—	—	—	44	18	13	12	—	1	—	—	—	—
	F	13	2	3	6	2	—	—	—	—	—	35	11	13	11	—	—	—	—	—	—
6 Diphtheria	M	6	—	—	4	2	—	—	—	—	—	6	—	1	3	2	—	—	—	—	—
	F	6	—	2	3	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
7 Influenza	M	21	—	—	1	—	4	4	10	2	—	25	—	—	—	—	5	4	8	4	4
	F	23	2	1	1	1	1	6	5	5	1	20	1	—	—	—	1	3	5	5	5
8 Encephalitis lethargica	M	1	—	—	—	1	—	—	—	—	—	5	—	—	—	—	2	3	—	—	—
	F	2	—	—	—	1	1	—	—	—	—	9	—	—	—	1	1	3	4	—	—
9 Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	91	1	3	3	8	14	33	28	1	—	191	1	1	7	3	37	75	61	6	—
	F	80	1	3	1	9	25	33	8	—	—	155	—	1	1	13	46	65	27	2	—
11 Other tuberculous diseases	M	27	5	4	4	6	2	6	—	—	—	57	1	8	11	17	10	5	5	—	—
	F	28	1	4	8	5	2	5	3	—	—	44	2	1	12	9	7	9	4	—	—
12 Cancer, malignant disease	M	58	—	—	1	—	—	3	32	14	8	186	—	—	—	—	—	12	96	64	14
	F	76	—	—	—	—	—	12	40	19	5	192	—	—	—	—	1	26	114	32	19
13 Rheumatic fever	M	2	—	—	—	1	1	—	—	—	—	8	—	—	—	2	1	3	2	—	—
	F	5	—	—	1	—	1	—	1	2	—	7	—	—	—	—	3	1	1	2	—
14 Diabetes	M	7	—	—	—	1	2	1	2	1	—	12	—	—	—	—	—	3	4	4	1
	F	15	—	—	—	1	1	2	8	2	1	18	—	—	—	—	—	1	10	6	1
15 Cerebral hæmorrhage, &c.	M	49	—	—	—	—	—	2	16	17	14	122	—	—	—	—	3	7	44	32	36
	F	39	—	—	—	—	—	1	10	14	14	97	—	—	—	—	—	5	33	29	30
16 Heart disease	M	103	—	—	1	3	1	11	45	32	10	209	—	—	—	1	12	28	85	62	21
	F	103	—	—	—	2	3	13	44	22	19	215	—	—	—	5	5	19	94	54	38
17 Arterio-sclerosis	M	42	—	—	—	—	—	—	15	16	11	148	—	—	—	—	—	2	28	60	58
	F	39	—	—	—	—	—	—	9	15	15	85	—	—	—	—	—	—	12	28	45
18 Bronchitis	M	71	15	3	—	—	—	3	15	17	18	128	24	10	1	1	2	9	33	30	18
	F	69	10	3	—	—	2	1	16	17	20	118	17	8	2	—	—	6	19	34	32
19 Pneumonia (all forms)	M	208	45	40	28	7	3	38	28	17	2	226	49	34	32	9	11	30	40	15	6
	F	132	26	26	17	9	3	13	22	8	8	161	49	27	26	10	6	13	18	5	7
20 Other respiratory diseases	M	19	1	1	5	2	—	2	4	3	1	26	3	1	1	1	2	4	4	8	2
	F	10	3	—	—	—	—	1	6	—	—	16	—	1	1	1	1	—	3	4	5
21 Ulcer of stomach or duodenum	M	9	—	—	—	—	—	1	8	—	—	24	—	—	—	—	2	8	12	1	1
	F	1	—	—	—	—	—	—	1	—	—	14	—	—	—	—	—	5	8	1	—
22 Diarrhœa, &c.	M	23	13	3	4	1	—	2	—	—	—	55	31	9	4	3	1	1	3	1	2
	F	16	11	4	1	—	—	—	—	—	—	28	19	2	2	—	—	—	1	1	3
23 Appendicitis and typhlitis	M	7	—	—	—	—	2	2	2	1	—	8	—	—	2	1	3	—	2	—	—
	F	5	—	—	—	3	—	1	1	—	—	9	—	—	1	1	—	3	2	1	1
24 Cirrhosis of liver	M	7	—	—	—	—	—	1	5	1	—	11	1	—	—	—	—	4	5	1	—
	F	1	—	—	—	—	—	—	1	—	—	3	—	—	—	—	—	—	2	1	—
25 Acute and chronic nephritis	M	26	—	—	—	1	—	5	10	9	1	47	1	—	—	1	—	6	24	13	2
	F	9	—	—	—	—	—	1	8	—	—	60	—	—	1	1	3	9	26	10	10
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	5	—	—	—	—	1	4	—	—	—	4	—	—	—	—	1	3	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	10	—	—	—	—	2	8	—	—	—	15	—	—	—	—	3	12	—	—	—
28 Congenital debility and malformation, premature birth	M	84	82	—	1	1	—	—	—	—	—	119	117	—	—	1	—	1	—	—	—
	F	52	52	—	—	—	—	—	—	—	—	79	79	—	—	—	—	—	—	—	—
29 Suicide	M	12	—	—	—	—	3	5	4	—	—	25	—	—	—	—	4	8	10	1	2
	F	2	—	—	—	—	1	—	1	—	—	4	—	—	—	—	—	2	1	1	—
30 Other deaths from violence	M	50	—	1	5	8	10	8	10	4	4	74	3	3	1	8	11	17	20	6	5
	F	12	—	—	1	1	2	1	3	1	3	36	2	1	6	2	1	6	6	6	6
31 Other defined diseases	M	132	32	10	3	7	4	14	28	16	18	310	61	6	6	6	12	28	76	50	65
	F	120	25	4	7	10	4	13	21	10	26	289	49	10	9	8	6	26	52	41	88
32 Causes ill-defined or unknown	M	4	—	—	—	1	—	—	3	—	—	2	—	—	—	—	—	1	1	—	—
	F	5	1	—	—	1	—	1	2	—	—	3	2	—	—	—	—	—	1	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1925
(Civilian population only).

Causes of Death.	Sex.	Northampton. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Norwich. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	561	56	9	13	9	32	64	147	120	111	702	74	19	16	14	24	54	196	146	159
	F	556	41	10	8	9	25	57	123	120	163	785	56	18	14	13	34	67	153	187	243
1 Enteric fever	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	1	—	1	—	—	2	—	—	—	—	1	1	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	4	1	2	1	—	—	—	—	—	—	12	1	9	1	1	—	—	—	—	—
	F	3	2	1	—	—	—	—	—	—	—	2	—	2	—	—	—	—	—	—	—
4 Scarlet fever	M	1	—	—	—	—	1	—	—	—	—	2	—	—	—	2	—	—	—	—	—
	F	3	—	—	—	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	M	4	3	—	1	—	—	—	—	—	—	6	4	2	—	—	—	—	—	—	—
	F	2	2	—	—	—	—	—	—	—	—	11	3	5	3	—	—	—	—	—	—
6 Diphtheria	M	—	—	—	—	—	—	—	—	—	—	4	1	—	1	2	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	1	—	1	—	—	—	—	—
7 Influenza	M	11	—	—	—	—	1	3	6	1	—	22	—	—	1	—	—	1	7	5	8
	F	10	1	—	—	—	—	—	2	4	3	19	—	—	1	—	—	1	5	5	7
8 Encephalitis lethargica	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	3	—	1	—	—	—	—	2	—	—
9 Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	43	—	—	—	—	14	24	5	—	—	60	—	1	—	1	13	19	24	2	—
	F	34	—	—	—	1	12	14	5	2	—	55	—	—	—	1	25	20	8	—	1
11 Other tuberculous diseases	M	8	—	—	—	1	1	2	3	—	1	12	—	1	4	1	—	3	3	—	—
	F	13	—	4	1	1	3	2	1	—	1	12	—	1	1	4	—	4	—	2	—
12 Cancer, malignant disease	M	70	—	—	—	—	1	1	36	20	12	74	—	—	—	—	1	1	37	20	15
	F	72	—	—	—	—	—	8	28	22	14	108	—	—	—	—	—	7	45	38	18
13 Rheumatic fever	M	2	—	—	—	1	1	—	—	—	—	3	—	—	—	1	1	1	—	—	—
	F	6	—	—	—	1	1	1	1	2	—	1	—	—	—	—	—	—	1	—	—
14 Diabetes	M	3	—	—	—	—	—	—	2	1	—	4	—	—	—	—	—	—	2	1	1
	F	9	—	—	—	1	1	—	2	4	1	9	—	—	—	—	—	1	2	4	2
15 Cerebral hæmorrhage, &c.	M	44	—	—	—	—	—	2	12	15	15	68	—	—	—	—	—	—	21	19	28
	F	48	—	—	—	—	—	1	17	19	11	79	—	—	—	—	—	1	15	30	33
16 Heart disease	M	63	—	—	—	2	2	3	28	17	11	67	—	—	—	1	2	5	17	31	11
	F	72	—	—	—	—	3	3	25	13	28	119	—	—	—	2	1	9	24	38	45
17 Arterio-sclerosis	M	24	—	—	—	—	—	—	4	12	8	38	—	—	—	—	—	1	12	14	11
	F	16	—	—	—	—	—	—	2	6	8	27	—	—	—	—	—	1	3	12	11
18 Bronchitis	M	45	4	—	—	—	—	3	5	17	16	49	5	2	1	1	—	2	6	12	20
	F	46	2	—	—	—	—	1	6	12	25	58	3	3	—	1	1	—	2	12	36
19 Pneumonia (all forms)	M	40	11	3	5	2	1	2	14	2	—	52	14	2	3	—	2	6	6	12	7
	F	23	1	3	4	—	—	6	4	4	1	37	13	3	3	—	—	2	6	3	7
20 Other respiratory diseases	M	10	—	1	1	—	—	2	4	2	—	13	—	—	—	—	2	—	7	3	1
	F	4	—	—	—	1	—	—	—	1	2	12	—	—	1	—	—	—	2	3	6
21 Ulcer of stomach or duodenum	M	3	—	—	—	—	—	—	3	—	—	8	—	—	—	—	—	2	3	3	—
	F	2	—	—	—	—	—	—	2	—	—	3	—	—	—	—	—	1	—	2	—
22 Diarrhœa, &c.	M	3	3	—	—	—	—	—	—	—	—	7	3	1	—	—	—	—	—	1	2
	F	7	5	—	1	—	—	—	—	1	—	6	4	—	—	—	1	—	1	—	—
23 Appendicitis and typhlitis	M	5	—	—	—	—	1	4	—	—	—	2	—	—	1	—	—	—	1	—	—
	F	4	—	—	—	—	1	1	2	—	—	—	—	—	—	—	—	—	—	—	—
24 Cirrhosis of liver	M	5	—	—	—	—	—	1	2	2	—	1	—	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis	M	18	—	—	1	—	1	2	5	6	3	10	—	—	—	—	—	—	6	2	2
	F	19	—	—	—	2	2	3	6	4	2	13	1	—	—	—	1	—	4	4	3
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	6	—	—	—	—	—	6	—	—	—	3	—	—	—	—	1	2	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	3	—	—	—	2	—	—	—	—	—	2	—	—	—
28 Congenital debility and malformation, premature birth	M	27	26	—	—	1	—	—	—	—	—	36	36	—	—	—	—	—	—	—	—
	F	21	19	1	1	—	—	—	—	—	—	26	24	—	1	1	—	—	—	—	—
29 Suicide	M	8	—	—	—	—	—	2	4	2	—	11	—	—	—	—	—	—	7	1	3
	F	3	—	—	—	—	—	—	2	1	—	5	—	—	—	—	—	1	2	1	1
30 Other deaths from violence	M	19	—	2	2	—	6	5	3	1	—	19	2	—	2	2	2	3	6	—	2
	F	8	—	—	1	—	—	1	—	3	3	5	—	—	1	1	—	—	—	2	1
31 Other defined diseases	M	99	8	1	2	2	2	8	9	22	45	120	8	1	1	2	1	10	29	20	48
	F	120	9	1	—	—	1	6	17	22	64	166	8	2	3	2	3	14	31	31	72
32 Causes ill-defined or unknown	M	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1925
(Civilian population only).

Causes of Death.	Sex.	Nottingham. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Oldham. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	1835	285	80	74	48	55	188	460	358	287	1113	139	41	38	30	47	118	359	227	114
	F	1900	215	72	57	50	92	217	400	374	423	1094	91	35	34	43	51	110	316	238	176
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
	F	4	—	—	—	1	1	2	—	—	—	4	—	—	—	—	1	2	1	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	57	9	26	21	1	—	—	—	—	—	20	—	10	6	3	—	—	1	—	—
	F	40	12	14	10	4	—	—	—	—	—	22	—	12	8	2	—	—	—	—	—
4 Scarlet fever	M	6	1	—	3	2	—	—	—	—	—	2	—	—	2	—	—	—	—	—	—
	F	7	—	1	4	1	1	—	—	—	—	4	—	—	2	2	—	—	—	—	—
5 Whooping cough	M	17	9	4	3	1	—	—	—	—	—	4	2	1	1	—	—	—	—	—	—
	F	12	6	3	2	1	—	—	—	—	—	2	2	—	—	—	—	—	—	—	—
6 Diphtheria	M	8	—	—	4	4	—	—	—	—	—	7	—	2	3	1	—	1	—	—	—
	F	16	1	1	9	4	—	1	—	—	—	8	—	—	6	1	—	1	—	—	—
7 Influenza	M	39	—	—	—	1	2	8	18	6	4	35	2	1	—	1	3	5	15	6	2
	F	30	—	—	—	—	3	4	8	8	7	38	—	—	3	1	1	3	14	11	5
8 Encephalitis lethargica	M	4	—	—	1	1	—	1	1	—	—	3	—	—	—	—	—	2	1	—	—
	F	5	—	—	1	—	1	3	—	—	—	7	—	—	2	—	1	3	1	—	—
9 Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	140	2	1	1	5	23	57	42	7	2	68	—	—	—	6	11	24	27	—	—
	F	133	—	4	1	4	47	48	19	7	3	58	—	—	1	3	21	19	13	—	1
11 Other tuberculous diseases	M	33	7	4	3	6	4	5	4	—	—	19	1	—	6	2	5	1	3	—	1
	F	21	2	3	4	5	3	3	1	—	—	16	1	1	1	6	4	3	—	—	—
12 Cancer, malignant disease	M	149	—	—	—	—	1	8	74	48	18	91	—	—	—	—	—	9	53	22	7
	F	188	—	—	1	—	—	27	84	53	23	121	—	—	—	—	—	11	60	36	14
13 Rheumatic fever	M	4	—	—	—	3	—	—	1	—	—	7	—	—	—	1	1	3	1	1	—
	F	7	—	—	—	2	1	—	2	1	1	9	—	1	—	4	2	1	1	—	—
14 Diabetes	M	13	—	1	—	—	—	—	7	4	1	7	—	—	—	—	—	3	3	—	1
	F	26	—	—	—	—	1	3	11	9	2	5	—	—	—	—	—	2	3	—	—
15 Cerebral hæmorrhage, &c.	M	99	—	—	—	—	—	4	32	33	30	57	—	—	—	—	—	2	24	22	9
	F	135	—	—	—	—	—	2	31	48	54	77	—	—	—	—	—	—	24	33	20
16 Heart disease	M	225	—	—	1	1	3	14	74	75	57	140	—	—	—	4	5	10	61	42	18
	F	308	—	—	—	4	5	24	83	91	101	160	—	—	—	5	3	18	63	48	23
17 Arterio-sclerosis	M	74	—	—	—	—	—	—	10	36	28	38	—	—	—	—	—	1	13	15	9
	F	43	—	—	—	—	—	—	8	11	24	20	—	—	—	—	—	—	5	5	10
18 Bronchitis	M	147	8	3	1	—	—	6	24	50	55	126	16	9	1	—	—	4	37	41	18
	F	174	11	2	1	—	—	5	26	55	74	105	5	4	2	—	2	1	34	31	26
19 Pneumonia (all forms)	M	244	72	33	20	6	3	27	44	27	12	90	12	12	10	3	3	11	27	8	4
	F	179	51	28	14	7	5	11	24	24	15	70	8	9	4	4	—	8	22	8	7
20 Other respiratory diseases	M	21	—	1	—	1	—	2	8	5	4	16	1	—	—	1	1	1	8	4	—
	F	20	2	1	—	1	—	—	2	3	11	9	—	—	—	1	—	1	2	2	3
21 Ulcer of stomach or duodenum	M	15	—	—	—	—	—	4	7	3	1	8	—	—	—	—	—	4	3	1	—
	F	9	—	—	—	—	1	4	4	—	—	—	—	—	—	—	—	—	—	—	—
22 Diarrhœa, &c.	M	36	24	3	1	1	—	—	1	4	2	35	24	1	4	—	—	—	3	3	—
	F	36	20	3	1	—	2	—	5	3	2	19	10	2	1	1	—	—	1	3	1
23 Appendicitis and typhlitis	M	4	—	—	—	2	1	1	—	—	—	6	—	—	1	1	—	1	3	—	—
	F	8	—	—	—	2	—	3	3	—	—	8	—	—	—	4	2	1	1	—	—
24 Cirrhosis of liver	M	7	—	—	—	—	—	1	4	2	—	7	—	—	—	—	—	1	4	2	—
	F	4	—	—	—	—	—	2	1	1	—	2	—	—	—	—	—	—	2	—	—
25 Acute and chronic nephritis	M	27	1	—	—	1	1	6	11	6	1	46	2	1	—	3	1	9	21	7	2
	F	42	—	—	1	1	1	9	21	5	4	27	—	—	2	—	1	4	12	7	1
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	10	—	—	—	—	3	7	—	—	—	4	—	—	—	—	2	2	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	10	—	—	—	—	2	8	—	—	—	9	—	—	—	—	2	7	—	—	—
28 Congenital debility and malformation, premature birth	M	117	116	—	1	—	—	—	—	—	—	56	56	—	—	—	—	—	—	—	—
	F	80	77	1	—	1	—	—	1	—	—	38	38	—	—	—	—	—	—	—	—
29 Suicide	M	15	—	—	—	—	1	6	5	3	—	13	—	—	—	—	1	4	4	2	2
	F	11	—	—	—	—	1	4	5	1	—	7	—	—	—	—	1	1	5	—	—
30 Other deaths from violence	M	62	1	2	7	4	8	15	15	6	4	25	2	—	1	—	2	9	5	5	1
	F	32	3	1	3	3	2	4	5	3	8	22	2	1	1	2	2	2	1	2	9
31 Other defined diseases	M	268	35	2	7	8	8	23	74	43	68	176	20	3	2	3	14	12	40	42	40
	F	309	30	9	5	9	12	43	56	51	94	207	24	3	1	6	6	20	45	48	54
32 Causes ill-defined or unknown	M	4	—	—	—	—	—	—	4	—	—	9	1	1	—	—	—	1	2	4	—
	F	1	—	1	—	—	—	—	—	—	—	16	1	2	—	1	—	—	6	4	2

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1925 (Civilian population only).

Causes of Death.	Sex.	Oxford. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Plymouth. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	331	31	3	3	7	10	34	69	82	92	1158	156	22	25	29	41	137	328	217	203
	F	346	13	1	5	8	7	37	82	83	110	1245	88	29	27	29	53	125	281	245	368
1 Enteric fever	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	2	1	1	—	—	—	—	—	—	—
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	1	1	—	—	—	—	—
5 Whooping cough	M	2	2	—	—	—	—	—	—	—	—	8	3	2	2	1	—	—	—	—	—
	F	2	1	—	1	—	—	—	—	—	—	7	1	3	2	1	—	—	—	—	—
6 Diphtheria	M	—	—	—	—	—	—	—	—	—	—	4	—	—	1	3	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	4	—	1	2	1	—	—	—	—	—
7 Influenza	M	7	—	—	—	—	—	1	—	3	3	22	1	1	2	—	2	5	7	3	1
	F	16	—	—	—	—	—	4	3	6	3	27	—	—	—	—	4	5	6	3	9
8 Encephalitis lethargica	M	1	—	—	—	—	—	—	1	—	—	6	—	—	—	2	2	2	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	6	—	—	1	—	1	2	1	1	—
9 Meningococcal meningitis	M	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	21	—	—	—	—	3	9	8	1	—	104	—	—	—	1	25	50	25	—	3
	F	21	—	—	—	3	4	10	4	—	—	79	—	—	2	2	26	36	11	1	1
11 Other tuberculous diseases	M	6	1	—	1	1	—	2	1	—	—	19	5	3	3	1	1	2	4	—	—
	F	2	—	—	—	1	—	—	1	—	—	27	2	1	3	5	7	5	4	—	—
12 Cancer, malignant disease	M	40	—	—	—	—	1	1	13	15	10	122	—	—	—	—	1	5	64	36	16
	F	62	—	—	—	—	—	4	22	21	15	164	—	—	—	—	—	14	75	54	21
13 Rheumatic fever	M	—	—	—	—	—	—	—	—	—	—	4	—	—	—	2	—	—	2	—	—
	F	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	1	—	—
14 Diabetes	M	1	—	—	—	—	—	—	—	—	1	9	—	—	—	—	—	1	4	1	3
	F	8	—	—	—	—	—	—	2	4	2	13	—	—	—	—	—	—	5	5	3
15 Cerebral hæmorrhage, &c.	M	15	—	—	—	—	—	—	3	5	7	68	—	—	—	—	—	2	22	18	26
	F	18	—	—	—	—	—	2	4	5	7	100	—	—	—	—	—	2	29	29	40
16 Heart disease	M	47	—	—	—	1	1	2	10	17	16	166	—	—	—	2	2	12	56	53	41
	F	55	—	—	—	—	—	1	12	19	23	203	—	—	—	3	2	8	36	68	86
17 Arterio-sclerosis	M	31	—	—	—	—	—	1	3	11	16	29	—	—	—	—	—	—	5	10	14
	F	16	—	—	—	—	—	—	2	3	11	28	—	—	—	—	—	—	4	12	12
18 Bronchitis	M	23	3	—	—	—	—	—	3	7	10	89	15	1	—	—	—	1	15	26	31
	F	23	—	—	—	—	—	—	2	5	16	115	6	6	4	—	—	2	14	22	61
19 Pneumonia (all forms)	M	32	7	—	2	1	3	6	4	6	3	75	25	12	4	4	1	8	11	7	3
	F	26	4	1	2	—	—	2	4	8	5	64	12	7	3	4	1	7	17	6	7
20 Other respiratory diseases	M	3	—	1	—	—	—	—	1	1	—	25	2	—	1	—	—	7	9	5	1
	F	8	—	—	—	—	—	—	3	3	2	22	2	—	1	—	—	1	3	6	9
21 Ulcer of stomach or duodenum	M	2	—	—	—	—	—	2	—	—	—	10	—	—	—	—	1	2	6	—	1
	F	2	—	—	—	—	—	—	2	—	—	8	—	—	—	—	—	1	4	1	2
22 Diarrhœa, &c.	M	3	—	—	—	—	—	2	—	—	1	23	18	—	2	—	1	—	1	—	1
	F	1	—	—	—	—	—	—	1	—	—	25	9	4	1	1	1	1	—	3	5
23 Appendicitis and typhlitis	M	5	—	—	—	1	—	1	2	—	1	7	—	—	1	1	1	—	2	2	—
	F	1	—	—	—	1	—	—	—	—	—	2	—	—	—	—	2	—	—	—	—
24 Cirrhosis of liver	M	3	—	—	—	—	—	—	2	1	—	5	—	—	—	—	—	—	4	1	—
	F	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	2	1	—	—
25 Acute and chronic nephritis	M	14	—	—	—	—	—	1	6	2	5	26	—	—	—	—	—	3	14	5	4
	F	9	—	—	—	—	—	1	5	1	2	27	—	—	—	2	2	2	16	4	1
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	—	6	—	—	—	—	—	6	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	—	14	—	—	—	—	1	13	—	—	—
28 Congenital debility and malformation, premature birth	M	10	9	—	—	1	—	—	—	—	—	64	62	—	1	1	—	—	—	—	—
	F	6	6	—	—	—	—	—	—	—	—	42	42	—	—	—	—	—	—	—	—
29 Suicide	M	1	—	—	—	—	—	1	—	—	—	25	—	—	—	—	—	1	15	7	2
	F	1	—	—	—	—	—	—	1	—	—	3	—	—	—	—	—	1	1	1	—
30 Other deaths from violence	M	10	—	—	—	1	2	1	3	2	1	34	2	—	3	4	2	10	7	3	3
	F	5	—	—	—	1	1	—	1	1	1	14	—	—	1	1	—	1	1	4	6
31 Other defined diseases	M	52	8	2	—	1	—	4	8	11	18	211	22	3	3	7	2	26	55	40	53
	F	56	2	—	1	1	2	8	12	7	23	232	13	6	5	7	5	16	50	25	105
32 Causes ill-defined or unknown	M	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	3	—	—	—	—	1	—	2	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1925
(Civilian population only).

Causes of Death.	Sex.	Portsmouth. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Preston All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES	M	1502	185	38	42	59	44	153	422	302	257	885	157	38	46	31	30	95	238	153	97
	F	1373	119	33	38	44	52	142	306	258	381	905	129	28	30	28	34	91	223	186	156
1 Enteric fever	M	2	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	3	—	—	—	1	—	—	—	—	1	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	8	1	3	2	2	—	—	—	—	—	13	2	6	5	—	—	—	—	—	—
	F	12	—	7	4	1	—	—	—	—	—	5	1	2	2	—	—	—	—	—	—
4 Scarlet fever	M	3	—	—	2	1	—	—	—	—	—	7	—	1	3	3	—	—	—	—	—
	F	3	—	—	—	3	—	—	—	—	—	2	—	—	2	—	—	—	—	—	—
5 Whooping cough	M	14	7	5	1	1	—	—	—	—	—	19	9	4	6	—	—	—	—	—	—
	F	16	10	3	2	1	—	—	—	—	—	20	8	6	6	—	—	—	—	—	—
6 Diphtheria	M	24	1	1	12	10	—	—	—	—	—	10	—	—	6	4	—	—	—	—	—
	F	20	—	—	7	13	—	—	—	—	—	8	—	—	4	4	—	—	—	—	—
7 Influenza	M	42	3	—	—	—	3	6	9	12	9	33	—	1	1	—	—	7	12	9	3
	F	38	1	—	2	1	5	1	7	7	14	27	1	—	2	1	2	5	6	4	6
8 Encephalitis lethargica	M	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	1	—	—
	F	7	—	—	2	3	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	1	—	1	—	1	—	—	—	—	1	1	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	105	—	—	—	2	15	48	38	2	—	47	—	—	—	1	4	26	13	3	—
	F	97	—	—	2	2	26	41	19	4	3	50	—	1	—	2	18	19	7	3	—
11 Other tuberculous diseases	M	36	7	4	5	8	5	1	4	—	2	22	4	3	7	2	4	1	1	—	—
	F	23	4	2	4	6	1	—	4	2	—	27	4	6	4	7	1	3	1	1	—
12 Cancer, malignant disease	M	153	—	—	1	1	1	9	81	44	16	61	—	—	—	—	1	6	36	16	2
	F	183	—	—	—	—	1	23	80	48	31	88	—	—	—	—	—	7	41	29	11
13 Rheumatic fever	M	5	—	—	—	1	—	2	2	—	—	1	—	—	—	1	—	—	—	—	—
	F	3	—	—	—	—	—	2	1	—	—	4	—	—	—	2	1	1	—	—	—
14 Diabetes	M	11	—	—	—	1	—	2	2	3	3	9	—	—	—	—	1	2	5	—	1
	F	13	—	—	—	—	2	3	3	3	2	18	—	—	—	—	—	2	9	6	1
15 Cerebral hæmorrhage, &c.	M	90	—	—	—	—	—	3	32	33	22	59	—	—	—	1	—	2	24	19	13
	F	112	—	—	—	—	—	2	30	41	39	67	—	—	—	—	—	1	25	28	13
16 Heart disease	M	227	—	—	—	1	3	12	74	84	53	68	—	—	1	3	2	5	28	20	9
	F	185	—	—	—	5	2	12	50	62	54	106	—	—	—	—	1	11	43	30	21
17 Arterio-sclerosis	M	27	—	—	—	—	—	—	9	6	12	47	—	—	—	—	—	—	20	16	11
	F	20	—	—	—	—	—	1	6	7	6	28	—	—	—	—	—	—	7	15	6
18 Bronchitis	M	94	7	3	2	—	—	3	22	28	29	73	12	3	2	1	—	1	17	22	15
	F	98	7	1	—	—	—	3	13	19	55	69	11	2	1	—	—	—	9	22	24
19 Pneumonia (all forms)	M	112	34	14	8	4	2	6	23	13	8	97	26	11	8	4	2	15	23	4	4
	F	78	18	13	8	2	4	4	9	6	14	76	21	8	3	4	1	5	12	14	8
20 Other respiratory diseases	M	21	2	1	1	3	—	3	4	3	4	13	2	1	1	1	1	1	2	3	1
	F	21	1	—	1	2	—	—	3	4	10	10	—	—	1	—	—	3	3	—	3
21 Ulcer of stomach or duodenum	M	17	—	—	—	—	—	4	12	1	—	7	—	—	—	—	1	2	1	2	1
	F	2	—	—	—	—	—	1	1	—	—	3	—	—	—	—	1	—	1	—	1
22 Diarrhœa, &c.	M	17	10	2	—	—	1	1	1	2	—	17	14	2	—	1	—	—	—	—	—
	F	18	8	1	—	1	—	1	1	3	3	12	7	1	1	—	—	1	—	—	2
23 Appendicitis and typhlitis	M	17	—	—	—	4	1	3	4	3	2	4	—	—	—	—	1	1	2	—	—
	F	4	1	—	—	—	—	1	1	—	1	10	—	—	—	3	2	2	2	—	1
24 Cirrhosis of liver	M	5	—	—	—	—	—	—	4	—	1	3	—	—	—	—	—	—	2	1	—
	F	8	—	—	—	—	—	—	8	—	—	1	—	—	—	—	—	—	1	—	—
25 Acute and chronic nephritis	M	43	—	—	—	—	1	—	23	16	3	14	—	—	—	—	—	3	8	3	—
	F	38	—	—	—	1	—	5	11	11	10	19	—	—	—	1	—	1	12	5	—
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	—	6	—	—	—	—	—	6	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	8	—	—	—	—	1	7	—	—	—	7	—	—	—	—	—	7	—	—	—
28 Congenital debility and malformation, premature birth	M	90	89	—	1	—	—	—	—	—	—	58	57	—	1	—	—	—	—	—	—
	F	52	51	1	—	—	—	—	—	—	—	49	48	—	1	—	—	—	—	—	—
29 Suicide	M	23	—	—	—	—	1	10	7	3	2	6	—	—	—	—	—	—	4	1	1
	F	12	—	—	—	—	2	6	4	—	—	5	—	—	—	—	2	2	1	—	—
30 Other deaths from violence	M	47	5	3	1	7	6	12	6	4	3	37	1	1	1	5	7	10	5	5	2
	F	22	1	3	1	1	—	1	5	4	6	9	2	—	—	—	—	—	3	2	2
31 Other defined diseases	M	267	19	2	6	12	4	27	65	44	88	148	30	5	4	4	6	12	28	25	34
	F	272	16	2	4	2	7	22	49	37	133	166	25	2	3	3	4	14	35	23	57
32 Causes ill-defined or unknown	M	—	—	—	—	—	—	—	—	—	—	11	—	—	—	—	—	1	6	4	—
	F	—	—	—	—	—	—	—	—	—	—	11	—	—	—	1	—	1	5	4	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1925
(Civilian population only).

Causes of Death.	Sex.	Reading. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Rochdale. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	516	45	4	6	16	24	35	132	124	130	710	75	18	15	14	30	80	249	141	88
	F	529	40	5	7	11	24	59	98	124	161	691	56	25	15	20	22	77	183	153	140
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	2	—	2	—	—
	F	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	1	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	—	—	—	—	—	—	—	—	—	—	4	—	2	1	1	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever ..	M	1	—	—	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	5	—	—	2	3	—	—	—	—	—
5 Whooping cough ..	M	8	4	1	1	2	—	—	—	—	—	5	3	—	2	—	—	—	—	—	—
	F	6	4	1	1	—	—	—	—	—	—	6	1	2	3	—	—	—	—	—	—
6 Diphtheria ..	M	2	—	—	—	2	—	—	—	—	—	2	—	1	—	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	5	2	—	2	—	1	—	—	—	—
7 Influenza	M	7	—	—	—	—	—	1	4	1	1	34	—	1	—	—	1	10	15	6	1
	F	12	—	—	—	—	—	1	4	4	3	32	2	2	—	—	1	7	9	8	3
8 Encephalitis lethargica ..	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	1	—	—	—
	F	2	—	—	—	—	1	1	—	—	—	1	—	—	—	—	1	—	—	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	36	—	—	—	—	11	12	12	—	1	34	—	—	—	—	6	14	13	1	—
	F	37	—	—	—	2	12	15	6	1	1	26	—	1	1	1	9	12	2	—	—
11 Other tuberculous diseases	M	8	1	—	1	1	1	1	2	—	1	11	—	1	1	3	1	4	1	—	—
	F	6	1	—	—	2	1	2	—	—	—	9	1	1	—	2	1	3	1	—	—
12 Cancer, malignant disease	M	57	—	—	—	1	—	2	20	19	15	80	—	—	—	—	—	6	50	19	5
	F	67	—	—	—	—	—	8	22	24	13	72	—	—	—	—	—	9	33	25	5
13 Rheumatic fever ..	M	2	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	1	1	—	—	—	—	7	—	—	1	1	1	—	4	—	—
14 Diabetes	M	6	—	—	—	—	—	—	3	1	2	5	—	—	—	1	1	—	1	1	1
	F	8	—	—	—	—	—	2	1	2	3	5	—	—	—	—	—	—	3	2	—
15 Cerebral hæmorrhage, &c. ..	M	42	—	—	—	—	—	1	13	17	11	41	—	—	—	—	—	—	19	15	7
	F	46	—	—	—	—	—	2	10	14	20	34	—	—	—	—	—	—	7	16	11
16 Heart disease ..	M	76	—	—	—	—	2	2	18	24	30	78	—	1	1	1	1	11	31	19	13
	F	105	—	—	—	3	—	7	18	35	42	108	—	—	—	2	1	13	43	30	19
17 Arterio-sclerosis ..	M	40	—	—	—	—	—	—	1	20	19	27	—	—	—	—	—	—	7	12	8
	F	30	—	—	—	—	—	—	4	8	18	23	—	—	—	—	—	—	7	5	11
18 Bronchitis ..	M	33	3	1	—	—	—	—	5	9	15	72	4	2	2	—	—	3	26	21	14
	F	43	—	2	1	—	—	2	2	12	24	87	1	2	—	—	—	—	17	34	33
19 Pneumonia (all forms)	M	24	4	1	1	1	1	2	5	3	6	70	12	3	2	1	5	15	20	7	5
	F	30	9	1	2	—	—	2	4	4	8	43	7	12	—	3	1	4	11	4	1
20 Other respiratory diseases	M	6	—	—	—	—	—	—	1	4	1	4	—	—	—	—	—	2	—	1	1
	F	3	—	—	—	—	—	1	—	1	1	4	—	—	1	—	—	—	3	—	—
21 Ulcer of stomach or duodenum ..	M	1	—	—	—	—	—	—	1	—	—	9	—	—	—	—	1	2	4	1	1
	F	2	—	—	—	—	—	—	1	1	—	2	—	—	—	—	—	1	—	1	—
22 Diarrhœa, &c. ..	M	10	6	1	—	—	—	—	1	—	2	11	5	1	2	1	—	1	1	—	—
	F	6	2	—	—	—	1	—	1	—	2	7	4	2	—	—	—	1	—	—	—
23 Appendicitis and typhlitis.. ..	M	2	—	—	—	2	—	—	—	—	—	9	—	—	1	1	2	1	3	1	—
	F	4	—	—	1	1	2	—	—	—	—	2	—	—	—	—	1	—	1	—	—
24 Cirrhosis of liver ..	M	3	—	—	—	—	—	—	3	—	—	6	—	—	—	—	—	1	4	1	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
25 Acute and chronic nephritis ..	M	7	—	—	—	—	—	1	4	1	1	23	1	—	—	—	1	2	14	3	2
	F	11	—	—	—	—	1	—	6	3	1	19	—	—	1	2	—	4	8	2	2
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	—	7	—	—	—	—	2	5	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	5	—	—	—	—	1	4	—	—	—	8	—	—	—	—	—	8	—	—	—
28 Congenital debility and malformation, premature birth.. ..	M	21	21	—	—	—	—	—	—	—	—	38	38	—	—	—	—	—	—	—	—
	F	18	18	—	—	—	—	—	—	—	—	35	35	—	—	—	—	—	—	—	—
29 Suicide	M	5	—	—	—	—	—	—	5	—	—	10	—	—	—	—	1	1	4	3	1
	F	4	—	—	—	—	—	3	—	1	—	4	—	—	—	—	—	1	3	—	—
30 Other deaths from violence.. ..	M	26	1	—	1	3	4	3	10	1	3	20	2	—	2	1	2	2	5	2	4
	F	8	—	—	—	—	1	1	3	1	2	7	—	—	—	1	—	1	—	2	3
31 Other defined diseases	M	93	5	—	1	3	4	10	24	24	22	108	9	5	—	3	5	4	29	28	25
	F	68	5	1	1	1	3	6	15	13	23	130	3	3	4	5	2	8	30	23	52
32 Causes ill-defined or unknown ..	M	—	—	—	—	—	—	—	—	—	—	2	1	1	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1925
(Civilian population only).

Causes of Death.	Sex.	Rotherham. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	St. Helens. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	467	69	23	17	20	26	57	112	85	58	724	154	45	39	26	27	90	195	94	54
	F	430	63	17	12	15	19	60	97	67	80	592	109	45	23	31	44	73	105	101	61
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	2	—	1	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	7	1	4	2	—	—	—	—	—	—	6	3	2	1	—	—	—	—	—	—
	F	3	2	1	—	—	—	—	—	—	—	11	1	6	4	—	—	—	—	—	—
4 Scarlet fever ..	M	1	—	—	—	1	—	—	—	—	—	3	1	—	2	—	—	—	—	—	—
	F	4	—	—	1	3	—	—	—	—	—	4	1	—	1	2	—	—	—	—	—
5 Whooping cough ..	M	7	4	2	—	1	—	—	—	—	—	17	3	6	6	2	—	—	—	—	—
	F	7	2	4	1	—	—	—	—	—	—	16	7	6	3	—	—	—	—	—	—
6 Diphtheria ..	M	2	—	—	2	—	—	—	—	—	—	3	—	—	2	—	—	1	—	—	—
	F	2	—	—	1	1	—	—	—	—	—	3	—	2	—	1	—	—	—	—	—
7 Influenza	M	11	—	—	—	—	—	1	6	3	1	18	—	—	1	1	—	4	9	2	1
	F	5	—	—	—	—	1	1	2	1	—	18	1	2	—	2	1	6	2	4	—
8 Encephalitis lethargica ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	1	—	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	41	—	—	—	2	7	21	9	2	—	51	—	—	2	3	7	20	19	—	—
	F	29	—	1	1	3	5	11	6	2	—	46	—	—	1	7	22	13	3	—	—
11 Other tuberculous diseases	M	12	3	1	2	3	2	—	1	—	—	16	4	4	2	2	—	2	2	—	—
	F	7	—	—	2	1	—	1	3	—	—	9	—	3	2	2	1	1	—	—	—
12 Cancer, malignant disease	M	38	—	—	—	—	—	4	18	11	5	42	—	—	—	—	2	2	26	8	4
	F	49	—	—	—	—	1	8	21	13	6	42	—	—	—	—	—	3	24	10	5
13 Rheumatic fever ..	M	3	—	—	—	1	1	—	1	—	—	7	—	—	—	2	1	—	4	—	—
	F	1	—	—	—	—	—	—	1	—	—	4	—	—	—	—	1	2	1	—	—
14 Diabetes	M	—	—	—	—	—	—	—	—	—	—	5	—	—	—	—	1	1	2	1	—
	F	6	—	—	—	—	—	2	3	—	1	4	—	—	—	—	—	—	3	1	—
15 Cerebral hæmorrhage, &c. ..	M	19	—	—	—	—	—	—	4	11	4	24	1	—	—	—	—	—	10	8	5
	F	22	—	—	—	—	—	—	8	7	7	23	—	—	—	—	—	—	9	11	3
16 Heart disease ..	M	35	—	—	—	1	1	3	15	10	5	60	—	—	—	3	4	7	26	15	5
	F	42	—	—	—	—	2	8	17	7	8	60	—	—	—	2	3	9	13	26	7
17 Arterio-sclerosis ..	M	15	—	—	—	—	—	—	1	7	7	16	—	—	—	—	—	—	5	8	3
	F	15	—	—	—	—	—	—	1	4	10	6	—	—	—	—	—	1	1	2	2
18 Bronchitis ..	M	20	4	—	—	—	—	1	1	7	7	53	7	2	—	—	—	4	17	10	13
	F	35	4	—	1	—	—	1	5	11	13	47	8	—	—	—	1	2	8	12	16
19 Pneumonia (all forms)	M	65	11	8	6	3	2	8	20	4	3	104	22	19	11	4	5	16	21	5	1
	F	55	10	7	3	3	5	4	10	6	7	66	18	16	5	1	3	7	10	6	—
20 Other respiratory diseases	M	3	—	—	—	—	1	—	1	1	—	5	3	—	—	—	—	1	1	—	—
	F	2	1	—	—	—	—	—	—	1	—	8	1	1	—	1	—	1	2	2	—
21 Ulcer of stomach or duodenum ..	M	1	—	—	—	—	—	—	1	—	—	4	—	—	—	1	—	—	2	1	—
	F	2	—	—	—	—	—	1	1	—	—	3	—	—	—	—	—	2	1	—	—
22 Diarrhœa, &c. ..	M	10	5	2	1	—	—	1	—	1	—	21	15	3	1	—	—	—	1	—	1
	F	6	5	—	—	—	—	—	—	—	1	14	6	4	2	—	—	—	—	2	—
23 Appendicitis and typhlitis.. ..	M	3	—	—	—	2	—	—	1	—	—	1	—	—	—	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	4	—	—	—	1	1	2	—	—	—
24 Cirrhosis of liver ..	M	1	—	—	—	—	—	—	—	1	—	7	—	—	1	—	—	1	5	—	—
	F	3	—	—	—	—	—	—	2	—	1	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis ..	M	11	—	—	—	2	—	1	5	1	2	22	—	—	1	—	2	4	10	4	1
	F	5	—	—	—	—	—	2	1	1	1	19	1	1	—	2	—	4	6	4	1
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	—	7	—	—	—	—	1	6	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	8	—	—	—	—	2	6	—	—	—	7	—	—	—	—	6	1	—	—	—
28 Congenital debility and malformation, premature birth.. ..	M	27	26	—	—	—	1	—	—	—	—	58	58	—	—	—	—	—	—	—	—
	F	24	23	1	—	—	—	—	—	—	—	42	42	—	—	—	—	—	—	—	—
29 Suicide	M	3	—	—	—	—	—	2	—	—	1	6	—	—	—	—	—	3	2	1	—
	F	2	—	—	—	—	—	1	—	1	—	2	—	—	—	—	1	—	1	—	—
30 Other deaths from violence.. ..	M	31	1	—	2	3	7	5	9	4	—	38	—	1	2	5	1	12	12	3	2
	F	11	1	—	1	2	1	2	2	1	1	5	1	—	—	2	—	—	—	2	—
31 Other defined diseases	M	100	14	6	2	1	3	10	19	22	23	125	35	6	4	3	3	11	19	26	18
	F	81	14	3	1	2	2	9	14	12	24	116	22	3	5	8	3	10	19	19	27
32 Causes ill-defined or unknown ..	M	1	—	—	—	—	1	—	—	—	—	8	1	1	1	—	—	1	2	2	—
	F	1	1	—	—	—	—	—	—	—	—	4	—	1	—	—	—	2	1	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1925
(Civilian population only).

Causes of Death.	Sex.	Salford. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Sheffield. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	1764	264	72	64	50	81	230	571	279	153	3252	421	99	103	101	141	360	991	627	409
	F	1676	228	63	69	55	80	206	407	309	259	2824	366	97	88	92	121	315	678	516	551
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	5	—	—	—	1	1	3	—	—	—
	F	3	—	—	—	—	1	2	—	—	—	3	—	—	—	1	—	1	—	1	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	20	7	10	2	1	—	—	—	—	—	16	3	6	4	3	—	—	—	—	—
	F	11	—	4	7	—	—	—	—	—	—	15	3	8	4	—	—	—	—	—	—
4 Scarlet fever ..	M	3	—	—	1	1	1	—	—	—	—	3	—	—	1	—	1	1	—	—	—
	F	3	—	—	1	2	—	—	—	—	—	3	—	1	—	2	—	—	—	—	—
5 Whooping cough ..	M	35	14	11	10	—	—	—	—	—	—	50	29	14	7	—	—	—	—	—	—
	F	37	15	14	7	1	—	—	—	—	—	58	23	16	18	1	—	—	—	—	—
6 Diphtheria ..	M	11	2	—	4	5	—	—	—	—	—	22	1	2	10	8	—	1	—	—	—
	F	14	1	—	5	7	1	—	—	—	—	10	1	2	3	3	—	—	—	1	—
7 Influenza	M	42	1	—	1	1	3	6	16	9	5	66	4	1	2	1	3	12	25	9	9
	F	51	3	—	2	—	—	12	14	12	8	53	3	1	—	4	2	4	13	18	8
8 Encephalitis lethargica ..	M	7	—	—	1	—	—	1	5	—	—	8	—	1	—	—	3	1	3	—	—
	F	4	—	—	—	—	1	1	2	—	—	13	—	—	1	1	—	3	5	3	—
9 Meningococcal meningitis ..	M	2	2	—	—	—	—	—	—	—	—	5	2	2	—	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	1	—	—	1	—	—	—	—	—
10 Tuberculosis of respiratory system	M	200	—	1	2	2	34	79	76	6	—	261	1	1	1	5	30	84	124	13	2
	F	142	—	—	1	4	39	55	39	4	—	157	—	—	2	11	49	56	33	6	—
11 Other tuberculous diseases	M	36	5	5	4	7	7	5	3	—	—	58	3	1	16	11	9	9	9	—	—
	F	29	2	1	8	7	4	6	1	—	—	47	2	5	8	7	9	11	4	1	—
12 Cancer, malignant disease	M	152	—	—	—	—	1	11	82	44	14	364	1	—	—	3	1	19	188	117	35
	F	149	1	—	1	1	—	24	68	40	14	336	—	—	—	2	2	37	172	78	45
13 Rheumatic fever ..	M	5	—	—	—	2	1	1	1	—	—	7	—	—	—	1	1	5	—	—	—
	F	9	—	—	1	3	2	3	—	—	—	14	—	—	—	5	4	1	4	—	—
14 Diabetes	M	6	—	—	—	—	—	1	3	2	—	23	—	—	—	1	—	5	10	4	3
	F	14	—	—	—	—	—	3	6	4	1	33	—	—	1	1	1	3	13	12	2
15 Cerebral hæmorrhage, &c. ..	M	60	—	—	—	—	—	1	20	21	18	151	—	—	—	—	—	2	63	60	26
	F	77	—	—	—	—	—	2	24	30	21	163	1	—	—	—	—	4	62	51	45
16 Heart disease ..	M	157	—	—	—	5	4	24	64	41	19	328	—	—	1	8	18	35	115	101	50
	F	206	—	—	—	3	11	23	72	62	35	360	—	—	—	12	12	44	111	90	91
17 Arterio-sclerosis ..	M	62	—	—	—	—	—	—	22	27	13	273	—	—	—	—	—	5	52	107	109
	F	38	—	—	—	—	—	—	9	12	17	202	—	—	—	—	—	2	24	72	104
18 Bronchitis ..	M	180	24	4	4	—	3	11	68	42	24	255	33	9	6	2	3	12	68	64	58
	F	196	20	10	3	—	—	4	37	59	63	215	32	7	2	—	2	3	34	59	76
19 Pneumonia (all forms)	M	203	41	30	18	4	4	36	50	14	6	360	68	39	30	13	10	67	91	28	14
	F	136	40	18	14	7	5	13	18	12	9	247	65	33	30	12	6	20	42	19	20
20 Other respiratory diseases	M	22	—	1	—	—	1	1	10	6	3	32	2	2	1	1	1	2	18	2	3
	F	13	—	1	1	1	—	1	6	2	1	28	3	1	—	1	—	3	8	4	8
21 Ulcer of stomach or duodenum ..	M	13	—	—	—	—	1	4	8	—	—	32	—	—	—	—	—	10	17	5	—
	F	5	—	—	—	—	—	2	3	—	—	14	—	—	—	—	—	2	10	2	—
22 Diarrhœa, &c. ..	M	62	49	5	6	—	—	2	—	—	—	53	43	6	—	—	—	1	1	2	—
	F	52	36	8	1	1	—	—	3	1	2	41	30	4	2	—	—	2	1	—	2
23 Appendicitis and typhlitis.. ..	M	10	—	—	1	3	1	1	2	1	1	14	—	—	2	2	6	3	—	1	—
	F	7	—	—	3	1	—	—	3	—	—	16	—	1	1	1	1	4	5	1	2
24 Cirrhosis of liver ..	M	10	—	—	—	—	—	—	10	—	—	15	—	—	—	—	—	2	8	5	—
	F	1	—	—	—	—	—	—	1	—	—	4	—	—	—	—	—	1	2	—	1
25 Acute and chronic nephritis ..	M	27	—	—	—	1	—	3	17	5	1	99	—	1	—	2	10	12	36	27	11
	F	39	—	—	—	2	2	8	18	7	2	81	—	1	1	1	3	10	30	21	14
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	13	—	—	—	—	1	12	—	—	—	21	—	—	—	—	5	14	2	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	13	—	—	—	—	1	12	—	—	—	26	—	—	—	—	5	19	2	—	—
28 Congenital debility and malformation, premature birth.. ..	M	82	81	—	1	—	—	—	—	—	—	157	153	1	1	—	2	—	—	—	—
	F	78	77	1	—	—	—	—	—	—	—	143	139	2	—	2	—	—	—	—	—
29 Suicide	M	15	—	—	—	—	—	3	11	1	—	26	—	—	—	—	2	5	16	3	—
	F	6	—	—	—	—	1	—	5	—	—	12	—	—	—	—	1	5	6	—	—
30 Other deaths from violence.. ..	M	74	5	1	4	6	15	18	20	2	3	134	11	3	8	15	20	20	31	14	12
	F	33	3	—	4	4	2	1	6	4	9	60	6	1	7	6	4	7	7	6	16
31 Other defined diseases	M	262	33	4	5	12	5	20	80	57	46	433	66	9	13	23	20	44	116	65	77
	F	291	28	6	10	11	9	22	69	59	77	446	57	13	8	18	15	59	88	71	117
32 Causes ill-defined or unknown ..	M	6	—	—	—	—	—	2	3	1	—	2	1	1	—	—	—	—	—	—	—
	F	6	2	—	—	—	—	—	3	1	—	1	—	1	—	—	—	—	—	—	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1925 (Civilian population only).

Causes of Death.	Sex.	Smethwick. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Southampton. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	433	69	12	15	18	11	57	108	90	53	1033	96	36	26	25	40	143	295	190	182
	F	386	47	15	6	10	18	41	99	72	78	927	88	32	17	23	37	103	207	166	254
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	2	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	4	—	2	2	—	—	—	—	—	—	10	2	5	3	—	—	—	—	—	—
	F	3	1	1	—	—	1	—	—	—	—	8	1	5	2	—	—	—	—	—	—
4 Scarlet fever ..	M	2	—	—	1	—	—	1	—	—	—	2	—	—	1	—	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	1	1	—	—	—	—	—
5 Whooping cough ..	M	6	2	2	2	—	—	—	—	—	—	4	1	3	—	—	—	—	—	—	—
	F	6	2	3	1	—	—	—	—	—	—	12	1	9	1	1	—	—	—	—	—
6 Diphtheria ..	M	2	—	—	—	2	—	—	—	—	—	4	—	—	—	4	—	—	—	—	—
	F	3	—	1	1	1	—	—	—	—	—	5	1	—	1	2	—	1	—	—	—
7 Influenza	M	9	—	—	—	1	1	3	2	2	—	16	—	—	1	1	1	4	4	2	3
	F	12	2	1	—	2	1	1	4	1	—	14	—	—	1	—	1	2	3	3	4
8 Encephalitis lethargica ..	M	—	—	—	—	—	—	—	—	—	—	2	—	—	1	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	1	—	1	—	—	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	32	—	—	—	1	2	18	11	—	—	99	—	—	—	2	11	46	37	2	1
	F	29	—	—	—	—	8	15	5	1	—	60	—	—	—	3	16	28	12	—	1
11 Other tuberculous diseases	M	9	3	2	2	1	1	—	—	—	—	18	2	4	2	5	2	3	—	—	—
	F	10	3	1	2	1	2	—	1	—	—	17	3	1	1	5	3	1	3	—	—
12 Cancer, malignant disease	M	46	—	—	—	—	—	6	24	12	4	129	—	—	—	—	1	6	58	38	26
	F	42	—	—	—	—	—	3	21	8	10	143	—	—	—	—	2	15	62	41	23
13 Rheumatic fever ..	M	3	—	—	—	1	—	1	1	—	—	2	—	—	—	—	1	1	—	—	—
	F	4	—	—	1	1	—	—	1	1	—	2	—	—	—	—	—	—	1	—	1
14 Diabetes	M	3	—	—	—	—	—	2	—	1	—	10	—	—	—	1	—	—	1	6	2
	F	5	—	—	—	—	—	—	4	1	—	6	—	—	—	—	—	—	2	2	2
15 Cerebral hæmorrhage, &c. ..	M	20	—	—	—	—	—	1	6	9	4	46	—	—	—	—	—	3	11	19	13
	F	21	—	—	—	—	—	1	4	5	11	73	—	—	—	—	—	2	12	19	40
16 Heart disease ..	M	65	—	—	—	2	3	4	14	23	19	171	—	—	—	2	4	18	59	54	34
	F	62	—	—	—	1	2	3	17	21	18	146	—	—	—	—	3	8	41	42	52
17 Arterio-sclerosis ..	M	8	—	—	—	—	—	—	3	1	4	36	—	—	—	—	—	1	9	9	17
	F	10	—	—	—	—	—	—	2	3	5	19	—	—	—	—	—	—	4	3	12
18 Bronchitis ..	M	36	3	1	1	—	—	2	5	16	8	45	12	—	—	—	—	—	12	6	15
	F	27	1	—	—	—	1	—	3	10	12	57	8	—	1	—	1	2	6	14	25
19 Pneumonia (all forms)	M	37	6	4	—	3	1	10	11	2	—	58	10	14	7	2	4	5	7	2	7
	F	42	9	7	1	1	—	3	9	9	3	58	11	13	1	4	1	5	12	8	3
20 Other respiratory diseases	M	3	—	—	1	—	—	1	—	1	—	14	—	1	1	—	1	—	9	1	1
	F	4	—	—	—	1	—	1	1	—	1	12	—	1	—	—	2	—	4	2	3
21 Ulcer of stomach or duodenum ..	M	5	—	—	—	—	—	1	3	1	—	18	—	—	—	—	1	4	9	2	2
	F	2	—	—	—	—	—	1	1	—	—	5	—	—	—	—	—	1	4	—	—
22 Diarrhœa, &c. ..	M	13	11	—	1	—	1	—	—	—	—	17	7	—	—	—	—	4	3	1	2
	F	4	4	—	—	—	—	—	—	—	—	6	2	—	—	—	—	2	1	—	1
23 Appendicitis and typhlitis.. ..	M	2	—	—	—	—	—	1	1	—	—	9	—	—	2	1	1	2	3	—	—
	F	—	—	—	—	—	—	—	—	—	—	8	—	—	—	—	—	2	4	2	—
24 Cirrhosis of liver ..	M	2	—	—	—	—	—	—	1	1	—	4	—	—	—	—	—	1	2	—	1
	F	1	—	—	—	—	—	—	1	—	—	5	—	—	—	—	—	—	3	1	1
25 Acute and chronic nephritis ..	M	10	—	—	—	1	1	1	4	3	—	31	—	1	—	—	1	3	10	8	8
	F	8	—	—	—	—	—	—	4	3	1	27	—	—	—	—	3	4	6	4	10
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	—	6	—	—	—	—	—	6	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	1	3	—	—	—	8	—	—	—	—	1	6	1	—	—
28 Congenital debility and malformation, premature birth.. ..	M	30	29	—	—	1	—	—	—	—	—	54	53	1	—	—	—	—	—	—	—
	F	22	21	1	—	—	—	—	—	—	—	47	46	—	1	—	—	—	—	—	—
29 Suicide	M	2	—	—	—	—	—	1	1	—	—	10	—	—	—	—	1	3	3	2	1
	F	2	—	—	—	—	1	1	—	—	—	5	—	—	—	—	1	1	2	1	—
30 Other deaths from violence.. ..	M	14	2	—	2	1	1	1	6	1	—	50	1	—	4	4	8	9	15	6	3
	F	12	1	—	—	1	—	1	3	1	5	17	3	—	1	3	—	1	2	2	5
31 Other defined diseases	M	68	12	1	3	4	—	3	15	16	14	168	8	6	4	3	3	26	40	32	46
	F	49	3	—	—	1	1	6	18	8	12	156	12	3	5	4	2	16	21	22	71
32 Causes ill-defined or unknown ..	M	2	1	—	—	—	—	—	—	1	—	3	—	1	—	—	—	1	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1925
(Civilian population only).

Causes of Death.	Sex.	Southend-on-Sea. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Southport. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	520	39	6	8	16	13	77	165	86	110	434	38	8	6	6	12	36	127	114	87
	F	632	36	5	9	8	23	90	150	139	172	503	21	6	7	5	15	42	117	137	153
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	—	—	—	—	—	—	—	—	—	—	2	—	—	1	—	1	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	—	3	—	1	1	—	1	—	—	—	—
4 Scarlet fever	M	2	—	—	—	1	—	—	1	—	—	1	—	—	—	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	M	2	1	—	1	—	—	—	—	—	—	3	1	1	1	—	—	—	—	—	—
	F	7	3	1	2	—	—	—	—	—	1	3	1	—	2	—	—	—	—	—	—
6 Diphtheria	M	—	—	—	—	—	—	—	—	—	—	2	—	1	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7 Influenza	M	19	—	—	—	—	1	6	6	3	3	15	1	—	—	—	2	—	7	3	2
	F	12	—	1	—	—	—	3	3	2	3	17	—	1	—	1	1	1	3	9	1
8 Encephalitis lethargica	M	2	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	3	—	—	—	4	—	1	—	—	—	1	2	—	—
9 Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	44	—	—	1	—	2	31	10	—	—	22	—	—	—	—	2	9	10	1	—
	F	39	—	—	—	1	9	21	7	1	—	23	—	—	—	1	3	11	8	—	—
11 Other tuberculous diseases	M	8	—	3	1	2	—	1	1	—	—	4	—	—	—	1	2	1	—	—	—
	F	12	2	1	1	1	1	3	2	—	1	5	—	—	2	—	1	1	1	—	—
12 Cancer, malignant disease	M	82	—	—	—	—	1	8	33	25	15	41	—	—	—	—	—	1	22	16	2
	F	109	—	1	1	—	—	13	45	34	15	74	—	—	—	—	—	5	26	29	14
13 Rheumatic fever	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	1	—	—	1	—	—	1	—	—	—	—	—	1	—	—	—
14 Diabetes	M	13	—	—	—	—	—	—	4	6	3	5	—	1	—	—	—	—	1	3	—
	F	10	—	—	—	—	—	—	4	6	—	7	—	—	—	1	—	1	1	4	—
15 Cerebral hæmorrhage, &c.	M	30	—	—	—	—	—	1	11	6	12	43	—	—	—	—	—	1	10	14	18
	F	52	—	—	—	—	—	2	15	21	14	42	—	—	—	—	—	—	6	20	16
16 Heart disease	M	68	—	—	—	—	—	4	28	15	21	67	—	—	—	—	1	3	14	27	22
	F	111	—	—	—	3	3	8	20	31	46	75	—	—	—	—	2	5	17	26	25
17 Arterio-sclerosis	M	20	—	—	—	—	—	1	7	3	9	21	—	—	—	—	—	—	2	11	8
	F	13	—	—	—	—	—	—	3	4	6	18	—	—	—	—	—	—	1	5	12
18 Bronchitis	M	27	—	—	—	—	—	—	9	4	14	29	3	—	—	—	—	—	8	8	10
	F	35	2	—	—	—	—	—	1	5	27	43	—	—	—	—	—	—	6	11	26
19 Pneumonia (all forms)	M	37	6	3	1	1	—	5	14	6	1	32	5	2	—	—	—	5	9	6	5
	F	27	5	1	3	—	—	4	5	5	4	35	2	2	—	—	—	2	11	8	10
20 Other respiratory diseases	M	8	—	—	1	—	—	1	2	2	2	4	—	—	—	—	—	1	1	1	1
	F	5	—	—	—	—	1	—	1	1	2	3	—	—	—	—	—	1	—	—	2
21 Ulcer of stomach or duodenum	M	3	—	—	—	—	—	1	2	—	—	5	—	—	—	—	—	—	4	1	—
	F	3	—	—	—	—	—	—	2	—	1	2	—	—	—	—	—	—	2	—	—
22 Diarrhœa, &c.	M	7	5	—	—	1	—	—	—	—	1	3	1	1	—	—	—	1	—	—	—
	F	4	1	—	—	—	—	—	—	1	2	2	2	—	—	—	—	—	—	—	—
23 Appendicitis and typhlitis	M	5	1	—	—	1	2	—	—	1	—	3	—	—	—	—	1	—	2	—	—
	F	7	—	—	1	—	—	1	4	1	—	2	—	—	—	—	—	—	1	—	1
24 Cirrhosis of liver	M	2	—	—	—	—	—	—	2	—	—	3	—	—	—	—	—	1	2	—	—
	F	6	—	—	—	—	—	1	4	1	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis	M	10	—	—	—	—	1	—	5	2	2	20	—	—	—	1	—	1	8	8	2
	F	23	—	—	—	—	2	3	6	5	7	23	—	—	—	—	—	5	5	6	7
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	1	3	—	—	—	1	—	—	—	—	1	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—
28 Congenital debility and malformation, premature birth	M	16	16	—	—	—	—	—	—	—	—	17	16	—	—	—	—	1	—	—	—
	F	14	14	—	—	—	—	—	—	—	—	9	9	—	—	—	—	—	—	—	—
29 Suicide	M	10	—	—	—	—	—	4	5	1	—	4	—	—	—	—	—	1	3	—	—
	F	10	—	—	—	—	1	5	4	—	—	3	—	—	—	—	—	1	1	1	—
30 Other deaths from violence	M	21	1	—	1	5	3	4	4	—	3	13	—	—	2	—	2	5	1	1	2
	F	6	2	—	1	—	1	—	—	1	1	8	—	—	—	—	2	2	1	2	1
31 Other defined diseases	M	78	9	—	2	4	3	7	18	11	24	74	11	2	1	3	1	5	22	14	15
	F	112	6	—	—	2	4	17	21	20	42	95	7	1	2	2	4	5	22	14	38
32 Causes ill-defined or unknown	M	5	—	—	—	—	—	1	3	1	—	1	—	—	—	—	—	—	1	—	—
	F	2	—	—	—	—	—	—	2	—	—	5	—	—	—	—	—	—	3	2	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1925
(Civilian population only).

Causes of Death.	Sex.	South Shields. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Stockport. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	965	190	59	56	44	64	118	204	142	88	910	125	39	24	24	40	111	275	179	93
	F	807	150	55	45	39	49	89	154	120	106	833	76	24	24	23	32	81	197	198	178
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	21	1	9	8	3	—	—	—	—	—	2	—	2	—	—	—	—	—	—	—
	F	14	4	2	8	—	—	—	—	—	—	2	1	1	—	—	—	—	—	—	—
4 Scarlet fever	M	5	—	1	2	1	1	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	5	—	—	1	3	1	—	—	—	—	5	—	—	3	2	—	—	—	—	—
5 Whooping cough	M	22	10	6	5	1	—	—	—	—	—	20	7	10	3	—	—	—	—	—	—
	F	27	13	6	7	1	—	—	—	—	—	23	9	8	3	3	—	—	—	—	—
6 Diphtheria	M	3	—	—	1	2	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
	F	3	—	—	3	—	—	—	—	—	—	2	—	—	1	1	—	—	—	—	—
7 Influenza	M	31	—	—	1	—	6	6	12	5	1	19	2	—	—	—	3	4	7	3	—
	F	19	2	1	—	2	2	3	—	7	2	22	—	—	1	2	2	2	7	6	2
8 Encephalitis lethargica	M	1	—	—	—	—	1	—	—	—	—	6	—	—	2	1	2	1	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	2	—	—	—	—	—	1	—	1	—
9 Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	94	—	2	2	5	24	41	20	—	—	68	—	1	—	2	7	32	26	—	—
	F	69	—	2	3	8	19	23	14	—	—	37	—	1	1	1	10	18	5	1	—
11 Other tuberculous diseases	M	34	4	2	5	12	5	6	—	—	—	20	3	6	4	1	3	1	1	1	—
	F	23	2	6	2	5	7	—	1	—	—	11	1	2	2	2	2	1	1	—	—
12 Cancer, malignant disease	M	58	—	—	—	—	—	2	32	16	8	85	—	—	—	—	1	3	56	21	4
	F	64	—	—	—	—	—	10	38	11	5	96	—	—	—	—	—	11	38	33	14
13 Rheumatic fever	M	6	—	—	1	1	2	1	1	—	—	3	—	—	—	2	—	—	1	—	—
	F	3	—	—	—	—	1	—	1	1	—	7	—	—	—	1	1	2	3	—	—
14 Diabetes	M	4	—	—	—	—	—	—	1	3	—	6	—	—	—	—	1	2	3	—	—
	F	9	—	—	—	—	1	—	6	2	—	8	—	—	—	—	—	1	4	3	—
15 Cerebral hæmorrhage, &c.	M	46	—	—	—	—	—	2	16	17	11	34	—	—	—	—	—	2	11	11	10
	F	54	—	—	—	—	—	3	14	21	16	44	—	—	—	—	—	—	10	19	15
16 Heart disease	M	76	—	—	1	1	4	5	31	24	10	117	—	—	—	1	5	11	41	43	16
	F	72	—	—	—	—	2	7	32	19	12	147	—	—	—	1	3	8	55	41	39
17 Arterio-sclerosis	M	31	—	—	—	—	—	—	5	16	10	78	—	—	—	—	—	2	23	33	20
	F	15	—	—	—	—	—	—	4	5	6	57	—	—	—	—	—	—	8	24	25
18 Bronchitis	M	100	35	10	5	2	—	4	10	20	14	85	16	1	3	—	1	5	18	26	15
	F	71	16	8	4	—	1	2	8	19	13	88	5	3	2	—	1	2	17	27	31
19 Pneumonia (all forms)	M	94	26	20	15	5	2	11	12	2	1	83	13	8	7	4	8	15	22	4	2
	F	76	21	15	10	8	1	7	4	8	2	60	13	4	6	2	3	7	9	9	7
20 Other respiratory diseases	M	3	—	—	1	—	—	1	—	1	—	6	—	—	—	—	—	1	3	1	1
	F	8	—	—	—	2	—	—	4	1	1	9	—	1	—	—	—	1	2	3	2
21 Ulcer of stomach or duodenum	M	11	—	—	—	—	3	3	5	—	—	8	—	—	—	—	—	1	7	—	—
	F	3	—	—	—	—	—	1	—	2	—	1	—	—	—	—	—	—	1	—	—
22 Diarrhœa, &c.	M	25	15	3	4	—	—	2	—	1	—	17	10	3	—	—	—	2	2	—	—
	F	19	10	4	1	—	—	1	2	—	1	10	4	1	—	—	—	—	1	3	1
23 Appendicitis and typhlitis	M	3	—	—	—	—	1	2	—	—	—	10	—	—	1	1	1	3	1	2	1
	F	3	—	—	—	1	1	1	—	—	—	1	—	—	—	1	—	—	—	—	—
24 Cirrhosis of liver	M	4	—	—	—	—	—	—	3	1	—	3	—	—	—	—	—	—	3	—	—
	F	1	—	—	—	—	—	—	1	—	—	4	—	—	—	—	—	—	2	1	1
25 Acute and chronic nephritis	M	13	1	—	—	—	—	2	6	3	1	32	—	1	—	1	—	4	12	12	2
	F	19	—	—	2	1	—	3	8	2	3	25	—	—	—	—	2	4	9	4	6
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	6	—	—	—	—	1	5	—	—	—	2	—	—	—	—	—	2	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	8	—	—	—	—	1	7	—	—	—	6	—	—	—	—	2	4	—	—	—
28 Congenital debility and malformation, premature birth	M	68	65	1	—	1	—	1	—	—	—	49	49	—	—	—	—	—	—	—	—
	F	55	54	1	—	—	—	—	—	—	—	31	29	1	1	—	—	—	—	—	—
29 Suicide	M	9	—	—	—	—	2	1	6	—	—	8	—	—	—	—	—	4	3	1	—
	F	3	—	—	—	—	1	2	—	—	—	4	—	—	—	—	—	2	2	—	—
30 Other deaths from violence	M	39	1	—	—	2	10	15	7	3	1	37	—	1	2	6	3	10	9	3	3
	F	14	2	3	—	—	1	—	—	2	6	19	2	—	—	3	2	2	4	1	5
31 Other defined diseases	M	156	32	5	5	7	3	13	31	29	31	111	24	5	2	4	5	8	26	18	19
	F	140	26	7	4	7	9	13	16	19	39	108	12	1	4	4	4	13	19	21	30
32 Causes ill-defined or unknown	M	8	—	—	—	1	—	—	6	1	—	1	1	—	—	—	—	—	—	—	—
	F	3	—	—	—	1	—	—	1	1	—	2	—	1	—	—	—	—	—	1	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1925
(Civilian population only).

Causes of Death.	Sex.	Stoke-on-Trent. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Sunderland. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	1944	368	122	82	73	98	208	520	312	161	1325	272	110	68	55	56	131	301	215	117
	F	1853	315	100	100	65	94	225	404	325	225	1228	218	112	94	56	47	123	226	169	183
1 Enteric fever ..	M	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	19	6	8	4	1	—	—	—	—	—	70	19	28	19	3	—	1	—	—	—
	F	23	1	9	13	—	—	—	—	—	—	50	9	21	17	3	—	—	—	—	—
4 Scarlet fever ..	M	9	—	1	3	4	1	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	11	—	1	5	4	—	1	—	—	—	1	—	—	—	—	1	—	—	—	—
5 Whooping cough ..	M	33	13	12	7	1	—	—	—	—	—	27	11	11	4	1	—	—	—	—	—
	F	45	16	13	16	—	—	—	—	—	—	36	9	16	10	1	—	—	—	—	—
6 Diphtheria ..	M	11	1	4	4	2	—	—	—	—	—	6	—	1	3	2	—	—	—	—	—
	F	7	1	2	—	4	—	—	—	—	—	3	1	2	—	—	—	—	—	—	—
7 Influenza	M	53	3	2	4	4	2	6	15	12	5	27	—	—	2	2	1	5	13	2	2
	F	58	2	2	4	2	3	8	19	9	9	28	2	2	3	2	2	4	5	5	3
8 Encephalitis lethargica ..	M	5	—	—	—	2	—	1	1	1	—	6	—	—	2	3	—	—	1	—	—
	F	2	—	—	—	1	—	—	1	—	—	5	—	1	—	—	—	1	2	—	1
9 Meningococcal meningitis ..	M	3	—	1	—	—	1	1	—	—	—	1	—	—	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	155	—	2	1	4	27	51	65	4	1	107	2	1	3	4	24	36	35	2	—
	F	120	—	1	2	9	33	50	25	—	—	92	1	3	5	13	19	37	14	—	—
11 Other tuberculous diseases	M	55	10	8	7	7	13	8	1	—	1	26	5	5	3	7	1	3	1	—	1
	F	39	9	5	10	4	8	3	—	—	—	32	4	3	11	6	3	3	2	—	—
12 Cancer, malignant disease	M	154	—	—	—	—	1	14	87	41	11	93	—	—	—	1	1	9	40	34	8
	F	167	—	—	—	—	—	27	82	46	12	91	—	—	—	—	—	9	46	27	9
13 Rheumatic fever ..	M	10	—	—	—	5	3	—	1	1	—	6	—	—	—	1	1	—	4	—	—
	F	12	—	—	—	3	2	6	1	—	—	5	—	—	—	—	2	1	2	—	—
14 Diabetes	M	10	—	—	—	1	1	1	6	1	—	5	—	—	—	1	—	—	4	—	—
	F	17	—	—	1	1	—	1	8	6	—	6	—	—	—	—	1	—	—	4	1
15 Cerebral hæmorrhage, &c. ..	M	64	—	—	—	—	1	1	25	27	10	64	—	—	—	—	—	2	26	27	9
	F	96	—	—	—	—	—	5	36	37	18	64	—	—	—	—	—	2	25	21	16
16 Heart disease ..	M	194	—	—	—	4	10	18	76	59	27	133	—	—	1	1	2	13	49	50	17
	F	236	—	—	—	6	9	24	77	80	40	92	—	—	—	3	2	10	29	24	24
17 Arterio-sclerosis ..	M	62	—	—	—	—	—	1	11	23	27	55	—	—	—	—	—	—	9	23	23
	F	72	—	—	—	—	—	1	11	31	29	60	—	—	—	—	—	—	7	19	34
18 Bronchitis ..	M	212	26	10	3	1	—	14	72	60	26	114	35	10	5	—	1	7	20	22	14
	F	187	31	12	7	2	1	7	41	43	43	135	49	11	7	—	1	2	17	22	26
19 Pneumonia (all forms)	M	240	64	51	22	12	12	24	41	12	2	142	47	18	14	15	6	18	15	6	3
	F	158	38	37	22	6	5	14	19	11	6	131	21	28	23	8	4	10	19	7	11
20 Other respiratory diseases	M	23	1	1	3	1	1	3	9	2	2	11	1	1	1	—	—	2	3	2	1
	F	21	1	1	1	—	1	8	6	2	1	10	—	1	—	1	1	1	3	1	2
21 Ulcer of stomach or duodenum ..	M	16	—	—	—	—	—	7	6	3	—	8	—	—	—	—	—	2	5	1	—
	F	4	—	—	—	—	—	2	2	—	—	5	—	—	—	—	—	2	3	—	—
22 Diarrhœa, &c. ..	M	62	49	8	3	—	—	1	1	—	—	73	45	20	5	1	—	—	1	—	1
	F	60	41	9	4	3	—	2	1	—	—	55	26	14	6	5	—	—	2	1	1
23 Appendicitis and typhlitis.. ..	M	8	—	—	—	2	5	—	1	—	—	5	—	—	—	—	4	—	1	—	—
	F	7	—	—	—	2	2	1	2	—	—	5	—	—	—	1	2	1	—	1	—
24 Cirrhosis of liver ..	M	6	—	—	—	—	—	2	3	1	—	11	—	—	—	—	—	1	8	2	—
	F	7	—	—	—	—	—	2	4	—	1	4	—	—	—	—	—	1	2	1	—
25 Acute and chronic nephritis ..	M	43	1	—	—	1	3	9	15	10	4	32	—	—	—	—	1	5	17	7	2
	F	44	—	1	2	2	—	10	21	7	1	31	—	—	—	—	—	3	11	11	6
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	15	—	—	—	—	6	8	1	—	—	7	—	—	—	—	1	6	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	14	—	—	—	—	2	12	—	—	—	10	—	—	—	—	2	8	—	—	—
28 Congenital debility and malformation, premature birth.. ..	M	123	122	—	—	1	—	—	—	—	—	77	77	—	—	—	—	—	—	—	—
	F	124	124	—	—	—	—	—	—	—	—	73	72	1	—	—	—	—	—	—	—
29 Suicide	M	17	—	—	—	—	—	6	8	2	1	14	—	—	—	—	2	5	6	1	—
	F	12	—	—	—	—	2	4	5	1	—	4	—	—	—	—	—	1	2	1	—
30 Other deaths from violence.. ..	M	72	4	2	12	9	9	10	15	6	5	34	1	3	—	1	6	10	9	2	2
	F	25	1	—	1	9	3	2	4	2	3	31	5	—	5	4	3	3	3	4	4
31 Other defined diseases	M	278	68	10	9	11	8	29	57	47	39	176	29	12	5	11	5	12	34	34	34
	F	267	50	6	12	7	17	27	37	49	62	160	19	7	7	9	3	18	32	20	45
32 Causes ill-defined or unknown ..	M	6	—	2	—	—	—	—	4	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	1	—	—	—	—	1	1	—	2	—	2	—	—	—	—	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1925
(Civilian population only).

Causes of Death.	Sex.	Tynemouth. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Wakefield. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	483	85	27	25	19	18	63	107	84	55	345	35	9	14	7	6	37	111	76	50
	F	421	54	25	21	18	23	57	80	78	65	332	40	13	8	10	15	36	68	72	70
1 Enteric fever ..	M	5	—	—	1	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	20	4	7	9	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
	F	14	2	6	3	3	—	—	—	—	—	2	—	—	2	—	—	—	—	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	2	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ..	M	7	2	3	2	—	—	—	—	—	—	5	2	2	1	—	—	—	—	—	—
	F	8	3	3	2	—	—	—	—	—	—	2	—	2	—	—	—	—	—	—	—
6 Diphtheria ..	M	4	—	1	2	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
	F	3	—	—	1	2	—	—	—	—	—	2	—	1	—	1	—	—	—	—	—
7 Influenza	M	5	—	—	1	—	—	2	—	1	1	6	—	—	—	—	—	3	1	1	1
	F	4	—	—	1	—	1	—	—	1	1	7	1	—	1	—	—	2	2	1	—
8 Encephalitis lethargica ..	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	30	1	—	—	—	4	12	11	2	—	23	—	—	1	—	—	12	7	3	—
	F	32	—	1	1	3	7	17	2	1	—	14	—	—	—	2	4	4	4	—	—
11 Other tuberculous diseases	M	12	2	2	2	4	1	—	—	1	—	10	—	1	3	2	1	1	2	—	—
	F	14	1	1	4	2	3	3	—	—	—	6	—	—	1	2	2	—	1	—	—
12 Cancer, malignant disease	M	35	—	—	—	—	—	6	16	9	4	24	—	—	—	—	—	2	10	9	3
	F	34	—	—	—	—	—	9	13	5	7	28	—	—	—	—	—	2	14	9	3
13 Rheumatic fever ..	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
14 Diabetes	M	2	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	—	1	1	—	3	—	—	—	—	1	—	—	1	1
15 Cerebral hæmorrhage, &c. ..	M	27	—	—	—	—	—	3	6	13	5	28	—	—	—	—	—	—	10	10	8
	F	35	—	—	—	1	—	2	11	13	8	30	—	—	—	—	—	1	9	10	10
16 Heart disease ..	M	44	—	—	—	3	2	8	10	12	9	52	—	—	—	—	—	3	18	20	11
	F	54	—	—	—	—	4	6	14	16	14	63	—	—	—	1	2	9	10	19	22
17 Arterio-sclerosis ..	M	25	—	—	—	—	—	—	9	7	9	7	—	—	—	—	—	—	2	4	1
	F	6	—	—	—	—	—	—	1	3	2	5	—	—	—	—	—	—	—	1	4
18 Bronchitis ..	M	34	6	1	1	—	1	3	7	10	5	35	3	—	1	—	—	—	9	8	14
	F	29	7	3	—	—	—	—	5	6	8	29	2	—	—	1	—	2	3	10	11
19 Pneumonia (all forms)	M	51	13	6	2	—	2	13	7	5	3	33	4	1	4	3	—	3	11	6	1
	F	42	5	7	5	2	2	3	6	8	4	28	5	8	2	1	1	4	2	3	2
20 Other respiratory diseases	M	2	—	—	—	—	—	1	1	—	—	8	—	1	1	—	1	—	2	2	1
	F	4	—	—	—	—	1	1	2	—	—	3	—	—	—	1	—	—	2	—	—
21 Ulcer of stomach or duodenum ..	M	3	—	—	—	—	1	1	1	—	—	3	—	—	—	—	—	1	1	1	—
	F	1	—	—	—	—	—	—	—	1	—	2	—	—	—	—	—	1	1	—	—
22 Diarrhœa, &c. ..	M	6	3	2	—	—	—	—	—	1	—	12	8	1	—	—	—	—	3	—	—
	F	11	5	2	2	—	—	—	1	—	1	7	6	—	—	—	—	1	—	—	—
23 Appendicitis and typhlitis.. ..	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	2	—	—
	F	1	—	—	—	—	—	—	1	—	—	1	—	—	—	1	—	—	—	—	—
24 Cirrhosis of liver ..	M	1	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—	—	2	—	—
	F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis ..	M	15	—	—	—	1	1	—	7	5	1	11	—	1	—	1	—	2	5	2	—
	F	9	—	—	—	—	—	1	3	3	2	11	—	—	—	—	—	2	4	3	2
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	—	4	—	—	—	3	—	—	—	—	—	3	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	1	3	—	—	—
28 Congenital debility and malformation, premature birth.. ..	M	35	35	—	—	—	—	—	—	—	—	13	13	—	—	—	—	—	—	—	—
	F	24	23	—	—	—	—	1	—	—	—	20	20	—	—	—	—	—	—	—	—
29 Suicide	M	9	—	—	—	—	—	3	6	—	—	5	—	—	—	—	—	2	1	2	—
	F	1	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—	—	2	—	—
30 Other deaths from violence.. ..	M	19	—	1	2	3	1	6	4	1	1	18	2	1	1	—	2	3	6	2	1
	F	4	1	—	—	1	—	—	—	1	1	8	—	2	1	—	1	—	1	1	2
31 Other defined diseases	M	81	19	4	3	4	1	4	15	14	17	45	3	—	1	—	2	5	19	6	9
	F	72	7	1	1	1	5	8	15	17	17	50	6	—	1	—	3	1	12	14	13
32 Causes ill-defined or unknown ..	M	9	—	—	—	1	1	1	4	2	—	—	—	—	—	—	—	—	—	—	—
	F	6	—	—	—	1	—	1	3	1	—	1	—	—	—	—	—	—	1	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1925
(Civilian population only).

Causes of Death.	Sex.	Wallasey. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Walsall. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	523	46	16	10	9	22	63	165	102	90	740	139	54	46	38	25	86	171	101	80
	F	521	34	13	8	16	18	67	139	107	119	650	121	55	49	35	27	70	121	92	80
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	4	1	1	1	1	—	—	—	—	—	36	7	17	7	5	—	—	—	—	—
	F	1	—	1	—	—	—	—	—	—	—	31	4	13	14	—	—	—	—	—	—
4 Scarlet fever ..	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	3	—	—	3	—	—	—	—	—	—
5 Whooping cough ..	M	4	1	3	—	—	—	—	—	—	—	26	14	7	4	1	—	—	—	—	—
	F	6	1	5	—	—	—	—	—	—	—	29	9	13	4	3	—	—	—	—	—
6 Diphtheria ..	M	2	—	—	2	—	—	—	—	—	—	14	2	2	4	4	1	1	—	—	—
	F	3	—	—	1	2	—	—	—	—	—	25	1	3	10	10	—	—	1	—	—
7 Influenza	M	11	2	—	—	—	3	—	3	1	2	41	3	3	3	—	2	4	19	6	1
	F	22	1	—	—	—	—	5	7	2	7	24	5	—	1	—	—	3	8	4	3
8 Encephalitis lethargica ..	M	1	—	—	—	—	—	—	1	—	—	3	—	—	—	1	—	2	—	—	—
	F	1	—	—	—	—	—	—	—	1	—	2	—	—	1	—	—	1	—	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	2	—	—	2	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	45	—	1	—	—	6	19	17	1	1	61	1	2	1	1	10	28	18	—	—
	F	30	—	1	1	—	7	16	5	—	—	41	—	—	1	4	14	16	5	1	—
11 Other tuberculous diseases	M	7	1	—	3	2	—	—	1	—	—	10	2	1	3	2	—	1	1	—	—
	F	4	—	—	—	1	2	1	—	—	—	12	—	3	3	1	2	3	—	—	—
12 Cancer, malignant disease	M	56	—	—	—	—	—	5	28	17	6	49	—	—	—	—	—	2	26	17	4
	F	86	—	—	—	—	—	11	42	19	14	50	—	—	—	—	—	8	26	15	1
13 Rheumatic fever ..	M	1	—	—	—	—	1	—	—	—	—	2	—	—	—	1	—	—	—	1	—
	F	6	—	—	—	3	2	1	—	—	—	6	—	—	—	2	2	—	2	—	—
14 Diabetes	M	3	—	—	—	—	—	1	1	1	—	1	—	—	—	—	—	—	1	—	—
	F	6	—	—	—	—	—	—	2	3	1	2	—	—	—	—	—	—	—	2	—
15 Cerebral hæmorrhage, &c. ..	M	28	—	—	—	—	—	—	7	14	7	28	—	—	—	—	2	—	5	13	8
	F	28	1	—	—	—	—	2	5	12	8	25	—	—	—	—	—	—	13	8	4
16 Heart disease ..	M	70	—	—	—	—	—	7	19	26	18	58	—	—	—	—	2	8	24	16	8
	F	80	—	—	—	1	3	7	21	27	21	57	—	—	—	1	—	10	19	21	6
17 Arterio-sclerosis ..	M	40	—	—	—	—	—	1	7	10	22	19	—	—	—	—	—	—	5	6	8
	F	27	—	—	—	—	—	—	3	12	12	9	—	—	—	—	—	—	1	2	6
18 Bronchitis ..	M	23	—	—	1	—	—	1	6	6	9	68	10	2	1	3	—	2	16	20	14
	F	27	—	—	1	1	—	—	4	9	12	54	10	8	—	—	—	—	10	11	15
19 Pneumonia (all forms)	M	50	8	6	—	2	1	8	17	5	3	90	19	14	13	5	—	14	17	4	4
	F	27	5	3	—	4	—	—	9	2	4	58	19	11	3	6	1	3	5	9	1
20 Other respiratory diseases	M	9	—	1	1	—	2	—	1	3	1	9	1	—	—	—	—	1	4	2	1
	F	6	—	—	1	—	1	—	1	—	3	3	—	—	1	1	—	—	—	1	—
21 Ulcer of stomach or duodenum ..	M	4	—	—	—	—	—	1	3	—	—	5	—	—	—	—	—	1	4	—	—
	F	3	—	—	—	—	—	—	3	—	—	1	—	—	—	—	—	—	1	—	—
22 Diarrhœa, &c. ..	M	4	4	—	—	—	—	—	—	—	—	21	15	4	2	—	—	—	—	—	—
	F	7	4	—	—	1	—	—	—	1	1	22	18	1	1	—	—	—	1	—	1
23 Appendicitis and typhlitis.. ..	M	3	—	—	—	—	—	1	2	—	—	8	—	—	1	3	—	1	3	—	—
	F	6	—	—	1	—	—	4	1	—	—	6	—	—	—	—	—	3	3	—	—
24 Cirrhosis of liver ..	M	3	—	—	—	—	—	—	2	1	—	1	—	—	—	—	—	—	1	—	—
	F	2	—	—	—	—	—	—	1	1	—	2	—	—	—	—	—	—	1	1	—
25 Acute and chronic nephritis ..	M	20	—	—	—	—	—	2	10	6	2	11	—	—	—	—	—	3	5	1	2
	F	18	—	—	—	1	—	—	6	5	6	11	—	—	—	—	2	1	5	3	—
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	3	—	—	—	—	—	3	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	—	4	—	—	—	11	—	—	—	—	2	9	—	—	—
28 Congenital debility and malformation, premature birth.. ..	M	20	19	1	—	—	—	—	—	—	—	51	51	—	—	—	—	—	—	—	—
	F	8	8	—	—	—	—	—	—	—	—	41	37	1	3	—	—	—	—	—	—
29 Suicide	M	3	—	—	—	—	—	—	3	—	—	6	—	—	—	—	—	2	3	—	1
	F	5	—	—	—	—	—	3	1	1	—	2	—	—	—	—	—	—	2	—	—
30 Other deaths from violence.. ..	M	23	—	—	2	3	6	5	6	1	—	25	1	—	2	4	5	6	3	3	1
	F	14	3	1	1	—	2	1	3	1	2	11	1	—	1	1	—	1	1	2	4
31 Other defined diseases	M	87	10	2	—	1	3	11	31	10	19	95	13	2	3	8	3	10	16	12	28
	F	93	11	2	2	2	1	11	25	11	28	108	16	2	3	6	4	9	17	12	39
32 Causes ill-defined or unknown ..	M	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1925 (Civilian population only).

Causes of Death.	Sex.	Warrington. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	West Bromwich. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	578	93	38	27	29	33	60	166	90	42	497	105	39	25	25	16	44	117	67	59
	F	481	54	23	28	23	35	53	122	82	61	453	75	40	16	23	20	46	102	59	72
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	23	4	13	3	3	—	—	—	—	—	16	3	10	2	1	—	—	—	—	—
	F	16	2	5	8	1	—	—	—	—	—	14	3	9	—	2	—	—	—	—	—
4 Scarlet fever	M	4	—	—	2	2	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
5 Whooping cough	M	8	1	3	4	—	—	—	—	—	—	5	1	2	1	1	—	—	—	—	—
	F	12	4	3	4	1	—	—	—	—	—	10	3	5	2	—	—	—	—	—	—
6 Diphtheria	M	5	—	2	2	1	—	—	—	—	—	3	—	—	1	2	—	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	—	5	—	—	4	1	—	—	—	—	—
7 Influenza	M	22	1	—	1	—	—	3	10	5	2	20	—	1	1	2	1	5	8	2	—
	F	20	—	—	—	—	—	4	6	5	5	17	1	—	—	1	—	4	6	4	1
8 Encephalitis lethargica	M	2	—	—	—	—	1	—	1	—	—	1	—	—	1	—	—	—	—	—	—
	F	2	—	—	—	—	2	—	—	—	—	1	—	—	—	—	—	1	—	—	—
9 Meningococcal meningitis	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	62	—	—	—	3	15	22	20	2	—	29	1	—	1	—	4	12	10	1	—
	F	37	—	—	—	1	14	15	7	—	—	30	1	1	1	3	10	8	6	—	—
11 Other tuberculous diseases	M	9	—	4	—	1	2	2	—	—	—	3	—	—	1	1	1	—	—	—	—
	F	9	—	1	3	2	2	1	—	—	—	10	3	2	—	4	—	—	1	—	—
12 Cancer, malignant disease	M	40	—	—	—	—	—	1	22	14	3	48	—	—	—	—	—	2	34	11	1
	F	39	—	—	—	—	—	4	18	11	6	45	—	—	—	1	2	2	29	5	6
13 Rheumatic fever	M	4	—	—	1	1	1	—	1	—	—	2	—	—	—	—	—	1	1	—	—
	F	2	—	—	—	—	1	1	—	—	—	2	—	—	—	—	1	—	1	—	—
14 Diabetes	M	3	—	—	—	—	1	1	1	—	—	3	—	—	—	1	—	2	—	—	—
	F	2	—	—	—	—	—	—	2	—	—	4	—	—	—	1	—	—	1	1	1
15 Cerebral hæmorrhage, &c.	M	22	—	—	—	1	—	—	10	7	4	19	—	—	—	—	—	—	6	8	5
	F	26	—	1	1	—	1	1	8	7	7	22	—	—	—	—	—	1	12	4	5
16 Heart disease	M	67	—	—	—	1	1	6	31	20	8	31	—	—	—	—	1	2	12	11	5
	F	65	—	—	1	2	5	8	26	11	12	27	—	—	—	—	—	3	12	8	4
17 Arterio-sclerosis	M	29	—	—	—	—	—	1	13	12	3	22	—	—	—	—	—	—	3	8	11
	F	5	—	—	—	—	—	—	1	2	2	13	—	—	—	—	—	—	—	3	10
18 Bronchitis	M	41	12	—	2	—	—	—	7	13	7	46	7	2	1	1	—	5	8	8	14
	F	50	8	1	—	—	—	—	13	15	13	48	9	2	—	1	—	3	4	18	11
19 Pneumonia (all forms)	M	71	20	11	9	2	2	9	13	3	2	67	24	17	6	2	2	4	9	3	—
	F	49	6	7	4	6	4	6	9	5	2	48	13	12	4	2	2	1	6	3	5
20 Other respiratory diseases	M	6	—	—	—	—	—	1	4	1	—	8	1	—	—	1	—	—	2	3	1
	F	9	—	—	—	—	—	1	5	3	—	3	—	—	—	—	—	1	—	2	—
21 Ulcer of stomach or duodenum	M	4	—	—	—	—	—	1	3	—	—	8	—	—	—	—	—	2	4	1	1
	F	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	1	—	—
22 Diarrhœa, &c.	M	9	7	1	—	1	—	—	—	—	—	23	18	2	1	1	—	—	—	—	1
	F	11	6	—	2	1	—	1	—	1	—	18	12	4	—	—	—	—	—	2	—
23 Appendicitis and typhlitis	M	1	—	—	—	—	—	—	1	—	—	4	—	—	—	2	1	1	—	—	—
	F	2	—	—	—	1	1	—	—	—	—	3	—	—	—	2	—	1	—	—	—
24 Cirrhosis of liver	M	2	—	—	—	—	—	—	1	1	—	2	—	—	—	—	—	—	2	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
25 Acute and chronic nephritis	M	12	—	—	—	2	1	3	3	3	—	6	1	—	—	1	—	1	—	3	—
	F	6	—	—	—	—	—	1	5	—	—	12	—	2	—	1	1	4	3	1	—
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	—	4	—	—	—	5	—	—	—	—	2	3	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	3	—	—	—	—	1	2	—	—	—
28 Congenital debility and malformation, premature birth	M	32	32	—	—	—	—	—	—	—	—	37	37	—	—	—	—	—	—	—	—
	F	17	16	—	—	1	—	—	—	—	—	23	23	—	—	—	—	—	—	—	—
29 Suicide	M	4	—	—	—	—	—	2	2	—	—	2	—	—	—	—	—	1	1	—	—
	F	2	—	—	—	—	—	—	2	—	—	3	—	—	—	—	—	1	2	—	—
30 Other deaths from violence	M	20	1	1	1	4	4	3	4	—	2	15	1	1	4	2	1	3	1	2	—
	F	10	—	—	1	4	1	—	1	2	1	15	1	—	3	2	1	1	3	2	2
31 Other defined diseases	M	72	15	2	2	6	5	5	18	8	11	73	11	4	4	7	4	2	15	6	20
	F	75	11	3	2	3	4	3	18	18	13	67	6	3	1	2	—	9	14	5	27
32 Causes ill-defined or unknown	M	3	—	1	—	—	—	—	1	1	—	3	—	—	1	—	—	1	1	—	—
	F	7	—	2	1	—	—	1	1	2	—	2	—	—	—	—	—	—	1	1	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1925
(Civilian population only).

Causes of Death.	Sex.	West Ham. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	West Hartlepool. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	1799	266	74	58	61	90	247	452	329	222	517	85	25	20	21	25	68	132	90	51
	F	1629	197	55	60	50	91	182	389	262	343	442	77	27	33	20	21	57	92	56	59
1 Enteric fever	M	2	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	20	3	9	7	1	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
	F	12	1	5	5	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever	M	4	—	1	1	2	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
	F	2	1	1	—	—	—	—	—	—	—	2	—	—	2	—	—	—	—	—	—
5 Whooping cough	M	36	20	8	6	2	—	—	—	—	—	4	1	2	1	—	—	—	—	—	—
	F	45	19	12	13	1	—	—	—	—	—	17	2	7	8	—	—	—	—	—	—
6 Diphtheria	M	7	—	2	2	3	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
	F	11	—	3	6	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7 Influenza	M	27	1	—	1	1	—	5	13	5	1	12	—	—	—	1	3	2	4	2	—
	F	35	1	1	—	1	1	3	14	9	5	16	—	—	—	1	—	4	8	3	—
8 Encephalitis lethargica	M	4	—	—	—	1	—	2	1	—	—	1	—	—	—	—	1	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	3	—	—	—	1	—	1	1	—	—
9 Meningococcal meningitis	M	2	—	1	—	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
	F	2	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	191	—	—	1	5	37	84	57	6	1	47	—	1	4	3	6	20	13	—	—
	F	118	—	—	—	4	48	39	24	2	1	34	—	—	—	3	10	14	6	1	—
11 Other tuberculous diseases	M	39	5	10	8	4	3	6	3	—	—	14	—	4	4	3	1	2	—	—	—
	F	26	2	2	9	5	2	3	3	—	—	16	2	4	4	4	1	1	—	—	—
12 Cancer, malignant disease	M	172	—	—	—	—	2	8	79	63	20	47	—	—	—	—	1	3	22	16	5
	F	186	—	—	—	—	1	28	89	44	24	51	—	—	1	—	—	12	24	12	2
13 Rheumatic fever	M	9	—	—	—	4	2	1	1	1	—	2	—	—	—	—	—	1	—	1	—
	F	17	—	—	—	8	5	3	—	1	—	1	—	—	—	1	—	—	—	—	—
14 Diabetes	M	10	—	—	—	—	—	2	3	4	1	2	—	—	—	—	—	—	1	1	—
	F	7	—	—	—	—	1	—	3	3	—	5	—	—	—	—	—	1	3	—	1
15 Cerebral hæmorrhage, &c.	M	72	—	—	—	—	—	3	22	28	19	30	—	—	—	—	—	2	11	12	5
	F	77	—	—	—	—	—	2	23	24	28	22	—	—	—	—	—	—	6	8	8
16 Heart disease	M	174	—	—	1	5	4	21	63	53	27	59	—	—	—	1	2	8	19	19	10
	F	237	—	—	—	5	9	22	77	63	61	38	—	—	—	1	1	3	13	10	10
17 Arterio-sclerosis	M	50	—	—	—	—	—	1	8	22	19	13	—	—	—	—	—	—	7	3	3
	F	36	—	—	—	—	—	—	6	13	17	1	—	—	—	—	—	—	—	—	1
18 Bronchitis	M	158	13	1	2	—	1	7	29	49	56	25	9	2	1	1	—	2	3	7	—
	F	167	9	3	1	1	—	2	25	43	83	35	9	1	—	1	—	—	5	8	11
19 Pneumonia (all forms)	M	189	44	24	14	2	5	25	43	17	15	63	11	7	4	4	3	11	12	7	4
	F	166	37	15	16	7	3	15	36	16	21	45	13	7	11	3	—	5	5	1	—
20 Other respiratory diseases	M	14	1	—	1	—	—	2	5	2	3	11	—	—	—	—	2	3	2	3	1
	F	16	1	—	—	1	—	—	6	1	7	8	—	—	—	—	—	1	2	3	2
21 Ulcer of stomach or duodenum	M	29	—	—	—	—	—	13	9	7	—	8	—	—	—	—	—	2	5	1	—
	F	5	—	—	—	—	—	3	2	—	—	1	—	—	—	—	—	1	—	—	—
22 Diarrhœa, &c.	M	56	45	6	—	1	—	1	3	—	—	13	9	2	1	—	—	—	—	1	—
	F	48	36	6	1	—	1	—	2	1	1	14	7	1	2	2	—	—	—	1	1
23 Appendicitis and typhlitis	M	11	—	—	—	6	1	2	1	1	—	1	—	—	—	1	—	—	—	—	—
	F	6	—	—	1	1	—	1	3	—	—	—	—	—	—	—	—	—	—	—	—
24 Cirrhosis of liver	M	9	—	—	—	—	—	2	6	1	—	2	—	—	—	—	—	—	1	1	—
	F	5	—	—	—	—	—	1	3	1	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis	M	64	—	1	—	3	3	10	22	17	8	8	—	—	1	—	2	1	3	1	—
	F	51	—	—	—	1	2	10	23	11	4	15	—	1	1	—	1	2	6	3	1
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	8	—	—	—	—	—	8	—	—	—	4	—	—	—	—	3	1	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	12	—	—	—	—	2	10	—	—	—	1	—	—	—	—	1	—	—	—	—
28 Congenital debility and malformation, premature birth	M	80	78	—	1	—	—	—	—	1	—	35	34	—	1	—	—	—	—	—	—
	F	65	63	—	—	—	—	1	1	—	—	31	30	—	—	1	—	—	—	—	—
29 Suicide	M	17	—	—	—	—	—	7	6	3	1	4	—	—	—	—	—	1	3	—	—
	F	9	—	—	—	—	1	3	5	—	—	1	—	—	—	—	—	1	—	—	—
30 Other deaths from violence	M	98	12	4	7	9	14	14	28	6	4	16	—	—	—	2	2	4	5	—	3
	F	29	7	—	2	1	1	2	3	5	8	11	—	1	—	—	2	2	2	—	4
31 Other defined diseases	M	254	44	7	6	11	18	29	49	43	47	94	21	4	1	5	1	6	21	15	20
	F	227	20	6	6	10	11	25	41	25	83	69	14	4	4	2	2	8	11	6	18
32 Causes ill-defined or unknown	M	1	—	—	—	—	—	—	1	—	—	2	—	2	—	—	—	—	—	—	—
	F	1	—	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1925
(Civilian population only).

Causes of Death.	Sex	Wigan. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Wolverhampton. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	686	132	28	31	24	31	91	187	106	56	719	106	29	20	14	33	92	214	109	102
	F	631	96	34	25	27	42	81	138	113	75	608	79	24	16	15	22	59	137	127	129
1 Enteric fever	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	5	1	2	2	—	—	—	—	—	—	4	—	3	1	—	—	—	—	—	—
	F	5	—	4	—	—	1	—	—	—	—	3	1	—	—	2	—	—	—	—	—
4 Scarlet fever	M	2	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	M	9	3	2	4	—	—	—	—	—	—	8	5	2	1	—	—	—	—	—	—
	F	11	—	5	5	1	—	—	—	—	—	9	3	5	1	—	—	—	—	—	—
6 Diphtheria	M	4	1	—	2	1	—	—	—	—	—	4	—	—	1	3	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	3	—	—	—	3	—	—	—	—	—
7 Influenza	M	9	—	—	—	—	—	2	2	3	2	26	1	2	1	2	1	2	8	5	4
	F	22	—	—	1	—	2	4	5	8	2	14	—	1	—	1	—	1	4	3	4
8 Encephalitis lethargica	M	3	—	—	—	—	—	3	—	—	—	2	—	—	—	1	1	—	—	—	—
	F	2	—	—	—	—	1	1	—	—	—	2	—	—	—	—	1	1	—	—	—
9 Meningococcal meningitis	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	48	—	1	—	2	9	22	13	1	—	59	—	—	—	—	10	31	17	1	—
	F	51	—	—	—	7	21	17	6	—	—	37	—	—	—	1	8	18	8	2	—
11 Other tuberculous diseases	M	10	1	—	2	1	3	1	2	—	—	9	1	3	2	—	1	2	—	—	—
	F	15	1	2	4	3	5	—	—	—	—	10	1	—	2	2	—	4	1	—	—
12 Cancer, malignant disease	M	56	—	—	—	—	—	3	41	10	2	68	—	—	—	—	—	4	32	19	13
	F	49	—	—	—	—	1	3	23	17	5	60	—	—	—	—	—	3	30	15	12
13 Rheumatic fever	M	1	—	—	—	1	—	—	—	—	—	3	—	—	—	1	1	—	1	—	—
	F	2	—	—	—	1	—	—	1	—	—	2	—	—	—	1	—	1	—	—	—
14 Diabetes	M	3	—	—	—	1	—	2	—	—	—	6	—	—	—	—	—	—	3	1	2
	F	3	—	—	—	—	—	1	1	1	—	2	—	—	—	—	—	—	1	—	1
15 Cerebral hæmorrhage, &c.	M	27	—	—	—	—	—	2	12	9	4	35	—	—	—	—	—	3	10	13	9
	F	15	—	—	—	—	—	1	4	7	3	52	—	—	—	—	—	1	15	20	16
16 Heart disease	M	58	—	1	1	1	5	9	22	15	4	88	—	—	—	—	3	8	42	21	14
	F	65	—	—	—	2	1	13	25	18	6	77	—	—	—	1	3	3	22	33	15
17 Arterio-sclerosis	M	16	—	—	—	—	—	—	5	8	3	16	—	—	—	—	—	—	8	3	5
	F	5	—	—	—	—	—	—	—	3	2	21	—	—	—	—	—	—	6	6	9
18 Bronchitis	M	84	14	3	2	—	—	7	24	23	11	76	13	2	2	—	—	3	25	13	18
	F	87	7	7	3	1	—	2	26	23	18	65	9	6	—	—	—	2	10	11	27
19 Pneumonia (all forms)	M	74	18	11	6	5	3	12	14	4	1	70	11	13	4	1	2	16	16	5	2
	F	61	19	11	6	4	1	7	9	4	—	45	6	10	6	1	2	3	7	6	4
20 Other respiratory diseases	M	4	—	1	—	1	—	1	—	1	—	6	—	2	—	—	—	1	1	2	—
	F	6	—	—	—	—	—	—	4	1	1	5	—	—	—	—	—	1	1	2	1
21 Ulcer of stomach or duodenum	M	4	—	—	—	—	—	—	1	3	—	6	—	—	—	—	—	4	2	—	—
	F	1	—	—	—	—	—	—	1	—	—	3	—	—	—	—	—	2	—	1	—
22 Diarrhœa, &c.	M	22	18	1	1	—	—	1	1	—	—	18	13	1	2	—	—	1	—	—	1
	F	15	12	—	1	1	—	1	—	—	—	15	11	—	1	—	—	—	1	2	—
23 Appendicitis and typhlitis	M	5	—	—	—	3	—	1	1	—	—	6	—	—	—	—	1	4	1	—	—
	F	2	—	—	—	—	—	2	—	—	—	1	—	—	—	—	—	—	1	—	—
24 Cirrhosis of liver	M	4	—	—	—	—	—	1	3	—	—	4	—	—	—	—	—	—	4	—	—
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis	M	14	—	—	1	—	—	2	9	1	1	15	1	—	—	—	1	1	2	7	3
	F	11	—	—	1	—	1	4	3	1	1	18	—	—	—	—	2	3	9	3	1
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	1	1	1	—	—	3	—	—	—	—	1	2	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	6	—	—	—	—	1	5	—	—	—	2	—	—	—	—	—	2	—	—	—
28 Congenital debility and malformation, premature birth	M	56	56	—	—	—	—	—	—	—	—	50	49	—	—	1	—	—	—	—	—
	F	40	40	—	—	—	—	—	—	—	—	38	38	—	—	—	—	—	—	—	—
29 Suicide	M	5	—	—	—	—	—	1	3	1	—	10	—	—	—	—	—	4	5	1	—
	F	1	—	—	—	—	—	1	—	—	—	2	—	—	—	—	—	2	—	—	—
30 Other deaths from violence	M	35	—	1	2	5	5	14	4	4	—	26	3	—	3	2	6	1	5	4	2
	F	14	3	—	—	2	2	5	1	1	—	10	1	1	1	1	—	—	1	4	1
31 Other defined diseases	M	116	19	4	5	2	6	5	25	22	28	104	9	1	3	3	6	7	32	14	29
	F	129	14	3	4	3	3	10	26	29	37	108	9	1	5	2	5	10	19	19	38
32 Causes ill-defined or unknown	M	10	1	1	1	—	—	1	5	1	—	—	—	—	—	—	—	—	—	—	—
	F	8	—	2	—	1	1	3	1	—	—	1	—	—	—	—	—	—	1	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1925
(Civilian population only).

Causes of Death.	Sex.	Worcester. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	York. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	310	29	8	6	7	15	31	88	64	62	542	85	18	15	17	19	55	149	99	85
	F	320	26	5	5	10	15	23	68	61	107	519	59	8	12	18	21	54	112	109	126
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	1	—	1	—	—	—	—	—	—	—	8	2	4	2	—	—	—	—	—	—
	F	2	—	1	1	—	—	—	—	—	—	3	1	1	1	—	—	—	—	—	—
4 Scarlet fever	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
5 Whooping cough	M	1	—	—	1	—	—	—	—	—	—	4	2	2	—	—	—	—	—	—	—
	F	2	1	1	—	—	—	—	—	—	—	2	1	—	1	—	—	—	—	—	—
6 Diphtheria	M	—	—	—	—	—	—	—	—	—	—	2	—	—	1	1	—	—	—	—	—
	F	2	—	—	2	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
7 Influenza	M	9	1	1	—	—	1	—	—	4	2	16	2	—	—	2	1	2	4	5	—
	F	12	—	—	—	—	—	2	3	4	3	18	1	—	1	1	—	1	7	4	3
8 Encephalitis lethargica	M	—	—	—	—	—	—	—	—	—	—	3	—	—	—	1	—	—	1	1	—
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	29	—	—	—	—	7	11	9	2	—	46	—	—	—	1	6	23	16	—	—
	F	16	—	—	—	1	8	5	1	1	—	43	—	—	—	3	11	23	4	1	1
11 Other tuberculous diseases	M	7	1	1	1	1	2	—	1	—	—	8	1	1	2	1	1	—	2	—	—
	F	9	1	—	1	3	4	—	—	—	—	11	2	1	2	2	3	—	1	—	—
12 Cancer, malignant disease	M	36	—	—	—	1	—	3	14	9	9	61	—	—	—	1	1	2	32	18	7
	F	41	—	—	—	—	1	3	17	11	9	61	—	—	—	—	—	3	25	23	10
13 Rheumatic fever	M	1	—	—	—	—	1	—	—	—	—	4	—	—	—	2	—	—	1	—	1
	F	2	—	—	—	1	—	1	—	—	—	5	—	—	—	3	2	—	—	—	—
14 Diabetes	M	1	—	—	—	—	1	—	—	—	—	3	—	—	—	—	—	1	1	—	1
	F	6	—	—	—	1	—	—	1	4	—	9	—	—	—	—	1	1	4	3	—
15 Cerebral hæmorrhage, &c.	M	17	—	—	—	—	—	—	3	10	4	40	—	—	—	—	—	1	8	18	13
	F	23	—	—	—	—	—	—	3	6	14	27	—	—	—	—	—	1	7	5	14
16 Heart disease	M	47	—	—	—	1	—	1	19	13	13	67	—	—	—	1	—	4	30	18	14
	F	63	—	—	—	—	—	3	17	15	28	90	—	—	—	2	1	8	28	28	23
17 Arterio-sclerosis	M	10	—	—	—	—	—	—	6	2	2	8	—	—	—	—	—	—	2	3	3
	F	9	—	—	—	—	—	—	2	5	2	8	—	—	—	—	—	—	1	2	5
18 Bronchitis	M	19	—	—	—	—	—	1	3	4	11	29	3	1	—	1	—	—	5	10	9
	F	16	1	—	—	—	—	—	1	2	12	35	3	1	—	1	—	—	1	13	16
19 Pneumonia (all forms)	M	23	4	3	—	—	1	2	3	4	6	32	6	4	3	1	—	3	9	4	2
	F	19	2	1	—	—	1	—	5	6	4	29	6	2	4	3	1	1	6	3	3
20 Other respiratory diseases	M	2	—	—	—	—	—	—	1	—	1	4	—	—	—	1	—	—	1	1	1
	F	4	—	—	—	—	—	—	2	1	1	5	—	—	—	—	—	—	1	2	2
21 Ulcer of stomach or duodenum	M	3	—	—	—	—	—	—	2	1	—	3	—	—	—	—	1	—	1	1	—
	F	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—	—
22 Diarrhœa, &c.	M	11	4	2	—	—	—	1	3	1	—	16	13	1	—	—	—	1	—	—	1
	F	3	3	—	—	—	—	—	—	—	—	8	4	—	1	—	—	1	—	1	1
23 Appendicitis and typhlitis	M	1	—	—	—	—	—	1	—	—	—	3	—	—	—	—	2	1	—	—	—
	F	2	—	—	—	1	—	—	—	1	—	1	—	—	—	—	—	1	—	—	—
24 Cirrhosis of liver	M	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis	M	6	—	—	—	1	—	—	3	1	1	11	—	—	1	—	—	1	5	2	2
	F	8	—	—	—	—	—	2	4	—	2	9	—	—	—	—	—	1	3	3	2
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	1	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
28 Congenital debility and malformation, premature birth	M	14	14	—	—	—	—	—	—	—	—	40	39	—	—	—	1	—	—	—	—
	F	13	13	—	—	—	—	—	—	—	—	32	31	—	—	1	—	—	—	—	—
29 Suicide	M	2	—	—	—	—	—	—	2	—	—	6	—	—	—	—	—	2	4	—	—
	F	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	2	1	—	—
30 Other deaths from violence	M	12	—	—	1	—	2	3	3	2	1	25	—	2	3	3	1	8	4	3	1
	F	3	—	—	—	—	—	1	—	—	2	16	1	1	2	1	—	2	1	3	5
31 Other defined diseases	M	55	5	—	3	2	—	8	14	11	12	100	15	3	3	1	5	6	22	15	30
	F	57	5	2	1	1	1	4	8	5	30	99	9	1	—	—	1	8	21	18	41
32 Causes ill-defined or unknown	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1925 (Civilian population only).

Causes of Death.	Sex.	Cardiff. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Merthyr Tydfil. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	1586	251	55	44	45	68	240	425	268	190	562	86	26	28	20	40	60	136	100	6
	F	1328	182	50	43	38	73	168	311	236	227	490	76	23	27	17	22	67	106	79	7
1 Enteric fever ..	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	45	14	16	12	3	—	—	—	—	—	18	5	9	3	1	—	—	—	—	—
	F	43	10	18	13	2	—	—	—	—	—	6	—	3	3	—	—	—	—	—	—
4 Scarlet fever ..	M	3	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ..	M	16	9	5	2	—	—	—	—	—	—	8	5	1	2	—	—	—	—	—	—
	F	18	9	5	4	—	—	—	—	—	—	12	5	3	4	—	—	—	—	—	—
6 Diphtheria ..	M	5	—	—	1	4	—	—	—	—	—	4	—	—	2	2	—	—	—	—	—
	F	8	—	1	3	4	—	—	—	—	—	8	—	—	5	3	—	—	—	—	—
7 Influenza	M	30	—	—	—	2	3	7	8	5	5	11	—	—	—	1	1	3	4	2	—
	F	29	1	—	2	2	3	3	6	5	7	5	—	—	1	—	—	1	1	2	—
8 Encephalitis lethargica ..	M	2	—	—	—	—	—	1	1	—	—	1	—	—	—	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	1	—	—	—
9 Meningococcal meningitis ..	M	3	—	—	2	1	—	—	—	—	—	2	—	—	—	1	1	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	171	3	1	2	3	29	87	43	2	1	37	—	—	1	2	11	11	11	1	—
	F	126	—	1	3	7	45	52	18	—	—	31	—	—	1	2	10	17	1	—	—
11 Other tuberculous diseases	M	35	8	2	3	6	5	8	3	—	—	8	1	—	—	2	5	—	—	—	—
	F	12	2	—	1	4	3	1	1	—	—	3	—	—	1	2	—	—	—	—	—
12 Cancer, malignant disease	M	112	—	—	—	2	1	5	61	36	7	48	—	—	—	—	—	—	27	17	4
	F	139	—	—	—	—	1	19	72	31	16	35	—	—	—	—	—	4	18	9	4
13 Rheumatic fever ..	M	2	—	—	—	1	1	—	—	—	—	3	—	—	1	—	2	—	—	—	—
	F	9	—	—	—	3	2	2	2	—	—	8	—	—	1	3	3	—	1	—	—
14 Diabetes	M	18	—	—	—	1	1	3	5	6	2	1	—	—	—	—	—	1	—	—	—
	F	14	—	—	—	—	—	2	6	4	2	4	—	—	—	—	—	1	3	—	—
15 Cerebral hæmorrhage, &c. ..	M	62	—	—	—	—	1	4	20	22	15	27	—	—	—	—	1	1	7	10	8
	F	63	1	—	—	—	—	1	13	22	26	39	—	—	—	—	—	1	16	5	17
16 Heart disease ..	M	176	—	—	—	3	3	15	63	54	38	56	—	—	—	2	2	6	24	14	8
	F	200	—	—	—	1	7	19	68	63	42	58	—	—	—	1	—	12	21	13	11
17 Arterio-sclerosis ..	M	51	—	—	—	—	—	—	16	19	16	23	—	—	—	—	—	—	6	8	9
	F	45	—	—	—	—	—	1	9	13	22	14	—	—	—	—	—	—	3	4	7
18 Bronchitis ..	M	115	13	2	1	—	—	8	35	28	28	51	6	2	3	—	—	3	15	18	4
	F	100	13	4	3	—	—	3	11	30	36	32	7	1	—	—	—	1	6	11	6
19 Pneumonia (all forms)	M	158	46	19	5	2	8	25	31	17	5	69	15	8	10	3	4	7	12	6	4
	F	88	23	10	7	4	1	7	16	11	9	45	10	7	8	1	—	4	5	9	1
20 Other respiratory diseases	M	20	—	1	1	1	—	2	9	5	1	6	—	—	1	1	—	1	1	2	—
	F	10	2	1	1	—	—	2	2	—	2	3	—	—	—	—	—	—	1	2	—
21 Ulcer of stomach or duodenum ..	M	17	—	—	—	—	—	10	7	—	—	4	—	—	—	—	—	3	1	—	—
	F	4	1	—	—	—	—	—	2	1	—	4	—	—	—	—	—	1	2	1	—
22 Diarrhœa, &c. ..	M	45	38	5	—	1	—	—	1	—	—	18	11	3	1	—	—	—	2	—	1
	F	35	20	5	1	1	—	1	2	2	3	14	9	2	—	—	—	—	—	2	1
23 Appendicitis and typhlitis.. ..	M	10	—	—	—	1	1	4	3	1	—	—	—	—	—	—	—	—	—	—	—
	F	5	—	—	—	1	1	—	3	—	—	2	—	—	—	—	2	—	—	—	—
24 Cirrhosis of liver ..	M	10	—	—	—	—	1	1	3	5	—	2	—	—	—	—	—	—	—	2	—
	F	2	—	—	—	—	—	—	1	1	—	2	—	—	—	—	—	—	1	1	—
25 Acute and chronic nephritis ..	M	55	—	—	1	2	—	8	26	16	2	10	—	—	—	—	2	1	6	1	—
	F	42	—	—	—	—	—	9	14	10	9	9	—	—	—	—	1	3	2	3	—
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	8	—	—	—	—	1	7	—	—	—	4	—	—	—	—	1	3	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	12	—	—	—	—	2	10	—	—	—	6	—	—	—	—	1	5	—	—	—
28 Congenital debility and malformation, premature birth.. ..	M	85	84	1	—	—	—	—	—	—	—	29	29	—	—	—	—	—	—	—	—
	F	69	66	1	1	—	—	1	—	—	—	31	29	1	1	—	—	—	—	—	—
29 Suicide	M	19	—	—	—	—	1	4	11	3	—	4	—	—	—	—	—	2	2	—	—
	F	10	—	—	—	—	—	4	6	—	—	3	—	—	—	—	—	2	1	—	—
30 Other deaths from violence.. ..	M	70	6	—	3	7	8	19	17	7	3	29	—	—	2	2	7	10	7	1	—
	F	21	2	—	—	2	—	—	7	4	6	9	—	1	—	1	—	1	3	1	2
31 Other defined diseases	M	249	30	3	8	5	4	29	61	42	67	89	14	2	—	3	3	10	11	18	28
	F	212	32	3	4	6	7	23	51	39	47	99	16	3	2	4	3	10	21	16	24
32 Causes ill-defined or unknown ..	M	1	—	—	—	—	—	—	1	—	—	4	—	1	2	—	—	1	—	—	—
	F	1	—	1	—	—	—	—	—	—	—	2	—	2	—	—	—	—	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHS—1925
(Civilian population only).

	Causes of Death.	Sex.	Newport. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Swansea. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
	All Causes ..	M	617	104	35	21	16	21	71	177	103	69	1026	137	35	30	21	41	144	287	200	131
		F	536	73	21	24	25	28	64	128	78	95	862	94	24	31	29	54	117	199	148	166
1	Enteric fever ..	M	1	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	12	3	6	3	—	—	—	—	—	—	13	6	4	2	1	—	—	—	—	—
		F	5	—	3	1	1	—	—	—	—	—	12	1	5	5	1	—	—	—	—	—
4	Scarlet fever ..	M	1	—	—	—	—	—	1	—	—	—	2	—	—	—	2	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
5	Whooping cough ..	M	15	7	7	1	—	—	—	—	—	—	11	6	5	—	—	—	—	—	—	—
		F	12	6	5	1	—	—	—	—	—	—	7	4	2	—	1	—	—	—	—	—
6	Diphtheria ..	M	—	—	—	—	—	—	—	—	—	—	11	—	—	8	3	—	—	—	—	—
		F	2	—	—	1	1	—	—	—	—	—	9	—	—	3	5	1	—	—	—	—
7	Influenza	M	16	1	—	—	—	—	2	7	4	2	23	—	2	—	—	1	4	7	7	2
		F	8	—	—	—	—	—	1	2	3	2	16	—	1	1	2	1	2	5	3	1
8	Encephalitis lethargica ..	M	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	1	—	—	—
		F	1	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
9	Meningococcal meningitis ..	M	2	—	1	—	1	—	—	—	—	—	2	1	—	1	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
0	Tuberculosis of respiratory system	M	55	—	—	3	3	8	26	13	2	—	89	1	—	2	—	14	35	33	4	—
		F	49	—	—	—	4	15	20	9	1	—	79	—	1	1	1	22	37	14	2	1
1	Other tuberculous diseases	M	16	3	2	3	—	4	—	4	—	—	21	2	5	1	2	7	4	—	—	—
		F	10	—	—	2	2	3	1	1	1	—	26	—	1	10	4	6	4	—	—	1
2	Cancer, malignant disease	M	58	—	—	—	—	—	2	36	14	6	108	—	—	—	—	—	12	52	30	14
		F	81	—	—	—	—	—	11	40	20	10	83	—	—	—	—	—	13	38	22	10
3	Rheumatic fever ..	M	2	—	—	—	1	—	—	1	—	—	3	—	—	—	—	—	3	—	—	—
		F	4	—	—	—	2	1	—	1	—	—	4	—	—	—	—	—	2	2	—	—
4	Diabetes	M	7	—	—	—	—	—	—	4	1	2	11	—	—	—	—	—	—	8	3	—
		F	2	—	—	—	—	—	—	2	—	—	7	—	—	—	—	1	1	2	1	2
5	Cerebral hæmorrhage, &c. ..	M	25	—	—	—	—	—	1	13	8	3	66	—	—	—	—	—	1	27	24	14
		F	21	—	—	—	—	—	1	6	9	5	58	—	—	—	—	—	1	20	18	19
6	Heart disease ..	M	80	—	—	—	—	—	6	25	32	17	115	—	—	—	—	1	9	44	45	16
		F	70	—	—	—	3	1	9	19	15	23	120	—	—	—	4	4	19	36	33	24
7	Arterio-sclerosis ..	M	21	—	—	—	—	—	—	4	6	11	23	—	—	—	—	—	—	7	6	10
		F	18	—	—	—	—	—	—	4	8	6	21	—	—	—	—	—	—	3	5	13
8	Bronchitis ..	M	43	7	3	—	—	—	5	11	7	10	70	6	1	1	—	—	1	17	21	23
		F	45	13	3	1	—	—	1	5	5	17	49	4	—	—	—	—	—	7	23	15
9	Pneumonia (all forms)	M	56	17	11	7	2	1	7	6	2	3	82	23	8	2	—	1	16	18	9	5
		F	38	7	8	7	1	1	2	7	4	1	57	12	10	4	—	2	4	11	3	11
0	Other respiratory diseases	M	10	2	1	—	1	—	—	5	1	—	6	—	1	—	—	—	—	2	3	—
		F	7	3	—	—	—	1	—	2	—	1	7	1	—	—	—	—	1	1	3	1
1	Ulcer of stomach or duodenum ..	M	7	—	—	—	—	—	2	3	2	—	14	—	—	—	—	—	7	7	—	—
		F	2	—	—	—	—	—	1	—	—	1	5	—	—	—	—	1	—	4	—	—
2	Diarrhœa, &c. ..	M	11	6	—	2	—	—	2	—	—	1	18	10	3	1	1	—	—	1	1	1
		F	10	5	—	3	2	—	—	—	—	—	14	7	1	1	1	—	—	2	—	2
3	Appendicitis and typhlitis.. ..	M	3	—	—	—	1	—	2	—	—	—	7	—	—	1	1	—	2	3	—	—
		F	4	—	—	1	—	1	1	1	—	—	5	—	—	—	3	2	—	—	—	—
4	Cirrhosis of liver ..	M	2	—	—	—	—	—	—	2	—	—	6	—	—	—	—	—	1	3	2	—
		F	2	—	—	—	—	—	—	2	—	—	3	—	—	—	—	—	1	2	—	—
5	Acute and chronic nephritis ..	M	19	—	—	—	1	—	2	11	5	—	24	—	—	1	—	—	3	10	10	—
		F	13	—	—	—	—	—	3	4	1	5	30	—	—	—	—	2	3	19	3	3
6	Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	7	—	—	—	—	1	6	—	—	—	7	—	—	—	—	3	4	—	—	—
7	Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	4	—	—	—	—	2	2	—	—	—	11	—	—	—	—	—	11	—	—	—
8	Congenital debility and malformation, premature birth..	M	47	46	—	1	—	—	—	—	—	—	50	49	—	—	1	—	—	—	—	—
		F	27	26	—	—	1	—	—	—	—	—	38	38	—	—	—	—	—	—	—	—
9	Suicide	M	6	—	—	—	—	—	1	4	1	—	9	—	—	—	—	—	4	4	1	—
		F	1	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	1	—	—	—
0	Other deaths from violence.. ..	M	30	1	2	1	2	5	4	12	1	2	48	1	—	7	4	8	16	7	4	1
		F	14	1	1	2	2	—	1	2	1	4	22	3	—	2	1	2	3	2	3	6
1	Other defined diseases	M	69	11	1	—	3	2	8	15	17	12	190	31	5	3	6	9	24	37	30	45
		F	77	12	—	4	5	2	4	21	10	19	169	24	3	4	5	7	10	30	29	57
2	Causes ill-defined or unknown ..	M	2	—	1	—	—	—	—	1	—	—	2	1	1	—	—	—	—	—	—	—
		F	2	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of BEDFORD—1925 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES	M	740	86	9	14	24	28	89	186	168	136	496	49	3	7	11	14	48	98	115	151
	F	730	58	7	11	16	32	75	135	148	248	472	19	4	8	11	20	33	82	100	195
1 Enteric fever	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	1	—	—	1	—	—	—	—	—	2	—	1	—	1	—	—	—	—	—
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	M	9	4	3	2	—	—	—	—	—	—	4	3	1	—	—	—	—	—	—	—
	F	3	2	—	—	1	—	—	—	—	—	3	2	—	1	—	—	—	—	—	—
6 Diphtheria	M	9	—	—	4	5	—	—	—	—	—	2	—	—	—	2	—	—	—	—	—
	F	3	—	—	1	2	—	—	—	—	—	3	—	—	—	2	1	—	—	—	—
7 Influenza	M	18	—	—	—	1	—	4	4	5	4	15	—	—	—	—	2	2	5	4	2
	F	18	—	—	—	—	—	5	5	3	5	15	—	—	—	1	—	—	1	3	10
8 Encephalitis lethargica	M	3	—	—	—	1	—	1	1	—	—	1	—	—	—	—	—	1	—	—	—
	F	2	—	—	—	1	—	—	1	—	—	1	—	—	—	—	—	—	1	—	—
9 Meningococcal meningitis	M	2	1	—	—	—	—	1	—	—	—	2	1	—	—	—	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	47	—	—	1	2	11	20	11	2	—	29	—	—	—	—	4	16	9	—	—
	F	44	—	—	—	1	14	18	5	5	1	24	—	—	—	1	10	8	4	1	—
11 Other tuberculous diseases	M	12	—	—	1	3	3	2	3	—	—	2	—	—	—	—	—	2	—	—	—
	F	11	—	—	1	2	3	4	1	—	—	9	—	—	1	1	4	2	1	—	—
12 Cancer, malignant disease	M	90	—	—	—	—	2	6	40	28	14	65	—	—	—	—	—	2	18	27	18
	F	80	—	—	—	—	—	11	32	20	17	66	—	—	—	—	—	6	27	17	16
13 Rheumatic fever	M	3	—	—	1	1	—	1	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	1	—	—	—	—	—	—	—	1	—	1	—	—	—	1	—	—	—	—	—
14 Diabetes	M	10	—	—	1	—	—	3	4	2	—	1	—	—	—	—	—	—	—	1	—
	F	5	—	—	—	—	1	—	1	1	2	8	—	—	—	—	—	—	4	2	2
15 Cerebral hæmorrhage, &c.	M	43	—	—	—	—	—	—	12	16	15	35	—	—	—	—	1	—	7	8	19
	F	62	—	1	—	—	—	1	14	19	27	43	—	—	—	—	—	2	6	15	20
16 Heart disease	M	100	—	—	—	2	—	6	36	37	19	73	—	—	—	—	1	4	20	25	23
	F	146	—	—	—	—	2	9	27	44	64	65	—	—	—	1	—	1	13	25	25
17 Arterio-sclerosis	M	36	—	—	—	—	—	1	2	20	13	19	—	—	—	—	—	—	2	4	13
	F	26	—	—	—	—	—	—	5	8	13	26	—	—	—	—	—	—	2	9	15
18 Bronchitis	M	54	11	1	—	—	—	4	8	14	16	32	2	—	1	—	—	—	3	6	20
	F	57	3	1	1	1	—	1	5	15	30	40	3	1	1	—	—	—	3	6	26
19 Pneumonia (all forms)	M	39	6	4	—	2	1	10	6	9	1	27	4	—	2	1	2	4	6	6	2
	F	27	3	3	2	1	—	2	3	4	9	14	1	2	1	2	1	1	4	1	1
20 Other respiratory diseases	M	4	1	—	—	—	—	—	—	2	1	3	—	—	—	—	—	—	1	2	—
	F	6	—	—	2	—	—	—	2	—	2	4	—	—	—	—	—	—	2	2	—
21 Ulcer of stomach or duodenum	M	8	—	—	—	—	—	1	5	2	—	8	—	—	—	—	1	2	3	2	—
	F	5	—	—	—	—	—	1	3	—	1	1	—	—	—	—	—	—	1	—	—
22 Diarrhœa, &c.	M	5	3	—	1	—	—	—	—	1	—	7	5	—	—	—	—	1	1	—	—
	F	4	2	—	—	—	1	—	—	—	1	3	1	—	—	—	—	1	1	—	—
23 Appendicitis and typhlitis	M	6	—	—	1	1	—	2	1	1	—	3	—	—	—	—	1	—	—	2	—
	F	9	—	—	—	3	3	1	1	1	—	3	—	—	—	1	—	1	—	1	—
24 Cirrhosis of liver	M	10	—	—	—	—	—	2	7	1	—	4	—	—	—	—	—	1	2	1	—
	F	3	—	—	—	—	—	—	3	—	—	1	—	—	—	—	—	—	1	—	—
25 Acute and chronic nephritis	M	21	—	—	—	1	—	3	8	7	2	11	—	—	—	1	1	1	5	2	1
	F	10	—	—	—	1	—	2	4	1	2	9	—	—	—	—	—	—	2	1	6
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	1	2	—	—	—	2	—	—	—	—	1	1	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	7	—	—	—	—	—	7	—	—	—	4	—	—	—	—	1	3	—	—	—
28 Congenital debility and malformation, premature birth	M	46	45	—	—	—	—	1	—	—	—	28	27	—	—	—	—	1	—	—	—
	F	36	36	—	—	—	—	—	—	—	—	9	9	—	—	—	—	—	—	—	—
29 Suicide	M	8	—	—	—	—	2	2	3	1	—	7	—	—	—	—	1	1	4	1	—
	F	2	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
30 Other deaths from violence	M	26	—	1	1	2	6	6	6	2	2	18	1	1	2	3	—	5	4	1	1
	F	9	1	—	—	—	—	—	3	2	3	13	1	—	1	—	—	1	1	3	6
31 Other defined diseases	M	129	14	—	1	3	3	12	29	18	49	97	6	1	2	3	—	4	8	21	52
	F	148	10	2	4	2	6	10	20	23	71	98	2	—	3	—	2	5	8	11	67
32 Causes ill-defined or unknown	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	2	—
	F	1	—	—	—	—	—	—	—	1	—	5	—	—	—	—	—	1	—	3	1

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of BERKS—1925 (Civilian population only).

Causes of Death.	Sex	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	373	38	5	2	4	9	30	103	75	107	783	67	15	7	14	31	73	171	182	223
	F	414	27	2	6	6	9	41	81	81	161	784	51	11	9	17	21	71	165	157	282
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	M	1	1	—	—	—	—	—	—	—	—	7	2	4	1	—	—	—	—	—	—
	F	4	2	—	1	1	—	—	—	—	—	10	5	3	1	—	1	—	—	—	—
6 Diphtheria	M	2	—	—	1	1	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7 Influenza	M	12	—	—	—	—	—	1	5	3	3	21	—	—	—	—	1	1	3	9	7
	F	10	—	—	—	—	—	3	1	3	3	45	—	—	—	2	1	—	14	9	19
8 Encephalitis lethargica	M	1	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	24	—	—	—	—	2	12	9	1	—	49	—	—	—	—	8	22	15	3	1
	F	23	—	—	—	1	5	8	7	1	1	32	—	—	—	2	8	16	5	1	—
11 Other tuberculous diseases	M	3	1	1	—	—	—	—	1	—	—	11	1	—	—	—	3	3	2	2	—
	F	7	—	—	1	2	1	1	—	1	1	13	1	3	1	—	—	5	3	—	—
12 Cancer, malignant disease	M	49	—	—	—	—	—	—	22	15	12	82	—	1	—	—	—	3	28	30	20
	F	72	—	—	—	—	—	9	27	13	23	118	—	—	—	1	—	9	51	33	24
13 Rheumatic fever	M	2	—	—	—	—	—	1	1	—	—	7	—	—	—	—	3	1	2	1	—
	F	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	1	2	—	—
14 Diabetes	M	3	—	—	—	—	—	—	—	2	1	11	—	—	1	—	—	1	2	5	2
	F	1	—	—	—	—	—	—	—	1	—	7	—	—	—	—	—	—	2	4	1
15 Cerebral hæmorrhage, &c.	M	20	—	—	—	—	—	—	5	8	7	48	—	—	—	—	—	1	9	13	25
	F	35	—	—	—	—	—	—	9	8	18	65	—	—	—	—	—	—	11	18	36
16 Heart disease	M	46	—	—	—	—	—	3	15	12	16	110	—	—	—	—	1	3	25	42	39
	F	64	—	—	—	1	—	6	13	20	24	114	—	—	—	4	1	5	22	28	54
17 Arterio-sclerosis	M	20	—	—	—	—	—	—	1	8	11	48	—	—	—	—	—	—	11	12	25
	F	31	—	—	—	—	—	—	1	8	22	31	—	—	—	—	—	—	3	4	24
18 Bronchitis	M	26	1	—	1	—	—	—	4	5	15	50	3	3	1	—	—	—	6	11	26
	F	29	—	—	—	—	1	1	—	8	19	50	—	—	1	—	—	—	4	12	33
19 Pneumonia (all forms)	M	20	2	1	—	—	—	—	8	4	5	40	7	3	—	—	1	4	14	7	4
	F	20	3	2	—	—	—	—	5	5	5	37	10	2	1	2	1	5	4	10	2
20 Other respiratory diseases	M	8	—	1	—	—	1	1	2	1	2	8	—	—	—	1	—	2	2	2	1
	F	3	—	—	—	—	—	1	1	—	1	7	—	—	1	—	—	1	2	1	2
21 Ulcer of stomach or duodenum	M	2	—	—	—	—	—	—	2	—	—	11	—	—	—	—	—	4	3	4	—
	F	3	—	—	—	—	—	1	2	—	—	5	—	—	—	—	—	4	1	—	—
22 Diarrhœa, &c.	M	3	3	—	—	—	—	—	—	—	—	10	5	1	1	—	—	—	—	1	2
	F	3	2	—	—	—	—	—	—	—	1	9	2	2	—	—	—	2	1	1	1
23 Appendicitis and typhlitis	M	1	—	—	—	—	—	—	1	—	—	15	—	—	2	2	5	5	—	1	—
	F	2	—	—	—	—	—	1	1	—	—	5	—	—	1	1	—	1	1	1	—
24 Cirrhosis of liver	M	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	2	1	—
	F	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	1
25 Acute and chronic nephritis	M	9	—	—	—	—	—	2	3	2	2	21	—	—	—	—	—	—	6	7	8
	F	5	—	—	—	—	—	—	1	1	3	17	—	—	—	1	1	—	8	6	1
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	1	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	3	—	—	—	9	—	—	—	—	2	7	—	—	—
28 Congenital debility and malformation, premature birth	M	27	26	—	—	—	—	1	—	—	—	40	40	—	—	—	—	—	—	—	—
	F	15	15	—	—	—	—	—	—	—	—	26	26	—	—	—	—	—	—	—	—
29 Suicide	M	4	—	—	—	—	—	2	1	1	—	6	—	—	—	—	1	1	1	2	1
	F	3	—	—	—	—	—	—	2	1	—	4	—	—	—	—	—	2	1	1	—
30 Other deaths from violence	M	15	—	—	—	—	3	3	5	3	1	16	—	—	1	1	3	3	5	1	2
	F	10	—	—	2	1	—	1	1	3	2	18	2	—	1	2	2	—	4	—	7
31 Other defined diseases	M	72	4	2	—	2	3	4	17	8	32	158	7	3	—	9	4	16	31	28	60
	F	67	4	—	2	—	1	5	9	8	38	155	5	1	2	2	3	13	24	28	77
32 Causes ill-defined or unknown	M	3	—	—	—	—	—	—	1	2	—	8	2	—	—	—	—	2	4	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	2	—	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of BUCKINGHAM—1925 (Civilian population only).

Causes of Death.	Sex	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES	M	515	29	8	11	10	21	41	150	112	133	797	70	9	10	18	30	76	177	174	233
	F	521	28	2	5	11	16	40	126	127	166	794	61	9	10	8	33	65	152	177	279
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	3	2	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
	F	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever	M	1	—	—	1	—	—	—	—	—	—	2	—	—	1	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	M	7	1	2	3	1	—	—	—	—	—	9	4	2	3	—	—	—	—	—	—
	F	3	3	—	—	—	—	—	—	—	—	9	4	3	1	1	—	—	—	—	—
6 Diphtheria	M	2	1	—	1	—	—	—	—	—	—	4	—	—	1	3	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
7 Influenza	M	22	—	—	—	—	1	2	10	4	5	34	3	1	1	—	1	6	8	5	9
	F	21	—	—	—	1	1	1	5	9	4	29	1	—	2	—	1	1	10	6	8
8 Encephalitis lethargica	M	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—	—
	F	2	—	—	—	—	—	1	1	—	—	2	—	—	—	—	—	2	—	—	—
9 Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	29	—	—	—	—	8	11	8	1	1	34	—	—	—	—	8	17	6	3	—
	F	26	—	—	—	—	9	12	5	—	—	36	—	—	—	1	14	16	3	2	—
11 Other tuberculous diseases	M	4	—	—	1	1	1	—	1	—	—	7	—	1	—	1	1	3	1	—	—
	F	6	—	—	3	1	1	—	1	—	—	10	—	—	1	—	2	3	2	1	1
12 Cancer, malignant disease	M	74	—	—	—	—	—	4	31	24	15	86	—	—	—	1	1	2	25	37	20
	F	67	—	—	—	—	1	3	25	21	17	102	—	—	—	—	—	9	40	32	21
13 Rheumatic fever	M	1	—	—	—	—	1	—	—	—	—	4	—	—	—	2	—	—	2	—	—
	F	3	—	—	—	2	—	—	1	—	—	1	—	—	—	1	—	—	—	—	—
14 Diabetes	M	6	—	—	—	1	—	1	3	—	1	5	—	—	—	—	—	—	2	2	1
	F	9	—	—	—	—	—	—	4	4	1	11	—	—	—	—	1	—	5	3	2
15 Cerebral hæmorrhage, &c.	M	29	—	—	—	—	—	1	7	9	12	52	—	—	—	—	—	1	8	18	25
	F	41	—	—	—	—	—	1	12	13	15	62	—	—	—	—	—	—	12	20	30
16 Heart disease	M	68	—	—	—	1	2	—	19	25	21	120	—	—	—	—	2	7	40	42	29
	F	73	—	—	—	—	—	4	19	27	23	126	—	—	—	—	4	6	26	39	51
17 Arterio-sclerosis	M	24	—	—	—	—	—	—	4	10	10	19	—	—	—	—	—	—	4	5	10
	F	23	—	—	—	—	—	—	1	5	17	25	—	—	—	—	—	1	5	3	16
18 Bronchitis	M	26	—	1	—	—	—	2	5	5	13	57	3	1	—	—	—	1	6	12	34
	F	40	3	—	—	—	—	—	5	12	20	59	—	2	1	1	1	1	2	19	32
19 Pneumonia (all forms)	M	32	2	1	2	—	1	2	14	5	5	43	6	3	—	—	1	8	8	9	8
	F	20	2	—	2	—	—	2	1	6	7	30	4	2	2	1	—	6	3	8	4
20 Other respiratory diseases	M	12	1	1		1	—	—	2	3	4	8	—	—	—	2	—	—	4	2	—
	F	3	—	—	—	—	—	—	—	2	1	13	—	—	—	—	1	—	3	5	4
21 Ulcer of stomach or duodenum	M	4	—	—	—	—	—	1	2	1	—	10	—	—	—	—	—	3	3	3	1
	F	3	—	—	—	—	—	2	—	1	—	2	—	—	—	—	1	—	—	—	1
22 Diarrhœa, &c.	M	4	2	1	—	—	—	—	1	—	—	8	4	—	—	—	—	1	1	1	1
	F	5	—	—	—	1	—	1	1	1	1	11	4	—	—	—	—	1	2	—	4
23 Appendicitis and typhlitis	M	4	—	—	—	—	—	1	3	—	—	6	—	—	—	1	1	1	2	1	—
	F	3	—	—	—	—	2	—	1	—	—	5	—	—	—	—	—	—	5	—	—
24 Cirrhosis of liver	M	1	—	—	—	—	—	—	1	—	—	5	—	—	—	—	—	—	3	1	1
	F	2	—	—	—	—	—	—	1	1	—	1	—	—	—	—	—	—	—	—	1
25 Acute and chronic nephritis	M	17	—	—	—	—	—	1	9	2	5	27	—	—	1	—	1	2	13	5	5
	F	15	—	—	—	—	1	1	5	5	3	17	—	—	—	1	1	2	7	3	3
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	—	3	—	—	—	—	—	3	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	—	3	—	—	—	—	—	3	—	—	—
28 Congenital debility and malformation, premature birth	M	16	14	—	—	—	1	—	1	—	—	41	40	—	—	—	1	—	—	—	—
	F	17	16	—	—	—	—	—	1	—	—	38	38	—	—	—	—	—	—	—	—
29 Suicide	M	7	—	—	—	—	1	2	3	—	1	12	—	—	—	—	—	4	7	1	—
	F	5	—	—	—	—	—	2	2	1	—	4	—	—	—	—	—	1	3	—	—
30 Other deaths from violence	M	17	—	1	1	2	3	6	4	—	—	30	1	—	1	2	7	5	8	3	3
	F	13	1	—	—	1	—	—	5	2	4	13	1	1	1	1	2	1	3	1	2
31 Other defined diseases	M	100	6	—	2	3	2	6	19	22	40	167	9	—	2	5	6	13	23	24	85
	F	112	3	1	—	4	1	5	30	16	52	180	9	1	1	1	5	9	21	34	99
32 Causes ill-defined or unknown	M	4	—	—	—	—	—	1	2	1	—	5	—	—	—	—	—	1	3	—	1
	F	2	—	—	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—	1	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of CAMBRIDGE—1925 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts.										Aggregate of Rural Districts.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	290	21	7	4	9	9	27	87	65	61	468	27	3	2	11	20	39	102	94	170
	F	324	17	2	5	3	6	27	66	73	125	432	34	3	4	3	14	34	73	88	179
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	2	1	1	—	—	—	—	—	—	—	3	—	—	1	1	1	—	—	—	—
	F	5	2	—	2	1	—	—	—	—	—	3	—	3	—	—	—	—	—	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
5 Whooping cough ..	M	5	1	1	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	2	—	—	—	—	—	—	—	—	3	3	—	—	—	—	—	—	—	—
6 Diphtheria ..	M	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7 Influenza	M	10	1	—	—	—	—	1	2	—	6	12	—	2	—	—	—	2	2	5	1
	F	14	—	—	—	—	—	2	2	4	6	9	—	—	—	—	—	1	2	3	3
8 Encephalitis lethargica ..	M	1	—	—	—	—	—	—	—	—	1	2	—	—	—	—	—	1	—	1	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	25	—	1	—	—	3	9	11	1	—	29	—	—	—	—	4	15	7	2	1
	F	20	—	—	—	1	3	8	7	1	—	17	—	—	—	—	4	9	1	2	1
11 Other tuberculous diseases	M	3	—	—	—	—	1	1	1	—	—	6	—	—	—	1	2	2	1	—	—
	F	3	1	—	1	—	—	—	1	—	—	3	1	—	—	—	1	—	1	—	—
12 Cancer, malignant disease	M	43	—	—	—	1	—	2	22	11	7	62	—	—	—	—	1	1	22	22	16
	F	44	—	—	—	—	1	2	22	11	8	64	—	—	—	—	1	6	21	18	18
13 Rheumatic fever ..	M	1	—	—	—	—	—	—	1	—	—	4	—	—	—	—	2	1	1	—	—
	F	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
14 Diabetes	M	5	—	—	—	—	—	1	3	—	1	7	—	—	—	—	—	3	2	1	1
	F	2	—	—	—	—	—	—	1	1	—	4	—	—	—	—	—	—	—	3	1
15 Cerebral hæmorrhage, &c. ..	M	17	—	—	—	—	—	—	6	7	4	23	—	—	—	—	—	—	4	7	12
	F	34	—	—	—	—	—	2	7	11	14	35	—	—	—	—	—	—	6	11	18
16 Heart disease ..	M	30	—	—	—	—	—	1	8	14	7	66	—	—	—	1	—	2	13	18	32
	F	43	—	—	—	—	—	1	11	17	14	66	—	—	1	—	1	4	11	20	29
17 Arterio-sclerosis ..	M	5	—	—	—	—	—	—	2	2	1	20	—	—	—	—	—	—	2	5	13
	F	7	—	—	—	—	—	—	—	2	5	10	—	—	—	—	—	—	1	—	9
18 Bronchitis ..	M	14	2	—	1	—	—	—	1	3	7	34	—	—	—	—	—	—	2	6	26
	F	23	1	1	—	—	—	—	—	5	16	28	1	—	—	—	—	1	—	6	20
19 Pneumonia (all forms)	M	12	1	4	—	—	—	—	3	3	1	12	1	—	1	—	2	2	4	—	2
	F	13	3	1	—	—	1	1	1	2	4	20	2	—	2	1	—	—	2	3	10
20 Other respiratory diseases	M	4	—	—	—	—	—	—	1	1	2	8	1	—	—	—	—	—	1	5	1
	F	2	—	—	—	—	—	—	1	—	1	11	1	—	—	—	—	—	2	3	5
21 Ulcer of stomach or duodenum ..	M	2	—	—	—	—	—	—	2	—	—	5	—	—	—	—	—	1	3	—	1
	F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
22 Diarrhœa, &c. ..	M	2	1	—	—	—	—	—	—	—	1	2	1	—	—	—	—	—	—	—	1
	F	1	—	—	—	—	—	1	—	—	—	4	—	—	—	—	1	—	2	—	1
23 Appendicitis and typhlitis.. ..	M	2	—	—	—	1	1	—	—	—	—	2	—	—	—	1	—	1	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
24 Cirrhosis of liver ..	M	5	—	—	—	—	—	2	2	1	—	5	—	—	—	—	—	—	3	2	—
	F	3	—	—	—	—	—	—	1	—	2	1	—	—	—	—	—	—	—	1	—
25 Acute and chronic nephritis ..	M	5	—	—	—	—	—	1	1	3	—	11	—	—	—	—	—	—	—	7	4
	F	11	—	—	—	—	—	1	3	3	4	12	—	—	—	—	—	—	5	4	3
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	2	—	—	—	—	1	1	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	1	—	—	—	—
28 Congenital debility and malformation, premature birth.. ..	M	13	13	—	—	—	—	—	—	—	—	17	17	—	—	—	—	—	—	—	—
	F	7	7	—	—	—	—	—	—	—	—	22	22	—	—	—	—	—	—	—	—
29 Suicide	M	4	—	—	—	—	—	—	3	1	—	9	—	—	—	—	—	2	5	1	1
	F	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	3	—	—
30 Other deaths from violence.. ..	M	16	1	—	1	3	1	4	3	2	1	18	1	1	—	3	—	1	11	1	—
	F	6	1	—	—	—	—	—	1	1	3	4	—	—	—	—	—	1	1	—	2
31 Other defined diseases	M	62	—	—	—	3	3	4	14	16	22	102	6	—	—	3	7	4	15	9	58
	F	77	—	—	1	1	1	6	7	14	47	108	4	—	—	2	3	11	15	14	59
32 Causes ill-defined or unknown ..	M	1	—	—	—	—	—	—	1	—	—	7	—	—	—	—	—	1	4	2	—
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of CHESTER—1925 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	2688	309	63	56	66	92	304	787	550	461	1143	120	21	26	25	41	109	279	278	24
	F	2768	222	54	68	77	102	296	679	615	655	1071	105	21	33	25	25	121	223	231	28
1 Enteric fever ..	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	1	2	—	—	—	1	—	—	—	1	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	11	6	2	2	1	—	—	—	—	—	6	1	4	1	—	—	—	—	—	—
	F	9	2	3	2	2	—	—	—	—	—	7	2	2	2	1	—	—	—	—	—
4 Scarlet fever ..	M	5	—	—	1	4	—	—	—	—	—	3	1	—	1	1	—	—	—	—	—
	F	9	—	—	6	3	—	—	—	—	—	4	—	—	2	1	—	1	—	—	—
5 Whooping cough ..	M	31	11	9	11	—	—	—	—	—	—	8	6	—	2	—	—	—	—	—	—
	F	33	14	11	8	—	—	—	—	—	—	17	9	6	2	—	—	—	—	—	—
6 Diphtheria ..	M	7	2	2	2	1	—	—	—	—	—	3	—	—	1	2	—	—	—	—	—
	F	21	1	1	8	9	1	—	—	1	—	3	—	—	2	1	—	—	—	—	—
7 Influenza	M	63	2	—	1	2	5	16	22	10	5	42	1	2	—	1	5	3	12	11	
	F	53	1	—	2	2	2	13	11	11	11	40	2	—	1	1	1	5	11	9	1
8 Encephalitis lethargica ..	M	9	—	—	—	—	3	3	3	—	—	3	—	—	—	—	—	1	2	—	—
	F	7	—	—	2	—	—	2	2	1	—	6	—	—	1	1	1	—	3	—	—
9 Meningococcal meningitis ..	M	1	1	—	—	—	—	—	—	—	—	3	1	1	—	—	—	1	—	—	—
	F	1	1	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	164	1	—	1	2	24	66	61	9	—	53	—	—	—	1	6	24	18	3	
	F	140	—	—	—	7	38	69	21	4	1	55	—	—	1	2	7	33	9	3	—
11 Other tuberculous diseases	M	43	3	5	9	10	4	7	5	—	—	7	2	1	2	—	—	2	—	—	—
	F	40	5	5	7	6	7	6	4	—	—	8	—	1	3	1	—	3	—	—	—
12 Cancer, malignant disease	M	288	—	—	1	—	3	19	142	92	31	119	—	—	—	1	—	5	53	42	1
	F	331	1	—	1	—	—	35	149	88	57	123	—	—	—	—	—	8	50	37	2
13 Rheumatic fever ..	M	11	—	—	—	3	1	1	4	2	—	4	—	—	—	—	3	—	1	—	—
	F	14	—	—	—	3	3	2	3	3	—	6	—	—	—	1	—	3	2	—	—
14 Diabetes	M	17	—	—	—	—	1	4	5	5	2	11	—	—	—	3	—	—	5	2	
	F	38	—	—	—	1	1	3	16	13	4	11	—	—	—	—	2	—	3	5	
15 Cerebral hæmorrhage, &c. ..	M	177	—	—	—	2	—	2	54	73	46	71	—	—	—	—	—	3	20	24	2
	F	210	—	—	1	—	2	4	60	73	70	66	—	—	—	—	—	—	16	27	2
16 Heart disease ..	M	340	—	—	—	8	3	28	129	98	74	156	—	—	—	2	5	10	50	57	3
	F	476	—	—	—	9	6	32	143	163	123	148	—	—	1	2	1	5	40	51	4
17 Arterio-sclerosis ..	M	147	—	—	—	—	—	—	36	61	50	72	—	—	—	—	—	2	7	28	3
	F	127	—	—	—	—	—	2	31	38	56	45	—	—	—	—	—	—	9	16	2
18 Bronchitis ..	M	182	19	5	1	1	3	8	41	53	51	69	3	2	4	—	—	1	11	20	1
	F	202	21	4	3	—	1	3	26	64	80	73	9	1	2	1	1	1	7	17	3
19 Pneumonia (all forms)	M	198	40	18	8	9	9	37	41	21	15	93	16	6	4	4	2	15	16	23	
	F	171	32	15	10	13	3	11	28	27	32	69	14	3	5	4	2	8	10	8	
20 Other respiratory diseases	M	31	1	3	—	—	—	7	6	9	5	17	2	—	—	—	—	—	6	4	
	F	29	1	—	2	—	2	2	7	4	11	14	—	—	—	—	—	1	4	3	
21 Ulcer of stomach or duodenum ..	M	30	—	—	—	—	3	14	9	4	—	9	—	—	—	—	—	3	6	—	—
	F	8	—	—	—	—	—	2	4	2	—	2	—	—	—	—	—	2	—	—	—
22 Diarrhœa, &c. ..	M	32	22	4	1	—	—	1	2	2	—	18	12	2	1	—	—	—	1	1	
	F	31	19	1	3	1	—	1	2	4	—	8	4	—	1	1	—	—	—	1	
23 Appendicitis and typhlitis.. ..	M	20	—	—	1	3	5	5	5	1	—	13	—	—	2	4	1	2	3	1	—
	F	13	—	—	1	5	2	1	2	2	—	6	—	—	2	—	—	1	1	2	—
24 Cirrhosis of liver ..	M	23	—	—	—	—	—	1	12	7	3	4	—	—	—	—	—	—	1	3	—
	F	4	—	—	—	—	—	—	3	—	1	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis ..	M	85	—	—	1	1	2	6	45	18	12	27	—	—	—	—	2	5	9	9	
	F	92	—	—	—	1	2	15	41	23	10	21	—	1	1	—	—	3	6	5	
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	14	—	—	—	—	2	12	—	—	—	8	—	—	—	—	—	8	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	21	—	—	—	—	3	17	1	—	—	7	—	—	—	—	—	7	—	—	—
28 Congenital debility and malformation, premature birth.. ..	M	144	140	—	1	1	—	2	—	—	—	55	54	—	—	1	—	—	—	—	—
	F	91	86	1	2	2	—	—	—	—	—	50	48	1	1	—	—	—	—	—	—
29 Suicide	M	36	—	—	—	—	—	9	20	5	2	9	—	—	—	—	1	2	6	—	—
	F	10	—	—	—	—	1	6	3	—	—	5	—	—	—	—	2	2	1	—	—
30 Other deaths from violence.. ..	M	110	3	5	7	11	12	31	24	8	9	54	—	1	3	2	9	17	10	8	
	F	56	3	5	4	2	5	5	9	8	15	24	3	—	1	—	2	4	3	5	
31 Other defined diseases	M	480	58	10	8	7	14	36	120	71	156	211	21	1	5	3	7	13	40	42	
	F	512	35	8	6	11	20	51	111	86	184	241	13	6	5	7	6	25	48	41	
32 Causes ill-defined or unknown ..	M	2	—	—	—	—	—	—	1	1	—	3	—	1	—	—	—	—	2	—	—
	F	2	—	—	—	—	—	—	2	—	—	2	—	—	—	—	—	1	—	1	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of CORNWALL—1925 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	839	63	10	13	12	32	95	224	191	199	1061	86	13	16	21	35	110	248	243	289
	F	986	54	9	8	20	31	86	198	213	367	1218	77	17	11	20	57	97	259	275	405
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	1	—	—	—
	F	2	—	—	—	1	1	—	—	—	—	1	—	—	—	1	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	3	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	1	—	1	—	—	—	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ..	M	5	4	—	1	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	4	3	1	—	—	—	—	—	—	—	6	1	2	3	—	—	—	—	—	—
6 Diphtheria ..	M	4	—	—	2	1	—	1	—	—	—	1	—	—	1	—	—	—	—	—	—
	F	2	—	—	—	1	—	—	1	—	—	2	—	—	—	2	—	—	—	—	—
7 Influenza	M	19	1	—	—	—	1	2	8	—	7	28	—	—	—	1	5	3	7	6	6
	F	18	—	—	1	—	—	2	2	7	6	33	—	—	1	—	3	3	9	5	12
8 Encephalitis lethargica ..	M	5	—	—	1	—	—	2	2	—	—	3	—	—	—	—	1	—	1	1	—
	F	3	—	—	2	—	—	—	1	—	—	7	—	—	—	—	2	—	3	2	—
9 Meningococcal meningitis ..	M	1	—	—	—	1	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	90	—	—	—	1	15	33	34	7	—	78	—	—	—	1	14	28	28	5	2
	F	61	—	1	—	4	16	31	8	—	1	66	—	—	—	1	22	26	13	3	1
11 Other tuberculous diseases	M	10	—	1	2	1	—	4	2	—	—	16	1	2	1	3	1	3	4	1	—
	F	13	—	1	—	—	3	4	2	2	1	22	1	—	—	4	8	5	1	2	1
12 Cancer, malignant disease	M	95	—	—	—	1	—	2	33	39	20	103	—	—	—	—	1	8	40	36	18
	F	137	—	—	—	—	—	9	59	40	29	182	—	—	—	—	1	10	77	55	39
13 Rheumatic fever ..	M	3	—	—	—	1	1	1	—	—	—	1	—	—	—	—	—	—	—	1	—
	F	—	—	—	—	—	—	—	—	—	—	4	—	—	—	2	1	1	—	—	—
14 Diabetes	M	12	—	—	—	—	—	—	2	6	4	10	—	—	—	1	—	2	1	4	2
	F	9	—	—	—	—	2	1	2	2	2	16	—	—	—	1	—	1	8	3	3
15 Cerebral hæmorrhage, &c. ..	M	51	—	—	—	—	—	—	10	21	20	50	—	—	—	—	—	2	7	20	21
	F	95	—	—	—	—	—	1	22	28	44	96	—	—	—	—	—	1	22	40	33
16 Heart disease ..	M	135	—	1	—	—	—	6	46	37	45	153	—	—	—	—	—	8	34	60	51
	F	181	—	—	—	—	—	3	34	61	83	200	—	—	—	—	2	5	39	70	84
17 Arterio-sclerosis ..	M	25	—	—	—	—	—	—	4	14	7	51	—	—	—	—	—	—	12	14	25
	F	22	—	—	—	—	—	—	2	4	16	38	—	—	—	—	—	—	4	9	25
18 Bronchitis ..	M	45	5	—	—	—	—	2	7	16	15	65	5	3	3	—	—	2	9	16	27
	F	66	3	—	1	—	—	3	3	17	39	72	5	—	—	—	—	—	8	11	48
19 Pneumonia (all forms)	M	36	7	3	1	—	1	6	9	5	4	45	7	3	2	—	2	5	10	6	10
	F	39	4	1	1	—	2	6	12	3	10	41	6	6	2	1	—	2	7	9	8
20 Other respiratory diseases	M	20	1	—	—	—	—	5	7	5	2	30	1	—	—	—	—	3	11	11	4
	F	9	—	—	1	1	—	—	1	1	5	11	—	—	—	—	—	1	2	7	1
21 Ulcer of stomach or duodenum ..	M	6	—	—	—	—	—	2	4	—	—	11	—	—	—	—	—	2	7	2	—
	F	7	—	—	—	—	—	1	4	2	—	4	—	—	—	—	—	2	—	—	2
22 Diarrhœa, &c. ..	M	7	4	2	—	—	—	—	1	—	—	17	11	1	2	—	—	—	1	—	2
	F	7	4	—	—	—	—	—	1	2	—	12	6	1	—	1	1	—	1	1	1
23 Appendicitis and typhlitis.. ..	M	5	—	—	—	—	2	1	1	—	1	12	—	—	2	4	—	1	4	1	—
	F	6	—	—	—	3	1	1	1	—	—	9	—	—	—	2	1	2	2	2	—
24 Cirrhosis of liver ..	M	4	—	—	—	—	—	—	3	1	—	2	—	—	—	—	—	—	1	1	—
	F	1	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—	—	1	—	1
25 Acute and chronic nephritis ..	M	23	—	—	—	—	1	2	9	7	4	30	—	—	—	2	2	2	8	9	7
	F	27	—	—	—	1	—	2	8	10	6	39	—	—	1	—	1	5	11	11	10
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	—	7	—	—	—	—	2	5	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	10	—	—	—	—	4	6	—	—	—	15	—	—	—	—	6	9	—	—	—
28 Congenital debility and malformation, premature birth.. ..	M	32	30	1	—	—	—	1	—	—	—	42	41	—	—	1	—	—	—	—	—
	F	27	26	—	1	—	—	—	—	—	—	46	45	1	—	—	—	—	—	—	—
29 Suicide	M	5	—	—	—	—	1	2	1	1	—	14	—	—	—	—	—	7	5	1	1
	F	1	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—	—	2	—	—
30 Other deaths from violence.. ..	M	23	—	—	2	2	3	5	8	1	2	39	1	3	2	4	3	13	9	2	2
	F	13	—	2	—	4	—	1	2	1	3	22	—	—	2	1	2	3	1	3	10
31 Other defined diseases	M	173	11	2	2	3	7	17	33	30	68	242	15	1	2	3	5	18	46	42	110
	F	223	13	3	1	5	2	13	31	33	122	258	13	5	2	3	5	16	46	42	126
32 Causes ill-defined or unknown ..	M	2	—	—	—	—	—	1	—	1	—	13	2	—	1	—	—	2	3	4	1
	F	1	1	—	—	—	—	—	—	—	—	3	—	1	—	—	—	—	2	—	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of CUMBERLAND—1925 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	898	134	39	29	35	58	79	212	177	135	605	72	19	11	17	26	60	118	138	144
	F	852	98	28	30	28	32	80	174	178	204	606	53	11	14	13	25	67	119	128	176
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	16	4	6	5	1	—	—	—	—	—	4	—	2	—	1	1	—	—	—	—
	F	9	3	4	1	1	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
4 Scarlet fever ..	M	3	1	1	—	1	—	—	—	—	—	2	—	—	—	1	—	—	1	—	—
	F	3	—	—	1	2	—	—	—	—	—	3	—	—	1	1	—	—	1	—	—
5 Whooping cough ..	M	7	3	2	1	1	—	—	—	—	—	10	5	3	1	1	—	—	—	—	—
	F	11	9	2	—	—	—	—	—	—	—	8	4	2	2	—	—	—	—	—	—
6 Diphtheria ..	M	5	—	—	2	3	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	4	1	—	1	2	—	—	—	—	—	3	—	—	1	1	—	1	—	—	—
7 Influenza	M	38	1	1	1	—	3	8	13	7	4	33	—	1	—	—	—	5	8	9	10
	F	29	1	1	—	—	1	2	10	10	4	32	—	—	1	—	1	7	5	8	10
8 Encephalitis lethargica ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis ..	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	42	—	—	—	1	12	17	12	—	—	30	—	1	—	1	5	13	10	—	—
	F	47	1	—	—	3	16	21	6	—	—	28	—	—	—	—	8	13	7	—	—
11 Other tuberculous diseases	M	23	—	3	2	5	7	3	3	—	—	7	—	—	1	2	2	—	1	1	—
	F	13	2	1	3	7	—	—	—	—	—	14	1	1	3	1	3	2	2	1	—
12 Cancer, malignant disease	M	95	—	—	—	2	—	3	46	32	12	59	—	—	—	1	—	6	21	16	15
	F	84	—	—	—	1	1	6	36	25	15	72	—	—	—	—	—	8	35	24	5
13 Rheumatic fever ..	M	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
14 Diabetes	M	5	—	—	—	—	—	—	2	3	—	5	—	—	—	1	1	—	2	—	1
	F	4	—	—	—	—	1	—	3	—	—	7	—	—	—	—	—	2	2	3	—
15 Cerebral hæmorrhage, &c. ..	M	60	—	—	—	—	—	—	11	33	16	29	—	—	—	—	—	1	3	12	13
	F	71	—	—	—	—	1	3	15	27	25	52	—	—	—	—	—	2	11	20	19
16 Heart disease ..	M	84	—	—	—	1	4	9	25	30	15	77	—	—	1	—	2	9	21	25	19
	F	129	—	—	—	2	3	7	30	45	42	81	—	—	—	—	2	4	14	33	28
17 Arterio-sclerosis ..	M	25	—	—	—	—	—	—	5	11	9	36	—	—	—	—	—	—	2	16	18
	F	9	—	—	—	—	—	—	1	5	3	27	—	—	—	—	—	—	2	7	18
18 Bronchitis ..	M	68	19	1	3	—	1	—	10	17	17	24	1	3	—	—	—	—	1	11	8
	F	73	10	3	3	—	—	—	16	17	24	40	5	2	—	—	1	—	5	8	19
19 Pneumonia (all forms)	M	86	14	8	2	7	7	12	22	9	5	41	10	2	1	1	3	6	13	3	2
	F	58	9	9	8	2	1	6	6	12	5	32	8	3	3	2	2	1	4	1	8
20 Other respiratory diseases	M	17	—	2	2	1	—	1	7	2	2	11	—	—	1	—	1	1	4	1	3
	F	11	1	—	—	—	—	1	—	1	8	6	—	—	—	—	—	2	1	—	3
21 Ulcer of stomach or duodenum ..	M	11	—	—	—	1	—	3	6	1	—	6	—	—	—	—	1	1	3	1	—
	F	4	—	—	—	—	—	—	4	—	—	4	—	—	—	—	—	2	2	—	—
22 Diarrhœa, &c. ..	M	20	18	1	—	—	—	—	1	—	—	11	6	1	—	1	—	—	—	—	3
	F	20	9	3	2	—	—	—	—	3	3	11	5	2	1	—	—	2	—	1	—
23 Appendicitis and typhlitis.. ..	M	7	—	—	1	1	3	1	1	—	—	4	—	—	—	1	—	2	—	1	—
	F	1	—	—	—	—	—	—	1	—	—	2	—	—	—	1	—	—	1	—	—
24 Cirrhosis of liver ..	M	5	—	—	—	—	—	1	3	1	—	2	—	—	—	—	—	—	2	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
25 Acute and chronic nephritis ..	M	24	—	—	—	1	4	1	9	7	2	9	—	—	—	—	—	1	5	2	1
	F	22	—	—	—	—	—	2	11	5	4	9	—	—	—	1	—	2	5	1	—
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	11	—	—	—	—	1	10	—	—	—	10	—	—	—	—	3	7	—	—	—
28 Congenital debility and malformation, premature birth.. ..	M	44	42	1	—	1	—	—	—	—	—	39	39	—	—	—	—	—	—	—	—
	F	26	26	—	—	—	—	—	—	—	—	24	22	—	—	2	—	—	—	—	—
29 Suicide	M	5	—	—	—	—	—	1	1	2	1	6	—	—	—	—	1	2	2	—	1
	F	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	1	—
30 Other deaths from violence.. ..	M	40	—	3	3	4	11	11	4	3	1	38	3	2	4	4	8	6	6	4	1
	F	17	3	—	2	1	2	2	2	1	4	5	—	—	—	—	2	—	1	—	2
31 Other defined diseases	M	161	32	9	7	4	5	6	28	19	51	115	8	4	2	1	1	7	11	32	49
	F	182	23	3	9	6	5	16	29	24	67	130	8	—	2	4	3	12	17	20	64
32 Causes ill-defined or unknown ..	M	4	—	1	—	—	—	1	2	—	—	6	—	—	—	—	—	—	2	4	—
	F	10	—	2	—	—	—	1	4	3	—	3	—	—	—	—	—	—	3	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of DERBY—1925 (Civilian population only).

	Causes of Death.	Sex.	Aggregate of Urban Districts.										Aggregate of Rural Districts.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
	All Causes ..	M	1970	286	57	63	76	96	239	476	390	287	1758	279	60	37	79	77	182	407	351	286
		F	1749	201	56	56	53	88	202	399	340	354	1525	213	48	40	53	62	155	324	279	351
1	Enteric fever ..	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	2	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—
		F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	24	2	8	7	7	—	—	—	—	—	14	5	3	4	2	—	—	—	—	—
		F	20	3	8	6	3	—	—	—	—	—	11	1	6	2	2	—	—	—	—	—
4	Scarlet fever ..	M	2	1	—	—	1	—	—	—	—	—	4	—	1	—	1	2	—	—	—	—
		F	3	—	1	1	1	—	—	—	—	—	5	—	1	3	1	—	—	—	—	—
5	Whooping cough ..	M	15	10	4	1	—	—	—	—	—	—	17	10	4	3	—	—	—	—	—	—
		F	21	13	7	1	—	—	—	—	—	—	23	9	6	7	1	—	—	—	—	—
6	Diphtheria ..	M	13	1	2	4	5	—	—	1	—	—	14	1	2	1	9	1	—	—	—	—
		F	13	—	—	8	5	—	—	—	—	—	12	1	1	7	3	—	—	—	—	—
7	Influenza	M	50	4	1	3	3	4	8	11	14	2	54	1	3	—	3	5	6	17	10	9
		F	45	1	2	1	3	3	4	7	11	13	46	4	—	1	1	3	4	10	15	8
8	Encephalitis lethargica ..	M	5	—	—	2	1	1	1	—	—	—	6	—	—	—	2	2	1	1	—	—
		F	11	—	—	—	2	4	2	2	1	—	6	1	1	—	1	—	1	2	—	—
9	Meningococcal meningitis ..	M	1	—	—	—	1	—	—	—	—	—	2	—	—	—	1	—	1	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
10	Tuberculosis of respiratory system	M	119	—	—	1	1	20	46	43	8	—	75	—	—	—	5	12	30	26	1	1
		F	100	—	—	1	6	29	46	11	7	—	70	—	—	—	1	22	34	13	—	—
11	Other tuberculous diseases	M	29	2	6	4	4	3	2	5	1	2	40	6	8	3	9	3	8	3	—	—
		F	26	6	4	7	2	1	5	1	—	—	22	1	2	6	3	4	3	3	—	—
12	Cancer, malignant disease	M	147	—	—	—	—	—	5	71	55	16	142	1	—	—	—	1	11	61	44	24
		F	175	—	—	—	—	3	18	82	43	29	140	1	1	—	—	—	11	64	39	24
13	Rheumatic fever ..	M	11	—	—	—	5	1	2	2	—	1	13	—	—	—	6	2	1	4	—	—
		F	8	—	—	—	2	1	3	2	—	—	13	—	—	—	5	4	1	3	—	—
14	Diabetes	M	18	—	—	—	1	—	3	7	4	3	7	—	—	—	—	—	1	4	1	1
		F	24	—	—	—	—	1	3	9	8	3	16	—	—	—	—	—	2	7	6	1
15	Cerebral hæmorrhage, &c. ..	M	128	—	—	—	—	—	3	40	52	33	81	—	—	—	—	—	1	25	36	19
		F	153	1	—	—	—	—	4	47	50	51	106	—	—	—	—	1	2	35	31	37
16	Heart disease ..	M	220	—	—	—	7	9	21	60	80	43	202	—	—	—	1	3	18	54	80	46
		F	248	—	—	2	5	10	25	85	71	50	190	—	—	—	2	3	17	61	47	60
17	Arterio-sclerosis ..	M	51	—	—	—	—	—	—	14	22	15	53	—	—	—	—	—	1	10	26	16
		F	35	—	—	—	—	—	—	9	14	12	25	—	—	—	—	—	—	6	5	14
18	Bronchitis ..	M	154	29	5	4	1	—	5	24	41	45	125	19	6	2	—	—	4	16	36	42
		F	142	18	6	2	1	—	2	19	45	49	114	16	2	2	2	—	—	14	33	45
19	Pneumonia (all forms)	M	184	43	18	12	6	11	38	35	14	7	170	44	18	11	8	5	23	38	16	7
		F	131	31	17	14	7	4	15	16	13	14	100	28	16	8	6	4	7	12	14	5
20	Other respiratory diseases	M	24	1	—	1	1	—	6	9	6	—	21	—	—	1	2	—	3	7	5	3
		F	16	—	—	1	—	—	5	4	3	3	18	1	—	1	—	—	1	7	5	
21	Ulcer of stomach or duodenum ..	M	17	—	—	—	1	2	7	5	2	—	13	—	—	—	—	—	5	6	1	1
		F	1	—	—	—	—	—	—	1	—	—	8	—	—	—	—	—	2	5	1	—
22	Diarrhœa, &c. ..	M	27	16	4	1	—	—	1	1	—	4	16	9	2	—	—	1	1	—	2	1
		F	24	13	3	—	1	1	1	4	1	—	25	14	1	—	1	—	—	1	4	4
23	Appendicitis and typhlitis.. ..	M	18	—	1	—	2	5	6	3	1	—	10	—	—	—	4	2	1	1	2	—
		F	11	—	—	—	—	4	3	4	—	—	6	—	—	—	3	—	1	2	—	—
24	Cirrhosis of liver ..	M	12	—	—	—	—	—	—	9	3	—	9	—	—	—	—	—	1	5	2	1
		F	5	—	—	—	—	—	1	4	—	—	7	—	—	—	—	—	2	3	1	1
25	Acute and chronic nephritis ..	M	51	—	—	2	3	1	13	18	12	2	41	—	—	—	2	5	2	16	13	3
		F	37	—	—	1	1	—	5	20	6	4	38	—	1	—	2	—	8	10	9	8
26	Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	7	—	—	—	—	3	4	—	—	—	10	—	—	—	—	2	8	—	—	—
27	Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	14	—	—	—	—	1	13	—	—	—	17	—	—	—	—	6	11	—	—	—
28	Congenital debility and malformation, premature birth.. ..	M	134	129	1	2	—	—	2	—	—	—	133	130	2	1	—	—	—	—	—	—
		F	84	84	—	—	—	—	—	—	—	—	102	98	2	—	1	1	—	—	—	—
29	Suicide	M	20	—	—	—	—	2	7	9	2	—	24	—	—	—	—	3	6	11	3	1
		F	14	—	—	—	—	1	6	5	2	—	10	—	—	—	—	1	5	4	—	—
30	Other deaths from violence.. ..	M	109	—	—	8	12	28	28	21	8	4	106	2	1	7	4	19	33	29	7	4
		F	33	3	—	4	4	4	3	5	2	8	29	1	1	1	7	1	—	7	4	7
31	Other defined diseases	M	358	45	7	10	13	9	33	73	58	110	347	50	9	4	19	11	23	62	62	107
		F	336	27	7	7	10	17	33	57	60	118	339	37	5	2	10	9	31	51	61	133
32	Causes ill-defined or unknown ..	M	28	3	—	1	1	—	2	14	7	—	18	1	1	—	1	—	1	11	3	—
		F	11	1		—	—	1	1	4	3	—	14	—	1	—	1	1	2	4	4	1

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of DEVON—1925 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	1306	93	22	20	21	56	106	298	315	375	1304	108	13	12	33	49	81	280	323	405
	F	1545	76	20	16	21	36	123	335	330	588	1352	80	17	17	25	36	137	267	288	485
1 Enteric fever	M	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—
	F	4	—	—	—	—	—	3	—	—	1	6	—	—	—	1	—	1	3	1	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	—	—	—	—	—	—	—	—	—	—	2	1	—	1	—	—	—	—	—	—
	F	1	—	1	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	2	—	—	1	1	—	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	1	—	—	1	—	—	—	—	—	—
5 Whooping cough	M	22	11	5	6	—	—	—	—	—	—	8	3	3	2	—	—	—	—	—	—
	F	12	3	6	3	—	—	—	—	—	—	13	8	2	2	1	—	—	—	—	—
6 Diphtheria	M	3	1	—	—	2	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	3	—	—	—	3	—	—	—	—	—
7 Influenza	M	47	3	1	1	—	2	6	13	11	10	38	1	1	—	1	—	3	12	7	13
	F	39	2	—	1	—	—	2	12	7	15	35	1	—	1	2	1	6	8	7	9
8 Encephalitis lethargica	M	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—	—
	F	2	—	—	—	—	1	1	—	—	—	3	1	—	—	—	—	—	2	—	—
9 Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	80	—	—	—	—	19	37	20	4	—	66	—	1	—	1	15	21	20	8	—
	F	83	—	—	—	3	17	39	18	2	4	78	—	—	—	2	16	37	16	6	1
11 Other tuberculous diseases	M	14	2	2	1	—	3	3	2	—	1	21	1	1	1	4	5	4	4	1	—
	F	25	2	—	3	3	3	8	2	4	—	18	—	1	2	2	2	5	5	1	—
12 Cancer, malignant disease	M	154	—	—	1	—	1	5	69	48	30	145	—	—	—	—	1	1	57	54	32
	F	209	—	—	—	1	—	11	96	56	45	178	—	—	1	1	—	11	68	49	48
13 Rheumatic fever	M	2	—	—	—	1	1	—	—	—	—	6	—	—	—	2	1	2	1	—	—
	F	6	—	—	—	3	—	—	2	1	—	10	—	—	—	2	3	1	2	2	—
14 Diabetes	M	13	—	—	—	1	—	1	3	5	3	11	—	—	—	—	2	—	1	5	3
	F	24	—	—	—	—	—	2	7	7	8	15	—	—	1	—	—	4	2	6	2
15 Cerebral hæmorrhage, &c.	M	97	—	—	—	—	—	1	22	33	41	77	—	—	—	—	—	—	16	23	38
	F	146	—	—	—	—	—	2	30	45	69	123	—	—	—	—	—	1	21	39	62
16 Heart disease	M	188	1	—	—	3	2	9	52	62	59	208	—	—	—	—	6	10	38	80	74
	F	266	—	—	1	—	2	10	56	83	114	210	—	—	1	—	—	5	49	73	82
17 Arterio-sclerosis	M	106	—	—	—	—	—	—	9	38	59	66	—	—	—	—	—	1	9	25	31
	F	88	—	—	—	—	—	1	11	25	51	59	—	—	—	—	—	1	3	14	41
18 Bronchitis	M	77	8	2	—	—	2	1	6	23	35	80	4	—	1	—	—	1	11	21	42
	F	98	7	2	1	—	—	—	7	18	63	79	8	1	—	—	—	2	3	21	44
19 Pneumonia (all forms)	M	59	14	7	1	2	2	6	8	8	11	73	10	4	4	4	5	7	17	14	8
	F	65	12	6	3	1	1	4	12	16	10	48	8	4	1	2	4	10	7	7	5
20 Other respiratory diseases	M	14	—	—	—	1	—	1	4	6	2	17	2	—	—	—	—	—	6	2	7
	F	12	—	—	—	1	1	1	3	3	3	19	1	—	1	—	—	2	6	4	5
21 Ulcer of stomach or duodenum	M	15	—	—	—	—	1	6	6	2	—	7	—	—	—	—	—	—	4	2	1
	F	7	—	—	—	—	—	2	4	1	—	6	—	—	—	1	—	2	3	—	—
22 Diarrhœa, &c.	M	11	5	1	—	1	—	—	1	1	2	4	1	—	—	—	—	—	2	1	—
	F	10	5	—	—	—	—	—	—	2	3	6	3	—	—	—	—	—	1	—	2
23 Appendicitis and typhlitis	M	4	—	—	1	1	1	—	—	—	1	6	—	—	1	1	—	1	1	1	1
	F	10	—	1	—	3	1	1	2	2	—	9	—	—	—	1	—	3	2	2	1
24 Cirrhosis of liver	M	9	—	—	—	—	—	—	4	5	—	5	—	—	—	—	—	1	3	1	—
	F	6	—	—	—	—	—	1	4	1	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis	M	34	—	—	—	1	4	2	15	6	6	33	—	1	—	1	1	3	6	13	8
	F	33	—	—	—	—	1	3	14	6	9	36	—	1	—	—	—	5	13	11	6
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	2	2	—	—	—	4	—	—	—	—	1	3	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	7	—	—	—	—	1	6	—	—	—	15	—	—	—	—	6	8	1	—	—
28 Congenital debility and malformation, premature birth	M	30	29	—	—	1	—	—	—	—	—	69	68	—	—	—	—	1	—	—	—
	F	31	31	—	—	—	—	—	—	—	—	39	35	1	1	1	1	—	—	—	—
29 Suicide	M	20	—	—	—	—	2	4	10	4	—	13	—	—	—	—	1	2	7	2	1
	F	3	—	—	—	—	—	1	2	—	—	2	—	—	—	—	—	—	2	—	—
30 Other deaths from violence	M	49	2	3	3	3	9	9	12	4	4	47	2	—	1	7	4	7	16	7	3
	F	30	3	1	1	3	2	1	6	3	10	11	1	1	—	—	—	1	4	1	3
31 Other defined diseases	M	253	17	1	6	4	6	14	40	54	111	292	15	1	—	11	7	15	44	56	143
	F	316	10	3	2	2	3	22	45	48	181	316	14	6	3	6	2	28	40	44	173
32 Causes ill-defined or unknown	M	3	—	—	—	—	—	1	1	1	—	5	—	—	—	—	—	1	4	—	—
	F	5	1	—	—	—	—	—	2	—	2	9	—	—	1	—	—	1	6	—	1

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of DORSET—1925 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	653	67	15	5	6	21	58	173	140	168	614	48	11	7	9	15	55	124	136	209
	F	682	45	6	8	9	23	60	149	157	225	584	34	6	3	12	21	51	121	127	209
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	3	—	2	1	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	2	—	1	—	—	—	—	1	—	—	1	—	—	—	1	—	—	—	—	—
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—		—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
5 Whooping cough	M	9	4	4	1	—	—	—	—	—	—	3	1	2	—	—	—	—	—	—	—
	F	11	6	2	1	2	—	—	—	—	—	3	2	1	—	—	—	—	—	—	—
6 Diphtheria	M	2	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	1	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
7 Influenza	M	15	—	—	1	—	2	—	5	4	3	15	—	1	—	—	1	3	3	2	5
	F	21	3	—	—	—	—	2	6	5	5	22	1	—	—	—	3	1	2	3	12
8 Encephalitis lethargica	M	4	—	—	—	—	—	1	2	1	—	5	—	—	—	1	1	1	2	—	—
	F	2	—	—	—	—	—	2	—	—	—	2	—	—	1	1	—	—	—	—	—
9 Meningococcal meningitis	M	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	39	—	—	—	—	5	16	16	1	1	34	—	—	—	—	1	22	9	1	1
	F	39	—	—	—	1	13	17	5	3	—	27	—	—	—	1	6	15	5	—	—
11 Other tuberculous diseases	M	8	1	—	1	1	3	1	1	—	—	9	—	1	2	1	2	3	—	—	—
	F	8	1	—	1	2	—	1	3	—	—	5	—	—	—	1	—	3	—	1	—
12 Cancer, malignant disease	M	83	—	—	—	—	2	3	44	22	12	59	—	—	—	1	—	—	20	22	16
	F	105	—	—	—	—	—	5	48	26	26	74	—	—	—	—	—	4	34	25	11
13 Rheumatic fever	M	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
14 Diabetes	M	6	—	—	—	—	—	—	2	4	—	6	—	—	—	1	—	1	2	1	1
	F	13	—	—	—	—	—	2	2	4	5	4	—	—	—	—	1	2	—	—	1
15 Cerebral hæmorrhage, &c.	M	50	—	—	—	—	—	—	13	12	25	44	—	—	—	—	—	—	10	16	18
	F	55	—	—	—	—	1	—	8	22	24	55	—	—	—	—	—	—	12	15	28
16 Heart disease	M	95	—	—	—	—	1	5	25	34	30	101	—	—	—	—	—	2	21	36	42
	F	113	—	—	—	—	2	7	24	36	44	101	—	—	—	—	1	1	24	35	40
17 Arterio-sclerosis	M	26	—	—	—	—	—	—	2	10	14	39	—	—	—	—	—	—	2	11	26
	F	16	—	—	—	—	—	—	5	4	7	34	—	—	—	—	—	—	2	8	24
18 Bronchitis	M	35	4	2	—	—	—	—	5	3	21	32	3	—	—	—	—	1	6	6	16
	F	38	2	—	1	—	—	1	5	8	21	30	2	—	—	—	1	—	—	8	19
19 Pneumonia (all forms)	M	29	4	4	—	—	—	3	8	5	5	28	8	2	—	—	1	6	6	4	1
	F	26	3	—	1	1	1	3	8	6	3	30	4	2	—	3	2	5	8	2	4
20 Other respiratory diseases	M	6	1	—	1	—	—	—	2	1	1	3	—	—	—	—	—	—	1	—	2
	F	11	—	—	—	—	—	—	3	3	5	7	—	—	1	—	—	1	2	2	1
21 Ulcer of stomach or duodenum	M	6	—	—	—	—	—	4	2	—	—	6	—	—	—	—	—	1	4	1	—
	F	3	—	—	—	—	—	1	1	1	—	2	—	—	—	—	—	—	1	—	1
22 Diarrhœa, &c.	M	12	8	2	—	—	—	1	—	1	—	4	2	—	—	—	—	—	1	—	1
	F	6	3	—	1	—	—	1	—	—	1	4	—	1	—	—	—	—	1	—	2
23 Appendicitis and typhlitis	M	4	—	—	—	—	—	1	2	1	—	4	—	—	—	—	—	—	3	1	—
	F	3	—	—	1	—	—	—	—	2	—	2	—	—	—	—	—	—	—	—	2
24 Cirrhosis of liver	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	1	—	—
	F	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis	M	18	—	—	—	—	—	2	5	7	4	16	—	—	—	—	1	3	3	3	6
	F	15	—	—	—	—	—	—	5	8	2	10	—	—	—	—	—	1	2	4	3
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	1	2	—	—	—	5	—	—	—	—	—	4	1	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	5	—	—	—	—	—	5	—	—	—	2	—	—	—	—	1	1	—	—	—
28 Congenital debility and malformation, premature birth	M	33	33	—	—	—	—	—	—	—	—	30	28	1	—	—	—	1	—	—	—
	F	21	21	—	—	—	—	—	—	—	—	17	17	—	—	—	—	—	—	—	—
29 Suicide	M	12	—	—	—	—	1	1	9	1	—	4	—	—	—	—	—	—	4	—	—
	F	2	—	—	—	—	—	1	1	—	—	1	—	—	—	—	—	—	1	—	—
30 Other deaths from violence	M	25	2	—	—	1	5	6	5	5	1	21	—	—	1	1	4	5	3	3	4
	F	14	1	2	—	—	2	—	5	1	3	13	—	—	—	—	2	4	4	1	2
31 Other defined diseases	M	129	10	—	—	2	2	14	23	27	51	141	5	4	4	2	3	4	21	28	70
	F	141	5	1	—	—	3	10	15	28	79	127	8	2	1	4	4	7	20	22	59
32 Causes ill-defined or unknown	M	2	—	1	—	—	—	—	1	—	—	4	1	—	—	—	—	—	2	1	—
	F	2	—	—	—	1	—	—	1	—	—	3	—	—	—	—	—	1	1	1	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of DURHAM—1925 (Civilian population only).

	Causes of Death.	Sex.	Aggregate of Urban Districts.										Aggregate of Rural Districts.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
	All Causes	M	3923	803	261	204	182	211	391	825	615	431	2807	576	180	120	129	145	248	564	464	381
		F	3386	591	216	190	167	179	416	655	492	480	2493	436	147	113	125	156	307	461	383	365
1	Enteric fever	M	5	—	—	—	—	2	2	1	—	—	6	—	—	—	1	2	1	2	—	—
		F	2	—	—	—	—	1	—	1	—	—	4	—	—	—	1	2	—	1	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	151	41	62	40	8	—	—	—	—	—	95	16	53	20	6	—	—	—	—	—
		F	131	25	48	45	13	—	—	—	—	—	84	21	36	18	8	1	—	—	—	—
4	Scarlet fever	M	13	—	1	7	4	1	—	—	—	—	7	—	1	2	3	1	—	—	—	—
		F	17	2	1	9	4	1	—	—	—	—	11	—	1	4	4	1	1	—	—	—
5	Whooping cough	M	54	26	20	8	—	—	—	—	—	—	37	15	13	5	4	—	—	—	—	—
		F	60	22	26	11	1	—	—	—	—	—	44	19	13	11	1	—	—	—	—	—
6	Diphtheria	M	13	1	—	5	7	—	—	—	—	—	10	1	2	3	4	—	—	—	—	—
		F	22	1	3	8	9	—	1	—	—	—	5	—	—	2	3	—	—	—	—	—
7	Influenza	M	106	3	—	—	4	10	25	32	21	11	61	2	2	1	6	5	8	23	8	6
		F	85	2	—	3	7	6	19	21	18	9	66	—	1	5	7	6	14	11	13	9
8	Encephalitis lethargica	M	15	—	1	2	3	5	1	3	—	—	6	—	—	—	2	1	2	1	—	—
		F	11	1	1	—	3	3	3	—	—	—	8	—	2	1	1	1	—	3	—	—
9	Meningococcal meningitis	M	1	—	—	—	1	—	—	—	—	—	2	—	—	—	1	1	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	3	—	—	1	1	1	—	—	—	—
10	Tuberculosis of respiratory system	M	260	1	3	4	16	58	103	72	3	—	150	1	2	2	10	37	58	36	4	—
		F	249	2	—	4	24	76	101	40	2	—	163	3	—	1	15	58	68	16	2	—
11	Other tuberculous diseases	M	114	11	18	17	24	22	15	5	1	1	80	7	10	13	14	16	12	7	1	—
		F	102	8	14	21	28	13	13	4	1	—	79	8	8	12	18	16	12	3	2	—
12	Cancer, malignant disease	M	257	—	—	2	1	2	27	109	85	31	189	—	—	—	1	2	18	85	63	20
		F	281	—	—	1	2	—	38	130	73	37	204	—	—	—	—	1	27	91	64	21
13	Rheumatic fever	M	14	—	—	—	8	3	—	2	1	—	14	—	—	—	5	4	1	3	1	—
		F	11	—	—	—	2	4	2	3	—	—	24	—	—	1	10	4	1	7	1	—
14	Diabetes	M	19	—	1	—	—	1	5	8	3	1	13	—	—	—	2	1	2	5	3	—
		F	25	—	—	—	1	2	2	12	6	2	29	—	—	—	—	2	6	13	8	—
15	Cerebral hæmorrhage, &c.	M	213	—	—	—	—	1	5	69	95	43	164	—	—	—	—	2	—	43	70	49
		F	213	—	—	—	1	—	4	78	74	56	145	—	—	—	—	—	5	40	65	35
16	Heart disease	M	330	—	—	2	7	12	43	111	93	62	237	—	—	—	3	6	12	84	79	53
		F	325	—	—	1	7	12	39	117	90	59	257	—	—	1	4	11	34	84	74	49
17	Arterio-sclerosis	M	175	—	—	—	—	—	1	35	65	74	122	—	—	—	—	—	—	23	48	51
		F	92	—	—	—	—	—	—	15	26	51	57	—	—	—	—	—	1	8	10	38
18	Bronchitis	M	248	84	20	9	1	1	1	40	53	39	218	60	15	5	1	2	5	34	51	45
		F	265	66	19	10	3	1	10	32	51	73	169	34	11	8	—	1	2	25	35	53
19	Pneumonia (all forms)	M	476	155	78	44	25	25	32	70	31	16	275	76	52	27	13	8	21	44	23	11
		F	336	87	72	49	17	9	28	33	25	16	221	51	40	24	16	9	20	33	16	12
20	Other respiratory diseases	M	59	1	3	5	6	3	8	21	6	6	37	3	2	4	3	—	2	15	3	5
		F	34	1	1	3	4	2	2	9	7	5	16	—	2	2	—	1	2	3	3	3
21	Ulcer of stomach or duodenum	M	18	—	—	—	—	1	6	10	1	—	21	—	—	—	—	3	10	5	2	1
		F	10	—	—	—	—	1	2	6	—	1	10	—	—	—	—	1	4	3	2	—
22	Diarrhœa, &c.	M	120	71	21	9	8	—	2	5	4	—	97	59	11	9	5	—	2	2	4	5
		F	93	51	14	7	4	1	2	4	6	4	65	44	5	4	4	1	3	—	2	2
23	Appendicitis and typhlitis	M	18	—	—	1	5	5	3	4	—	—	17	—	—	—	6	5	5	1	—	—
		F	15	—	—	—	4	4	4	1	2	—	8	—	—	—	2	1	4	1	—	—
24	Cirrhosis of liver	M	14	—	—	—	—	—	—	9	4	1	14	—	—	—	—	—	2	6	5	1
		F	3	—	—	—	—	—	—	1	1	1	5	—	—	—	—	—	—	2	3	—
25	Acute and chronic nephritis	M	89	—	—	1	5	7	15	30	25	6	48	2	—	3	5	2	6	16	10	4
		F	91	—	1	1	2	4	19	36	22	6	72	—	2	—	5	3	15	32	9	6
26	Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	22	—	—	—	—	4	16	2	—	—	13	—	—	—	—	6	7	—	—	—
27	Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	45	—	—	—	—	11	34	—	—	—	43	—	—	—	—	9	32	2	—	—
28	Congenital debility and malformation, premature birth	M	282	279	—	1	—	1	—	1	—	—	244	242	—	2	—	—	—	—	—	—
		F	236	233	—	—	1	—	2	—	—	—	189	187	1	1	—	—	—	—	—	—
29	Suicide	M	32	—	—	—	—	1	8	16	6	1	29	—	—	—	—	1	7	12	5	4
		F	8	—	—	—	—	1	5	2	—	—	9	—	—	—	—	1	3	3	2	—
30	Other deaths from violence	M	182	4	6	17	20	26	37	51	15	6	154	3	1	15	16	32	34	37	10	6
		F	7	2	1	7	9	7	10	1	4	6	51	5	4	3	6	6	6	9	7	5
31	Other defined diseases	M	610	125	27	26	29	24	47	100	99	133	443	88	15	8	18	13	39	76	67	119
		F	537	88	13	10	20	16	58	96	82	154	427	64	18	14	19	13	40	64	63	132
32	Causes ill-defined or unknown	M	35	1	—	4	—	—	5	21	4	—	17	1	1	1	—	1	1	4	7	1
		F	18	—	2	—	1	—	2	11	2	—	12	—	3	—	—	—	—	7	2	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of ELY, ISLE OF—1925 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	297	34	6	6	5	10	18	69	67	82	232	26	3	2	10	6	20	46	54	65
	F	247	15	5	4	8	10	32	40	57	76	201	21	2	2	6	2	20	34	46	68
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever	M	1	—	—	1	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	M	9	6	2	1	—	—	—	—	—	—	2	1	—	—	1	—	—	—	—	—
	F	3	2	1	—	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—	—
6 Diphtheria	M	4	—	—	1	3	—	—	—	—	—	2	—	—	1	1	—	—	—	—	—
	F	3	—	—	3	—	—	—	—	—	—	2	—	1	—	1	—	—	—	—	—
7 Influenza	M	7	—	1	—	—	1	1	2	1	1	4	—	—	—	—	—	—	2	1	1
	F	8	—	—	—	—	—	—	—	2	6	4	—	—	1	—	—	—	—	2	1
8 Encephalitis lethargica	M	1	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—	—	1	1	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	10	—	—	—	—	2	3	5	—	—	11	—	—	—	—	2	7	2	—	—
	F	14	1	—	—	2	1	8	2	—	—	10	—	—	—	1	1	7	1	—	—
11 Other tuberculous diseases	M	4	—	—	1	—	2	—	1	—	—	4	—	—	—	1	1	—	1	1	—
	F	7	—	1	—	3	2	—	1	—	—	1	—	—	—	—	—	—	1	—	—
12 Cancer, malignant disease	M	39	—	—	—	—	—	—	15	13	11	31	—	—	—	—	—	3	11	12	5
	F	30	—	—	—	—	—	2	12	10	6	26	—	—	—	—	—	4	9	7	6
13 Rheumatic fever	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—
14 Diabetes	M	4	—	—	—	—	—	—	1	2	1	3	—	—	—	—	—	1	—	1	1
	F	3	—	—	—	—	1	—	1	1	—	3	—	—	—	—	1	—	2	—	—
15 Cerebral hæmorrhage, &c.	M	19	—	—	—	—	—	—	3	6	10	13	—	—	—	—	—	—	6	3	4
	F	13	—	—	—	—	—	1	3	2	7	13	—	—	—	—	—	—	2	3	8
16 Heart disease	M	26	—	—	—	—	1	1	8	7	9	30	—	—	—	2	—	1	6	9	12
	F	31	—	—	—	—	—	2	4	14	11	30	—	—	—	—	—	2	7	13	8
17 Arterio-sclerosis	M	15	—	—	—	—	—	—	6	2	7	8	—	—	—	—	—	—	2	—	6
	F	3	—	—	—	—	—	—	—	2	1	6	—	—	—	—	—	—	1	1	4
18 Bronchitis	M	10	2	—	—	—	—	—	—	2	6	15	2	1	—	1	—	—	2	5	4
	F	14	3	—	—	—	1	1	1	5	3	17	3	—	—	—	—	—	1	6	7
19 Pneumonia (all forms)	M	10	3	—	—	—	—	1	4	2	—	12	2		—	—	1	1	2	2	2
	F	13		2	1	1	—	—	1	2	2	11	2	1	—	1	—	1	3	2	1
20 Other respiratory diseases	M	7	—	—	—	—	—	1	3	—	3	2	—	—	—	—	—	1	1	—	—
	F	3	—	—	—	—	—	1	—	1	1	4	—	—	—	—	—	—	—	—	4
21 Ulcer of stomach or duodenum	M	1	—	—	—	—	—	1	—	—	—	3	—	—	—	—	—	—	1	1	1
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22 Diarrhœa, &c.	M	8	5	2	—	1	—	—	—	—	—			—	—	—	—	—	2	—	—
	F	2	—	—	—	—	—	—	1	—	1	2	2	—	—	—	—	—	—	—	—
23 Appendicitis and typhlitis	M	2	—	—	—	—	1	1	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
24 Cirrhosis of liver	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	—	1	1	—	2	—	—	—	—	—	—	2	—	—
25 Acute and chronic nephritis	M	9	—	—	—	—	2	—	3	3	1	5	—	—	—	—	—	1	—	2	2
	F	7	—	—	—	—	—	1	2	4	—	4	—	—	—	—	—	—	1	2	1
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	5	—	—	—	—	1	4	—	—	—	1	—	—	—	—	—	1	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—
28 Congenital debility and malformation, premature birth	M	13	12	1	—	—	—	—	—	—	—	13	13	—	—	—	—	—	—	—	—
	F	5	5	—	—	—	—	—	—	—	—	9	9	—	—	—	—	—	—	—	—
29 Suicide	M	4	—	—	—	—	—	1	1	2	—	1	—	—	—	—	—	—	1	—	—
	F	1	—	—	—	—	—	1	—	—	—	2	—	—	—	—	—	1	—	1	—
30 Other deaths from violence	M	13	—	—	2	1	1	3	3	2	1	10	—	—	1	1	2	1	2	2	1
	F	5	—	—	—	1	—	—	2	—	2	1	—	—	—	—	—	—	—	—	1
31 Other defined diseases	M	80	6	—	—	—	—	5	12	25	32	52	4	—	—	2	—	2	4	14	26
	F	68	—	1	—	1	1	8	9	12	36	50	3	—	1	3	—	4	4	8	27
32 Causes ill-defined or unknown	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of ESSEX—1925 (Civilian population only).

	Causes of Death.	Sex.	Aggregate of Urban Districts.										Aggregate of Rural Districts.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
	All Causes	M	3383	307	77	74	100	163	356	960	690	656	1689	145	29	24	27	71	152	366	405	470
		F	3232	264	53	70	92	131	325	763	639	895	1616	143	24	16	31	43	162	295	329	573
1	Enteric fever	M	2	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	1	—	1	—	—	—	2	—	—	—	—	—	1	1	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	13	1	3	8	1	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
		F	9	1	5	3	—	—	—	—	—	—	3	1	—	1	1	—	—	—	—	—
4	Scarlet fever	M	2	—	—	1	1	—	—	—	—	—	2	—	—	1	1	—	—	—	—	—
		F	5	—	—	4	1	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
5	Whooping cough	M	42	19	14	6	3	—	—	—	—	—	9	6	3	—	—	—	—	—	—	—
		F	47	19	12	13	3	—	—	—	—	—	17	10	5	1	1	—	—	—	—	—
6	Diphtheria	M	20	—	1	5	10	2	—	1	—	1	5	—	1	3	1	—	—	—	—	—
		F	16	—	1	8	6	—	1	—	—	—	9	—	—	3	5	—	1	—	—	—
7	Influenza	M	79	1	3	1	2	4	9	28	15	16	49	2	1	—	2	6	3	12	11	12
		F	67	3	—	—	2	5	10	16	17	14	50	1	1	—	2	1	7	7	12	19
8	Encephalitis lethargica	M	9	—	1	2	—	—	2	4	—	—	5	—	2	—	1	—	2	—	—	—
		F	10	—	1	2	2	1	—	2	2	—	7	—	—	—	1	—	3	3	—	—
9	Meningococcal meningitis	M	4	1	1	1	—	1	—	—	—	—	1	—	—	—	1	—	—	—	—	—
		F	3	1	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
10	Tuberculosis of respiratory system	M	281	—	1	2	5	62	117	84	8	2	104	—	—	—	—	22	42	33	7	—
		F	223	1	—	2	8	52	101	48	11	—	82	—	—	—	—	22	41	17	2	—
11	Other tuberculous diseases	M	54	4	10	11	13	6	7	3	—	—	20	3	5	2	2	1	2	3	2	—
		F	54	6	2	10	9	9	7	8	2	1	21	4	3	2	4	2	2	3	1	—
12	Cancer, malignant disease	M	401	—	—	1	2	6	23	191	121	57	213	—	—	1	—	3	9	71	86	43
		F	465	—	—	—	—	—	42	216	127	80	222	—	—	—	1	—	16	78	72	55
13	Rheumatic fever	M	12	—	—	1	5	1	2	2	1	—	2	—	—	—	2	—	—	—	—	—
		F	16	—	—	—	4	6	3	3	—	—	4	—	—	—	3	—	1	—	—	—
14	Diabetes	M	26	—	—	—	—	1	1	10	11	3	21	—	—	—	1	—	2	6	11	1
		F	41	—	—	—	1	2	5	9	20	4	15	—	—	—	1	—	3	3	6	2
15	Cerebral hæmorrhage, &c.	M	174	—	—	—	—	1	10	44	75	44	110	—	—	—	—	—	3	27	30	50
		F	237	—	—	—	—	1	5	68	71	92	127	—	—	—	—	—	3	29	44	51
16	Heart disease	M	439	—	—	—	6	8	18	150	140	117	244	—	—	—	—	5	7	58	94	80
		F	520	—	—	1	10	16	37	133	145	178	269	—	—	1	3	2	13	51	76	123
17	Arterio-sclerosis	M	102	—	—	—	—	—	1	29	39	33	67	—	—	—	—	—	—	6	27	34
		F	72	—	—	—	—	—	1	13	17	41	39	—	—	—	—	—	—	5	11	23
18	Bronchitis	M	275	20	1	4	2	1	8	45	73	121	114	13	2	—	—	—	1	11	23	64
		F	265	15	4	1	1	—	2	29	60	153	117	6	4	1	—	—	2	7	20	77
19	Pneumonia (all forms)	M	216	31	25	7	8	10	25	54	28	28	82	18	—	2	5	5	8	19	12	13
		F	182	39	17	11	7	5	14	32	30	27	53	14	4	1	2	—	8	6	11	7
20	Other respiratory diseases	M	50	1	1	1	—	3	1	21	9	13	33	—	1	1	—	2	5	7	6	11
		F	38	—	—	2	1	—	2	9	8	16	14	1	—	2	—	—	—	2	1	8
21	Ulcer of stomach or duodenum	M	50	—	—	—	—	1	10	33	6	—	19	—	—	—	—	1	6	7	5	—
		F	9	—	—	—	—	—	1	5	1	2	4	—	—	—	—	—	—	1	3	—
22	Diarrhœa, &c.	M	38	21	2	3	1	1	3	6	1	—	15	10	2	—	—	—	—	—	2	
		F	47	28	2	—	2	1	2	4	4	4	18	12	2	—	—	2	—	—	1	
23	Appendicitis and typhlitis	M	26	—	—	2	8	3	6	6	—	1	6	—	1	—	—	1	—	2	2	—
		F	18	—	—	2	6	2	5	1	2	—	7	—	—	—	1	—	5	—	1	—
24	Cirrhosis of liver	M	18	—	—	—	—	—	4	8	5	1	8	—	—	—	—	—	—	4	3	1
		F	14	—	—	—	—	—	1	8	5	—	5	—	—	—	—	—	1	—	3	1
25	Acute and chronic nephritis	M	99	2	1	—	2	2	10	46	29	7	36	—	—	—	—	4	2	10	16	4
		F	75	—	1	—	2	4	15	27	15	11	36	—	—	2	2	1	7	11	9	4
26	Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	6	—	—	—	—	2	4	—	—	—	6	—	—	—	—	1	5	—	—	—
27	Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	22	—	—	—	—	5	17	—	—	—	15	—	—	—	—	2	12	1	—	—
28	Congenital debility and malformation, premature birth	M	152	146	2	2	—	—	2	—	—	—	73	69	—	2	2	—	—	—	—	—
		F	111	109	2	—	—	—	—	—	—	—	73	71	—	—	1	—	—	1	—	—
29	Suicide	M	54	—	—	—	—	3	16	27	7	1	29	—	—	—	—	2	9	11	6	1
		F	22	—	—	—	—	5	2	14	—	1	8	—	—	—	—	2	4	2	—	—
30	Other deaths from violence	M	121	5	4	6	11	24	24	27	12	8	74	3	4	8	1	11	16	22	5	4
		F	43	7	—	—	3	6	6	7	3	11	22	4	1	1	1	1	2	5	2	5
31	Other defined diseases	M	619	55	7	10	20	22	57	135	110	203	336	21	5	4	8	8	33	52	54	151
		F	588	35	5	11	22	9	40	108	98	260	368	19	3	1	2	7	25	60	54	197
32	Causes ill-defined or unknown	M	5	—	—	—	—	—	—	5	—	—	11	—	1	—	—	—	2	5	3	—
		F	5	—	1	—	—	—	1	2	1	—	2	—	—	—	—	—	—	2	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of GLOUCESTER—1925 (Civilian population only).

	Causes of Death.	Sex.	Aggregate of Urban Districts.										Aggregate of Rural Districts.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
	All Causes	M	637	48	7	9	14	24	72	134	140	189	1401	128	24	25	39	53	102	319	326	385
		F	776	35	8	20	21	28	71	145	176	272	1335	103	20	18	25	60	130	263	273	443
1	Enteric fever	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
		F	1	—	—	—	—	1	—	—	—	—	5	—	—	—	—	—	2	3	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	4	2	1	—	1	—	—	—	—	—	6	—	3	2	1	—	—	—	—	—
		F	12	—	2	7	3	—	—	—	—	—	10	—	3	—	6	1	—	—	—	—
4	Scarlet fever	M	2	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	1	—	—	—	—	—	—	2	—	—	—	1	—	1	—	—	—
5	Whooping cough	M	2	2	—	—	—	—	—	—	—	—	10	5	4	1	—	—	—	—	—	—
		F	2	—	1	1	—	—	—	—	—	—	12	9	3	—	—	—	—	—	—	—
6	Diphtheria	M	4	—	1	—	3	—	—	—	—	—	6	—	—	5	1	—	—	—	—	—
		F	4	—	—	—	2	2	—	—	—	—	10	—	—	5	3	1	—	1	—	—
7	Influenza	M	14	—	—	—	1	1	2	5	3	2	45	2	—	1	1	1	6	10	14	10
		F	25	—	—	—	1	—	3	4	6	11	52	3	—	1	2	2	2	12	13	17
8	Encephalitis lethargica	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	1	1	—	—	—	—	4	—	1	—	—	2	1	—	—	—
9	Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	2	1	—	—	1	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10	Tuberculosis of respiratory system	M	45	—	—	—	—	11	22	9	2	1	77	—	1	1	5	8	33	23	6	—
		F	44	—	—	1	3	14	16	8	1	1	72	1	—	—	1	23	34	9	3	1
11	Other tuberculous diseases	M	8	—	1	1	—	—	4	2	—	—	26	1	2	4	3	9	6	1	—	—
		F	9	—	1	2	2	3	1	—	—	—	9	1	—	—	3	2	2	1	—	—
12	Cancer, malignant disease	M	57	—	—	—	—	—	3	19	26	9	159	—	—	—	—	1	7	65	49	37
		F	115	—	—	—	—	—	7	38	42	28	180	1	—	—	—	—	13	70	52	44
13	Rheumatic fever	M	1	—	—	—	—	—	—	1	—	—	2	—	—	—	1	—	—	1	—	—
		F	2	—	—	—	2	—	—	—	—	—	5	—	—	—	—	2	2	1	—	—
14	Diabetes	M	5	—	—	—	—	—	—	1	4	—	11	—	—	—	—	—	1	2	5	3
		F	12	—	—	—	—	—	1	4	2	5	13	—	—	—	—	2	1	5	2	3
15	Cerebral hæmorrhage, &c.	M	41	—	—	—	—	—	—	17	11	13	77	—	—	—	—	—	2	15	30	30
		F	61	—	—	—	—	—	1	8	23	29	114	—	—	—	—	—	—	21	36	57
16	Heart disease	M	89	—	—	—	—	1	7	22	32	27	204	—	—	—	1	3	7	50	70	73
		F	121	—	—	—	—	—	8	33	34	46	225	—	—	—	—	1	5	51	67	101
17	Arterio-sclerosis	M	37	—	—	—	—	—	—	4	7	26	88	—	—	—	—	—	—	11	30	47
		F	28	—	—	—	—	—	—	3	8	17	52	—	—	—	—	—	1	4	19	28
18	Bronchitis	M	36	4	—	1	—	—	1	3	7	20	86	7	1	2	—	1	—	12	24	39
		F	40	6	—	—	—	—	—	3	7	24	82	9	1	1	—	1	—	5	19	46
19	Pneumonia (all forms)	M	35	6	1	1	1	4	7	8	2	5	71	18	7	1	5	2	8	12	8	10
		F	38	1	2	5	1	1	5	2	7	14	62	9	8	2	5	2	7	9	8	12
20	Other respiratory diseases	M	8	—	—	—	—	—	—	3	3	2	21	2	1	1	1	1	—	7	4	4
		F	12	—	—	—	—	—	—	2	5	5	14	2	—	—	—	—	1	2	5	4
21	Ulcer of stomach or duodenum	M	4	—	—	—	—	—	—	2	2	—	13	—	—	—	—	—	2	6	4	1
		F	3	—	—	—	—	—	—	1	1	1	4	—	—	—	—	—	1	1	—	2
22	Diarrhœa, &c.	M	6	2	1	—	—	—	—	—	—	3	16	7	3	1	—	—	1	—	—	4
		F	3	2	—	—	—	—	—	—	—	1	13	3	2	2	—	—	3	1	—	2
23	Appendicitis and typhlitis	M	7	—	1	1	—	—	2	2	1	—	12	—	—	—	2	2	4	2	1	1
		F	7	—	—	—	1	1	1	2	2	—	5	—	—	—	—	4	1	—	—	—
24	Cirrhosis of liver	M	3	—	—	—	—	—	1	2	—	—	6	—	—	—	—	—	—	4	1	1
		F	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—
25	Acute and chronic nephritis	M	16	—	—	—	—	—	—	3	9	4	45	—	—	—	—	—	3	14	14	14
		F	26	—	—	—	—	1	1	12	5	7	35	—	—	1	1	2	3	15	6	7
26	Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	—	2	—	—	—	8	—	—	—	—	3	5	—	—	—
27	Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	4	—	—	—	—	1	3	—	—	—	11	—	—	—	—	—	11	—	—	—
28	Congenital debility and malformation, premature birth	M	25	25	—	—	—	—	—	—	—	—	56	56	—	—	—	—	—	—	—	—
		F	18	18	—	—	—	—	—	—	—	—	54	51	—	—	1	—	1	1	—	—
29	Suicide	M	12	—	—	—	—	1	3	7	—	1	16	—	—	—	—	2	4	5	4	1
		F	5	—	—	—	—	1	2	1	1	—	8	—	—	—	—	1	2	4	—	1
30	Other deaths from violence	M	22	—	—	1	—	2	9	5	1	4	68	2	1	3	8	15	10	17	6	6
		F	15	—	1	2	—	—	5	2	2	3	22	2	—	1	—	—	1	6	1	11
31	Other defined diseases	M	152	7	—	4	6	3	11	19	30	72	270	26	1	3	8	7	8	58	56	103
		F	158	7	1	1	4	2	15	18	30	80	248	12	2	5	2	11	30	40	39	107
32	Causes ill-defined or unknown	M	1	—	1	—	—	—	—	—	—	—	7	1	—	—	1	1	—	3	—	1
		F	4	1	—	—	1	—	—	2	—	—	4	—	—	—	—	—	—	1	3	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of HEREFORD—1925 (Civilian population only).

	Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
	All Causes	M	271	21	4	2	11	14	32	58	64	65	471	45	6	9	16	6	26	94	135	134
		F	264	13	9	4	5	7	22	57	53	94	453	31	9	3	9	22	37	78	90	174
1	Enteric fever	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
		F	2	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4	Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5	Whooping cough	M	5	2	2	—	1	—	—	—	—	—	4	2	—	1	1	—	—	—	—	—
		F	6	3	1	2	—	—	—	—	—	—	8	3	3	1	1	—	—	—	—	—
6	Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7	Influenza	M	4	—	—	—	—	—	1	2	—	1	14	1	—	—	1	—	1	2	6	3
		F	7	—	—	—	—	—	1	2	1	3	11	—	—	1	—	—	—	3	1	6
8	Encephalitis lethargica	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	3	—	—	—	1	1	1	—	—	—
9	Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10	Tuberculosis of respiratory system	M	17	—	—	—	—	2	11	3	1	—	23	—	—	—	—	4	9	9	1	—
		F	16	—	2	—	1	4	8	1	—	—	28	—	—	—	1	10	10	6	1	—
11	Other tuberculous diseases	M	5	—	—	2	—	1	2	—	—	—	5	1	—	—	3	—	—	1	—	—
		F	2	—	—	1	—	1	—	—	—	—	6	—	1	—	—	3	1	1	—	—
12	Cancer, malignant disease	M	36	—	—	—	—	1	—	11	18	6	57	—	—	—	—	—	—	20	24	13
		F	35	—	—	—	—	—	1	16	11	7	47	—	—	—	—	—	3	14	19	11
13	Rheumatic fever	M	1	—	—	—	1	—	—	—	—	—	2	—	—	—	1	—	1	—	—	—
		F	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	1	—	—	—	—
14	Diabetes	M	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—	—
		F	5	—	—	—	—	—	—	—	4	1	2	—	—	—	—	—	—	—	2	—
15	Cerebral hæmorrhage, &c.	M	23	—	—	—	—	—	1	2	8	12	40	—	—	—	—	—	—	9	19	12
		F	18	—	—	—	1	—	—	3	7	7	33	—	—	—	—	—	—	8	13	12
16	Heart disease	M	48	—	—	—	—	1	6	14	14	13	95	—	—	—	1	—	2	13	38	41
		F	51	—	—	—	1	—	2	10	15	23	95	—	—	—	1	1	6	17	23	47
17	Arterio-sclerosis	M	6	—	—	—	—	—	—	—	4	2	17	—	—	—	—	—	—	2	6	9
		F	3	—	—	—	—	—	—	—	—	3	10	—	—	—	—	—	—	1	1	8
18	Bronchitis	M	17	1	—	—	—	—	—	3	5	8	27	1	—	—	—	—	—	4	9	13
		F	11	—	—	—	—	—	—	3	1	7	20	1	—	—	—	—	—	—	6	13
19	Pneumonia (all forms)	M	14	2	—	—	—	—	2	5	3	2	20	4	2	5	1	—	—	3	2	3
		F	11	1	1	1	1	—	—	4	1	2	21	4	2	—	1	—	3	3	3	5
20	Other respiratory diseases	M	1	—	—	—	—	—	—	—	1	—	9	—	—	1	—	—	—	3	4	1
		F	3	—	—	—	—	—	—	1	1	1	4	—	—	—	—	—	—	1	1	2
21	Ulcer of stomach or duodenum	M	1	—	—	—	—	—	—	1	—	—	3	—	—	—	—	—	2	—	1	—
		F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	—	1	—	—
22	Diarrhœa, &c.	M	4	1	1	—	—	—	—	2	—	—	1	1	—	—	—	—	—	—	—	—
		F	5	2	2	—	—	—	—	—	—	1	4	1	—	—	1	—	—	1	—	1
23	Appendicitis and typhlitis	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	2	—	—
		F	1	—	—	—	1	—	—	—	—	—	6	—	—	1	2	—	2	—	—	1
24	Cirrhosis of liver	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1
		F	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	1
25	Acute and chronic nephritis	M	7	—	—	—	—	—	1		2	2	16	1	—	—	—	—	1	5	7	2
		F	4	—	—	—	—	—	1	2	1	—	9	—	—	—	—	1	—	4	1	3
26	Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	—	3	—	—	—	3	—	—	—	—	1	2	—	—	—
27	Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	1	2	—	—	—	3	—	—	—	—	1	2	—	—	—
28	Congenital debility and malformation, premature birth	M	12	11	—	—	1	—	—	—	—	—	24	24	—	—	—	—	—	—	—	—
		F	4	4	—	—	—	—	—	—	—	—	14	14	—	—	—	—	—	—	—	—
29	Suicide	M	3	—	—	—	—	—	2	—	1	—	3	—	—	—	—	—	—	2	1	—
		F	3	—	—	—	—	—	—	3	—	—	1	—	—	—	—	—	1	—	—	—
30	Other deaths from violence	M	11	1	—	—	3	2	4	—	1	—	13	—	—	1	1	2	3	2	3	1
		F	4	—	—	—	—	1	—	3	—	—	12	1	—	—	—	1	—	4	2	4
31	Other defined diseases	M	52	3	—	—	5	7	—	12	6	19	88	8	4	—	6	—	7	15	13	35
		F	64	3	1	—	—	—	2	8	11	39	104	7	3	—	1	1	6	14	13	59
32	Causes ill-defined or unknown	M	1	—	1	—	—	—	—	—	—	—	4	2	—	—	—	—	—	1	1	—
		F	—	—	—	—	—	—	—	—	—	—	5	—	—	—	—	—	—	—	4	1

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of HERTFORD—1925 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	1211	82	22	23	32	33	132	328	256	303	560	46	3	9	6	18	54	142	123	159
	F	1311	99	21	21	16	43	135	271	250	455	544	31	6	6	11	22	39	119	121	189
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	1	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	1	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever	M	2	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	2	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	M	7	6	—	1	—	—	—	—	—	—	2	1	—	1	—	—	—	—	—	—
	F	12	7	1	4	—	—	—	—	—	—	3	—	3	—	—	—	—	—	—	—
6 Diphtheria	M	7	—	1	1	5	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	9	—	2	2	4	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7 Influenza	M	40	1	1	1	—	4	5	10	7	11	11	—	—	—	—	—	3	4	3	1
	F	45	1	—	—	1	2	5	13	6	17	10	—	1	—	—	—	3	2	2	2
8 Encephalitis lethargica	M	4	—	—	—	1	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	2	—	—	1	1	—	—	1	—	—	—	—	—	1	—	—	—
9 Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	105	—	—	—	3	12	51	33	5	1	37	—	—	—	1	9	18	7	1	1
	F	75	—	1	—		1	45	8	3	—	24	—	—	1	—	9	6	5	3	—
11 Other tuberculous diseases	M	18	2	3	3	3	3	2	1	1	—	10	—	—	1	3	3	2	1	—	—
	F	18	2	2	1	—	6	6	1	—	—	5	—	—	—	1	1	—	3	—	—
12 Cancer, malignant disease	M	161	—	1	1	1	—	4	67	55	32	82	—	—	1	—	—	2	33	27	19
	F	200	—	—	—	—	2	10	90	49	49	76	—	—	—	—	—	4	32	17	23
13 Rheumatic fever	M	6	—	—	—	1	—	3	1	1	—	1	—	—	—	—	—	—	1	—	—
	F	5	—	—	—	3	—	—	2	—	—	3	—	—	—	—	—	2	1	—	—
14 Diabetes	M	17	—	—	—	—	2	—	5	6	4	5	—	—	—	—	—	—	—	4	1
	F	11	—	—	—	—	—	2	1	3	5	10	—	—	—	—	—	—	6	—	4
15 Cerebral hæmorrhage, &c.	M	71	—	—	—	—	—	1	15	26	29	37	—	—	—	—	—	—	8	10	19
	F	87	—	—	—	—	—	—	20	26	41	57	—	—	—	—	—	—	14	25	18
16 Heart disease	M	167	—	—	—	1	1	3	44	55	63	86	—	—	—	—	1	4	22	29	30
	F	215	—	—	—	1	1	12	35	54	112	99	—	—	—	—	—	4	22	31	42
17 Arterio-sclerosis	M	51	—	—	—	—	—	—	13	19	19	17	—	—	—	—	—	1	3	4	9
	F	46	—	—	—	—	—	—	6	13	27	15	—	—	—	—	—	—	2	2	11
18 Bronchitis	M	79	6	3	—	—	—	—	12	11	47	45	8	1	—	—	—	1	5	8	22
	F	95	5	1	—	—	1	2	4	19	63	43	2	—	1	—	—	—	5	12	23
19 Pneumonia (all forms)	M	75	7	6	4	1	2	15	21	9	10	30	2	2	2	—	—	4	7	8	5
	F	65	9	6	1	1	2	7	18	12	9	12	1	2	2	1	—	—	1	2	3
20 Other respiratory diseases	M	21	2	1	1	1	—	1	6	6	3	10	—	—	—	—	—	—	3	2	5
	F	13	—	—	—	—	1	1	3	1	7	5	1	—	—	—	—	—	1	—	3
21 Ulcer of stomach or duodenum	M	13	—	—	—	—	—	1	9	2	1	2	—	—	—	—	—	—	—	1	1
	F	4	—	—	—	—	—	1	2	—	1	3	—	—	—	—	—	2	1	—	—
22 Diarrhœa, &c.	M	14	8	1	1	—	—	—	—	1	3	6	4	—	—	—	—	—	2	—	—
	F	18	6	3	1	—	—	1	3	2	2	4	—	—	—	1	—	1	—	—	2
23 Appendicitis and typhlitis	M	17	—	—	4	3	—	3	5	2	—	4	—	—	—	1	—	—	2	1	—
	F	4	—	—	—	2	—	—	—	2	—	6	1	—	1	2	—	—	1	—	1
24 Cirrhosis of liver	M	6	—	—	—	—	—	1	4	—	1	5	—	—	—	—	—	—	—	2	3
	F	5	—	—	—	—	—	3	2	—	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis	M	33	—	—	—	1	1	4	9	9	9	10	—	—	—	—	—	2	5	2	1
	F	40	—	—	—	—	1	2	13	14	10	17	—	—	—	—	1	2	4	6	4
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	5	—	—	—	—	—	5	—	—	—	3	—	—	—	—	—	3	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	7	—	—	—	—	—	7	—	—	—	3	—	—	—	—	—	3	—	—	—
28 Congenital debility and malformation, premature birth	M	31	30	—	1	—	—	—	—	—	—	23	23	—	—	—	—	—	—	—	—
	F	54	53	—	1	—	—	—	—	—	—	20	20	—	—	—	—	—	—	—	—
29 Suicide	M	19	—	—	—	—	—	7	8	3	1	10	—	—	—	—	—	2	6	1	1
	F	7	—	—	—	—	—	1	5	1	—	3	—	—	—	—	1	—	2	—	—
30 Other deaths from violence	M	45	1	1	1	7	5	10	8	6	6	25	—	—	2	1	1	6	7	3	5
	F	24	2	2	2	—	2	2	4	6	4	14	1	—	—	2	2	2	3	2	2
31 Other defined diseases	M	191	19	3	3	3	3	18	51	28	63	98	8	—	2	—	3	8	25	16	36
	F	231	13	3	4	3	5	19	38	38	108	107	5	—	1	4	8	6	14	19	50
32 Causes ill-defined or unknown	M	10	—	1	—	—	—	2	3	4	—	2	—	—	—	—	—	—	1	1	—
	F	4	1	—	—	—	—	1	1	1	—	1	—	—	—	—	—	—	—	—	1

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of HUNTINGDON—1925 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts.										Aggregate of Rural Districts									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	141	7	3	2	4	6	11	37	29	42	200	11	1	2	4	7	17	53	41	64
	F	142	14	2	1	3	4	13	24	28	53	216	13	2	3	7	5	10	47	49	80
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	1	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6 Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	2	—	—	—	—	—
7 Influenza	M	5	—	1	—	—	—	2	1	—	1	4	—	—	—	—	—	—	2	1	1
	F	1	—	—	—	—	—	—	—	—	1	2	—	—	—	—	—	1	1	—	—
8 Encephalitis lethargica	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	13	—	—	—	1	2	4	4	2	—	11	—	—	—	1	3	5	1	1	—
	F	8	—	—	—	—	1	5	1	1	—	9	—	—	—	—	2	1	4	2	—
11 Other tuberculous diseases	M	6	—	—	1	1	2	1	1	—	—	2	—	—	—	1	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	4	—	—	1	1	1	1	—	—	—
12 Cancer, malignant disease	M	17	—	—	—	—	—	—	9	5	3	26	—	—	—	—	—	2	9	9	6
	F	25	—	—	—	—	—	1	8	9	7	31	—	—	—	—	—	3	12	7	9
13 Rheumatic fever	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1
14 Diabetes	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
	F	3	—	—	—	—	—	—	1	2	—	4	—	—	—	1	—	—	1	2	—
15 Cerebral hæmorrhage, &c.	M	8	—	—	—	—	—	—	2	—	6	12	—	—	—	—	—	—	4	4	4
	F	9	—	—	—	—	—	—	2	2	5	9	—	—	—	—	—	—	1	3	5
16 Heart disease	M	21	—	—	—	—	1	3	5	7	5	35	—	—	—	—	1	3	10	9	12
	F	16	—	—	—	—	—	—	5	3	8	42	—	—	—	—	—	—	7	20	15
17 Arterio-sclerosis	M	9	—	—	—	—	—	—	2	3	4	15	—	—	—	—	—	1	2	4	8
	F	3	—	—	—	—	—	—	—	1	2	6	—	—	—	—	—	—	—	—	6
18 Bronchitis	M	7	—	—	—	—	—	—	—	3	4	7	—	—	—	—	—	—	1	4	2
	F	14	1	1	1	—	—	—	—	2	9	29	2	1	—	—	—	—	1	7	18
19 Pneumonia (all forms)	M	6	1	1	—	—	1	—	3	—	—	9	—	—	1	—	1	2	3	—	2
	F	2	1	—	—	—	—	—	—	1	—	8	1	1	1	—	—	—	2	—	3
20 Other respiratory diseases	M	3	—	1	1	—	—	—	—	—	1	1	—	—	—	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
21 Ulcer of stomach or duodenum	M	1	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—	—	1	1	—
	F	2	—	—	—	—	—	—	2	—	—	2	—	—	—	—	—	—	2	—	—
22 Diarrhœa, &c.	M	1	1	—	—	—	—	—	—	—	—	2	1	—	—	—	—	—	1	—	—
	F	4	1	—	—	2	—	—	1	—	—	2	—	—	—	1	—	—	1	—	—
23 Appendicitis and typhlitis	M	1	—	—	—	—	—	—	1	—	—	2	—	—	—	—	1	1	—	—	—
	F	2	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
24 Cirrhosis of liver	M	2	—	—	—	—	—	—	1	1	—	1	—	—	—	—	—	—	—	1	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis	M	2	—	—	—	—	—	—	—	2	—	2	—	—	—	—	—	—	1	—	1
	F	3	—	—	—	1	—	2	—	—	—	5	—	—	—	—	—	1	4	—	—
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	1	—	—	—
28 Congenital debility and malformation, premature birth	M	4	4	—	—	—	—	—	—	—	—	6	6	—	—	—	—	—	—	—	—
	F	10	10	—	—	—	—	—	—	—	—	7	7	—	—	—	—	—	—	—	—
29 Suicide	M	2	—	—	—	—	—	—	1	1	—	3	—	—	—	—	—	—	1	1	1
	F	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	1
30 Other deaths from violence	M	3	—	—	—	1	—	—	2	—	—	10	—	1	1	1	1	—	6	—	—
	F	1	—	—	—	—	—	1	—	—	—	3	—	—	—	—	1	1	1	—	—
31 Other defined diseases	M	28	1	—	—	—	—	—	4	5	18	43	4	—	—	—	—	—	8	4	27
	F	34	1	—	—	—	2	1	4	5	21	45	3	—	1	1	1	1	9	7	22
32 Causes ill-defined or unknown	M	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	1	2	1	—
	F	1	—	—	—	—	—	—	—	1	—	2	—	—	—	—	—	—	1	1	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of KENT—1925 (Civilian population only).

	Causes of Death.	Sex.	Aggregate of Urban Districts.										Aggregate of Rural Districts.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
	All Causes	M	4282	413	87	92	109	166	459	1154	839	963	1966	170	27	43	51	75	176	446	410	568
		F	4452	301	74	82	119	181	437	921	858	1479	1726	130	34	40	41	53	140	345	354	589
1	Enteric fever	M	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	1	—	—	—	—
		F	5	—	—	—	—	1	2	1	—	1	2	—	—	—	—	—	2	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	14	4	1	6	3	—	—	—	—	—	6	3	1	1	1	—	—	—	—	—
		F	12	3	3	4	2	—	—	—	—	—	4	—	2	1	1	—	—	—	—	—
4	Scarlet fever	M	3	—	—	—	2	—	—	1	—	—	1	—	—	—	1	—	—	—	—	—
		F	4	—	—	1	3	—	—	—	—	—	2	—	—	—	1	1	—	—	—	—
5	Whooping cough	M	44	24	10	9	—	—	—	—	1	—	17	7	3	5	2	—	—	—	—	—
		F	53	17	22	13	1	—	—	—	—	—	33	20	6	4	3	—	—	—	—	—
6	Diphtheria	M	30	—	5	9	15	1	—	—	—	—	6	—	1	1	4	—	—	—	—	—
		F	39	2	2	9	23	2	1	—	—	—	7	—	—	4	3	—	—	—	—	—
7	Influenza	M	98	6	3	1	1	5	15	27	22	18	63	3	3	2	2	2	6	12	20	13
		F	136	3	2	2	3	8	18	29	22	49	61	3	1	1	1	2	4	9	19	21
8	Encephalitis lethargica	M	16	—	—	2	1	3	3	7	—	—	6	—	1	—	1	1	1	—	2	—
		F	7	—	1	1	2	—	—	1	1	1	4	—	—	—	—	—	1	3	—	—
9	Meningococcal meningitis	M	3	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	5	—	1	1	1	—	1	—	—	1	1	—	—	1	—	—	—	—	—	—
10	Tuberculosis of respiratory system	M	330	—	—	—	4	62	159	90	14	1	116	—	1	1	—	17	62	26	9	—
		F	250	2	—	1	9	74	121	37	5	1	100	—	—	—	3	20	48	24	4	1
11	Other tuberculous diseases	M	69	8	12	15	7	12	8	7	—	—	32	4	2	7	5	2	9	3	—	—
		F	71	7	4	9	14	10	15	8	1	3	29	3	2	4	6	4	2	6	1	1
12	Cancer, malignant disease	M	510	—	—	—	1	—	24	209	179	97	227	—	—	2	2	1	8	89	71	54
		F	622	—	—	—	1	—	58	252	156	155	221	—	—	—	—	1	15	78	66	61
13	Rheumatic fever	M	7	—	—	2	2	1	2	—	—	—	8	—	—	—	3	2	2	1	—	—
		F	13	—	—	—	4	3	3	3	—	—	3	—	—	—	1	—	1	—	—	1
14	Diabetes	M	34	—	—	—	1	3	4	12	11	3	13	—	—	—	—	—	4	5	1	3
		F	46	—	—	—	—	2	4	11	15	14	22	—	—	—	2	—	1	9	2	8
15	Cerebral hæmorrhage, &c.	M	232	—	—	—	1	1	3	80	68	79	116	—	—	—	—	1	4	25	29	57
		F	316	—	—	—	—	1	5	79	91	140	136	—	—	—	—	1	2	35	37	61
16	Heart disease	M	576	—	—	—	4	9	35	186	166	176	292	—	—	—	1	3	8	90	90	100
		F	759	—	—	—	13	15	35	155	225	316	280	—	—	1	1	3	9	54	98	114
17	Arterio-sclerosis	M	177	—	—	—	—	—	2	45	60	70	75	—	—	—	—	—	2	16	15	42
		F	179	—	—	—	—	—	—	22	39	118	53	—	—	—	—	—	—	6	8	39
18	Bronchitis	M	289	32	6	1	4	—	12	48	72	114	128	13	1	2	1	1	—	14	30	66
		F	328	16	5	2	—	—	6	31	69	199	119	10	3	1	—	—	1	10	20	74
19	Pneumonia (all forms)	M	243	42	27	18	6	7	31	59	34	19	109	16	4	7	2	7	9	26	22	16
		F	213	40	21	11	8	3	30	35	38	27	84	10	7	8	4	3	10	13	14	15
20	Other respiratory diseases	M	60	1	1	—	—	2	10	19	16	11	27	—	—	1	1	—	1	9	6	9
		F	51	—	—	—	—	1	7	18	15	10	29	1	—	1	2	—	—	7	8	10
21	Ulcer of stomach or duodenum	M	50	—	—	—	—	2	16	22	7	3	23	—	—	—	—	—	5	11	5	2
		F	18	—	—	—	—	2	3	5	3	5	7	—	—	—	—	—	1	3	2	1
22	Diarrhœa, &c.	M	49	26	6	4	1	1	1	3	3	4	19	9	2	1	—	—	1	2	1	3
		F	42	19	1	5	—	—	4	4	5	4	13	6	3	2	—	—	—	1	1	—
23	Appendicitis and typhlitis	M	33	—	—	1	5	5	7	14	—	1	13	—	—	1	3	2	1	4	2	—
		F	31	—	—	2	6	7	5	4	5	2	12	—	—	2	2	1	1	5	1	—
24	Cirrhosis of liver	M	37	—	—	—	—	1	4	19	7	6	7	—	—	—	—	—	—	3	3	1
		F	10	—	—	—	—	—	—	8	1	1	3	—	—	—	—	—	—	—	2	1
25	Acute and chronic nephritis	M	103	2	—	—	2	3	8	36	21	31	56	—	—	—	2	3	4	16	15	16
		F	109	—	—	1	1	6	9	44	28	20	34	1	—	1	2	1	4	9	10	6
26	Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	16	—	—	—	—	5	11	—	—	—	3	—	—	—	—	—	3	—	—	—
27	Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	23	—	—	—	—	7	16	—	—	—	8	—	—	—	—	1	7	—	—	—
28	Congenital debility and malformation, premature birth	M	201	195	1	1	3	1	—	—	—	—	88	85	—	1	1	1	—	—	—	—
		F	139	134	2	2	—	—	—	1	—	—	61	58	1	1	—	—	1	—	—	—
29	Suicide	M	53	—	—	—	—	—	14	31	5	3	22	—	—	—	—	3	3	12	3	1
		F	23	—	—	—	—	2	5	12	2	2	7	—	—	—	—	—	2	3	1	1
30	Other deaths from violence	M	162	3	4	6	18	25	37	47	9	13	89	—	4	3	9	14	21	1	12	8
		F	93	11	3	6	6	9	10	10	12	26	35	2	—	1	3	3	—	7	5	14
31	Other defined diseases	M	845	70	11	15	26	22	61	185	142	313	389	29	4	7	10	14	23	57	70	175
		F	827	47	7	12	22	23	65	144	124	383	343	16	9	7	6	11	24	60	52	158
32	Causes ill-defined or unknown	M	13	—	—	1	—	—	2	7	2	1	16	1	—	1	—	—	1	7	4	2
		F	12	—	—	—	—	—	3	7	1	1	10	—	—	—	—	1	1	3	3	2

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of LANCASTER—1925 (Civilian population only).

	Causes of Death.	Sex.	Aggregate of Urban Districts.										Aggregate of Rural Districts.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
	All Causes ..	M	9844	1204	310	292	310	447	1095	2804	2131	1251	1454	153	33	26	36	49	145	360	354	298
		F	9785	857	247	257	295	386	1117	2587	2174	1865	1530	120	28	29	43	52	155	384	327	392
1	Enteric fever ..	M	7	—	—	1	—	2	—	4	—	—	—	—	—	—	—	—	—	—	—	—
		F	7	—	—	—	1	2	2	1	1	—	3	—	—	—	—	1	—	2	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	97	24	39	29	5	—	—	—	—	—	4	1	2	—	1	—	—	—	—	—
		F	77	16	22	28	10	—	—	1	—	—	9	3	2	3	1	—	—	—	—	—
4	Scarlet fever ..	M	25	2	2	7	9	4	1	—	—	—	5	—	—	3	1	—	1	—	—	—
		F	24	—	2	7	10	3	2	—	—	—	5	—	—	2	3	—	—	—	—	—
5	Whooping cough ..	M	106	53	29	21	3	—	—	—	—	—	8	5	—	2	1	—	—	—	—	—
		F	110	38	42	28	2	—	—	—	—	—	10	6	1	2	—	—	—	—	1	—
6	Diphtheria ..	M	50	—	6	23	20	—	1	—	—	—	5	—	—	4	1	—	—	—	—	—
		F	46	2	4	17	23	—	—	—	—	—	7	1	—	3	3	—	—	—	—	—
7	Influenza	M	311	9	2	6	8	31	52	102	74	27	50	1	1	—	1	3	11	14	8	11
		F	309	8	3	6	12	15	45	99	75	46	69	—	3	2	—	4	7	16	19	18
8	Encephalitis lethargica ..	M	40	—	1	3	8	7	9	12	—	—	9	—	—	1	2	2	1	3	—	—
		F	45	1	1	4	4	9	13	11	1	1	4	—	—	—	—	1	1	2	—	—
9	Meningococcal meningitis ..	M	5	2	1	—	—	2	—	—	—	—	2	—	—	1	—	—	—	1	—	—
		F	8	1	2	1	2	1	1	—	—	—	3	2	—	1	—	—	—	—	—	—
10	Tuberculosis of respiratory system	M	586	—	3	5	13	102	235	205	22	1	74	—	—	—	2	15	31	25	1	—
		F	480	3	4	1	15	145	204	96	9	3	65	1	—	—	2	17	29	14	2	—
11	Other tuberculous diseases	M	169	12	18	24	37	33	25	16	4	—	24	1	2	1	3	7	5	4	1	—
		F	151	5	15	21	41	29	20	14	5	1	17	1	4	2	3	3	2	2	—	—
12	Cancer, malignant disease	M	913	—	—	2	2	6	68	480	260	95	128	—	—	—	1	—	7	48	46	26
		F	1059	—	2	2	3	2	122	504	292	132	173	—	—	—	—	2	20	81	44	26
13	Rheumatic fever ..	M	47	—	—	—	14	8	14	9	1	1	6	—	—	—	—	—	1	4	—	1
		F	69	—	—	1	23	14	18	12	1	—	10	—	—	—	2	1	4	3	—	—
14	Diabetes	M	66	—	—	—	1	4	6	21	24	10	26	—	—	—	1	—	5	10	4	6
		F	134	—	—	—	1	3	10	65	45	10	17	—	—	—	—	—	2	5	8	2
15	Cerebral hæmorrhage, &c. ..	M	584	1	—	—	—	2	12	208	230	131	92	—	—	—	—	—	3	23	38	28
		F	717	—	—	—	1	2	15	249	270	180	116	—	—	—	1	—	1	27	42	45
16	Heart disease ..	M	1182	—	—	2	17	28	86	439	422	188	208	—	—	—	3	2	10	66	82	45
		F	1475	1	1	1	15	41	130	486	473	327	248	—	—	—	4	3	16	81	73	71
17	Arterio-sclerosis ..	M	426	—	—	—	—	—	2	92	199	133	67	—	—	—	—	—	—	9	29	29
		F	330	—	—	—	—	—	—	62	115	153	51	—	—	—	—	—	2	9	18	22
18	Bronchitis ..	M	838	89	18	20	7	3	37	206	269	189	109	10	3	1	—	—	3	16	41	35
		F	902	73	24	9	4	6	24	171	269	322	112	14	2	—	3	—	1	13	26	53
19	Pneumonia (all forms)	M	937	165	115	72	34	37	160	200	108	46	133	19	15	4	4	5	21	39	16	10
		F	714	147	72	67	31	16	78	127	118	58	92	12	6	5	5	4	15	22	13	10
20	Other respiratory diseases	M	113	7	2	9	2	4	15	39	22	13	16	—	—	1	—	2	—	6	3	4
		F	98	6	1	4	2	3	9	26	27	20	13	—	2	—	—	—	—	6	2	3
21	Ulcer of stomach or duodenum ..	M	99	—	—	—	—	8	31	43	16	1	15	—	—	—	—	—	9	4	2	—
		F	31	—	—	—	1	2	7	15	6	—	1	—	—	—	—	—	—	1	—	—
22	Diarrhœa, &c. ..	M	173	112	16	9	6	3	8	7	7	5	17	7	2	1	1	—	—	4	2	—
		F	163	81	17	9	7	1	6	17	10	15	15	5	2	1	1	2	1	1	2	—
23	Appendicitis and typhlitis.. ..	M	72	—	—	2	13	21	15	16	4	1	9	—	—	—	2	1	2	4	—	—
		F	46	—	—	1	13	3	11	10	7	1	11	—	—	—	3	—	4	3	1	—
24	Cirrhosis of liver ..	M	45	—	1	—	—	—	2	26	15	1	3	—	—	—	—	—	—	1	2	—
		F	16	—	—	—	—	—	—	12	4	—	4	—	—	—	—	—	—	3	1	—
25	Acute and chronic nephritis ..	M	292	1	2	2	8	13	49	123	68	26	30	1	—	—	—	1	2	10	12	4
		F	328	4	1	5	8	8	57	149	75	21	36	—	—	—	2	1	7	14	8	4
26	Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	34	—	—	—	—	7	27	—	—	—	7	—	—	—	—	1	6	—	—	—
27	Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	96	—	—	—	—	8	87	1	—	—	12	—	—	—	—	2	9	1	—	—
28	Congenital debility and malformation, premature birth.. ..	M	519	512	1	1	3	1	1	—	—	—	77	75	1	—	1	—	—	—	—	—
		F	346	341	1	—	2	—	1	1	—	—	60	57	—	1	1	1	—	—	—	—
29	Suicide	M	130	—	—	—	—	5	34	65	20	6	20	—	—	—	—	1	3	12	4	—
		F	57	—	—	—	—	7	20	28	2	—	9	—	—	—	—	2	2	4	1	—
30	Other deaths from violence.. ..	M	420	13	10	21	41	64	93	116	44	18	51	2	1	5	5	6	10	15	3	4
		F	163	5	7	13	16	19	17	27	27	32	39	—	2	3	4	3	4	11	5	7
31	Other defined diseases	M	1530	201	42	32	59	59	134	340	304	359	255	29	6	2	6	4	20	36	57	95
		F	1713	124	23	32	48	39	189	378	338	542	302	18	4	4	5	4	22	56	58	131
32	Causes ill-defined or unknown ..	M	62	1	2	1	—	—	5	35	18	—	11	2	—	—	—	—	—	6	3	—
		F	37	1	3	—	—	1	2	25	4	1	10	—	—	—	—	—	—	7	3	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of LEICESTER—1925 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	681	75	19	25	16	28	70	164	145	139	902	117	15	23	16	43	104	186	183	215
	F	638	72	22	20	22	36	72	130	115	149	906	84	15	14	29	47	83	170	179	285
1 Enteric fever	M	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	17	5	3	7	2	—	—	—	—	—	7	2	1	1	2	1	—	—	—	—
	F	8	1	4	2	—	1	—	—	—	—	7	2	2	1	2	—	—	—	—	
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	2	—	—	1	1	—	—	—	—	—
5 Whooping cough	M	9	6	2	1	—	—	—	—	—	—	7	5	1	1	—	—	—	—	—	—
	F	17	9	4	4	—	—	—	—	—	—	12	7	3	2	—	—	—	—	—	—
6 Diphtheria	M	3	—	—	3	—	—	—	—	—	—	2	—	—	2	—	—	—	—	—	—
	F	3	—	—	1	1	1	—	—	—	—	6	—	—	1	4	—	1	—	—	—
7 Influenza	M	20	—	—	—	1	3	1	6	3	6	42	—	2	—	—	4	8	11	6	11
	F	22	—	—	1	1	3	4	5	5	3	37	5	1	—	1	2	2	4	10	12
8 Encephalitis lethargica	M	4	—	—	—	—	2	—	1	1	—	4	—	—	—	—	1	2	1	—	—
	F	5	—	—	1	3	1	—	—	—	—	2	—	—	—	—	2	—	—	—	—
9 Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
10 Tuberculosis of respiratory system	M	58	—	—	—	1	12	32	13	—	—	53	—	—	—	1	11	23	17	1	—
	F	48	—	—	—	—	17	25	5	1	—	58	—	—	—	1	20	26	10	1	—
11 Other tuberculous diseases	M	15	2	3	3	2	3	1	—	1	—	10	2	—	2	1	2	—	3	—	—
	F	18	—	4	2	3	2	4	1	1	1	14	—	—	2	3	3	—	5	—	1
12 Cancer, malignant disease	M	66	—	—	—	—	—	1	28	27	10	81	—	1	—	—	1	5	22	26	26
	F	77	—	—	—	—	—	8	28	18	23	105	—	—	—	—	—	9	42	29	25
13 Rheumatic fever	M	2	—	—	—	2	—	—	—	—	—	3	—	—	—	1	—	—	1	1	—
	F	4	—	—	—	3	—	—	—	1	—	7	—	—	—	3	—	1	3	—	—
14 Diabetes	M	7	—	—	—	—	—	—	4	3	—	7	—	—	—	—	1	—	2	3	1
	F	7	—	—	—	—	1	—	1	5	—	10	—	—	—	—	—	1	6	2	1
15 Cerebral hæmorrhage, &c.	M	53	—	—	—	—	—	1	16	20	16	48	—	—	—	—	—	3	7	25	13
	F	40	—	—	—	—	—	—	11	15	14	58	—	—	—	—	—	1	11	16	30
16 Heart disease	M	83	—	—	1	—	1	6	28	30	17	138	—	—	—	2	—	12	41	43	40
	F	84	—	—	—	4	2	6	30	22	20	146	—	—	—	3	—	5	30	49	59
17 Arterio-sclerosis	M	24	—	—	—	—	—	—	4	13	7	36	—	—	—	—	—	—	2	8	26
	F	14	—	—	—	—	—	—	4	2	8	21	—	—	—	—	—	—	2	8	11
18 Bronchitis	M	45	6	—	—	—	—	—	4	12	23	53	4	1	2	1	—	1	6	12	26
	F	46	5	1	1	—	—	—	8	14	17	51	3	—	1	1	—	2	8	8	28
19 Pneumonia (all forms)	M	32	3	3	3	—	—	8	10	2	3	69	15	6	4	3	7	10	15	9	—
	F	30	10	6	5	1	—	3	2	2	1	37	14	4	1	1	1	3	2	6	5
20 Other respiratory diseases	M	6	—	—	1	1	—	2	2	—	—	11	—	—	—	—	—	2	1	5	3
	F	4	—	—	—	—	—	2	2	—	—	13	—	1	—	—	1	1	4	2	4
21 Ulcer of stomach or duodenum	M	4	—	—	—	—	1	1	2	—	—	5	—	—	—	—	1	—	3	1	—
	F	1	—	—	—	—	—	1	—	—	—	5	—	—	—	1	—	—	2	2	—
22 Diarrhœa, &c.	M	14	8	2	2	—	—	—	—	—	2	11	5	—	3	—	—	—	—	1	2
	F	8	5	—	1	—	—	2	—	—	—	12	4	2	1	—	2	2	—	—	1
23 Appendicitis and typhlitis	M	6	—	—	—	1	2	1	—	2	—	6	—	—	1	1	—	1	3	—	—
	F	2	—		—	—	—	—	1	1	—	2	—	—	—	1	1	—	—	—	—
24 Cirrhosis of liver	M	5	—	—	—	—	—	—	3	1	1	8	—	—	—	—	—	1	3	4	—
	F	2	—	—	—	—	—	—	—	1	1	4	—	—	—	—	—	—	4	—	—
25 Acute and chronic nephritis	M	12	—	—	—	1	—	1	8	2	—	24	—	—	—	—	—	3	11	4	6
	F	5	—	—	—	—	—	—	3	2	—	29	—	—	—	—	1	3	10	10	5
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	1	2	—	—	—	5	—	—	—	—	3	2	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	5	—	—	—	—	—	5	—	—	—	10	—	—	—	—	2	8	—	—	—
28 Congenital debility and malformation, premature birth	M	36	35	—	1	—	—	—	—	—	—	60	60	—	—	—	—	—	—	—	—
	F	32	31	—	—	—	1	—	—	—	—	32	31	—	1	—	—	—	—	—	—
29 Suicide	M	7	—	—	—	—	—	2	3	2	—	11	—	—	—	—	1	4	6	—	—
	F	3	—	—	—	—	1	1	1	—	—	4	—	—	—	—	1	2	1	—	—
30 Other deaths from violence	M	23	1	1	1	—	3	4	8	3	2	37	2	1	4	—	7	8	9	3	3
	F	14	—	—	—	3	—	3	4	2	2	16	1	—	1	3	1	2	2	—	6
31 Other defined diseases	M	127	9	4	2	5	1	9	24	21	52	165	22	2	3	4	5	20	21	31	57
	F	132	11	3	1	2	5	6	23	22	59	196	17	2	2	2	6	12	23	35	97
32 Causes ill-defined or unknown	M	2	—	1	—	—	—	—	—	1	—	3	—	—	—	—	—	1	1	—	
	F	2	—	—	—	—	—	—	1	1	—	3	—	—	—	1	—	—	1	1	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of LINCOLN (PARTS OF HOLLAND)—1925 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	262	31	8	8	2	9	21	59	49	75	265	28	9	3	9	8	23	47	54	84
	F	277	21	11	8	3	7	29	52	46	100	222	21	3	5	6	10	19	46	37	75
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	5	1	2	2	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
	F	5	—	2	3	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
4 Scarlet fever	M	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	M	3	2	1	—	—	—	—	—	—	—	3	1	1	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	1	—	1	—	—	—	—	—	—
6 Diphtheria	M	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7 Influenza	M	13	3	1	—	—	—	1	2	1	5	14	2	—	—	1	1	—	5	1	4
	F	9	—	—	—	—	—	1	—	4	4	7	2	—	—	1	1	—	—	—	3
8 Encephalitis lethargica	M	1	—	—	—	—	—	1	—	—	—	2	1	—	—	—	—	—	—	1	—
	F	—	—	—	—	—	—	—	—	—	—	4	—	—	—	1	1	2	—	—	—
9 Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	18	—	—	—	—	3	7	7	1	—	9	—	—	—	—	2	6	1	—	—
	F	24	—	1	—	1	6	13	2	—	1	15	1	—	—	—	4	5	5	—	—
11 Other tuberculous diseases	M	7	—	—	1	1	2	1	2	—	—	3	1	—	—	—	—	1	1	—	—
	F	1	—	—	—	—	—	—	1	—	—	5	1	—	—	—	—	1	2	1	—
12 Cancer, malignant disease	M	32	—	—	—	—	—	1	15	7	9	32	—	—	—	—	—	1	8	16	7
	F	39	—	—	—	—	—	4	13	11	11	21	—	—	—	—	—	2	6	10	3
13 Rheumatic fever	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
	F	2	—	—	—	—	—	1	1	—	—	2	—	—	—	1	—	1	—	—	—
14 Diabetes	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
	F	4	—	—	—	—	1	—	2	1	—	3	—	—	—	—	—	1	2	—	—
15 Cerebral hæmorrhage, &c.	M	20	—	—	—	—	—	—	3	7	10	12	—	—	—	—	—	—	3	3	6
	F	17	—	—	—	—	—	—	3	6	8	17	—	—	—	—	—	1	3	2	11
16 Heart disease	M	23	—	—	—	—	—	—	6	8	9	34	—	—	—	—	—	—	7	14	13
	F	42	—	—	1	1	—	1	10	9	20	29	—	—	—	—	—	1	9	5	14
17 Arterio-sclerosis	M	6	—	—	—	—	—	—	1	4	1	5	—	—	—	—	—	—	1	1	3
	F	7	—	—	—	—	—	—	2	1	4	2	—	—	—	—	—	—	—	—	2
18 Bronchitis	M	14	3	—	1	—	—	—	1	3	6	16	2	1	1	—	—	1	1	4	6
	F	19	1	3	—	—	—	—	3	2	10	17	2	1	—	1	—	—	2	4	7
19 Pneumonia (all forms)	M	19	7	2	2	—	—	2	3	1	2	13	2	2	—	—	—	2	3	3	1
	F	12	2	1	2	—	—	1	1	2	3	6	—	—	1	1	—	—	2	1	1
20 Other respiratory diseases	M	5	—	—	—	—	—	—	1	2	2	6	—	—	—	—	—	1	2	—	3
	F	2	—	—	—	—	—	—	1	1	—	3	—	—	1	—	—	—	1	—	1
21 Ulcer of stomach or duodenum	M	2	—	—	—	—	—	1	1	—	—	1	—	—	—	—	—	—	1	—	—
	F	4	—	—	—	—	—	—	3	1	—	—	—	—	—	—	—	—	—	—	—
22 Diarrhœa, &c.	M	1	1	—	—	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—	—
	F	3	3	—	—	—	—	—	—	—	—	3	1	—	1	—	—	—	1	—	—
23 Appendicitis and typhlitis	M	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	1	—
	F	1	—	—	—	—	—	—	1	—	—	1	—	—	1	—	—	—	—	—	—
24 Cirrhosis of liver	M	4	—	—	—	—	—	—	4	—	—	3	—	—	—	—	—	—	1	1	1
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1
25 Acute and chronic nephritis	M	10	—	—	—	—	—	2	1	4	3	11	—	1	—	—	1	—	1	2	6
	F	6	—	—	—	—	—	—	2	3	1	7	—	—	—	—	—	1	4	2	—
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	2	—	—	—	—	1	1	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	—	1	—	—	—	—	1	—	—	—	—
28 Congenital debility and malformation, premature birth	M	7	7	—	—	—	—	—	—	—	—	10	10	—	—	—	—	—	—	—	—
	F	11	11	—	—	—	—	—	—	—	—	10	10	—	—	—	—	—	—	—	—
29 Suicide	M	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—	—
	F	2	—	—	—	—	—	2	—	—	—	1	—	—	—	—	—	—	—	1	—
30 Other deaths from violence	M	13	2	—	1	1	4	3	—	—	2	19	—	1	—	4	2	4	3	1	4
	F	2	1	—	—	—	—	—	1	—	—	4	—	—	—	1	—	1	—	2	—
31 Other defined diseases	M	54	5	2	—	—	—	2	9	10	26	64	6	3	—	4	1	7	7	6	30
	F	60	3	4	1	—	—	3	6	5	38	54	2	1	—	—	2	2	8	9	30
32 Causes ill-defined or unknown	M	2	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	4	1	—	—	—	—	—	1	—	2

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of LINCOLN (PARTS OF KESTEVEN)—1925 (Civilian population only).

	Causes of Death.	Sex.	Aggregate of Urban Districts.										Aggregate of Rural Districts.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
	All Causes	M	257	30	2	4	7	15	17	59	57	66	386	49	9	5	4	17	31	74	91	106
		F	224	22	1	2	2	12	20	40	50	75	439	36	5	6	5	19	47	78	92	151
1	Enteric fever	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
3	Measles	M	3	2	—	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
		F	2	1	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
4	Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5	Whooping cough	M	2	1	1	—	—	—	—	—	—	—	4	2	2	—	—	—	—	—	—	—
		F	10	8	—	2	—	—	—	—	—	—	3	2	—	1	—	—	—	—	—	—
6	Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7	Influenza	M	5	—	—	—	—	—	—	2	1	2	12	1	—	—	—	—	1	3	—	7
		F	7	—	—	—	—	1	2	1	3	—	12	—	—	—	—	—	1	1	4	6
8	Encephalitis lethargica	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	2	—	—	—
9	Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10	Tuberculosis of respiratory system	M	18	1	—	—	—	5	8	4	—	—	14	—	—	—	—	4	7	3	—	—
		F	12	—	—	—	—	5	5	2	—	—	26	—	—	—	—	4	15	3	4	—
11	Other tuberculous diseases	M	6	2	—	—	1	1	2	—	—	—	9	—	1	—	2	1	4	1	—	—
		F	5	—	—	—	1	3	1	—	—	—	6	—	1	1	—	2	2	—	—	—
12	Cancer, malignant disease	M	23	—	—	—	—	—	2	10	10	1	37	—	—	—	—	—	4	14	11	8
		F	25	—	—	—	—	—	1	11	7	6	53	—	—	—	—	—	3	22	17	11
13	Rheumatic fever	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—
		F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
14	Diabetes	M	3	—	—	—	—	—	1	1	1	—	4	—	—	—	—	—	1	1	1	1
		F	4	—	—	—	—	1	1	—	1	1	7	—	—	—	1	—	—	5	1	—
15	Cerebral hæmorrhage, &c.	M	18	—	—	—	—	—	1	5	3	9	25	—	—	—	—	—	—	7	11	7
		F	17	—	—	—	—	—	—	2	9	6	29	—	—	—	—	—	—	9	6	14
16	Heart disease	M	34	—	—	—	—	—	—	10	15	9	57	—	—	—	—	—	1	16	17	23
		F	30	—	—	—	—	—	1	9	9	11	71	—	1	—	1	1	1	13	19	35
17	Arterio-sclerosis	M	13	—	—	—	—	—	—	—	5	8	15	—	—	—	—	—	—	—	6	9
		F	10	—	—	—	—	—	1	2	3	4	18	—	—	—	—	—	—	—	4	14
18	Bronchitis	M	23	2	—	—	—	—	—	2	6	13	27	2	2	—	—	—	1	2	11	9
		F	18	1	—	—	—	—	—	2	4	11	21	2	—	—	—	—	—	—	—	19
19	Pneumonia (all forms)	M	9	1	—	—	1	1	1	3	2	—	26	8	2	—	—	—	1	6	4	5
		F	10	—	—	—	—	—	2	2	4	2	18	4	—	1	1	2	—	6	2	2
20	Other respiratory diseases	M	7	—	—	—	1	—	—	2	3	1	6	2	—	—	—	—	—	—	1	3
		F	1	—	—	—	—	—	—	1	—	—	7	—	1	—	—	—	1	—	3	2
21	Ulcer of stomach or duodenum	M	2	—	—	—	—	—	—	2	—	—	4	—	—	—	—	—	1	2	1	—
		F	1	—	—	—	—	—	1	—	—	—	5	—	—	—	—	—	2	—	3	—
22	Diarrhœa, &c.	M	1	—	—	1	—	—	—	—	—	—	6	2	—	—	—	—	1	1	2	—
		F	1	1	—	—	—	—	—	—	—	—	4	3	—	—	—	—	—	—	—	1
23	Appendicitis and typhlitis	M	4	—	1	—	—	—	—	1	—	2	2	—	—	—	—	1	—	1	—	—
		F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
24	Cirrhosis of liver	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	1	1
		F	1	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—	—	1	1	—
25	Acute and chronic nephritis	M	4	—	—	1	—	—	—	1	—	2	8	—	—	—	—	1	—	1	3	3
		F	3	—	—	—	—	—	—	—	—	3	11	1	—	—	—	1	1	3	2	3
26	Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	2	—	—	—	—
27	Other accidents and diseases of pregnancy and parturition	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	8	—	—	—	—	2	6	—	—	—
28	Congenital debility and malformation, premature birth	M	12	12	—	—	—	—	—	—	—	—	24	24	—	—	—	—	—	—	—	—
		F	7	7	—	—	—	—	—	—	—	—	17	17	—	—	—	—	—	—	—	—
29	Suicide	M	3	—	—	—	—	—	—	3	—	—	3	—	—	—	—	2	—	—	1	—
		F	1	—	—	—	—	—	—	—	1	—	2	—	—	—	—	—	1	—	1	—
30	Other deaths from violence	M	9	1	—	—	1	4	—	2	1	—	16	—	—	3	—	5	3	2	2	1
		F	5	1	—	—	—	2	—	1	—	1	5	—	—	—	1	1	—	1	1	1
31	Other defined diseases	M	55	8	—	1	3	4	2	10	8	19	80	8	1	2	2	2	6	13	17	29
		F	54	3	—	—	1	—	5	6	9	30	102	6	1	3	1	3	10	13	22	43
32	Causes ill-defined or unknown	M	3	—	—	—	—	—	—	1	2	—	2	—	—	—	—	—	—	1	1	—
		F	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	1	1	2	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of LINCOLN (PARTS OF LINDSEY)—1925 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES	M	711	93	18	10	18	30	73	159	152	158	842	96	18	12	16	40	65	169	168	258
	F	634	62	16	13	21	33	60	130	139	160	787	71	12	9	19	25	89	136	161	265
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
	F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	1	—	—	—	1	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
	F	5	—	2	1	2	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
5 Whooping cough	M	2	1	—	—	1	—	—	—	—	—	5	2	2	1	—	—	—	—	—	—
	F	4	2	2	—	—	—	—	—	—	—	7	5	2	—	—	—	—	—	—	—
6 Diphtheria	M	2	—	—	—	2	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
	F	3	—	—	1	2	—	—	—	—	—	3	—	—	—	2	—	—	—	1	—
7 Influenza	M	18	1	—	—	1	—	—	10	5	1	36	3	—	1	—	3	2	7	7	13
	F	14	—	—	—	1	—	1	2	2	8	32	1	—	—	1	—	4	6	7	13
8 Encephalitis lethargica	M	3	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—
9 Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	50	—	1	1	1	14	20	11	2	—	38	—	—	—	1	12	16	8	1	—
	F	49	—	2	—	4	20	15	8	—	—	48	1	—	—	2	13	25	4	3	—
11 Other tuberculous diseases	M	17	2	5	—	3	2	4	1	—	—	9	—	1	1	2	1	2	2	—	—
	F	13	3	—	3	2	3	1	—	1	—	13	1	1	2	2	1	5	—	1	—
12 Cancer, malignant disease	M	79	1	—	—	—	1	3	30	26	18	90	—	—	—	1	1	3	39	24	22
	F	93	—	—	—	—	1	7	40	28	17	106	—	—	—	1	—	6	39	39	21
13 Rheumatic fever	M	2	—	—	—	1	—	—	1	—	—	1	—	—	—	—	1	—	—	—	—
	F	3	—	—	—	1	—	1	1	—	—	1	—	—	—	—	—	1	—	—	—
14 Diabetes	M	5	—	—	1	—	—	2	1	1	—	10	—	—	—	1	—	1	4	1	3
	F	9	—	—	—	—	1	—	3	3	2	11	—	—	—	1	1	2	2	2	3
15 Cerebral hæmorrhage, &c.	M	44	—	—	—	—	—	2	8	18	16	46	—	—	—	1	1	—	13	12	19
	F	51	—	—	—	—	—	2	9	19	21	66	—	—	—	—	—	1	18	18	29
16 Heart disease	M	83	—	—	—	—	1	5	30	29	18	107	—	—	—	1	3	4	30	37	32
	F	79	—	—	—	3	2	—	19	29	26	119	—	—	—	1	—	5	23	44	46
17 Arterio-sclerosis	M	17	—	—	—	—	—	—	3	7	7	34	—	—	—	—	—	—	2	16	16
	F	15	—	—	—	—	—	—	5	8	2	14	—	—	—	—	—	—	1	5	8
18 Bronchitis	M	51	9	2	1	—	—	—	9	14	16	50	3	—	1	—	—	—	5	12	29
	F	32	1	1	1	—	—	1	4	6	18	43	3	1	—	—	—	1	2	8	8
19 Pneumonia (all forms)	M	55	20	6	1	1	2	4	10	6	5	55	9	2	6	—	7	7	8	11	5
	F	46	15	3	3	—	—	1	5	11	8	35	12	1	—	1	—	4	7	3	7
20 Other respiratory diseases	M	9	—	—	2	—	—	1	4	2	—	9	1	2	—	—	1	—	2	—	3
	F	6	—	—	—	2	—	1	2	—	1	10	—	—	—	—	2	1	2	3	2
21 Ulcer of stomach or duodenum	M	5	—	—	—	—	—	4	1	—	—	5	—	—	—	—	—	2	3	—	—
	F	3	—	—	—	—	—	1	2	—	—	2	—	—	—	—	—	1	—	1	—
22 Diarrhœa, &c.	M	13	12	—	—	—	—	—	—	—	1	12	8	1	—	—	—	—	—	2	1
	F	3	2	—	—	—	—	—	—	1	—	8	4	2	—	2	—	—	—	—	—
23 Appendicitis and typhlitis	M	2	—	—	—	—	—	1	—	—	1	5	—	—	—	1	—	1	2	—	1
	F	1	—	—	—	1	—	—	—	—	—	2	—	—	—	1	—	1	—	—	—
24 Cirrhosis of liver	M	2	—	—	—	—	—	—	—	1	1	4	—	—	—	—	—	—	2	2	—
	F	4	—	—	—	—	—	—	3	1	—	1	—	—	—	—	—	—	1	—	—
25 Acute and chronic nephritis	M	15	—	—	—	—	1	3	6	1	4	25	—	2	—	—	1	—	8	4	10
	F	10	—	—	1	—	—	—	4	5	—	14	—	—	1	1	—	3	3	3	3
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	1	3	—	—	—	1	—	—	—	—	—	1	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	6	—	—	—	—	2	4	—	—	—	7	—	—	—	—	1	6	—	—	—
28 Congenital debility and malformation, premature birth	M	34	33	—	—	1	—	—	—	—	—	58	55	3	—	—	—	—	—	—	—
	F	29	28	—	1	—	—	—	—	—	—	35	34	1	—	—	—	—	—	—	—
29 Suicide	M	7	—	—	—	—	—	3	3	1	—	5	—	—	—	—	—	2	3	—	—
	F	2	—	—	—	—	—	1	1	—	—	2	—	—	—	—	2	—	—	—	—
30 Other deaths from violence	M	33	1	1	1	1	5	13	7	1	3	31	—	1	—	1	3	16	5	3	2
	F	13	3	—	—	—	1	5	1	1	2	14	2	—	2	1	—	2	3	2	2
31 Other defined diseases	M	161	13	3	3	5	3	7	22	38	67	204	15	3	1	7	5	9	26	36	102
	F	131	8	6	1	3	1	16	21	20	55	185	8	2	3	3	4	19	24	19	103
32 Causes ill-defined or unknown	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	—	—	3	—	4	—	1	—	—	—	—	1	2	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of MIDDLESEX*—1925 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts										Aggregate of Rural Districts.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	6227	682	107	114	186	263	724	1760	1262	1129	308	42	5	8	9	9	23	83	61	68
	F	6367	473	101	118	171	270	715	1462	1239	1818	290	23	3	8	9	9	24	71	51	92
1 Enteric fever	M	3	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	7	—	—	—	2	—	5	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	10	1	4	2	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	17	3	6	5	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever	M	3	—	—	1	1	—	1	—	—	—	2	—	1	—	—	1	—	—	—	—
	F	7	—	1	5	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	M	59	30	18	10	—	—	—	1	—	—	5	4	—	1	—	—	—	—	—	—
	F	67	29	19	14	3	1	—	—	1	—	4	3	1	—	—	—	—	—	—	—
6 Diphtheria	M	47	—	3	10	33	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	59	—	4	17	36	1	1	—	—	—	2	—	—	2	—	—	—	—	—	—
7 Influenza	M	137	3	3	4	3	6	24	38	23	33	7	1	—	—	1	—	1	2	2	—
	F	176	4	4	3	3	12	29	45	35	41	9	1	—	—	—	—	2	2	3	1
8 Encephalitis lethargica	M	12	1	2	—	1	2	1	5	—	—	3	—	—	—	1	—	1	1	—	—
	F	21	2	1	2	1	2	6	5	2	—	4	—	—	—	1	1	—	1	1	—
9 Meningococcal meningitis	M	7	2	—	2	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	1	2	1	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
10 Tuberculosis of respiratory system	M	525	1	2	1	10	80	235	172	20	4	15	—	—	—	—	6	4	4	1	—
	F	372	—	1	1	16	113	170	64	7	—	10	—	—	—	—	2	4	4	—	—
11 Other tuberculous diseases	M	102	12	4	18	17	19	20	9	3	—	4	—	—	3	1	—	—	—	—	—
	F	67	3	5	12	10	15	14	4	2	2	2	1	1	—	—	—	—	—	—	—
12 Cancer, malignant disease	M	749	—	1	7	1	7	53	360	220	100	34	—	—	—	—	—	—	20	9	5
	F	982	—	—	—	6	5	96	427	264	184	49	—	—	—	1	—	6	25	12	5
13 Rheumatic fever	M	25	—	—	—	7	6	2	8	2	—	1	—	—	—	1	—	—	—	—	—
	F	21	—	—	—	7	4	5	2	2	1	—	—	—	—	—	—	—	—	—	—
14 Diabetes	M	50	—	—	1	—	2	7	17	15	8	3	—	—	—	—	—	—	1	2	—
	F	74	—	—	—	1	3	8	33	16	13	3	—	—	—	1	—	1	1	—	—
15 Cerebral hæmorrhage, &c.	M	296	—	—	—	—	1	10	93	102	90	18	—	—	—	—	—	—	5	7	6
	F	418	—	—	—	1	—	11	107	127	172	40	—	—	—	—	—	—	9	9	22
16 Heart disease	M	961	—	—	—	7	21	64	296	294	279	53	—	—	—	1	—	3	13	16	20
	F	1081	—	1	—	11	25	77	253	295	419	44	—	—	—	—	—	1	12	13	18
17 Arterio-sclerosis	M	273	—	—	—	—	—	—	73	95	105	9	—	—	—	—	—	—	—	5	4
	F	229	—	—	—	—	—	1	31	58	139	7	—	—	—	—	—	1	1	1	4
18 Bronchitis	M	357	27	6	2	2	—	12	82	108	118	16	2	—	—	—	—	—	1	1	12
	F	444	24	5	3	—	—	12	63	109	228	17	1	—	—	—	—	—	2	1	13
19 Pneumonia (all forms)	M	454	84	38	12	8	20	66	113	62	51	24	5	—	2	1	—	2	5	7	2
	F	383	75	26	23	14	10	40	62	50	83	19	3	—	2	2	—	2	1	5	4
20 Other respiratory diseases	M	96	3	1	1	2	2	10	33	24	20	5	1	—	—	—	—	1	3	—	—
	F	58	2	1	3	3	2	7	6	16	18	2	—	—	—	—	—	—	—	—	2
21 Ulcer of stomach or duodenum	M	74	—	—	—	—	1	15	38	17	3	3	—	—	—	—	—	—	3	—	—
	F	38	—	—	—	—	2	5	21	5	5	—	—	—	—	—	—	—	—	—	—
22 Diarrhœa, &c.	M	82	58	3	1	2	1	3	7	2	5	2	2	—	—	—	—	—	—	—	—
	F	84	48	8	2	2	1	4	5	4	10	3	—	—	1	—	—	—	—	1	1
23 Appendicitis and typhlitis	M	44	1	1	2	10	9	9	7	4	1	7	—	—	2	1	—	3	1	—	—
	F	52	—	—	—	11	10	14	13	4	—	—	—	—	—	—	—	—	—	—	—
24 Cirrhosis of liver	M	37	—	—	—	—	—	4	23	9	1	1	—	—	—	—	—	—	1	—	—
	F	25	—	—	—	—	1	2	13	7	2	1	—	—	—	—	—	—	1	—	—
25 Acute and chronic nephritis	M	162	—	—	—	2	9	22	68	42	19	8	—	—	—	—	—	—	5	—	3
	F	126	—	—	—	3	6	14	42	32	29	1	—	—	—	—	—	—	1	—	—
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	23	—	—	—	—	3	20	—	—	—	2	—	—	—	—	1	1	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	32	—	—	—	—	3	28	1	—	—	1	—	—	—	—	—	1	—	—	—
28 Congenital debility and malformation, premature birth	M	329	326	2	—	1	—	—	—	—	—	17	17	—	—	—	—	—	—	—	—
	F	206	203	—	—	1	1	—	1	—	—	12	12	—	—	—	—	—	—	—	—
29 Suicide	M	91	—	—	—	—	6	29	38	13	5	—	—	—	—	—	—	—	—	—	—
	F	59	—	—	—	—	7	18	30	2	2	3	—	—	—	—	—	—	2	1	—
30 Other deaths from violence	M	222	15	2	13	35	36	43	44	22	12	13	2	1	—	1	1	2	4	1	1
	F	116	12	5	4	7	5	12	2	15	31	1	1	—	—	—	—	—	—	—	—
31 Other defined diseases	M	1013	116	17	27	38	34	91	231	184	275	58	8	3	—	1	1	6	14	10	15
	F	1117	66	12	23	29	38	115	209	186	439	53	1	1	3	4	4	5	9	4	22
32 Causes ill-defined or unknown	M	7	2	—	—	1	—	1	2	1	—	—	—	—	—	—	—	—	—	—	—
	F	2	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—

* For the Administrative County of London, see p. 235.

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of NORFOLK—1925 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	385	29	5	5	10	14	29	101	85	107	1571	142	12	14	25	54	114	302	373	53
	F	412	35	4	9	7	19	36	80	71	151	1578	83	15	9	30	48	116	299	318	66
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	2	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	3	—	—	1	1	1	—	—	—	—
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	M	4	3	—	1	—	—	—	—	—	—	3	2	1	—	—	—	—	—	—	—
	F	5	2	1	2	—	—	—	—	—	—	5	2	2	1	—	—	—	—	—	—
6 Diphtheria	M	7	1	—	1	4	1	—	—	—	—	5	—	—	—	5	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	3	—	—	—	2	1	—	—	—	—
7 Influenza	M	9	—	—	—	1	—	—	4	3	1	73	4	—	—	—	6	5	14	19	2
	F	14	—	—	—	1	2	1	1	4	5	85	4	1	—	3	4	2	14	17	4
8 Encephalitis lethargica	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
10 Tuberculosis of respiratory system	M	29	—	—	—	—	3	12	12	2	—	87	—	1	1	—	17	39	19	8	
	F	27	—	—	—	—	8	11	7	1	—	69	—	—	—	4	19	30	14	2	—
11 Other tuberculous diseases	M	7	—	—	2	—	1	2	2	—	—	17	3	2	1	2	2	5	1	1	—
	F	5	—	—	1	2	—	1	1	—	—	10	—	1	—	2	3	2	2	—	—
12 Cancer, malignant disease	M	46	—	—	—	—	1	—	18	17	10	195	—	—	—	1	2	6	66	67	5
	F	60	—	—	—	—	1	5	20	14	20	260	—	—	1	—	1	20	95	81	6
13 Rheumatic fever	M	—	—	—	—	—	—	—	—	—	—	5	—	—	—	1	—	3	1	—	—
	F	2	—	—	—	—	1	—	—	1	—	3	—	—	—	2	—	—	1	—	—
14 Diabetes	M	4	—	—	—	—	—	1	3	—	—	16	—	—	—	1	—	2	4	5	
	F	5	—	—	—	—	—	1	3	1	—	25	—	—	—	—	1	4	6	10	
15 Cerebral hæmorrhage, &c.	M	25	—	—	—	—	—	1	6	4	14	99	—	—	—	—	—	1	15	36	4
	F	27	—	—	—	—	1	—	3	9	14	120	—	—	—	—	1	3	15	32	6
16 Heart disease	M	59	—	—	—	—	—	2	17	17	23	188	—	—	—	—	2	5	38	72	7
	F	75	—	—	—	1	—	4	25	14	31	257	—	—	—	1	3	8	46	71	12
17 Arterio-sclerosis	M	24	—	—	—	—	—	—	4	8	12	91	—	—	—	—	—	—	5	32	3
	F	20	—	—	—	—	—	—	1	2	17	76	—	—	—	—	—	—	5	11	6
18 Bronchitis	M	28	2	1	—	—	—	—	5	7	13	93	10	1	—	—	1	1	7	11	6
	F	36	3	—	—	—	—	1	4	2	26	93	2	1	—	—	—	1	6	11	7
19 Pneumonia (all forms)	M	19	4	2	—	—	—	2	5	1	5	66	13	4	3	1	1	7	16	9	
	F	19	7	2	1	—	—	1	—	3	5	50	10	3	3	2	1	4	10	9	
20 Other respiratory diseases	M	5	—	—	—	1	—	—	3	1	—	15	2	1	—	—	—	1	4	4	
	F	1	—	—	—	—	—	—	1	—	—	12	—	—	—	1	1	—	—	3	
21 Ulcer of stomach or duodenum	M	6	—	—	—	—	—	1	3	2	—	22	1	—	—	—	—	4	10	5	
	F	2	—	—	—	—	—	1	1	—	—	6	—	—	—	—	1	—	4	—	
22 Diarrhœa, &c.	M	4	3	—	—	—	—	—	—	—	1	12	6	—	—	—	2	1	—	2	
	F	5	4	—	1	—	—	—	—	—	—	11	2	3	—	—	1	2	1	—	
23 Appendicitis and typhlitis	M	2	—	—	1	—	—	—	1	—	—	14	—	—	2	2	3	2	2	2	
	F	4	—	—	1	2	—	—	—	1	—	8	—	—	—	1	—	—	4	2	
24 Cirrhosis of liver	M	5	—	—	—	—	—	—	4	1	—	10	—	—	—	—	—	—	4	4	
	F	—	—	—	—	—	—	—	—	—	—	6	—	—	—	1	—	—	5	—	—
25 Acute and chronic nephritis	M	14	—	—	—	1	—	2	1	8	2	42	—	—	—	—	1	2	12	10	
	F	13	—	—	—	—	1	3	3	2	4	41	—	—	—	—	2	3	16	10	
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	—	2	—	—	—	—	—	2	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	8	—	—	—	—	—	8	—	—	—
28 Congenital debility and malformation, premature birth	M	11	11	—	—	—	—	—	—	—	—	85	84	—	1	—	—	—	—	—	—
	F	13	12	1	—	—	—	—	—	—	—	48	47	—	—	—	1	—	—	—	—
29 Suicide	M	5	—	—	—	1	—	1	3	—	—	21	—	—	—	—	3	2	11	2	
	F	4	—	—	—	—	—	3	1	—	—	12	—	—	—	—	1	3	5	3	—
30 Other deaths from violence	M	8	—	—	—	—	4	2	1	1	—	47	—	—	3	6	7	7	12	5	
	F	13	—	—	2	—	4	—	3	2	2	26	—	1	1	3	2	1	4	3	
31 Other defined diseases	M	59	5	2	—	2	3	3	7	12	25	342	15	2	3	5	7	20	54	69	1
	F	57	7	—	—	—	1	1	6	15	27	329	16	3	2	6	4	22	42	51	1
32 Causes ill-defined or unknown	M	4	—	—	—	—	—	—	2	1	1	22	2	—	—	—	—	1	7	10	
	F	—	—	—	—	—	—	—	—	—	—	7	—	—	—	—	—	1	2	2	

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of NORTHAMPTON—1925 (Civilian population only).

	Causes of Death.	Sex.	Aggregate of Urban Districts.										Aggregate of Rural Districts.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
	All Causes	M	540	61	12	15	14	27	56	130	110	115	757	55	9	16	19	29	52	159	188	230
		F	552	39	11	14	10	39	60	104	88	187	676	42	6	5	16	22	58	150	150	227
1	Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
		F	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	5	1	2	2	—	—	—	—	—	—	2	—	1	—	—	—	—	1	—	—
		F	3	—	1	2	—	—	—	—	—	—	4	—	—	1	2	—	1	—	—	—
4	Scarlet fever	M	1	—	—	1	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
		F	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5	Whooping cough	M	7	4	1	2	—	—	—	—	—	—	6	4	—	2	—	—	—	—	—	—
		F	6	3	1	2	—	—	—	—	—	—	7	4	2	1	—	—	—	—	—	—
6	Diphtheria	M	4	—	—	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	4	—	—	1	2	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
7	Influenza	M	13	—	—	—	1	1	3	1	3	4	22	2	—	1	—	—	3	9	5	2
		F	16	—	—	—	—	2	3	3	4	4	17	1	—	—	1	—	1	4	5	5
8	Encephalitis lethargica	M	1	—	—	—	—	—	—	—	1	—	2	—	—	—	—	1	1	—	—	—
		F	2	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
9	Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10	Tuberculosis of respiratory system	M	49	—	—	1	—	10	20	17	1	—	34	—	—	—	1	8	11	11	3	—
		F	52	—	—	—	3	22	19	7	1	—	39	—	—	—	1	9	19	9	1	—
11	Other tuberculous diseases	M	8	—	2	1	4	—	1	—	—	—	10	—	—	1	1	2	6	—	—	—
		F	9	1	1	—	—	3	1	3	—	—	8	—	—	2	1	3	2	—	—	—
12	Cancer, malignant disease	M	68	—	—	—	—	1	7	26	19	15	83	—	—	—	3	1	2	28	33	16
		F	69	—	—	—	—	1	5	26	17	20	89	—	—	—	—	—	9	35	22	23
13	Rheumatic fever	M	2	—	—	—	—	—	1	1	—	—	4	—	—	1	1	—	1	1	—	—
		F	3	—	—	—	—	1	2	—	—	—	3	—	—	—	1	1	1	—	—	—
14	Diabetes	M	7	—	—	—	—	1	2	1	1	2	8	—	—	1	—	2	—	2	2	1
		F	11	—	—	—	1	2	—	3	1	4	10	—	—	—	—	—	3	1	4	2
15	Cerebral hæmorrhage, &c.	M	31	—	—	—	—	—	1	5	14	11	49	—	—	—	—	—	3	7	19	20
		F	35	—	—	—	—	—	—	7	14	14	60	—	—	—	—	1	1	14	20	24
16	Heart disease	M	69	—	—	—	1	4	3	11	27	23	95	—	—	1	2	1	2	28	30	31
		F	89	—	—	—	—	2	9	14	17	47	104	—	—	—	1	2	2	27	40	32
17	Arterio-sclerosis	M	22	—	—	—	—	—	—	5	7	10	33	—	—	—	—	—	—	4	14	15
		F	23	—	—	—	—	—	—	4	5	14	13	—	—	—	—	—	—	2	2	9
18	Bronchitis	M	24	7	1	—	—	—	—	4		7	40	5	1	1	—	—	1	7	12	13
		F	27	2	—	—	—	1	—	4	7	13	49	2	—	—	1	—	1	6	10	29
19	Pneumonia (all forms)	M	37	11	2	—	—	4	6	6	3	5	46	9	5	1	—	2	5	8	8	8
		F	28	6	6	3	—	1	3	4	1	4	27	5	2	1	—	1	2	5	8	3
20	Other respiratory diseases	M	7	—	—	1	—	—	2	1	—	3	6	—	—	—	1	—	—	1	2	2
		F	7	—	—	1	—	—	—	1	2	3	8	—	—	—	3	1	—	1	1	2
21	Ulcer of stomach or duodenum	M	6	—	—	—	—	—	1	5	—	—	4	—	—	—	—	—	3	—	—	1
		F	2	—	—	—	—	—	—	1	1	—	6	—	—	—	—	—	1	2	2	1
22	Diarrhœa, &c.	M	2	—	—	1	—	—	—	1	—	—	6	3	—	—	—	—	—	—	1	2
		F	4	—	—	1	—	—	—	—	—	3	4	1	1	—	—	—	—	—	1	1
23	Appendicitis and typhlitis	M	4	—	—	1	1	—	—	2	—	—	9	—	—	1	2	—	1	2	1	2
		F	4	—	—	—	2	—	1	1	—	—	6	—	—	—	1	—	—	4	1	—
24	Cirrhosis of liver	M	2	—	—	—	—	—	—	2	—	—	6	—	—	—	—	—	—	4	2	—
		F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
25	Acute and chronic nephritis	M	11	—	—	—	—	1	—	2	8	—	27	—	—	—	1	1	—	9	7	9
		F	14	—	—	—	—	—	2	4	5	3	13	—	—	—	—	1	—	7	4	1
26	Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	—	3	—	—	—	2	—	—	—	—	—	2	—	—	—
27	Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	1	2	—	—	—	3	—	—	—	—	—	3	—	—	—
28	Congenital debility and malformation, premature birth	M	31	29	—	1	—	1	—	—	—	—	26	25	1	—	—	—	—	—	—	—
		F	21	20	—	—	—	1	—	—	—	—	25	25	—	—	—	—	—	—	—	—
29	Suicide	M	7	—	—	—	—	—	1	3	1	2	9	—	—	—	—	—	2	4	1	2
		F	3	—	—	—	—	—	2	—	—	1	5	—	—	—	—	—	2	3	—	—
30	Other deaths from violence	M	17	2	—	—	3	—	3	4	3	2	39	1	—	2	4	8	4	12	6	2
		F	10	—	1	—	1	1	1	1	1	4	12	1	—	—	1	—	—	1	3	6
31	Other defined diseases	M	96	7	4	3	1	4	4	27	15	31	179	6	1	4	2	2	7	17	36	104
		F	100	6	1	2	1	1	7	17	12	53	157	3	1	—	3	2	7	26	26	89
32	Causes ill-defined or unknown	M	9	—	—	—	—	—	1	6	2	—	10	—	—	—	—	1	—	3	6	—
		F	2	—	—	—	—	—	—	2	—	—	3	—	—	—	—	—	—	3	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of NORTHUMBERLAND—1925 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	1913	351	96	80	67	98	218	447	302	254	586	59	12	14	14	24	59	123	141	140
	F	1735	255	104	60	52	98	211	355	301	299	573	43	11	8	13	22	67	136	103	170
1 Enteric fever ..	M	3	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	1	2	1	—	—	—	1	—	—	—	—	—	—	1	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	61	18	23	15	5	—	—	—	—	—	8	—	4	2	2	—	—	—	—	—
	F	40	3	20	14	2	—	1	—	—	—	3	—	1	—	2	—	—	—	—	—
4 Scarlet fever ..	M	1	—	—	—	1	—	—	—	—	—	3	—	—	1	1	—	1	—	—	—
	F	4	—	1	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ..	M	13	6	3	4	—	—	—	—	—	—	6	1	4	—	—	—	—	—	1	—
	F	23	8	10	4	1	—	—	—	—	—	4	2	2	—	—	—	—	—	—	—
6 Diphtheria ..	M	9	—	1	6	2	—	—	—	—	—	2	—	—	1	1	—	—	—	—	—
	F	4	—	1	3	—	—	—	—	—	—	2	—	—	2	—	—	—	—	—	—
7 Influenza	M	41	1	—	—	1	2	6	19	10	2	19	—	—	—	—	1	2	3	8	5
	F	28	1	—	4	3	2	4	8	3	3	19	—	—	1	1	—	1	7	4	5
8 Encephalitis lethargica ..	M	7	—	1	1	2	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	9	—	1	—	2	—	3	3	—	—	1	—	—	—	—	—	1	—	—	—
9 Meningococcal meningitis ..	M	3	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
10 Tuberculosis of respiratory system	M	131	1	1	5	6	27	56	32	3	—	35	—	—	—	1	7	16	9	2	—
	F	124	1	—	1	10	45	48	16	2	1	34	—	—	—	—	7	19	7	—	1
11 Other tuberculous diseases	M	57	8	6	13	7	7	8	7	1	—	9	—	1	—	3	—	—	5	—	—
	F	43	5	11	3	9	4	6	4	—	1	14	2	—	2	3	3	3	—	—	1
12 Cancer, malignant disease	M	155	—	—	—	1	—	8	81	47	18	55	—	—	—	—	—	1	16	24	14
	F	177	—	—	—	—	—	16	97	44	20	67	—	—	—	—	—	6	26	20	15
13 Rheumatic fever ..	M	10	—	—	—	5	2	1	—	2	—	1	—	—	—	—	—	1	—	—	—
	F	2	—	—	—	—	—	2	—	—	—	2	—	—	—	—	1	—	—	—	1
14 Diabetes	M	10	—	—	—	—	1	2	3	3	1	6	—	—	—	—	—	1	1	1	3
	F	17	—	—	—	—	—	4	10	2	1	6	—	—	—	—	—	—	4	2	—
15 Cerebral hæmorrhage, &c. ..	M	117	—	—	—	—	—	9	31	44	33	32	—	—	—	—	—	1	8	16	7
	F	126	—	—	—	—	—	7	32	41	46	44	—	—	—	—	—	—	13	11	20
16 Heart disease ..	M	150	—	—	—	1	4	13	54	50	28	88	—	—	—	—	1	5	22	33	27
	F	202	—	—	1	1	6	19	58	80	37	94	—	—	—	—	1	6	26	31	30
17 Arterio-sclerosis ..	M	71	—	—	—	—	—	—	12	26	33	27	—	—	—	—	—	—	3	10	14
	F	34	—	—	—	—	—	—	6	8	20	22	—	—	—	—	—	—	1	11	10
18 Bronchitis ..	M	67	17	4	—	—	—	2	11	17	16	29	8	—	—	1	—	—	3	11	6
	F	86	21	8	3	1	1	3	9	12	28	34	5	1	—	—	1	—	4	3	20
19 Pneumonia (all forms)	M	192	49	34	14	8	11	20	29	15	12	30	6	1	3	—	2	3	6	2	7
	F	141	27	36	9	4	3	18	11	21	12	28	—	5	1	—	1	6	4	5	6
20 Other respiratory diseases	M	18	2	1	—	—	—	1	8	3	3	12	—	—	—	1	—	—	9	1	1
	F	16	1	—	—	—	—	1	5	3	6	9	—	—	—	1	—	—	3	1	4
21 Ulcer of stomach or duodenum ..	M	19	—	—	—	—	—	8	9	2	—	5	—	—	—	—	1	—	2	2	—
	F	13	—	—	—	—	—	3	6	4	—	4	—	—	—	—	1	1	1	1	—
22 Diarrhœa, &c. ..	M	57	40	9	2	2	1	—	2	—	1	6	3	—	—	—	—	—	1	—	2
	F	43	28	4	4	1	—	3	1	1	1	4	2	1	—	—	—	—	—	1	—
23 Appendicitis and typhlitis.. ..	M	12	—	1	1	3	—	3	3	1	—	3	—	—	1	—	2	—	—	—	—
	F	10	—	—	1	2	3	2	1	—	1	7	—	—	—	1	1	3	2	—	—
24 Cirrhosis of liver ..	M	6	1	—	—	—	—	1	2	1	1	3	—	—	—	—	—	1	1	1	—
	F	3	—	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis ..	M	61	—	1	1	—	3	7	21	18	10	9	—	—	—	—	—	2	4	1	2
	F	71	1	2	1	1	4	6	25	15	16	13	—	—	—	—	1	4	5	2	1
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	7	—	—	—	—	2	5	—	—	—	2	—	—	—	—	1	1	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	29	—	—	—	—	8	21	—	—	—	1	—	—	—	—	—	1	—	—	—
28 Congenital debility and malformation, premature birth.. ..	M	142	139	2	1	—	—	—	—	—	—	34	33	—	—	—	—	1	—	—	—
	F	106	106	—	—	—	—	—	—	—	—	20	20	—	—	—	—	—	—	—	—
29 Suicide	M	27	—	—	—	—	3	6	14	3	1	5	—	—	—	—	—	5	—	—	—
	F	4	—	—	—	—	—	4	—	—	—	—	—	—	—	—	—	—	—	—	—
30 Other deaths from violence.. ..	M	97	—	1	9	5	23	26	24	5	4	35	1	1	3	1	7	10	7	3	2
	F	31	1	1	2	3	1	5	7	4	7	10	—	1	1	2	2	—	3	—	1
31 Other defined diseases	M	347	69	6	6	17	11	34	69	44	91	123	7	1	3	3	3	9	23	24	50
	F	323	52	8	6	10	16	28	47	57	99	120	11	—	1	2	1	14	25	11	55
32 Causes ill-defined or unknown ..	M	29	—	1	1	—	1	4	15	7	—	1	—	—	—	—	—	—	—	1	—
	F	14	—	1	2	—	—	1	7	3	—	7	1	—	—	—	1	1	4	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of NOTTINGHAM—1925 (Civilian population only).

	Causes of Death.	Sex.	Aggregate of Urban Districts.										Aggregate of Rural Districts.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
	All Causes	M	1484	242	50	32	37	68	165	377	272	241	901	107	21	14	20	35	78	186	201	239
		F	1313	164	52	36	52	61	150	304	230	264	850	98	14	14	21	34	83	183	167	236
1	Enteric fever	M	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	1	—	—
		F	2	—	—	—	1	—	—	1	—	—	1	—	—	—	—	1	—	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	12	4	5	2	1	—	—	—	—	—	6	1	2	1	2	—	—	—	—	—
		F	17	3	5	8	1	—	—	—	—	—	7	1	1	2	2	1	—	—	—	—
4	Scarlet fever	M	2	—	—	1	1	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
		F	3	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5	Whooping cough	M	8	6	1	1	—	—	—	—	—	—	3	2	—	1	—	—	—	—	—	—
		F	17	10	5	2	—	—	—	—	—	—	5	4	1	—	—	—	—	—	—	—
6	Diphtheria	M	6	—	1	—	4	—	—	—	1	—	2	—	1	1	—	—	—	—	—	—
		F	6	—	—	2	3	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
7	Influenza	M	36	—	—	—	—	1	6	21	4	4	47	1	1	—	—	—	7	13	13	12
		F	36	1	—	2	—	2	8	9	8	6	34	1	—	2	1	3	1	8	8	10
8	Encephalitis lethargica	M	6	—	—	1	1	—	2	2	—	—	3	—	—	—	—	—	3	—	—	—
		F	1	—	—	—	—	—	—	1	—	—	5	—	—	—	—	1	3	1	—	—
9	Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
10	Tuberculosis of respiratory system	M	75	—	—	—	—	14	35	22	4	—	36	—	1	1	1	5	15	12	—	1
		F	75	—	—	1	5	26	29	11	2	1	43	1	—	1	—	14	16	11	—	—
11	Other tuberculous diseases	M	23	4	1	5	3	7	2	1	—	—	11	1	3	2	3	—	—	2	—	—
		F	25	2	4	2	6	5	4	—	2	—	9	2	2	—	1	1	2	1	—	—
12	Cancer, malignant disease	M	131	—	1	—	—	2	11	55	42	20	101	1	—	—	—	—	4	38	36	22
		F	149	—	—	—	—	2	18	81	33	15	104	—	—	—	1	—	12	36	38	17
13	Rheumatic fever	M	5	—	—	—	—	4	—	—	1	—	1	—	—	—	—	—	—	1	—	—
		F	5	—	—	—	1	1	—	2	1	—	2	—	—	—	—	1	—	1	—	—
14	Diabetes	M	11	—	—	—	—	1	—	5	2	3	7	—	—	—	—	—	2	1	3	1
		F	13	—	—	—	—	—	1	5	5	2	10	—	—	—	—	1	3	—	5	1
15	Cerebral hæmorrhage, &c.	M	100	—	—	—	—	—	3	35	36	26	60	—	—	—	—	—	2	7	20	31
		F	89	—	—	—	—	—	1	28	33	27	65	—	—	—	—	—	2	12	21	30
16	Heart disease	M	154	—	—	—	1	5	11	66	41	30	95	—	—	—	2	2	6	18	42	25
		F	160	—	—	—	4	3	12	65	42	34	108	—	—	—	2	1	2	37	28	38
17	Arterio-sclerosis	M	47	—	—	—	—	—	—	5	24	18	28	—	—	—	—	—	—	4	12	12
		F	29	—	—	—	—	—	—	1	11	17	20	—	—	—	—	—	—	5	6	9
18	Bronchitis	M	128	15	2	1	—	—	3	19	44	44	62	7	1	—	—	—	4	5	16	29
		F	103	9	6	1	2	—	—	15	27	43	66	2	—	—	1	—	—	7	18	38
19	Pneumonia (all forms)	M	163	48	18	12	4	5	23	31	15	7	82	19	8	4	3	4	8	18	10	8
		F	120	35	16	5	10	4	12	16	14	8	67	13	8	5	3	1	9	13	7	8
20	Other respiratory diseases	M	18	—	1	—	—	—	2	7	5	3	9	—	1	—	—	—	—	3	3	2
		F	9	—	—	—	—	—	1	2	2	4	6	—	—	—	1	—	—	1	1	3
21	Ulcer of stomach or duodenum	M	17	—	—	—	—	—	9	8	—	—	8	—	—	—	—	2	1	3	2	—
		F	2	—	—	—	—	—	1	1	—	—	3	—	—	—	—	—	1	1	1	—
22	Diarrhœa, &c.	M	26	16	10	—	—	—	—	—	—	—	7	5	—	—	—	—	—	—	1	1
		F	22	9	4	2	—	1	3	2	—	1	15	8	1	—	2	—	—	1	1	2
23	Appendicitis and typhlitis	M	5	—	—	—	2	—	—	2	1	—	8	—	—	—	2	1	—	5	—	—
		F	7	—	—	—	3	—	1	1	1	1	2	—	—	—	—	—	1	—	1	—
24	Cirrhosis of liver	M	9	—	—	—	—	—	—	3	5	1	1	—	—	—	—	—	—	1	—	—
		F	7	—	—	—	—	—	1	4	1	1	1	—	—	—	—	—	—	1	—	—
25	Acute and chronic nephritis	M	26	1	1	—	1	—	4	12	5	2	25	1	—	1	1	1	4	8	4	5
		F	33	—	1	—	3	2	7	12	6	2	18	—	—	—	—	—	3	8	7	—
26	Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	5	—	—	—	—	—	5	—	—	—	4	—	—	—	—	1	3	—	—	—
27	Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	12	—	—	—	—	4	8	—	—	—	9	—	—	—	—	—	9	—	—	—
28	Congenital debility and malformation, premature birth	M	107	105	—	—	1	—	1	—	—	—	52	52	—	—	—	—	—	—	—	—
		F	68	67	—	1	—	—	—	—	—	—	49	49	—	—	—	—	—	—	—	—
29	Suicide	M	16	—	—	—	—	1	1	11	3	—	7	—	—	—	—	2	2	2	1	—
		F	3	—	—	—	—	—	2	1	—	—	3	—	—	—	—	—	—	2	—	1
30	Other deaths from violence	M	83	2	2	4	9	17	22	19	3	5	46	—	—	2	3	10	12	14	4	1
		F	25	—	3	5	4	—	4	3	2	4	17	2	—	—	3	2	1	2	3	4
31	Other defined diseases	M	253	40	7	4	9	11	27	44	34	77	184	17	1	1	3	8	6	25	34	89
		F	258	28	6	4	8	11	30	37	37	97	166	14	1	4	4	6	11	33	20	73
32	Causes ill-defined or unknown	M	16	1	—	1	—	—	2	9	2	1	8	—	1	—	—	—	2	5	—	—
		F	12	—	1	—	—	—	2	5	3	1	10	1	—	—	—	—	3	2	2	2

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of OXFORD—1925 (Civilian population only).

	Causes of Death.	Sex.	Aggregate of Urban Districts.										Aggregate of Rural Districts.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
	All Causes	M	223	22	3	4	8	7	20	54	47	58	643	49	8	2	10	18	51	127	163	215
		F	243	13	2	5	9	8	24	52	53	77	625	24	5	12	9	12	47	112	146	258
1	Enteric fever	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	2	—	2	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
4	Scarlet fever	M	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
5	Whooping cough	M	3	2	1	—	—	—	—	—	—	—	8	5	1	1	1	—	—	—	—	—
		F	2	1	—	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
6	Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7	Influenza	M	9	2	—	—	—	—	—	2	1	4	30	1	1	—	1	2	1	7	9	8
		F	6	—	—	—	—	—	—	1	—	5	27	—	—	—	2	1	2	3	9	10
8	Encephalitis lethargica	M	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	1	—	—	—	—
		F	1	—	—	—	1	—	—	—	—	—	2	—	—	—	—	1	—	1	—	—
9	Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10	Tuberculosis of respiratory system	M	11	—	—	—	—	3	4	4	—	—	29	—	—	—	—	3	17	8	1	—
		F	11	—	—	—	—	4	4	3	—	—	21	—	—	—	1	4	11	4	1	—
11	Other tuberculous diseases	M	4	—	—	2	1	—	—	—	1	—	8	—	—	—	3	2	3	—	—	—
		F	2	—	—	1	—	—	1	—	—	—	10	—	—	2	1	1	4	1	1	—
12	Cancer, malignant disease	M	26	—	—	—	—	—	3	9	10	4	87	—	—	—	—	1	2	26	33	25
		F	35	—	—	—	—	—	—	11	15	9	94	—	—	—	—	—	4	36	26	28
13	Rheumatic fever	M	2	—	—	—	1	—	—	1	—	—	1	—	—	—	—	1	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
14	Diabetes	M	1	—	—	—	—	—	—	—	1	—	3	—	—	—	—	1	—	1	1	—
		F	3	—	—	—	1	—	—	—	2	—	6	—	—	—	—	—	—	1	3	2
15	Cerebral hæmorrhage, &c.	M	23	—	—	—	—	—	—	4	8	11	52	—	—	—	—	—	1	8	15	28
		F	21	—	—	—	—	—	1	6	4	10	58	—	—	—	—	—	1	13	15	29
16	Heart disease	M	20	—	—	—	2	—	3	6	6	3	95	—	—	—	—	1	2	20	33	39
		F	35	—	—	—	2	2	4	11	8	8	94	—	—	—	1	1	2	22	29	39
17	Arterio-sclerosis	M	6	—	—	—	—	—	—	1	1	4	27	—	—	—	—	—	—	3	12	12
		F	4	—	—	—	—	—	—	1	2	1	20	—	—	—	—	—	—	1	5	14
18	Bronchitis	M	15	2	—	—	—	—	1	1	4	7	26	5	—	—	—	—	—	3	10	8
		F	16	3	—	—	—	1	—	2	4	6	58	2	—	2	—	—	1	4	13	36
19	Pneumonia (all forms)	M	9	1	—	—	1	—	2	2	1	2	25	4	1	—	—	—	1	6	6	7
		F	15	1	1	1	1	1	5	—	3	2	23	3	3	1	—	—	2	3	5	6
20	Other respiratory diseases	M	5	—	—	—	—	—	—	1	2	2	8	—	—	—	—	—	2	2	3	1
		F	4	—	—	—	—	—	—	1	1	2	7	1	—	—	—	—	1	—	2	3
21	Ulcer of stomach or duodenum	M	1	—	—	—	—	—	1	—	—	—	4	—	—	—	1	—	1	1	1	—
		F	1	—	—	—	—	—	—	1	—	—	3	—	—	—	—	—	1	2	—	—
22	Diarrhœa, &c.	M	2	2	—	—	—	—	—	—	—	—	10	3	1	—	—	—	—	1	1	4
		F	1	1	—	—	—	—	—	—	—	—	9	3	—	1	—	—	1	2	—	2
23	Appendicitis and typhlitis	M	1	—	—	—	1	—	—	—	—	—	4	—	—	—	—	2	—	1	—	1
		F	1	—	—	—	—	—	1	—	—	—	6	—	—	1	—	1	2	1	1	—
24	Cirrhosis of liver	M	1	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—	—	2	—	—
		F	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	1	—
25	Acute and chronic nephritis	M	6	—	—	—	—	—	1	3	2	—	16	—	—	—	—	—	2	6	4	4
		F	8	—	—	—	—	—	—	5	2	1	13	—	—	—	—	1	—	3	5	4
26	Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	1	3	—	—	—
27	Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	—	3	—	—	—	1	—	—	—	—	—	1	—	—	—
28	Congenital debility and malformation, premature birth	M	12	12	—	—	—	—	—	—	—	—	20	19	—	—	1	—	—	—	—	—
		F	5	5	—	—	—	—	—	—	—	—	9	9	—	—	—	—	—	—	—	—
29	Suicide	M	2	—	—	—	—	—	1	1	—	—	7	—	—	—	—	—	3	3	—	1
		F	2	—	—	—	—	—	—	—	1	1	3	—	—	—	—	—	1	1	1	—
30	Other deaths from violence	M	11	—	—	—	1	3	2	2	—	3	20	—	—	—	2	1	6	4	4	3
		F	3	—	—	—	1	—	—	—	1	1	4	—	—	—	1	—	—	—	3	—
31	Other defined diseases	M	46	1	—	1	1	1	2	13	9	18	151	12	3	—	1	2	10	22	27	74
		F	60	2	1	2	3	—	4	9	8	31	146	6	2	3	1	1	10	13	25	85
32	Causes ill-defined or unknown	M	3	—	—	—	—	—	—	2	1	—	7	—	1	—	—	1	—	3	2	—
		F	2	—	—	—	—	—	1	—	1	—	3	—	—	—	1	—	—	1	1	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of PETERBOROUGH, SOKE of—1925 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	188	18	5	4	5	5	20	53	50	28	65	9	1	—	1	1	9	14	11	19
	F	208	17	4	5	2	13	17	43	39	68	72	5	—	2	3	2		11	17	24
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
5 Whooping cough	M	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6 Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7 Influenza	M	8	—	—	—	2	—	1	4	1	—	3	—	—	—	—	—	1	1	—	1
	F	7	—	—	—	—	—	1	2	2	2	2	—	—	1	—	—	—	—	1	—
8 Encephalitis lethargica	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	2	1	—	—	1	—	—	—	—	—	1	—	—	—
9 Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	13	—	—	—	1	3	5	4	—	—	3	—	—	—	—	—	2	1	—	—
	F	12	—	—	—	—	6	5	1	—	—	2	—	—	—	—	2	—	—	—	—
11 Other tuberculous diseases	M	2	2	—	—	—	—	—	—	—	—	2	1	—	—	1	—	—	—	—	—
	F	3	—	—	—	—	1	2	—	—	—	2	—	—	1	1	—	—	—	—	—
12 Cancer, malignant disease	M	15	—	—	—	—	—	—	9	6	—	10	—	—	—	—	—	—	4	5	1
	F	19	—	—	—	—	1	2	7	4	5	5	—	—	—	—	—	—	—	1	4
13 Rheumatic fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
14 Diabetes	M	2	—	—	—	—	—	—	1	—	1	2	—	—	—	—	—	—	1	—	1
	F	4	—	—	—	—	—	—	1	2	1	1	—	—	—	—	—	—	—	1	—
15 Cerebral hæmorrhage, &c.	M	12	—	—	—	—	—	—	4	6	2	5	—	—	—	—	—	1	—	2	2
	F	15	—	—	—	—	—	1	2	7	5	3	—	—	—	—	—	—	1	—	2
16 Heart disease	M	34	—	—	—	—	—	6	9	11	8	5	—	—	—	—	—	1	1	1	2
	F	33	—	—	—	—	—	1	11	8	12	17	—	—	—	—	—	2	3	5	7
17 Arterio-sclerosis	M	14	—	—	—	—	—	—	3	5	6	2	—	—	—	—	—	—	1	—	1
	F	6	—	—	—	—	—	—	—	—	6	4	—	—	—	—	—	—	—	2	2
18 Bronchitis	M	13	1	—	1	—	—	1	3	3	4	7	2	1	—	—	—	—	—	1	3
	F	17	3	—	—	—	—	—	3	2	9	7	—	—	—	—	—	1	—	2	4
19 Pneumonia (all forms)	M	8	2	2	—	—	—	—	2	2	—	4	2	—	—	—	—	—	2	—	—
	F	6	3	1	—	—	—	—	—	—	2	3	—	—	—	—	—	—	2	1	—
20 Other respiratory diseases	M	5	—	—	—	—	1	1	2	1	—	1	—	—	—	—	—	—	1	—	—
	F	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—
21 Ulcer of stomach or duodenum	M	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	2	1	—	—
	F	2	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
22 Diarrhœa, &c.	M	1	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1
	F	4	2	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
23 Appendicitis and typhlitis	M	4	—	—	—	1	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
24 Cirrhosis of liver	M	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	1	—
	F	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	1	—	—
25 Acute and chronic nephritis	M	6	—	—	—	—	—	1	2	3	—	—	—	—	—	—	—	—	—	—	—
	F	15	—	—	—	1	—	1	6	4	3	2	—	—	—	—	—	1	—	—	1
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
28 Congenital debility and malformation, premature birth	M	11	11	—	—	—	—	—	—	—	—	3	3	—	—	—	—	—	—	—	—
	F	8	8	—	—	—	—	—	—	—	—	4	4	—	—	—	—	—	—	—	—
29 Suicide	M	4	—	—	—	—	1	—	2	1	—	1	—	—	—	—	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30 Other deaths from violence	M	4	—	—	—	1	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—
	F	6	—	—	3	1	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—
31 Other defined diseases	M	28	2	1	2	—	—	2	5	9	7	12	1	—	—	—	1	1	1	1	7
	F	37	—	1	1	—	1	—	4	9	21	14	1	—	—	1	—	1	3	4	4
32 Causes ill-defined or unknown	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of RUTLAND—1925 (Civilian population only).

	Causes of Death.	Sex.	Aggregate of Urban Districts.										Aggregate of Rural Districts.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
	All Causes	M	27	3	2	1	—	—	3	8	7	3	107	13	2	4	—	2	7	25	17	37
		F	21	2	—	1	—	—	2	3	5	8	102	5	1	—	1	3	10	21	21	40
1	Enteric fever	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4	Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5	Whooping cough	M	—	—	—	—	—	—	—	—	—	—	3	2	1	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	2	1	—	—	1	—	—	—	—	—
6	Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7	Influenza	M	2	—	—	—	—	—	—	2	—	—	2	—	—	—	—	—	1	—	1	—
		F	1	—	—	—	—	—	1	—	—	—	3	—	—	—	—	—	—	1	—	2
8	Encephalitis lethargica	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9	Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10	Tuberculosis of respiratory system	M	1	—	—	—	—	—	1	—	—	—	3	—	—	—	—	1	1	1	—	—
		F	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	3	1	—	—
11	Other tuberculous diseases	M	—	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—	—	1	—	—
		F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
12	Cancer, malignant disease	M	4	—	—	—	—	—	1	1	2	—	16	—	—	—	—	—	1	4	3	8
		F	4	—	—	—	—	—	—	3	—	1	10	—	—	—	—	—	1	5	2	2
13	Rheumatic fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
14	Diabetes	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
15	Cerebral hæmorrhage, &c.	M	1	—	—	—	—	—	—	—	—	1	5	—	—	—	—	—	—	—	2	3
		F	1	—	—	—	—	—	—	—	—	1	15	—	—	—	—	—	—	5	6	4
16	Heart disease	M	1	—	—	—	—	—	—	1	—	—	9	—	—	—	—	—	—	6	2	1
		F	—	—	—	—	—	—	—	—	—	—	12	—	—	—	—	—	1	2	7	2
17	Arterio-sclerosis	M	—	—	—	—	—	—	—	—	—	—	11	—	—	—	—	—	—	1	3	7
		F	1	—	—	—	—	—	—	—	1	—	5	—	—	—	—	—	—	—	—	5
18	Bronchitis	M	1	—	—	—	—	—	—	—	—	1	10	1	—	—	—	—	—	1	2	6
		F	3	—	—	—	—	—	—	—	1	2	8	—	—	—	—	—	—	1	3	4
19	Pneumonia (all forms)	M	7	1	1	—	—	—	—	2	3	—	7	2	—	1	—	—	1	2	—	1
		F	1	—	—	—	—	—	—	—	1	—	5	—	1	—	—	—	—	1	2	1
20	Other respiratory diseases	M	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
21	Ulcer of stomach or duodenum	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
22	Diarrhœa, &c.	M	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
23	Appendicitis and typhlitis	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
24	Cirrhosis of liver	M	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25	Acute and chronic nephritis	M	1	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—
		F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1
26	Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
27	Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
28	Congenital debility and malformation, premature birth	M	1	1	—	—	—	—	—	—	—	—	5	5	—	—	—	—	—	—	—	—
		F	2	2	—	—	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—	—
29	Suicide	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	1	—	—
30	Other deaths from violence	M	2	—	—	—	—	—	1	—	1	—	5	1	—	2	—	1	—	1	—	—
		F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
31	Other defined diseases	M	4	1	1	—	—	—	—	1	—	1	21	—	1	1	—	—	1	5	2	11
		F	7	—	—	1	—	—	1	—	1	4	28	2	—	—	—	1	2	3	1	19
32	Causes ill-defined or unknown	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	1	1	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of SALOP—1925 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES	M	690	68	13	17	18	17	71	177	142	167	809	84	10	17	18	31	63	160	179	247
	F	742	62	14	13	25	26	61	142	180	219	683	57	15	8	14	21	49	151	134	234
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	6	—	2	3	1	—	—	—	—	—	3	—	—	3	—	—	—	—	—	—
	F	4	1	—	2	1	—	—	—	—	—	6	—	1	1	3	—	1	—	—	—
4 Scarlet fever	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	1	2	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
5 Whooping cough	M	6	4	—	2	—	—	—	—	—	—	6	—	3	3	—	—	—	—	—	—
	F	6	3	2	—	1	—	—	—	—	—	8	3	3	1	1	—	—	—	—	—
6 Diphtheria	M	3	—	1	1	1	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	6	—	1	2	2	—	—	1	—	—
7 Influenza	M	20	2	1	2	1	—	1	8	3	2	27	1	—	—	2	2	4	4	4	10
	F	23	1	1	1	1	1	4	3	5	6	16	1	1	—	—	—	—	4	6	4
8 Encephalitis lethargica	M	4	—	—	—	1	—	2	1	—	—	3	—	—	—	—	1	—	—	1	1
	F	3	—	1	—	—	—	—	1	1	—	3	—	—	—	—	1	1	—	1	—
9 Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	37	—	—	—	2	5	16	12	2	—	30	—	—	—	—	4	14	11	1	—
	F	39	—	—	—	1	10	21	6	1	—	32	—	—	—	1	7	14	9	1	—
11 Other tuberculous diseases	M	8	—	1	2	1	1	2	1	—	—	9	1	—	5	—	—	2	1	—	—
	F	12	1	1	2	4	2	1	1	—	—	7	1	—	—	—	1	4	1	—	—
12 Cancer, malignant disease	M	84	—	—	1	—	—	—	49	22	12	83	—	—	—	—	—	4	27	37	15
	F	90	—	—	—	—	—	8	44	21	17	97	—	—	—	1	—	2	46	27	21
13 Rheumatic fever	M	2	—	—	—	—	—	2	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
14 Diabetes	M	5	—	—	—	—	—	1	1	2	1	6	—	—	—	—	—	—	4	—	2
	F	6	—	—	—	—	—	1	2	3	—	8	—	—	1	—	—	1	4	1	1
15 Cerebral hæmorrhage, &c.	M	40	—	—	—	—	—	—	5	16	19	52	—	—	—	—	—	—	11	13	28
	F	72	—	—	—	—	—	1	9	29	33	67	—	—	—	—	—	2	14	20	31
16 Heart disease	M	105	—	—	—	—	2	5	28	32	38	111	—	—	—	—	—	3	28	37	43
	F	137	—	—	—	3	4	2	28	57	43	111	—	—	—	—	—	3	24	32	52
17 Arterio-sclerosis	M	24	—	—	—	—	—	—	2	5	17	27	—	—	—	—	—	—	2	13	12
	F	20	—	—	—	—	—	—	1	5	14	13	—	—	—	—	—	—	1	5	7
18 Bronchitis	M	48	4	—	—	—	—	—	4	17	23	49	3	—	—	—	—	1	6	8	31
	F	50	5	1	1	—	1	—	5	9	28	43	4	1	—	—	—	2	4	5	27
19 Pneumonia (all forms)	M	57	14	3	4	2	1	9	13	6	5	48	6	3	2	2	2	5	10	8	10
	F	39	9	5	3	4	2	2	4	5	5	38	9	6	—	1	1	5	4	8	4
20 Other respiratory diseases	M	11	—	—	—	—	—	2	2	2	5	8	1	—	—	—	2	—	1	2	2
	F	8	—	—	—	1	—	1	2	2	2	6	1	—	—	—	—	—	—	1	4
21 Ulcer of stomach or duodenum	M	3	—	—	—	—	1	—	2	—	—	11	—	—	—	—	1	2	4	3	1
	F	1	—	—	—	—	—	—	1	—	—	3	—	—	—	—	1	—	1	1	—
22 Diarrhœa, &c.	M	6	5	—	—	—	—	—	—	—	1	9	4	—	—	—	—	—	—	1	4
	F	5	3	—	—	1	—	—	—	1	—	4	2	—	—	—	—	—	—	1	1
23 Appendicitis and typhlitis	M	6	—	—	1	1	—	2	1	1	—	8	—	—	—	3	1	3	1	—	—
	F	6	—	—	1	—	2	1	2	—	—	1	—	—	—	—	—	—	1	—	—
24 Cirrhosis of liver	M	5	—	—	—	—	—	—	5	—	—	5	—	—	—	—	—	—	4	—	1
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis	M	18	—	—	—	—	—	5	4	8	1	22	—	—	—	—	2	1	3	11	5
	F	21	—	—	—	—	—	2	5	7	7	19	—	—	1	—	2	2	4	6	4
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	3	—	—	—	3	—	—	—	—	1	2	—	—	—
28 Congenital debility and malformation, premature birth	M	30	29	1	—	—	—	—	—	—	—	50	50	—	—	—	—	—	—	—	—
	F	21	21	—	—	—	—	—	—	—	—	27	27	—	—	—	—	—	—	—	—
29 Suicide	M	4	—	—	—	—	—	2	2	—	—	12	—	—	—	—	2	1	4	1	4
	F	4	—	—	—	—	1	1	2	—	—	3	—	—	—	—	1	1	—	—	1
30 Other deaths from violence	M	36	1	—	1	4	6	10	6	5	3	41	2	—	1	8	7	6	9	2	6
	F	11	1	1	1	1	—	1	1	1	4	13	1	—	1	2	3	—	2	2	2
31 Other defined diseases	M	113	9	3	—	3	1	11	27	19	40	177	15	3	2	2	6	15	26	36	72
	F	145	17	2	1	4	1	9	21	30	60	142	7	2	1	2	2	8	29	16	75
32 Causes ill-defined or unknown	M	8	—	1	—	—	—	1	4	2	—	9	1	—	—	1	1	1	4	1	—
	F	6	—	—	—	—	1	—	2	3	—	5	1	—	—	—	—	1	2	1	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of SOMERSET—1925 (Civilian population only).

	Causes of Death.	Sex.	Aggregate of Urban Districts.										Aggregate of Rural Districts.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
	All Causes	M	911	77	15	13	18	37	68	237	216	230	1340	101	19	26	32	47	118	325	307	365
		F	1134	56	11	16	20	51	99	226	237	418	1462	82	15	19	28	50	123	287	298	560
1	Enteric fever	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	4	—	—	3	1	—	—	—	—	—	5	—	2	2	1	—	—	—	—	—
		F	5	1	1	2	1	—	—	—	—	—	5	—	3	2	—	—	—	—	—	—
4	Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5	Whooping cough	M	6	4	1	—	1	—	—	—	—	—	9	4	2	2	1	—	—	—	—	—
		F	11	5	4	2	—	—	—	—	—	—	10	5	2	2	—	—	1	—	—	—
6	Diphtheria	M	3	—	—	2	1	—	—	—	—	—	5	—	1	2	2	—	—	—	—	—
		F	5	—	—	1	3	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—
7	Influenza	M	31	3	—	—	—	3	4	7	8	6	59	3	1	1	2	3	4	18	16	11
		F	48	4	—	—	2	—	6	8	11	17	48	3	1	1	—	1	2	12	7	21
8	Encephalitis lethargica	M	5	—	1	—	—	2	—	1	1	—	6	—	—	—	2	—	2	2	—	—
		F	5	—	—	2	2	1	—	—	—	—	8	—	—	1	1	1	2	2	1	—
9	Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10	Tuberculosis of respiratory system	M	52	—	—	2	1	13	18	16	2	—	62	—	—	—	1	14	25	19	2	1
		F	69	—	—	—	—	28	29	10	2	—	79	—	—	—	4	24	34	15	2	—
11	Other tuberculous diseases	M	12	3	1	1	1	1	3	2	—	—	11	1	2	—	—	1	4	2	—	1
		F	11	—	—	1	2	4	3	1	—	—	16	—	1	2	2	2	8	1	—	—
12	Cancer, malignant disease	M	117	—	—	1	1	—	2	47	45	21	148	—	—	—	—	—	12	55	49	32
		F	160	—	—	—	—	—	13	63	42	42	174	—	1	—	—	—	13	78	43	39
13	Rheumatic fever	M	2	—	—	—	—	—	1	1	—	—	2	—	—	—	—	2	—	—	—	—
		F	2	—	—	—	2	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
14	Diabetes	M	7	—	—	—	—	—	—	3	2	2	13	—	—	—	—	—	2	5	2	4
		F	18	—	—	—	—	1	3	7	4	3	18	—	—	—	—	1	2	3	7	5
15	Cerebral hæmorrhage, &c.	M	54	—	—	—	—	—	2	9	16	27	89	—	—	—	—	—	1	23	36	29
		F	101	—	—	—	—	—	3	20	29	49	143	—	—	—	1	—	1	34	37	70
16	Heart disease	M	137	—	—	—	—	2	5	47	42	41	196	—	—	—	1	1	6	59	64	65
		F	179	—	—	—	2	1	9	38	60	69	231	—	—	—	—	3	7	48	78	95
17	Arterio-sclerosis	M	38	—	—	—	—	—	—	9	12	17	58	—	—	—	—	—	—	7	19	32
		F	27	—	—	—	—	—	—	—	8	19	35	—	—	—	—	—	—	3	10	22
18	Bronchitis	M	61	5	2	—	—	1	3	11	17	22	88	5	—	2	1	—	2	16	14	48
		F	83	3	—	—	—	1	—	6	21	52	101	6	2	—	—	—	2	8	18	65
19	Pneumonia (all forms)	M	42	6	6	—	1	2	6	9	6	6	63	12	3	6	4	4	8	14	8	4
		F	52	9	5	3	3	1	5	9	10	7	70	10	4	2	5	2	8	13	10	16
20	Other respiratory diseases	M	16	—	1	—	—	2	—	5	3	5	15	1	1	1	—	—	1	4	4	3
		F	20	—	1	—	—	—	1	4	7	7	20	—	—	—	—	1	—	1	4	14
21	Ulcer of stomach or duodenum	M	7	—	—	—	—	—	1	5	1	—	19	—	—	—	—	—	2	10	6	1
		F	7	—	—	—	—	—	2	1	3	1	6	—	—	—	—	1	—	3	1	1
22	Diarrhœa, &c.	M	7	6	1	—	—	—	—	—	—	—	11	7	1	—	—	—	—	1	—	2
		F	7	2	—	—	—	1	1	1	1	1	7	2	—	—	—	—	1	1	2	1
23	Appendicitis and typhlitis	M	6	—	—	—	—	1	1	3	1	—	11	—	—	2	2	2	3	2	—	—
		F	7	—	—	—	1	1	2	3	—	—	3	—	—	—	1	1	1	—	—	—
24	Cirrhosis of liver	M	4	—	—	—	—	—	—	4	—	—	11	—	—	—	—	1	—	7	1	2
		F	2	—	—	—	—	—	1	1	—	—	6	—	—	—	—	—	1	—	3	2
25	Acute and chronic nephritis	M	25	1	—	—	1	—	3	8	7	5	42	—	—	—	—	2	4	13	15	8
		F	32	—	—	—	—	—	2	13	8	9	45	—	—	—	—	—	4	11	18	12
26	Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	5	—	—	—	—	1	4	—	—	—	5	—	—	—	—	2	3	—	—	—
27	Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	5	—	—	—	—	3	2	—	—	—	11	—	—	—	—	2	9	—	—	—
28	Congenital debility and malformation, premature birth	M	38	38	—	—	—	—	—	—	—	—	51	51	—	—	—	—	—	—	—	—
		F	24	23	—	—	—	1	—	—	—	—	46	44	—	1	1	—	—	—	—	—
29	Suicide	M	5	—	—	—	—	1	2	2	—	—	16	—	—	—	—	—	7	4	3	2
		F	6	—	—	—	—	1	2	2	1	—	7	—	—	—	—	—	3	4	—	—
30	Other deaths from violence	M	32	2	1	2	3	1	6	11	2	4	67	2	3	5	7	9	15	15	6	5
		F	17	4	—	—	—	1	1	5	1	5	36	—	—	2	4	3	5	6	3	13
31	Other defined diseases	M	198	9	1	2	6	8	11	37	50	74	281	15	3	3	7	8	20	48	62	115
		F	223	5	—	4	2	4	10	34	28	136	324	12	—	6	7	5	16	42	52	184
32	Causes ill-defined or unknown	M	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	1	—	—
		F	3	—	—	1	—	—	—	—	1	1	5	—	1	—	—	—	—	2	2	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of SOUTHAMPTON—1925 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts.										Aggregate of Rural Districts.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	931	105	23	25	26	34	99	236	187	196	1302	118	21	23	29	44	120	341	272	334
	F	1002	83	20	22	23	37	114	215	176	312	1274	96	16	18	31	44	117	266	282	404
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	1	—	2	—	—
	F	1	—	—	—	—	—	1	—	—	—	2	—	—	—	1	1	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	9	2	1	3	3	—	—	—	—	—	3	—	—	3	—	—	—	—	—	—
	F	5	2	1	1	1	—	—	—	—	—	5	2	1	2	—	—	—	—	—	—
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	3	—	—	1	2	—	—	—	—	—
5 Whooping cough	M	13	7	3	2	1	—	—	—	—	—	7	3	3	1	—	—	—	—	—	—
	F	14	6	5	3	—	—	—	—	—	—	9	4	4	1	—	—	—	—	—	—
6 Diphtheria	M	5	—	1	1	3	—	—	—	—	—	3	—	1	1	1	—	—	—	—	—
	F	9	—	—	1	8	—	—	—	—	—	7	1	—	1	5	—	—	—	—	—
7 Influenza	M	14	1	—	—	—	2	4	4	2	1	32	1	3	1	—	—	4	12	3	8
	F	13	—	1	—	—	—	2	3	3	4	32	1	—	2	1	—	5	10	6	7
8 Encephalitis lethargica	M	1	—	—	—	—	—	1	—	—	—	2	—	—	—	—	—	—	2	—	—
	F	1	—	—	—	—	1	—	—	—	—	3	—	—	—	1	1	—	1	—	—
9 Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	63	—	—	—	—	10	31	20	1	1	73	—	—	—	2	12	33	22	3	1
	F	62	1	—	—	2	14	30	13	1	1	51	—	—	—	2	13	27	6	2	1
Other tuberculous diseases	M	17	3	5	6	—	2	—	1	—	—	20	2	1	3	3	4	7	—	—	—
	F	14	4	1	4	1	—	1	2	1	—	14	1	3	1	4	2	1	1	1	—
12 Cancer, malignant disease	M	112	—	1	—	—	—	6	55	33	17	173	—	—	2	1	1	4	72	57	36
	F	136	—	—	—	—	2	14	58	34	28	150	1	—	—	—	—	13	66	52	18
13 Rheumatic fever	M	5	—	—	—	1	2	1	1	—	—	3	—	—	—	—	1	—	2	—	—
	F	5	—	—	—	1	1	1	1	1	—	3	—	—	—	—	1	1	—	1	—
14 Diabetes	M	11	—	—	—	1	—	—	7	1	2	14	—	—	—	—	1	2	1	6	4
	F	17	—	—	—	—	1	3	3	8	2	26	—	—	—	—	2	1	10	8	5
15 Cerebral hæmorrhage, &c.	M	50	—	—	—	—	—	2	15	18	15	96	—	—	—	—	—	1	26	30	39
	F	63	—	—	—	—	—	2	9	19	33	84	—	—	—	—	—	1	13	30	40
16 Heart disease	M	121	—	—	—	1	2	11	29	41	37	204	—	—	—	1	—	6	51	68	78
	F	153	—	—	—	1	4	15	33	44	56	260	—	—	1	1	2	13	62	81	100
17 Arterio-sclerosis	M	40	—	—	—	—	—	—	10	12	18	75	—	—	—	—	—	—	14	24	37
	F	22	—	—	—	—	—	—	5	3	14	46	—	—	—	—	—	—	2	14	30
18 Bronchitis	M	50	5	2	—	—	—	2	14	11	16	60	10	1	2	—	—	1	6	8	32
	F	69	5	1	—	—	—	2	15	13	33	70	2	1	—	—	—	—	8	22	37
19 Pneumonia (all forms)	M	54	13	6	4	2	1	3	11	6	8	59	5	6	1	5	2	13	13	8	6
	F	43	6	4	5	1	1	6	6	3	11	52	13	3	1	1	6	5	9	6	8
20 Other respiratory diseases	M	19	2	1	1	—	1	3	3	6	2	13	—	—	—	—	—	2	3	3	5
	F	4	—	1	—	1	—	—	1	1	—	16	1	—	—	—	—	1	4	2	8
Ulcer of stomach or duodenum	M	9	—	—	—	—	—	4	4	1	—	13	—	—	—	—	—	4	5	2	2
	F	2	—	—	—	—	—	—	1	1	—	10	—	—	—	—	—	4	3	2	1
22 Diarrhœa, &c.	M	9	6	—	2	—	—	1	—	—	—	13	9	1	—	1	—	—	1	—	1
	F	15	6	3	1	—	—	2	2	—	1	9	3	1	—	—	—	—	3	1	1
23 Appendicitis and typhlitis	M	9	1	—	—	4	2	1	1	—	—	10	—	—	1	2	2	2	2	1	—
	F	8	—	—	1	—	—	2	5	—	—	8	—	—	1	2	—	2	2	—	1
24 Cirrhosis of liver	M	4	—	—	—	—	—	—	4	—	—	4	—	—	—	—	—	—	3	—	1
	F	6	—	—	—	—	—	1	2	—	3	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis	M	33	—	—	1	—	—	2	11	15	4	31	—	—	—	—	1	2	15	8	5
	F	35	—	—	—	—	1	4	18	7	5	45	—	—	1	—	—	5	18	9	12
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	6	—	—	—	—	2	4	—	—	—	11	—	—	—	—	2	9	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	6	—	—	—	—	2	4	—	—	—	10	—	—	—	—	5	4	1	—	—
28 Congenital debility and malformation, premature birth	M	48	48	—	—	—	—	—	—	—	—	67	63	—	1	1	1	—	1	—	—
	F	43	42	—	—	—	—	—	—	1	—	49	48	—	—	1	—	—	—	—	—
29 Suicide	M	6	—	—	—	—	—	2	3	—	1	18	—	—	—	—	1	2	12	2	1
	F	5	—	—	—	—	—	2	2	1	—	6	—	—	—	—	—	1	4	—	1
30 Other deaths from violence	M	36	2	—	1	3	7	10	7	5	1	51	2	—	4	3	7	10	17	8	—
	F	23	2	—	2	2	3	2	3	5	4	19	2	—	2	3	1	2	3	3	3
Other defined diseases	M	192	15	3	4	7	5	15	35	35	73	245	23	5	3	8	10	26	54	38	78
	F	218	8	3	4	4	5	16	32	29	117	268	17	3	4	7	7	22	37	40	131
Causes ill-defined or unknown	M	1	—	—	—	—	—	—	1	—	—	9	—	—	—	—	—	1	5	3	—
	F	3	1	—	—	—	—	—	1	1	—	6	—	—	—	—	1	—	3	2	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of STAFFORD—1925 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts										Aggregate of Rural Districts.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	3279	563	179	137	106	146	357	758	593	440	1277	149	37	49	49	51	96	290	267	28
	F	3008	418	168	161	108	128	337	558	556	574	1153	131	34	34	54	42	109	207	224	31
1 Enteric fever	M	2	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	60	10	32	14	4	—	—	—	—	—	32	2	12	11	7	—	—	—	—	—
	F	66	8	29	25	4	—	—	—	—	—	13	1	5	5	2	—	—	—	—	—
4 Scarlet fever	M	8	—	—	4	4	—	—	—	—	—	2	—	—	—	2	—	—	—	—	—
	F	14	1	—	6	4	1	2	—	—	—	7	—	2	1	2	2	—	—	—	—
5 Whooping cough	M	53	27	16	9	1	—	—	—	—	—	16	7	4	4	1	—	—	—	—	—
	F	74	28	29	14	3	—	—	—	—	—	20	9	7	4	—	—	—	—	—	—
6 Diphtheria	M	22	1	2	11	7	1	—	—	—	—	10	—	1	6	3	—	—	—	—	—
	F	21	1	2	7	7	1	1	2	—	—	17	—	—	6	10	1	—	—	—	—
7 Influenza	M	127	10	—	4	3	9	33	36	20	12	57	2	—	—	2	2	6	17	16	
	F	101	5	4	5	3	11	13	17	21	22	40	—	—	2	2	2	7	5	8	
8 Encephalitis lethargica	M	7	—	—	—	3	1	—	3	—	—	2	—	—	—	—	1	—	1	—	—
	F	10	—	—	1	5	1	—	2	1	—	7	1	1	—	—	—	1	2	1	
9 Meningococcal meningitis	M	1	—	—	—	—	1	—	—	—	—	2	—	—	—	—	2	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	2	1	—	1	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	214	2	3	2	3	37	91	67	8	1	53	—	1	—	—	12	22	17	1	—
	F	211	—	2	3	11	58	102	30	5	—	52	—	—	—	2	20	20	9	1	—
11 Other tuberculous diseases	M	59	10	13	13	13	4	4	2	—	—	20	—	2	6	2	4	5	1	—	—
	F	53	3	16	12	5	3	10	4	—	—	11	2	1	—	7	1	—	—	—	—
12 Cancer, malignant disease	M	256	—	—	—	—	2	14	136	75	29	122	—	—	1	—	1	6	50	43	
	F	271	1	—	—	—	2	26	122	81	39	141	—	—	—	—	—	9	66	39	
13 Rheumatic fever	M	9	—	—	1	3	4	—	1	—	—	5	—	—	—	2	—	1	2	—	—
	F	11	—	—	—	3	2	2	3	1	—	4	—	—	—	1	—	1	2	—	—
14 Diabetes	M	23	—	—	—	—	—	3	9	11	—	11	—	—	—	2	—	2	4	3	—
	F	24	—	—	—	—	2	2	12	7	1	17	—	—	—	1	1	2	4	8	
15 Cerebral hæmorrhage, &c.	M	189	—	—	—	—	—	6	49	81	53	80	—	—	—	—	—	1	21	29	
	F	194	—	—	—	—	1	7	53	66	67	79	—	—	—	—	—	2	17	19	
16 Heart disease	M	309	—	—	—	4	15	29	111	93	57	192	—	—	—	3	4	7	56	60	
	F	353	1	—	2	8	11	31	94	114	92	199	—	—	—	7	3	15	40	68	
17 Arterio-sclerosis	M	95	—	—	—	—	—	2	15	46	32	58	—	—	—	—	—	—	8	22	
	F	61	—	—	—	—	—	1	8	22	30	24	—	—	—	—	—	—	3	9	
18 Bronchitis	M	257	36	9	4	3	3	15	59	75	53	86	8	—	2	—	1	2	13	31	
	F	231	42	4	5	1	—	4	32	66	77	74	7	1	—	1	—	1	9	20	
19 Pneumonia (all forms)	M	397	91	67	36	18	18	52	64	28	23	69	16	13	6	3	3	6	11	8	
	F	276	76	42	34	14	8	26	36	27	13	67	16	7	7	1	1	10	9	9	
20 Other respiratory diseases	M	47	4	1	5	2	1	2	18	12	2	19	2	—	2	—	—	—	5	4	
	F	42	1	5	5	2	—	2	5	11	11	9	—	2	—	1	—	2	1	—	
21 Ulcer of stomach or duodenum	M	28	—	—	—	—	2	7	14	2	3	8	—	—	—	—	—	1	6	1	—
	F	12	—	—	—	—	—	4	7	1	—	4	—	—	—	—	—	—	2	1	
22 Diarrhœa, &c.	M	96	70	9	3	1	—	2	5	4	2	22	15	2	2	—	—	1	—	1	
	F	65	37	15	5	1	—	2	—	2	3	23	14	4	2	1	—	—	—	—	
23 Appendicitis and typhlitis	M	19	—	—	3	—	7	5	3	1	—	5	—	—	1	2	—	1	—	1	—
	F	10	—	—	—	3	—	3	3	1	—	6	—	—	—	3	—	—	3	—	—
24 Cirrhosis of liver	M	14	—	—	—	—	—	1	8	4	1	5	—	—	—	—	—	—	5	—	—
	F	9	—	—	—	—	—	1	5	3	—	1	—	—	—	—	—	—	1	—	—
25 Acute and chronic nephritis	M	72	—	1	—	—	2	15	33	16	5	20	—	—	—	1	2	3	7	5	
	F	50	—	—	2	2	1	7	19	15	4	22	—	—	—	2	1	5	10	2	
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	8	—	—	—	—	—	8	—	—	—	7	—	—	—	—	1	6	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	23	—	—	—	—	4	19	—	—	—	9	—	—	—	—	2	7	—	—	—
28 Congenital debility and malformation, premature birth	M	232	231	1	—	—	—	—	—	—	—	71	70	1	—	—	—	—	—	—	—
	F	160	153	1	2	2	1	1	—	—	—	58	57	—	—	1	—	—	—	—	—
29 Suicide	M	36	—	—	—	—	4	10	16	6	—	22	—	—	—	—	3	5	11	2	
	F	10	—	—	—	—	2	5	1	—	2	2	—	—	—	—	—	1	—	1	—
30 Other deaths from violence	M	124	4	6	9	17	14	31	24	9	10	57	1	1	7	9	8	12	9	5	
	F	62	6	3	9	7	3	7	6	7	14	20	4	1	3	2	2	2	—	2	
31 Other defined diseases	M	517	67	17	19	20	20	34	84	100	156	227	24	—	1	10	8	15	45	34	
	F	576	54	14	24	21	16	48	96	105	198	217	19	2	3	8	5	18	24	36	
32 Causes ill-defined or unknown	M	6	—	2	—	—	—	—	1	2	1	4	2	—	—	—	—	—	1	1	
	F	8	1	2	—	1	—	2	1	—	1	1	—	1	—	—	—	—	—	—	

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of SUFFOLK, EAST—1925 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts.										Aggregate of Rural Districts.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	494	31	9	4	13	23	66	107	110	131	728	55	11	10	21	17	64	144	169	237
	F	492	30	8	9	12	17	58	98	113	147	708	47	5	10	12	28	57	141	155	253
Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	1	—	—	—
Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
Whooping cough ..	M	1	1	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	2	2	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
Diphtheria ..	M	3	—	—	1	2	—	—	—	—	—	2	1	—	—	1	—	—	—	—	—
	F	3	—	—	1	2	—	—	—	—	—	3	—	—	1	—	2	—	—	—	—
Influenza	M	9	—	—	—	—	—	2	3	4	—	20	—	—	—	1	—	—	6	8	5
	F	12	—	—	—	1	—	2	1	4	4	28	1	—	1	—	2	4	10	3	7
Encephalitis lethargica ..	M	2	—	—	—	—	—	—	2	—	—	2	—	—	1	—	—	—	1	—	—
	F	3	—	—	—	1	—	—	2	—	—	2	—	—	—	—	—	—	—	2	—
Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Tuberculosis of respiratory system	M	53	—	—	—	1	12	25	12	3	—	59	—	—	—	—	11	24	20	4	—
	F	31	—	—	—	—	9	17	4	—	1	35	1	—	—	1	12	13	4	4	—
Other tuberculous diseases	M	6	—	2	—	3	—	—	1	—	—	9	1	3	—	3	—	2	—	—	—
	F	7	—	2	1	1	1	1	—	1	—	14	1	1	1	2	3	2	2	—	2
Cancer, malignant disease	M	59	—	1	—	—	1	4	17	21	15	71	—	—	—	1	1	3	19	25	22
	F	72	—	—	—	—	—	12	28	19	13	78	—	—	—	—	—	5	32	24	17
Rheumatic fever ..	M	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	1	—	—
	F	1	—	—	—	—	1	—	—	—	—	4	—	—	—	1	1	—	1	1	—
Diabetes	M	2	—	—	—	—	—	—	—	2	—	11	—	—	—	2	—	2	2	1	4
	F	7	—	—	—	—	1	1	1	2	2	16	—	—	—	2	2	2	4	2	4
Cerebral hæmorrhage, &c. ..	M	29	—	—	—	—	1	—	5	8	15	52	—	—	—	—	—	1	10	16	25
	F	45	—	—	—	—	—	1	11	16	17	66	—	—	—	—	—	1	11	22	32
Heart disease ..	M	67	—	—	—	—	1	7	20	22	17	111	—	—	—	—	—	6	16	38	51
	F	72	—	—	—	—	1	3	15	23	30	118	—	—	—	—	—	4	28	35	51
Arterio-sclerosis ..	M	24	—	—	—	—	—	—	7	5	12	36	—	—	—	—	—	—	8	14	14
	F	7	—	—	—	—	—	—	2	3	2	18	—	—	—	—	—	—	4	5	9
Bronchitis ..	M	32	2	—	—	—	—	—	3	11	16	48	4	1	—	—	—	—	4	10	29
	F	33	1	—	2	1	—	—	3	11	15	53	1	1	2	—	—	—	3	11	35
Pneumonia (all forms)	M	25	3	3	2	—	1	2	8	5	1	35	5	2	3	2	1	3	8	5	6
	F	25	4	3	1	—	—	6	3	7	1	26	9	—	—	1	—	2	5	5	4
Other respiratory diseases	M	10	—	—	—	1	—	1	4	2	2	4	—	—	—	—	—	—	1	—	3
	F	8	2	—	1	1	—	—	2	—	2	12	1	1	—	—	—	1	3	4	2
Ulcer of stomach or duodenum ..	M	4	—	—	—	—	—	—	3	1	—	8	—	—	—	—	—	—	4	4	—
	F	2	—	—	—	—	—	—	2	—	—	2	—	—	—	—	—	—	—	1	1
Diarrhœa, &c. ..	M	3	3	—	—	—	—	—	—	—	—	5	2	—	—	—	—	1	—	1	1
	F	2	—	—	—	—	—	—	1	1	—	5	1	—	—	—	—	1	—	1	2
Appendicitis and typhlitis.. ..	M	4	—	—	—	1	—	2	1	—	—	5	—	—	—	2	—	1	1	1	—
	F	2	—	—	—	2	—	—	—	—	—	5	—	—	3	—	1	—	1	—	—
Cirrhosis of liver ..	M	4	—	—	—	—	—	2	1	1	—	1	—	—	—	—	—	—	—	—	1
	F	2	—	—	—	—	—	—	1	1	—	2	—	—	—	—	—	—	2	—	—
Acute and chronic nephritis ..	M	11	—	—	—	—	—	—	1	6	4	20	—	—	—	1	1	2	7	7	2
	F	9	—	—	—	—	—	2	1	2	4	10	—	—	—	—	—	1	5	2	2
Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	3	—	—	—
Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	3	—	—	—	3	—	—	—	—	—	3	—	—	—
Congenital debility and malformation, premature birth..	M	19	19	—	—	—	—	—	—	—	—	31	31	—	—	—	—	—	—	—	—
	F	13	13	—	—	—	—	—	—	—	—	29	28	—	—	1	—	—	—	—	—
Suicide	M	9	—	—	—	—	1	5	2	1	—	12	—	—	—	—	—	2	7	2	1
	F	4	—	—	—	—	—	3	—	1	—	3	—	—	—	—	—	1	1	1	—
Other deaths from violence.. ..	M	16	—	—	1	3	2	3	5	1	1	33	—	2	—	3	3	9	8	6	2
	F	10	2	1	1	—	1	1	2	—	2	12	—	—	—	—	—	2	3	4	3
Other defined diseases	M	100	3	2	—	2	3	13	12	17	48	146	10	3	5	4	—	8	18	27	71
	F	115	6	2	1	3	3	6	18	22	54	153	3	2	2	3	5	10	20	26	82
Causes ill-defined or unknown ..	M	1	—	1	—	—	—	—	—	—	—	3	—	—	—	—	—	—	3	—	—
	F	1	—	—	—	—	—	—	1	—	—	4	—	—	—	—	—	—	2	2	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of SUFFOLK, WEST—1925 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	257	15	2	2	9	13	23	64	80	49	412	38	8	4	7	11	20	75	87	16
	F	247	13	2	4	5	16	20	49	49	89	375	23	1	2	8	14	26	80	63	15
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	2	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
5 Whooping cough	M	—	—	—	—	—	—	—	—	—	—	2	1	1	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	4	1	—	2	—	1	—	—	—	—
6 Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7 Influenza	M	1	—	—	—	—	—	—	1	—	—	10	—	—	—	—	—	1	3	3	
	F	4	—	—	—	—	—	3	—	1	—	11	—	—	—	—	1	1	4	3	
8 Encephalitis lethargica	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	21	—	—	—	1	5	8	4	2	1	17	—	—	—	—	5	4	8	—	—
	F	14	—	—	—	—	6	2	6	—	—	18	—	—	—	3	4	7	3	1	—
11 Other tuberculous diseases	M	2	1	—	—	1	—	—	—	—	—	6	—	1	2	2	—	—	1	—	—
	F	3	—	—	—	1	—	2	—	—	—	3	—	—	—	1	—	2	—	—	—
12 Cancer, malignant disease	M	33	—	—	—	—	—	2	14	15	2	50	—	—	—	—	—	1	14	18	
	F	37	—	—	—	—	—	2	11	17	7	47	—	—	—	—	1	2	17	9	
13 Rheumatic fever	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	—	1	—	—
14 Diabetes	M	3	—	—	—	—	—	1	2	—	—	2	—	—	—	—	—	—	—	2	—
	F	4	—	—	—	—	—	—	2	—	2	5	—	—	—	—	1	1	3	—	—
15 Cerebral hæmorrhage, &c.	M	22	—	—	—	—	—	—	8	6	8	36	—	—	—	—	—	—	8	9	
	F	24	—	—	—	—	—	—	3	10	11	38	—	—	—	—	—	—	13	12	
16 Heart disease	M	46	—	—	—	—	2	3	13	20	8	65	—	—	—	1	—	1	8	17	
	F	31	—	—	—	—	3	1	9	9	9	63	—	—	—	—	—	1	11	17	
17 Arterio-sclerosis	M	10	—	—	—	—	—	—	2	4	4	15	—	—	—	—	—	—	2	6	
	F	12	—	—	—	—	—	—	1	1	10	14	—	—	—	—	—	—	2	3	
18 Bronchitis	M	18	—	—	—	—	1	—	4	8	5	25	—	—	—	—	—	—	2	9	
	F	19	—	1	—	1	—	—	—	—	17	29	2	—	—	—	—	—	2	3	
19 Pneumonia (all forms)	M	13	1	1	1	2	—	2	1	3	2	16	3	1	1	—	1	2	2	4	
	F	8	1	—	—	1	—	1	2	2	1	9	1	—	—	—	—	1	3	2	
20 Other respiratory diseases	M	2	—	—	—	—	—	—	2	—	—	4	1	—	—	—	1	—	—	2	
	F	4	—	—	—	—	1	—	1	—	2	4	—	—	—	—	—	1	1	1	
21 Ulcer of stomach or duodenum	M	2	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	
	F	3	—	—	—	—	—	—	—	2	1	3	—	—	—	—	—	1	2	—	
22 Diarrhœa, &c.	M	1	—	—	—	—	—	1	—	—	—	2	—	1	—	—	—	—	1	—	
	F	2	1	—	—	—	—	—	—	—	1	2	—	1	—	—	—	—	1	—	
23 Appendicitis and typhlitis	M	1	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	1	—	—	
	F	3	—	—	—	—	1	1	—	1	—	2	—	—	—	2	—	—	—	—	
24 Cirrhosis of liver	M	6	—	—	—	—	—	1	3	2	—	1	—	—	—	—	—	—	—	1	
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
25 Acute and chronic nephritis	M	9	—	—	—	1	—	—	2	4	2	13	—	—	—	—	—	1	2	3	
	F	3	—	—	—	—	—	—	—	2	1	13	—	—	—	—	1	1	3	4	
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	4	—	—	—	—	—	4	—	—	—	2	—	—	—	—	1	1	—	—	
28 Congenital debility and malformation, premature birth	M	10	9	—	—	1	—	—	—	—	—	23	23	—	—	—	—	—	—	—	
	F	7	6	—	—	—	1	—	—	—	—	16	16	—	—	—	—	—	—	—	
29 Suicide	M	2	—	—	—	—	—	—	1	1	—	2	—	—	—	—	—	—	2	—	
	F	1	—	—	—	—	—	—	1	—	—	5	—	—	—	—	1	1	2	—	
30 Other deaths from violence	M	8	1	—	—	—	2	1	1	3	—	15	—	—	1	1	—	2	7	—	
	F	3	1	—	—	—	1	—	—	—	1	5	—	—	—	—	—	1	—	1	
31 Other defined diseases	M	42	3	—	—	1	3	4	4	10	17	102	10	3	—	3	3	7	13	11	
	F	54	4	1	1	1	2	4	11	4	26	76	3	—	—	2	1	4	11	7	
32 Causes ill-defined or unknown	M	2	—	—	—	—	—	—	2	—	—	5	—	1	—	—	—	—	1	2	
	F	1	—	—	—	—	—	—	1	—	—	3	—	—	—	—	—	1	1	—	

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of SURREY—1925 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	2907	244	37	40	62	91	295	819	675	644	826	57	6	7	26	27	80	195	193	235
	F	3195	177	36	42	60	104	313	727	709	1027	821	42	9	22	15	29	67	196	165	276
1 Enteric fever ..	M	6	—	—	1	1	—	3	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	5	1	4	—	—	—	—	—	—	—	2	—	1	—	—	1	—	—	—	—
	F	3	1	1	1	—	—	—	—	—	—	2	—	—	1	—	1	—	—	—	—
4 Scarlet fever ..	M	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	1	—	—	—	—
	F	6	—	—	—	2	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ..	M	15	6	5	3	—	—	—	—	1	—	2	2	—	—	—	—	—	—	—	—
	F	33	18	8	6	1	—	—	—	—	—	6	3	1	2	—	—	—	—	—	—
6 Diphtheria ..	M	12	—	2	2	8	—	—	—	—	—	4	—	—	1	3	—	—	—	—	—
	F	15	1	—	3	11	—	—	—	—	—	3	—	—	—	3	—	—	—	—	—
7 Influenza	M	63	—	2	2	2	1	6	15	18	17	37	3	2	—	—	1	1	9	6	15
	F	83	—	2	—	4	2	6	19	23	27	33	1	—	—	—	1	2	3	9	17
8 Encephalitis lethargica ..	M	12	1	—	1	1	1	1	4	3	—	3	—	—	—	—	2	1	—	—	—
	F	19	—	—	1	—	1	5	9	2	1	5	—	—	—	—	2	—	3	—	—
9 Meningococcal meningitis ..	M	1	—	—	—	—	—	1	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	2	—	—	1	—	—	—	—	1	—
10 Tuberculosis of respiratory system	M	217	2	—	—	2	28	92	84	8	1	50	1	—	—	1	3	25	15	5	—
	F	167	1	—	—	3	44	71	39	7	2	36	—	—	—	1	9	20	4	2	—
11 Other tuberculous diseases	M	35	2	1	7	10	3	7	2	2	1	2	—	—	1	—	—	1	—	—	—
	F	46	1	4	11	4	9	8	6	1	2	7	1	—	2	—	2	1	—	1	—
12 Cancer, malignant disease	M	369	—	—	—	—	3	25	155	131	55	123	—	—	—	—	1	6	47	39	30
	F	497	—	—	—	—	4	42	195	151	105	128	—	—	—	—	—	8	67	25	28
13 Rheumatic fever ..	M	9	—	—	—	4	1	2	2	—	—	—	—	—	—	—	—	—	—	—	—
	F	9	—	—	—	—	2	4	3	—	—	2	—	—	—	—	1	—	1	—	—
14 Diabetes	M	25	—	—	—	1	1	2	8	7	6	6	—	—	—	—	—	1	—	1	4
	F	38	—	—	—	—	—	9	11	8	10	8	—	—	—	—	—	—	4	2	2
15 Cerebral hæmorrhage, &c. ..	M	156	—	—	—	—	—	5	46	48	57	39	—	—	—	—	1	—	6	16	16
	F	228	—	—	—	—	—	3	48	74	103	45	—	—	—	—	—	1	13	11	20
16 Heart disease ..	M	405	—	—	—	1	8	26	107	130	133	124	—	—	—	1	1	10	30	44	38
	F	486	—	—	1	4	6	24	115	148	188	130	—	—	—	1	2	4	28	43	52
17 Arterio-sclerosis ..	M	167	—	—	—	—	—	1	38	65	63	60	—	—	—	—	—	—	10	22	28
	F	165	—	—	—	—	—	2	19	46	98	42	—	—	—	—	—	—	4	10	28
18 Bronchitis ..	M	174	15	—	—	—	2	4	28	52	73	48	4	—	—	1	1	—	3	12	27
	F	216	7	2	2	—	—	2	16	49	138	45	—	1	—	—	1	—	3	10	30
19 Pneumonia (all forms)	M	179	32	8	7	4	3	13	43	39	30	52	9	3	—	4	1	5	12	9	9
	F	174	16	9	6	5	2	17	38	43	38	43	1	3	5	—	2	5	11	7	9
20 Other respiratory diseases	M	53	2	—	1	1	4	2	18	13	12	7	—	—	—	—	—	2	2	1	2
	F	39	2	2	—	1	1	3	6	10	14	11	—	—	1	1	—	2	3	2	2
21 Ulcer of stomach or duodenum ..	M	39	—	—	—	—	2	9	17	9	2	8	—	—	—	—	—	1	4	2	1
	F	18	—	—	—	—	1	2	7	5	3	6	—	—	—	—	1	—	2	2	1
22 Diarrhœa, &c. ..	M	31	21	2	1	—	—	—	2	2	3	5	2	—	—	—	—	—	2	1	—
	F	29	18	—	1	1	1	—	2	3	3	9	2	—	2	—	1	—	1	2	1
23 Appendicitis and typhlitis.. ..	M	27	—	—	1	1	2	9	8	5	1	2	—	—	—	—	—	—	1	1	—
	F	23	—	—	1	3	4	4	9	2	—	4	—	—	1	1	1	1	—	—	—
24 Cirrhosis of liver ..	M	16	—	—	—	—	—	1	12	2	1	2	—	—	—	—	—	—	2	—	—
	F	19	—	—	—	—	—	3	14	1	1	3	—	—	—	—	—	—	—	2	1
25 Acute and chronic nephritis ..	M	107	—	1	—	2	2	12	45	26	19	25	—	—	—	1	—	1	10	9	4
	F	77	—	—	—	—	2	7	28	26	14	16	—	—	1	—	—	1	8	4	2
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	5	—	—	—	—	1	4	—	—	—	3	—	—	—	—	1	2	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	19	—	—	—	—	1	16	2	—	—	5	—	—	—	—	—	5	—	—	—
28 Congenital debility and malformation, premature birth.. ..	M	125	121	1	1	—	—	1	1	—	—	27	26	—	—	—	—	—	1	—	—
	F	80	77	1	—	1	—	—	1	—	—	22	20	—	—	1	1	—	—	—	—
29 Suicide	M	38	—	—	—	—	—	9	21	7	1	9	—	—	—	—	1	1	5	2	—
	F	33	—	—	—	—	5	7	14	6	1	3	—	—	—	—	—	1	2	—	—
30 Other deaths from violence.. ..	M	103	5	2	4	10	12	20	32	4	14	37	1	—	3	6	7	11	6	2	1
	F	54	7	—	1	4	3	7	12	5	15	27	3	1	3	—	3	2	4	—	11
31 Other defined diseases	M	511	36	8	9	14	16	44	127	102	155	149	8	—	2	8	6	14	30	21	60
	F	612	27	7	8	16	12	65	114	99	264	174	11	3	3	7	—	12	34	32	72
32 Causes ill-defined or unknown ..	M	6	—	1	—	—	2	—	2	1	—	1	1	—	—	—	—	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of SUSSEX, EAST—1925 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts.										Aggregate of Rural Districts.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	744	44	8	13	14	15	63	166	205	216	0	49	8	8	14	28	67	158	200	208
	F	953	35	14	7	14	20	77	212	232	342	9	29	7	4	13	21	65	177	153	230
1 Enteric fever ..	M	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	7	2	1	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever ..	M	2	1	—	—	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	1	—	—	—	1	—	—	—	—	—
5 Whooping cough ..	M	2	1	—	1	—	—	—	—	—	—	8	5	3	—	—	—	—	—	—	—
	F	3	1	—	1	1	—	—	—	—	—	8	2	5	—	1	—	—	—	—	—
6 Diphtheria ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
7 Influenza	M	23	—	—	1	—	—	2	2	6	12	23	—	—	—	—	3	2	6	8	4
	F	39	—	—	—	2	—	4	10	6	17	12	—	—	—	—	1	3	2	3	3
8 Encephalitis lethargica ..	M	6	—	—	—	—	—	1	3	2	—	1	—	—	—	1	—	—	—	—	—
	F	2	—	—	—	—	—	—	2	—	—	1	—	—	—	1	—	—	—	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	33	—	—	1	2	4	15	8	3	—	45	—	—	1	—	7	25	12	—	—
	F	40	—	—	—	—	11	19	4	4	2	38	1	—	—	1	9	14	12	1	—
11 Other tuberculous diseases	M	13	—	—	3	2	—	5	2	1	—	11	1	1	2	—	1	4	2	—	—
	F	10	—	4	1	2	1	1	1	—	—	16	1	—	2	3	5	3	1	1	—
12 Cancer, malignant disease	M	94	—	—	—	—	—	1	35	34	24	100	—	—	—	1	1	3	27	50	18
	F	152	—	—	—	—	—	9	65	38	40	99	—	1	—	—	—	8	50	26	14
13 Rheumatic fever ..	M	2	—	—	—	1	—	1	—	—	—	3	—	—	—	—	—	1	2	—	—
	F	2	—	—	—	1	—	—	—	1	—	1	—	—	—	—	—	1	—	—	—
14 Diabetes	M	5	—	—	—	—	—	—	—	3	2	4	—	—	—	1	—	—	3	—	—
	F	15	—	—	—	—	1	2	8	1	3	8	—	—	—	—	—	—	4	3	1
15 Cerebral hæmorrhage, &c. ..	M	41	—	—	—	—	—	1	9	14	17	50	—	—	—	—	—	1	10	21	18
	F	78	—	—	—	—	—	—	14	36	28	65	—	—	—	1	—	2	16	17	29
16 Heart disease ..	M	126	—	—	—	2	1	2	41	44	36	132	—	—	—	—	2	7	30	47	46
	F	161	—	—	—	—	1	4	27	52	77	134	—	—	—	1	—	3	31	48	51
17 Arterio-sclerosis ..	M	52	—	—	—	—	—	1	5	21	25	33	—	—	—	—	—	—	4	10	19
	F	44	—	—	—	—	—	—	9	13	22	32	—	—	—	—	—	—	5	7	20
18 Bronchitis ..	M	38	1	2	—	—	—	1	2	13	19	36	2	—	1	—	1	—	2	9	21
	F	47	—	—	—	—	—	—	3	10	34	36	2	—	—	—	—	1	2	7	24
19 Pneumonia (all forms)	M	38	4	2	1	—	2	2	8	8	11	32	6	1	1	1	1	1	7	7	7
	F	50	1	2	—	—	2	4	6	17	18	30	1	—	1	1	1	3	5	7	11
20 Other respiratory diseases	M	13	—	—	1	—	—	3	1	4	4	7	1	—	—	—	1	—	1	2	2
	F	19	—	—	1	1	—	4	1	4	8	7	—	—	—	—	—	1	1	2	3
21 Ulcer of stomach or duodenum ..	M	5	—	—	—	—	—	2	2	1	—	6	—	—	—	—	—	1	4	1	—
	F	4	—	—	—	—	—	1	1	1	1	2	—	—	—	—	—	1	1	—	—
22 Diarrhœa, &c. ..	M	4	2	—	—	—	—	—	—	—	2	6	1	1	—	—	—	—	—	2	2
	F	10	3	1	—	—	—	1	1	2	2	9	1	—	1	—	—	—	2	2	3
23 Appendicitis and typhlitis.. ..	M	2	—	—	—	—	—	—	1	1	—	5	—	—	—	—	1	2	2	—	—
	F	7	—	—	—	2	1	—	2	—	2	1	—	—	—	—	—	—	1	—	—
24 Cirrhosis of liver ..	M	3	—	—	—	—	—	—	2	1	—	6	—	—	—	—	—	1	1	3	1
	F	8	—	—	—	—	—	—	6	2	—	1	—	—	—	—	—	1	—	—	—
25 Acute and chronic nephritis ..	M	13	—	—	—	—	1	3	6	2	1	15	—	—	—	—	1	1	7	5	1
	F	24	—	—	—	—	—	2	5	11	6	12	—	—	—	—	—	—	4	4	4
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	3	—	—	—	—	—	3	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	—	2	—	—	—	—	1	1	—	—	—
28 Congenital debility and malformation, premature birth.. ..	M	32	29	2	1	—	—	—	—	—	—	24	23	—	—	—	—	1	—	—	—
	F	24	23	—	—	1	—	—	—	—	—	12	12	—	—	—	—	—	—	—	—
29 Suicide	M	11	—	—	—	—	1	3	3	3	1	12	—	—	—	—	—	3	7	2	—
	F	8	—	—	—	—	—	3	5	—	—	7	—	—	—	—	1	3	2	—	1
30 Other deaths from violence.. ..	M	20	—	—	—	2	2	5	4	3	4	42	1	—	2	4	6	9	9	5	6
	F	16	—	1	3	2	—	2	1	3	4	10	—	—	—	2	1	1	3	—	3
31 Other defined diseases	M	157	4	1	2	2	4	15	30	41	58	134	9	2	1	4	2	5	20	28	63
	F	183	6	4	1	2	3	17	41	31	78	151	9	1	—	1	2	16	34	25	63
32 Causes ill-defined or unknown ..	M	1	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—	—	2	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of SUSSEX, WEST—1925 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	494	33	5	4	11	21	41	125	111	143	613	47	4	14	19	18	61	154	125	171
	F	617	27	4	7	8	15	45	124	119	268	562	33	8	7	7	13	58	118	129	189
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	1	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	1	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
4 Scarlet fever ..	M	1	—	—	1	—	—	—	—	—	—	2	—	—	—	1	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	—	1	—
5 Whooping cough ..	M	4	2	—	1	1	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	7	3	1	3	—	—	—	—	—	—	4	3	—	1	—	—	—	—	—	—
6 Diphtheria ..	M	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
7 Influenza	M	5	—	—	—	—	2	1	—	1	1	24	—	—	—	3	1	5	9	4	2
	F	14	—	—	—	—	1	2	4	—	7	17	—	—	1	—	—	—	3	3	10
8 Encephalitis lethargica ..	M	—	—	—	—	—	—	—	—	—	—	4	—	—	1	2	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis ..	M	1	—	—	—	—	1	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	31	—	—	—	—	5	16	7	3	—	40	—	—	—	—	3	22	15	—	—
	F	23	—	—	—	1	6	10	4	1	1	25	—	—	—	—	5	14	4	2	—
11 Other tuberculous diseases	M	4	1	1	—	1	—	1	—	—	—	6	1	1	—	1	—	2	1	—	—
	F	9	—	—	1	—	—	3	2	2	1	6	—	—	1	—	3	—	2	—	—
12 Cancer, malignant disease	M	58	—	—	—	—	—	2	20	20	16	72	—	—	—	2	—	3	24	27	16
	F	83	—	—	—	1	—	8	26	24	24	86	1	—	—	—	1	11	23	29	21
13 Rheumatic fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	4	—	—	—	—	—	—	3	1	—
14 Diabetes	M	6	—	—	—	—	—	—	3	3	—	7	—	—	1	—	2	—	1	3	—
	F	17	—	—	—	1	1	2	4	8	1	15	—	—	—	1	1	—	5	2	6
15 Cerebral hæmorrhage, &c. ..	M	24	—	—	—	—	—	—	7	5	12	28	—	—	—	—	—	—	8	8	12
	F	60	—	—	—	—	—	—	9	11	40	41	—	1	—	—	—	—	14	16	10
16 Heart disease ..	M	90	—	—	—	—	3	3	22	28	34	110	—	—	—	—	—	4	24	33	49
	F	136	—	—	—	1	—	4	20	31	80	97	—	—	—	1	—	3	21	32	40
17 Arterio-sclerosis ..	M	25	—	—	—	—	—	—	6	10	9	28	—	—	—	—	—	—	7	5	16
	F	29	—	—	—	—	—	1	4	6	18	23	—	—	—	—	—	—	5	5	13
18 Bronchitis ..	M	35	3	—	—	—	—	3	9	5	15	28	2	—	—	—	—	—	2	7	17
	F	48	1	—	—	—	1	1	3	11	31	35	3	1	—	—	—	—	3	8	20
19 Pneumonia (all forms)	M	22	2	2	1	1	1	2	7	2	4	26	3	—	2	—	—	4	11	4	2
	F	22	3	—	—	—	1	1	4	6	7	21	2	3	—	—	—	6	3	3	4
20 Other respiratory diseases	M	11	—	1	—	1	—	—	3	2	4	8	—	—	2	—	1	—	1	3	1
	F	7	—	—	—	—	—	2	5	—	—	4	—	—	—	—	—	1	—	2	1
21 Ulcer of stomach or duodenum ..	M	9	—	—	—	—	—	3	6	—	—	8	—	—	—	—	—	2	4	2	—
	F	5	—	—	—	—	—	—	3	—	2	3	—	—	—	—	—	—	2	—	1
22 Diarrhœa, &c. ..	M	2	—	1	—	—	—	—	—	1	—	6	3	—	—	—	—	—	1	1	1
	F	5	—	—	—	—	—	1	3	—	1	6	1	1	—	—	—	2	1	—	1
23 Appendicitis and typhlitis.. ..	M	3	—	—	—	1	—	—	1	1	—	2	—	—	1	—	—	1	—	—	—
	F	3	—	—	1	—	1	—	1	—	—	3	—	—	—	2	—	—	1	—	—
24 Cirrhosis of liver ..	M	3	—	—	—	—	—	—	2	1	—	3	—	—	—	—	—	2	1	—	—
	F	3	—	—	—	—	—	—	2	1	—	2	—	—	—	—	—	—	—	—	2
25 Acute and chronic nephritis ..	M	17	—	—	—	1	—	—	3	9	4	22	—	—	—	—	—	3	8	8	3
	F	18	—	—	—	1	—	1	5	4	7	14	—	—	—	1	—	3	4	4	2
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	1	1	—	—	—	3	—	—	—	—	1	2	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	3	—	—	—	—	—	3	—	—	—
28 Congenital debility and malformation, premature birth.. ..	M	21	21	—	—	—	—	—	—	—	—	33	31	—	1	—	1	—	—	—	—
	F	19	17	1	—	—	—	—	1	—	—	17	17	—	—	—	—	—	—	—	—
29 Suicide	M	5	—	—	—	—	—	1	4	—	—	8	—	—	—	—	1	—	6	1	—
	F	1	—	—	—	—	—	—	1	—	—	4	—	—	—	—	—	—	2	1	1
30 Other deaths from violence.. ..	M	17	—	—	—	4	1	2	6	3	1	24	—	1	2	5	5	4	4	2	1
	F	9	1	1	1	—	—	1	3	1	1	7	—	—	—	—	1	2	—	1	3
31 Other defined diseases	M	99	4	—	—	1	8	7	19	17	43	120	5	2	4	5	4	7	25	17	51
	F	91	1	—	1	2	3	6	18	13	47	115	6	—	3	2	—	9	22	19	54
32 Causes ill-defined or unknown ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
	F	1	—	—	—	—	—	—	1	—	—	1	—	1	—	—	—	—	—	—	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of WARWICK—1925 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts.										Aggregate of Rural Districts.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	896	90	26	26	29	31	100	232	186	176	1152	169	23	34	46	51	115	245	219	250
	F	922	64	18	30	25	40	97	204	176	268	1065	93	17	32	39	44	120	209	233	278
1 Enteric fever ..	M	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	11	1	7	3	—	—	—	—	—	—	11	4	4	2	1	—	—	—	—	—
	F	10	1	5	3	1	—	—	—	—	—	10	2	2	4	2	—	—	—	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	1	—	1	—	—	—	—	4	—	—	2	1	1	—	—	—	—
5 Whooping cough ..	M	11	6	2	3	—	—	—	—	—	—	14	8	4	2	—	—	—	—	—	—
	F	8	3	1	3	1	—	—	—	—	—	6	3	2	1	—	—	—	—	—	—
6 Diphtheria ..	M	3	—	—	2	—	1	—	—	—	—	12	2	—	2	8	—	—	—	—	—
	F	7	—	1	1	5	—	—	—	—	—	13	—	—	3	10	—	—	—	—	—
7 Influenza	M	36	1	1	—	—	3	6	12	8	5	38	1	—	—	3	2	8	7	11	6
	F	29	1	—	—	1	2	5	5	6	9	35	—	1	1	—	—	4	2	11	16
8 Encephalitis lethargica ..	M	7	—	—	1	—	—	3	3	—	—	6	—	—	1	1	—	2	2	—	—
	F	8	—	1	—	3	—	2	1	1	—	5	—	—	—	—	3	—	2	—	—
9 Meningococcal meningitis ..	M	2	—	2	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	57	—	—	—	1	4	36	13	2	1	76	—	—	—	2	9	36	26	2	1
	F	47	—	—	—	—	9	29	8	—	1	76	—	1	1	5	17	32	17	2	1
11 Other tuberculous diseases	M	24	5	1	3	5	6	2	1	—	1	22	1	—	4	6	5	2	2	2	—
	F	13	—	1	3	3	2	2	1	—	1	16	1	—	7	—	6	1	—	—	1
12 Cancer, malignant disease	M	97	—	—	—	—	—	3	43	40	11	115	—	—	—	—	—	7	50	35	23
	F	132	—	—	—	—	—	10	65	33	24	131	—	—	—	—	2	15	55	42	17
13 Rheumatic fever ..	M	4	—	—	—	1	—	1	1	1	—	8	—	—	1	1	3	1	1	1	—
	F	4	—	—	—	—	2	1	1	—	—	5	—	—	—	3	1	—	1	—	—
14 Diabetes	M	9	—	—	—	1	—	—	5	2	1	10	—	—	—	—	—	1	2	4	3
	F	10	—	—	—	—	—	2	2	2	4	17	—	—	—	—	—	—	7	9	1
15 Cerebral hæmorrhage, &c. ..	M	44	—	—	—	—	—	2	10	17	15	56	—	—	—	—	—	2	12	23	19
	F	66	—	—	—	—	—	—	11	28	27	59	—	—	—	—	—	1	16	22	20
16 Heart disease ..	M	119	—	—	1	1	2	4	33	43	35	150	—	—	—	1	3	9	35	61	41
	F	148	—	—	—	1	9	12	33	40	53	131	—	—	—	2	—	7	35	46	41
17 Arterio-sclerosis ..	M	19	—	—	—	—	—	—	4	9	6	42	—	—	—	—	—	1	4	17	20
	F	30	—	—	—	—	—	—	10	6	14	40	—	—	—	—	—	1	7	16	16
18 Bronchitis ..	M	57	3	—	1	1	—	4	15	9	24	70	10	1	2	1	—	2	6	19	29
	F	56	14	2	—	—	—	1	3	9	27	71	6	—	1	—	—	2	6	15	41
19 Pneumonia (all forms)	M	90	20	8	5	2	2	11	27	11	4	82	25	9	9	1	7	8	10	8	5
	F	52	9	5	10	2	2	3	8	4	9	57	12	8	6	2	—	8	8	7	6
20 Other respiratory diseases	M	10	—	—	—	—	1	1	—	5	3	9	1	1	—	3	1	—	2	—	1
	F	10	—	—	—	1	1	2	1	2	3	11	1	1	—	2	—	2	4	—	1
21 Ulcer of stomach or duodenum ..	M	12	—	—	—	—	1	5	5	1	—	14	—	—	—	—	1	5	7	—	1
	F	6	—	—	—	—	1	1	3	1	—	8	—	—	—	—	1	3	2	—	2
22 Diarrhœa, &c. ..	M	6	2	2	—	—	—	—	1	1	—	18	13	—	—	1	—	—	3	1	—
	F	6	2	—	1	—	—	—	—	—	3	14	9	—	—	1	—	—	—	2	2
23 Appendicitis and typhlitis.. ..	M	11	—	—	1	1	1	2	2	4	—	8	—	—	—	4	2	1	1	—	—
	F	9	—	—	—	—	1	1	5	1	1	9	—	—	1	1	3	2	—	1	1
24 Cirrhosis of liver ..	M	4	—	—	—	—	—	—	2	1	1	5	—	—	—	—	—	—	5	—	—
	F	3	—	—	—	—	—	—	—	3	—	7	—	—	—	—	—	—	4	2	1
25 Acute and chronic nephritis ..	M	33	1	—	—	1	1	2	10	9	9	23	—	—	—	—	2	1	9	5	6
	F	21	—	—	1	1	2	4	4	4	5	29	—	—	—	1	—	3	7	12	6
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	2	1	—	—	8	—	—	—	—	1	7	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	8	—	—	—	—	1	7	—	—	—	15	—	—	—	—	3	12	—	—	—
28 Congenital debility and malformation, premature birth.. ..	M	39	39	—	—	—	—	—	—	—	—	72	70	—	1	1	—	—	—	—	—
	F	29	29	—	—	—	—	—	—	—	—	41	40	1	—	—	—	—	—	—	—
29 Suicide	M	7	—	—	—	—	—	1	5	1	—	13	—	—	—	—	1	4	6	1	1
	F	7	—	—	—	—	2	3	2	—	—	8	—	—	—	—	1	2	3	1	1
30 Other deaths from violence.. ..	M	44	1	1	5	8	2	8	13	2	4	56	3	—	5	4	7	12	17	4	4
	F	16	—	—	3	1	2	1	5	2	2	19	1	—	1	3	1	1	4	2	6
31 Other defined diseases	M	139	11	2	1	7	7	8	27	20	56	214	31	3	4	7	8	13	34	25	89
	F	180	5	2	4	5	3	9	34	33	85	214	18	1	4	6	4	16	27	40	98
32 Causes ill-defined or unknown ..	M	—	—	—	—	—	—	—	—	—	—	6	—	1	1	1	—	—	2	—	1
	F	2	—	—	—	—	—	—	1	1	—	6	—	—	—	—	—	1	2	3	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of WESTMORLAND—1925 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	196	9	5	1	5	12	23	37	48	56	216	12	4	2	6	7	22	39	65	59
	F	198	14	2	1	3	9	26	48	43	52	213	11	1	2	6	10	16	48	49	70
1 Enteric fever	M	2	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	1	1	—	—	—	—	—
4 Scarlet fever	M	1	—	—	—	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	M	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6 Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7 Influenza	M	7	—	1	—	—	3	1	—	1	1	6	—	—	—	—	—	—	—	4	2
	F	4	—	—	—	—	1	—	2	—	1	11	1	—	—	—	2	1	—	3	4
8 Encephalitis lethargica	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	—	1	—	—
9 Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	2	—	1	—	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	14	—	—	—	—	4	8	2	—	—	10	—	—	—	—	—	7	3	—	—
	F	9	—	—	—	—	2	7	—	—	—	9	—	—	—	1	4	2	1	1	—
11 Other tuberculous diseases	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	1	—	—	—
	F	4	—	—	—	—	2	1	—	1	—	1	—	—	—	—	1	—	—	—	—
12 Cancer, malignant disease	M	25	—	—	—	—	—	3	8	7	7	30	—	—	—	—	—	1	8	10	11
	F	24	—	—	—	—	1	1	13	6	3	27	—	—	—	—	—	1	11	7	8
13 Rheumatic fever	M	1	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
14 Diabetes	M	2	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	2	1	—
15 Cerebral hæmorrhage, &c.	M	12	—	—	—	—	—	—	—	7	5	11	—	—	—	—	—	—	3	3	5
	F	17	—	—	—	—	—	1	3	4	9	26	—	—	—	—	—	1	8	8	9
16 Heart disease	M	23	—	—	—	—	1	—	7	5	10	36	1	—	—	—	1	1	6	18	9
	F	30	—	—	—	—	—	4	6	10	10	45	—	—	—	—	1	—	6	16	22
17 Arterio-sclerosis	M	10	—	—	—	—	—	—	1	2	7	9	—	—	—	—	—	—	1	4	4
	F	7	—	—	—	—	—	—	—	2	5	5	—	—	—	—	—	—	1	3	1
18 Bronchitis	M	9	1	—	—	—	—	—	1	1	6	19	1	—	—	—	—	—	1	10	7
	F	20	3	1	—	—	—	—	3	4	9	9	—	—	—	—	—	—	—	1	8
19 Pneumonia (all forms)	M	7	1	1	—	—	—	2	2	—	1	8	1	1	1	—	1	1	1	1	1
	F	11	—	1	—	—	—	1	4	3	2	8	1	—	—	—	—	1	4	2	—
20 Other respiratory diseases	M	3	—	1	—	—	—	—	1	—	1	2	—	—	—	—	—	—	1	1	—
	F	3	—	—	—	—	—	1	—	1	1	2	—	—	—	—	—	—	2	—	—
21 Ulcer of stomach or duodenum	M	3	—	—	—	—	—	1	—	1	1	1	—	—	—	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	1	—	—	—
22 Diarrhœa, &c.	M	1	1	—	—	—	—	—	—	—	—	2	1	—	—	—	—	—	1	—	—
	F	6	2	—	—	—	—	1	1	2	—	—	—	—	—	—	—	—	—	—	—
23 Appendicitis and typhlitis	M	2	—	—	—	—	—	2	—	—	—	2	—	—	—	1	1	—	—	—	—
	F	4	—	—	—	1	—	1	2	—	—	3	—	—	1	1	—	—	—	—	1
24 Cirrhosis of liver	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis	M	12	—	—	—	—	—	—	2	8	2	5	—	—	—	—	—	—	2	3	—
	F	10	—	—	—	—	—	1	3	5	1	5	—	—	—	—	—	1	1	2	1
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	1	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	3	—	—	—	—	1	1	1	—	—
28 Congenital debility and malformation, premature birth	M	4	3	1	—	—	—	—	—	—	—	6	6	—	—	—	—	—	—	—	—
	F	4	4	—	—	—	—	—	—	—	—	7	7	—	—	—	—	—	—	—	—
29 Suicide	M	4	—	—	—	—	—	1	2	1	—	5	—	—	—	—	—	—	4	1	—
	F	2	—	—	—	—	—	—	2	—	—	1	—	—	—	—	—	1	—	—	—
30 Other deaths from violence	M	9	—	—	—	1	1	2	4	—	1	11	—	—	—	—	3	8	—	—	—
	F	8	1	—	—	1	2	—	1	1	2	3	—	—	—	—	—	1	—	1	1
31 Other defined diseases	M	42	3	1	—	2	1	2	5	14	14	44	2	1	—	3	—	1	7	10	20
	F	31	4	—	1	—	1	5	8	3	9	37	2	1	—	1	1	4	10	3	15
32 Causes ill-defined or unknown	M	1	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—	1	1	—	—
	F	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	1	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of WIGHT, ISLE OF—1925 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	356	23	2	7	12	12	29	88	75	108	156	17	1	2	—	3	18	48	32	35
	F	387	22	2	1	5	9	32	83	91	142	183	5	3	1	4	5	17	45	31	72
1 Enteric fever ..	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever ..	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ..	M	2	2	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	3	2	1	—	—	—	—	—	—	—	2	1	—	1	—	—	—	—	—	—
6 Diphtheria ..	M	3	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	2	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
7 Influenza	M	11	—	—	—	—	—	1	4	1	5	6	—	—	—	—	—	—	2	1	3
	F	6	—	—	—	—	—	—	2	1	3	8	—	—	—	—	1	1	—	1	5
8 Encephalitis lethargica ..	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	1	1	—
	F	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	1	—	—	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	33	—	1	—	1	4	19	7	1	—	13	—	—	—	—	1	6	6	—	—
	F	21	—	—	—	—	2	11	6	2	—	4	—	—	—	—	—	2	2	—	—
11 Other tuberculous diseases	M	4	—	1	2	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—	—
	F	5	—	1	—	—	2	1	1	—	—	3	—	—	—	1	1	1	—	—	—
12 Cancer, malignant disease	M	46	—	—	—	—	1	—	19	12	14	16	—	—	—	—	—	3	4	5	4
	F	55	—	—	—	—	—	7	20	21	7	42	—	—	—	—	—	4	20	5	13
13 Rheumatic fever ..	M	2	—	—	—	2	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	—	1	—	—
14 Diabetes	M	2	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	—	—	3	1	—	2	—	—	—	—	—	1	1	—	—
15 Cerebral hæmorrhage, &c. ..	M	21	—	—	—	—	—	—	2	7	12	10	—	—	—	—	—	—	1	4	5
	F	25	—	—	—	—	—	—	2	8	15	16	—	—	—	—	—	1	1	5	9
16 Heart disease ..	M	52	—	—	—	—	—	3	15	18	16	31	—	1	—	—	—	3	13	7	7
	F	70	—	—	—	—	2	4	18	23	23	28	—	—	—	—	—	—	8	10	10
17 Arterio-sclerosis ..	M	16	—	—	—	—	—	—	6	5	5	4	—	—	—	—	—	—	—	2	2
	F	15	—	—	—	—	—	—	—	3	12	4	—	—	—	—	—	—	1	—	3
18 Bronchitis ..	M	23	—	—	1	—	—	—	1	8	13	7	2	—	—	—	—	—	—	2	3
	F	17	—	—	—	—	—	—	2	6	9	13	—	1	—	—	—	—	1	2	9
19 Pneumonia (all forms)	M	12	1	—	—	—	—	—	6	1	4	3	—	—	—	—	—	1	—	1	1
	F	12	—	—	1	1	1	1	1	2	5	2	—	—	—	—	—	1	—	—	1
20 Other respiratory diseases	M	7	1	—	1	—	—	—	2	—	3	3	—	—	—	—	—	—	1	—	2
	F	9	—	—	—	1	—	1	2	2	3	2	—	—	—	—	—	—	1	—	1
21 Ulcer of stomach or duodenum ..	M	4	—	—	—	—	—	1	1	2	—	2	—	—	—	—	—	—	1	1	—
	F	2	—	—	—	—	—	1	—	—	1	1	—	—	—	—	—	—	1	—	—
22 Diarrhœa, &c. ..	M	1	—	—	—	—	—	—	—	—	1	1	—	—	1	—	—	—	—	—	—
	F	6	3	—	—	—	—	—	—	—	3	2	—	1	—	—	—	—	1	—	—
23 Appendicitis and typhlitis.. ..	M	6	—	—	—	2	—	—	4	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—	—
24 Cirrhosis of liver ..	M	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis ..	M	14	—	—	—	—	—	1	6	4	3	3	—	—	—	—	—	—	2	1	—
	F	17	—	—	—	—	1	—	7	6	3	4	—	—	—	—	1	—	2	1	—
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	2	—	—	—	—	—	2	—	—	—
28 Congenital debility and malformation, premature birth.. ..	M	16	16	—	—	—	—	—	—	—	—	11	11	—	—	—	—	—	—	—	—
	F	17	17	—	—	—	—	—	—	—	—	5	4	—	—	—	1	—	—	—	—
29 Suicide	M	6	—	—	—	—	1	—	4	—	1	1	—	—	—	—	—	—	1	—	—
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
30 Other deaths from violence.. ..	M	4	—	—	—	—	2	—	1	—	1	10	—	—	1	—	—	3	5	1	—
	F	6	—	—	—	—	—	2	—	1	3	—	—	—	—	—	—	—	—	—	—
31 Other defined diseases	M	67	3	—	1	5	2	4	9	14	29	29	3	—	—	—	2	1	10	5	
	F	90	—	—	—	1	1	2	16	15	55	37	—	1	—	1	—	3	4	7	2
32 Causes ill-defined or unknown ..	M	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	1	—	—
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of WILTS—1925 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts.										Aggregate of Rural Districts.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	730	68	10	28	10	29	63	196	156	170	889	76	11	13	27	20	78	225	193	246
	F	810	56	12	9	15	30	82	165	169	272	874	74	11	17	17	18	71	180	184	302
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1
	F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	7	—	1	6	—	—	—	—	—	—	2	—	—	—	2	—	—	—	—	—
	F	6	2	2	—	2	—	—	—	—	—	3	—	—	1	1	—	1	—	—	—
4 Scarlet fever	M	2	—	—	2	—	—	—	—	—	—	2	—	—	1	—	—	—	—	1	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	—	1	—	—
5 Whooping cough	M	5	—	3	2	—	—	—	—	—	—	6	4	1	1	—	—	—	—	—	—
	F	13	9	1	3	—	—	—	—	—	—	4	1	1	2	—	—	—	—	—	—
6 Diphtheria	M	4	—	—	2	1	1	—	—	—	—	6	—	—	2	4	—	—	—	—	—
	F	2	—	—	2	—	—	—	—	—	—	3	—	—	—	2	1	—	—	—	—
7 Influenza	M	20	—	—	1	1	1	3	5	6	3	39	3	—	1	—	2	5	9	9	10
	F	22	1	—	1	2	1	2	2	5	8	34	2	1	—	—	—	3	6	7	15
8 Encephalitis lethargica	M	—	—	—	—	—	—	—	—	—	—	3	—	1	—	—	—	1	1	—	—
	F	2	—	—	—	—	—	—	2	—	—	2	—	—	1	—	1	—	—	—	—
9 Meningococcal meningitis	M	2	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
10 Tuberculosis of respiratory system	M	44	—	—	—	—	12	21	11	—	—	35	—	—	—	1	3	17	12	2	—
	F	47	—	—	—	2	10	23	7	4	1	33	—	—	—	1	3	20	8	1	—
11 Other tuberculous diseases	M	9	2	—	2	1	2	2	—	—	—	10	1	2	2	2	1	2	—	—	—
	F	12	2	3	—	2	2	3	—	—	—	13	3	1	2	—	—	5	2	—	—
12 Cancer, malignant disease	M	103	—	—	—	—	—	2	41	34	26	117	—	—	—	—	1	4	53	36	23
	F	125	—	—	—	—	1	9	52	32	31	131	1	—	—	—	—	2	66	36	26
13 Rheumatic fever	M	2	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	2	1	—	—	1	—	5	—	—	—	1	1	1	1	1	—
14 Diabetes	M	7	—	—	—	—	—	1	3	2	1	11	—	—	—	—	1	2	6	2	—
	F	9	—	—	—	—	—	1	2	3	3	14	—	—	—	—	2	—	2	8	2
15 Cerebral hæmorrhage, &c.	M	43	—	—	—	—	—	—	14	14	15	63	—	—	—	—	—	1	14	18	30
	F	61	—	—	—	—	1	2	16	16	26	61	—	—	—	—	1	—	14	19	27
16 Heart disease	M	124	—	—	—	—	3	9	39	39	34	138	—	—	1	1	—	7	35	44	50
	F	122	—	—	—	1	2	3	29	35	52	154	—	—	—	1	3	4	35	46	65
17 Arterio-sclerosis	M	17	—	—	—	—	—	—	3	9	5	52	—	—	—	—	—	—	13	17	22
	F	23	—	—	—	—	—	1	2	10	10	35	—	—	—	—	—	—	6	9	20
18 Bronchitis	M	44	3	—	—	—	—	1	2	15	23	43	3	2	1	—	—	2	8	9	18
	F	64	4	—	—	—	1	1	4	17	37	49	4	3	—	—	—	—	3	5	34
19 Pneumonia (all forms)	M	44	6	1	3	—	2	8	15	4	5	36	8	—	—	2	—	5	13	5	3
	F	42	8	5	2	—	—	6	6	7	8	29	8	1	2	2	1	3	3	5	4
20 Other respiratory diseases	M	5	—	—	—	—	—	1	1	—	3	20	—	—	2	—	1	3	7	5	2
	F	6	—	—	—	1	—	—	—	2	3	10	2	—	—	1	—	—	2	1	4
21 Ulcer of stomach or duodenum	M	7	—	—	—	—	1	—	5	1	—	12	—	—	—	—	1	3	6	1	1
	F	4	—	—	—	—	1	—	2	—	1	3	—	—	—	—	—	—	—	3	—
22 Diarrhœa, &c.	M	11	7	2	—	1	—	—	1	—	—	2	—	—	—	—	—	—	—	1	1
	F	5	—	—	—	—	—	—	4	—	1	4	2	—	—	—	—	1	—	—	1
23 Appendicitis and typhlitis	M	8	—	—	3	—	—	1	4	—	—	6	—	—	1	—	2	—	2	1	—
	F	2	—	—	—	—	—	1	1	—	—	10	—	—	1	2	1	5	1	—	—
24 Cirrhosis of liver	M	3	—	—	—	—	—	—	2	—	1	5	—	—	—	—	—	—	3	2	—
	F	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis	M	28	—	—	—	1	—	5	10	7	5	28	1	—	—	—	—	4	7	8	8
	F	19	—	—	—	—	1	2	4	9	3	14	—	—	—	—	1	3	1	4	5
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	1	2	—	—	—	1	—	—	—	—	—	1	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	7	—	—	—	—	2	5	—	—	—	6	—	—	—	—	—	6	—	—	—
28 Congenital debility and malformation, premature birth	M	34	34	—	—	—	—	—	—	—	—	46	44	1	—	1	—	—	—	—	—
	F	19	19	—	—	—	—	—	—	—	—	45	44	—	1	—	—	—	—	—	—
29 Suicide	M	7	—	—	—	—	—	1	4	2	—	11	—	—	—	—	—	2	6	2	1
	F	4	—	—	—	—	—	2	2	—	—	4	—	—	—	—	1	2	1	—	—
30 Other deaths from violence	M	22	3	1	2	1	3	—	6	3	3	26	2	—	—	3	5	5	5	2	4
	F	10	2	—	1	—	—	3	2	2	—	11	1	1	2	—	—	—	—	3	4
31 Other defined diseases	M	125	13	1	5	3	4	6	28	19	46	167	10	4	1	11	3	15	24	27	72
	F	171	9	1	—	3	5	16	25	26	86	187	6	3	5	5	2	12	26	33	95
32 Causes ill-defined or unknown	M	3	—	—	—	—	—	—	2	1	—	2	—	—	—	—	—	—	1	1	—
	F	4	—	—	—	—	—	—	3	—	1	6	—	—	—	—	—	1	2	3	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of WORCESTER—1925 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts.										Aggregate of Rural Districts.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	1111	139	40	32	28	44	118	277	215	218	712	69	14	13	12	22	66	128	170	218
	F	1093	89	45	25	33	50	119	234	206	292	670	41	8	9	13	14	70	128	143	244
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	18	—	10	6	1	1	—	—	—	—	4	—	2	2	—	—	—	—	—	—
	F	13	2	5	4	2	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
4 Scarlet fever	M	3	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	M	14	9	5	—	—	—	—	—	—	—	6	3	2	1	—	—	—	—	—	—
	F	16	7	4	4	1	—	—	—	—	—	9	4	3	2	—	—	—	—	—	—
6 Diphtheria	M	9	2	—	5	2	—	—	—	—	—	3	1	—	1	1	—	—	—	—	—
	F	2	—	—	1	1	—	—	—	—	—	3	—	—	1	2	—	—	—	—	—
7 Influenza	M	33	1	2	3	1	5	6	9	5	1	31	2	—	—	—	2	4	8	8	
	F	42	2	—	—	—	4	4	12	7	13	25	—	—	2	1	—	9	2	4	
8 Encephalitis lethargica	M	3	—	—	—	—	1	1	—	1	—	3	—	—	—	—	—	3	—	—	—
	F	3	—	—	—	—	—	2	1	—	—	1	—	—	—	—	—	—	1	—	—
9 Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	88	—	—	—	3	17	42	24	1	1	38	—	—	—	2	5	17	11	1	
	F	68	—	—	—	3	19	29	13	3	1	29	—	—	—	—	6	17	6	—	—
11 Other tuberculous diseases	M	9	1	1	—	3	2	1	1	—	—	9	1	3	—	2	—	2	1	—	—
	F	12	1	1	2	1	1	4	2	—	—	7	1	—	1	1	3	—	—	—	
12 Cancer, malignant disease	M	126	—	—	—	1	2	9	55	41	18	72	1	—	—	—	1	4	25	25	1
	F	134	—	—	—	—	—	6	65	38	25	77	—	—	—	—	—	6	27	29	1
13 Rheumatic fever	M	2	—	—	—	2	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	6	—	—	—	3	1	1	1	—	—	2	—	—	—	1	1	—	—	—	—
14 Diabetes	M	9	—	—	—	—	1	—	4	3	1	3	—	—	—	—	—	—	3	—	—
	F	12	—	—	—	—	1	1	3	5	2	10	—	—	—	1	1	1	2	3	
15 Cerebral hæmorrhage, &c.	M	73	—	—	—	—	—	—	21	25	27	44	—	—	—	—	—	2	5	17	2
	F	90	—	—	—	—	—	1	19	26	44	49	—	—	—	—	—	—	7	22	2
16 Heart disease	M	125	—	—	—	—	2	7	40	43	33	115	—	—	—	—	2	5	15	44	4
	F	142	—	—	—	2	4	14	44	36	42	128	—	—	—	—	1	6	37	34	5
17 Arterio-sclerosis	M	45	—	—	—	—	—	—	7	17	21	43	—	—	—	—	—	—	5	15	2
	F	21	—	—	—	—	—	1	2	6	12	24	—	—	—	—	—	—	1	7	1
18 Bronchitis	M	92	12	3	—	—	1	4	17	24	31	41	2	1	—	—	—	2	1	7	2
	F	112	13	1	—	—	1	1	11	33	52	46	1	1	—	—	—	1	4	11	2
19 Pneumonia (all forms)	M	94	25	11	12	1	1	7	22	12	3	31	6	4	—	—	2	1	5	7	
	F	80	10	17	5	2	5	7	9	13	12	28	3	—	1	1	—	4	7	5	
20 Other respiratory diseases	M	17	1	—	—	—	—	1	9	4	2	13	1	—	—	—	—	1	4	4	
	F	18	—	3	1	—	1	2	4	—	7	11	—	—	—	—	—	—	3	3	
21 Ulcer of stomach or duodenum	M	8	—	—	—	—	—	3	3	1	1	7	—	—	—	—	—	3	4	—	—
	F	12	—	—	—	—	1	1	6	1	3	5	—	—	—	—	—	2	1	2	—
22 Diarrhœa, &c.	M	23	13	3	1	1	—	1	1	—	3	7	4	2	—	—	—	—	1	—	—
	F	15	5	4	—	—	—	1	1	2	2	6	2	2	—	—	—	—	1	1	—
23 Appendicitis and typhlitis	M	6	—	—	—	1	—	1	3	1	—	10	—	—	—	1	1	1	6	1	—
	F	4	—	—	—	1	1	1	1	—	—	5	—	—	—	2	—	1	2	—	—
24 Cirrhosis of liver	M	6	—	—	—	—	—	1	3	1	1	2	—	—	—	—	—	1	—	1	—
	F	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	1	—	—
25 Acute and chronic nephritis	M	30	—	—	—	—	1	5	15	6	3	25	—	—	—	—	1	2	10	10	
	F	24	—	—	1	2	1	7	8	3	2	9	1	—	—	1	1	—	3	2	
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	6	—	—	—	—	1	5	—	—	—	—	—	—	—	—	—	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	11	—	—	—	—	2	9	—	—	—	4	—	—	—	—	—	4	—	—	—
28 Congenital debility and malformation, premature birth	M	50	49	—	—	1	—	—	—	—	—	34	33	—	—	1	—	—	—	—	—
	F	39	38	—	—	1	—	—	—	—	—	20	20	—	—	—	—	—	—	—	—
29 Suicide	M	12	—	—	—	—	—	2	9	—	1	6	—	—	—	—	—	2	3	1	—
	F	9	—	—	—	—	1	3	4	1	—	6	—	—	—	—	1	1	3	1	—
30 Other deaths from violence	M	36	1	1	1	4	6	11	6	2	4	28	—	—	5	2	3	6	5	5	
	F	22	3	—	4	1	2	2	2	3	5	8	—	—	1	—	—	—	2	1	
31 Other defined diseases	M	177	25	4	4	5	3	16	26	27	67	133	15	—	4	3	5	9	15	22	6
	F	171	8	8	2	12	4	17	23	27	70	154	9	1	1	3	—	17	17	18	8
32 Causes ill-defined or unknown	M	3	—	—	—	—	—	—	2	1	—	3	—	—	—	—	—	—	1	2	—
	F	5	—	1	—	—	—	—	3	1	—	2	—	—	—	—	—	1	1	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of YORK, EAST RIDING—1925 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts.										Aggregate of Rural Districts.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	422	46	12	2	12	17	41	99	90	103	569	61	14	7	16	24	35	105	131	176
	F	396	28	6	8	10	16	35	79	90	124	522	65	4	4	14	24	62	98	101	150
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	1	1	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	3	1	2	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
	F	2	—	1	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ..	M	1	—	—	—	1	—	—	—	—	—	8	6	2	—	—	—	—	—	—	—
	F	4	1	—	2	1	—	—	—	—	—	7	6	—	—	1	—	—	—	—	—
6 Diphtheria ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
7 Influenza	M	13	2	—	—	—	—	1	4	4	2	31	3	—	—	—	2	1	4	9	12
	F	4	—	1	—	—	—	1	2	—	—	22	1	—	—	—	—	4	3	5	9
8 Encephalitis lethargica ..	M	2	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	1	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	32	1	1	—	2	4	16	7	1	—	30	—	—	1	2	5	12	9	—	1
	F	25	—	—	—	3	10	8	4	—	—	37	—	—	—	2	11	23	1	—	—
11 Other tuberculous diseases	M	8	1	1	1	2	1	2	—	—	—	10	1	—	3	2	—	1	2	1	—
	F	1	—	1	—	—	—	—	—	—	—	7	—	—	—	2	2	1	1	1	—
12 Cancer, malignant disease	M	54	—	—	—	—	1	4	15	24	10	61	—	—	—	—	1	2	19	23	16
	F	58	—	—	—	—	—	7	20	16	15	64	—	—	—	—	—	2	28	19	15
13 Rheumatic fever ..	M	1	—	—	—	—	1	—	—	—	—	1	—	—	1	—	—	—	—	—	—
	F	2	—	—	—	1	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—
14 Diabetes	M	4	—	—	—	—	—	—	1	2	1	5	—	—	—	—	1	—	2	1	1
	F	3	—	—	—	—	—	—	—	3	—	7	—	—	—	1	—	—	3	2	1
15 Cerebral hæmorrhage, &c. ..	M	32	—	—	—	—	—	1	7	12	12	37	—	—	—	—	—	—	4	13	20
	F	42	—	—	—	—	—	—	8	12	22	46	—	—	—	—	—	1	13	14	18
16 Heart disease ..	M	62	—	—	—	2	1	1	17	14	27	76	—	—	—	—	1	2	20	25	28
	F	53	—	—	—	1	1	3	15	17	16	69	—	—	—	1	—	3	16	22	27
17 Arterio-sclerosis ..	M	14	—	—	—	—	—	—	1	6	7	27	—	—	—	—	—	—	2	9	16
	F	19	—	—	—	—	—	—	1	12	6	23	—	—	—	—	—	—	—	8	15
18 Bronchitis ..	M	23	2	2	—	—	—	2	3	5	9	33	6	—	—	—	—	1	2	7	17
	F	26	3	—	1	—	—	—	3	5	14	31	5	—	—	—	—	1	1	7	17
19 Pneumonia (all forms)	M	25	4	3	1	1	1	4	8	3	—	26	6	4	—	1	—	3	4	6	2
	F	16	1	2	1	—	—	4	2	3	3	25	7	2	—	3	1	3	2	4	3
20 Other respiratory diseases	M	2	—	—	—	—	—	1	—	1	—	9	2	—	—	—	—	—	2	2	3
	F	6	—	—	1	—	—	—	2	1	2	6	—	—	1	—	1	1	2	—	1
21 Ulcer of stomach or duodenum ..	M	2	—	—	—	—	—	1	1	—	—	4	—	—	—	—	—	—	3	1	—
	F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
22 Diarrhœa, &c. ..	M	10	8	—	—	1	—	—	—	—	1	4	3	1	—	—	—	—	—	—	—
	F	5	3	—	—	—	—	1	1	—	—	12	5	—	—	—	1	1	1	3	1
23 Appendicitis and typhlitis.. ..	M	6	—	—	—	2	1	2	—	1	—	4	—	—	1	1	1	—	—	1	—
	F	3	—	—	—	1	1	—	1	—	—	2	—	—	—	—	1	1	—	—	—
24 Cirrhosis of liver ..	M	3	—	—	—	—	—	—	2	1	—	3	—	—	—	—	—	—	2	—	1
	F	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	1	1	—	1
25 Acute and chronic nephritis ..	M	13	—	—	—	—	1	2	5	3	2	15	—	—	—	—	1	—	2	8	4
	F	8	—	—	—	—	—	—	5	1	2	6	—	—	—	—	—	—	2	1	3
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	1	1	—	—	—	1	—	—	—	—	1	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	—	6	—	—	—	—	1	5	—	—	—
28 Congenital debility and malformation, premature birth.. ..	M	13	13	—	—	—	—	—	—	—	—	26	26	—	—	—	—	—	—	—	—
	F	15	13	—	1	—	—	—	1	—	—	29	28	—	1	—	—	—	—	—	—
29 Suicide	M	7	—	—	—	—	—	2	3	2	—	8	—	—	—	—	2	1	3	2	—
	F	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	1	—	2	—	—
30 Other deaths from violence.. ..	M	10	—	—	—	—	1	2	3	2	2	28	—	1	1	4	7	4	4	5	2
	F	6	1	—	—	—	1	—	—	2	2	5	2	—	—	—	—	1	—	—	2
31 Other defined diseases	M	82	14	3	—	1	3	—	22	9	30	115	8	4	—	5	3	8	18	17	52
	F	92	6	1	1	2	1	8	14	17	42	105	11	1	1	3	3	13	21	15	37
32 Causes ill-defined or unknown ..	M	—	—	—	—	—	—	—	—	—	—	4	—	1	—	—	—	—	2	—	1
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of YORK, NORTH RIDING—1925 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	1160	149	51	33	34	36	141	271	233	212	861	92	10	11	11	35	63	160	226	253
	F	1169	133	41	49	49	43	112	265	211	266	832	56	9	10	15	41	77	181	180	263
1 Enteric fever	M	3	—	—	1	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	13	3	8	1	—	—	1	—	—	—	5	3	—	1	—	—	—	1	—	—
	F	24	6	9	6	2	—	1	—	—	—	2	1	—	—	1	—	—	—	—	—
4 Scarlet fever	M	2	—	—	1	—	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—
	F	5	—	1	1	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	M	4	1	2	1	—	—	—	—	—	—	5	2	2	—	—	—	—	—	—	1
	F	14	6	4	4	—	—	—	—	—	—	4	3	—	1	—	—	—	—	—	—
6 Diphtheria	M	5	1	—	2	2	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
	F	6	—	—	3	3	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
7 Influenza	M	36	1	—	1	1	4	6	11	6	6	32	2	1	—	—	5	3	7	8	6
	F	37	2	1	—	3	3	4	10	5	9	39	—	2	—	—	2	7	7	14	7
8 Encephalitis lethargica	M	2	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—
	F	5	—	—	1	1	—	3	—	—	—	1	—	—	—	—	—	1	—	—	—
9 Meningococcal meningitis	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	69	—	2	1	6	6	33	19	2	—	31	—	—	—	—	7	12	10	2	—
	F	73	1	1	2	9	15	32	12	1	—	36	—	—	—	3	12	14	7	—	—
11 Other tuberculous diseases	M	16	2	3	1	4	2	1	3	—	—	11	—	4	4	—	1	2	—	—	—
	F	28	2	4	4	8	1	3	5	—	1	12	1	—	2	2	1	3	2	—	1
12 Cancer, malignant disease	M	92	—	—	—	—	1	4	38	32	17	87	—	—	—	—	—	4	20	42	21
	F	123	—	—	—	1	1	12	52	24	33	119	—	—	—	—	—	9	53	35	22
13 Rheumatic fever	M	3	—	—	—	1	—	2	—	—	—	1	—	—	—	—	1	—	—	—	—
	F	4	—	—	—	1	1	1	—	1	—	3	—	—	—	—	2	1	—	—	—
14 Diabetes	M	5	—	—	—	—	1	2	2	—	—	5	—	—	—	1	—	—	—	3	1
	F	18	—	—	—	—	4	—	5	6	3	7	—	—	—	—	1	1	3	—	2
15 Cerebral hæmorrhage, &c.	M	85	—	—	—	—	—	3	29	33	20	55	—	—	—	—	—	—	13	20	22
	F	89	—	—	—	—	—	4	29	26	30	62	—	—	—	—	—	1	12	21	28
16 Heart disease	M	154	—	—	—	1	1	17	41	51	43	146	—	—	—	1	2	10	31	52	50
	F	173	—	—	—	5	3	4	49	51	61	128	—	—	—	—	6	5	33	37	47
17 Arterio-sclerosis	M	62	—	—	—	—	—	1	7	22	32	53	—	—	—	—	—	—	6	17	30
	F	53	—	—	—	—	—	—	10	16	27	46	—	—	—	—	—	—	4	11	31
18 Bronchitis	M	56	6	5	—	—	—	3	7	15	20	49	8	—	—	—	—	1	5	11	24
	F	56	10	2	2	—	—	1	11	17	13	42	3	—	—	—	—	1	5	12	21
19 Pneumonia (all forms)	M	127	28	17	10	5	3	23	24	12	5	56	7	—	3	3	2	3	18	14	6
	F	90	16	11	12	7	3	7	8	17	9	33	4	1	—	1	3	2	9	5	8
20 Other respiratory diseases	M	11	1	—	3	—	—	1	3	2	1	5	—	—	—	—	1	1	2	1	—
	F	8	2	—	—	—	—	3	—	1	2	10	—	—	1	1	—	—	2	2	4
21 Ulcer of stomach or duodenum	M	11	—	—	—	—	—	3	5	2	1	5	—	—	—	—	—	1	3	1	—
	F	6	—	—	—	—	—	2	4	—	—	6	—	—	—	—	—	1	5	—	—
22 Diarrhœa, &c.	M	16	12	2	—	—	—	—	2	—	—	6	4	—	—	—	—	—	1	—	1
	F	23	15	1	2	1	—	—	1	2	1	11	5	1	1	—	—	1	1	1	1
23 Appendicitis and typhlitis	M	9	—	—	1	4	1	2	1	—	—	5	—	—	—	—	2	1	1	1	—
	F	3	—	—	—	—	1	1	1	—	—	4	—	—	—	1	2	—	—	1	—
24 Cirrhosis of liver	M	5	—	—	—	—	—	—	4	1	—	2	—	—	—	—	—	—	2	—	—
	F	3	—	—	—	—	—	—	3	—	—	4	—	—	1	—	—	—	1	1	1
25 Acute and chronic nephritis	M	35	—	—	—	—	1	3	12	8	11	19	—	—	—	—	—	1	3	10	5
	F	31	1	—	—	1	1	6	12	5	5	23	1	—	—	—	—	2	5	12	3
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	1	3	—	—	—	3	—	—	—	—	—	3	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	12	—	—	—	—	1	10	1	—	—	15	—	—	—	—	5	10	—	—	—
28 Congenital debility and malformation, premature birth	M	64	63	1	—	—	—	—	—	—	—	50	49	—	—	1	—	—	—	—	—
	F	51	50	—	—	1	—	—	—	—	—	27	25	1	—	—	—	1	—	—	—
29 Suicide	M	11	—	—	—	—	—	6	4	1	—	11	—	—	—	—	—	3	6	1	1
	F	2	—	—	—	—	—	—	2	—	—	4	—	—	—	—	2	1	1	—	—
30 Other deaths from violence	M	46	1	2	1	—	5	13	16	3	5	37	1	—	2	1	9	7	8	3	6
	F	18	1	—	2	2	3	3	1	1	5	17	—	1	1	1	3	—	4	—	7
31 Other defined diseases	M	213	30	9	9	10	9	17	38	40	51	179	16	2	1	4	4	14	22	37	79
	F	205	21	7	10	3	3	12	45	37	67	171	13	3	3	4	2	13	25	28	80
32 Causes ill-defined or unknown	M	4	—	—	—	—	—	—	3	1	—	4	—	—	—	—	—	—	1	3	—
	F	5	—	—	—	—	—	—	4	1	—	1	—	—	—	—	—	—	1	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of YORK, WEST RIDING—1925 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts.										Aggregate of Rural Districts.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	7287	1029	248	223	222	322	745	2016	1492	990	2419	402	88	82	79	110	279	511	456	412
	F	7060	766	215	210	187	290	775	1733	1456	1428	2182	301	72	85	78	104	234	417	429	462
1 Enteric fever ..	M	11	—	—	—	2	4	4	1	—	—	2	—	—	—	1	1	—	—	—	—
	F	10	—	—	—	—	2	5	2	1	—	1	—	—	—	—	—	1	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	82	17	28	30	6	1	—	—	—	—	29	13	2	11	3	—	—	—	—	—
	F	77	19	27	23	6	—	2	—	—	—	28	9	10	6	3	—	—	—	—	—
4 Scarlet fever ..	M	16	1	1	6	7	1	—	—	—	—	7	1	—	3	1	1	—	—	1	—
	F	12	—	—	8	4	—	—	—	—	—	5	—	1	4	—	—	—	—	—	—
5 Whooping cough ..	M	76	30	24	17	5	—	—	—	—	—	20	9	5	5	1	—	—	—	—	—
	F	85	39	23	18	4	—	1	—	—	—	26	12	8	6	—	—	—	—	—	—
6 Diphtheria ..	M	32	3	5	11	12	—	1	—	—	—	12	2	—	5	5	—	—	—	—	—
	F	25	4	3	6	12	—	—	—	—	—	6	—	1	3	2	—	—	—	—	—
7 Influenza	M	170	6	3	4	3	9	33	60	32	20	84	5	2	4	4	7	15	30	10	7
	F	212	7	1	6	6	8	37	69	48	30	65	1	—	3	3	4	10	22	9	13
8 Encephalitis lethargica ..	M	18	—	1	—	2	1	7	6	1	—	7	—	—	—	—	1	2	3	1	—
	F	12	—	—	3	1	5	1	2	—	—	3	—	—	—	—	2	1	—	—	—
9 Meningococcal meningitis ..	M	4	—	—	2	1	1	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	437	3	1	2	9	94	183	122	21	2	128	1	1	1	2	24	65	30	3	1
	F	389	4	2	5	24	119	145	75	13	2	127	1	—	2	15	36	45	22	6	—
11 Other tuberculous diseases	M	155	17	20	31	22	20	21	17	5	2	40	3	5	11	6	4	7	3	1	—
	F	152	16	18	19	29	25	20	17	6	2	49	9	6	8	7	8	6	4	—	1
12 Cancer, malignant disease	M	624	—	3	3	2	5	42	319	181	69	206	—	—	1	2	—	11	92	65	35
	F	808	—	—	1	2	3	69	404	232	97	233	—	—	—	—	2	20	103	70	38
13 Rheumatic fever ..	M	24	—	—	—	10	3	5	4	—	2	10	—	—	—	3	3	—	4	—	—
	F	26	—	—	—	11	3	7	4	1	—	12	—	—	—	2	2	4	3	1	—
14 Diabetes	M	70	—	—	—	—	2	7	30	26	5	18	—	—	—	1	2	2	2	7	4
	F	94	—	—	1	—	5	11	38	34	5	25	—	—	—	—	2	2	11	9	1
15 Cerebral hæmorrhage, &c. ..	M	461	—	—	—	—	1	9	148	187	116	123	—	—	—	—	—	1	38	49	35
	F	537	—	—	—	1	1	14	158	188	175	151	—	—	—	—	—	6	29	62	54
16 Heart disease ..	M	852	—	—	—	14	17	62	309	288	162	271	—	—	—	7	6	15	67	94	82
	F	1016	—	—	—	11	23	79	316	330	257	289	—	1	2	7	9	28	75	101	66
17 Arterio-sclerosis ..	M	315	—	—	—	—	—	3	68	142	102	97	—	—	—	—	—	—	19	44	34
	F	220	—	—	—	—	—	—	37	73	110	65	—	—	—	—	—	1	14	18	32
18 Bronchitis ..	M	568	88	18	7	4	3	18	120	166	144	166	36	9	2	1	—	4	23	43	48
	F	552	48	19	9	2	2	17	70	151	234	147	20	4	3	—	1	—	11	34	74
19 Pneumonia (all forms)	M	738	173	99	54	23	32	82	168	77	30	243	67	38	13	9	9	37	36	24	10
	F	494	107	72	45	25	12	41	88	57	47	174	57	24	17	10	4	13	17	23	9
20 Other respiratory diseases	M	98	3	1	3	5	3	4	42	26	11	40	4	—	2	1	2	8	6	9	8
	F	60	7	—	5	3	1	5	9	13	17	22	—	—	3	1	1	4	3	2	8
21 Ulcer of stomach or duodenum ..	M	71	—	—	—	—	2	16	41	11	1	30	—	—	—	—	—	14	13	2	1
	F	32	—	—	—	1	—	11	15	4	1	10	1	—	—	1	—	2	5	1	—
22 Diarrhœa, &c. ..	M	134	93	12	6	7	1	3	5	4	3	47	34	4	2	—	1	2	2	1	1
	F	127	67	15	13	4	1	5	4	10	8	44	24	5	3	5	—	2	2	2	1
23 Appendicitis and typhlitis.. ..	M	61	—	—	5	10	20	13	8	4	1	10	—	1	—	4	2	1	2	—	—
	F	33	—	1	3	6	3	8	11	—	1	14	—	—	2	6	—	4	2	—	—
24 Cirrhosis of liver ..	M	39	—	—	—	—	—	3	20	13	3	10	—	—	—	—	—	2	3	3	2
	F	23	—	—	—	—	—	4	11	7	1	7	—	—	—	—	—	—	3	3	1
25 Acute and chronic nephritis ..	M	202	—	3	—	3	7	27	92	46	24	58	—	1	—	—	3	7	20	15	12
	F	223	1	1	1	2	5	25	103	63	22	55	2	1	2	—	2	10	17	12	9
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	41	—	—	—	—	6	35	—	—	—	17	—	—	—	—	6	11	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	81	—	—	—	—	16	64	1	—	—	19	—	—	—	—	3	15	1	—	—
28 Congenital debility and malformation, premature birth..	M	418	414	—	—	3	—	1	—	—	—	165	160	1	2	1	1	—	—	—	—
	F	342	336	—	2	1	3	—	—	—	—	115	114	1	—	—	—	—	—	—	—
29 Suicide	M	93	—	—	—	—	4	17	57	10	5	25	—	—	—	—	—	9	11	5	—
	F	24	—	—	—	—	2	10	12	—	—	10	—	—	—	—	—	4	5	—	1
30 Other deaths from violence.. ..	M	341	7	7	16	24	51	87	104	32	13	146	1	2	8	13	27	50	34	10	1
	F	112	3	8	11	6	9	14	22	15	24	47	3	2	7	6	7	4	4	3	11
31 Other defined diseases	M	1160	174	21	26	48	39	97	267	214	274	415	65	16	12	13	16	26	68	68	131
	F	1226	107	21	28	26	36	144	260	209	395	402	48	6	13	10	14	40	59	69	143
32 Causes ill-defined or unknown ..	M	17	—	1	—	—	1	—	8	6	1	9	1	1	—	—	—	1	5	1	—
	F	15	1	4	3	—	—	1	5	1	—	14	—	2	1	—	1	1	5	4	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of ANGLESEY—1925 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	137	13	3	6	7	9	11	34	24	30	237	28	2	4	2	9	24	38	60	70
	F	150	12	1	6	3	3	26	34	23	42	237	16	3	4	8	10	16	58	52	70
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	1	—	1	—	—	—	—	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	2	—	—	1	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ..	M	4	3	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	6	4	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6 Diphtheria ..	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7 Influenza	M	9	—	—	—	—	—	1	2	3	3	19	—	—	—	—	—	3	3	9	4
	F	8	—	—	—	—	—	—	1	3	4	16	1	—	1	—	—	3	3	4	4
8 Encephalitis lethargica ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	7	—	—	—	—	3	3	1	—	—	14	—	—	—	—	3	6	5	—	—
	F	15	—	—	—	—	3	11	1	—	—	16	—	—	—	4	4	5	2	1	—
11 Other tuberculous diseases	M	4	—	1	1	2	—	—	—	—	—	2	—	—	—	—	1	—	1	—	—
	F	3	—	—	1	—	—	2	—	—	—	3	—	—	—	1	—	2	—	—	—
12 Cancer, malignant disease	M	12	—	—	—	—	—	—	5	5	2	21	—	—	—	—	—	—	8	7	6
	F	18	—	—	—	—	—	4	10	3	1	34	—	—	—	—	—	—	16	12	6
13 Rheumatic fever ..	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	—	1	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
14 Diabetes	M	3	—	—	—	—	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	1	—	1	—	2	—	—	—	1	—	—	1	—	—
15 Cerebral hæmorrhage, &c. ..	M	3	—	—	—	—	—	—	1	2	—	32	—	—	—	—	—	—	3	11	18
	F	16	—	—	—	—	—	1	5	3	7	26	—	—	—	—	—	—	6	7	13
16 Heart disease ..	M	16	—	—	—	1	—	—	7	4	4	33	—	—	—	—	—	3	5	10	15
	F	10	—	—	—	—	—	1	1	4	4	34	—	—	—	—	—	1	10	10	13
17 Arterio-sclerosis ..	M	9	—	—	—	—	—	—	3	2	4	6	—	—	—	—	—	—	1	4	1
	F	2	—	—	—	—	—	—	1	1	—	2	—	—	—	—	—	—	1	—	1
18 Bronchitis ..	M	6	—	—	—	1	—	—	2	—	3	13	5	—	—	—	—	1	4	2	1
	F	5	2	—	—	—	—	—	—	2	1	13	—	—	1	—	—	—	3	1	8
19 Pneumonia (all forms)	M	8	1	1	2	—	—	—	2	—	2	13	6	—	1	1	—	2	2	—	1
	F	5	—	1	—	—	—	1	1	1	1	8	1	1	—	1	1	—	1	1	2
20 Other respiratory diseases	M	1	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	1	—	—	—
	F	1	—	—	—	—	—	—	—	1	—	3	—	—	—	—	—	—	1	1	1
21 Ulcer of stomach or duodenum ..	M	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	1	—	—
	F	3	—	—	—	—	—	1	2	—	—	2	—	—	—	—	1	—	1	—	—
22 Diarrhœa, &c. ..	M	1	1	—	—	—	—	—	—	—	—	2	—	1	—	—	—	—	—	1	—
	F	1	1	—	—	—	—	—	—	—	—	5	2	1	—	—	—	—	1	1	—
23 Appendicitis and typhlitis.. ..	M	3	—	—	—	—	2	—	—	1	—	1	—	—	—	—	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
24 Cirrhosis of liver ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis ..	M	7	—	—	—	—	—	—	1	4	2	7	—	—	1	—	—	1	1	2	2
	F	6	—	—	—	—	—	1	—	2	3	7	—	1	—	—	—	1	3	2	—
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
28 Congenital debility and malformation, premature birth.. ..	M	8	7	—	—	—	1	—	—	—	—	8	8	—	—	—	—	—	—	—	—
	F	5	5	—	—	—	—	—	—	—	—	5	5	—	—	—	—	—	—	—	—
29 Suicide	M	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
30 Other deaths from violence.. ..	M	4	—	—	—	—	1	1	1	1	—	14	—	1	1	—	2	4	—	4	2
	F	3	—	—	—	2	—	—	—	—	1	3	—	—	—	—	1	1	—	—	1
31 Other defined diseases	M	24	1	—	3	1	—	4	5	2	8	39	6	—	—	—	3	—	4	7	19
	F	32	—	—	1	1	—	2	6	2	20	52	6	—	1	1	3	2	7	11	21
32 Causes ill-defined or unknown ..	M	5	—	—	—	1	—	1	3	—	—	5	2	—	—	—	—	1	—	1	1
	F	5	—	—	—	—	—	—	5	—	—	2	—	—	—	—	—	—	1	1	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of BRECKNOCK—1925 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts.										Aggregate of Rural Districts.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	95	11	5	5	4	5	7	22	19	17	260	34	5	9	5	11	36	71	44	45
	F	105	6	2	3	6	5	15	27	22	19	261	34	9	4	4	14	25	67	39	65
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	4	1	3	—	—	—	—	—	—	—
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	M	1	1	—	—	—	—	—	—	—	—	2	1	—	1	—	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	6	3	2	—	1	—	—	—	—	—
6 Diphtheria	M	1	—	—	1	—	—	—	—	—	—	2	—	1	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7 Influenza	M	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	1	—	1	1	—
	F	1	—	—	—	—	—	—	—	—	1	2	—	—	—	—	—	—	2	—	—
8 Encephalitis lethargica	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	5	—	—	—	—	2	3	—	—	—	14	—	—	—	—	1	12	1	—	—
	F	6	—	—	—	—	2	2	2	—	—	14	—	—	1	—	7	5	1	—	—
11 Other tuberculous diseases	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	1	1	—	—	—	—	4	—	1	—	1	2	—	—	—	—
12 Cancer, malignant disease	M	9	—	—	—	—	—	—	5	4	—	28	—	—	—	—	—	—	14	7	7
	F	16	—	—	—	—	1	2	5	7	1	21	—	—	—	—	—	3	12	6	—
13 Rheumatic fever	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
14 Diabetes	M	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	2	1	—
	F	3	—	—	—	—	—	—	1	2	—	1	—	—	—	—	—	1	—	—	—
15 Cerebral hæmorrhage, &c.	M	8	—	—	—	—	—	—	1	4	3	16	—	—	—	—	—	2	3	6	5
	F	12	—	—	—	—	—	1	4	2	5	31	—	—	—	—	—	1	15	7	8
16 Heart disease	M	8	—	—	—	—	—	—	3	4	1	32	—	—	—	1	—	2	9	6	14
	F	9	—	—	—	—	—	1	4	3	1	42	—	—	—	—	2	3	18	11	8
17 Arterio-sclerosis	M	4	—	—	—	—	—	—	1	2	1	7	—	—	—	—	—	—	2	5	—
	F	1	—	—	—	—	—	—	—	—	1	3	—	—	—	—	—	—	2	—	1
18 Bronchitis	M	10	4	—	1	—	—	—	—	2	3	22	4	—	2	—	—	—	5	7	4
	F	12	1	1	—	—	—	1	5	1	3	22	2	2	1	—	—	—	4	4	9
19 Pneumonia (all forms)	M	3	—	1	—	—	—	—	—	1	1	22	3	3	2	2	1	3	4	2	2
	F	2	—	1	—	1	—	—	—	—	—	10	3	1	1	—	2	—	—	1	2
20 Other respiratory diseases	M	2	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—	1	1	—	—
21 Ulcer of stomach or duodenum	M	2	—	—	—	—	—	1	1	—	—	4	—	—	—	—	—	2	2	—	—
	F	3	—	—	—	—	—	2	1	—	—	1	—	—	—	—	—	1	—	—	—
22 Diarrhœa, &c.	M	1	—	—	—	—	—	—	—	—	1	4	2	1	—	—	—	—	1	—	—
	F	1	1	—	—	—	—	—	—	—	—	2	1	—	—	—	—	1	—	—	—
23 Appendicitis and typhlitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
24 Cirrhosis of liver	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	2	—	—
	F	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—	—
25 Acute and chronic nephritis	M	5	—	—	1	—	—	—	4	—	—	2	—	—	—	—	1	—	—	—	1
	F	3	—	—	1	—	—	—	1	1	—	7	—	—	—	—	—	—	4	2	1
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
28 Congenital debility and malformation, premature birth	M	4	4	—	—	—	—	—	—	—	—	13	12	—	—	1	—	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	—	16	16	—	—	—	—	—	—	—	—
29 Suicide	M	2	—	—	—	—	—	1	1	—	—	10	—	—	—	—	2	3	4	1	—
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
30 Other deaths from violence	M	6	—	—	1	2	1	—	2	—	—	19	—	—	1	—	5	5	8	—	—
	F	4	—	—	—	—	—	—	1	2	1	1	—	—	—	—	—	—	—	1	—
31 Other defined diseases	M	22	2	4	1	1	2	—	4	1	7	51	12	—	1	1	—	6	12	7	12
	F	23	3	—	1	3	1	4	1	4	6	68	8	—	1	2	—	9	5	7	36
32 Causes ill-defined or unknown	M	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	1	1	1	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	2	—	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of CARDIGAN—1925 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	112	7	—	—	2	4	13	42	26	18	301	25	4	6	5	17	23	66	65	90
	F	140	5	—	1	4	7	11	35	36	41	373	22	1	2	9	13	37	78	90	121
1 Enteric fever ..	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	2	—	—	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—	—
6 Diphtheria ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7 Influenza	M	1	—	—	—	—	—	—	—	—	1	5	—	—	—	—	—	1	1	1	2
	F	2	—	—	—	—	—	—	—	2	—	15	1	—	—	—	—	2	3	8	1
8 Encephalitis lethargica ..	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	14	—	—	—	—	1	6	6	1	—	33	—	—	1	1	5	14	10	2	—
	F	11	—	—	—	—	6	3	1	1	—	33	—	—	—	1	5	16	8	3	—
11 Other tuberculous diseases	M	2	—	—	—	—	1	—	—	—	1	3	—	—	2	—	—	—	1	—	—
	F	2	—	—	—	1	—	1	—	—	—	6	—	—	1	4	1	—	—	—	—
12 Cancer, malignant disease	M	10	—	—	—	—	—	2	5	2	1	34	—	—	—	—	—	1	13	9	11
	F	21	—	—	—	—	1	2	8	6	4	52	—	—	—	—	—	1	20	20	11
13 Rheumatic fever ..	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
14 Diabetes	M	2	—	—	—	—	—	—	1	1	—	6	—	—	—	—	1	—	2	2	1
	F	1	—	—	—	—	—	—	—	—	1	3	—	—	—	—	—	1	1	—	1
15 Cerebral hæmorrhage, &c. ..	M	9	—	—	—	—	—	—	3	4	2	19	—	—	—	—	—	1	1	8	9
	F	15	—	—	—	—	—	—	2	10	3	36	—	—	—	—	—	1	7	9	19
16 Heart disease ..	M	16	—	—	—	—	—	1	7	7	1	47	—	—	—	1	—	1	9	17	19
	F	21	—	—	—	—	—	—	7	6	8	75	—	—	—	—	1	2	10	26	36
17 Arterio-sclerosis ..	M	5	—	—	—	—	—	—	2	2	1	8	—	—	—	—	—	—	2	4	2
	F	5	—	—	—	—	—	—	—	1	4	6	—	—	—	—	—	—	1	2	3
18 Bronchitis ..	M	9	2	—	—	—	—	—	2	2	3	15	1	1	—	—	—	—	1	1	11
	F	8	—	—	—	—	—	—	—	2	6	20	—	—	—	—	—	—	5	3	12
19 Pneumonia (all forms)	M	6	1	—	—	—	—	—	3	—	2	19	4	—	2	—	1	1	3	6	2
	F	8	1	—	1	—	—	1	2	1	2	14	1	—	—	—	—	3	1	3	6
20 Other respiratory diseases	M	3	—	—	—	—	—	1	1	—	1	6	—	—	—	—	1	—	2	1	2
	F	2	—	—	—	—	—	—	—	1	1	3	—	—	—	—	—	—	1	1	1
21 Ulcer of stomach or duodenum ..	M	1	—	—	—	—	—	—	1	—	—	3	—	—	—	—	—	—	1	—	2
	F	1	—	—	—	—	—	—	1	—	—	3	—	—	—	—	—	—	3	—	—
22 Diarrhœa, &c. ..	M	1	—	—	—	—	—	—	1	—	—	4	3	—	1	—	—	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1
23 Appendicitis and typhlitis.. ..	M	1	—	—	—	—	—	—	1	—	—	2	—	—	—	—	2	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	2	—	—	—	—	—	1	—	1	—
24 Cirrhosis of liver ..	M	2	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—	—
25 Acute and chronic nephritis ..	M	4	—	—	—	—	—	1	1	1	1	17	—	—	—	—	2	1	6	5	3
	F	6	—	—	—	—	—	1	1	4	—	15	—	1	—	—	—	1	5	5	3
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	2	1	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	—	1	—	—	—	—	—	1	—	—	—
28 Congenital debility and malformation, premature birth.. ..	M	3	3	—	—	—	—	—	—	—	—	11	11	—	—	—	—	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	—	12	12	—	—	—	—	—	—	—	—
29 Suicide	M	4	—	—	—	—	—	1	3	—	—	2	—	—	—	—	1	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	1	—	—	—
30 Other deaths from violence.. ..	M	4	—	—	—	1	1	—	1	1	—	5	—	—	—	2	1	1	1	—	—
	F	2	—	—	—	—	—	—	—	—	2	3	—	—	1	—	—	—	1	—	1
31 Other defined diseases	M	11	1	—	—	—	—	1	2	3	4	59	6	3	—	—	3	2	12	8	25
	F	27	1	—	—	2	—	1	11	2	10	60	5	—	—	4	1	5	11	8	26
32 Causes ill-defined or unknown ..	M	1	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—	—	—	1	1
	F	1	1	—	—	—	—	—	—	—	—	2	1	—	—	—	—	—	—	1	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of CARMARTHEN—1925 (Civilian population only).

	Causes of Death.	Sex.	Aggregate of Urban Districts.										Aggregate of Rural Districts.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
	All Causes ..	M	412	53	15	22	11	25	39	106	71	70	657	105	10	17	29	21	68	146	129	132
		F	462	62	14	17	14	19	55	107	81	93	709	62	11	15	27	39	86	150	143	176
1	Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	1	—	—	1	—	—	—	—	—	—	2	—	1	1	—	—	—	—	—	—
		F	8	3	1	4	—	—	—	—	—	—	4	—	2	1	—	—	1	—	—	—
4	Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
		F	1	—	—	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
5	Whooping cough ..	M	3	—	2	1	—	—	—	—	—	—	7	6	—	1	—	—	—	—	—	—
		F	8	5	3	—	—	—	—	—	—	—	7	1	4	1	1	—	—	—	—	—
6	Diphtheria ..	M	6	—	1	4	1	—	—	—	—	—	14	—	1	5	8	—	—	—	—	—
		F	4	—	—	2	2	—	—	—	—	—	7	—	—	2	5	—	—	—	—	—
7	Influenza	M	7	1	—	—	—	—	1	4	1	—	15	1	—	—	1	—	3	4	2	4
		F	9	1	—	—	—	—	1	1	3	3	18	—	—	—	—	2	2	2	8	4
8	Encephalitis lethargica ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	—	3	—	—	—	2	—	—	—	—	1	—	—	1	—
9	Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
10	Tuberculosis of respiratory system	M	26	—	—	1	—	6	10	6	2	1	47	—	—	—	4	8	20	14	1	—
		F	27	1	1	—	1	8	13	2	1	—	54	—	—	1	2	12	23	12	3	1
11	Other tuberculous diseases	M	11	1	1	2	1	5	1	—	—	—	10	1	—	1	3	1	2	1	1	—
		F	10	—	1	2	—	3	1	2	1	—	19	3	—	2	3	4	2	3	2	—
12	Cancer, malignant disease	M	26	—	—	—	—	—	—	14	7	5	63	—	—	—	—	—	3	22	22	16
		F	54	—	—	1	—	—	3	29	15	6	61	—	—	—	—	—	7	23	18	13
13	Rheumatic fever ..	M	2	—	—	—	—	1	1	—	—	—	4	—	—	—	1	1	1	1	—	—
		F	4	—	—	—	1	1	2	—	—	—	4	—	—	—	2	—	1	1	—	—
14	Diabetes	M	1	—	—	—	—	—	—	—	1	—	6	—	—	—	—	1	1	2	1	1
		F	4	—	—	—	—	—	—	2	2	—	6	—	—	—	—	1	—	2	1	2
15	Cerebral hæmorrhage, &c. ..	M	30	—	—	—	—	—	1	10	13	6	43	—	—	—	—	—	—	12	15	16
		F	25	—	—	—	—	—	1	8	10	6	48	—	—	—	—	—	—	7	16	25
16	Heart disease ..	M	55	—	—	—	2	1	5	18	16	13	91	—	—	—	—	3	3	30	36	19
		F	80	—	—	—	1	2	8	28	23	18	139	—	—	—	2	4	13	35	48	37
17	Arterio-sclerosis ..	M	22	—	—	—	—	—	—	6	7	9	23	—	—	—	—	—	—	4	10	9
		F	6	—	—	—	—	—	—	3	—	3	16	—	—	—	—	—	—	3	4	9
18	Bronchitis ..	M	23	1	2	—	—	—	2	5	5	8	34	5	1	—	—	—	1	9	6	12
		F	25	5	—	—	—	—	1	4	8	7	42	3	—	—	—	—	—	5	8	26
19	Pneumonia (all forms)	M	38	10	6	4	—	1	2	6	4	5	35	5	1	1	1	1	7	8	6	5
		F	32	12	4	2	1	—	1	1	4	7	43	11	4	1	2	3	4	7	4	7
20	Other respiratory diseases	M	6	—	—	2	—	—	2	1	—	1	4	—	—	—	—	—	1	1	1	1
		F	6	—	—	—	—	—	1	2	2	1	7	—	—	1	1	—	—	2	—	3
21	Ulcer of stomach or duodenum ..	M	2	—	—	—	—	1	—	1	—	—	2	—	—	—	—	—	—	2	—	—
		F	3	—	—	—	—	—	2	1	—	—	2	—	—	—	—	—	2	—	—	—
22	Diarrhœa, &c. ..	M	11	7	1	1	—	—	—	1	—	1	13	9	2	1	—	—	—	—	—	1
		F	14	3	2	2	—	—	—	1	2	4	9	3	—	—	—	—	1	3	2	—
23	Appendicitis and typhlitis.. ..	M	2	—	—	1	1	—	—	—	—	—	4	—	—	—	—	1	2	1	—	—
		F	3	—	—	1	—	—	1	1	—	—	8	—	—	1	2	1	1	1	2	—
24	Cirrhosis of liver ..	M	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	1	—
		F	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—	—
25	Acute and chronic nephritis ..	M	8	—	—	1	1	—	—	2	2	2	23	—	—	1	2	1	2	8	3	6
		F	16	—	—	—	2	—	5	5	3	1	37	—	—	—	—	1	7	13	8	8
26	Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	2	1	—	—	—
27	Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	1	2	—	—	—	9	—	—	—	—	2	7	—	—	—
28	Congenital debility and malformation, premature birth.. ..	M	25	25	—	—	—	—	—	—	—	—	40	39	—	1	—	—	—	—	—	—
		F	27	26	—	—	1	—	—	—	—	—	24	24	—	—	—	—	—	—	—	—
29	Suicide	M	6	—	—	—	—	1	2	2	1	—	7	—	—	—	—	1	—	5	—	1
		F	4	—	—	—	—	—	3	1	—	—	5	—	—	—	—	1	1	3	—	—
30	Other deaths from violence.. ..	M	18	—	—	2	2	5	4	4	1	—	42	3	1	3	6	1	14	9	5	
		F	7	—	—	2	2	2	—	—	—	1	7	—	—	2	1	1	—	—	3	—
31	Other defined diseases	M	74	8	2	2	3	3	7	20	10	19	123	36	3	1	3	2	7	13	17	41
		F	76	6	2	—	3	2	6	14	7	36	121	16	1	2	6	4	13	25	13	41
32	Causes ill-defined or unknown ..	M	8	—	—	—	—	1	1	5	1	—	2	—	—	—	—	—	—	—	2	—
		F	2	—	—	—	—	—	1	1	—	—	4	—	—	—	—	—	—	2	2	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of CARNARVON—1925 (Civilian population only).

	Causes of Death.	Sex.	Aggregate of Urban Districts										Aggregate of Rural Districts.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
	All Causes	M	401	36	4	10	6	14	40	96	100	95	549	55	5	9	13	16	51	151	135	114
		F	461	25	6	7	11	15	47	97	109	144	505	38	6	13	12	25	40	106	97	168
1	Enteric fever	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	2	1	—	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
		F	2	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4	Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
		F	2	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5	Whooping cough	M	3	2	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
		F	1	—	—	1	—	—	—	—	—	—	7	3	3	1	—	—	—	—	—	—
6	Diphtheria	M	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	2	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
7	Influenza	M	10	—	—	—	—	—	—	3	3	4	27	2	—	—	—	—	8	4	6	7
		F	22	—	—	—	—	—	2	4	6	10	21	—	—	1	—	2	1	5	3	9
8	Encephalitis lethargica	M	5	—	—	—	—	3	—	2	—	—	1	—	—	—	—	—	—	1	—	—
		F	1	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
9	Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10	Tuberculosis of respiratory system	M	32	—	—	—	1	2	17	11	1	—	50	—	—	1	3	6	9	25	6	—
		F	33	—	—	—	2	6	18	5	1	1	34	—	—	1	2	7	13	9	2	—
11	Other tuberculous diseases	M	16	2	1	5	2	1	2	1	2	—	10	—	1	1	2	3	2	1	—	—
		F	6	—	—	3	—	—	1	2	—	—	12	2	—	—	4	1	1	3	—	1
12	Cancer, malignant disease	M	43	—	—	—	—	—	2	15	18	8	55	—	—	—	—	—	2	25	21	7
		F	48	—	—	—	—	—	2	22	16	8	66	—	—	—	—	—	3	22	19	22
13	Rheumatic fever	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	—	1	—	—
		F	4	—	—	—	—	2	—	—	2	—	3	—	—	—	—	1	1	1	—	—
14	Diabetes	M	1	—	—	—	—	—	—	—	1	—	5	—	—	—	—	—	1	1	1	2
		F	4	—	—	—	—	1	—	2	1	—	3	—	—	—	—	—	—	3	—	—
15	Cerebral hæmorrhage, &c.	M	28	—	—	—	—	—	—	6	11	11	20	—	—	—	—	—	—	2	8	10
		F	40	—	—	—	—	—	1	11	12	16	44	—	—	—	—	—	1	7	17	19
16	Heart disease	M	51	—	—	—	1	1	5	16	16	12	81	—	—	—	1	—	4	32	30	14
		F	66	—	—	—	1	1	6	18	14	26	68	—	—	—	—	3	—	21	25	19
17	Arterio-sclerosis	M	19	—	—	—	—	—	—	1	9	9	35	—	—	—	—	—	—	4	13	18
		F	18	—	—	—	—	—	—	2	10	6	6	—	—	—	—	—	—	—	2	4
18	Bronchitis	M	29	4	—	—	—	—	1	3	8	13	21	1	—	—	—	—	—	4	5	11
		F	36	1	—	—	—	—	—	1	11	23	36	—	—	1	—	—	1	4	4	26
19	Pneumonia (all forms)	M	19	3	2	—	—	1	5	7	—	1	41	11	1	—	1	2	4	8	9	5
		F	23	2	1	1	—	1	1	5	3	9	29	5	3	2	—	2	2	4	4	7
20	Other respiratory diseases	M	3	—	—	—	—	—	—	1	2	—	4	—	—	—	—	—	—	3	—	1
		F	2	—	1	—	—	—	—	—	—	1	5	—	—	—	—	—	—	2	—	3
21	Ulcer of stomach or duodenum	M	4	—	—	—	—	—	—	3	—	1	2	—	—	—	—	—	1	1	—	—
		F	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	1	—	—
22	Diarrhœa, &c.	M	3	—	—	1	—	—	—	—	—	2	8	5	1	1	—	—	—	—	—	1
		F	6	—	1	—	1	—	—	—	4	—	8	2	—	—	—	2	—	—	1	3
23	Appendicitis and typhlitis	M	1	—	—	—	—	—	—	1	—	—	2	—	—	—	1	—	—	1	—	—
		F	3	—	—	—	1	—	—	1	1	—	6	—	—	1	2	1	—	1	—	1
24	Cirrhosis of liver	M	3	—	—	—	—	—	1	1	—	1	1	—	—	—	—	—	—	—	1	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25	Acute and chronic nephritis	M	24	—	—	—	—	2	1	6	9	6	29	—	—	—	—	—	4	10	8	7
		F	18	—	—	—	—	—	4	3	11	—	28	—	—	—	—	1	4	5	8	10
26	Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	2	—	—	—
27	Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	—	3	—	—	—	5	—	—	—	—	—	5	—	—	—
28	Congenital debility and malformation, premature birth	M	16	16	—	—	—	—	—	—	—	—	18	18	—	—	—	—	—	—	—	—
		F	17	16	—	—	—	—	1	—	—	—	17	17	—	—	—	—	—	—	—	—
29	Suicide	M	2	—	—	—	—	—	—	2	—	—	7	—	—	—	—	—	—	7	—	—
		F	2	—	—	—	—	—	1	1	—	—	2	—	—	—	—	—	—	2	—	—
30	Other deaths from violence	M	16	1	—	—	1	3	2	5	4	—	25	—	—	1	1	3	10	5	5	—
		F	3	—	—	—	—	—	—	2	1	—	17	1	4	2	2	2	2	3	2	1
31	Other defined diseases	M	69	7	—	2	1	1	4	12	15	27	100	18	—	4	2	2	6	16	21	31
		F	92	6	—	1	3	3	5	14	16	44	83	8	—	2	1	3	3	13	10	43
32	Causes ill-defined or unknown	M	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	1	—
		F	6	—	1	—	—	—	1	4	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of DENBIGH—1925 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	362	53	7	6	8	11	41	91	70	75	630	102	22	13	12	27	62	145	137	110
	F	387	29	5	6	5	19	35	87	86	115	592	64	16	8	15	24	61	145	125	134
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	3	—	—	—	—	1	—	2	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	—	—	—	—	—	—	—	—	—	—	3	1	1	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	2	—	—	2	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
5 Whooping cough ..	M	1	1	—	—	—	—	—	—	—	—	6	3	2	1	—	—	—	—	—	—
	F	6	2	3	1	—	—	—	—	—	—	9	3	5	1	—	—	—	—	—	—
6 Diphtheria ..	M	2	—	—	1	1	—	—	—	—	—	3	—	1	—	1	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
7 Influenza	M	11	1	1	—	—	1	—	4	1	3	13	1	—	—	—	1	2	3	4	2
	F	14	1	—	—	—	—	—	3	5	5	12	—	—	—	—	—	3	4	2	3
8 Encephalitis lethargica ..	M	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—
	F	4	—	—	—	—	1	1	2	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	23	—	—	—	—	2	13	8	—	—	33	1	1	—	—	9	12	7	3	—
	F	26	1	—	—	1	9	12	2	1	—	29	—	—	—	1	9	9	7	3	—
11 Other tuberculous diseases	M	7	1	1	2	1	1	1	—	—	—	6	1	2	—	—	1	2	—	—	—
	F	2	—	—	2	—	—	—	—	—	—	7	1	—	1	—	4	—	1	—	—
12 Cancer, malignant disease	M	40	—	—	—	—	—	1	20	11	8	63	—	—	—	—	—	5	21	28	9
	F	53	—	—	—	—	2	4	25	13	9	66	—	—	—	1	1	8	31	18	7
13 Rheumatic fever ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	2	—	—	—	1	—	—	—	1	—	2	—	—	—	—	2	—	—	—	—
14 Diabetes	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	2	—	—
	F	3	—	—	—	—	—	—	—	2	1	6	—	—	—	—	—	—	4	2	—
15 Cerebral hæmorrhage, &c. ..	M	19	—	—	—	—	—	1	5	4	9	49	—	—	—	—	1	—	10	24	14
	F	41	—	—	—	—	—	—	11	14	16	59	—	—	—	—	—	1	14	22	22
16 Heart disease ..	M	58	—	—	—	—	—	2	19	23	14	91	—	—	1	2	1	6	27	26	28
	F	76	—	—	—	1	1	3	23	22	26	111	—	—	—	2	1	6	33	36	33
17 Arterio-sclerosis ..	M	26	—	—	—	—	—	—	3	9	14	20	—	—	—	—	—	—	6	5	9
	F	23	—	—	—	—	—	—	2	8	13	11	—	—	—	—	—	—	1	2	8
18 Bronchitis ..	M	19	4	—	1	1	—	2	1	3	7	50	7	1	—	—	—	1	11	10	20
	F	33	3	—	—	—	—	—	6	6	18	50	2	2	—	1	—	1	6	15	23
19 Pneumonia (all forms)	M	27	10	3	—	2	2	7	2	1	—	64	16	9	1	1	2	11	16	4	4
	F	16	5	1	2	—	—	3	1	—	4	36	8	7	1	2	—	6	4	4	4
20 Other respiratory diseases	M	2	—	—	—	—	—	—	1	1	—	5	—	—	—	—	—	1	1	3	—
	F	3	1	—	—	—	—	—	—	—	2	16	1	—	—	—	—	1	5	4	5
21 Ulcer of stomach or duodenum ..	M	4	—	—	—	—	1	—	1	2	—	6	—	—	—	—	1	3	1	1	—
	F	1	—	—	—	—	—	1	—	—	—	2	—	—	—	—	—	1	1	—	—
22 Diarrhœa, &c. ..	M	7	5	1	—	1	—	—	—	—	—	12	9	—	—	1	—	1	1	—	—
	F	6	5	—	—	—	—	—	—	1	—	8	3	—	—	—	—	1	1	—	3
23 Appendicitis and typhlitis.. ..	M	4	—	—	—	—	1	1	1	—	1	5	—	—	1	1	2	—	1	—	—
	F	1	—	—	—	1	—	—	—	—	—	4	—	—	—	1	1	—	2	—	—
24 Cirrhosis of liver ..	M	2	—	—	—	—	—	1	1	—	—	1	—	—	—	—	—	—	1	—	—
	F	1	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—	1	1	—	—
25 Acute and chronic nephritis ..	M	15	—	—	1	—	—	3	6	3	2	18	1	—	—	—	—	2	4	6	5
	F	11	—	—	—	1	2	—	1	3	4	12	—	—	—	1	—	2	5	3	1
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	—	4	—	—	—	—	1	3	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	1	1	—	—	—	10	—	—	—	—	1	9	—	—	—
28 Congenital debility and malformation, premature birth.. ..	M	25	25	—	—	—	—	—	—	—	—	36	36	—	—	—	—	—	—	—	—
	F	4	4	—	—	—	—	—	—	—	—	36	35	1	—	—	—	—	—	—	—
29 Suicide	M	3	—	—	—	—	—	1	1	1	—	5	—	—	—	—	—	1	4	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
30 Other deaths from violence.. ..	M	11	—	—	1	1	2	2	4	1	—	32	—	2	1	2	4	7	11	3	2
	F	5	—	—	—	—	2	—	1	—	2	9	1	—	1	2	2	—	—	2	1
31 Other defined diseases	M	54	6	1	—	1	—	6	13	10	17	98	24	3	5	3	3	8	15	20	17
	F	51	7	1	1	—	1	7	9	10	15	82	10	1	3	3	1	7	22	11	24
32 Causes ill-defined or unknown ..	M	1	—	—	—	—	—	—	1	—	—	3	1	—	—	—	—	—	2	—	—
	F	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	1	1	1	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of FLINT—1925 (Civilian population only).

	Causes of Death.	Sex.	Aggregate of Urban Districts.										Aggregate of Rural Districts.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
	All Causes	M	310	35	9	12	7	8	38	91	59	51	456	48	11	12	12	18	49	123	81	102
		F	274	34	5	6	7	7	27	69	64	55	410	27	8	12	15	18	46	101	74	109
1	Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	2	—	1	1	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	2	—	1	—	1	—	—	—	—	—
4	Scarlet fever	M	2	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5	Whooping cough	M	9	4	2	2	1	—	—	—	—	—	9	4	2	3	—	—	—	—	—	—
		F	3	2	1	—	—	—	—	—	—	—	5	3	1	1	—	—	—	—	—	—
6	Diphtheria	M	—	—	—	—	—	—	—	—	—	—	4	—	—	2	1	—	1	—	—	—
		F	1	—	—	1	—	—	—	—	—	—	7	—	—	3	3	—	—	1	—	—
7	Influenza	M	9	—	—	—	1	1	—	4	2	1	9	—	—	—	—	—	1	4	3	1
		F	5	1	—	—	—	—	2	1	1	—	7	—	—	—	—	1	1	1	1	3
8	Encephalitis lethargica	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
		F	2	—	—	—	—	—	—	2	—	—	2	—	—	—	—	—	2	—	—	—
9	Meningococcal meningitis	M	1	—	1	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10	Tuberculosis of respiratory system	M	14	—	—	—	—	1	7	6	—	—	25	—	—	—	—	2	13	7	2	1
		F	11	—	—	—	1	4	3	2	—	1	25	—	—	2	1	9	8	5	—	—
11	Other tuberculous diseases	M	3	—	—	—	—	—	2	1	—	—	8	1	1	1	1	2	2	—	—	—
		F	7	—	1	2	2	—	1	1	—	—	4	—	—	1	—	—	1	1	1	—
12	Cancer, malignant disease	M	33	—	—	—	—	—	3	18	7	5	39	—	—	—	—	—	2	18	12	7
		F	34	—	—	—	—	—	2	16	9	7	67	—	—	—	—	—	7	29	18	13
13	Rheumatic fever	M	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	1	—	—
		F	2	—	—	—	1	—	—	—	1	—	2	—	—	—	1	—	—	1	—	—
14	Diabetes	M	1	—	—	—	—	—	1	—	—	—	3	—	—	—	—	1	—	—	1	1
		F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	2	—	—
15	Cerebral hæmorrhage, &c.	M	28	—	—	—	—	—	1	6	10	11	34	—	—	—	—	—	—	11	11	12
		F	23	—	—	—	—	—	1	6	6	10	36	—	—	—	—	—	1	12	10	13
16	Heart disease	M	23	—	—	—	1	—	1	6	7	8	55	—	—	—	—	2	2	16	16	19
		F	35	—	—	—	—	2	2	12	14	5	46	—	—	—	—	—	3	11	18	14
17	Arterio-sclerosis	M	10	—	—	—	—	—	—	4	4	2	14	—	—	—	—	—	—	3	7	4
		F	7	—	—	—	—	—	—	2	1	4	6	—	—	—	—	—	—	2	1	3
18	Bronchitis	M	15	5	—	2	—	—	—	5	1	2	28	—	—	—	—	1	—	7	7	13
		F	13	—	1	—	—	—	—	1	7	4	20	2	—	—	—	—	—	3	3	12
19	Pneumonia (all forms)	M	37	2	4	2	1	—	7	10	5	6	39	10	2	—	2	1	8	13	2	1
		F	21	4	1	2	—	—	3	8	2	1	24	3	4	2	—	1	1	3	5	5
20	Other respiratory diseases	M	2	—	—	—	—	—	—	2	—	—	9	—	—	3	—	—	2	1	1	2
		F	4	—	—	—	—	—	—	2	2	—	1	—	—	—	—	—	1	—	—	—
21	Ulcer of stomach or duodenum	M	5	—	—	—	—	—	2	2	1	—	3	—	—	—	—	—	1	2	—	—
		F	4	—	—	—	—	—	1	1	1	1	4	—	—	—	—	—	3	1	—	—
22	Diarrhœa, &c.	M	4	3	—	—	—	—	—	—	1	—	4	2	1	1	—	—	—	—	—	—
		F	5	3	1	—	—	—	—	—	1	—	5	1	1	—	—	—	1	1	—	1
23	Appendicitis and typhlitis	M	2	—	—	1	—	—	—	—	1	—	4	—	—	—	1	1	2	—	—	—
		F	1	—	—	—	—	—	—	1	—	—	3	—	—	1	—	—	2	—	—	—
24	Cirrhosis of liver	M	1	—	—	—	—	—	—	—	1	—	2	—	—	—	—	—	—	2	—	—
		F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
25	Acute and chronic nephritis	M	15	—	—	—	—	—	3	4	7	1	11	1	—	—	—	—	1	5	3	1
		F	11	—	—	—	2	—	2	3	3	1	15	—	—	—	—	—	—	9	4	2
26	Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	—	2	—	—	—	3	—	—	—	—	1	2	—	—	—
27	Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	—	3	—	—	—	7	—	—	—	—	2	5	—	—	—
28	Congenital debility and malformation, premature birth	M	14	12	—	2	—	—	—	—	—	—	17	17	—	—	—	—	—	—	—	—
		F	16	16	—	—	—	—	—	—	—	—	15	15	—	—	—	—	—	—	—	—
29	Suicide	M	6	—	—	—	—	1	—	3	2	—	7	—	—	—	—	—	2	4	1	—
		F	1	—	—	—	—	1	—	—	—	—	3	—	—	—	—	1	1	1	—	—
30	Other deaths from violence	M	15	1	—	1	1	2	7	2	1	—	28	—	2	2	1	4	7	9	2	1
		F	10	1	—	1	1	—	2	2	—	3	13	—	—	2	4	1	—	1	2	3
31	Other defined diseases	M	51	7	—	1	1	2	3	17	6	14	92	12	2	—	6	2	5	17	10	38
		F	51	7	—	—	—	—	2	8	16	18	82	3	1	—	5	2	4	16	11	40
32	Causes ill-defined or unknown	M	7	1	—	—	—	—	1	1	3	1	8	—	1	—	—	—	—	3	3	1
		F	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	3	1	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of GLAMORGAN—1925 (Civilian population only).

	Causes of Death.	Sex.	Aggregate of Urban Districts.										Aggregate of Rural Districts.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
	All Causes	M	3982	699	219	182	142	215	476	1055	644	350	1182	175	41	37	47	81	139	319	192	151
		F	3291	516	216	149	136	224	447	712	472	419	1014	127	43	35	48	72	160	218	143	168
1	Enteric fever	M	3	—	—	1	—	1	1	—	—	—	1	—	—	—	—	—	1	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	143	37	56	42	8	—	—	—	—	—	15	2	9	2	2	—	—	—	—	—
		F	131	24	66	32	9	—	—	—	—	—	18	3	9	5	1	—	—	—	—	—
4	Scarlet fever	M	8	—	—	5	3	—	—	—	—	—	3	—	—	1	1	1	—	—	—	—
		F	5	—	—	1	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5	Whooping cough	M	53	26	15	10	2	—	—	—	—	—	14	8	—	5	1	—	—	—	—	—
		F	76	33	29	12	2	—	—	—	—	—	15	10	3	2	—	—	—	—	—	—
6	Diphtheria	M	31	4	4	13	8	—	2	—	—	—	7	1	2	3	1	—	—	—	—	—
		F	26	1	1	12	12	—	—	—	—	—	15	—	2	4	8	—	—	—	—	1
7	Influenza	M	94	—	2	1	4	5	18	37	19	8	23	—	—	—	—	—	4	12	6	1
		F	85	4	1	3	2	9	20	21	16	9	23	—	1	—	2	4	5	3	5	3
8	Encephalitis lethargica	M	4	—	1	—	2	—	—	1	—	—	1	—	—	—	—	—	1	—	—	—
		F	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	1	—	—	—
9	Meningococcal meningitis	M	1	—	—	—	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
		F	4	1	—	—	1	—	—	2	—	—	1	—	—	—	—	1	—	—	—	—
10	Tuberculosis of respiratory system	M	269	2	2	4	10	68	104	70	7	2	72	1	—	1	—	20	30	20	—	—
		F	263	—	3	3	12	101	120	22	2	—	90	—	1	2	8	25	44	7	3	—
11	Other tuberculous diseases	M	68	6	6	9	15	11	11	9	1	—	33	1	4	4	9	6	7	2	—	—
		F	53	4	3	7	17	7	10	5	—	—	22	2	2	2	4	5	6	1	—	—
12	Cancer, malignant disease	M	217	—	—	—	—	1	15	127	56	18	94	—	—	—	—	1	5	51	27	10
		F	291	—	—	1	—	3	40	158	70	19	108	—	—	1	—	1	13	54	23	16
13	Rheumatic fever	M	24	—	—	3	6	3	4	7	1	—	9	—	—	1	4	3	1	—	—	—
		F	33	—	—	1	10	9	8	5	—	—	13	—	—	—	4	2	5	1	1	—
14	Diabetes	M	14	—	—	—	—	—	3	6	4	1	7	—	—	—	1	1	2	2	1	—
		F	30	—	—	—	—	1	1	16	10	2	15	—	—	—	—	2	3	6	4	—
15	Cerebral hæmorrhage, &c.	M	214	—	—	—	—	1	6	78	85	44	62	—	—	—	—	—	1	16	23	22
		F	183	—	—	—	—	—	9	70	63	41	61	—	—	—	—	—	1	21	19	20
16	Heart disease	M	426	—	1	1	9	10	51	158	136	60	145	—	—	—	4	7	13	51	48	22
		F	413	1	—	—	14	16	53	132	120	77	110	—	—	—	2	3	12	36	34	23
17	Arterio-sclerosis	M	73	—	—	—	—	—	2	29	32	10	26	—	—	—	—	—	—	5	8	13
		F	50	—	—	—	—	—	—	16	14	20	20	—	—	—	—	—	—	7	5	8
18	Bronchitis	M	378	43	18	5	3	2	10	105	120	72	90	15	2	3	3	—	2	24	20	21
		F	227	37	11	5	3	1	9	36	65	60	58	5	5	4	—	1	—	6	9	28
19	Pneumonia (all forms)	M	346	95	61	29	11	18	36	62	24	10	85	21	12	1	2	4	6	28	6	5
		F	244	82	57	36	11	7	12	20	10	9	54	18	6	5	1	—	5	10	3	6
20	Other respiratory diseases	M	60	4	1	2	3	2	4	25	14	5	26	2	—	1	1	2	2	9	4	5
		F	30	2	1	3	5	—	4	8	4	3	15	2	—	2	1	2	1	2	3	2
21	Ulcer of stomach or duodenum	M	31	—	—	—	—	4	10	12	3	2	9	—	—	—	—	1	2	4	2	—
		F	10	—	—	—	1	2	2	4	—	1	6	—	—	—	—	—	2	4	—	—
22	Diarrhœa, &c.	M	109	71	14	8	2	2	3	5	2	2	18	13	2	1	—	—	—	—	1	1
		F	95	54	14	9	—	2	4	7	3	2	19	10	3	—	—	2	2	1	1	—
23	Appendicitis and typhlitis	M	33	—	—	3	5	8	6	8	2	1	5	—	—	—	—	1	2	2	—	—
		F	25	—	—	1	3	5	9	4	2	1	4	—	—	—	—	—	3	1	—	—
24	Cirrhosis of liver	M	13	—	—	—	—	—	—	10	3	—	3	—	—	—	—	—	1	—	1	1
		F	4	—	—	—	—	—	2	—	2	—	2	—	—	—	—	—	—	2	—	—
25	Acute and chronic nephritis	M	91	—	—	2	5	7	13	38	22	4	23	—	—	—	—	—	4	8	11	—
		F	89	—	—	2	5	6	20	36	14	6	29	—	1	—	4	2	5	11	4	2
26	Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	21	—	—	—	—	6	15	—	—	—	9	—	—	—	—	3	6	—	—	—
27	Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	53	—	—	—	—	14	37	2	—	—	20	—	—	—	—	5	15	—	—	—
28	Congenital debility and malformation, premature birth	M	262	259	—	1	2	—	—	—	—	—	71	71	—	—	—	—	—	—	—	—
		F	183	179	2	—	1	1	—	—	—	—	49	47	1	1	—	—	—	—	—	—
29	Suicide	M	37	—	—	—	—	2	10	23	—	2	7	—	—	—	—	—	1	6	—	—
		F	8	—	—	—	—	1	5	1	—	1	5	—	—	—	—	1	1	3	—	—
30	Other deaths from violence	M	283	9	6	21	21	45	86	84	9	2	125	1	3	10	9	27	36	28	8	3
		F	71	6	8	12	9	8	7	10	5	6	23	3	2	2	2	3	4	3	2	2
31	Other defined diseases	M	684	143	28	20	22	25	79	157	103	107	202	39	7	4	8	7	16	50	24	47
		F	583	88	17	9	14	25	59	137	72	162	203	27	5	5	9	10	25	39	26	57
32	Causes ill-defined or unknown	M	13	—	4	2	—	—	2	4	1	—	5	—	—	—	—	—	2	1	2	—
		F	4	—	3	—	1	—	—	—	—	—	5	—	2	—	1	—	1	—	1	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of MERIONETH—1925 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	163	15	6	4	2	6	18	45	35	32	185	15	1	3	3	10	8	38	51	56
	F	165	8	2	3	5	4	16	45	36	46	181	14	1	3	1	12	20	38	40	52
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	1	1	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	M	1	1	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
	F	3	1	—	1	1	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
6 Diphtheria	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7 Influenza	M	5	—	—	—	—	—	—	3	2	—	7	—	—	—	—	—	1	2	2	2
	F	6	—	—	—	—	—	—	3	1	2	2	—	—	—	—	1	—	1	—	—
8 Encephalitis lethargica	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	15	—	—	—	—	2	5	7	1	—	15	—	—	—	—	5	2	5	3	—
	F	11	—	—	—	1	2	6	2	—	—	11	—	—	—	1	4	4	1	—	1
11 Other tuberculous diseases	M	4	—	—	—	—	2	1	1	—	—	1	—	—	—	—	1	—	—	—	—
	F	3	—	—	—	—	1	—	1	—	1	1	—	—	—	—	1	—	—	—	—
12 Cancer, malignant disease	M	12	—	—	—	—	—	2	7	3	—	13	—	—	—	—	—	—	2	7	4
	F	17	—	1	—	—	—	2	6	6	2	30	—	—	—	—	—	4	12	9	5
13 Rheumatic fever	M	2	—	—	1	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—
14 Diabetes	M	2	—	—	—	—	1	—	—	1	—	3	—	—	—	1	—	1	—	—	1
	F	1	—	—	—	—	—	—	—	1	—	2	—	—	—	—	—	1	—	1	—
15 Cerebral hæmorrhage, &c.	M	9	—	—	—	—	—	1	2	2	4	23	—	—	—	—	—	1	3	10	9
	F	12	—	—	—	—	—	—	4	5	3	18	—	—	—	—	1	2	6	7	2
16 Heart disease	M	24	—	—	—	—	—	4	6	9	5	31	—	—	—	—	—	1	5	7	18
	F	32	—	—	—	—	—	4	9	6	13	33	—	—	—	—	1	5	6	7	14
17 Arterio-sclerosis	M	13	—	—	—	—	—	—	1	5	7	10	—	—	—	—	—	—	—	7	3
	F	8	—	—	—	—	—	—	—	2	6	8	—	—	—	—	—	—	—	4	4
18 Bronchitis	M	10	2	—	—	—	—	—	1	4	3	5	—	—	—	—	—	—	1	1	3
	F	6	—	—	—	—	—	—	—	2	4	9	1	—	—	—	—	—	1	2	5
19 Pneumonia (all forms)	M	14	5	1	2	—	1	1	1	—	3	16	5	—	1	—	—	1	4	2	3
	F	7	2	—	1	1	1	—	1	—	1	6	1	—	—	—	—	1	3	1	—
20 Other respiratory diseases	M	6	—	—	—	—	—	1	2	2	1	1	—	—	—	—	—	—	—	—	1
	F	6	—	1	—	1	—	1	1	1	1	1	—	—	—	—	—	—	—	1	—
21 Ulcer of stomach or duodenum	M	1	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—	—	2	—	—
	F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
22 Diarrhœa, &c.	M	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
23 Appendicitis and typhlitis	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	2	—	—	—	—	—	—
24 Cirrhosis of liver	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis	M	5	—	—	—	—	—	—	—	3	2	8	—	—	1	—	—	—	2	3	2
	F	8	—	—	—	—	—	—	5	1	2	9	—	—	—	—	1	—	1	1	6
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	3	—	—	—	—	—	3	—	—	—
28 Congenital debility and malformation, premature birth	M	3	3	—	—	—	—	—	—	—	—	7	7	—	—	—	—	—	—	—	—
	F	3	3	—	—	—	—	—	—	—	—	7	7	—	—	—	—	—	—	—	—
29 Suicide	M	2	—	—	—	—	—	—	2	—	—	1	—	—	—	—	—	—	—	1	—
	F	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	1	—
30 Other deaths from violence	M	4	—	—	—	—	—	1	3	—	—	12	—	—	—	—	3	—	6	2	1
	F	3	—	—	—	—	—	—	—	1	2	2	—	—	—	—	—	—	1	—	1
31 Other defined diseases	M	25	3	3	1	1	—	2	5	3	7	27	2	—	1	2	1	1	5	6	9
	F	28	1	—	—	—	—	—	9	9	9	31	4	—	—	—	2	—	6	5	14
32 Causes ill-defined or unknown	M	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	—	2	—	—	1	—	—	1	—	—	—	—	—	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of MONMOUTH—1925 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts.										Aggregate of Rural Districts.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES	M	1909	346	97	76	65	103	209	479	299	235	280	25	2	6	5	13	23	60	69	77
	F	1575	284	97	71	63	92	189	309	224	246	216	24	5	4	9	6	28	29	45	66
1 Enteric fever	M	5	—	—	1	—	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	2	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	37	6	21	9	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	35	8	17	8	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
4 Scarlet fever	M	5	—	2	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	M	35	19	11	3	2	—	—	—	—	—	2	1	—	1	—	—	—	—	—	—
	F	49	22	14	11	2	—	—	—	—	—	2	—	1	1	—	—	—	—	—	—
6 Diphtheria	M	15	—	—	9	6	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	21	1	3	9	7	—	1	—	—	—	2	—	—	1	1	—	—	—	—	—
7 Influenza	M	54	5	1	2	2	6	8	16	10	4	9	1	—	1	—	1	2	—	3	1
	F	43	1	1	3	2	4	8	11	8	5	10	2	1	—	—	—	2	—	3	2
8 Encephalitis lethargica	M	10	—	1	1	1	2	—	5	—	—	2	—	—	—	—	—	2	—	—	—
	F	5	—	—	—	1	1	—	3	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis	M	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	104	—	2	—	1	26	43	29	2	1	15	—	—	—	—	6	6	3	—	—
	F	106	—	1	2	8	40	48	5	2	—	13	—	—	—	—	2	8	2	1	—
11 Other tuberculous diseases	M	34	2	2	5	9	7	5	4	—	—	3	—	—	2	1	—	—	—	—	—
	F	27	3	4	3	4	4	5	4	—	—	2	—	—	—	—	1	—	1	—	—
12 Cancer, malignant disease	M	145	—	—	—	1	1	7	81	42	13	27	—	—	—	—	—	2	11	8	6
	F	120	—	—	—	1	1	12	60	33	13	28	—	—	—	—	—	5	7	6	10
13 Rheumatic fever	M	6	—	—	—	1	1	2	1	1	—	2	—	—	—	—	—	1	—	1	—
	F	15	—	—	—	1	5	5	3	1	—	2	—	—	—	1	—	—	1	—	—
14 Diabetes	M	10	—	—	—	—	2	—	2	5	1	1	—	—	—	—	—	—	—	1	—
	F	7	—	—	—	—	1	1	3	2	—	2	—	—	—	—	1	—	1	—	—
15 Cerebral hæmorrhage, &c.	M	83	—	—	—	—	—	3	26	33	21	18	—	—	—	—	—	—	2	5	11
	F	97	1	—	—	—	—	3	42	30	21	20	—	—	—	—	—	1	5	5	9
16 Heart disease	M	183	—	—	1	4	4	15	73	49	37	49	—	—	—	—	—	1	9	19	20
	F	192	—	—	—	6	6	27	49	51	53	33	—	—	—	—	1	3	4	12	13
17 Arterio-sclerosis	M	38	—	—	—	—	—	—	14	11	13	15	—	—	—	—	—	—	1	7	7
	F	22	—	—	—	—	—	1	3	11	7	8	—	—	—	—	—	—	1	1	6
18 Bronchitis	M	175	31	5	1	1	1	8	41	44	43	24	2	—	—	—	—	1	3	6	12
	F	126	22	4	2	1	—	6	25	22	44	14	4	1	—	—	—	—	—	3	6
19 Pneumonia (all forms)	M	178	51	35	15	5	6	24	26	12	4	9	5	—	—	—	1	—	1	2	—
	F	124	41	31	10	5	2	9	12	9	5	11	2	1	2	2	—	—	—	1	3
20 Other respiratory diseases	M	37	—	—	5	1	3	3	13	9	3	2	—	—	—	—	—	1	—	1	—
	F	14	—	2	3	2	—	1	3	3	—	2	—	—	—	—	—	—	—	1	1
21 Ulcer of stomach or duodenum	M	13	—	—	—	—	2	3	7	1	—	4	—	—	—	—	—	—	3	1	—
	F	4	—	—	—	1	—	2	1	—	—	2	—	—	—	—	—	—	2	—	—
22 Diarrhœa, &c.	M	38	26	3	3	—	—	2	2	1	1	3	1	—	—	—	—	—	—	1	1
	F	39	19	7	5	1	—	—	4	2	1	2	—	—	—	—	—	—	—	1	1
23 Appendicitis and typhlitis	M	7	—	—	1	1	1	2	2	—	—	—	—	—	—	—	—	—	—	—	—
	F	11	—	—	—	3	4	2	2	—	—	1	—	—	—	—	—	1	—	—	—
24 Cirrhosis of liver	M	7	—	—	—	—	—	—	3	3	1	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis	M	46	—	1	—	2	1	10	16	10	6	6	—	—	—	1	—	—	3	1	1
	F	31	—	1	—	1	1	9	12	5	2	3	—	—	—	1	—	—	1	1	—
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	8	—	—	—	—	1	7	—	—	—	—	—	—	—	—	—	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	18	—	—	—	—	4	14	—	—	—	—	—	—	—	—	—	—	—	—	—
28 Congenital debility and malformation, premature birth	M	145	143	—	1	1	—	—	—	—	—	9	9	—	—	—	—	—	—	—	—
	F	113	113	—	—	—	—	—	—	—	—	10	10	—	—	—	—	—	—	—	—
29 Suicide	M	16	—	—	—	—	1	6	8	1	—	5	—	—	—	—	1	1	3	—	—
	F	10	—	—	—	—	2	2	5	1	—	—	—	—	—	—	—	—	—	—	—
30 Other deaths from violence	M	134	4	5	11	11	19	39	32	6	7	12	—	—	—	—	1	3	5	2	1
	F	30	1	3	8	—	3	4	5	1	5	6	—	1	—	2	—	—	—	—	3
31 Other defined diseases	M	343	59	7	7	12	17	27	75	59	80	58	6	2	2	1	3	3	14	10	17
	F	296	52	8	7	10	12	22	54	41	90	42	5	—	—	2	1	8	4	10	12
32 Causes ill-defined or unknown	M	5	—	1	—	—	1	—	3	—	—	3	—	—	—	—	—	—	2	1	—
	F	2	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—

Table 20—*contd.*

Causes of Death at Different Periods of Life in the Administrative County of Montgomery—1925 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes ..	M	148	12	1	3	2	3	16	39	33	39	207	27	—	2	4	10	16	48	44	56
	F	148	4	3	6	6	3	16	33	36	41	216	13	1	6	5	10	19	42	41	79
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	2	—	—	—	—	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ..	M	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	2	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6 Diphtheria ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7 Influenza	M	9	1	—	—	—	—	2	3	2	1	5	—	—	—	—	—	2	1	1	1
	F	4	—	—	1	—	—	—	—	—	3	8	—	—	1	1	—	—	4	1	1
8 Encephalitis lethargica ..	M	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	9	—	—	—	—	—	3	5	1	—	7	—	—	—	—	2	2	2	1	—
	F	6	—	—	—	1	2	2	1	—	—	10	—	—	—		4	2	1	—	2
11 Other tuberculous diseases	M	5	1	—	1	—	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—
	F	5	—	—	—	2	—	1	1	—	1	3	1	—	—	—	1	1	—	—	—
12 Cancer, malignant disease	M	11	—	—	—	—	—	1	6	4	—	26	—	—	—	—	1	—	13	8	4
	F	17	—	—	—	—	—	2	8	5	2	21	—	—	—	—	—	3	5	6	7
13 Rheumatic fever ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
	F	1	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
14 Diabetes	M	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	—	—	2	—	2	—	—	—	—	—	—	1	1	—
15 Cerebral hæmorrhage, &c. ..	M	13	—	—	—	—	—	—	4	4	5	22	—	—	—	—	—	—	6	7	9
	F	12	—	—	—	—	—	—	3	5	4	22	—	—	—	—	—	—	5	6	11
16 Heart disease ..	M	17	—	—	—	—	—	1	4	8	4	29	—	—	—	—	1	1	4	11	12
	F	27	—	—	—	—	—	2	8	9	8	40	—	—	—	1	2	1	10	15	11
17 Arterio-sclerosis ..	M	4	—	—	—	—	—	—	1	3	—	9	—	—	—	—	—	—	—	3	6
	F	4	—	—	—	—	—	—	—	1	3	2	—	—	—	—	—	—	—	1	1
18 Bronchitis ..	M	8	—	—	—	—	—	1	2	1	4	12	2	—	—	—	—	—	2	2	6
	F	9	—	—	—	—	—	—	1	5	3	20	1	1	—	—	—	—	1	5	12
19 Pneumonia (all forms)	M	12	1	—	1	1	1	—	3	2	3	13	1	—	—	1	—	4	5	1	1
	F	11	1	1	1	1	—	1	1	4	1	7	1	—	—	—	—	1	2	1	2
20 Other respiratory diseases	M	2	—	—	—	—	—	1	—	1	—	2	—	—	—	—	1	1	—	—	—
	F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
21 Ulcer of stomach or duodenum ..	M	3	—	—	—	—	—	—	3	—	—	1	—	—	—	—	—	—	1	—	—
	F	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—
22 Diarrhœa, &c. ..	M	—	—	—	—	—	—	—	—	—	—	3	2	—	1	—	—	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
23 Appendicitis and typhlitis.. ..	M	1	—	—	—	—	—	1	—	—	—	2	—	—	—	—	1	1	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
24 Cirrhosis of liver ..	M	2	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1
25 Acute and chronic nephritis ..	M	3	—	—	—	—	—	—	2	—	1	8	—	—	—	—	—	—	4	1	3
	F	7	—	—	—	—	—	1	3	2	1	11	—	—	—	—	—	3	5	—	3
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	—	1	—	—	—	—	—	1	—	—	—
28 Congenital debility and malformation, premature birth.. ..	M	6	6	—	—	—	—	—	—	—	—	16	15	—	1	—	—	—	—	—	—
	F	3	2	—	1	—	—	—	—	—	—	9	9	—	—	—	—	—	—	—	—
29 Suicide	M	2	—	—	—	—	—	—	2	—	—	1	—	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	—	1	—	—
30 Other deaths from violence.. ..	M	5	—	—	1	1	1	—	1	1	—	10	—	—	—	1	2	4	2	1	—
	F	2	—	1	—	—	—	—	1	—	—	8	—	—	3	—	—	1	2	1	1
31 Other defined diseases	M	34	3	—	—	—	—	6	1	4	20	37	5	—	—	1	2	1	6	8	14
	F	27	—	—	1	1	1	3	4	2	15	45	1	—	—	2	1	5	5	4	27
32 Causes ill-defined or unknown ..	M	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of PEMBROKE—1925 (Civilian population only).

Causes of Death.	Sex.	Aggregate of Urban Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
All Causes	M	268	34	2	7	8	6	31	71	57	52	307	25	4	6	6	15	29	73	72	77
	F	247	24	8	4	7	8	26	50	47	73	356	25	1	3	5	17	49	82	69	105
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	4	3	—	—	1	—	—	—	—	—	2	—	1	—	—	1	—	—	—	—
	F	7	3	2	2	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
4 Scarlet fever	M	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6 Diphtheria	M	1	—	1	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
7 Influenza	M	8	—	—	—	1	—	5	—	1	1	8	—	—	—	—	—	2	2	2	2
	F	7	1	—	—	—	2	1	1	—	2	5	—	—	—	—	—	2	1	1	1
8 Encephalitis lethargica	M	3	—	—	—	—	1	—	2	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	18	—	—	—	—	3	9	5	1	—	16	—	—	—	—	4	9	3	—	—
	F	19	—	—	—	—	4	10	5	—	—	42	—	—	—	—	12	23	7	—	—
11 Other tuberculous diseases	M	3	—	—	1	—	—	—	1	1	—	6	1	—	—	1	2	2	—	—	—
	F	4	—	1	—	1	—	1	—	—	1	2	—	—	—	—	—	2	—	—	—
12 Cancer, malignant disease	M	24	—	—	—	—	—	3	10	9	2	32	—	—	—	—	—	—	14	9	9
	F	27	—	—	—	—	—	2	13	9	3	45	—	—	—	—	1	3	22	10	9
13 Rheumatic fever	M	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	2	—	—	—	—	—	2	—	—	—
14 Diabetes	M	5	—	—	—	—	—	—	1	4	—	2	—	—	—	—	—	—	—	—	2
	F	2	—	—	—	—	—	—	—	2	—	3	—	—	—	—	—	—	1	2	—
15 Cerebral hæmorrhage, &c.	M	14	—	—	—	—	—	—	4	7	3	18	—	—	—	—	—	—	4	8	6
	F	16	—	—	—	—	—	—	4	5	7	25	—	—	—	—	—	—	6	9	10
16 Heart disease	M	32	—	—	—	—	—	7	12	8	5	44	—	—	—	1	1	2	8	18	14
	F	35	—	—	—	—	1	2	8	11	13	56	—	—	—	—	—	2	18	17	19
17 Arterio-sclerosis	M	15	—	—	—	—	—	—	4	8	3	10	—	—	—	—	—	—	1	5	4
	F	9	—	—	—	—	—	—	1	2	6	9	—	—	—	—	—	—	1	3	5
18 Bronchitis	M	16	4	—	—	—	—	—	3	4	5	18	1	—	—	—	—	—	3	6	8
	F	10	—	—	—	—	—	1	1	2	6	21	1	—	—	—	—	—	2	4	14
19 Pneumonia (all forms)	M	19	7	—	—	1	1	2	5	1	2	19	5	1	2	1	—	2	3	4	1
	F	16	2	2	—	—	—	4	4	2	2	18	2	1	—	1	1	2	5	5	1
20 Other respiratory diseases	M	4	—	—	1	—	1	—	1	—	1	7	—	—	—	—	—	—	6	—	1
	F	3	—	—	—	—	—	—	—	—	3	3	—	—	—	1	—	—	—	1	1
21 Ulcer of stomach or duodenum	M	2	—	—	—	—	—	1	1	—	—	3	—	—	—	—	—	1	1	—	1
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
22 Diarrhœa, &c.	M	3	1	—	—	—	—	—	1	—	1	2	1	—	—	—	1	—	—	—	—
	F	3	1	1	—	—	—	—	—	1	—	3	2	—	1	—	—	—	—	—	—
23 Appendicitis and typhlitis	M	1	—	—	—	—	—	—	1	—	—	4	—	—	—	—	1	2	1	—	—
	F	1	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
24 Cirrhosis of liver	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	2	—
	F	3	—	—	—	—	—	—	3	—	—	1	—	—	—	—	—	—	—	—	1
25 Acute and chronic nephritis	M	13	—	—	—	3	—	—	3	5	2	17	1	—	—	—	—	—	10	2	4
	F	2	—	—	—	—	—	—	2	—	—	11	—	—	—	—	—	—	6	3	2
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	6	—	—	—	—	—	6	—	—	—
28 Congenital debility and malformation, premature birth	M	15	15	—	—	—	—	—	—	—	—	11	11	—	—	—	—	—	—	—	—
	F	11	11	—	—	—	—	—	—	—	—	13	13	—	—	—	—	—	—	—	—
29 Suicide	M	1	—	—	—	—	—	—	1	—	—	4	—	—	—	—	—	1	3	—	—
	F	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	1	—	—	—
30 Other deaths from violence	M	10	1	—	2	1	—	—	3	1	2	10	—	—	—	—	1	4	2	3	—
	F	8	—	1	1	2	—	1	—	—	3	2	—	—	—	1	—	—	—	—	1
31 Other defined diseases	M	54	3	1	1	1	—	4	13	6	25	66	4	2	4	2	4	4	10	11	25
	F	56	5	—	1	1	1	2	7	12	27	81	6	—	1	2	3	5	11	12	41
32 Causes ill-defined or unknown	M	1	—	—	—	—	—	—	—	1	—	5	1	—	—	—	—	—	2	2	—
	F	2	—	—	—	—	—	1	1	—	—	4	—	—	—	—	—	1	1	2	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of RADNOR—1925 (Civilian population only).

	Causes of Death.	Sex.	Aggregate of Urban Districts.										Aggregate of Rural Districts.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
	All Causes	M	42	2	—	—	2	—	1	13	8	16	116	10	1	2	1	3	15	22	26	36
		F	44	2	1	—	1	3	4	10	13	10	107	9	1	2	2	6	12	22	18	35
1	Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
		F	1	—	1	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
4	Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5	Whooping cough	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	2	1	1	—	—	—	—	—	—	—
6	Diphtheria	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7	Influenza	M	1	—	—	—	—	—	—	—	—	1	2	—	—	—	—	—	—	—	1	1
		F	2	—	—	—	—	—	—	—	2	—	2	1	—	—	—	—	—	1	—	—
8	Encephalitis lethargica	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9	Meningococcal meningitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10	Tuberculosis of respiratory system	M	1	—	—	—	—	—	—	1	—	—	8	—	—	—	—	1	6	—	1	—
		F	4	—	—	—	—	1	2	1	—	—	7	—	—	—	—	3	3	1	—	—
11	Other tuberculous diseases	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	2	—	—	—
		F	1	—	—	—	—	1	—	—	—	—	3	—	—	—	—	—	1	2	—	—
12	Cancer, malignant disease	M	4	—	—	—	—	—	—	2	2	—	8	—	—	—	—	—	—	3	2	3
		F	8	—	—	—	—	—	1	5	2	—	5	—	—	—	1	—	—	2	1	1
13	Rheumatic fever	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1
		F	1	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
14	Diabetes	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—
		F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
15	Cerebral hæmorrhage, &c.	M	3	—	—	—	—	—	—	1	—	2	11	—	—	—	—	—	—	2	6	3
		F	2	—	—	—	—	—	—	—	1	1	14	—	—	—	—	—	—	3	7	4
16	Heart disease	M	8	—	—	—	1	—	—	—	3	4	15	—	—	—	—	—	—	3	3	9
		F	9	—	—	—	—	—	—	2	3	4	15	—	—	—	—	—	2	3	4	6
17	Arterio-sclerosis	M	6	—	—	—	—	—	—	1	1	4	4	—	—	—	—	—	—	1	1	2
		F	1	—	—	—	—	—	—	—	1	—	2	—	—	—	—	—	—	—	—	2
18	Bronchitis	M	2	—	—	—	—	—	—	1	—	1	4	—	—	—	—	—	1	—	2	1
		F	3	—	—	—	—	—	—	1	—	2	6	—	—	—	—	—	—	—	2	4
19	Pneumonia (all forms)	M	—	—	—	—	—	—	—	—	—	—	8	1	—	1	—	1	2	1	2	—
		F	2	—	—	—	—	—	—	—	—	2	3	1	—	—	—	—	—	1	1	—
20	Other respiratory diseases	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
21	Ulcer of stomach or duodenum	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
22	Diarrhœa, &c.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	3	1	—	1	—	—	—	—	1	—
23	Appendicitis and typhlitis	M	—	—	—	—	—	—	—	—	—	—	3	—	—	—	1	—	1	1	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
24	Cirrhosis of liver	M	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—	—
		F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1
25	Acute and chronic nephritis	M	5	—	—	—	—	—	—	4	1	—	7	—	—	—	—	—	—	3	1	3
		F	3	—	—	—	—	—	—	1	2	—	4	—	—	—	—	—	—	3	—	1
26	Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
27	Other accidents and diseases of pregnancy and parturition.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	2	—	—	—
28	Congenital debility and malformation, premature birth	M	2	2	—	—	—	—	—	—	—	—	6	6	—	—	—	—	—	—	—	—
		F	2	2	—	—	—	—	—	—	—	—	4	4	—	—	—	—	—	—	—	—
29	Suicide	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	—	1	—	—
30	Other deaths from violence	M	—	—	—	—	—	—	—	—	—	—	3	—	1	—	—	—	1	1	—	—
		F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
31	Other defined diseases	M	9	—	—	—	1	—	1	2	1	4	29	3	—	—	—	—	2	5	6	13
		F	4	—	—	—	—	1	1	—	1	1	27	1	—	1	—	2	1	4	2	16
32	Causes ill-defined or unknown	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Table 21.—England and Wales.—Causes of Death in certain Administrative Areas, 1925 (Civilian population only).

Note.—This table relates to Municipal Boroughs, other Urban Districts and Rural Districts which, as now constituted, had civilian populations exceeding 10,000 at the Census of 1921. The corresponding statistics for Districts not shown in this table are available for reference in the General Register Office, Somerset House, London.

BEDFORDSHIRE.

Causes of Death.	Bedford M.B.		Luton M.B.		Ampthill. R.D.		Bedford R.D.		Biggleswade R.D.		Luton R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	226	229	323	317	127	122	112	117	123	129	77	63	
1 Enteric fever	—	—	1	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	1	1	—	—	—	—	—	1	—	—	—	1	3
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	4
5 Whooping cough	1	—	6	3	—	—	—	1	3	1	1	—	5
6 Diphtheria	—	—	7	2	2	1	—	1	—	—	—	1	6
7 Influenza	6	7	8	7	2	4	5	7	7	—	1	3	7
8 Encephalitis lethargica	1	—	1	2	—	—	—	—	—	—	—	1	8
9 Meningococcal meningitis	2	—	—	—	1	—	1	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	14	17	23	20	6	7	10	4	5	7	7	5	10
11 Other tuberculous diseases	4	5	7	3	—	1	—	5	2	3	—	—	11
12 Cancer, malignant disease	28	22	34	41	20	20	14	19	17	20	9	3	12
13 Rheumatic fever	—	—	1	—	—	1	—	—	—	—	—	—	13
14 Diabetes	1	1	6	1	1	1	—	2	—	2	—	—	14
15 Cerebral hæmorrhage, &c.	9	23	17	18	9	14	5	9	9	11	8	7	15
16 Heart disease	34	54	39	60	13	15	20	15	21	20	9	7	16
17 Arterio-sclerosis	21	19	8	2	2	5	11	10	2	9	1	1	17
18 Bronchitis	9	15	33	25	6	5	3	11	11	10	9	11	18
19 Pneumonia (all forms)	8	3	23	20	8	3	5	1	5	5	7	3	19
20 Other respiratory diseases	2	1	—	4	—	—	—	1	—	3	—	—	20
21 Ulcer of stomach or duodenum	2	2	3	2	1	—	5	1	2	—	—	—	21
22 Diarrhœa, &c. (under 2 years)	2	—	—	1	2	—	—	1	1	—	—	—	22
23 Appendicitis and typhlitis	3	4	—	4	—	—	1	1	1	2	1	—	23
24 Cirrhosis of liver	6	1	3	1	2	—	1	—	1	1	—	—	24
25 Acute and chronic nephritis	5	3	11	5	1	4	3	—	7	4	—	1	25
26 Puerperal sepsis	—	—	—	1	—	—	—	1	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	3	—	3	—	1	—	—	—	3	—	—	27
28 Congenital debility and malformation, premature birth	15	12	18	20	7	1	4	—	4	3	9	4	28
29 Suicide	3	1	3	—	2	—	2	—	1	—	2	—	29
30 Other deaths from violence	10	2	7	4	4	3	7	4	3	4	3	1	30
31 Other defined diseases	39	33	64	67	37	33	14	22	21	21	10	12	31
32 Causes ill-defined or unknown	—	—	—	1	1	3	1	—	—	—	—	2	32

BERKSHIRE.

Causes of Death.	Maidenhead M.B.		Newbury M.B.		New Windsor M.B.		Abingdon R.D.		Bradfield R.D.		Cookham R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	80	97	73	75	104	111	60	80	78	99	60	80	
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	—	—	—	—	—	—	—	—	3
4 Scarlet fever	—	—	—	—	—	1	—	—	—	—	—	—	4
5 Whooping cough	—	1	—	1	1	2	—	1	2	1	—	1	5
6 Diphtheria	—	—	1	—	1	—	—	—	—	—	—	—	6
7 Influenza	4	3	2	2	3	—	4	3	2	8	1	6	7
8 Encephalitis lethargica	—	—	1	—	—	—	—	—	—	—	—	—	8
9 Meningococcal meningitis	—	—	—	—	—	1	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	6	6	3	2	9	4	2	2	6	5	4	1	10
11 Other tuberculous diseases	1	1	1	2	—	3	1	1	—	1	1	1	11
12 Cancer, malignant disease	7	18	13	11	16	20	5	13	13	14	7	14	12
13 Rheumatic fever	—	—	—	—	1	—	2	—	—	1	1	—	13
14 Diabetes	1	1	1	—	—	—	1	1	—	1	1	—	14
15 Cerebral hæmorrhage, &c.	2	15	2	6	6	6	2	9	2	7	5	8	15
16 Heart disease	9	14	10	7	14	16	3	14	12	13	12	17	16
17 Arterio-sclerosis	3	3	6	15	9	12	—	—	5	7	6	2	17
18 Bronchitis	8	4	2	5	9	9	5	10	3	4	3	3	18
19 Pneumonia (all forms)	6	8	5	4	3	2	6	6	6	3	2	3	19
20 Other respiratory diseases	3	—	—	—	1	2	2	—	1	1	—	1	20
21 Ulcer of stomach or duodenum	—	2	1	—	—	1	—	—	1	—	—	2	21
22 Diarrhœa, &c. (under 2 years)	1	1	1	—	—	—	—	—	—	—	1	—	22
23 Appendicitis and typhlitis	—	—	—	—	—	1	2	—	1	3	1	1	23
24 Cirrhosis of liver	—	1	—	—	—	—	—	—	—	—	1	—	24
25 Acute and chronic nephritis	2	1	2	—	2	2	1	1	3	4	1	—	25
26 Puerperal sepsis	—	—	—	—	—	1	—	—	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	1	—	1	—	3	—	1	—	1	27
28 Congenital debility and malformation, premature birth	7	2	6	6	6	5	5	1	2	5	2	—	28
29 Suicide	2	—	—	1	—	2	—	—	—	—	—	—	29
30 Other deaths from violence	3	5	1	—	6	—	1	2	2	1	1	2	30
31 Other defined diseases	14	11	15	12	16	20	17	12	14	19	9	17	31
32 Causes ill-defined or unknown	1	—	—	—	1	—	1	1	3	—	1	—	32

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1925 (Civilian population only)—*cont.*

BERKSHIRE—*cont.*

Causes of Death.	East Hampstead R.D.		Faringdon* (pt.) R.D.		Newbury R.D.		Wantage R.D.		Wokingham R.D.								
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.							
All Causes	99	95	70	72	88	71	82	55	103	110							
1 Enteric fever	—	—	—	—	—	—	—	—	—	—							1
2 Small-pox	—	—	—	—	—	—	—	—	—	—							2
3 Measles	—	—	—	—	—	—	—	—	—	—							3
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—							4
5 Whooping cough	—	—	1	4	1	—	2	2	—	1							5
6 Diphtheria	1	—	—	—	—	—	—	—	—	—							6
7 Influenza	—	6	2	4	3		1	1	2	6							7
8 Encephalitis lethargica	—	—	—	—	—	—	—	—	—	—							8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—							9
10 Tuberculosis of respiratory sys.	7	5	3	3	4	1	5	—	9	9							10
11 Other tuberculous diseases	—	4	—	1	—	1	2	—	6	1							11
12 Cancer, malignant disease	13	12	7	12	11	13	6	8	8	19							12
13 Rheumatic fever	—	—	—	—	1	1	—	—	—	—							13
14 Diabetes	2	—	1	1	1	—	—	—	1	—							14
15 Cerebral hæmorrhage, &c.	4	10	7	3	7	6	5	4	7	7							15
16 Heart disease	7	9	10	9	13	11	12	6	17	14							16
17 Arterio-sclerosis	9	3	2	3	7	6	—	—	7	4							17
18 Bronchitis	6	3	4	8	3	5	13	3	7	8							18
19 Pneumonia (all forms)	5	5	—	4	10	1	2	5	5	2							19
20 Other respiratory diseases	—	1	2	—	1	—	1	2	—	1							20
21 Ulcer of stomach or duodenum	3	3	3	—	1	—	—	—	1	—							21
22 Diarrhœa, &c. (under 2 years)	—	1	2	1	—	—	2	—	1	—							22
23 Appendicitis and typhlitis	2	—	3	—	2	—	—	—	2	—							23
24 Cirrhosis of liver	1	—	—	—	—	—	—	—	—	—							24
25 Acute and chronic nephritis	2	5	3	1	3	1	—	—	3	2							25
26 Puerperal sepsis	—	—	—	—	—	—	—	1	—	—							26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	—	—	—	—	1	—	—							27
28 Congenital debility and malformation, premature birth	10	5	3	2	3	3	2	—	7	6							28
29 Suicide	1	1	—	—	2	—	2	—	—	1							29
30 Other deaths from violence	1	2	1	1	1	1	1	1	4	5							30
31 Other defined diseases	23	19	16	15	13	14	26	21	16	24							31
32 Causes ill-defined or unknown	2	1	—	—	1	—	—	—	—	—							32

BUCKINGHAMSHIRE.

Causes of Death.	Aylesbury M.B.		Chepping Wycombe M.B.		Slough U.D.		Wolverton U.D.		Amersham R.D.		Aylesbury R.D.		Eton R.D.		Newport Pagnell R.D.		Wycombe R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	65	65	109	88	89	88	69	84	119	124	130	116	163	143	96	107	148	144	
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	2	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	3
4 Scarlet fever	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	1	—	4
5 Whooping cough	1	—	2	1	1	1	1	—	1	2	—	2	6	—	1	2	1	1	5
6 Diphtheria	—	—	—	—	1	—	—	—	2	1	—	—	—	—	—	—	—	—	6
7 Influenza	3	4	4	4	1	—	2	1	6	4	8	4	7	4	—	2	9	6	7
8 Encephalitis lethargica	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	—	2	11	3	6	1	4	9	9	4	8	5	4	10	2	4	5	8	10
11 Other tuberculous diseases	1	—	—	2	—	2	1	2	2	3	1	3	1	1	1	1	2	1	11
12 Cancer, malignant disease	11	10	16	8	11	8	10	11	10	19	16	12	17	19	11	15	18	15	12
13 Rheumatic fever	—	1	—	1	—	—	—	—	—	—	—	1	1	—	—	—	2	—	13
14 Diabetes	1	2	3	4	1	1	—	2	—	2	—	2	—	1	2	—	2	3	14
15 Cerebral hæmorrhage, &c.	—	4	8	7	9	9	3	7	4	9	12	7	7	8	10	10	9	13	15
16 Heart disease	7	13	17	14	16	15	8	11	22	19	24	18	24	27	14	15	14	22	16
17 Arterio-sclerosis	—	2	3	5	2	4	2	1	2	5	6	3	5	4	3	4	3	3	17
18 Bronchitis	2	3	6	9	3	10	6	4	15	10	2	10	9	10	8	5	11	13	18
19 Pneumonia (all forms)	6	2	8	5	2	1	6	1	6	6	5	2	10	7	7	3	7	8	19
20 Other respiratory diseases	4	—	1	—	—	1	3	—	—	—	2	—	1	4	—	—	2	4	20
21 Ulcer of stomach or duodenum	—	1	—	—	—	1	1	1	1	—	—	1	5	—	—	—	3	—	21
22 Diarrhœa, &c. (under 2 years)	—	—	—	—	2	—	—	—	2	—	1	3	—	1	—	—	—	—	22
23 Appendicitis and typhlitis	3	—	—	1	—	1	—	—	2	—	—	2	2	—	1	—	1	2	23
24 Cirrhosis of liver	—	—	—	2	—	—	—	—	—	—	—	—	1	—	—	—	2	—	24
25 Acute and chronic nephritis	5	1	3	1	3	4	2	5	4	3	3	—	9	4	5	4	—	4	25
26 Puerperal sepsis	—	—	—	—	—	1	—	—	—	—	—	—	—	2	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	—	—	1	—	1	—	—	—	—	—	1	—	1	—	1	27
28 Congenital debility and malformation, premature birth	4	4	3	3	2	1	2	2	7	11	3	7	4	8	5	2	15	4	28
29 Suicide	1	—	1	1	2	—	1	3	3	1	1	—	2	3	2	—	3	—	29
30 Other deaths from violence	2	2	7	2	—	4	1	—	3	1	5	3	9	2	5	2	3	3	30
31 Other defined diseases	11	14	15	15	26	21	15	22	18	24	31	31	39	27	18	37	34	31	31
32 Causes ill-defined or unknown	1	—	—	—	1	—	—	1	—	—	1	—	—	—	—	—	1	1	32

* The remainder of Faringdon R.D. is in Gloucestershire.

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1925 (Civilian population only)—*cont.*

CAMBRIDGESHIRE.

Causes of Death.	Cambridge M.B.		Chesterton R.D.		Newmarket R.D.		
	M.	F.	M.	F.	M.	F.	
All Causes	290	324	153	146	129	113	
1 Enteric fever	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	2
3 Measles	2	5	2	2	—	1	3
4 Scarlet fever	—	1	—	—	—	1	4
5 Whooping cough	5	2	—	1	—	1	5
6 Diphtheria	1	—	—	—	—	—	6
7 Influenza	10	14	4	1	2	2	7
8 Encephalitis lethargica	1	—	—	1	—	—	8
9 Meningococcal meningitis	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	25	20	9	5	7	6	10
11 Other tuberculous diseases	3	3	3	1	1	—	11
12 Cancer, malignant disease	43	44	22	27	15	20	12
13 Rheumatic fever	1	1	2	—	2	—	13
14 Diabetes	5	2	3	3	1	—	14
15 Cerebral hæmorrhage, &c.	17	34	4	9	9	10	15
16 Heart disease	30	43	28	17	15	16	16
17 Arterio-sclerosis	5	7	7	3	5	6	17
18 Bronchitis	14	23	9	14	11	3	18
19 Pneumonia (all forms)	12	13	5	11	4	4	19
20 Other respiratory diseases	4	2	2	6	3	2	20
21 Ulcer of stomach or duodenum	2	1	1	—	—	—	21
22 Diarrhœa, &c. (under 2 years)	1	—	1	—	—	—	22
23 Appendicitis and typhlitis	2	1	—	—	2	—	23
24 Cirrhosis of liver	5	3	3	1	2	—	24
25 Acute and chronic nephritis	5	11	7	6	1	3	25
26 Puerperal sepsis	—	1	—	2	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	—	—	—	27
28 Congenital debility and malformation, premature birth	13	7	3	6	8	8	28
29 Suicide	4	—	2	—	3	2	29
30 Other deaths from violence	16	6	3	1	10	1	30
31 Other defined diseases	63	78	28	29	27	27	31
32 Causes ill-defined or unknown	1	1	5	—	1	—	32

CHESHIRE.

Causes of Death.	Altrincham U.D.		Bebington & Bromborough. U.D.		Cheadle & Gatley U.D.		Congleton M.B.		Crewe M.B.		Dukinfield M.B.		Ellesmere Port & Whitby U.D.		Hazel Grove & Bramhall U.D.		Hoylake & West Kirby U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	129	111	95	90	82	68	72	93	268	277	131	134	84	79	56	66	94	91	
1 Enteric fever	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	1	—	1	—	—	1	—	—	2	3	1	2	—	—	—	—	—	—	3
4 Scarlet fever	1	1	1	1	—	—	—	1	1	3	—	1	—	—	—	—	—	—	4
5 Whooping cough	1	2	1	1	2	1	1	3	5	6	1	2	4	3	—	2	3	1	5
6 Diphtheria	1	1	—	—	1	—	—	—	1	1	—	—	—	3	—	—	—	—	6
7 Influenza	—	1	1	1	—	3	2	2	3	4	4	7	1	1	1	—	2	2	7
8 Encephalitis lethargica	—	—	—	1	—	1	1	—	1	—	—	—	—	—	—	—	—	—	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	6	7	6	8	5	2	4	7	16	11	8	3	3	2	3	5	7	7	10
11 Other tuberculous diseases	3	1	2	2	—	2	2	1	2	4	1	2	2	1	—	—	1	3	11
12 Cancer, malignant disease	13	10	9	12	7	15	12	20	36	36	9	10	5	8	10	14	10	15	12
13 Rheumatic fever	—	—	—	1	—	—	—	—	2	2	2	1	1	1	—	—	—	—	13
14 Diabetes	—	1	3	1	—	1	1	—	3	6	—	—	—	—	—	1	1	1	14
15 Cerebral hæmorrhage, &c.	7	13	7	8	3	3	3	6	21	18	10	16	2	4	1	3	3	6	15
16 Heart disease	12	24	13	16	12	10	12	10	28	48	15	29	3	9	4	10	12	17	16
17 Arterio-sclerosis	6	7	6	5	14	6	2	5	9	7	4	2	4	3	5	4	13	6	17
18 Bronchitis	16	13	2	3	5	3	6	14	19	22	9	8	7	10	3	4	5	2	18
19 Pneumonia (all forms)	10	9	8	3	5	5	6	3	14	18	14	10	11	8	7	3	3	8	19
20 Other respiratory diseases	1	1	1	2	1	1	—	—	1	4	2	—	1	2	1	1	4	—	20
21 Ulcer of stomach or duodenum	2	—	2	2	2	—	1	—	6	—	2	1	—	—	1	—	2	—	21
22 Diarrhœa, &c. (under 2 years)	1	1	—	2	—	—	—	—	3	—	3	1	3	1	—	1	—	1	22
23 Appendicitis and typhlitis	1	—	—	1	—	—	2	—	3	2	1	1	1	—	—	—	—	—	23
24 Cirrhosis of liver	—	—	—	—	—	1	1	—	3	—	1	—	—	—	—	—	—	1	24
25 Acute and chronic nephritis	2	3	1	1	3	2	3	1	7	13	5	6	4	1	1	1	3	4	25
26 Puerperal sepsis	—	1	—	—	—	—	—	—	—	2	—	1	—	1	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	2	—	2	—	—	—	—	—	1	—	—	—	2	—	1	—	—	27
28 Congenital debility and malformation, premature birth	5	1	8	2	2	—	5	3	15	10	11	4	10	7	5	1	4	—	28
29 Suicide	4	—	1	—	1	1	—	—	2	2	4	—	1	—	1	—	1	—	29
30 Other deaths from violence	9	2	3	3	3	1	4	3	9	6	3	4	5	2	1	1	4	—	30
31 Other defined diseases	26	10	19	11	16	9	4	14	56	47	21	23	16	10	12	13	16	17	31
32 Causes ill-defined or unknown	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	32

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1925 (Civilian population only)—*cont.*

CHESHIRE—*cont.*

Causes of Death.	Hyde M.B.		Macclesfield. M.B.		Northwich U.D.		Runcorn U.D.		Sale U.D.		Stalybridge M.B.		Winsford U.D.						
	M.	F.	M.	F.	M.	F.	M.	F	M.	F.	M.	F.	M.	F.					
All Causes	206	240	198	265	135	106	122	101	119	122	182	176	86	81					
1 Enteric fever	1	—	—	—	—	—	—	—	—	—	—	1	—	—					1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—					2
3 Measles	—	—	—	—	—	2	3	—	—	—	—	—	—	—					3
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	1	—	—	1					4
5 Whooping cough	—	—	1	—	—	—	3	1	—	2	3	—	—	—					5
6 Diphtheria	—	—	—	7	—	2	1	2	—	3	1	—	1	—					6
7 Influenza	4	8	4	3	6	2	4	—	7	4	3	2	1	—					7
8 Encephalitis lethargica	2	2	2	—	—	1	1	—	—	—	1	—	—	—					8
9 Meningococcal meningitis	—	—	1	—	—	—	—	—	—	—	—	—	—	—					9
10 Tuberculosis of respiratory sys.	15	18	8	13	12	5	6	8	11	11	17	7	2	2					10
11 Other tuberculous diseases	6	2	2	4	3	2	3	6	3	—	2	—	3	—					11
12 Cancer, malignant disease	20	23	23	30	14	11	13	11	12	16	21	20	9	9					12
13 Rheumatic fever	1	1	—	1	2	1	1	2	—	1	1	1	—	—					13
14 Diabetes	1	5	1	4	—	—	—	2	—	2	—	2	1	—					14
15 Cerebral hæmorrhage, &c.	15	17	11	19	10	4	7	9	2	12	11	14	6	7					15
16 Heart disease	26	34	30	59	17	26	20	17	13	13	22	26	15	22					16
17 Arterio-sclerosis	14	12	10	25	2	—	9	6	6	6	5	4	2	1					17
18 Bronchitis	16	24	10	12	5	9	4	6	8	4	20	23	10	6					18
19 Pneumonia (all forms)	16	16	10	14	10	12	10	6	8	8	17	11	2	1					19
20 Other respiratory diseases	1	—	3	—	1	1	1	1	—	1	4	4	1	—					20
21 Ulcer of stomach or duodenum	1	—	3	—	—	—	1	1	1	—	2	1	—	—					21
22 Diarrhœa, &c. (under 2 years)	4	2	1	—	1	3	—	1	2	—	4	4	2	—					22
23 Appendicitis and typhlitis	4	1	1	—	—	1	—	—	2	—	—	—	—	1					23
24 Cirrhosis of liver	2	—	1	—	2	—	—	—	3	—	5	—	—	—					24
25 Acute and chronic nephritis	8	7	11	7	5	2	3	2	4	4	4	7	4	5					25
26 Puerperal sepsis	—	—	—	—	—	—	—	1	—	—	—	—	—	2					26
27 Other accidents and diseases of pregnancy and parturition	—	2	—	1	—	—	—	1	—	—	—	1	—	2					27
28 Congenital debility and malformation, premature birth	6	8	10	10	8	6	8	1	8	4	13	5	3	3					28
29 Suicide	5	—	—	1	4	—	—	1	1	—	1	—	—	—					29
30 Other deaths from violence	6	1	7	6	6	—	5	4	3	5	5	4	10	—					30
31 Other defined diseases	32	57	48	49	27	16	18	11	25	26	19	39	14	19					31
32 Causes ill-defined or unknown	—	—	—	—	—	—	1	1	—	—	—	—	—	—					32

CHESHIRE—*cont.*

Causes of Death.	Bucklow R.D.		Chester R.D.		Congleton R.D.		Macclesfield R.D.		Nantwich R.D.		Northwich R.D.		Runcorn R.D.		Tarvin R.D.		Wirral R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M	F.	M.	F.	
All Causes	125	97	79	54	84	96	108	102	147	140	138	118	183	158	54	85	145	160	
1 Enteric fever	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	—	1	—	—	—	1	—	—	2	2	—	—	4	3	3
4 Scarlet fever	1	—	—	1	—	1	1	1	1	—	—	—	—	—	—	—	—	1	4
5 Whooping cough	1	2	—	—	2	1	1	—	1	2	—	1	1	7	—	1	2	2	5
6 Diphtheria	—	1	—	—	—	1	2	—	—	—	—	1	—	—	—	—	—	—	6
7 Influenza	5	3	—	—	6	4	1	4	10	10	2	2	9	6	2	1	2	4	7
8 Encephalitis lethargica	—	—	—	—	1	1	—	—	2	—	—	1	—	1	—	—	—	1	8
9 Meningococcal meningitis	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	9
10 Tuberculosis of respiratory sys.	7	7	4	5	1	1	2	9	6	7	9	6	12	7	1	—	9	11	10
11 Other tuberculous diseases	—	—	—	1	2	—	1	—	1	1	1	1	1	—	—	1	1	4	11
12 Cancer, malignant disease	14	14	7	9	5	8	12	13	16	12	14	17	18	20	5	8	17	17	12
13 Rheumatic fever	2	1	—	—	1	2	—	—	—	1	—	1	1	1	—	—	—	—	13
14 Diabetes	—	1	—	—	2	4	—	1	4	2	1	—	3	2	—	—	—	1	14
15 Cerebral hæmorrhage, &c.	10	11	6	4	3	5	6	8	15	8	8	6	4	5	3	3	9	11	15
16 Heart disease	9	11	14	6	13	15	21	14	21	20	15	16	21	23	8	11	23	20	16
17 Arterio-sclerosis	6	1	8	3	4	5	6	6	5	3	8	2	11	6	4	3	7	11	17
18 Bronchitis	6	7	8	4	5	7	9	3	8	11	4	9	12	13	5	5	8	13	18
19 Pneumonia (all forms)	7	6	3	5	10	6	4	11	11	7	23	8	13	7	4	11	14	6	19
20 Other respiratory diseases	2	—	1	—	—	1	1	1	2	—	4	2	2	4	3	3	2	2	20
21 Ulcer of stomach or duodenum	1	—	—	—	—	1	1	—	2	—	1	1	1	—	—	—	2	—	21
22 Diarrhœa, &c. (under 2 years)	1	—	1	—	2	1	—	—	2	—	2	—	—	—	1	—	5	2	22
23 Appendicitis and typhlitis	3	—	—	1	—	1	1	2	1	1	—	—	4	1	—	—	4	—	23
24 Cirrhosis of liver	1	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	1	—	24
25 Acute and chronic nephritis	7	4	3	—	1	1	2	2	—	2	4	—	8	6	—	—	—	4	25
26 Puerperal sepsis	—	2	—	—	—	—	—	2	—	—	—	—	—	1	—	1	—	2	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	—	—	—	—	1	—	1	—	1	—	—	—	—	—	3	27
28 Congenital debility and malformation, premature birth	8	2	4	—	4	7	4	3	6	9	7	15	8	4	3	5	9	4	28
29 Suicide	2	—	1	2	1	—	1	1	1	—	1	—	2	—	—	—	—	1	29
30 Other deaths from violence	9	—	3	2	2	1	4	1	5	3	8	4	10	5	1	2	6	6	30
31 Other defined diseases	22	23	16	11	19	20	27	19	27	39	26	24	39	36	11	29	19	31	31
32 Causes ill-defined or unknown	—	—	—	—	—	—	1	—	—	—	—	—	1	1	1	1	—	—	32

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1925 (Civilian population only)—*cont.*

CORNWALL.

Causes of Death.	Camborne U.D.		Falmouth M.B.		Penzance M.B.		Truro M.B.				Bodmin R.D.		Helston R.D.		Liskeard R.D.		Redruth R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.			M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	80	108	78	77	68	105	58	81			61	62	103	108	104	104	109	134	
1 Enteric fever	—	—	—	—	—	—	—	—			—	1	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—			—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	—	—	1	—			—	—	—	—	—	—	—	—	3
4 Scarlet fever	—	—	—	—	—	—	—	—			1	—	—	—	—	—	—	—	4
5 Whooping cough	2	—	1	—	—	—	—	—			—	—	—	—	—	2	—	1	5
6 Diphtheria	—	—	2	—	2	1	—	—			—	—	—	—	—	—	1	2	6
7 Influenza	1	5	1	3	4	1	2	—			4	1	3	6	—	3	—	3	7
8 Encephalitis lethargica	—	—	2	1	1	—	—	—			—	—	1	1	1	1	—	—	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—			—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	20	8	6	2	7	6	4	5			4	5	6	7	5	6	24	3	10
11 Other tuberculous diseases	2	2	1	1	1	—	—	4			—	2	4	1	2	2	1	1	11
12 Cancer, malignant disease	7	13	10	12	5	22	9	9			4	10	12	17	10	7	11	15	12
13 Rheumatic fever	—	—	—	—	—	—	1	—			—	—	—	1	—	—	—	1	13
14 Diabetes	1	1	—	1	—	—	1	1			1	1	2	—	—	6	2	2	14
15 Cerebral hæmorrhage, &c.	3	7	6	9	4	8	3	10			2	2	6	8	7	11	4	10	15
16 Heart disease	11	26	12	13	8	10	8	9			13	11	16	19	20	15	16	33	16
17 Arterio-sclerosis	1	2	1	4	1	—	—	—			3	3	9	4	7	4	—	—	17
18 Bronchitis	5	12	2	9	4	7	3	7			3	4	4	4	7	9	9	10	18
19 Pneumonia (all forms)	1	5	4	4	2	3	5	5			3	1	5	3	—	4	4	2	19
20 Other respiratory diseases	3	—	2	—	—	1	—	—			1	—	4	1	3	—	4	—	20
21 Ulcer of stomach or duodenum	1	3	—	—	—	1	1	—			—	—	1	—	2	—	2	2	21
22 Diarrhœa, &c. (under 2 years)	—	—	2	—	—	—	—	—			—	1	—	1	1	—	2	1	22
23 Appendicitis and typhlitis	—	—	2	—	1	—	—	—			—	1	—	—	1	—	1	—	23
24 Cirrhosis of liver	—	—	1	—	—	—	—	—			—	—	—	—	—	—	—	1	24
25 Acute and chronic nephritis	2	2	2	1	1	3	1	1			2	2	1	3	5	7	2	2	25
26 Puerperal sepsis	—	—	—	—	—	1	—	—			—	—	—	—	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	—	—	3	—	—			—	2	—	1	—	2	—	2	27
28 Congenital debility and malformation, premature birth	5	2	1	2	2	2	1	1			—	5	4	2	5	2	3	5	28
29 Suicide	—	—	1	—	—	1	1	—			—	—	—	—	1	—	2	1	29
30 Other deaths from violence	3	1	2	1	1	2	3	—			3	—	3	2	1	2	5	1	30
31 Other defined diseases	12	18	16	14	24	33	14	29			15	9	21	27	25	21	15	36	31
32 Causes ill-defined or unknown	—	—	1	—	—	—	—	—			2	1	1	—	1	—	1	—	32

CORNWALL—*cont.*

Causes of Death.	St. Austell R.D.		St. Columb Major R.D.		St. Germans R.D.		Truro R.D.		West Penwith R.D.								
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.							
All Causes	177	179	60	80	61	75	114	162	52	63							
1 Enteric fever	—	—	—	—	—	—	1	—	—	—							1
2 Small-pox	—	—	—	—	—	—	—	—	—	—							2
3 Measles	—	1	—	—	—	—	—	—	—	—							3
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—							4
5 Whooping cough	—	—	—	—	—	—	—	1	—	—							5
6 Diphtheria	—	—	—	—	—	—	—	—	—	—							6
7 Influenza	5	3	1	—	1	4	4	1	1	—							7
8 Encephalitis lethargica	—	—	—	2	—	1	—	—	—	—							8
9 Meningococcal meningitis	1	—	—	—	—	—	—	—	—	—							9
10 Tuberculosis of respiratory sys.	6	8	5	1	4	7	3	15	5	4							10
11 Other tuberculous diseases	3	7	—	2	3	—	2	2	—	2							11
12 Cancer, malignant disease	14	30	5	11	10	19	13	23	3	13							12
13 Rheumatic fever	1	1	—	—	—	—	—	—	—	—							13
14 Diabetes	1	2	1	—	1	—	1	2	—	—							14
15 Cerebral hæmorrhage, &c.	7	12	4	4	—	8	6	10	1	3							15
16 Heart disease	22	19	4	10	8	6	13	32	9	14							16
17 Arterio-sclerosis	6	7	7	6	2	—	10	5	3	3							17
18 Bronchitis	12	10	6	10	2	1	5	5	4	1							18
19 Pneumonia (all forms)	6	5	4	6	1	6	4	2	1	2							19
20 Other respiratory diseases	7	3	1	3	2	1	1	2	2	—							20
21 Ulcer of stomach or duodenum	1	1	1	—	—	—	1	—	2	—							21
22 Diarrhœa, &c. (under 2 years)	3	1	2	1	1	—	1	—	1	1							22
23 Appendicitis and typhlitis	4	1	1	—	—	2	—	1	—	1							23
24 Cirrhosis of liver	—	—	—	—	1	—	—	1	—	—							24
25 Acute and chronic nephritis	7	7	2	4	1	1	3	3	4	4							25
26 Puerperal sepsis	—	—	—	2	—	—	—	1	—	1							26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	3	—	—	—	2	—	1							27
28 Congenital debility and malformation, premature birth	10	10	2	2	1	3	4	5	2	3							28
29 Suicide	2	—	1	—	3	—	2	1	1	—							29
30 Other deaths from violence	6	2	—	3	1	3	7	5	3	—							30
31 Other defined diseases	52	46	13	10	18	13	32	43	10	10							31
32 Causes ill-defined or unknown	1	2	—	—	1	—	1	—	—	—							32

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1925 (Civilian population only)—*cont.*

CUMBERLAND.

Causes of Death.	Maryport U.D.		Whitehaven M.B.		Workington M.B.		Carlisle R.D.		Cockermouth R.D.		Penrith R.D.		Whitehaven R.D.		Wigton R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	73	69	152	145	206	190	77	75	151	155	71	62	80	88	78	79	
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	3	2	10	7	—	—	2	1	—	—	—	—	1	—	3
4 Scarlet fever	—	—	—	1	1	—	—	—	—	1	—	—	—	1	—	1	4
5 Whooping cough	—	1	—	3	1	—	1	1	5	4	—	—	2	2	—	1	5
6 Diphtheria	2	3	—	—	1	—	—	—	—	1	—	—	—	—	—	—	6
7 Influenza	1	2	7	4	15	7	9	7	6	6	4	3	3	3	3	5	7
8 Encephalitis lethargica	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9 Meningococcal meningitis	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	2	4	5	7	9	8	5	3	4	13	3	1	7	2	3	2	10
11 Other tuberculous diseases	1	—	5	4	2	3	—	2	2	4	1	2	1	3	2	2	11
12 Cancer, malignant disease	10	7	13	9	17	18	11	10	10	13	3	3	4	13	10	10	12
13 Rheumatic fever	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	13
14 Diabetes	—	—	2	—	1	—	—	1	1	1	2	—	—	1	2	—	14
15 Cerebral hæmorrhage, &c.	3	4	12	8	14	23	1	8	6	11	1	8	8	5	7	3	15
16 Heart disease	9	11	11	18	12	25	12	10	15	18	16	10	7	8	12	16	16
17 Arterio-sclerosis	1	3	4	1	5	—	4	3	5	1	5	4	4	2	5	5	17
18 Bronchitis	7	6	22	25	14	14	2	3	11	13	—	3	5	9	1	6	18
19 Pneumonia (all forms)	5	4	18	10	27	21	3	2	16	11	3	2	8	7	5	2	19
20 Other respiratory diseases	2	1	—	2	2	1	—	—	5	3	—	—	3	1	—	1	20
21 Ulcer of stomach or duodenum	—	—	3	2	1	1	—	—	2	—	1	1	1	1	2	2	21
22 Diarrhœa, &c. (under 2 years)	1	1	4	2	6	6	—	1	3	5	1	—	2	1	1	—	22
23 Appendicitis and typhlitis	1	—	1	—	1	1	1	1	1	—	1	—	—	—	—	—	23
24 Cirrhosis of liver	—	—	2	—	1	—	1	—	1	—	—	—	—	—	—	—	24
25 Acute and chronic nephritis	1	2	4	3	3	2	—	—	3	2	—	2	2	1	1	1	25
26 Puerperal sepsis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	3	—	4	—	1	—	5	—	—	—	2	—	1	27
28 Congenital debility and malformation, premature birth	8	1	5	6	12	4	5	1	12	6	5	7	3	5	5	2	28
29 Suicide	—	1	—	—	1	—	—	—	—	—	1	—	1	—	—	1	29
30 Other deaths from violence	3	2	9	5	7	2	8	3	10	1	5	1	7	—	4	—	30
31 Other defined diseases	16	15	20	28	42	42	13	18	30	35	19	15	12	20	13	18	31
32 Causes ill-defined or unknown	—	1	1	1	—	1	1	—	1	—	—	—	—	1	1	—	32

DERBYSHIRE.

Causes of Death.	Alfreton U.D.		Belper U.D.		Bolsover U.D.		Buxton M.B.		Chesterfield M.B.		Glossop M.B.		Heanor U.D.		Ilkeston M.B.		Long Eaton U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	135	111	77	65	69	54	92	75	430	346	130	138	128	114	213	200	115	111	
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	2
3 Measles	3	2	—	2	—	1	1	—	4	4	—	—	5	1	4	4	—	—	3
4 Scarlet fever	—	—	—	1	—	—	—	—	—	1	1	—	—	—	—	—	1	—	4
5 Whooping cough	1	2	—	—	—	2	1	2	4	8	2	1	—	1	1	—	—	—	5
6 Diphtheria	—	—	2	2	—	—	—	—	5	5	2	1	—	2	—	—	—	1	6
7 Influenza	4	7	3	1	—	1	4	1	3	4	4	1	3	8	6	4	—	1	7
8 Encephalitis lethargica	1	—	—	—	1	—	1	—	2	4	—	—	—	—	—	1	—	1	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	3	4	4	4	4	3	9	3	37	25	11	7	5	10	14	11	10	8	10
11 Other tuberculous diseases	5	1	2	2	2	2	1	1	5	7	1	—	1	1	2	4	—	—	11
12 Cancer, malignant disease	7	15	8	9	4	4	9	11	33	28	10	9	5	3	11	17	10	14	12
13 Rheumatic fever	1	—	1	—	1	—	—	1	4	2	2	—	—	2	—	—	—	2	13
14 Diabetes	1	1	—	3	—	—	1	1	3	2	2	3	3	—	1	1	2	3	14
15 Cerebral hæmorrhage, &c.	4	13	3	5	3	3	5	10	28	33	16	18	8	8	7	15	5	8	15
16 Heart disease	23	20	8	10	3	11	9	5	58	44	17	30	11	15	12	17	18	13	16
17 Arterio-sclerosis	5	5	5	—	1	—	2	3	7	10	3	3	10	2	3	4	5	—	17
18 Bronchitis	4	4	3	—	3	3	6	5	32	25	8	14	10	14	40	23	7	9	18
19 Pneumonia (all forms)	5	3	8	7	10	2	6	3	50	29	11	9	15	7	21	24	12	9	19
20 Other respiratory diseases	1	1	1	—	1	—	1	—	3	3	2	2	3	1	1	4	3	3	20
21 Ulcer of stomach or duodenum	1	—	—	—	—	—	3	—	5	1	1	—	1	—	1	—	1	—	21
22 Diarrhœa, &c. (under 2 years)	1	2	—	—	1	3	2	—	2	3	—	1	3	3	5	3	—	—	22
23 Appendicitis and typhlitis	3	1	2	—	1	—	1	1	3	3	1	—	—	—	1	—	—	1	23
24 Cirrhosis of liver	—	—	—	—	2	—	2	—	1	3	—	—	2	—	1	1	1	—	24
25 Acute and chronic nephritis	4	—	4	2	—	1	2	3	8	3	6	5	1	1	6	7	4	4	25
26 Puerperal sepsis	—	—	—	—	—	—	—	2	—	—	—	—	—	2	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	2	—	—	—	1	—	—	—	1	—	1	—	—	—	2	—	—	27
28 Congenital debility and malformation, premature birth	11	3	2	2	10	4	7	3	24	24	4	2	12	5	18	17	7	6	28
29 Suicide	—	1	1	1	—	1	1	—	4	2	1	1	3	3	1	1	2	1	29
30 Other deaths from violence	10	—	7	1	5	—	4	1	29	10	1	2	3	5	11	4	6	1	30
31 Other defined diseases	36	24	13	13	13	12	14	19	70	58	22	28	22	20	42	31	19	26	31
32 Causes ill-defined or unknown	1	—	—	—	4	—	—	—	6	3	2	—	2	—	4	5	2	—	32

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1925 (Civilian population only)—*cont.*

DERBYSHIRE—*cont.*

Causes of Death.	Ripley U.D.		Swadlincote District U.D.		The Matlocks U.D.		Ashbourne R.D.		Bakewell R.D.		Belper R.D.		Blackwell R.D.		Chapel-en-le-Frith R.D.		Chesterfield R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	65	54	127	133	65	70	59	44	126	125	128	131	291	199	102	82	529	408	
1 Enteric fever	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	2
3 Measles	—	1	5	1	—	—	—	1	—	—	—	—	9	6	—	—	3	1	3
4 Scarlet fever	—	—	—	1	—	—	—	—	—	—	—	1	2	2	1	—	—	1	4
5 Whooping cough	2	—	1	2	—	—	1	2	—	1	2	2	3	5	2	1	5	3	5
6 Diphtheria	1	—	2	—	—	—	—	—	—	1	2	3	3	—	—	1	4	5	6
7 Influenza	3	2	1	3	2	—	3	1	9	5	4	2	13	6	3	2	11	12	7
8 Encephalitis lethargica ..	—	—	—	—	—	1	—	—	1	—	—	1	3	1	—	—	2	3	8
9 Meningococcal meningitis ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	9
10 Tuberculosis of respiratory sys.	—	2	6	4	3	3	—	1	1	4	4	3	15	15	5	2	24	23	10
11 Other tuberculous diseases ..	—	1	1	3	—	1	2	—	4	2	2	4	5	5	2	—	14	6	11
12 Cancer, malignant disease ..	7	5	7	13	6	13	9	3	12	11	13	16	12	11	10	13	36	33	12
13 Rheumatic fever	—	—	—	—	—	—	—	—	2	—	1	2	2	—	—	—	5	5	13
14 Diabetes	1	3	1	2	—	3	1	—	1	2	—	1	1	—	1	1	1	3	14
15 Cerebral hæmorrhage, &c. ..	1	3	7	12	6	7	2	5	5	13	11	4	6	6	5	6	28	23	15
16 Heart disease	8	8	7	16	13	11	11	4	20	26	19	16	32	19	9	12	50	56	16
17 Arterio-sclerosis	1	1	—	—	2	4	—	—	8	3	4	—	3	4	5	1	19	3	17
18 Bronchitis	2	6	15	13	3	7	1	—	9	10	7	5	25	19	5	4	44	38	18
19 Pneumonia (all forms) ..	2	2	9	10	3	6	3	2	5	5	8	11	49	16	10	6	54	33	19
20 Other respiratory diseases ..	2	—	3	—	—	—	—	1	1	2	2	1	—	—	2	1	5	7	20
21 Ulcer of stomach or duodenum	1	—	1	—	—	—	1	1	—	1	—	—	4	1	2	—	4	3	21
22 Diarrhœa, &c. (under 2 years)	—	—	1	1	—	—	—	—	1	—	1	—	6	10	—	—	3	2	22
23 Appendicitis and typhlitis ..	1	—	3	2	—	1	1	—	1	1	—	—	1	1	2	—	4	—	23
24 Cirrhosis of liver	—	1	1	—	1	—	1	—	—	1	—	1	—	—	—	—	5	2	24
25 Acute and chronic nephritis ..	2	—	1	4	3	—	—	1	2	2	3	3	3	3	4	2	17	13	25
26 Puerperal sepsis	—	—	—	1	—	—	—	—	—	2	—	—	—	3	—	—	—	5	26
27 Other accidents and diseases of pregnancy and parturition..	—	1	—	—	—	—	—	—	—	—	—	1	—	3	—	1	—	3	27
28 Congenital debility and malformation, premature birth	4	—	16	6	2	2	2	1	8	3	8	10	28	19	5	4	50	38	28
29 Suicide	—	—	2	—	1	—	—	—	1	1	3	3	2	—	2	1	8	1	29
30 Other deaths from violence ..	9	—	5	6	5	—	2	—	9	4	6	5	19	3	5	—	38	10	30
31 Other defined diseases ..	17	18	28	32	13	10	18	20	26	24	28	35	41	40	20	24	89	72	31
32 Causes ill-defined or unknown	1	—	4	1	1	1	1	1	—	1	—	1	4	1	2	—	4	4	32

DERBYSHIRE—*cont.* DEVONSHIRE.

Causes of Death.	Clowne R.D.		Repton R.D.		Shardlow R.D.		Barnstaple M.B.		Exmouth U.D.		Ilfracombe U.D.		Newton Abbot U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	102	93	85	101	170	185	85	119	74	88	52	73	98	96	
1 Enteric fever	—	—	—	—	—	2	—	1	—	—	—	—	—	1	1
2 Small-pox	—	—	—	—	—	—	—	—	—	1	—	—	—	—	2
3 Measles	—	—	1	—	—	3	—	—	—	—	—	—	—	—	3
4 Scarlet fever	—	—	1	1	—	—	—	—	—	—	—	—	—	—	4
5 Whooping cough	1	3	—	1	2	4	3	3	1	1	—	—	3	—	5
6 Diphtheria	2	—	—	—	2	2	1	—	—	—	—	—	—	—	6
7 Influenza	1	4	4	5	2	3	2	3	5	—	—	2	6	3	7
8 Encephalitis lethargica ..	—	—	—	—	—	1	—	—	—	—	—	—	—	1	8
9 Meningococcal meningitis ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	4	4	2	1	9	12	4	9	4	3	4	3	7	4	10
11 Other tuberculous diseases ..	1	2	2	1	4	2	3	2	1	—	—	3	1	3	11
12 Cancer, malignant disease ..	5	3	9	9	21	30	12	20	13	11	5	12	13	11	12
13 Rheumatic fever	1	1	—	1	1	1	—	1	1	1	—	1	—	1	13
14 Diabetes	—	2	—	1	—	1	1	2	—	1	—	—	2	1	14
15 Cerebral hæmorrhage, &c. ..	5	10	6	12	5	11	2	8	11	14	6	8	9	7	15
16 Heart disease	7	9	10	11	27	20	9	14	11	18	9	20	7	5	16
17 Arterio-sclerosis	1	—	—	5	1	2	3	4	3	5	8	5	9	7	17
18 Bronchitis	9	5	7	6	5	14	1	13	3	3	3	1	10	11	18
19 Pneumonia (all forms) ..	12	10	7	4	12	4	3	3	2	3	3	3	4	3	19
20 Other respiratory diseases ..	2	—	—	1	6	3	—	—	1	—	—	—	1	1	20
21 Ulcer of stomach or duodenum	—	—	1	—	1	1	—	1	1	1	—	—	1	—	21
22 Diarrhœa, &c. (under 2 years)	—	—	—	—	—	—	—	—	—	—	—	2	—	—	22
23 Appendicitis and typhlitis ..	—	2	—	—	1	1	—	2	—	1	—	—	—	—	23
24 Cirrhosis of liver	1	—	1	1	1	—	2	1	—	—	—	—	—	1	24
25 Acute and chronic nephritis ..	4	—	1	5	3	6	5	3	3	4	1	—	1	1	25
26 Puerperal sepsis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition..	—	2	—	1	—	4	—	—	—	—	—	—	—	1	27
28 Congenital debility and malformation, premature birth	10	6	1	2	12	10	2	3	4	2	2	1	—	1	28
29 Suicide	—	—	1	1	4	—	3	1	1	—	—	—	2	1	29
30 Other deaths from violence ..	2	1	5	1	10	2	4	—	4	3	4	1	2	3	30
31 Other defined diseases ..	33	29	25	29	37	44	25	25	5	16	7	11	20	29	31
32 Causes ill-defined or unknown	1	—	1	2	4	2	—	—	—	—	—	—	—	—	32

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1925 (Civilian population only)—*cont.*

DEVONSHIRE—*cont.*

Causes of Death.	Paignton U.D.		Teignmouth U.D.		Torquay M.B.		Barnstaple R.D.		Crediton R.D.		Kingsbridge R.D.		Newton Abbot R.D.		Okehampton R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	74	112	64	80	249	279	111	126	60	53	69	60	124	172	96	94	
1 Enteric fever	1	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	3
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	4
5 Whooping cough	1	1	—	—	5	3	—	1	—	—	—	—	2	4	1	—	5
6 Diphtheria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	6
7 Influenza	1	3	3	5	6	1	2	—	—	—	3	3	4	5	3	1	7
8 Encephalitis lethargica	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	8
9 Meningococcal meningitis	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	4	9	3	8	16	16	3	4	4	2	4	2	7	10	4	7	10
11 Other tuberculous diseases	—	—	1	1	3	7	3	2	—	—	—	1	2	4	2	3	11
12 Cancer, malignant disease	5	11	14	17	26	41	12	16	8	9	4	11	19	22	8	10	12
13 Rheumatic fever	—	—	—	—	—	—	2	—	—	1	—	1	1	—	—	2	13
14 Diabetes	2	1	—	1	2	2	—	—	—	—	2	2	1	2	—	2	14
15 Cerebral hæmorrhage, &c.	3	8	3	4	23	30	3	13	2	7	4	4	8	17	5	9	15
16 Heart disease	13	22	9	10	45	59	14	19	7	6	14	11	16	25	28	18	16
17 Arterio-sclerosis	7	5	6	5	29	25	17	16	3	—	2	2	3	13	2	4	17
18 Bronchitis	4	2	2	1	14	19	6	10	4	5	2	3	10	12	4	3	18
19 Pneumonia (all forms)	6	5	2	4	10	4	3	5	5	—	6	—	11	11	4	3	19
20 Other respiratory diseases	—	1	2	—	1	5	—	—	—	3	2	—	3	4	4	—	20
21 Ulcer of stomach or duodenum	1	—	—	2	3	—	1	—	1	—	—	1	1	—	1	2	21
22 Diarrhœa, &c. (under 2 years)	—	—	—	—	3	1	—	—	—	—	—	—	—	—	—	1	22
23 Appendicitis and typhlitis	1	2	—	—	1	1	—	—	—	—	—	—	—	1	1	1	23
24 Cirrhosis of liver	—	—	1	1	2	1	1	—	1	—	1	—	—	—	1	—	24
25 Acute and chronic nephritis	1	4	2	3	3	2	2	7	1	—	5	2	2	2	2	—	25
26 Puerperal sepsis	—	1	—	—	—	—	—	—	—	—	—	1	—	1	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	—	—	1	—	—	—	1	—	—	—	1	—	1	27
28 Congenital debility and malformation, premature birth	1	2	1	1	8	5	8	3	4	—	2	1	8	2	—	3	28
29 Suicide	1	—	—	—	4	—	3	—	—	—	1	—	—	1	2	—	29
30 Other deaths from violence	1	4	1	2	9	8	4	2	6	1	3	—	5	—	3	—	30
31 Other defined diseases	21	28	14	15	35	47	27	28	13	17	14	14	19	33	20	18	31
32 Causes ill-defined or unknown	—	1	—	—	1	1	—	—	—	1	—	—	—	—	1	3	32

DEVONSHIRE—*cont.*

Causes of Death.	Plympton St. Mary R.D.		St. Thomas R.D.		South Molton R.D.		Tavistock R.D.		Tiverton R.D.		Totnes R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	135	143	166	155	58	49	87	93	80	93	76	72	
1 Enteric fever	—	—	1	2	—	—	—	1	—	1	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	1	—	—	—	—	—	—	—	—	—	3
4 Scarlet fever	—	—	—	—	1	—	—	—	—	—	—	1	4
5 Whooping cough	—	—	1	3	—	—	—	—	1	3	1	1	5
6 Diphtheria	1	1	—	—	—	—	—	—	—	—	—	—	6
7 Influenza	3	3	7	3	3	—	3	5	2	7	2	2	7
8 Encephalitis lethargica	—	—	—	1	—	—	—	—	—	1	—	—	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	9	8	12	8	3	3	4	4	4	10	3	4	10
11 Other tuberculous diseases	3	2	4	4	—	—	2	1	1	1	1	—	11
12 Cancer, malignant disease	15	23	17	19	4	9	9	11	15	6	8	6	12
13 Rheumatic fever	—	1	—	—	1	1	—	—	—	2	—	—	13
14 Diabetes	2	2	—	2	—	—	2	—	2	—	—	1	14
15 Cerebral hæmorrhage, &c.	9	15	13	14	3	7	5	6	2	6	3	7	15
16 Heart disease	20	26	14	21	13	8	13	12	14	12	12	11	16
17 Arterio-sclerosis	8	6	10	8	4	1	—	1	2	4	3	2	17
18 Bronchitis	8	6	11	12	1	3	8	4	2	4	7	4	18
19 Pneumonia (all forms)	11	5	6	5	4	3	4	2	5	1	4	2	19
20 Other respiratory diseases	1	2	1	5	1	—	3	1	—	2	1	—	20
21 Ulcer of stomach or duodenum	—	—	1	—	—	—	—	—	—	1	—	—	21
22 Diarrhœa, &c. (under 2 years)	1	1	—	—	—	—	—	—	—	—	—	—	22
23 Appendicitis and typhlitis	2	1	2	1	—	—	—	3	—	—	—	1	23
24 Cirrhosis of liver	—	—	—	—	—	—	1	—	—	—	—	—	24
25 Acute and chronic nephritis	1	3	7	5	2	1	1	6	4	3	—	1	25
26 Puerperal sepsis	—	—	—	—	—	—	—	—	—	—	—	1	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	3	—	—	—	1	—	3	—	2	27
28 Congenital debility and malformation, premature birth	6	5	16	7	6	1	5	7	4	—	3	1	28
29 Suicide	1	—	3	1	2	—	—	—	—	—	1	—	29
30 Other deaths from violence	5	1	4	3	—	—	2	—	3	—	5	1	30
31 Other defined diseases	29	32	33	27	10	12	24	27	19	25	21	24	31
32 Causes ill-defined or unknown	—	—	2	1	—	—	1	1	—	1	1	—	32

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1925 (Civilian population only)—*cont.*

DORSETSHIRE. **DURHAM**

Causes of Death.	Poole M.B.		Portland U.D.		Weymouth & Melcombe Regis M.B.		Wareham & Purbeck R.D.		Wimborne & Cranborne R.D.		Annfield Plain U.D.		Bishop Auckland U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	256	286	49	35	116	137	66	44	89	98	111	103	106	73	
1 Enteric fever	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	2	1	—	—	—	1	—	—	—	—	4	—	7	4	3
4 Scarlet fever	—	—	—	—	—	1	—	—	1	—	1	1	—	—	4
5 Whooping cough	7	6	—	1	1	3	—	1	1	1	1	1	2	1	5
6 Diphtheria	2	1	—	—	—	1	—	—	—	1	1	1	—	—	6
7 Influenza	5	8	4	1	—	4	1	1	2	5	3	2	2	—	7
8 Encephalitis lethargica	1	—	1	—	—	1	1	—	1	1	—	—	1	—	8
9 Meningococcal meningitis	1	—	—	—	—	—	—	—	1	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	18	15	4	3	6	11	4	2	4	6	1	7	4	4	10
11 Other tuberculous diseases	2	4	1	—	1	3	1	—	—	—	5	—	2	5	11
12 Cancer, malignant disease	27	47	9	5	16	16	10	6	4	13	3	5	9	5	12
13 Rheumatic fever	1	—	—	—	—	—	—	—	—	1	1	—	—	—	13
14 Diabetes	1	2	—	—	1	6	—	—	—	1	—	—	1	—	14
15 Cerebral hæmorrhage, &c.	15	29	7	2	9	10	2	5	9	8	8	4	8	2	15
16 Heart disease	33	50	4	6	19	19	17	9	11	14	13	10	9	6	16
17 Arterio-sclerosis	14	7	3	2	2	4	3	3	6	3	5	3	5	3	17
18 Bronchitis	13	13	2	4	6	10	4	8	5	5	6	9	3	8	18
19 Pneumonia (all forms)	7	11	2	2	8	4	3	1	5	5	12	9	10	10	19
20 Other respiratory diseases	4	7	1	—	—	2	—	—	3	3	—	5	3	—	20
21 Ulcer of stomach or duodenum	2	2	—	—	2	1	2	—	—	1	1	—	—	—	21
22 Diarrhœa, &c. (under 2 years)	6	2	—	1	3	—	—	—	—	—	4	3	4	—	22
23 Appendicitis and typhlitis	3	1	1	—	—	1	—	1	1	—	—	—	—	—	23
24 Cirrhosis of liver	—	—	—	—	—	1	1	—	—	—	—	—	—	—	24
25 Acute and chronic nephritis	5	6	—	—	2	5	—	—	3	1	4	1	3	1	25
26 Puerperal sepsis	—	3	—	—	—	—	—	—	—	—	—	1	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	3	—	—	—	—	—	—	—	1	—	3	—	2	27
28 Congenital debility and malformation, premature birth	21	10	3	—	6	2	2	—	6	2	12	14	8	4	28
29 Suicide	7	1	—	—	1	—	—	—	2	—	1	—	—	—	29
30 Other deaths from violence	12	7	2	1	6	4	3	1	1	2	3	2	7	2	30
31 Other defined diseases	47	48	5	7	26	26	12	6	21	23	22	22	16	15	31
32 Causes ill-defined or unknown	—	2	—	—	1	—	—	—	2	1	—	—	2	1	32

DURHAM—*cont.*

Causes of Death.	Blaydon U.D.		Brandon & Byshottles U.D.		Chester le-Street U.D.		Consett U.D.		Crook U.D.		Durham M.B.		Felling U.D.		Hartlepool M.B.		Hebburn U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	222	177	108	95	129	95	90	89	80	52	115	131	206	186	173	158	208	162	
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	10	11	8	5	10	3	2	1	1	—	4	1	7	6	1	5	17	14	3
4 Scarlet fever	2	2	—	—	—	1	—	1	—	—	1	—	—	1	1	—	—	2	4
5 Whooping cough	1	2	1	1	1	3	—	—	2	1	—	—	3	3	1	1	9	7	5
6 Diphtheria	—	1	—	—	1	—	—	2	2	1	—	1	1	1	1	1	—	1	6
7 Influenza	—	1	2	—	4	2	7	3	1	1	1	—	6	5	3	3	2	3	7
8 Encephalitis lethargica	1	—	1	—	—	1	1	2	—	—	1	2	2	—	1	—	2	—	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	19	12	4	8	2	6	3	5	7	6	10	6	13	16	8	12	13	16	10
11 Other tuberculous diseases	2	4	—	1	5	2	1	1	2	1	3	4	9	8	2	4	10	4	11
12 Cancer, malignant disease	9	22	11	4	13	11	4	1	5	3	8	16	7	17	16	14	9	19	12
13 Rheumatic fever	—	—	—	—	1	—	—	—	1	—	—	2	—	—	1	3	1	—	13
14 Diabetes	—	3	—	—	—	—	1	1	1	1	1	2	—	5	2	—	2	1	14
15 Cerebral hæmorrhage, &c.	17	11	5	9	4	11	5	7	7	2	4	14	12	12	7	2	11	9	15
16 Heart disease	19	13	8	22	14	6	5	6	4	5	7	13	17	16	24	20	15	10	16
17 Arterio-sclerosis	7	4	3	—	11	6	7	1	9	7	9	5	4	4	4	1	1	4	17
18 Bronchitis	8	8	6	5	8	11	3	10	2	1	11	10	17	15	15	17	9	9	18
19 Pneumonia (all forms)	47	18	12	9	13	4	13	14	8	7	4	16	20	13	29	23	29	20	19
20 Other respiratory diseases	1	—	1	—	3	1	2	1	1	1	—	2	2	3	2	1	7	—	20
21 Ulcer of stomach or duodenum	1	—	1	1	—	—	1	1	—	1	1	1	—	1	—	—	1	1	21
22 Diarrhœa, &c. (under 2 years)	4	3	1	2	1	1	2	4	1	—	4	1	7	2	3	4	6	2	22
23 Appendicitis and typhlitis	—	3	1	1	1	—	—	—	—	—	2	1	—	—	—	2	1	1	23
24 Cirrhosis of liver	—	—	—	—	—	—	1	1	—	—	3	—	1	—	—	—	1	—	24
25 Acute and chronic nephritis	6	4	2	3	2	1	2	4	3	3	5	4	12	4	3	7	3	2	25
26 Puerperal sepsis	—	1	—	1	—	—	—	1	—	1	—	—	—	—	—	2	—	2	26
27 Other accidents and diseases of pregnancy and parturition	—	4	—	1	—	1	—	1	—	—	—	2	—	4	—	2	—	1	27
28 Congenital debility and malformation, premature birth	11	13	11	5	9	6	6	7	6	4	8	3	16	16	7	8	13	8	28
29 Suicide	1	—	2	1	2	—	1	—	1	—	1	—	2	1	2	—	2	—	29
30 Other deaths from violence	10	3	4	2	7	3	6	2	4	—	4	1	8	1	10	2	13	2	30
31 Other defined diseases	44	33	22	14	16	15	15	12	11	6	22	23	35	30	30	24	29	23	31
32 Causes ill-defined or unknown	2	1	2	—	1	—	2	—	1	—	1	1	5	2	—	—	1	1	32

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1925 (Civilian population only)—*cont.*

DURHAM—*cont.*

Causes of Death.	Hetton U.D.		Houghton-le-Spring U.D.		Jarrow M.B.		Ryton U.D.		Seaham Harbour U.D.		Shildon U.D.		Southwick on Wear U.D.		Spennymoor U.D.		Stanley U.D.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Causes	134	126	84	69	322	245	76	66	125	114	111	87	117	110	138	104	169	172
1 Enteric fever	—	1	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	2	10	—	2	14	11	2	1	5	7	4	8	2	—	6	3	6	7
4 Scarlet fever	—	1	—	—	—	—	2	1	—	—	—	—	—	—	2	—	—	2
5 Whooping cough	6	1	2	4	8	6	1	4	1	—	—	—	—	3	6	9	—	1
6 Diphtheria	—	—	2	—	—	—	—	—	—	2	—	1	—	2	—	—	—	2
7 Influenza	3	4	3	5	5	5	3	1	1	1	4	4	1	3	—	5	1	1
8 Encephalitis lethargica	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory sys.	9	12	6	4	46	26	2	1	9	8	8	2	6	11	7	9	13	9
11 Other tuberculous diseases	6	5	1	2	12	18	3	2	5	3	2	1	5	9	4	2	3	2
12 Cancer, malignant disease	11	9	9	4	18	18	7	4	7	10	9	8	4	10	11	9	14	16
13 Rheumatic fever	2	—	—	—	1	1	1	1	—	—	—	—	1	—	1	—	—	—
14 Diabetes	—	1	1	1	—	1	—	—	—	—	—	—	—	1	2	1	4	—
15 Cerebral hæmorrhage, &c.	5	12	9	2	9	9	3	9	2	8	10	6	10	4	8	4	9	6
16 Heart disease	10	9	4	5	24	26	7	6	7	11	5	18	3	7	11	7	9	11
17 Arterio-sclerosis	1	—	4	5	13	5	5	5	9	5	8	1	9	4	2	—	11	7
18 Bronchitis	7	4	5	4	26	22	3	3	13	7	14	13	10	10	9	13	16	20
19 Pneumonia (all forms)	15	9	9	10	45	27	4	7	22	8	4	1	22	16	12	2	22	17
20 Other respiratory diseases	2	1	—	1	3	—	1	1	1	2	1	—	1	1	—	3	7	1
21 Ulcer of stomach or duodenum	2	1	1	—	2	1	—	—	—	1	1	—	—	—	—	—	—	1
22 Diarrhœa, &c. (under 2 years)	3	5	5	—	6	5	—	—	10	2	—	—	3	5	6	2	3	6
23 Appendicitis and typhlitis	1	—	—	—	2	1	—	—	—	—	1	—	2	1	—	—	1	—
24 Cirrhosis of liver	—	—	—	—	1	—	—	—	—	—	1	—	1	—	—	—	—	—
25 Acute and chronic nephritis	1	2	2	2	6	9	1	1	3	8	1	—	2	3	2	3	3	5
26 Puerperal sepsis	—	2	—	—	—	1	—	—	—	—	—	—	—	—	—	2	—	3
27 Other accidents and diseases of pregnancy and parturition	—	3	—	1	—	1	—	—	—	1	—	1	—	—	—	1	—	6
28 Congenital debility and malformation, premature birth	12	9	6	10	21	11	1	5	15	13	9	4	6	4	10	7	19	20
29 Suicide	1	—	1	—	2	1	—	1	2	—	3	—	2	—	—	—	1	—
30 Other deaths from violence	6	—	5	—	8	2	10	—	6	2	3	1	5	1	5	3	6	2
31 Other defined diseases	29	24	9	6	45	35	20	13	5	14	21	18	21	15	32	17	21	26
32 Causes ill-defined or unknown	—	1	—	1	4	3	—	—	1	1	1	—	1	—	1	2	—	—

DURHAM—*cont.*

Causes of Death.	Stockton-on-Tees M.B.		Tanfield U.D.		Washington. U.D.		Whickham U.D.		Auckland R.D.		Barnard Castle R.D.		Chester-le-Street R.D.		Durham R.D.		Easington R.D.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Causes	528	450	60	58	118	104	125	134	372	354	64	60	405	388	210	186	550	437
1 Enteric fever	1	—	—	—	—	—	—	—	1	1	—	—	1	1	—	1	2	—
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	22	15	2	1	4	—	5	10	9	16	—	—	26	23	7	4	24	14
4 Scarlet fever	1	1	—	1	1	2	—	1	1	2	1	—	3	1	—	—	—	3
5 Whooping cough	—	2	—	—	6	2	3	6	2	6	—	—	6	9	—	3	5	9
6 Diphtheria	1	1	—	3	1	—	—	1	—	—	—	—	5	1	—	2	3	1
7 Influenza	40	24	1	3	6	1	3	3	10	14	1	1	10	6	1	1	9	8
8 Encephalitis lethargica	—	1	—	—	3	2	—	—	2	2	—	—	1	—	—	3	2	—
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	1	1
10 Tuberculosis of respiratory sys.	31	26	8	2	6	9	15	16	16	19	4	3	13	25	8	17	28	28
11 Other tuberculous diseases	16	10	1	2	4	4	2	4	10	7	—	1	12	10	3	4	14	12
12 Cancer, malignant disease	29	37	7	4	8	4	6	9	24	34	2	7	28	31	15	16	36	26
13 Rheumatic fever	—	3	—	—	—	—	1	1	3	3	1	—	3	4	—	2	2	3
14 Diabetes	—	4	—	—	—	1	3	—	1	8	1	1	1	5	2	1	3	5
15 Cerebral hæmorrhage, &c.	22	28	3	4	9	11	13	7	28	20	8	7	16	27	19	10	18	19
16 Heart disease	69	49	9	8	4	7	8	13	34	44	8	6	31	37	18	20	38	38
17 Arterio-sclerosis	15	5	3	3	5	2	9	6	14	5	3	1	24	8	7	5	23	10
18 Bronchitis	30	39	3	3	5	9	8	5	34	32	5	5	29	26	24	11	46	36
19 Pneumonia (all forms)	76	60	2	2	15	15	5	6	29	19	3	2	32	35	15	19	57	45
20 Other respiratory diseases	6	4	1	2	4	—	2	1	3	—	2	1	5	2	5	—	10	3
21 Ulcer of stomach or duodenum	1	—	—	—	1	—	2	—	4	3	1	—	2	—	1	1	4	—
22 Diarrhœa, &c. (under 2 years)	11	9	—	1	3	5	2	—	6	5	—	—	11	6	7	3	18	12
23 Appendicitis and typhlitis	3	2	1	—	—	2	—	1	2	1	—	—	2	—	2	1	4	4
24 Cirrhosis of liver	2	1	—	—	1	—	1	—	2	2	1	—	3	—	—	—	4	—
25 Acute and chronic nephritis	8	14	1	—	2	2	3	3	2	8	1	1	10	13	2	5	14	16
26 Puerperal sepsis	—	1	—	—	—	1	—	—	—	2	—	1	—	—	—	1	—	4
27 Other accidents and diseases of pregnancy and parturition	—	3	—	1	—	1	—	1	—	8	—	2	—	5	—	4	—	6
28 Congenital debility and malformation, premature birth	34	24	4	5	12	7	8	15	36	23	9	4	41	35	16	14	60	42
29 Suicide	1	2	—	—	1	—	—	1	7	1	—	1	5	1	4	—	4	2
30 Other deaths from violence	24	5	2	—	4	1	9	5	16	4	4	—	25	10	9	6	44	12
31 Other defined diseases	80	78	12	13	12	15	15	19	69	63	7	16	59	64	45	32	77	74
32 Causes ill-defined or unknown	5	2	—	—	1	1	2	—	7	2	2	—	—	2	—	—	—	4

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1925 (Civilian population only)—*cont.*

DURHAM—*cont.*

Causes of Death.	Houghton-le-Spring R.D.		Lanchester R.D.		Sedgefield R.D.		South Shields R.D.		Sunderland R.D.										
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.									
All Causes	198	194	210	194	224	200	126	125	237	183									
1 Enteric fever	2	—	—	—	—	—	—	—	—	—									1
2 Small-pox	—	—	—	—	—	—	—	—	—	—									2
3 Measles	1	4	7	4	9	7	3	1	8	10									3
4 Scarlet fever	1	1	—	3	—	—	1	—	—	1									4
5 Whooping cough	3	3	3	1	2	3	8	6	6	3									5
6 Diphtheria	—	—	—	—	2	1	—	—	—	—									6
7 Influenza	1	3	7	3	6	6	4	9	8	4									7
8 Encephalitis lethargica	—	—	—	2	—	1	—	—	—	—									8
9 Meningococcal meningitis	—	—	—	1	—	—	—	—	—	—									9
10 Tuberculosis of respiratory sys.	8	23	11	10	16	13	8	10	15	8									10
11 Other tuberculous diseases	10	5	7	11	9	11	5	6	6	7									11
12 Cancer, malignant disease	10	14	13	17	16	19	10	11	20	12									12
13 Rheumatic fever	—	—	4	3	1	3	—	2	—	1									13
14 Diabetes	1	4	1	1	—	2	1	2	2	—									14
15 Cerebral hæmorrhage, &c.	14	6	10	15	16	12	8	10	12	5									15
16 Heart disease	13	21	17	17	21	22	12	7	23	21									16
17 Arterio-sclerosis	8	3	9	3	2	3	4	2	12	7									17
18 Bronchitis	11	12	15	9	17	6	7	6	21	18									18
19 Pneumonia (all forms)	27	14	31	19	25	24	9	11	19	18									19
20 Other respiratory diseases	3	1	2	4	—	1	2	1	—	2									20
21 Ulcer of stomach or duodenum	2	2	1	1	1	2	1	1	2	—									21
22 Diarrhœa, &c. (under 2 years)	7	6	3	4	3	3	2	3	10	6									22
23 Appendicitis and typhlitis	2	—	—	—	1	1	2	—	2	1									23
24 Cirrhosis of liver	1	—	—	2	1	—	1	—	—	1									24
25 Acute and chronic nephritis	4	7	2	7	4	5	3	1	3	4									25
26 Puerperal sepsis	—	1	—	—	—	—	—	1	—	3									26
27 Other accidents and diseases of pregnancy and parturition	—	5	—	1	—	3	—	4	—	4									27
28 Congenital debility and malformation, premature birth	23	21	21	11	13	13	6	8	14	13									28
29 Suicide	1	—	1	—	4	—	2	—	1	1									29
30 Other deaths from violence	9	2	8	6	13	2	5	1	11	4									30
31 Other defined diseases	34	34	37	39	41	37	22	22	41	29									31
32 Causes ill-defined or unknown	2	2	—	—	1	—	—	—	1	—									32

ELY, ISLE OF.

Causes of Death.	Wisbech M.B.		Ely R.D.		Wisbech R.D.														
	M.	F.	M.	F.	M.	F.													
All Causes	94	79	68	70	90	65													
1 Enteric fever	—	—	—	—	—	—													1
2 Small-pox	—	—	—	—	—	—													2
3 Measles	—	—	1	—	—	—													3
4 Scarlet fever	1	—	—	—	1	—													4
5 Whooping cough	7	1	—	1	2	—													5
6 Diphtheria	1	1	2	1	—	—													6
7 Influenza	3	4	1	3	3	1													7
8 Encephalitis lethargica	—	—	—	—	1	—													8
9 Meningococcal meningitis	—	—	—	—	—	—													9
10 Tuberculosis of respiratory sys.	3	3	3	2	5	2													10
11 Other tuberculous diseases	1	2	3	1	1	—													11
12 Cancer, malignant disease	14	8	12	7	15	12													12
13 Rheumatic fever	—	—	—	1	—	—													13
14 Diabetes	—	—	1	2	2	—													14
15 Cerebral hæmorrhage, &c.	5	8	6	8	2	4													15
16 Heart disease	9	9	13	5	10	12													16
17 Arterio-sclerosis	2	2	—	—	4	3													17
18 Bronchitis	3	4	5	7	3	4													18
19 Pneumonia (all forms)	4	3	1	3	5	6													19
20 Other respiratory diseases	2	—	—	3	—	1													20
21 Ulcer of stomach or duodenum	—	—	—	—	2	—													21
22 Diarrhœa, &c. (under 2 years)	2	—	—	2	1	—													22
23 Appendicitis and typhlitis	—	—	—	—	1	—													23
24 Cirrhosis of liver	—	2	—	1	—	1													24
25 Acute and chronic nephritis	3	3	1	4	3	—													25
26 Puerperal sepsis	—	3	—	—	—	1													26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	—	—	—													27
28 Congenital debility and malformation, premature birth	7	—	2	1	6	6													28
29 Suicide	2	—	—	—	—	—													29
30 Other deaths from violence	4	2	4	—	3	1													30
31 Other defined diseases	21	23	13	18	20	11													31
32 Causes ill-defined or unknown	—	—	—	—	—	—													32

ESSEX.

Causes of Death.	Barking Town U.D.		Chelmsford M.B.		Clacton U.D.		Colchester M.B.		
	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	199	187	93	109	51	62	202	215	
1 Enteric fever	—	—	—	—	—	—	—	1	1
2 Small-pox	—	—	—	—	—	—	—	—	2
3 Measles	—	1	—	—	—	—	—	—	3
4 Scarlet fever	—	1	—	—	—	—	—	2	4
5 Whooping cough	5	8	—	—	—	1	—	4	5
6 Diphtheria	1	1	—	—	—	—	—	—	6
7 Influenza	12	7	1	—	1	1	6	5	7
8 Encephalitis lethargica	—	—	—	—	—	—	1	—	8
9 Meningococcal meningitis	2	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	18	18	7	10	6	5	17	19	10
11 Other tuberculous diseases	4	2	2	4	—	—	4	1	11
12 Cancer, malignant disease	21	26	15	12	5	7	22	35	12
13 Rheumatic fever	2	1	1	2	—	—	—	—	13
14 Diabetes	2	3	—	1	—	1	1	2	14
15 Cerebral hæmorrhage, &c.	6	18	7	8	4	4	11	13	15
16 Heart disease	19	22	13	20	7	17	23	45	16
17 Arterio-sclerosis	4	4	6	1	1	7	5	6	17
18 Bronchitis	20	18	7	7	2	7	12	18	18
19 Pneumonia (all forms)	16	9	—	5	1	—	12	7	19
20 Other respiratory diseases	2	4	1	—	—	1	3	1	20
21 Ulcer of stomach or duodenum	2	1	—	—	1	—	—	—	21
22 Diarrhœa, &c. (under 2 years)	4	5	—	—	—	—	1	2	22
23 Appendicitis and typhlitis	1	4	—	—	1	—	3	1	23
24 Cirrhosis of liver	2	2	—	1	1	1	1	—	24
25 Acute and chronic nephritis	5	1	—	—	1	—	10	6	25
26 Puerperal sepsis	—	—	—	—	—	—	—	1	26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	3	—	—	—	3	27
28 Congenital debility and malformation, premature birth	9	9	3	5	2	1	13	8	28
29 Suicide	2	—	2	4	1	—	5	—	29
30 Other deaths from violence	7	4	3	2	3	—	7	7	30
31 Other defined diseases	33	17	24	24	14	9	44	27	31
32 Causes ill-defined or unknown	—	—	1	—	—	—	1	1	32

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1925 (Civilian population only)—*cont.*

ESSEX—*cont.*

Causes of Death.	Grays Thurrock U.D.		Harwich M.B.		Ilford U.D.		Leyton U.D.		Romford U.D.		Walthamstow U.D.		Wanstead U.D.		Woodford U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	99	70	75	55	450	440	683	666	114	120	704	605	70	80	96	104	
1 Enteric fever	—	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	1	—	—	—	3	1	3	3	—	1	4	2	1	—	—	—	3
4 Scarlet fever	—	1	—	—	—	1	—	—	—	—	1	—	1	—	—	—	4
5 Whooping cough	2	1	1	1	1	2	14	10	2	3	13	13	1	1	—	1	5
6 Diphtheria	2	1	1	—	2	—	8	6	—	1	4	3	—	1	—	1	6
7 Influenza	1	—	—	1	12	7	15	13	1	3	14	17	4	2	6	—	7
8 Encephalitis lethargica	—	—	1	—	2	2	2	1	—	—	1	3	1	—	—	1	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	8	5	5	2	45	36	54	39	10	6	65	44	8	4	7	2	10
11 Other tuberculous diseases	—	1	1	1	9	7	6	9	2	2	14	16	—	—	2	—	11
12 Cancer, malignant disease	11	7	6	7	59	78	70	93	12	13	84	71	11	15	10	19	12
13 Rheumatic fever	—	—	—	1	4	6	1	1	—	—	1	3	—	1	1	1	13
14 Diabetes	—	—	2	3	4	4	4	12	1	2	7	6	—	1	1	3	14
15 Cerebral hæmorrhage, &c.	3	4	4	6	22	31	27	37	8	10	31	38	4	8	5	9	15
16 Heart disease	10	7	11	3	76	57	99	126	14	26	88	99	6	14	10	12	16
17 Arterio-sclerosis	2	—	3	1	17	10	17	12	5	2	14	9	6	—	3	2	17
18 Bronchitis	8	1	3	4	24	26	77	74	15	7	69	59	1	4	6	9	18
19 Pneumonia (all forms)	7	4	5	2	30	29	40	45	7	8	48	43	3	3	9	3	19
20 Other respiratory diseases	4	1	—	—	8	6	11	6	—	2	14	10	—	—	2	1	20
21 Ulcer of stomach or duodenum	1	—	4	—	6	2	9	2	2	1	10	—	1	1	3	2	21
22 Diarrhœa, &c. (under 2 years)	—	1	—	1	7	6	8	6	—	—	2	6	—	—	—	1	22
23 Appendicitis and typhlitis	—	—	—	—	3	4	2	4	1	—	10	4	1	—	2	1	23
24 Cirrhosis of liver	—	1	1	—	1	2	4	4	—	—	3	1	—	—	—	—	24
25 Acute and chronic nephritis	1	5	4	2	10	14	29	13	2	3	20	12	4	3	4	4	25
26 Puerperal sepsis	—	—	—	1	—	1	—	—	—	1	—	1	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	—	—	3	—	1	—	2	—	5	—	—	—	—	27
28 Congenital debility and malformation, premature birth	8	6	4	3	22	10	31	21	6	2	30	24	1	—	6	4	28
29 Suicide	2	—	2	—	6	3	15	6	1	1	6	3	1	1	—	1	29
30 Other deaths from violence	7	2	1	2	13	1	22	8	5	1	23	10	1	3	2	2	30
31 Other defined diseases	19	22	16	14	64	91	115	112	20	20	126	103	14	18	17	25	31
32 Causes ill-defined or unknown	2	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	32

ESSEX—*cont.*

Causes of Death.	Billericay R.D.		Braintree R.D.		Chelmsford R.D.		Dunmow R.D.		Epping R.D.		Lexden and Winstree R.D.		Maldon R.D.		Ongar R.D.		Orsett R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	147	147	121	129	131	149	94	107	76	72	111	115	88	81	62	47	110	101	
1 Enteric fever	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	3
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	4
5 Whooping cough	1	2	—	1	—	—	—	—	1	3	—	—	—	—	1	—	1	—	5
6 Diphtheria	—	—	1	—	1	—	—	—	—	1	—	—	—	—	—	—	—	1	6
7 Influenza	7	3	1	2	9	6	1	3	6	1	1	6	3	1	3	2	3	5	7
8 Encephalitis lethargica	—	1	1	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	8
9 Meningococcal meningitis	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	4	11	1	4	12	7	2	6	3	3	5	6	3	4	3	1	10	4	10
11 Other tuberculous diseases	4	1	1	2	1	2	—	1	—	1	1	3	2	1	2	2	—	—	11
12 Cancer, malignant disease	22	22	21	24	22	13	14	20	9	7	12	14	9	10	6	10	7	17	12
13 Rheumatic fever	1	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	13
14 Diabetes	2	1	1	1	2	1	—	2	3	2	2	—	1	1	—	1	2	1	14
15 Cerebral hæmorrhage, &c.	12	14	11	10	5	14	8	15	2	3	9	9	6	5	3	3	4	5	15
16 Heart disease	18	15	17	23	12	25	16	19	9	16	21	28	21	23	6	4	14	15	16
17 Arterio-sclerosis	3	2	12	3	3	—	4	5	5	9	8	2	5	1	1	1	1	1	17
18 Bronchitis	9	8	10	14	12	12	9	9	6	1	7	4	4	11	3	5	6	7	18
19 Pneumonia (all forms)	8	6	7	6	2	5	4	2	2	2	3	3	6	3	4	2	9	5	19
20 Other respiratory diseases	2	1	1	2	2	2	4	—	1	—	3	1	1	—	2	—	1	1	20
21 Ulcer of stomach or duodenum	1	1	1	—	2	—	—	—	2	1	2	—	1	—	—	—	3	—	21
22 Diarrhœa, &c. (under 2 years)	1	—	—	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	22
23 Appendicitis and typhlitis	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—	23
24 Cirrhosis of liver	—	—	1	—	—	1	1	—	2	—	—	1	—	—	—	—	—	—	24
25 Acute and chronic nephritis	6	4	1	5	3	3	1	3	—	3	3	3	1	1	2	—	4	—	25
26 Puerperal sepsis	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	—	—	2	—	1	—	—	—	2	—	1	—	1	—	1	27
28 Congenital debility and malformation, premature birth	2	6	2	4	3	9	3	1	2	2	4	4	1	2	5	3	5	13	28
29 Suicide	2	2	6	—	2	1	1	—	3	—	—	2	—	—	—	—	3	—	29
30 Other deaths from violence	4	2	2	2	4	2	5	2	—	1	4	—	4	—	5	—	10	1	30
31 Other defined diseases	35	39	23	26	33	43	20	16	17	14	25	27	19	17	15	10	23	24	31
32 Causes ill-defined or unknown	3	—	—	—	—	1	—	—	1	—	—	—	1	—	1	—	2	—	32

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1925 (Civilian population only)—*cont.*

ESSEX—*cont.* **GLOUCESTERSHIRE.**

Causes of Death.	Rochford R.D.		Romford R.D.		Saffron Walden R.D.		Tendring R.D.		Cheltenham M.B.		Kingswood U.D.		Chipping Sodbury R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	185	152	213	204	61	63	134	111	312	423	86	77	138	138	
1 Enteric fever	—	—	—	1	—	—	—	—	—	—	—	—	1	2	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	2	—	—	—	1	1	2	3	8	—	3	3
4 Scarlet fever	—	1	—	—	—	—	—	—	—	1	—	—	—	—	4
5 Whooping cough	—	3	4	4	1	1	—	2	—	1	2	—	2	—	5
6 Diphtheria	1	2	1	3	—	—	1	1	1	—	—	2	—	2	6
7 Influenza	1	3	3	6	—	1	3	3	6	16	4	2	8	7	7
8 Encephalitis lethargica	1	1	2	1	—	2	—	—	1	—	—	—	—	—	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	17	3	26	19	2	—	10	7	27	22	8	9	6	6	10
11 Other tuberculous diseases	4	1	1	2	2	—	2	2	4	5	1	1	—	1	11
12 Cancer, malignant disease	18	16	23	26	7	6	13	17	30	64	7	8	12	14	12
13 Rheumatic fever	—	—	—	—	—	—	1	—	—	1	1	—	—	—	13
14 Diabetes	2	—	2	2	—	—	2	1	2	7	—	1	—	1	14
15 Cerebral hæmorrhage, &c.	14	9	5	12	8	11	8	5	25	33	4	2	6	10	15
16 Heart disease	25	29	36	29	10	6	19	18	40	62	7	11	22	19	16
17 Arterio-sclerosis	4	1	2	—	4	6	9	5	21	15	1	3	13	12	17
18 Bronchitis	7	12	15	12	1	2	11	6	13	22	9	4	10	13	18
19 Pneumonia (all forms)	10	8	17	8	1	2	5	1	19	20	6	4	9	7	19
20 Other respiratory diseases	5	1	5	1	2	—	1	3	2	4	—	1	3	3	20
21 Ulcer of stomach or duodenum	4	1	1	1	1	—	1	—	3	2	—	—	—	—	21
22 Diarrhœa, &c. (under 2 years)	4	2	4	10	—	—	1	1	1	1	1	—	—	—	22
23 Appendicitis and typhlitis	2	1	2	2	—	—	—	2	4	6	1	—	2	—	23
24 Cirrhosis of liver	2	2	1	—	—	—	1	1	2	—	1	—	—	—	24
25 Acute and chronic nephritis	2	1	4	5	1	2	4	3	10	12	2	2	6	5	25
26 Puerperal sepsis	—	1	—	3	—	—	—	—	—	—	—	2	—	2	26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	4	—	—	—	—	—	2	—	1	—	1	27
28 Congenital debility and malformation, premature birth	11	5	17	14	3	4	9	4	12	10	2	1	6	8	28
29 Suicide	3	1	5	2	1	—	1	—	7	3	1	—	2	—	29
30 Other deaths from violence	10	2	13	4	2	1	7	2	6	8	3	2	9	1	30
31 Other defined diseases	37	45	24	31	14	19	24	25	75	101	22	13	21	21	31
32 Causes ill-defined or unknown	1	—	—	—	1	—	1	1	—	3	—	—	—	—	32

GLOUCESTERSHIRE—*cont.*

Causes of Death.	Cirencester R.D.		Dursley R.D.		East Dean & United Parishes R.D.		Faringdon (Part of)* R.D.		Gloucester R.D.		Stroud R.D.		Thornbury R.D.		Warmley R.D.		West Dean R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	65	70	69	85	150	110	4	4	66	59	162	188	124	97	115	109	93	81	
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	—	—	—	—	—	—	—	—	1	1	4	4	—	2	3
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	4
5 Whooping cough	—	—	—	2	2	—	—	—	1	—	—	—	—	1	1	—	2	4	5
6 Diphtheria	1	1	—	—	—	—	—	—	—	—	4	7	—	—	—	—	—	—	6
7 Influenza	—	2	5	4	2	2	—	1	2	2	7	9	4	5	3	3	2	3	7
8 Encephalitis lethargica	—	—	—	1	—	1	—	—	—	—	—	1	—	—	—	—	—	—	8
9 Meningococcal meningitis	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	2	1	4	3	4	8	—	—	3	7	10	9	7	3	10	8	5	6	10
11 Other tuberculous diseases	1	—	—	—	—	1	—	—	2	1	2	3	2	—	7	1	5	—	11
12 Cancer, malignant disease	8	13	9	13	22	11	—	—	5	9	20	28	11	15	10	13	9	3	12
13 Rheumatic fever	—	1	—	—	—	2	—	—	1	—	—	1	—	—	1	1	—	—	13
14 Diabetes	—	—	—	1	1	—	—	—	1	—	—	3	1	—	2	4	1	1	14
15 Cerebral hæmorrhage, &c.	3	6	7	16	7	12	—	1	5	8	12	13	7	10	4	7	3	3	15
16 Heart disease	13	18	13	15	23	15	—	—	3	5	27	30	21	26	16	18	7	14	16
17 Arterio-sclerosis	2	3	5	2	5	3	—	—	3	1	5	4	11	3	5	5	3	—	17
18 Bronchitis	4	5	2	4	14	9	—	2	5	5	7	11	8	4	6	11	12	6	18
19 Pneumonia (all forms)	1	1	3	4	10	6	—	—	4	3	—	8	4	3	9	4	11	10	19
20 Other respiratory diseases	2	1	1	—	5	2	—	—	—	1	1	3	1	1	—	—	3	2	20
21 Ulcer of stomach or duodenum	—	—	1	—	—	—	—	—	—	1	1	—	2	—	—	1	—	—	21
22 Diarrhœa, &c. (under 2 years)	—	—	—	1	—	1	—	—	—	—	3	1	—	—	5	—	2	—	22
23 Appendicitis and typhlitis	1	—	—	—	3	1	—	—	1	1	—	1	—	—	1	1	—	1	23
24 Cirrhosis of liver	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	24
25 Acute and chronic nephritis	4	1	1	—	5	2	—	—	3	1	5	4	3	4	3	3	1	1	25
26 Puerperal sepsis	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	2	—	1	26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	—	—	1	—	—	—	—	—	2	—	1	—	1	—	2	27
28 Congenital debility and malformation, premature birth	1	1	3	3	7	4	—	—	2	3	4	5	7	3	7	3	7	5	28
29 Suicide	—	1	1	—	2	1	1	—	1	—	3	1	2	—	1	1	1	1	29
30 Other deaths from violence	2	1	3	2	5	3	—	—	5	1	8	7	13	—	2	2	3	2	30
31 Other defined diseases	20	13	10	14	31	23	3	—	19	10	38	34	19	16	18	15	15	14	31
32 Causes ill-defined or unknown	—	—	—	—	1	1	—	—	—	—	4	1	—	—	—	—	—	—	32

* The remainder of Faringdon R.D. is in Berkshire.

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1925 (Civilian population only)—*cont.*

HEREFORDSHIRE.

Causes of Death.	Hereford M.B.		Hereford R.D.		Ross R.D.		
	M.	F.	M.	F.	M.	F.	
All Causes	142	155	79	103	68	59	
1 Enteric fever	1	1	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	2
3 Measles	—	2	—	—	—	—	3
4 Scarlet fever	—	—	—	—	—	—	4
5 Whooping cough	3	5	—	2	—	—	5
6 Diphtheria	—	—	—	—	—	—	6
7 Influenza	2	6	2	2	2	1	7
8 Encephalitis lethargica	1	—	—	—	—	—	8
9 Meningococcal meningitis	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	13	12	1	9	5	2	10
11 Other tuberculous diseases	1	—	1	1	1	1	11
12 Cancer, malignant disease	17	18	10	10	8	5	12
13 Rheumatic fever	—	—	1	—	1	—	13
14 Diabetes	1	3	—	—	—	—	14
15 Cerebral hæmorrhage, &c.	7	9	6	8	2	6	15
16 Heart disease	26	25	17	21	11	9	16
17 Arterio-sclerosis	2	2	4	4	7	—	17
18 Bronchitis	7	6	5	9	3	3	18
19 Pneumonia (all forms)	11	5	2	4	3	2	19
20 Other respiratory diseases	—	2	1	—	—	1	20
21 Ulcer of stomach or duodenum	1	—	—	—	1	1	21
22 Diarrhœa, &c. (under 2 years)	—	2	—	—	—	—	22
23 Appendicitis and typhlitis	—	—	—	1	—	1	23
24 Cirrhosis of liver	—	—	—	1	—	—	24
25 Acute and chronic nephritis	4	2	2	2	4	1	25
26 Puerperal sepsis	—	3	—	—	—	1	26
27 Other accidents and diseases of pregnancy and parturition	—	2	—	1	—	—	27
28 Congenital debility and malformation, premature birth	5	2	5	3	2	—	28
29 Suicide	2	3	—	—	—	—	29
30 Other deaths from violence	7	4	2	3	3	2	30
31 Other defined diseases	30	41	20	22	14	23	31
32 Causes ill-defined or unknown	1	—	—	—	1	—	32

HERTFORDSHIRE.

Causes of Death.	Barnet U.D.		Cheshunt U.D.		East Barnet Valley U.D.		Hemel Hempstead M.B.		Hertford M.B.		Hitchin U.D.		Letchworth U.D.		St. Albans M.B.		Watford M.B.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	71	91	61	67	61	65	57	68	67	74	59	81	54	48	150	163	241	243	
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	3
4 Scarlet fever	1	—	—	—	—	2	—	—	—	—	—	—	—	—	—	1	—	—	4
5 Whooping cough	2	—	—	1	—	—	1	1	—	1	—	3	—	2	1	—	3	4	5
6 Diphtheria	—	—	—	1	1	—	—	—	—	—	—	—	—	—	1	2	1	3	6
7 Influenza	3	2	2	2	—	2	2	3	2	2	2	5	2	3	4	5	9	3	7
8 Encephalitis lethargica	—	—	—	1	—	—	—	—	1	—	—	1	1	—	1	—	—	—	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	5	6	9	3	10	2	2	1	3	5	8	1	6	2	12	8	28	23	10
11 Other tuberculous diseases	3	1	1	—	2	—	1	4	2	—	—	1	1	—	5	5	2	2	11
12 Cancer, malignant disease	9	14	6	11	7	8	9	7	5	14	6	14	9	5	24	28	37	34	12
13 Rheumatic fever	—	—	—	—	—	—	—	1	2	—	—	—	—	—	2	3	—	—	13
14 Diabetes	1	1	1	2	—	—	—	—	—	—	1	1	1	—	1	1	4	1	14
15 Cerebral hæmorrhage, &c.	3	5	2	2	4	8	1	3	5	5	3	8	3	3	10	12	17	16	15
16 Heart disease	9	16	9	13	6	11	17	16	7	4	8	11	10	7	27	34	19	34	16
17 Arterio-sclerosis	9	4	4	—	3	4	2	3	2	4	—	—	—	2	4	2	7	7	17
18 Bronchitis	7	6	3	6	3	7	3	4	7	8	6	6	1	3	6	9	22	15	18
19 Pneumonia (all forms)	4	4	1	4	4	6	2	5	1	4	4	3	4	5	9	5	19	13	19
20 Other respiratory diseases	—	1	1	1	—	—	2	—	1	1	—	—	2	—	—	1	6	—	20
21 Ulcer of stomach or duodenum	—	—	—	—	1	1	—	1	3	—	—	—	1	—	2	1	2	—	21
22 Diarrhœa, &c. (under 2 years)	—	—	2	1	2	3	1	—	—	1	2	—	1	—	—	—	—	3	22
23 Appendicitis and typhlitis	—	1	—	—	—	—	1	—	1	—	2	—	—	1	2	—	4	1	23
24 Cirrhosis of liver	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—	2	2	24
25 Acute and chronic nephritis	—	6	6	4	2	2	2	4	3	—	—	2	3	2	4	6	3	5	25
26 Puerperal sepsis	—	—	—	—	—	1	—	2	—	—	—	—	—	—	—	—	—	1	26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	2	27
28 Congenital debility and malformation, premature birth	3	4	1	1	1	—	1	1	3	6	—	4	—	5	6	7	5	11	28
29 Suicide	—	—	1	1	1	—	—	1	2	—	2	—	—	—	1	3	4	1	29
30 Other deaths from violence	4	—	4	2	4	—	2	4	1	2	—	—	—	1	6	3	8	5	30
31 Other defined diseases	8	19	7	11	8	7	8	7	14	17	15	20	8	7	21	23	38	55	31
32 Causes ill-defined or unknown	—	—	1	—	—	—	—	—	2	—	—	1	1	—	—	—	1	2	32

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1925 (Civilian population only)—*cont.*

HERTFORDSHIRE—*cont.* HUNTS.

Causes of Death.	Hitchin R.D.		St. Albans R.D.		Ware R.D.		Watford R.D.		Thrapston (part of) R.D.*		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	54	80	73	51	58	62	61	59	4	5	
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	1	—	—	—	—	—	3
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	4
5 Whooping cough	1	—	1	1	—	—	—	—	—	—	5
6 Diphtheria	—	—	—	—	—	—	—	—	—	—	6
7 Influenza	1	1	2	1	1	—	1	3	—	—	7
8 Encephalitis lethargica	—	—	—	—	—	—	—	—	—	—	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	4	5	2	—	5	6	9	—	—	—	10
11 Other tuberculous diseases	1	1	1	—	2	—	—	—	—	—	11
12 Cancer, malignant disease	7	11	12	7	5	6	9	9	1	—	12
13 Rheumatic fever	—	—	—	—	—	—	—	1	—	—	13
14 Diabetes	—	1	1	1	—	1	—	1	—	—	14
15 Cerebral hæmorrhage, &c.	3	13	2	6	8	7	3	2	—	—	15
16 Heart disease	3	12	19	9	9	11	13	13	1	1	16
17 Arterio-sclerosis	2	2	1	—	2	2	1	1	1	—	17
18 Bronchitis	7	4	5	6	6	8	4	3	—	1	18
19 Pneumonia (all forms)	1	2	3	—	3	2	2	1	—	—	19
20 Other respiratory diseases	—	—	3	—	1	1	1	—	—	—	20
21 Ulcer of stomach or duodenum	—	1	—	—	1	1	1	—	—	—	21
22 Diarrhœa, &c. (under 2 years)	1	—	1	—	—	—	—	—	—	—	22
23 Appendicitis and typhlitis	1	2	1	—	1	4	1	—	—	—	23
24 Cirrhosis of liver	—	—	—	—	—	—	1	—	—	—	24
25 Acute and chronic nephritis	—	1	3	—	1	1	1	2	—	—	25
26 Puerperal sepsis	—	2	—	—	—	—	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	—	—	—	—	2	—	—	27
28 Congenital debility and malformation, premature birth	6	1	3	3	—	3	4	4	—	—	28
29 Suicide	1	—	2	—	3	1	—	2	—	—	29
30 Other deaths from violence	4	2	2	4	2	2	2	—	—	—	30
31 Other defined diseases	11	18	9	13	7	5	8	15	1	3	31
32 Causes ill-defined or unknown	—	—	—	—	—	1	—	—	—	—	32

KENT.

Causes of Death.	Ashford U.D.		Beckenham U.D.		Bexley U.D.		Broadstairs & St. Peter's U.D.		Bromley M.B.		Chatham M.B.		Crayford U.D.		Dartford U.D.		Deal M.B.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	87	87	177	171	136	115	59	70	185	232	258	231	59	51	141	110	78	74	
1 Enteric fever	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	1	—	—	—	—	—	—	1	—	—	—	1	—	—	—	3
4 Scarlet fever	1	—	1	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	4
5 Whooping cough	—	—	3	1	1	1	1	1	2	—	—	4	2	2	2	2	2	—	5
6 Diphtheria	—	—	—	1	3	—	—	—	—	—	—	2	2	2	1	1	—	—	6
7 Influenza	5	7	7	8	1	3	4	5	5	11	5	7	2	1	2	1	1	—	7
8 Encephalitis lethargica	—	1	3	—	1	1	1	1	—	—	1	—	—	—	—	—	—	—	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	10	9	8	7	13	9	5	2	12	9	23	18	7	5	17	12	5	3	10
11 Other tuberculous diseases	1	—	4	5	1	—	—	—	2	2	7	3	2	1	—	—	—	—	11
12 Cancer, malignant disease	13	11	20	25	23	15	5	13	16	29	21	28	6	3	19	11	13	17	12
13 Rheumatic fever	—	—	—	1	—	—	—	—	—	1	—	3	—	—	—	—	—	—	13
14 Diabetes	2	1	3	4	1	—	1	2	1	6	2	3	—	—	1	2	—	—	14
15 Cerebral hæmorrhage, &c.	2	11	10	13	10	9	5	5	12	15	9	10	2	6	7	12	3	7	15
16 Heart disease	10	17	22	31	13	23	10	17	24	36	31	40	10	10	30	22	11	17	16
17 Arterio-sclerosis	1	2	9	3	1	1	4	2	14	11	14	8	5	—	2	3	—	—	17
18 Bronchitis	7	4	10	18	12	5	—	2	16	30	15	14	3	6	8	9	12	5	18
19 Pneumonia (all forms)	6	5	5	10	11	14	4	3	12	10	9	9	1	5	7	8	1	—	19
20 Other respiratory diseases	1	—	4	1	3	2	1	2	—	3	1	5	1	1	1	3	2	1	20
21 Ulcer of stomach or duodenum	—	—	4	—	1	1	—	—	2	—	3	1	—	—	1	—	2	—	21
22 Diarrhœa, &c. (under 2 years)	1	—	—	—	1	2	—	—	4	—	—	—	1	—	—	—	—	—	22
23 Appendicitis and typhlitis	1	2	2	2	1	—	1	—	2	1	—	1	1	—	1	1	4	1	23
24 Cirrhosis of liver	—	—	—	1	1	—	—	1	—	2	7	—	—	—	2	—	2	—	24
25 Acute and chronic nephritis	1	1	9	2	2	4	—	1	3	8	7	4	3	—	1	3	4	2	25
26 Puerperal sepsis	—	—	—	3	—	2	—	—	—	1	—	1	—	—	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	1	—	1	—	—	—	2	—	—	—	1	—	1	—	—	27
28 Congenital debility and malformation, premature birth	5	3	7	7	8	4	2	1	9	8	20	7	3	2	8	1	2	1	28
29 Suicide	—	—	1	2	2	—	—	—	2	1	3	2	—	—	2	—	—	—	29
30 Other deaths from violence	—	—	2	2	5	3	3	1	5	7	11	9	1	1	7	4	1	—	30
31 Other defined diseases	20	11	43	21	21	15	11	11	41	38	67	51	7	4	21	13	12	20	31
32 Causes ill-defined or unknown	—	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—	1	—	32

* The remainder of Thrapston R.D. is in Northamptonshire.

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1925 (Civilian population only)—*cont.*

KENT—*cont.*

Causes of Death.	Dover M.B.		Erith U.D.		Faversham M.B.		Folkestone M.B.*		Gillingham M.B.		Gravesend M.B.		Herne Bay U.D.		Maidstone M.B.		Margate M.B.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	261	247	195	138	53	60	178	192	250	251	218	205	47	77	205	227	150	154	
1 Enteric fever	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	6	1	—	—	1	—	—	—	—	—	2	4	—	—	2	—	—	—	3
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	4
5 Whooping cough	5	5	1	5	—	—	2	2	1	2	1	3	1	—	8	7	—	1	5
6 Diphtheria	—	1	3	4	—	—	—	2	1	1	8	9	—	—	1	—	—	—	6
7 Influenza	2	7	3	1	—	2	3	5	3	8	8	4	3	5	6	4	2	4	7
8 Encephalitis lethargica	—	2	—	—	—	—	—	—	—	—	3	1	—	—	—	—	1	—	8
9 Meningococcal meningitis	1	—	—	—	—	—	—	1	—	—	—	—	—	1	1	—	—	—	9
10 Tuberculosis of respiratory sys.	21	15	15	15	2	1	18	6	16	15	13	8	2	6	16	11	15	12	10
11 Other tuberculous diseases	2	2	6	1	—	3	4	2	3	2	3	3	—	2	2	4	3	6	11
12 Cancer, malignant disease	41	41	24	17	4	11	29	32	31	30	17	25	8	11	25	30	19	24	12
13 Rheumatic fever	—	—	—	1	—	—	2	1	1	—	—	—	—	—	—	2	—	—	13
14 Diabetes	1	—	4	—	1	1	1	2	3	3	—	2	—	—	4	1	—	—	14
15 Cerebral hæmorrhage, &c.	16	20	11	12	—	5	10	11	8	13	19	18	3	5	7	8	9	9	15
16 Heart disease	36	41	38	29	7	5	19	31	26	41	18	25	9	15	24	43	23	26	16
17 Arterio-sclerosis	9	10	6	3	1	1	6	7	10	7	7	8	5	6	11	4	8	5	17
18 Bronchitis	25	19	17	12	8	4	14	19	15	22	22	16	2	1	11	18	6	7	18
19 Pneumonia (all forms)	21	8	7	7	3	2	5	9	17	11	22	11	—	—	3	9	6	9	19
20 Other respiratory diseases	2	5	2	—	1	—	1	2	7	4	4	4	—	1	5	2	4	3	20
21 Ulcer of stomach or duodenum	2	2	3	—	—	—	4	1	6	2	4	1	1	—	3	1	—	—	21
22 Diarrhœa, &c. (under 2 years)	1	3	—	—	—	—	—	1	4	1	2	3	—	—	—	—	2	—	22
23 Appendicitis and typhlitis	—	1	—	—	1	—	2	—	1	2	2	3	—	—	1	4	1	1	23
24 Cirrhosis of liver	2	—	1	—	1	1	2	—	3	—	—	1	1	1	3	—	3	—	24
25 Acute and chronic nephritis	2	2	6	3	1	2	2	2	4	2	—	4	—	3	1	8	5	4	25
26 Puerperal sepsis	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	2	—	1	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	—	—	1	—	1	—	2	—	—	—	1	—	—	—	2	27
28 Congenital debility and malformation, premature birth	9	7	13	9	2	—	6	10	15	12	10	4	2	2	12	9	9	5	28
29 Suicide	2	1	2	1	2	—	4	1	4	4	2	2	—	—	4	1	1	1	29
30 Other deaths from violence	4	6	7	4	4	—	6	6	4	4	7	4	2	—	13	7	8	3	30
31 Other defined diseases	50	46	26	14	14	21	36	37	67	60	42	41	8	17	41	50	25	31	31
32 Causes ill-defined or unknown	1	1	—	—	—	—	1	1	—	2	2	—	—	—	1	1	—	—	32

KENT—*cont.*

Causes of Death.	Northfleet U.D.		Penge U.D.		Ramsgate M.B.		Rochester M.B.		Royal Tunbridge Wells M.B.		Sheerness U.D.		Tonbridge U.D.		Bridge R.D.		Bromley R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	98	109	147	149	218	213	171	190	198	269	76	100	80	103	77	69	140	139	
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	2	—	—	—	—	—	1	—	—	1	2	—	—	—	—	2	—	3
4 Scarlet fever	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	4
5 Whooping cough	—	2	2	1	2	2	4	1	—	—	—	—	—	—	1	1	—	—	5
6 Diphtheria	7	11	3	2	—	1	1	—	—	1	—	—	—	—	—	—	—	1	6
7 Influenza	2	2	1	7	5	5	8	3	4	10	1	5	1	3	—	4	2	5	7
8 Encephalitis lethargica	—	—	1	—	1	—	—	—	—	—	—	—	2	1	—	—	—	—	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	3	9	13	3	18	13	11	10	7	9	7	10	13	6	4	5	8	7	10
11 Other tuberculous diseases	1	2	4	5	6	4	2	2	3	2	2	3	1	7	2	2	5	3	11
12 Cancer, malignant disease	5	6	18	20	20	35	19	27	26	51	10	18	11	12	11	12	19	25	12
13 Rheumatic fever	—	1	—	—	1	—	—	1	—	—	—	—	—	—	1	—	—	—	13
14 Diabetes	—	—	—	1	1	3	2	4	3	2	—	—	—	3	—	—	—	2	14
15 Cerebral hæmorrhage, &c.	5	4	9	13	9	12	7	17	11	17	5	5	5	8	4	8	12	13	15
16 Heart disease	15	22	18	22	21	34	15	31	41	59	8	16	13	20	13	13	18	11	16
17 Arterio-sclerosis	1	1	8	13	8	11	8	12	11	14	3	5	2	6	4	1	4	3	17
18 Bronchitis	11	3	6	5	13	17	10	11	7	12	6	8	3	6	3	1	15	19	18
19 Pneumonia (all forms)	9	13	11	9	16	8	15	5	13	11	6	3	1	5	3	3	8	13	19
20 Other respiratory diseases	3	—	2	—	4	2	3	1	2	2	—	—	—	2	1	—	1	3	20
21 Ulcer of stomach or duodenum	—	—	1	2	2	—	3	1	4	1	1	—	—	—	2	—	2	—	21
22 Diarrhœa, &c. (under 2 years)	2	1	4	3	3	—	2	—	—	1	1	1	—	—	—	1	2	—	22
23 Appendicitis and typhlitis	1	1	2	—	—	—	2	5	4	—	1	1	—	—	—	—	1	—	23
24 Cirrhosis of liver	—	—	—	—	1	—	1	—	4	—	—	—	—	—	1	—	—	—	24
25 Acute and chronic nephritis	3	2	7	1	4	7	8	3	9	10	2	1	—	3	1	2	8	1	25
26 Puerperal sepsis	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	—	—	1	—	1	—	1	—	1	—	—	—	—	—	1	27
28 Congenital debility and malformation, premature birth	7	3	6	3	10	5	7	6	1	5	4	7	3	2	2	5	9	5	28
29 Suicide	—	1	4	2	4	—	—	1	3	2	3	—	3	—	—	—	—	1	29
30 Other deaths from violence	10	3	4	4	10	4	6	2	5	7	3	1	2	1	1	1	4	2	30
31 Other defined diseases	13	20	23	31	54	48	37	42	40	50	12	13	20	16	23	10	20	23	31
32 Causes ill-defined or unknown	—	—	—	1	5	1	—	—	—	—	—	—	—	2	—	—	—	—	32

* Excluding the civil parish of Folkestone next Sandgate.

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1925 (Civilian population only)—*cont.*

KENT—*cont.*

Causes of Death.	Cranbrook R.D.		Dartford R.D.		East Ashford R.D.		Eastry R.D.		Faversham R.D.		Hollingbourne R.D.		Isle of Thanet R.D.		Maidstone R.D.		Malling R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	81	93	202	171	102	88	84	71	92	66	87	86	58	72	123	100	153	142	
1 Enteric fever	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	2	—	—	—	—	1	1	3	—	—	—	—	—	—	—	—	3
4 Scarlet fever	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5 Whooping cough	—	—	3	7	1	1	1	2	—	1	—	1	1	5	3	2	1	3	5
6 Diphtheria	—	—	3	4	—	—	—	—	—	—	—	—	—	—	1	1	—	—	6
7 Influenza	3	5	3	3	7	4	—	—	2	1	1	2	2	5	5	—	7	12	7
8 Encephalitis lethargica	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	1	8
9 Meningococcal meningitis	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	4	6	14	8	7	9	5	3	4	4	7	5	5	5	4	7	12	7	10
11 Other tuberculous diseases	1	1	5	3	1	1	2	1	1	1	—	2	1	2	2	2	2	3	11
12 Cancer, malignant disease	9	17	18	23	12	9	7	8	13	9	11	9	7	3	15	13	19	16	12
13 Rheumatic fever	—	—	—	—	2	—	2	—	—	—	—	—	—	—	—	—	—	—	13
14 Diabetes	—	1	—	2	2	3	1	2	—	1	1	2	1	1	—	1	2	3	14
15 Cerebral hæmorrhage, &c.	3	7	11	15	2	3	5	5	7	5	9	8	4	9	3	3	8	7	15
16 Heart disease	16	15	45	31	12	13	12	14	14	4	9	18	6	11	16	20	20	18	16
17 Arterio-sclerosis	8	3	6	1	7	6	1	1	3	—	4	4	—	2	9	3	4	3	17
18 Bronchitis	3	2	10	17	3	6	11	5	6	5	12	4	—	4	14	4	10	6	18
19 Pneumonia (all forms)	5	10	16	10	6	6	1	4	2	1	3	3	3	1	6	4	10	7	19
20 Other respiratory diseases	1	3	1	4	2	2	2	—	2	1	—	2	2	—	5	3	2	2	20
21 Ulcer of stomach or duodenum	2	1	2	2	1	—	—	—	1	—	1	—	—	—	—	—	1	2	21
22 Diarrhœa, &c. (under 2 years)	1	—	3	3	—	—	—	—	1	—	—	1	—	—	1	—	2	2	22
23 Appendicitis and typhlitis	1	1	2	—	1	—	—	—	—	—	—	1	1	—	—	—	—	1	23
24 Cirrhosis of liver	—	1	—	1	—	—	—	—	—	—	—	—	1	—	1	—	—	—	24
25 Acute and chronic nephritis	3	2	5	1	2	—	—	1	—	3	4	1	2	4	3	2	5	2	25
26 Puerperal sepsis	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	—	—	—	—	—	—	4	—	—	—	—	—	1	—	—	27
28 Congenital debility and malformation, premature birth	5	4	10	5	8	1	3	5	5	6	5	3	4	5	5	4	5	3	28
29 Suicide	—	—	1	1	—	2	5	—	—	—	3	—	1	—	1	1	2	—	29
30 Other deaths from violence	5	—	18	4	4	3	7	1	5	1	2	1	3	1	4	4	4	5	30
31 Other defined diseases	11	13	24	22	21	18	19	18	25	16	14	17	12	14	24	24	36	36	31
32 Causes ill-defined or unknown	—	—	—	—	1	—	—	—	—	—	—	2	2	—	—	1	1	3	32

KENT—*cont.* **LANCASHIRE.**

Causes of Death.	Milton R.D.		Sevenoaks R.D.		Strood R.D.		Tonbridge R.D.		Accrington M.B.		Ashton in Makerfield U.D.		Ashton-under-Lyne M.B.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	104	66	139	130	98	63	114	106	285	316	130	139	332	317	
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	1	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	1	—	—	—	—	—	—	4	3	3	3
4 Scarlet fever	—	—	—	1	—	—	1	—	—	—	—	—	—	—	4
5 Whooping cough	—	2	1	2	1	—	—	2	—	—	1	1	4	3	5
6 Diphtheria	1	—	—	—	—	—	—	—	3	2	—	—	3	1	6
7 Influenza	2	2	8	6	4	1	3	4	3	3	8	6	4	11	7
8 Encephalitis lethargica	—	—	1	—	—	—	—	2	—	1	—	—	—	1	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	5	2	11	7	5	7	3	10	14	14	2	12	24	19	10
11 Other tuberculous diseases	3	1	2	4	1	—	1	1	5	6	3	6	6	8	11
12 Cancer, malignant disease	15	14	17	16	10	7	13	10	33	47	12	10	30	26	12
13 Rheumatic fever	2	—	—	—	1	—	—	—	—	3	1	—	1	2	13
14 Diabetes	1	1	1	3	—	—	1	—	—	6	2	1	—	1	14
15 Cerebral hæmorrhage, &c.	6	5	12	8	6	6	3	13	17	29	4	7	15	17	15
16 Heart disease	10	7	25	24	11	13	23	26	50	66	10	8	43	69	16
17 Arterio-sclerosis	8	7	2	1	8	—	3	5	5	1	5	—	20	8	17
18 Bronchitis	5	3	5	8	10	4	3	6	33	28	15	17	41	37	18
19 Pneumonia (all forms)	7	5	6	4	5	5	10	1	32	11	17	16	30	25	19
20 Other respiratory diseases	2	1	2	2	1	2	2	1	8	—	1	—	6	5	20
21 Ulcer of stomach or duodenum	—	—	1	—	2	—	1	—	1	3	—	—	6	3	21
22 Diarrhœa, &c. (under 2 years)	—	—	—	1	—	—	1	—	—	2	5	5	10	5	22
23 Appendicitis and typhlitis	1	—	—	2	2	1	1	—	3	1	—	1	1	—	23
24 Cirrhosis of liver	—	—	1	—	1	1	—	—	—	1	3	—	—	—	24
25 Acute and chronic nephritis	3	2	3	1	1	2	7	2	4	5	3	4	11	6	25
26 Puerperal sepsis	—	1	—	—	—	—	—	1	—	2	—	1	—	1	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	—	—	1	—	—	—	2	—	—	—	1	27
28 Congenital debility and malformation, premature birth	4	1	3	—	3	4	5	2	11	9	12	8	15	6	28
29 Suicide	1	—	—	—	3	—	1	—	6	3	—	1	4	1	29
30 Other deaths from violence	4	1	2	3	7	1	5	—	10	5	4	1	7	5	30
31 Other defined diseases	23	11	32	36	14	8	24	19	43	64	22	29	48	52	31
32 Causes ill-defined or unknown	1	—	4	1	—	—	3	1	4	2	—	1	—	1	32

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1925 (Civilian population only)—*cont.*

LANCASHIRE—*cont.*

Causes of Death.	Atherton U.D.		Bacup M.B.		Chadderton U.D.		Chorley M.B.		Clitheroe M.B.		Colne M.B.		Crompton U.D.		Dalton-in-Furness U.D.		Darwen M.B.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	106	117	165	171	201	175	199	195	91	80	157	155	115	117	83	88	276	273	
1 Enteric fever	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	1	—	—	—	1	1	8	3	1	2	4	2	2	1	—	1	7	9	3
4 Scarlet fever	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5 Whooping cough	1	2	4	3	1	3	8	8	—	—	1	2	—	2	—	—	2	2	5
6 Diphtheria	1	2	—	—	1	3	2	—	1	—	1	—	1	2	—	—	1	1	6
7 Influenza	11	14	6	3	5	7	10	6	3	2	1	2	5	3	5	11	6	7	7
8 Encephalitis lethargica	1	1	—	—	1	2	—	1	1	1	1	—	1	—	1	—	1	2	8
9 Meningococcal meningitis	—	—	—	1	1	—	—	—	—	—	—	1	—	—	—	—	—	1	9
10 Tuberculosis of respiratory sys.	4	4	8	8	11	11	8	13	8	3	11	8	11	5	4	3	15	10	10
11 Other tuberculous diseases	3	2	2	1	2	—	3	5	1	1	1	2	1	1	1	4	3	4	11
12 Cancer, malignant disease	11	14	7	8	14	14	17	20	13	8	20	19	12	19	7	11	29	39	12
13 Rheumatic fever	—	—	—	2	1	1	—	3	—	1	—	1	—	2	1	1	—	2	13
14 Diabetes	1	2	1	4	1	4	2	3	1	—	3	3	1	1	—	1	2	1	14
15 Cerebral hæmorrhage, &c.	6	3	15	12	12	13	7	16	9	11	4	8	9	7	6	10	17	20	15
16 Heart disease	21	21	16	31	23	29	13	20	14	18	20	22	12	18	9	10	26	26	16
17 Arterio-sclerosis	4	5	8	2	6	4	17	8	2	3	6	11	4	4	1	—	13	11	17
18 Bronchitis	1	4	20	18	23	15	8	16	1	3	21	15	14	14	12	7	20	22	18
19 Pneumonia (all forms)	7	15	18	8	16	12	20	15	6	4	13	6	7	5	5	4	46	24	19
20 Other respiratory diseases	—	1	1	1	2	1	2	—	2	—	2	1	1	1	1	2	3	3	20
21 Ulcer of stomach or duodenum	—	—	1	1	3	—	1	2	3	—	1	—	1	—	1	—	6	1	21
22 Diarrhœa, &c. (under 2 years)	2	1	—	1	5	1	4	5	4	3	2	3	1	1	—	—	2	2	22
23 Appendicitis and typhlitis	1	1	2	1	1	—	—	1	1	—	1	—	1	—	—	—	2	2	23
24 Cirrhosis of liver	1	—	4	2	1	1	1	1	—	—	—	—	—	—	2	—	—	—	24
25 Acute and chronic nephritis	3	4	5	6	10	10	10	5	3	2	5	7	4	—	2	5	13	8	25
26 Puerperal sepsis	—	1	—	—	—	1	—	—	—	—	—	1	—	1	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	1	—	1	—	1	—	1	—	2	—	—	—	2	—	6	27
28 Congenital debility and malformation, premature birth	1	5	11	5	14	6	17	5	1	1	9	6	10	3	5	5	14	10	28
29 Suicide	—	—	2	—	4	1	2	3	1	—	1	—	1	1	2	—	3	4	29
30 Other deaths from violence	12	2	—	2	9	3	7	1	3	1	3	4	2	2	2	1	9	5	30
31 Other defined diseases	12	12	34	48	31	31	28	33	12	15	22	27	14	24	15	10	36	49	31
32 Causes ill-defined or unknown	—	—	—	1	1	—	4	1	—	—	4	2	—	—	1	—	—	2	32

LANCASHIRE—*cont.*

Causes of Death.	Denton U.D.		Droylsden U.D.		Eccles M.B.		Failsworth U.D.		Farnworth U.D.		Fleetwood U.D.		Great Crosby U.D.		Great Harwood U.D.		Haslingden M.B.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	100	118	96	86	241	268	83	105	166	171	145	111	92	76	74	86	107	105	
1 Enteric fever	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	1	—	—	—	1	2	—	—	2	4	—	—	—	—	1	2	—	—	3
4 Scarlet fever	1	—	1	—	1	1	2	—	—	—	—	1	—	—	—	—	1	—	4
5 Whooping cough	1	—	1	3	3	3	—	1	2	1	2	1	—	—	—	1	—	—	5
6 Diphtheria	1	—	—	—	—	—	1	3	1	—	1	1	—	—	—	1	—	—	6
7 Influenza	1	—	6	1	7	3	4	5	1	3	5	5	4	1	1	4	2	—	7
8 Encephalitis lethargica	1	—	—	1	2	2	—	1	—	2	—	1	—	1	—	—	1	—	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	9
10 Tuberculosis of respiratory sys.	6	2	5	4	20	17	6	10	12	11	6	11	8	5	3	2	6	4	10
11 Other tuberculous diseases	—	1	3	1	—	2	—	3	—	7	3	3	2	—	3	2	—	—	11
12 Cancer, malignant disease	15	11	5	13	29	25	5	12	14	16	16	4	13	17	5	6	12	15	12
13 Rheumatic fever	—	1	—	—	3	2	1	—	—	—	2	—	—	1	—	1	—	1	13
14 Diabetes	—	2	—	1	2	3	2	—	—	2	3	—	—	2	—	1	2	3	14
15 Cerebral hæmorrhage, &c.	3	11	4	3	21	20	2	7	11	11	9	8	9	6	4	5	14	6	15
16 Heart disease	9	22	8	15	26	44	5	11	20	22	15	14	11	9	8	13	19	30	16
17 Arterio-sclerosis	5	6	3	3	5	8	9	3	10	7	1	1	2	5	4	3	1	—	17
18 Bronchitis	7	8	10	12	22	31	9	4	15	14	6	9	5	4	5	10	7	10	18
19 Pneumonia (all forms)	6	9	7	4	20	16	9	8	22	21	6	10	8	5	5	7	7	8	19
20 Other respiratory diseases	2	5	2	1	2	3	—	4	1	1	1	—	—	1	—	—	2	2	20
21 Ulcer of stomach or duodenum	—	1	—	—	6	—	—	—	1	—	2	—	3	—	2	—	1	—	21
22 Diarrhœa, &c. (under 2 years)	1	1	—	—	1	1	—	1	6	3	3	2	1	—	1	—	—	—	22
23 Appendicitis and typhlitis	1	1	1	1	1	2	—	1	1	2	2	1	3	1	1	—	3	1	23
24 Cirrhosis of liver	—	—	—	—	2	2	1	—	—	—	—	—	1	—	2	—	—	—	24
25 Acute and chronic nephritis	5	7	4	3	6	5	3	5	6	7	10	2	1	3	1	1	3	4	25
26 Puerperal sepsis	—	1	—	1	—	—	—	1	—	1	—	—	—	—	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	3	—	—	—	3	—	1	—	1	—	—	—	1	—	2	—	—	27
28 Congenital debility and malformation, premature birth	5	6	7	5	12	15	1	1	7	8	16	8	4	—	6	2	2	3	28
29 Suicide	1	1	2	1	4	1	1	1	—	1	3	1	1	—	2	—	3	—	29
30 Other deaths from violence	6	—	7	4	7	8	3	3	11	3	7	1	1	—	2	1	3	1	30
31 Other defined diseases	22	19	20	9	36	49	19	19	23	23	24	25	15	14	17	20	16	16	31
32 Causes ill-defined or unknown	—	—	—	—	1	—	—	—	—	—	2	2	—	—	1	2	2	—	32

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1925 (Civilian population only)—*cont.*

LANCASHIRE—*cont.*

Causes of Death.	Haydock U.D.		Heywood M.B.		Hindley U.D.		Horwich U.D.		Ince in Makerfield U.D.		Lancaster M.B.		Leigh M.B.		Litherland U.D.		Littleboro' U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	68	64	193	225	148	157	81	81	178	149	326	244	345	304	118	108	95	117	
1 Enteric fever	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	1	1	2	1	—	2	1	3	—	5	8	—	1	3	2	2	—	3
4 Scarlet fever	1	1	—	—	1	—	1	1	—	—	—	—	1	—	—	1	—	—	4
5 Whooping cough	2	1	2	—	1	1	1	—	1	2	6	4	8	5	3	4	3	1	5
6 Diphtheria	—	—	1	—	1	—	1	—	1	2	—	—	—	3	—	—	—	—	6
7 Influenza	4	2	3	7	3	5	1	2	3	3	10	5	12	8	2	1	4	6	7
8 Encephalitis lethargica	—	—	—	1	2	1	1	—	—	3	1	—	1	1	—	1	—	—	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	9
10 Tuberculosis of respiratory sys.	2	5	12	9	9	5	5	3	4	6	26	19	21	19	16	14	1	6	10
11 Other tuberculous diseases	3	1	3	2	1	2	1	4	4	3	10	6	8	4	2	1	1	1	11
12 Cancer, malignant disease	2	6	18	19	11	13	12	12	11	8	31	31	25	25	12	11	7	17	12
13 Rheumatic fever	1	1	1	—	2	—	—	—	1	3	—	—	3	3	1	2	1	1	13
14 Diabetes	—	—	2	—	—	2	1	1	—	2	1	4	1	4	—	—	—	1	14
15 Cerebral hæmorrhage, &c.	3	2	4	8	7	12	6	2	2	8	19	16	16	21	4	4	11	13	15
16 Heart disease	3	—	34	36	11	19	14	13	13	24	34	22	44	44	11	8	10	15	16
17 Arterio-sclerosis	7	5	11	14	6	3	3	6	7	6	12	6	16	7	4	5	3	—	17
18 Bronchitis	9	8	20	29	17	18	4	8	26	20	23	18	56	42	3	5	12	16	18
19 Pneumonia (all forms)	12	7	24	20	23	15	6	4	32	22	31	21	25	27	20	9	6	7	19
20 Other respiratory diseases	—	1	2	—	1	1	1	1	2	1	5	3	1	2	1	1	2	1	20
21 Ulcer of stomach or duodenum	—	1	2	—	—	—	1	—	—	—	1	1	2	1	—	—	2	—	21
22 Diarrhœa, &c. (under 2 years)	1	1	1	3	1	2	2	—	7	6	2	3	2	4	2	3	—	—	22
23 Appendicitis and typhlitis	1	—	2	2	—	1	1	1	3	—	3	1	—	3	1	—	1	—	23
24 Cirrhosis of liver	1	—	—	1	—	—	—	—	—	—	2	—	2	—	—	—	—	—	24
25 Acute and chronic nephritis	—	2	12	6	2	4	2	9	3	2	11	3	7	10	3	5	2	3	25
26 Puerperal sepsis	—	—	—	1	—	3	—	—	—	—	—	1	—	1	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	3	—	4	—	1	—	—	—	1	—	2	—	1	—	—	27
28 Congenital debility and malformation, premature birth	6	5	7	12	11	9	1	1	14	9	14	12	24	12	6	2	6	3	28
29 Suicide	—	—	—	2	3	3	1	1	—	—	5	—	3	2	2	3	2	—	29
30 Other deaths from violence	5	—	6	2	7	2	4	—	10	3	17	4	18	4	8	2	4	—	30
31 Other defined diseases	5	14	24	44	26	32	9	10	28	15	57	54	45	48	13	21	14	26	31
32 Causes ill-defined or unknown	—	—	1	2	1	—	—	—	2	1	—	1	3	1	1	1	1	—	32

LANCASHIRE—*cont.*

Causes of Death.	Lytham St. Annes M.B.		Middleton M.B.		Morecambe M.B.		Mossley M.B.		Nelson M.B.		Newton in Makerfield U.D.		Oswaldtwistle U.D.		Padiham U.D.		Prestwich U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	126	171	193	214	109	104	76	76	231	247	127	93	100	92	93	90	101	89	
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	1	2	1	2	—	1	—	5	1	—	—	1	1	3	2	1	—	3
4 Scarlet fever	1	—	1	1	—	—	—	—	2	—	—	2	—	—	—	—	—	—	4
5 Whooping cough	—	—	1	4	1	—	—	—	3	5	2	3	1	—	2	—	2	—	5
6 Diphtheria	—	—	1	—	—	—	1	—	2	—	1	—	—	2	6	4	—	—	6
7 Influenza	3	5	5	2	9	7	1	2	4	5	12	—	3	3	2	4	8	3	7
8 Encephalitis lethargica	2	1	1	—	—	—	—	—	—	1	—	2	—	—	—	—	—	—	8
9 Meningococcal meningitis	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	5	1	11	3	10	2	6	3	15	8	17	3	2	1	8	7	7	6	10
11 Other tuberculous diseases	5	1	7	5	—	—	—	2	5	3	—	2	1	2	—	1	2	1	11
12 Cancer, malignant disease	10	27	22	18	8	17	11	7	29	31	12	7	11	5	5	3	10	13	12
13 Rheumatic fever	—	—	3	4	—	—	—	—	2	4	—	3	1	2	1	1	—	—	13
14 Diabetes	3	2	1	4	1	2	—	2	3	2	2	—	—	3	—	—	—	2	14
15 Cerebral hæmorrhage, &c.	6	9	7	12	12	11	3	7	13	23	5	2	5	4	4	10	5	9	15
16 Heart disease	26	27	33	47	19	18	8	12	37	37	5	17	13	18	18	14	12	11	16
17 Arterio-sclerosis	8	14	8	11	1	—	1	3	13	7	6	3	1	1	5	7	7	3	17
18 Bronchitis	2	7	22	25	2	6	9	5	18	21	11	2	7	9	11	13	6	7	18
19 Pneumonia (all forms)	7	13	15	15	4	7	4	3	13	16	16	20	5	8	1	1	7	4	19
20 Other respiratory diseases	—	4	4	3	1	1	—	3	1	5	1	—	1	2	2	1	1	—	20
21 Ulcer of stomach or duodenum	4	—	2	—	2	—	—	—	2	2	—	—	—	—	1	—	1	—	21
22 Diarrhœa, &c. (under 2 years)	—	1	6	—	1	—	—	—	1	1	1	1	3	—	1	—	—	3	22
23 Appendicitis and typhlitis	—	1	—	—	1	—	—	—	—	1	1	—	—	2	1	—	2	—	23
24 Cirrhosis of liver	3	—	3	1	—	1	—	—	—	—	1	—	—	—	—	—	—	—	24
25 Acute and chronic nephritis	6	9	7	11	2	2	6	4	5	11	1	2	7	8	—	1	4	2	25
26 Puerperal sepsis	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	3	—	3	—	—	—	—	—	6	—	—	—	1	—	—	—	—	27
28 Congenital debility and malformation, premature birth	6	2	5	6	4	1	2	2	5	6	4	4	2	3	2	4	2	4	28
29 Suicide	2	—	1	3	2	2	2	—	4	—	1	—	2	—	—	—	4	—	29
30 Other deaths from violence	1	4	4	5	3	2	2	—	5	1	8	1	7	2	6	5	5	4	30
31 Other defined diseases	23	37	21	29	24	25	18	20	42	47	18	19	25	15	14	12	15	17	31
32 Causes ill-defined or unknown	3	2	—	—	—	—	1	—	2	2	2	—	1	—	—	—	—	—	32

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1925 (Civilian population only)—*cont.*

LANCASHIRE—*cont.*

Causes of Death.	Radcliffe U.D.		Ramsbottom U.D.		Rawtenstall M.B.		Royton U.D.		Stretford U.D.		Swinton & Pendlebury U.D.		Turton U.D.		Tyldesley with Shakerley U.D.		Ulverston U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	158	204	96	109	195	194	124	137	287	283	173	172	73	95	108	95	58	64	
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	1	1	—	—	1	1	—	—	1	1	—	2	—	1	8	3	—	—	3
4 Scarlet fever	—	—	1	1	—	1	—	—	—	—	—	—	1	1	—	—	—	—	4
5 Whooping cough	1	5	—	1	2	—	1	—	2	4	1	1	—	1	1	1	—	—	5
6 Diphtheria	—	1	2	—	—	1	1	—	2	1	—	1	1	—	—	—	—	—	6
7 Influenza	8	4	1	5	5	8	1	3	11	12	5	6	1	2	3	3	—	2	7
8 Encephalitis lethargica	1	—	—	3	—	—	2	—	2	2	2	1	—	—	—	—	—	1	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	2	1	—	—	1	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	9	7	3	4	14	7	6	4	23	13	6	9	6	4	5	6	6	2	10
11 Other tuberculous diseases	—	4	2	—	4	1	2	3	8	5	6	1	3	—	2	—	2	1	11
12 Cancer, malignant disease	16	29	10	12	25	29	9	16	25	37	14	23	13	9	7	5	7	11	12
13 Rheumatic fever	—	1	1	—	—	—	—	1	2	2	1	1	—	—	—	1	—	2	13
14 Diabetes	2	3	—	3	1	4	1	3	1	3	—	2	—	2	—	1	1	1	14
15 Cerebral hæmorrhage, &c.	11	17	4	7	18	16	8	11	16	23	14	11	2	7	8	6	11	8	15
16 Heart disease	22	36	14	20	30	37	17	26	32	43	16	19	10	22	19	10	6	11	16
17 Arterio-sclerosis	9	3	5	5	6	6	4	1	10	9	8	6	4	3	2	7	2	1	17
18 Bronchitis	9	18	7	12	12	11	13	20	16	18	21	18	6	4	11	11	1	4	18
19 Pneumonia (all forms)	11	9	10	3	15	14	10	5	21	16	18	12	4	11	13	9	2	7	19
20 Other respiratory diseases	—	3	1	—	2	1	1	1	5	1	2	3	—	1	1	—	—	1	20
21 Ulcer of stomach or duodenum	4	2	2	1	1	1	1	1	5	—	1	1	1	1	—	—	—	—	21
22 Diarrhœa, &c. (under 2 years)	1	—	3	1	1	2	1	1	5	1	2	1	—	—	3	—	—	—	22
23 Appendicitis and typhlitis	1	—	1	1	3	1	1	—	5	1	1	1	—	1	—	1	—	1	23
24 Cirrhosis of liver	—	1	—	—	2	1	—	—	1	1	—	1	—	—	1	—	1	—	24
25 Acute and chronic nephritis	—	6	3	8	7	7	6	5	9	10	5	5	3	4	1	2	2	1	25
26 Puerperal sepsis	—	—	—	1	—	2	—	—	—	2	—	—	—	—	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	2	—	—	—	3	—	1	—	2	—	3	—	—	—	2	—	2	27
28 Congenital debility and malformation, premature birth	5	4	5	—	10	4	11	6	17	17	10	8	2	2	5	4	4	2	28
29 Suicide	3	—	1	1	2	2	1	1	2	1	3	1	—	1	—	1	—	—	29
30 Other deaths from violence	11	5	6	4	7	2	6	4	13	5	8	4	4	2	8	3	5	—	30
31 Other defined diseases	32	43	14	16	23	29	20	23	50	52	29	31	11	15	9	19	7	5	31
32 Causes ill-defined or unknown	1	—	—	—	4	3	1	1	1	—	—	—	—	1	—	—	1	1	32

LANCASHIRE—*cont.*

Causes of Death.	Walton le Dale U.D.		Waterloo with Seaforth U.D.		Westhoughton U.D.		Widnes M.B.		Worsley U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	68	67	169	208	108	105	291	225	94	90	
1 Enteric fever	—	—	—	—	—	—	—	1	—	1	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	1	2	1	1	—	—	2	1	3
4 Scarlet fever	—	—	1	—	—	—	1	3	—	—	4
5 Whooping cough	—	—	4	3	—	—	10	7	—	—	5
6 Diphtheria	—	1	1	—	1	—	1	3	1	—	6
7 Influenza	2	3	2	2	8	10	15	15	10	7	7
8 Encephalitis lethargica	—	—	—	1	2	—	1	—	1	—	8
9 Meningococcal meningitis	—	—	—	1	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	6	7	18	14	2	3	28	13	5	1	10
11 Other tuberculous diseases	—	1	3	7	4	2	8	3	4	4	11
12 Cancer, malignant disease	3	4	18	19	5	6	25	15	4	13	12
13 Rheumatic fever	—	1	—	1	1	1	3	1	3	—	13
14 Diabetes	1	1	2	2	—	4	1	1	1	2	14
15 Cerebral hæmorrhage, &c.	8	7	5	21	7	8	17	19	3	12	15
16 Heart disease	9	10	15	26	14	11	15	23	14	11	16
17 Arterio-sclerosis	—	2	3	13	6	2	5	6	1	1	17
18 Bronchitis	10	11	11	13	6	11	17	15	5	7	18
19 Pneumonia (all forms)	6	6	24	17	10	7	25	16	7	5	19
20 Other respiratory diseases	—	1	2	3	2	1	3	1	2	—	20
21 Ulcer of stomach or duodenum	3	—	2	—	—	—	3	—	1	1	21
22 Diarrhœa, &c. (under 2 years)	—	—	3	3	2	1	5	11	1	1	22
23 Appendicitis and typhlitis	—	1	—	2	—	—	1	—	1	—	23
24 Cirrhosis of liver	—	—	1	—	1	—	—	—	—	—	24
25 Acute and chronic nephritis	4	1	6	5	2	6	4	3	3	3	25
26 Puerperal sepsis	—	—	—	1	—	—	—	1	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	1	—	2	—	2	—	—	27
28 Congenital debility and malformation, premature birth	—	4	8	6	7	4	22	6	2	3	28
29 Suicide	1	—	3	1	2	1	2	2	3	—	29
30 Other deaths from violence	5	3	8	—	5	1	7	1	6	2	30
31 Other defined diseases	9	3	28	44	20	23	70	55	14	15	31
32 Causes ill-defined or unknown	1	—	—	—	—	—	2	2	—	—	32

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1925 (Civilian population only)—*cont.*

LANCASHIRE—*cont.*

Causes of Death.	Barton upon Irwell R.D.		Burnley R.D.		Chorley R.D.		Fylde R.D.		Garstang R.D.		Leigh R.D.		Preston R.D.		Ulverston R.D.		Warrington R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	57	65	109	126	137	140	83	89	73	81	71	68	138	128	107	102	85	88	
1 Enteric fever	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	1	1	—	1	—	—	—	1	2	—	—	—	—	—	2	3
4 Scarlet fever	1	—	—	—	1	—	1	3	—	—	—	—	—	1	—	—	1	—	4
5 Whooping cough	1	—	—	—	1	1	—	—	—	1	1	1	1	1	—	1	2	—	5
6 Diphtheria	—	—	1	1	—	2	—	—	—	—	—	1	2	1	—	—	—	—	6
7 Influenza	—	2	1	8	5	4	2	6	5	3	3	—	3	3	4	6	6	10	7
8 Encephalitis lethargica	1	1	1	1	1	—	—	—	—	—	1	—	—	—	2	1	1	—	8
9 Meningococcal meningitis	—	—	—	—	1	—	—	—	—	1	—	—	1	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	5	2	7	3	5	4	4	1	4	3	2	2	7	4	2	3	2	8	10
11 Other tuberculous diseases	1	—	—	1	3	4	1	1	1	3	2	—	1	—	—	2	—	1	11
12 Cancer, malignant disease	3	3	11	9	13	15	6	7	4	7	6	6	12	11	15	10	6	12	12
13 Rheumatic fever	—	—	1	2	—	2	—	—	—	—	—	1	—	1	1	—	—	1	13
14 Diabetes	—	—	1	1	1	3	3	1	3	2	—	1	2	1	4	2	1	—	14
15 Cerebral hæmorrhage, &c.	4	6	4	14	10	12	4	6	3	2	6	2	6	13	14	14	6	6	15
16 Heart disease	6	15	18	24	22	19	12	11	16	15	7	13	21	25	17	16	4	10	16
17 Arterio-sclerosis	4	2	5	9	5	3	3	2	4	—	5	—	6	2	3	10	2	5	17
18 Bronchitis	2	5	18	11	9	13	3	8	7	6	7	6	12	12	13	2	5	6	18
19 Pneumonia (all forms)	6	5	9	8	15	8	5	3	2	6	13	11	12	6	5	3	13	5	19
20 Other respiratory diseases	—	1	—	—	—	—	1	—	2	—	1	2	—	—	2	—	1	2	20
21 Ulcer of stomach or duodenum	3	—	2	—	—	—	—	—	—	—	1	—	2	—	2	—	—	—	21
22 Diarrhœa, &c. (under 2 years)	1	—	1	—	1	—	—	—	—	1	—	1	1	—	1	2	—	1	22
23 Appendicitis and typhlitis	—	—	1	—	1	—	—	—	—	1	—	—	3	1	1	1	—	—	23
24 Cirrhosis of liver	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	1	—	—	24
25 Acute and chronic nephritis	—	—	3	2	2	4	1	1	2	1	3	2	1	4	2	1	2	4	25
26 Puerperal sepsis	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	1	26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	—	—	3	—	1	—	1	—	2	—	—	—	—	—	—	27
28 Congenital debility and malformation, premature birth	5	2	—	2	7	8	5	10	4	3	5	1	6	5	4	1	6	2	28
29 Suicide	2	1	1	1	1	—	1	—	1	—	—	1	3	—	1	2	3	1	29
30 Other deaths from violence	3	1	4	3	4	1	1	4	2	2	2	2	5	4	1	2	5	—	30
31 Other defined diseases	9	18	20	24	28	33	27	23	13	23	5	9	24	27	12	22	19	11	31
32 Causes ill-defined or unknown	—	—	—	—	—	1	2	—	—	—	—	1	6	5	—	—	—	—	32

LANCASHIRE—*cont.* LEICESTERSHIRE.

Causes of Death.	West Lancashire R.D.		Whiston R.D.		Coalville U.D.		Hinckley U.D.		Loughborough M.B.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	126	129	111	111	142	124	87	90	157	148	
1 Enteric fever	—	—	—	1	—	—	1	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	1	1	1	4	2	1	1	7	2	3
4 Scarlet fever	1	—	—	—	—	—	—	—	—	—	4
5 Whooping cough	1	2	—	—	4	6	1	1	—	5	5
6 Diphtheria	—	—	1	1	—	—	—	1	1	1	6
7 Influenza	2	2	4	5	4	6	1	2	7	5	7
8 Encephalitis lethargica	1	—	—	1	1	1	—	—	—	—	8
9 Meningococcal meningitis	—	—	—	1	—	—	—	—	—	1	9
10 Tuberculosis of respiratory sys.	8	9	8	5	12	11	11	7	13	10	10
11 Other tuberculous diseases	4	—	4	2	4	3	—	5	5	2	11
12 Cancer, malignant disease	18	23	6	14	15	11	7	10	11	13	12
13 Rheumatic fever	—	1	—	—	—	—	—	—	—	2	13
14 Diabetes	1	2	1	—	—	1	—	1	4	2	14
15 Cerebral hæmorrhage, &c.	5	7	4	8	8	4	7	6	10	11	15
16 Heart disease	17	20	8	13	14	15	10	13	23	19	16
17 Arterio-sclerosis	5	2	4	3	1	—	4	1	2	4	17
18 Bronchitis	7	6	6	10	10	9	5	7	10	12	18
19 Pneumonia (all forms)	10	11	14	8	6	11	8	1	3	10	19
20 Other respiratory diseases	1	1	1	1	2	1	1	2	—	—	20
21 Ulcer of stomach or duodenum	1	1	4	—	1	1	—	—	1	—	21
22 Diarrhœa, &c. (under 2 years)	—	—	2	1	4	—	1	1	4	—	22
23 Appendicitis and typhlitis	—	1	—	—	3	—	—	—	1	1	23
24 Cirrhosis of liver	1	2	—	—	—	—	1	—	2	—	24
25 Acute and chronic nephritis	2	4	4	2	2	2	1	—	5	1	25
26 Puerperal sepsis	—	1	—	—	—	—	—	1	—	2	26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	—	—	1	—	1	—	—	27
28 Congenital debility and malformation, premature birth	4	6	9	6	10	11	8	4	9	5	28
29 Suicide	—	—	2	—	—	1	—	—	1	2	29
30 Other deaths from violence	7	4	4	1	7	1	—	3	7	—	30
31 Other defined diseases	30	21	24	27	29	26	19	21	31	38	31
32 Causes ill-defined or unknown	—	1	—	—	1	—	—	1	—	—	32

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1925 (Civilian population only)—*cont.*

LEICESTERSHIRE—*cont.*

Causes of Death.	Ashby-de-la-Zouch R.D.		Barrow upon-Soar R.D.		Blaby R.D.		Hinckley R.D.		Lutterworth R.D.		Market Bosworth R.D.		Melton Mowbray R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	105	98	137	143	104	105	88	93	66	68	144	128	70	81	
1 Enteric fever	1	1	—	—	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	2	1	1	—	—	—	3	2	—	—	—	1	—	1	3
4 Scarlet fever	—	—	—	—	—	1	—	—	—	—	—	—	—	—	4
5 Whooping cough	1	2	1	—	—	2	1	2	2	—	2	5	—	—	5
6 Diphtheria	—	1	1	—	—	—	—	—	—	1	1	4	—	—	6
7 Influenza	1	5	7	12	8	6	1	1	1	2	6	—	5	5	7
8 Encephalitis lethargica	1	—	—	—	—	—	1	—	—	—	2	—	—	—	8
9 Meningococcal meningitis	—	—	—	1	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	4	3	10	11	7	11	7	6	2	3	11	10	3	6	10
11 Other tuberculous diseases	1	2	—	2	2	3	2	2	1	—	1	1	—	1	11
12 Cancer, malignant disease	11	14	10	15	9	10	6	10	7	8	17	8	4	13	12
13 Rheumatic fever	—	1	1	3	1	1	—	—	—	1	—	1	1	—	13
14 Diabetes	2	1	—	1	2	—	—	3	2	2	—	2	—	—	14
15 Cerebral hæmorrhage, &c.	3	5	5	9	8	7	8	8	7	8	7	3	1	8	15
16 Heart disease	15	8	32	21	18	14	16	24	9	11	14	16	9	13	16
17 Arterio-sclerosis	3	—	2	5	2	1	—	—	4	2	10	5	5	2	17
18 Bronchitis	3	5	4	11	9	5	4	4	3	2	11	7	5	4	18
19 Pneumonia (all forms)	12	4	9	4	3	3	7	6	7	2	14	9	9	1	19
20 Other respiratory diseases	1	1	1	3	1	1	—	—	1	1	3	3	2	2	20
21 Ulcer of stomach or duodenum	—	2	2	1	—	1	1	—	—	—	1	—	—	—	21
22 Diarrhœa, &c. (under 2 years)	2	3	—	—	—	1	—	—	—	1	1	1	—	—	22
23 Appendicitis and typhlitis	1	2	2	—	1	—	—	—	1	—	—	—	—	—	23
24 Cirrhosis of liver	1	2	1	—	—	—	—	1	1	—	1	1	2	—	24
25 Acute and chronic nephritis	3	4	7	6	1	7	3	—	2	1	1	4	2	3	25
26 Puerperal sepsis	—	—	—	1	—	1	—	—	—	—	—	2	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	—	—	3	—	—	—	1	—	1	—	1	27
28 Congenital debility and malformation, premature birth	10	2	6	3	6	4	6	2	5	1	13	11	2	3	28
29 Suicide	1	—	—	1	1	—	—	—	1	—	—	1	1	—	29
30 Other deaths from violence	6	1	6	1	2	1	6	1	1	3	4	—	4	3	30
31 Other defined diseases	20	28	28	31	23	22	16	21	9	17	23	31	15	15	31
32 Causes ill-defined or unknown	—	—	1	1	—	—	—	—	—	1	1	1	—	—	32

LINCOLNSHIRE (PARTS OF HOLLAND). LINCOLNSHIRE (PARTS OF KESTEVEN).

Causes of Death.	Boston M.B.		Spalding U.D.		Boston R.D.		Spalding (part of) R.D.*		Grantham M.B.		Bourne R.D.		Branston R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	116	133	74	80	131	94	70	66	127	97	84	94	73	95	
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	1	1	4	4	1	—	—	1	1	2	1	—	—	—	3
4 Scarlet fever	1	1	—	—	—	—	—	—	—	—	—	—	—	—	4
5 Whooping cough	2	—	—	—	1	1	—	1	1	5	—	1	1	1	5
6 Diphtheria	—	1	—	—	1	—	—	—	—	—	—	—	—	—	6
7 Influenza	2	6	3	—	5	3	3	—	—	—	5	4	1	1	7
8 Encephalitis lethargica	—	—	1	—	1	3	—	—	—	—	—	—	—	1	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	6	14	4	4	7	6	2	5	8	4	5	5	3	9	10
11 Other tuberculous diseases	6	—	1	—	2	3	1	2	4	3	3	3	2	2	11
12 Cancer, malignant disease	14	18	7	13	13	10	12	9	13	11	4	7	9	11	12
13 Rheumatic fever	—	2	—	—	—	1	1	1	—	—	1	—	—	—	13
14 Diabetes	—	1	—	1	1	—	—	1	2	1	1	1	—	1	14
15 Cerebral hæmorrhage, &c.	12	13	3	—	6	10	4	4	7	8	2	7	3	7	15
16 Heart disease	6	13	11	17	13	13	10	5	17	17	15	20	13	19	16
17 Arterio-sclerosis	2	—	2	5	1	2	3	—	10	6	1	—	1	5	17
18 Bronchitis	5	12	1	5	9	8	5	4	11	9	6	2	5	3	18
19 Pneumonia (all forms)	11	6	5	4	9	3	1	1	2	1	8	8	5	4	19
20 Other respiratory diseases	2	2	3	—	4	—	2	1	4	1	2	2	3	1	20
21 Ulcer of stomach or duodenum	2	1	—	3	—	—	—	—	1	—	—	—	1	2	21
22 Diarrhœa, &c. (under 2 years)	—	2	—	1	—	—	1	1	—	—	1	1	1	—	22
23 Appendicitis and typhlitis	1	—	—	—	—	—	—	1	—	—	—	—	—	—	23
24 Cirrhosis of liver	1	—	2	—	3	—	—	—	—	1	—	—	—	—	24
25 Acute and chronic nephritis	4	3	4	1	5	1	3	3	1	1	2	1	2	1	25
26 Puerperal sepsis	—	—	—	1	—	1	—	1	—	—	—	1	—	1	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	1	—	—	—	—	—	—	—	—	—	1	27
28 Congenital debility and malformation, premature birth	3	6	3	3	5	6	1	3	7	4	3	3	5	3	28
29 Suicide	—	—	—	—	—	1	—	—	—	1	—	—	1	1	29
30 Other deaths from violence	7	2	6	—	11	1	6	1	6	1	1	—	2	2	30
31 Other defined diseases	27	29	13	17	33	18	15	21	29	21	23	27	15	18	31
32 Causes ill-defined or unknown	1	—	1	—	—	3	—	—	3	—	—	1	—	1	32

* The remainder of Spalding R.D. is in Lincolnshire (Parts of Kesteven).

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1925 (Civilian population only)—*cont.*

LINCOLNSHIRE (PARTS OF KESTEVEN)—*cont.* **LINCOLNSHIRE (PARTS OF LINDSEY).**

Causes of Death.	Grantham R.D.		Sleaford R.D.		Spalding (part of) R.D.*		Cleethorpes U.D.		Gainsborough U.D.		Scunthorpe & Frodingham U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F	
All Causes	74	85	98	100	6	—	143	107	122	116	160	114	
1 Enteric fever	1	—	—	—	—	—	—	—	—	—	—	1	1
2 Small-pox	—	—	—	1	—	—	—	—	—	—	—	—	2
3 Measles	—	1	—	—	—	—	—	3	—	—	1	1	3
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	1	4
5 Whooping cough	—	—	2	—	—	—	—	—	—	—	1	3	5
6 Diphtheria	—	—	—	—	—	—	1	—	—	—	—	1	6
7 Influenza	2	1	3	3	—	—	1	1	5	2	6	1	7
8 Encephalitis lethargica	—	—	—	1	—	—	—	—	—	—	1	1	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	3	7	1	4	—	—	10	6	9	10	14	10	10
11 Other tuberculous diseases	1	—	1	—	—	—	8	3	2	—	4	6	11
12 Cancer, malignant disease	6	11	10	16	—	—	16	15	6	22	15	9	12
13 Rheumatic fever	—	—	—	—	—	—	1	2	1	—	—	1	13
14 Diabetes	—	1	1	3	—	—	—	2	1	2	2	1	14
15 Cerebral hæmorrhage, &c.	7	2	11	7	—	—	5	5	9	8	4	9	15
16 Heart disease	8	11	15	14	1	—	15	17	21	19	17	6	16
17 Arterio-sclerosis	7	4	6	8	—	—	2	1	2	—	5	2	17
18 Bronchitis	4	4	3	6	1	—	16	8	7	3	12	9	18
19 Pneumonia (all forms)	4	2	3	3	1	—	8	7	14	8	15	11	19
20 Other respiratory diseases	1	2	—	—	—	—	4	1	1	1	1	1	20
21 Ulcer of stomach or duodenum	1	1	2	2	—	—	2	1	1	1	2	—	21
22 Diarrhœa, &c. (under 2 years)	—	—	—	2	—	—	5	—	1	—	4	2	22
23 Appendicitis and typhlitis	1	1	1	—	—	—	—	—	1	1	—	—	23
24 Cirrhosis of liver	—	1	2	1	—	—	—	—	—	1	—	1	24
25 Acute and chronic nephritis	1	1	3	6	—	—	2	1	2	2	6	2	25
26 Puerperal sepsis	—	—	—	—	—	—	—	1	—	—	—	1	26
27 Other accidents and diseases of pregnancy and parturition	—	3	—	2	—	—	—	1	—	3	—	1	27
28 Congenital debility and malformation, premature birth	4	4	9	5	1	—	9	7	3	6	12	9	28
29 Suicide	1	—	1	—	—	—	2	—	—	—	—	1	29
30 Other deaths from violence	6	—	5	2	—	—	7	4	5	1	11	3	30
31 Other defined diseases	15	27	19	13	2	—	29	21	30	25	27	19	31
32 Causes ill-defined or unknown	1	1	—	1	—	—	—	—	1	1	—	1	32

LINCOLNSHIRE (PARTS OF LINDSEY)—*cont.*

Causes of Death.	Caistor R.D.		Gainsborough R.D.		Glanford Brigg R.D.		Grimsby R.D.		Horncastle R.D.		Louth R.D.		Spilsby R.D.		Welton R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	79	80	83	77	152	138	69	74	62	77	124	98	136	140	72	51	
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	3
4 Scarlet fever	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	4
5 Whooping cough	—	3	—	1	3	1	—	2	1	—	—	—	—	—	—	—	5
6 Diphtheria	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	1	6
7 Influenza	5	1	5	4	8	10	3	3	3	2	1	2	7	4	3	6	7
8 Encephalitis lethargica	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	8
9 Meningococcal meningitis	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	1	5	2	7	10	5	2	10	5	3	4	6	4	7	4	4	10
11 Other tuberculous diseases	1	3	2	—	3	2	1	1	—	1	1	2	—	2	—	1	11
12 Cancer, malignant disease	10	7	6	13	11	9	4	6	6	12	19	13	20	33	6	5	12
13 Rheumatic fever	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	13
14 Diabetes	1	—	1	1	2	2	1	1	—	3	3	—	1	1	1	—	14
15 Cerebral hæmorrhage, &c.	10	6	3	9	3	14	1	—	2	9	8	12	7	9	9	6	15
16 Heart disease	10	14	4	5	26	20	12	14	9	11	12	19	23	24	6	5	16
17 Arterio-sclerosis	2	—	5	1	4	4	1	—	1	1	7	5	8	2	3	1	17
18 Bronchitis	3	5	12	12	4	5	6	3	3	4	11	3	7	6	3	1	18
19 Pneumonia (all forms)	6	6	8	2	12	9	8	2	4	3	6	2	3	5	3	2	19
20 Other respiratory diseases	1	3	—	—	2	2	1	1	1	1	1	—	1	2	1	1	20
21 Ulcer of stomach or duodenum	—	—	—	—	1	—	—	1	1	—	1	1	1	—	—	—	21
22 Diarrhœa, &c. (under 2 years)	1	1	—	2	1	1	4	—	1	1	—	1	—	—	1	—	22
23 Appendicitis and typhlitis	1	—	1	—	1	2	—	—	—	—	1	—	—	—	1	—	23
24 Cirrhosis of liver	—	—	1	—	1	—	—	—	1	1	—	—	—	—	—	—	24
25 Acute and chronic nephritis	1	1	—	2	8	2	—	1	2	1	9	—	4	5	—	2	25
26 Puerperal sepsis	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	—	—	—	—	1	—	1	—	1	—	3	—	—	27
28 Congenital debility and malformation, premature birth	6	1	7	1	6	5	5	6	6	1	6	5	9	10	7	3	28
29 Suicide	—	—	—	1	—	—	1	—	1	—	2	1	—	—	1	—	29
30 Other deaths from violence	1	1	2	1	7	8	2	3	3	1	3	—	4	—	4	—	30
31 Other defined diseases	18	21	24	15	38	32	16	18	12	21	29	23	37	25	19	13	31
32 Causes ill-defined or unknown	—	2	—	—	—	—	—	—	—	—	—	1	—	1	—	—	32

* The remainder of Spalding R.D. is in Lincolnshire (parts of Holland).

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1925 (Civilian population only)—*cont.*

MIDDLESEX.

Causes of Death.	Acton M.B.		Brentford U.D.		Chiswick U.D.		Ealing M.B.		Edmonton U.D.		Enfield U.D.		Finchley U.D.		Friern Barnet U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	338	331	105	93	250	262	302	383	358	318	300	335	232	287	68	93	
1 Enteric fever	—	1	—	—	—	—	1	—	—	—	—	1	—	1	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	—	2	—	—	—	—	—	1	1	3	—	—	3
4 Scarlet fever	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	4
5 Whooping cough	4	4	1	4	—	2	2	1	4	5	—	1	1	2	2	—	5
6 Diphtheria	1	—	—	1	1	1	1	3	10	17	6	11	4	2	—	—	6
7 Influenza	—	12	1	4	4	5	12	12	2	9	6	2	5	8	4	5	7
8 Encephalitis lethargica	—	—	—	—	—	—	2	—	—	2	—	—	—	2	—	—	8
9 Meningococcal meningitis	1	1	—	—	1	—	—	—	1	—	—	1	—	—	—	—	9
10 Tuberculosis of respiratory sys.	29	16	12	8	24	16	19	20	42	22	36	23	9	8	4	6	10
11 Other tuberculous diseases	8	4	2	—	3	2	6	7	8	5	3	8	3	3	1	1	11
12 Cancer, malignant disease	33	46	12	16	33	44	36	55	40	38	30	51	30	59	5	8	12
13 Rheumatic fever	2	1	—	—	—	1	1	1	1	1	2	—	2	—	1	—	13
14 Diabetes	5	4	2	—	1	3	7	3	1	2	4	7	1	3	1	1	14
15 Cerebral hæmorrhage, &c.	15	19	5	3	8	22	17	25	19	16	15	26	11	18	5	10	15
16 Heart disease	44	49	14	11	34	32	44	58	59	67	50	71	32	54	7	11	16
17 Arterio-sclerosis	6	5	2	3	8	15	13	9	15	10	13	11	14	9	3	4	17
18 Bronchitis	17	36	10	7	19	21	20	35	14	21	16	19	7	20	2	4	18
19 Pneumonia (all forms)	38	21	10	2	17	19	14	14	30	23	19	18	22	18	3	10	19
20 Other respiratory diseases	6	2	—	2	3	1	6	5	6	4	1	—	3	2	1	2	20
21 Ulcer of stomach or duodenum	5	1	—	—	3	1	5	1	2	—	5	2	2	3	2	—	21
22 Diarrhœa, &c. (under 2 years)	5	5	—	1	4	8	1	2	6	5	3	6	1	1	3	2	22
23 Appendicitis and typhlitis	1	2	—	2	2	—	2	4	6	3	1	2	1	—	—	2	23
24 Cirrhosis of liver	4	3	—	—	2	1	2	2	—	1	4	—	3	—	1	—	24
25 Acute and chronic nephritis	10	8	1	2	9	2	4	8	8	4	5	2	6	9	2	2	25
26 Puerperal sepsis	—	2	—	—	—	—	—	2	—	—	—	—	—	—	—	1	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	1	—	1	—	1	—	1	—	—	—	1	—	1	27
28 Congenital debility and malformation, premature birth	23	8	5	2	14	6	18	12	18	10	13	14	19	4	7	4	28
29 Suicide	7	1	—	—	2	1	2	3	3	5	7	4	5	3	—	—	29
30 Other deaths from violence	6	6	2	3	9	4	11	10	12	5	8	3	12	10	1	1	30
31 Other defined diseases	66	74	26	21	48	52	56	89	51	42	53	51	38	44	11	18	31
32 Causes ill-defined or unknown	1	—	—	—	1	—	—	—	—	—	—	—	—	—	2	—	32

MIDDLESEX—*cont.*

Causes of Death.	Hampton U.D.		Hanwell U.D.		Harrow-on-the-Hill U.D.		Hendon U.D.		Heston & Isleworth U.D.		Hornsey M.B.		Southall Norwood U.D.		Southgate U.D.		Teddington U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	51	75	92	90	94	102	269	282	267	266	443	513	135	110	184	209	131	133	
1 Enteric fever	—	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	3
4 Scarlet fever	—	1	—	—	—	—	—	1	—	2	—	—	—	—	—	—	—	—	4
5 Whooping cough	2	2	1	—	1	—	2	2	3	—	2	6	1	2	—	1	1	1	5
6 Diphtheria	—	1	—	—	—	—	2	1	5	3	1	—	—	—	1	1	—	5	6
7 Influenza	—	1	1	3	3	3	3	9	8	7	8	12	1	4	11	8	2	2	7
8 Encephalitis lethargica	—	—	—	—	1	2	—	1	—	2	2	1	—	—	—	—	—	1	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	9
10 Tuberculosis of respiratory sys.	—	4	6	6	13	5	16	12	11	19	27	21	13	12	8	12	11	7	10
11 Other tuberculous diseases	1	1	3	1	1	2	3	3	2	2	5	2	2	—	3	2	3	—	11
12 Cancer, malignant disease	6	15	6	13	15	12	32	46	36	39	61	82	19	21	27	40	17	15	12
13 Rheumatic fever	—	—	—	—	1	1	1	2	—	1	2	1	—	—	—	—	—	—	13
14 Diabetes	—	1	—	—	1	—	2	3	2	3	4	9	—	1	3	6	3	3	14
15 Cerebral hæmorrhage, &c.	3	6	10	10	4	8	14	20	8	12	28	40	4	9	8	15	7	5	15
16 Heart disease	7	13	19	12	16	17	54	39	44	50	75	88	12	13	30	39	19	21	16
17 Arterio-sclerosis	3	1	—	—	5	7	9	8	13	4	34	26	8	4	13	12	5	9	17
18 Bronchitis	4	1	5	8	3	9	11	14	17	16	26	35	14	8	7	7	6	12	18
19 Pneumonia (all forms)	3	2	2	6	4	8	25	16	14	14	26	38	10	6	11	4	11	8	19
20 Other respiratory diseases	—	—	3	—	1	1	4	4	—	2	9	7	2	3	4	—	5	3	20
21 Ulcer of stomach or duodenum	—	—	—	1	1	1	3	2	1	2	5	2	1	—	2	1	1	2	21
22 Diarrhœa, &c. (under 2 years)	—	1	2	—	—	—	1	2	8	4	—	3	1	2	3	1	1	1	22
23 Appendicitis and typhlitis	—	1	1	—	1	1	4	2	—	3	3	3	—	—	2	3	1	1	23
24 Cirrhosis of liver	—	—	2	—	—	—	1	3	1	—	—	6	—	—	2	2	—	—	24
25 Acute and chronic nephritis	6	—	1	1	6	3	8	8	5	3	13	12	5	1	4	4	6	2	25
26 Puerperal sepsis	—	—	—	1	—	—	—	1	—	3	—	—	—	1	—	—	—	1	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	—	—	1	—	1	—	3	—	3	—	1	—	2	—	2	27
28 Congenital debility and malformation, premature birth	3	3	6	8	3	3	9	5	19	13	13	13	6	4	5	5	4	5	28
29 Suicide	1	2	—	1	4	1	11	5	3	2	4	—	1	—	4	1	—	2	29
30 Other deaths from violence	—	4	4	—	2	1	16	6	15	6	15	12	8	3	2	1	1	2	30
31 Other defined diseases	12	15	20	19	8	16	35	65	51	51	79	91	27	15	33	42	27	23	31
32 Causes ill-defined or unknown	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	32

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1925 (Civilian population only)—*cont.*

MIDDLESEX—*cont.*

Causes of Death.	Tottenham U.D.		Twickenham U.D.		Uxbridge U.D.		Wealdstone U.D.		Wembley U.D.		Willesden U.D.		Wood Green U.D.						
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.					
All Causes	829	779	211	170	58	59	70	56	92	95	852	839	253	254					
1 Enteric fever	—	2	—	—	—	—	—	—	—	—	—	1	—	—					1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—					2
3 Measles	1	1	1	—	—	1	—	—	—	—	4	8	1	1					3
4 Scarlet fever	—	—	—	—	—	—	—	—	—	1	1	1	—	—					4
5 Whooping cough	11	8	3	2	—	—	—	1	—	1	5	14	3	5					5
6 Diphtheria	4	5	3	1	—	—	—	—	—	—	6	4	—	1					6
7 Influenza	13	15	2	6	2	1	2	1	3	3	29	32	6	5					7
8 Encephalitis lethargica	2	6	1	1	—	—	—	—	—	—	2	2	—	—					8
9 Meningococcal meningitis	1	—	—	1	—	—	—	—	—	—	1	1	—	—					9
10 Tuberculosis of respiratory sys.	75	51	22	7	4	4	4	4	14	5	82	55	18	17					10
11 Other tuberculous diseases	15	6	5	3	1	—	—	—	4	1	12	4	5	5					11
12 Cancer, malignant disease	95	107	12	25	10	5	13	13	8	15	112	134	29	45					12
13 Rheumatic fever	7	5	1	1	—	1	—	—	—	—	—	3	3	2					13
14 Diabetes	5	9	1	1	—	—	1	3	1	1	3	9	—	1					14
15 Cerebral hæmorrhage, &c.	29	51	11	8	1	1	4	5	4	11	41	44	10	18					15
16 Heart disease	158	170	33	29	3	9	12	9	8	8	103	122	53	42					16
17 Arterio-sclerosis	28	31	9	3	2	2	4	4	6	8	29	25	23	14					17
18 Bronchitis	66	52	15	15	5	7	4	3	4	3	36	54	15	22					18
19 Pneumonia (all forms)	56	46	17	10	5	5	4	1	2	5	93	66	10	12					19
20 Other respiratory diseases	11	4	6	4	3	—	3	1	2	—	11	8	4	2					20
21 Ulcer of stomach or duodenum	12	7	1	1	—	—	—	—	2	1	15	7	3	1					21
22 Diarrhœa, &c. (under 2 years)	6	3	1	—	—	—	—	—	1	—	8	5	2	3					22
23 Appendicitis and typhlitis	7	4	3	3	2	—	—	1	1	—	4	12	—	—					23
24 Cirrhosis of liver	3	3	1	—	1	—	—	—	—	1	8	1	1	1					24
25 Acute and chronic nephritis	22	19	3	4	—	—	3	1	3	3	20	19	7	6					25
26 Puerperal sepsis	—	2	—	4	—	—	—	—	—	1	—	3	—	1					26
27 Other accidents and diseases of pregnancy and parturition	—	4	—	—	—	1	—	—	—	2	—	5	—	1					27
28 Congenital debility and malformation, premature birth	42	25	16	5	—	4	2	3	9	6	45	24	14	6					28
29 Suicide	11	9	2	4	—	1	—	—	1	2	17	8	1	3					29
30 Other deaths from violence	27	11	5	6	3	—	1	—	5	2	39	18	8	—					30
31 Other defined diseases	122	122	35	26	16	17	13	6	14	15	126	149	37	40					31
32 Causes ill-defined or unknown	—	1	2	—	—	—	—	—	—	—	—	1	—	—					32

MIDDLESEX—*cont.* NORFOLK.

Causes of Death.	Hendon R.D.		Staines R.D.		Uxbridge R.D.		King's Lynn M.B.		Aylsham R.D.		Blofield R.D.		Depwade R.D.		Docking R.D.		Downham R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	88	76	144	134	63	60	134	138	101	121	72	63	113	121	106	96	93	92	
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	3
4 Scarlet fever	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5 Whooping cough	2	—	2	3	1	1	1	2	—	—	—	—	1	1	—	—	—	1	5
6 Diphtheria	—	1	—	—	—	1	3	—	1	—	—	—	—	—	—	—	—	1	6
7 Influenza	1	4	4	2	2	3	—	2	4	8	6	5	7	11	8	6	1	3	7
8 Encephalitis lethargica	1	1	1	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	8
9 Meningococcal meningitis	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	1	9
10 Tuberculosis of respiratory sys.	6	1	4	4	3	5	13	13	3	5	3	5	7	9	7	3	4	3	10
11 Other tuberculous diseases	—	1	2	1	2	—	2	—	—	1	1	1	2	—	2	—	—	—	11
12 Cancer, malignant disease	7	12	21	25	6	8	14	23	11	7	6	10	16	15	18	20	13	8	12
13 Rheumatic fever	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1	1	—	13
14 Diabetes	—	1	1	1	1	1	1	1	—	2	1	2	1	1	—	2	2	1	14
15 Cerebral hæmorrhage, &c.	4	10	10	18	3	12	9	5	3	11	5	9	7	12	4	2	5	11	15
16 Heart disease	17	18	25	18	8	5	20	27	10	15	9	11	21	31	10	9	15	21	16
17 Arterio-sclerosis	3	5	—	—	4	1	8	8	7	5	2	1	8	2	7	7	2	1	17
18 Bronchitis	4	4	10	6	2	6	12	21	6	5	4	2	4	4	7	9	7	8	18
19 Pneumonia (all forms)	4	3	17	9	3	3	11	5	5	5	2	2	3	4	6	2	6	5	19
20 Other respiratory diseases	4	—	—	1	1	1	3	1	—	—	4	—	1	1	1	—	1	—	20
21 Ulcer of stomach or duodenum	—	—	2	—	1	—	2	—	2	1	1	—	1	—	2	—	2	—	21
22 Diarrhœa, &c. (under 2 years)	—	—	1	—	1	—	1	1	—	1	—	—	—	—	1	—	—	—	22
23 Appendicitis and typhlitis	2	—	4	—	1	—	1	—	—	1	—	—	2	1	—	1	—	—	23
24 Cirrhosis of liver	—	1	—	—	1	—	4	—	—	—	1	—	1	2	1	—	—	—	24
25 Acute and chronic nephritis	5	—	1	1	2	—	5	5	3	5	4	1	1	1	2	1	3	5	25
26 Puerperal sepsis	—	—	—	1	—	1	—	1	—	—	—	—	—	—	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	27
28 Congenital debility and malformation, premature birth	4	1	10	9	3	2	5	4	3	4	3	3	3	3	6	3	3	2	28
29 Suicide	—	—	—	2	—	—	3	1	3	—	2	—	1	—	4	2	—	—	29
30 Other deaths from violence	2	—	4	1	6	—	2	6	5	—	2	2	4	—	4	4	4	1	30
31 Other defined diseases	22	12	23	29	10	9	13	11	30	40	16	8	19	22	14	22	23	20	31
32 Causes ill-defined or unknown	—	—	—	—	—	—	—	—	5	4	—	—	3	1	2	—	1	—	32

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1925 (Civilian population only)—*cont.*

NORFOLK—*cont.*

Causes of Death.	East & West Flegg R.D.		Erpingham R.D.		Forehoe R.D.		Freebridge Lynn R.D.		Loddon & Clavering R.D.		Marshland R.D.		Mitford & Launditch R.D.		St. Faith's R.D.		Smallburgh R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	60	64	87	84	75	79	64	76	71	78	81	87	109	116	67	61	89	89	
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5 Whooping cough	1	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	1	5
6 Diphtheria	—	—	—	—	—	—	1	—	—	1	—	1	—	—	—	—	1	—	6
7 Influenza	3	5	6	1	3	3	1	2	1	2	3	4	4	3	4	6	4	8	7
8 Encephalitis lethargica	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	4	4	4	6	5	4	3	3	2	4	6	2	9	3	3	1	6	5	10
11 Other tuberculous diseases	3	—	—	—	—	—	—	1	—	—	1	1	2	1	—	—	1	2	11
12 Cancer, malignant disease	7	13	11	19	10	18	4	18	10	14	7	14	13	17	12	10	10	14	12
13 Rheumatic fever	—	—	—	—	—	—	—	—	—	—	—	1	—	1	1	—	1	—	13
14 Diabetes	2	—	1	3	1	—	—	—	—	2	1	3	—	3	3	2	1	—	14
15 Cerebral hæmorrhage, &c.	3	6	6	5	6	5	6	8	4	5	5	5	9	11	4	4	3	7	15
16 Heart disease	1	6	11	8	8	16	13	13	17	13	4	8	17	21	4	14	10	11	16
17 Arterio-sclerosis	1	3	2	10	11	6	1	4	1	6	1	2	5	8	4	4	3	1	17
18 Bronchitis	6	5	3	4	2	2	5	6	4	7	9	5	6	5	7	3	5	8	18
19 Pneumonia (all forms)	2	1	4	2	6	4	1	1	1	3	5	4	7	4	3	—	4	3	19
20 Other respiratory diseases	—	—	—	2	1	1	—	1	—	—	1	—	1	—	—	—	1	1	20
21 Ulcer of stomach or duodenum	—	—	1	—	1	—	—	—	1	1	—	1	3	—	1	—	1	1	21
22 Diarrhœa, &c. (under 2 years)	—	—	—	1	1	—	—	—	1	1	—	1	1	—	—	1	1	—	22
23 Appendicitis and typhlitis	—	—	1	—	—	1	—	—	1	1	—	—	3	—	—	1	—	—	23
24 Cirrhosis of liver	1	1	1	—	—	—	—	—	1	—	1	—	—	—	—	—	1	—	24
25 Acute and chronic nephritis	1	1	2	1	2	2	4	3	2	2	1	2	4	4	3	—	2	4	25
26 Puerperal sepsis	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	27
28 Congenital debility and malformation, premature birth	5	4	6	4	5	2	5	3	4	2	7	8	4	4	2	—	3	1	28
29 Suicide	—	2	3	—	1	—	2	—	—	—	2	1	—	2	—	2	—	1	29
30 Other deaths from violence	2	—	3	1	1	2	—	2	2	—	4	4	3	1	1	1	3	1	30
31 Other defined diseases	18	11	21	16	11	12	18	10	18	14	23	19	16	26	15	12	26	19	31
32 Causes ill-defined or unknown	—	—	—	—	—	1	—	—	1	—	—	—	2	1	—	—	1	—	32

NORFOLK—*cont.* **NORTHAMPTONSHIRE.**

Causes of Death.	Walsingham R.D.		Wayland R.D.		Kettering U.D.		Rushden U.D.		Wellingborough U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	96	99	103	95	169	165	66	72	113	121	
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	1	—	—	—	—	2
3 Measles	—	—	—	—	—	3	1	—	1	—	3
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	4
5 Whooping cough	—	—	—	—	1	2	—	2	1	—	5
6 Diphtheria	—	—	2	—	3	3	1	—	—	1	6
7 Influenza	8	6	4	3	2	—	1	2	3	9	7
8 Encephalitis lethargica	—	—	—	—	—	1	—	—	—	—	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	5	2	2	4	23	19	5	9	3	8	10
11 Other tuberculous diseases	—	1	1	1	2	2	1	—	3	2	11
12 Cancer, malignant disease	11	17	11	16	22	21	5	11	18	19	12
13 Rheumatic fever	1	—	1	—	1	2	—	—	—	1	13
14 Diabetes	2	1	—	2	5	2	—	2	—	2	14
15 Cerebral hæmorrhage, &c.	6	7	8	5	9	8	7	4	3	4	15
16 Heart disease	11	15	11	22	24	30	6	15	17	16	16
17 Arterio-sclerosis	11	4	13	7	5	7	5	2	2	4	17
18 Bronchitis	5	1	4	6	8	13	4	5	7	3	18
19 Pneumonia (all forms)	2	1	3	3	10	9	5	3	7	5	19
20 Other respiratory diseases	—	—	1	—	1	3	1	2	2	—	20
21 Ulcer of stomach or duodenum	1	2	3	—	1	1	2	—	1	—	21
22 Diarrhœa, &c. (under 2 years)	—	—	—	—	—	—	—	—	—	—	22
23 Appendicitis and typhlitis	3	—	1	1	1	2	1	—	1	1	23
24 Cirrhosis of liver	—	1	1	1	1	—	—	—	—	—	24
25 Acute and chronic nephritis	1	3	4	1	2	4	1	1	3	6	25
26 Puerperal sepsis	—	—	—	—	—	2	—	—	—	1	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	1	—	2	—	—	—	—	27
28 Congenital debility and malformation, premature birth	5	1	4	2	12	4	4	2	8	3	28
29 Suicide	1	1	1	1	1	—	1	—	1	2	29
30 Other deaths from violence	1	3	2	—	7	—	2	3	4	2	30
31 Other defined diseases	22	33	21	19	21	22	13	9	28	32	31
32 Causes ill-defined or unknown	—	—	5	—	7	2	—	—	—	—	32

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1925 (Civilian population only)—*cont.*

NORTHAMPTONSHIRE—*cont.* **NORTHUMBERLAND.**

Causes of Death.	Brixworth R.D.		Daventry R.D.		Thrapston (part of) R.D.*		Wellingborough R.D.						Ashington U.D.		Bedlingtonshire U.D.		Berwick upon Tweed M.B.		
	M.	F.	M.	F.	M.	F.	M.	F.					M.	F.	M.	F.	M.	F.	
All Causes	91	77	97	63	67	76	92	68					174	159	174	143	88	83	
1 Enteric fever	—	—	—	—	—	—	—	—					1	—	—	1	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—					—	—	—	—	—	—	2
3 Measles	—	1	—	—	—	1	—	—					9	5	5	—	—	—	3
4 Scarlet fever	—	—	—	—	—	—	1	—					—	—	—	—	—	—	4
5 Whooping cough	1	—	1	—	1	2	—	1					—	1	1	—	—	2	5
6 Diphtheria	—	—	—	—	—	—	—	—					—	—	1	—	—	1	6
7 Influenza	1	—	3	1	—	2	6	3					4	3	6	1	3	1	
8 Encephalitis lethargica	—	—	1	—	1	—	—	—					—	—	—	1	—	—	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—					—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	6	5	3	3	4	3	2	5					8	14	9	5	7	4	10
11 Other tuberculous diseases	2	2	1	—	2	1	2	1					7	—	5	4	3	5	11
12 Cancer, malignant disease	12	13	6	3	8	12	10	7					13	14	10	20	8	7	12
13 Rheumatic fever	—	1	—	—	—	1	—	1					—	—	2	1	1	—	13
14 Diabetes	—	—	1	—	1	1	2	2					3	3	1	1	—	1	14
15 Cerebral hæmorrhage, &c.	6	8	9	7	5	8	6	6					9	10	8	13	9	5	15
16 Heart disease	12	14	13	12	3	10	15	9					12	8	12	19	6	10	16
17 Arterio-sclerosis	3	—	7	1	3	1	3	2					7	2	8	7	1	1	17
18 Bronchitis	6	4	5	7	5	9	6	6					13	12	3	5	2	6	18
19 Pneumonia (all forms)	6	3	6	1	7	3	3	1					12	21	23	14	7	5	19
20 Other respiratory diseases	—	2	1	1	—	—	2	1					2	—	4	1	—	2	20
21 Ulcer of stomach or duodenum	—	2	—	—	—	—	1	1					2	—	2	—	—	2	21
22 Diarrhœa, &c. (under 2 years)	—	—	1	—	1	—	—	—					5	6	2	1	—	2	22
23 Appendicitis and typhlitis	—	—	—	—	1	1	1	1					1	—	2	2	1	—	23
24 Cirrhosis of liver	1	1	1	—	—	—	—	—					—	—	—	—	—	—	24
25 Acute and chronic nephritis	3	2	8	2	3	1	—	3					3	3	9	8	3	1	25
26 Puerperal sepsis	—	—	—	1	—	1	—	—					—	1	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	—	—	—	—	—					—	3	—	2	—	1	27
28 Congenital debility and malformation, premature birth	3	3	2	3	—	2	6	4					19	13	18	7	5	4	28
29 Suicide	2	—	—	—	1	—	1	—					2	—	1	—	3	—	29
30 Other deaths from violence	2	1	10	1	3	1	3	1					5	2	5	3	5	1	30
31 Other defined diseases	25	15	18	20	15	15	20	13					34	35	32	25	24	22	31
32 Causes ill-defined or unknown	—	—	—	—	3	1	2	—					3	3	5	2	—	—	32

NORTHUMBERLAND—*cont.*

Causes of Death.	Blyth M.B.		Earsdon U.D.		Gosforth U.D.		Longbenton U.D.		Newburn U.D.		Wallsend M.B.		Whitley & Monkseaton U.D.						
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.					
All Causes	222	189	70	66	80	81	87	68	141	96	332	293	96	127					
1 Enteric fever	—	—	—	—	1	—	—	—	—	—	—	—	—	1					1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—					2
3 Measles	3	2	—	1	4	—	2	3	8	2	17	14	1	1					3
4 Scarlet fever	—	—	—	—	—	—	—	1	—	—	1	2	—	—					4
5 Whooping cough	2	2	—	2	—	1	—	3	2	—	6	5	1	2					5
6 Diphtheria	—	1	—	—	2	—	1	—	1	—	1	1	—	—					6
7 Influenza	6	5	—	—	5	—	—	—	2	2	12	8	1	—					7
8 Encephalitis lethargica	1	1	—	—	—	1	—	1	3	1	1	2	—	1					8
9 Meningococcal meningitis	—	—	1	—	1	—	—	—	—	—	—	—	—	—					9
10 Tuberculosis of respiratory sys.	18	16	5	7	3	3	6	5	8	11	33	38	4	3					10
11 Other tuberculous diseases	6	4	3	1	3	2	1	—	2	3	15	8	2	3					11
12 Cancer, malignant disease	13	17	8	11	5	6	4	9	9	9	28	29	7	13					12
13 Rheumatic fever	—	—	—	—	1	1	—	—	2	—	—	—	1	—					13
14 Diabetes	1	2	1	—	—	1	—	1	1	—	—	4	1	1					14
15 Cerebral hæmorrhage, &c.	6	14	8	4	4	5	13	4	10	8	16	16	7	13					15
16 Heart disease	23	26	3	4	6	9	11	9	8	7	23	32	18	23					16
17 Arterio-sclerosis	2	2	3	—	4	5	3	—	6	—	9	1	8	6					17
18 Bronchitis	6	5	3	4	4	6	5	3	6	6	13	15	2	6					18
19 Pneumonia (all forms)	28	15	7	7	7	5	12	3	9	9	44	18	4	10					19
20 Other respiratory diseases	3	4	—	—	—	—	—	—	2	—	4	1	—	1					20
21 Ulcer of stomach or duodenum	1	2	—	2	2	1	—	—	1	2	2	1	1	2					21
22 Diarrhœa, &c. (under 2 years)	7	6	1	4	4	—	2	—	3	3	14	7	2	—					22
23 Appendicitis and typhlitis	—	2	—	—	1	2	—	1	3	—	1	—	1	1					23
24 Cirrhosis of liver	3	—	—	—	—	—	—	1	—	—	—	1	2	—					24
25 Acute and chronic nephritis	6	10	2	1	5	2	6	3	1	2	7	14	5	8					25
26 Puerperal sepsis	—	1	—	—	—	—	—	—	—	—	—	3	—	—					26
27 Other accidents and diseases of pregnancy and parturition	—	3	—	1	—	1	—	2	—	3	—	2	—	—					27
28 Congenital debility and malformation, premature birth	20	8	4	6	4	5	3	3	8	4	18	18	3	1					28
29 Suicide	5	1	1	—	—	1	1	—	4	—	1	2	1	—					29
30 Other deaths from violence	11	3	4	—	3	—	4	2	11	1	22	7	3	5					30
31 Other defined diseases	42	37	15	11	10	22	13	14	30	22	40	42	19	26					31
32 Causes ill-defined or unknown	9	—	1	—	1	2	—	—	1	1	4	2	2	—					32

* The remainder of Thrapston R.D. is in Huntingdonshire.

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1925 (Civilian population only)—*cont.*

NORTHUMBERLAND—*cont.* **NOTTINGHAMSHIRE.**

Causes of Death.	Alnwick R.D.		Castle Ward R.D.		Hexham R.D.		Morpeth R.D.		Arnold U.D.		Beeston U.D.		Carlton U.D.		East Retford M.B.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Causes	74	84	62	56	125	127	115	92	67	79	81	70	112	99	89	79
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	—	—	1	—	1	—	6	2	1	—	2	6	2	2	—	—
4 Scarlet fever	—	—	—	—	2	—	1	—	—	—	—	—	—	—	—	—
5 Whooping cough	—	1	—	—	2	—	1	1	—	—	1	1	—	—	2	1
6 Diphtheria	—	—	—	—	—	1	1	—	—	—	1	—	—	—	4	1
7 Influenza	1	4	2	1	3	3	1	1	—	—	—	1	4	—	2	1
8 Encephalitis lethargica	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
9 Meningococcal meningitis	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory sys.	5	2	3	3	7	8	8	6	2	7	5	3	8	3	5	5
11 Other tuberculous diseases	1	1	—	1	3	2	3	2	1	4	4	—	1	—	2	2
12 Cancer, malignant disease	8	10	2	2	10	19	8	11	9	10	9	6	14	9	2	16
13 Rheumatic fever	—	—	—	2	—	—	1	—	—	1	—	—	—	—	2	1
14 Diabetes	—	1	1	1	2	1	—	2	—	1	1	—	1	1	—	2
15 Cerebral hæmorrhage, &c.	8	7	3	6	5	12	3	3	3	7	7	7	7	9	9	7
16 Heart disease	8	10	15	8	23	26	10	11	9	12	4	8	10	12	5	5
17 Arterio-sclerosis	3	5	2	3	8	10	11	3	4	2	5	3	2	2	4	2
18 Bronchitis	5	6	3	3	3	5	10	6	4	8	8	5	5	9	5	7
19 Pneumonia (all forms)	4	5	3	5	6	5	4	7	8	9	13	6	14	12	10	10
20 Other respiratory diseases	3	1	1	1	3	3	2	1	2	4	3	—	2	—	1	—
21 Ulcer of stomach or duodenum	—	—	1	—	1	—	1	4	—	—	—	1	1	—	3	—
22 Diarrhœa, &c. (under 2 years)	—	1	1	—	—	—	2	1	5	1	1	2	2	—	—	1
23 Appendicitis and typhlitis	—	2	—	1	—	2	1	1	—	—	—	—	—	—	—	—
24 Cirrhosis of liver	1	—	—	—	1	—	1	—	—	—	—	—	—	—	2	1
25 Acute and chronic nephritis	—	—	4	1	3	5	—	4	1	4	2	—	1	3	2	2
26 Puerperal sepsis	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—
27 Other accidents and diseases of pregnancy and parturition	—	—	—	—	—	—	—	—	—	1	—	—	—	2	—	1
28 Congenital debility and malformation, premature birth	2	2	5	1	6	2	8	4	2	—	4	3	3	5	6	—
29 Suicide	1	—	—	—	1	—	1	—	1	—	—	—	2	1	1	—
30 Other deaths from violence	4	4	3	—	8	2	10	2	3	1	3	—	5	3	5	1
31 Other defined diseases	20	20	12	14	26	21	21	19	9	7	8	13	20	22	16	11
32 Causes ill-defined or unknown	—	2	—	2	1	—	—	—	3	—	—	—	7	3	1	2

NOTTINGHAMSHIRE—*cont.*

Causes of Death.	Huck-nall U.D.		Kirkby in Ashfield U.D.		Mansfield M.B.		Mansfield Wood-house U.D.		Newark M.B.		Sutton in Ashfield U.D.		West Bridg-ford U.D.		Work-sop U.D.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Causes	122	91	103	83	228	205	73	68	119	115	158	134	86	66	136	138
1 Enteric fever	—	—	—	—	—	—	—	—	—	1	—	1	1	—	—	—
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	1	2	1	2	—	—	—	—	—	—	1	2	—	—	—	—
4 Scarlet fever	—	—	—	—	2	2	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	—	—	—	2	—	—	—	—	2	3	1	7	—	—	2	3
6 Diphtheria	—	—	—	—	1	2	—	—	—	2	—	—	—	—	—	1
7 Influenza	1	4	2	4	7	7	4	1	2	4	7	4	1	1	2	6
8 Encephalitis lethargica	—	—	—	—	2	—	—	—	1	—	—	—	—	1	—	—
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory sys.	5	6	3	4	8	5	5	6	6	7	5	10	8	4	6	10
11 Other tuberculous diseases	1	—	—	—	1	6	3	—	3	3	3	6	—	1	2	1
12 Cancer, malignant disease	14	6	8	7	19	21	8	9	8	12	11	13	5	11	18	18
13 Rheumatic fever	1	—	—	1	1	1	1	1	—	—	—	—	—	—	—	—
14 Diabetes	1	—	—	2	—	2	1	—	2	2	—	—	2	2	3	—
15 Cerebral hæmorrhage, &c.	3	3	4	2	14	15	3	3	6	9	14	7	9	8	10	6
16 Heart disease	17	12	7	9	27	29	4	5	17	21	9	13	19	7	16	21
17 Arterio-sclerosis	3	3	3	3	6	1	1	1	5	2	3	—	5	2	4	3
18 Bronchitis	12	2	17	11	23	17	5	10	10	7	15	12	2	3	13	7
19 Pneumonia (all forms)	10	9	11	7	33	21	8	5	11	9	17	13	6	5	11	10
20 Other respiratory diseases	2	—	1	—	2	—	—	—	1	2	1	1	—	2	1	—
21 Ulcer of stomach or duodenum	1	—	—	—	3	—	2	—	1	—	1	—	3	—	1	1
22 Diarrhœa, &c. (under 2 years)	5	1	2	—	1	—	—	1	2	—	5	5	—	—	2	1
23 Appendicitis and typhlitis	—	1	—	—	—	1	—	1	2	1	—	—	1	1	2	1
24 Cirrhosis of liver	—	—	—	1	2	1	1	—	1	—	1	2	—	—	2	2
25 Acute and chronic nephritis	2	2	1	4	6	3	1	6	2	1	4	2	—	—	1	4
26 Puerperal sepsis	—	—	—	1	—	3	—	—	—	—	—	—	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition	—	3	—	1	—	2	—	—	—	—	—	—	—	—	—	2
28 Congenital debility and malformation, premature birth	11	6	10	3	12	16	8	5	8	8	14	5	4	2	14	5
29 Suicide	3	—	—	—	2	—	1	—	1	1	1	1	2	—	1	—
30 Other deaths from violence	5	1	10	3	10	2	8	2	6	2	10	3	3	1	9	5
31 Other defined diseases	24	30	23	16	45	45	9	12	22	18	32	24	15	14	15	31
32 Causes ill-defined or unknown	—	—	—	—	1	3	—	—	—	—	3	3	—	1	1	—

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1925 (Civilian population only)—*cont.*

NOTTINGHAMSHIRE—*cont.* **OXFORDSHIRE.**

Causes of Death.	Basford R.D.		Bingham R.D.		East Retford R.D.		Southwell R.D.		Stapleford R.D.						Banbury M.B.			
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.					M.	F.		
All Causes	283	256	90	84	92	97	153	137	63	78					74	83		
1 Enteric fever	—	1	—	—	—	—	—	—	—	—					—	—		1
2 Small-pox	—	—	—	—	—	—	—	—	—	—					—	—		2
3 Measles	3	4	2	1	—	—	—	—	—	1					2	—		3
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—					—	—		4
5 Whooping cough	2	1	—	—	—	—	1	1	—	—					1	2		5
6 Diphtheria	1	—	—	—	—	—	—	—	1	—					—	—		6
7 Influenza	14	8	6	4	3	3	7	7	5	2					1	1		7
8 Encephalitis lethargica	2	1	—	—	1	1	—	1	—	—					—	—		8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—					—	—		9
10 Tuberculosis of respiratory sys.	9	12	5	3	6	5	6	8	3	2					8	7		10
11 Other tuberculous diseases	4	2	—	1	1	1	1	2	1	—					1	1		11
12 Cancer, malignant disease	23	24	11	14	10	17	20	12	4	14					6	18		12
13 Rheumatic fever	—	—	—	—	—	1	—	—	—	—					—	—		13
14 Diabetes	1	5	1	1	—	1	—	2	2	—					—	2		14
15 Cerebral hæmorrhage, &c.	14	20	5	6	9	10	13	6	7	8					8	8		15
16 Heart disease	31	32	12	12	8	10	17	20	9	11					5	3		16
17 Arterio-sclerosis	3	2	6	3	6	5	8	5	1	—					—	1		17
18 Bronchitis	25	16	5	10	6	5	14	13	3	9					10	7		18
19 Pneumonia (all forms)	33	26	4	6	5	5	11	2	4	8					4	10		19
20 Other respiratory diseases	7	1	—	1	1	1	—	—	—	1					1	—		20
21 Ulcer of stomach or duodenum	3	2	—	—	—	1	2	—	1	—					1	—		21
22 Diarrhœa, &c. (under 2 years)	2	1	2	—	—	—	—	3	—	—					1	1		22
23 Appendicitis and typhlitis	—	—	2	—	3	2	1	—	—	—					1	1		23
24 Cirrhosis of liver	—	—	—	—	—	1	—	—	—	—					—	—		24
25 Acute and chronic nephritis	2	4	3	1	4	6	6	—	3	2					3	3		25
26 Puerperal sepsis	—	—	—	—	—	1	—	2	—	—					—	—		26
27 Other accidents and diseases of pregnancy and parturition	—	2	—	1	—	1	—	4	—	—					—	—		27
28 Congenital debility and malformation, premature birth	13	14	4	6	2	—	8	17	6	4					3	1		28
29 Suicide	4	2	1	1	—	—	—	—	—	—					—	1		29
30 Other deaths from violence	19	4	4	2	5	—	2	1	3	3					3	1		30
31 Other defined diseases	66	65	16	11	21	20	33	31	9	13					14	14		31
32 Causes ill-defined or unknown	2	7	1	—	1	—	3	—	1	—					1	1		32

OXFORDSHIRE—*cont.* **PETERBOROUGH, SOKE OF.**

Causes of Death.	Banbury R.D.		Chipping Norton R.D.		Headington R.D.		Henley R.D.		Witney R.D.		Woodstock R.D.						Peterborough M.B.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.					M.	F.	
All Causes	85	84	68	60	72	87	67	62	87	108	68	75					188	208	
1 Enteric fever	—	—	—	—	—	—	1	—	—	—	—	—					—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—					—	—	2
3 Measles	—	—	—	—	—	—	—	—	—	—	1	—					1	—	3
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—					—	—	4
5 Whooping cough	1	—	2	—	1	—	—	—	2	1	—	—					1	3	5
6 Diphtheria	—	—	—	—	—	—	—	—	—	—	—	—					—	—	6
7 Influenza	—	4	2	1	1	3	1	4	7	3	3	4					8	7	7
8 Encephalitis lethargica	—	—	—	—	—	—	—	—	—	2	1	—					1	3	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—					—	—	9
10 Tuberculosis of respiratory sys.	9	2	3	1	3	7	2	1	2	1	2	3					13	12	10
11 Other tuberculous diseases	2	1	—	1	1	2	1	1	1	2	1	3					2	3	11
12 Cancer, malignant disease	13	8	12	13	12	13	9	15	10	11	6	14					15	19	12
13 Rheumatic fever	—	—	—	—	—	—	—	—	—	—	1	—					—	—	13
14 Diabetes	—	—	1	1	1	—	—	1	—	2	1	—					2	4	14
15 Cerebral hæmorrhage, &c.	9	11	5	5	8	5	4	6	5	14	10	8					12	15	15
16 Heart disease	8	8	7	9	5	14	11	8	17	20	11	13					34	33	16
17 Arterio-sclerosis	—	1	8	6	1	4	4	—	2	3	2	3					14	6	17
18 Bronchitis	6	15	2	1	5	3	3	7	3	12	2	2					13	17	18
19 Pneumonia (all forms)	4	5	—	3	5	6	4	2	2	2	3	2					8	6	19
20 Other respiratory diseases	1	1	3	1	—	1	1	—	1	2	—	1					5	2	20
21 Ulcer of stomach or duodenum	1	—	1	—	—	—	1	—	1	—	—	—					—	2	21
22 Diarrhœa, &c. (under 2 years)	2	1	—	—	1	—	1	—	—	—	—	—					1	3	22
23 Appendicitis and typhlitis	—	—	2	1	—	1	—	—	1	—	—	2					4	2	23
24 Cirrhosis of liver	—	—	—	—	—	—	—	—	1	—	—	—					1	1	24
25 Acute and chronic nephritis	—	2	1	—	3	2	2	—	—	3	3	1					6	15	25
26 Puerperal sepsis	—	—	—	—	—	1	—	—	—	1	—	—					—	2	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	—	—	—	—	1	—	—	—	—					—	1	27
28 Congenital debility and malformation, premature birth	1	3	5	1	3	1	1	1	1	—	3	2					11	8	28
29 Suicide	1	—	—	—	1	1	2	—	—	1	—	—					4	—	29
30 Other deaths from violence	3	1	—	1	4	—	1	—	3	1	2	—					4	6	30
31 Other defined diseases	24	21	14	13	16	23	15	14	27	27	15	17					28	38	31
32 Causes ill-defined or unknown	—	—	—	2	1	—	3	1	1	—	1	—					—	—	32

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1925 (Civilian population only)—*cont.*

SHROPSHIRE.

Causes of Death.	Oakengates U.D.		Shrewsbury M.B.		Wenlock M.B.				Atcham R.D.		Oswestry R.D.		Wellington R.D.					
	M.	F.	M.	F.	M.	F.			M.	F.	M.	F.	M.	F.				
All Causes	64	71	185	182	93	104			141	113	94	79	73	51				
1 Enteric fever	—	—	—	—	—	—			—	—	—	—	—	—				1
2 Small-pox	—	—	—	—	—	—			—	—	—	—	—	—				2
3 Measles	1	—	3	2	1	1			—	1	—	—	—	—				3
4 Scarlet fever	—	—	—	1	1	2			—	1	—	—	—	—				4
5 Whooping cough	1	—	—	—	1	—			—	2	2	1	—	1				5
6 Diphtheria	—	—	3	—	—	—			—	2	1	1	—	—				6
7 Influenza	2	4	5	3	3	2			1	2	2	—	5	—				7
8 Encephalitis lethargica	1	1	—	2	—	—			—	—	1	—	—	—				8
9 Meningococcal meningitis	—	—	—	—	—	—			—	—	—	—	1	—				9
10 Tuberculosis of respiratory sys.	2	4	11	8	3	4			3	5	5	4	7	2				10
11 Other tuberculous diseases	—	1	2	2	1	3			2	1	1	1	—	—				11
12 Cancer, malignant disease	4	7	29	19	9	12			15	14	11	14	7	4				12
13 Rheumatic fever	1	—	1	—	—	—			—	—	—	—	—	—				13
14 Diabetes	—	—	—	1	1	1			—	1	—	1	1	1				14
15 Cerebral hæmorrhage, &c.	5	3	5	22	6	8			15	18	3	10	3	5				15
16 Heart disease	6	15	29	25	16	25			14	17	17	18	10	4				16
17 Arterio-sclerosis	—	3	7	6	1	3			8	3	7	5	1	—				17
18 Bronchitis	10	5	13	12	3	6			8	5	5	3	5	7				18
19 Pneumonia (all forms)	6	3	15	15	9	1			10	3	5	4	6	9				19
20 Other respiratory diseases	—	—	8	2	2	1			5	—	—	1	—	1				20
21 Ulcer of stomach or duodenum	—	—	—	1	—	—			3	—	—	—	—	—				21
22 Diarrhœa, &c. (under 2 years)	1	—	3	3	1	—			2	—	—	—	—	—				22
23 Appendicitis and typhlitis	—	—	—	1	2	3			1	—	3	—	1	1				23
24 Cirrhosis of liver	—	—	4	1	—	—			3	—	—	—	—	—				24
25 Acute and chronic nephritis	1	—	3	4	2	4			5	4	2	2	1	2				25
26 Puerperal sepsis	—	—	—	2	—	1			—	—	—	—	—	—				26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	1	—	—			—	1	—	1	—	—				27
28 Congenital debility and malformation, premature birth	4	4	7	4	7	5			8	4	7	3	2	3				28
29 Suicide	—	1	—	1	—	—			1	2	—	—	3	—				29
30 Other deaths from violence	4	—	10	4	5	2			7	4	4	—	3	1				30
31 Other defined diseases	13	20	27	40	17	19			28	23	17	10	17	10				31
32 Causes ill-defined or unknown	2	—	—	—	2	1			2	—	1	—	—	—				32

SOMERSETSHIRE.

Causes of Death.	Bridgwater M.B.		Frome U.D.		Taunton M.B.		Weston-super-Mare U.D.		Yeovil M.B.				Axbridge R.D.		Bath R.D.		Bridgwater R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.			M.	F.	M.	F.	M.	F.	
All Causes	110	119	65	91	155	129	114	194	66	97			130	156	83	91	114	121	
1 Enteric fever	—	—	—	—	—	—	—	—	—	—			—	1	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—			—	—	—	—	—	—	2
3 Measles	1	—	—	—	—	—	—	2	—	—			1	1	—	1	—	—	3
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—			—	—	—	—	—	—	4
5 Whooping cough	3	2	—	1	1	4	—	2	—	—			—	—	1	1	1	3	5
6 Diphtheria	1	3	—	—	—	—	—	—	—	—			—	—	—	—	—	—	6
7 Influenza	2	5	2	2	5	6	2	8	1	5			4	1	4	5	4	4	7
8 Encephalitis lethargica	1	—	—	—	1	—	—	1	—	—			2	1	—	1	—	1	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—			—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	4	8	2	2	9	10	9	14	3	3			4	10	6	2	5	9	10
11 Other tuberculous diseases	1	2	1	1	3	1	1	—	2	2			2	3	3	2	1	1	11
12 Cancer, malignant disease	11	16	8	14	14	19	14	25	8	22			14	23	9	6	13	17	12
13 Rheumatic fever	—	1	—	—	1	—	—	1	1	—			—	—	—	—	—	—	13
14 Diabetes	1	2	—	1	1	1	1	3	1	1			2	1	2	1	—	—	14
15 Cerebral hæmorrhage, &c.	2	4	5	7	17	10	9	27	4	11			11	16	4	8	9	10	15
16 Heart disease	11	17	13	18	27	13	21	26	14	17			21	28	10	18	14	13	16
17 Arterio-sclerosis	5	—	4	3	3	1	4	3	2	1			10	6	5	5	1	1	17
18 Bronchitis	16	10	3	2	15	11	7	18	4	6			4	10	6	8	11	7	18
19 Pneumonia (all forms)	10	10	5	9	7	8	8	6	4	1			8	9	5	5	5	4	19
20 Other respiratory diseases	2	2	—	—	7	3	—	5	1	2			3	—	1	1	2	2	20
21 Ulcer of stomach or duodenum	—	1	—	1	—	1	—	1	1	—			1	—	2	—	—	1	21
22 Diarrhœa, &c. (under 2 years)	2	—	—	—	3	—	—	1	—	1			—	—	—	—	2	—	22
23 Appendicitis and typhlitis	1	1	1	—	—	—	—	1	—	1			—	1	—	—	1	1	23
24 Cirrhosis of liver	2	—	1	1	—	1	—	—	—	—			2	—	—	—	2	—	24
25 Acute and chronic nephritis	2	3	1	3	4	3	5	7	1	1			7	5	2	4	3	1	25
26 Puerperal sepsis	—	1	—	—	—	—	—	2	—	1			—	1	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	—	—	—	—	—	—	—			—	1	—	1	—	—	27
28 Congenital debility and malformation, premature birth	5	6	5	3	8	1	3	3	5	1			2	4	8	2	7	2	28
29 Suicide	3	—	1	—	—	—	—	—	—	1			—	1	1	1	2	—	29
30 Other deaths from violence	6	4	1	1	3	1	3	2	2	3			9	3	2	4	5	2	30
31 Other defined diseases	18	20	12	22	26	35	27	36	12	17			23	30	12	15	26	41	31
32 Causes ill-defined or unknown	—	—	—	—	—	—	—	—	—	—			—	—	—	—	—	1	32

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1925 (Civilian population only)—*cont.*

SOMERSETSHIRE—*cont.*

Causes of Death.	Chard R.D.		Clutton R.D.		Frome R.D.		Keynsham R.D.		Langport R.D.		Long Ashton R.D.		Taunton R.D.		Wells R.D.		Williton R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	68	82	111	89	57	79	59	49	61	94	110	129	86	108	66	57	72	74	
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	2	2	—	—	—	—	—	—	—	1	1	—	—	—	—	—	3
4 Scarlet fever	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5 Whooping cough	—	1	—	—	—	—	2	—	1	2	—	1	2	—	—	—	1	—	5
6 Diphtheria	—	—	—	—	1	—	—	—	1	—	2	1	—	—	—	—	—	—	6
7 Influenza	10	4	3	1	5	6	3	—	1	3	2	2	5	3	—	2	1	1	7
8 Encephalitis lethargica	—	—	2	1	1	—	—	1	—	1	—	—	—	1	—	—	—	1	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	1	5	8	5	2	5	6	2	4	7	3	8	3	9	2	1	2	3	10
11 Other tuberculous diseases	—	2	—	—	—	—	—	1	—	—	—	1	2	—	1	2	1	1	11
12 Cancer, malignant disease	6	14	10	12	5	3	4	7	8	14	7	16	11	7	8	4	11	8	12
13 Rheumatic fever	—	—	1	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	13
14 Diabetes	—	—	1	1	1	2	1	—	1	3	2	2	—	2	—	1	1	2	14
15 Cerebral hæmorrhage, &c.	4	7	6	6	2	10	6	7	7	9	10	16	3	13	4	2	5	7	15
16 Heart disease	11	10	13	11	7	15	8	8	8	9	10	26	11	17	16	17	16	14	16
17 Arterio-sclerosis	4	2	6	1	3	1	1	1	—	2	4	2	4	2	6	3	1	—	17
18 Bronchitis	3	5	12	10	5	7	6	6	2	4	10	6	4	6	3	6	3	3	18
19 Pneumonia (all forms)	1	3	2	5	5	6	5	1	4	9	5	4	3	5	4	4	4	3	19
20 Other respiratory diseases	—	3	1	1	—	1	1	—	1	1	3	3	—	2	—	1	—	1	20
21 Ulcer of stomach or duodenum	1	—	1	—	1	1	—	—	—	—	6	—	—	—	2	2	2	—	21
22 Diarrhœa, &c. (under 2 years)	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	22
23 Appendicitis and typhlitis	2	—	—	—	—	—	1	—	1	—	2	—	—	—	1	1	—	—	23
24 Cirrhosis of liver	1	1	1	—	1	—	—	2	—	—	—	1	—	1	—	—	—	—	24
25 Acute and chronic nephritis	2	2	4	5	—	1	—	2	6	6	4	7	3	1	1	—	1	3	25
26 Puerperal sepsis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	1	—	—	—	1	—	1	—	1	—	1	—	—	—	—	27
28 Congenital debility and malformation, premature birth	4	5	2	4	—	3	3	1	1	5	5	4	4	4	1	2	4	1	28
29 Suicide	1	1	1	—	—	—	—	—	2	2	1	—	1	—	3	1	1	1	29
30 Other deaths from violence	1	4	10	3	5	1	2	3	1	2	6	1	5	4	7	1	2	2	30
31 Other defined diseases	15	12	24	20	13	16	10	6	12	14	26	26	24	29	7	7	14	22	31
32 Causes ill-defined or unknown	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1	—	32

SOMERSETSHIRE—*cont.* SOUTHAMPTON.

Causes of Death.	Wincanton R.D.		Yeovil R.D.		Aldershot M.B.		Basingstoke M.B.		Eastleigh & Bishopstoke U.D.		Fareham U.D.		Farnborough U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	93	114	85	107	130	132	75	76	75	72	53	57	50	52	
1 Enteric fever	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	1	—	—	1	—	—	1	1	—	—	3
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5 Whooping cough	1	1	—	—	5	4	—	1	2	2	2	—	—	4	5
6 Diphtheria	—	—	—	—	1	2	—	—	—	—	1	1	—	—	6
7 Influenza	3	4	5	9	1	1	2	—	2	1	1	—	2	2	7
8 Encephalitis lethargica	1	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	1	—	—	—	—	9
10 Tuberculosis of respiratory sys.	3	2	5	4	14	7	8	7	10	9	3	1	4	3	10
11 Other tuberculous diseases	—	1	—	2	7	4	2	—	1	—	—	2	—	—	11
12 Cancer, malignant disease	13	19	8	15	15	15	4	14	10	9	4	11	6	4	12
13 Rheumatic fever	—	—	—	—	—	—	1	—	—	1	—	1	—	—	13
14 Diabetes	1	1	1	—	1	4	1	2	—	2	1	—	—	1	14
15 Cerebral hæmorrhage, &c.	8	14	4	7	6	9	7	4	1	2	2	—	2	3	15
16 Heart disease	9	11	16	11	14	20	5	4	13	17	9	5	6	11	16
17 Arterio-sclerosis	2	3	3	2	2	2	2	—	2	1	4	2	3	1	17
18 Bronchitis	7	4	7	7	5	9	12	4	1	2	4	5	2	3	18
19 Pneumonia (all forms)	2	7	5	1	5	8	2	2	4	4	4	6	2	1	19
20 Other respiratory diseases	2	1	1	1	2	—	1	—	1	—	2	—	2	—	20
21 Ulcer of stomach or duodenum	2	1	—	—	1	1	4	—	2	—	—	—	—	—	21
22 Diarrhœa, &c. (under 2 years)	2	1	—	—	2	5	1	—	—	1	—	1	1	—	22
23 Appendicitis and typhlitis	—	—	—	—	2	1	2	1	—	1	—	—	1	1	23
24 Cirrhosis of liver	2	1	2	—	1	—	1	—	—	—	—	—	—	—	24
25 Acute and chronic nephritis	4	4	1	1	2	4	1	2	2	4	1	—	3	3	25
26 Puerperal sepsis	—	2	—	1	—	1	—	—	—	—	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	2	—	—	—	—	—	—	—	1	—	2	27
28 Congenital debility and malformation, premature birth	—	3	6	5	8	8	5	5	4	2	1	4	4	3	28
29 Suicide	—	—	1	—	—	1	—	1	1	—	—	—	1	—	29
30 Other deaths from violence	2	3	3	1	5	3	4	1	3	—	3	2	3	4	30
31 Other defined diseases	29	30	17	36	30	23	10	26	16	11	10	13	8	6	31
32 Causes ill-defined or unknown	—	—	—	2	—	—	—	—	—	2	—	1	—	—	32

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1925 (Civilian population only)—*cont.*

SOUTHAMPTON—*cont.*

Causes of Death.	Gosport M.B.		Winchester M.B.		Alton R.D.		Andover R.D.		Basingstoke R.D.		Droxford R.D.		Fareham R.D.		Hartley Wintney R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	171	185	121	139	107	81	50	48	71	81	85	70	93	77	119	114	
1 Enteric fever	—	—	—	—	—	—	—	1	—	1	1	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	4	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	4
5 Whooping cough	3	1	—	—	—	1	—	—	—	1	1	—	1	—	2	—	5
6 Diphtheria	3	5	—	—	—	—	—	—	—	—	1	1	1	1	—	1	6
7 Influenza	1	2	—	3	7	2	1	2	2	2	1	—	4	5	—	1	7
8 Encephalitis lethargica	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	11	13	1	4	2	3	1	1	2	1	7	1	6	4	11	5	10
11 Other tuberculous diseases	4	2	—	1	2	1	1	3	1	1	—	—	—	—	5	—	11
12 Cancer, malignant disease	20	21	14	20	12	7	8	4	9	7	15	13	7	4	16	16	12
13 Rheumatic fever	2	1	—	1	—	—	—	1	—	—	—	—	—	1	—	1	13
14 Diabetes	3	1	1	2	1	3	—	—	2	3	—	2	1	2	2	2	14
15 Cerebral hæmorrhage, &c.	14	10	10	17	12	5	5	3	6	7	6	5	8	8	8	5	15
16 Heart disease	22	18	18	28	10	19	6	10	7	16	8	14	9	11	29	37	16
17 Arterio-sclerosis	5	1	4	5	6	2	1	3	2	3	3	3	4	2	8	4	17
18 Bronchitis	5	18	11	7	8	5	4	4	6	1	7	3	2	4	4	9	18
19 Pneumonia (all forms)	15	9	7	—	6	6	3	3	4	6	3	4	5	4	2	2	19
20 Other respiratory diseases	4	—	3	2	—	—	—	—	—	—	—	—	2	—	—	3	20
21 Ulcer of stomach or duodenum	—	—	—	1	1	—	1	—	—	3	—	1	3	—	—	1	21
22 Diarrhœa, &c. (under 2 years)	—	2	—	—	1	—	—	1	2	—	1	—	1	—	—	1	22
23 Appendicitis and typhlitis	2	1	1	2	—	1	2	—	—	2	1	2	1	1	—	—	23
24 Cirrhosis of liver	—	2	1	1	—	—	—	—	—	—	—	—	1	—	—	—	24
25 Acute and chronic nephritis	7	7	3	4	—	—	—	2	2	—	1	4	5	—	4	2	25
26 Puerperal sepsis	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	1	—	—	—	—	—	2	—	—	—	—	—	2	27
28 Congenital debility and malformation, premature birth	7	7	12	8	10	3	2	—	4	—	6	2	3	7	5	6	28
29 Suicide	1	2	1	1	2	—	—	3	1	—	1	—	1	1	—	—	29
30 Other deaths from violence	3	3	3	4	5	—	3	1	3	—	4	1	3	4	5	2	30
31 Other defined diseases	35	56	31	27	21	22	11	6	18	23	18	12	25	17	17	13	31
32 Causes ill-defined or unknown	—	—	—	—	1	—	1	—	—	2	—	—	—	—	1	1	32

SOUTHAMPTON—*cont.* **STAFFORDSHIRE.**

Causes of Death.	Lymington R.D.		New Forest R.D.		Petersfield R.D.		South Stoneham R.D.		Winchester R.D.		Audley U.D.		Bilston U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	67	90	110	101	69	65	55	63	65	62	94	91	261	234	
1 Enteric fever	—	—	1	—	—	—	1	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	—	1	—	1	—	—	—	6	13	6	3
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	1	1	—	—	4
5 Whooping cough	—	—	—	2	—	—	—	—	1	1	—	2	3	7	5
6 Diphtheria	—	2	—	—	—	—	1	1	—	—	1	1	4	1	6
7 Influenza	1	4	4	4	2	3	—	—	1	1	7	6	11	3	7
8 Encephalitis lethargica	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	2	7	7	3	5	5	4	2	2	2	4	6	14	11	10
11 Other tuberculous diseases	1	—	2	3	—	—	1	1	2	—	1	1	3	—	11
12 Cancer, malignant disease	7	11	12	13	10	3	9	7	13	10	7	6	23	14	12
13 Rheumatic fever	—	—	1	—	—	—	—	—	—	—	—	—	—	—	13
14 Diabetes	—	3	1	—	1	2	1	1	—	2	1	—	1	—	14
15 Cerebral hæmorrhage, &c.	7	7	5	8	3	5	2	4	5	4	3	7	17	15	15
16 Heart disease	8	14	25	15	15	20	11	15	8	9	12	11	14	18	16
17 Arterio-sclerosis	5	4	7	5	7	2	5	3	1	1	5	3	3	2	17
18 Bronchitis	4	3	2	6	2	—	—	2	3	8	7	6	24	28	18
19 Pneumonia (all forms)	3	2	7	3	2	6	2	1	4	2	5	6	46	37	19
20 Other respiratory diseases	1	1	2	5	—	1	1	—	—	1	1	1	—	4	20
21 Ulcer of stomach or duodenum	2	—	—	—	1	—	—	1	1	—	—	—	1	1	21
22 Diarrhœa, &c. (under 2 years)	—	—	—	—	1	—	2	1	—	1	1	—	8	6	22
23 Appendicitis and typhlitis	1	—	1	—	—	—	—	—	2	—	—	1	2	1	23
24 Cirrhosis of liver	—	—	1	—	—	—	1	—	—	—	—	—	1	1	24
25 Acute and chronic nephritis	2	3	3	7	—	—	3	6	—	2	3	4	10	2	25
26 Puerperal sepsis	—	—	—	1	—	—	—	1	—	—	—	1	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	2	—	—	—	—	—	—	—	—	—	—	—	3	27
28 Congenital debility and malformation, premature birth	4	1	3	5	2	2	1	1	7	5	5	3	15	15	28
29 Suicide	1	1	3	—	1	—	—	—	2	—	4	—	2	—	29
30 Other deaths from violence	—	1	5	1	—	1	2	2	2	1	8	2	8	5	30
31 Other defined diseases	18	24	16	20	17	14	8	12	11	12	18	17	38	54	31
32 Causes ill-defined or unknown	—	—	2		—	—	—	1	—	—	—	—	—	—	32

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1925 (Civilian population only)—*cont.*

STAFFORDSHIRE—*cont.*

Causes of Death.	Brierley Hill U.D.		Brownhills U.D.		Cannock U.D.		Coseley U.D.		Darlaston U.D.		Heathtown or Wednesfield Heath U.D.		Leek U.D.		Newcastle under Lyme M.B.		Rowley Regis U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	67	58	104	102	191	172	181	144	143	123	90	80	128	133	144	148	236	189	
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	1	—	1	4	1	5	1	2	2	3	1	1	1	—	2	5	9	7	3
4 Scarlet fever	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	2	—	—	4
5 Whooping cough	1	1	3	3	2	2	5	5	6	5	4	1	—	1	6	5	2	5	5
6 Diphtheria	—	—	—	—	5	4	1	—	—	—	—	—	—	—	2	2	—	1	6
7 Influenza	1	2	7	6	8	6	4	4	8	4	1	1	6	5	6	2	8	8	7
8 Encephalitis lethargica	—	1	1	—	—	—	—	—	—	—	—	—	—	—	1	1	4	1	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	6	5	1	5	11	14	8	8	11	7	3	6	8	9	8	11	21	15	10
11 Other tuberculous diseases	—	2	—	1	4	2	4	—	3	2	4	2	—	1	4	1	3	4	11
12 Cancer, malignant disease	12	9	7	12	11	11	11	17	8	9	8	7	12	19	11	16	18	8	12
13 Rheumatic fever	—	—	—	—	1	1	1	—	1	—	—	1	—	—	2	—	1	—	13
14 Diabetes	—	—	1	—	—	2	—	—	—	—	—	1	—	—	1	2	4	2	14
15 Cerebral hæmorrhage, &c.	4	2	6	4	7	12	10	9	10	10	6	1	7	14	7	8	20	19	15
16 Heart disease	6	5	11	18	16	14	18	12	9	19	9	16	26	29	7	19	23	21	16
17 Arterio-sclerosis	2	1	2	2	8	11	1	—	2	—	3	—	9	2	9	4	9	7	17
18 Bronchitis	2	6	12	14	14	11	21	17	14	10	6	9	7	6	15	9	13	9	18
19 Pneumonia (all forms)	2	3	13	6	18	13	42	19	24	12	9	8	9	4	15	15	31	19	19
20 Other respiratory diseases	—	2	1	1	5	1	3	6	3	2	—	1	1	4	4	1	1	2	20
21 Ulcer of stomach or duodenum	2	—	—	—	2	2	1	—	1	1	—	—	2	2	—	—	1	1	21
22 Diarrhœa, &c. (under 2 years)	—	—	—	2	2	2	8	5	3	5	—	1	2	—	7	1	3	—	22
23 Appendicitis and typhlitis	—	—	2	—	2	—	1	—	1	—	—	1	1	1	—	—	—	—	23
24 Cirrhosis of liver	—	—	1	—	1	—	—	—	—	—	—	—	1	1	1	—	1	3	24
25 Acute and chronic nephritis	4	4	3	1	3	2	1	—	1	—	3	1	2	—	2	4	3	5	25
26 Puerperal sepsis	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	1	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	—	—	2	—	1	—	2	—	—	—	—	—	—	—	3	27
28 Congenital debility and malformation, premature birth	6	5	6	5	20	17	7	5	9	9	9	5	12	7	6	5	21	10	28
29 Suicide	1	—	3	—	3	3	3	—	1	—	—	—	2	—	2	—	2	1	29
30 Other deaths from violence	5	2	8	—	15	2	3	2	4	1	5	2	2	1	5	8	8	2	30
31 Other defined diseases	12	8	14	17	29	32	26	31	22	21	18	14	18	27	20	26	30	35	31
32 Causes ill-defined or unknown	—	—	1	1	2	—	—	1	—	—	—	—	—	—	1	1	—	—	32

STAFFORDSHIRE—*cont.*

Causes of Death.	Sedgley U.D.		Stafford M.B.		Tipton U.D.		Wednesbury M.B.		Willenhall U.D.		Wolstanton United U.D.		Cannock R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	121	99	135	134	278	254	267	211	141	138	204	192	119	136	
1 Enteric fever	—	—	—	—	1	—	—	—	1	—	—	1	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	3	2	—	2	8	8	7	5	1	5	2	—	3	2	3
4 Scarlet fever	2	1	—	1	—	1	1	1	—	1	—	2	—	—	4
5 Whooping cough	5	9	2	3	1	7	1	3	5	5	4	3	2	8	5
6 Diphtheria	—	—	1	—	—	2	2	3	1	1	2	1	1	2	6
7 Influenza	4	7	7	5	7	8	10	3	5	3	8	3	5	6	7
8 Encephalitis lethargica	—	—	—	1	—	2	—	—	1	—	—	—	—	—	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	11	5	15	12	18	13	25	22	14	7	17	17	5	5	10
11 Other tuberculous diseases	2	—	2	3	5	9	11	5	3	5	4	3	—	—	11
12 Cancer, malignant disease	5	1	14	13	19	19	22	20	9	12	15	24	12	12	12
13 Rheumatic fever	—	—	—	1	2	—	—	1	—	1	—	3	—	—	13
14 Diabetes	2	2	—	1	2	1	6	3	—	1	2	2	3	4	14
15 Cerebral hæmorrhage, &c.	2	7	13	11	16	11	11	12	8	6	13	17	3	5	15
16 Heart disease	9	8	15	15	11	17	23	24	13	14	22	27	16	30	16
17 Arterio-sclerosis	—	1	—	2	2	3	6	1	—	—	12	7	1	—	17
18 Bronchitis	4	5	15	12	26	15	20	21	6	4	23	14	9	9	18
19 Pneumonia (all forms)	18	14	7	8	38	35	23	17	17	12	24	5	10	4	19
20 Other respiratory diseases	2	—	2	2	3	3	7	2	2	2	2	1	1	1	20
21 Ulcer of stomach or duodenum	1	1	1	—	3	2	4	2	3	—	2	—	—	—	21
22 Diarrhœa, &c. (under 2 years)	2	—	1	1	8	12	10	7	11	5	3	2	3	1	22
23 Appendicitis and typhlitis	—	—	—	—	1	—	3	1	—	1	—	2	1	2	23
24 Cirrhosis of liver	—	—	1	1	2	1	1	—	—	—	1	—	—	—	24
25 Acute and chronic nephritis	2	1	4	2	5	2	4	5	2	3	4	6	1	1	25
26 Puerperal sepsis	—	—	—	—	—	—	—	—	—	2	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	1	—	2	—	—	—	1	—	4	—	—	27
28 Congenital debility and malformation, premature birth	12	6	8	2	30	20	17	10	12	8	15	11	7	7	28
29 Suicide	2	1	—	2	2	1	—	—	1	1	1	—	4	—	29
30 Other deaths from violence	3	3	4	1	9	6	11	5	1	4	12	7	7	3	30
31 Other defined diseases	30	25	23	32	59	53	42	38	25	33	16	29	24	34	31
32 Causes ill-defined or unknown	—	—	—	—	—	1	—	—	—	1	—	1	1	—	32

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1925 (Civilian population only)—*cont.*

STAFFORDSHIRE—*cont.*

Causes of Death.	Cheadle R.D.		Kingswinford R.D.		Leek R.D.		Lichfield R.D.		Seisdon R.D.		Stafford R.D.		Stone R.D.		Tamworth (part of) R.D.*		Walsall R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	130	141	152	130	84	96	197	156	107	91	54	43	78	55	38	33	83	67	
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	3	3	12	1	—	—	8	2	—	—	—	—	—	—	—	—	3	3	3
4 Scarlet fever	1	—	—	—	—	4	—	1	1	—	—	—	—	—	—	—	—	—	4
5 Whooping cough	3	3	3	3	2	—	—	—	1	2	—	—	1	2	1	—	1	—	5
6 Diphtheria	—	1	—	2	—	1	—	2	1	1	1	—	—	—	1	3	3	4	6
7 Influenza	8	6	7	4	2	4	13	8	4	1	2	1	3	5	1	—	2	—	7
8 Encephalitis lethargica	—	1	—	—	—	1	—	3	—	—	1	1	—	—	1	1	—	—	8
9 Meningococcal meningitis	1	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	7	2	6	6	1	4	6	12	12	8	1	3	2	—	1	1	—	3	10
11 Other tuberculous diseases	4	2	1	2	—	—	5	1	—	1	—	2	1	—	2	1	1	1	11
12 Cancer, malignant disease	8	17	15	23	9	11	22	12	9	9	4	7	12	7	3	3	9	8	12
13 Rheumatic fever	2	1	—	1	1	—	1	1	—	—	—	—	—	—	—	—	1	—	13
14 Diabetes	—	1	—	1	1	—	1	2	—	1	2	1	2	1	—	2	—	—	14
15 Cerebral hæmorrhage, &c.	5	8	12	8	11	11	8	5	8	7	3	3	4	3	1	2	10	3	15
16 Heart disease	22	27	18	21	18	14	26	32	12	21	16	3	11	6	2	2	9	5	16
17 Arterio-sclerosis	11	4	6	2	5	3	15	5	4	1	3	1	2	1	4	1	—	1	17
18 Bronchitis	3	12	14	6	7	4	10	7	2	8	4	4	6	6	3	4	7	—	18
19 Pneumonia (all forms)	5	11	11	14	5	5	12	10	7	3	1	3	3	3	2	1	7	5	19
20 Other respiratory diseases	—	1	5	—	2	2	2	2	2	1	1	—	1	1	—	—	2	1	20
21 Ulcer of stomach or duodenum	—	1	1	—	—	1	1	—	1	—	—	1	—	—	—	—	—	1	21
22 Diarrhœa, &c. (under 2 years)	3	3	1	2	1	1	4	2	3	—	1	—	—	1	—	—	1	3	22
23 Appendicitis and typhlitis	—	—	—	1	—	1	—	—	—	—	1	1	1	—	—	—	1	—	23
24 Cirrhosis of liver	—	—	—	—	1	—	2	—	—	1	—	—	—	—	1	—	—	—	24
25 Acute and chronic nephritis	1	3	3	1	1	1	1	2	3	5	3	1	2	—	1	1	—	1	25
26 Puerperal sepsis	—	1	—	—	—	1	—	3	—	—	—	1	—	—	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	3	—	1	—	1	—	1	—	—	—	2	—	1	—	—	27
28 Congenital debility and malformation, premature birth	10	5	8	9	6	9	11	8	4	3	2	1	1	3	3	2	3	5	28
29 Suicide	4	—	—	—	1	—	3	1	5	—	—	—	2	—	—	—	1	1	29
30 Other deaths from violence	6	2	6	5	2	1	11	3	8	1	2	1	1	—	1	—	5	2	30
31 Other defined diseases	20	26	23	15	8	14	35	31	20	16	6	8	23	14	10	8	17	20	31
32 Causes ill-defined or unknown	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	32

SUFFOLK, EAST.

Causes of Death.	Felixstowe U.D.		Lowestoft M.B.						Blything R.D.		Bosmere & Claydon R.D.		Hartismere R.D.		Mutford & Lothingland R.D.		Plomesgate R.D.		
	M.	F.	M.	F.					M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	50	55	231	214					118	119	103	89	63	74	52	62	103	92	
1 Enteric fever	—	—	—	—					—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—					—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—					—	—	—	—	—	—	—	—	—	—	3
4 Scarlet fever	—	—	—	1					—	—	—	—	—	—	—	1	—	—	4
5 Whooping cough	1	2	—	—					—	—	—	1	—	—	—	—	—	—	5
6 Diphtheria	—	—	3	3					—	1	1	—	—	—	—	—	—	—	6
7 Influenza	—	—	2	5					1	4	—	2	2	6	1	1	4	7	7
8 Encephalitis lethargica	1	—	1	1					1	—	—	—	—	—	—	—	—	2	8
9 Meningococcal meningitis	—	—	—	—					1	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	6	8	24	11					7	7	8	8	6	3	4	5	12	4	10
11 Other tuberculous diseases	1	—	4	3					1	2	2	3	1	2	1	2	—	1	11
12 Cancer, malignant disease	4	6	30	32					15	15	11	5	7	8	5	9	10	11	12
13 Rheumatic fever	—	—	—	1					—	1	—	—	—	1	—	—	—	—	13
14 Diabetes	—	—	1	2					2	1	—	5	2	1	1	2	2	1	14
15 Cerebral hæmorrhage, &c.	4	5	10	24					7	11	7	6	10	4	3	7	7	7	15
16 Heart disease	8	11	32	34					16	16	24	16	8	14	10	11	14	15	16
17 Arterio-sclerosis	4	—	13	1					6	2	2	1	3	2	3	1	7	5	17
18 Bronchitis	1	2	12	12					3	11	14	8	2	4	5	5	6	7	18
19 Pneumonia (all forms)	2	3	12	11					6	3	8	3	2	2	1	2	—	3	19
20 Other respiratory diseases	—	1	4	4					2	1	1	2	1	2	—	1	—	2	20
21 Ulcer of stomach or duodenum	1	—	2	1					2	1	—	—	—	—	1	—	2	—	21
22 Diarrhœa, &c. (under 2 years)	—	—	1	—					—	—	1	—	—	—	—	—	—	1	22
23 Appendicitis and typhlitis	—	—	1	1					2	3	1	—	—	1	—	—	1	—	23
24 Cirrhosis of liver	1	—	1	1					—	1	—	1	—	—	—	—	—	—	24
25 Acute and chronic nephritis	2	1	1	3					3	1	3	1	1	2	1	—	3	1	25
26 Puerperal sepsis	—	—	—	—					—	—	—	2	—	1	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	1					—	—	—	—	—	—	—	2	—	—	27
28 Congenital debility and malformation, premature birth	5	2	10	9					3	3	1	3	2	4	4	4	8	4	28
29 Suicide	—	1	5	2					—	2	—	—	—	—	1	—	2	1	29
30 Other deaths from violence	3	—	6	6					6	1	2	2	4	2	2	1	5	—	30
31 Other defined diseases	6	12	55	45					34	32	17	19	12	14	9	8	19	19	31
32 Causes ill-defined or unknown	—	—	1	—					—	—	—	1	—	1	—	—	1	1	32

* The remainder of Tamworth R.D. is in Warwickshire.

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1925 (Civilian population only)—*cont.*

SUFFOLK, EAST—*cont.* SUFFOLK, WEST.

Causes of Death.	Samford R.D.		Woodbridge R.D.		Bury St. Edmunds M.B.		Cosford R.D.		Melford R.D.		Thingoe R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	65	57	95	96	106	91	66	65	69	64	87	65	
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	1	1	1	—	1	—	—	—	—	—	—	3
4 Scarlet fever	—	—	—	—	—	—	—	—	—	1	—	—	4
5 Whooping cough	—	—	1	—	—	—	—	—	—	—	—	—	5
6 Diphtheria	—	—	—	—	—	—	—	—	—	—	—	—	6
7 Influenza	1	—	7	4	1	1	2	2	1	3	1	2	7
8 Encephalitis lethargica	—	—	1	—	—	—	—	—	—	—	—	—	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	2	1	8	1	4	9	1	2	4	4	7	3	10
11 Other tuberculous diseases	1	2	—	—	—	2	1	—	—	—	—	2	11
12 Cancer, malignant disease	5	9	5	12	14	13	8	12	7	5	12	8	12
13 Rheumatic fever	—	—	—	1	—	—	—	—	1	—	—	1	13
14 Diabetes	1	2	1	3	1	4	1	—	—	—	—	3	14
15 Cerebral hæmorrhage, &c.	4	9	8	9	11	7	7	8	6	5	6	5	15
16 Heart disease	15	11	5	15	21	10	9	15	10	12	14	8	16
17 Arterio-sclerosis	4	4	5	2	6	6	4	2	1	3	5	3	17
18 Bronchitis	3	4	7	2	7	9	4	5	5	7	3	4	18
19 Pneumonia (all forms)	5	2	6	9	8	2	5	1	2	2	3	1	19
20 Other respiratory diseases	—	—	—	—	2	2	1	—	3	1	—	1	20
21 Ulcer of stomach or duodenum	—	—	1	1	—	1	—	1	—	2	—	—	21
22 Diarrhœa, &c. (under 2 years)	—	—	1	—	—	—	—	—	—	—	—	—	22
23 Appendicitis and typhlitis	1	1	—	—	—	1	—	—	—	1	1	1	23
24 Cirrhosis of liver	—	—	—	—	2	1	—	—	1	—	—	—	24
25 Acute and chronic nephritis	5	—	1	3	5	—	3	2	—	1	4	4	25
26 Puerperal sepsis	—	—	—	—	—	1	—	—	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	—	—	1	—	—	—	1	—	—	27
28 Congenital debility and malformation, premature birth	3	1	4	3	6	3	3	2	7	3	5	4	28
29 Suicide	1	—	5	—	1	1	—	—	—	—	1	1	29
30 Other deaths from violence	4	2	6	1	4	3	1	—	2	—	3	2	30
31 Other defined diseases	10	8	22	28	13	13	15	13	19	12	21	12	31
32 Causes ill-defined or unknown	—	—	—	1	—	—	1	—	—	1	1	—	32

SURREY.

Causes of Death.	Barnes U.D.		Beddington & Wallington U.D.		Carshalton U.D.		Caterham U.D.		Chertsey U.D.		Coulsdon & Purley U.D.		Egham U.D.		Epsom U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	159	206	75	94	71	85	42	48	78	74	89	86	64	75	70	60	
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	1	1	—	—	—	—	—	1	1	—	—	—	—	—	—	—	3
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	4
5 Whooping cough	—	2	—	—	1	—	—	1	1	1	—	2	—	1	2	2	5
6 Diphtheria	2	1	—	—	—	—	1	2	—	—	—	1	—	—	—	—	6
7 Influenza	5	8	—	2	1	1	2	—	1	2	—	3	—	1	1	2	7
8 Encephalitis lethargica	—	1	—	—	—	—	—	2	—	—	—	1	—	—	—	2	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	9
10 Tuberculosis of respiratory sys.	9	11	5	3	3	4	5	3	8	3	7	4	7	3	4	3	10
11 Other tuberculous diseases	2	1	—	3	1	3	—	—	2	2	1	—	2	2	2	2	11
12 Cancer, malignant disease	19	29	15	21	14	12	5	5	6	14	11	17	9	14	13	3	12
13 Rheumatic fever	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	13
14 Diabetes	—	6	1	—	1	1	2	—	—	2	2	—	—	3	3	—	14
15 Cerebral hæmorrhage, &c.	5	12	7	9	4	7	1	5	7	5	5	3	5	3	3	4	15
16 Heart disease	23	26	17	12	10	12	3	3	8	8	9	12	10	16	8	3	16
17 Arterio-sclerosis	9	6	1	4	3	1	8	4	4	1	4	6	—	—	4	6	17
18 Bronchitis	8	17	2	6	4	6	1	3	8	6	6	1	4	7	7	4	18
19 Pneumonia (all forms)	6	6	3	6	8	2	3	2	3	4	5	11	4	1	3	1	19
20 Other respiratory diseases	4	2	4	2	2	2	—	—	3	2	5	—	—	—	—	—	20
21 Ulcer of stomach or duodenum	3	1	2	1	—	—	—	—	3	1	—	2	—	—	—	—	21
22 Diarrhœa, &c. (under 2 years)	2	3	—	—	1	—	—	—	—	1	—	1	2	—	—	1	22
23 Appendicitis and typhlitis	4	1	1	1	—	2	1	1	—	—	3	1	1	2	—	1	23
24 Cirrhosis of liver	1	3	1	—	—	1	—	—	1	—	—	2	—	1	—	1	24
25 Acute and chronic nephritis	12	4	3	2	3	3	—	—	3	2	2	—	2	3	3	4	25
26 Puerperal sepsis	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	—	—	1	—	—	—	1	—	—	—	—	—	1	27
28 Congenital debility and malformation, premature birth	6	4	2	1	4	1	2	1	2	3	7	5	2	2	3	5	28
29 Suicide	2	3	—	1	1	1	1	1	1	1	3	1	1	3	—	3	29
30 Other deaths from violence	4	7	2	2	1	—	—	1	4	1	4	—	4	2	1	2	30
31 Other defined diseases	30	50	8	18	9	25	7	12	12	14	14	12	11	11	12	10	31
32 Causes ill-defined or unknown	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	32

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1925 (Civilian population only)—*cont.*

SURREY—*cont.*

Causes of Death.	Esher and The Dittons U.D.		Farnham U.D.		Frimley U.D.		Guildford M.B.		Kingston-on-Thames M.B.		Merton & Morden U.D.		Mitcham U.D.		Reigate M.B.		Richmond M.B.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	77	61	94	112	64	65	136	151	234	220	78	109	184	183	166	180	208	234	1
1 Enteric fever	—	—	—	—	—	—	1	—	2	—	—	—	1	—	—	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	2	—	4
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	1	—	—	5
5 Whooping cough	—	—	2	3	—	—	3	2	—	4	1	3	1	3	—	1	—	—	6
6 Diphtheria	—	—	—	1	1	—	—	—	—	1	—	1	4	5	—	—	1	1	7
7 Influenza	1	—	1	1	—	1	4	16	5	5	6	2	4	5	1	3	8	6	8
8 Encephalitis lethargica	—	—	1	—	3	—	1	2	—	1	—	1	—	1	—	—	1	3	9
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	10
10 Tuberculosis of respiratory sys.	5	7	8	10	3	3	11	6	17	13	9	6	18	13	11	11	14	7	11
11 Other tuberculous diseases	—	2	—	1	2	—	—	1	3	3	—	3	3	4	2	2	3	5	12
12 Cancer, malignant disease	8	4	18	6	7	13	14	24	29	29	8	19	18	31	23	25	29	33	13
13 Rheumatic fever	—	1	1	—	—	—	—	—	—	—	1	—	1	1	—	—	—	1	14
14 Diabetes	2	—	3	—	—	—	—	2	2	2	—	2	1	1	2	2	1	5	15
15 Cerebral hæmorrhage, &c.	—	3	6	12	3	12	10	11	6	13	5	6	9	9	11	18	11	20	16
16 Heart disease	13	11	9	20	13	10	24	20	30	24	7	14	20	24	19	36	29	47	17
17 Arterio-sclerosis	7	6	3	5	3	3	11	4	3	10	2	4	11	10	10	10	9	7	18
18 Bronchitis	7	1	9	8	3	4	5	8	10	18	5	1	11	7	12	10	18	23	19
19 Pneumonia (all forms)	6	7	6	8	4	2	8	3	21	21	6	10	15	7	10	8	12	13	20
20 Other respiratory diseases	2	—	2	4	—	3	1	2	10	2	1	—	2	3	3	1	—	4	21
21 Ulcer of stomach or duodenum	—	1	2	—	1	—	2	3	4	—	—	—	4	—	1	1	2	2	22
22 Diarrhœa, &c. (under 2 years)	—	—	—	—	—	—	2	1	3	2	—	1	3	2	—	—	1	1	23
23 Appendicitis and typhlitis	1	—	—	1	—	—	2	—	1	1	—	1	1	1	3	—	1	2	24
24 Cirrhosis of liver	—	—	1	1	1	—	1	3	2	—	—	1	—	—	2	—	2	1	25
25 Acute and chronic nephritis	4	3	3	2	—	1	—	5	12	3	4	5	9	5	6	5	7	3	26
26 Puerperal sepsis	—	—	—	—	—	1	—	1	—	1	—	—	—	1	—	—	—	—	27
27 Other accidents and diseases of pregnancy and parturition	—	—	—	—	—	1	—	3	—	—	—	2	—	2	—	—	—	—	28
28 Congenital debility and malformation, premature birth	5	—	2	2	7	3	8	4	13	6	7	5	6	6	6	6	11	4	29
29 Suicide	—	1	2	—	2	2	2	1	—	3	—	1	3	1	1	3	1	—	30
30 Other deaths from violence	1	2	3	—	1	1	2	2	6	6	2	2	8	3	6	—	15	6	31
31 Other defined diseases	15	12	12	27	10	5	22	27	55	52	14	17	29	38	37	37	30	40	32
32 Causes ill-defined or unknown	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	

SURREY—*cont.*

Causes of Death.	Surbiton U.D.		Sutton U.D.		The Maldens & Coombe U.D.		Walton upon Thames U.D.		Wimbledon M.B.		Woking U.D.			
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.		
All Causes	95	119	117	124	75	81	77	65	287	352	115	119		
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—		1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—		2
3 Measles	—	1	—	—	—	—	—	—	—	—	—	—		3
4 Scarlet fever	—	—	—	—	—	—	—	—	—	2	—	1		4
5 Whooping cough	—	1	—	—	—	—	—	—	3	3	—	—		5
6 Diphtheria	—	—	—	—	—	2	—	—	1	—	1	—		6
7 Influenza	3	5	1	3	2	3	3	2	7	6	1	1		7
8 Encephalitis lethargica	—	2	—	—	—	—	1	1	2	1	1	1		8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—		9
10 Tuberculosis of respiratory sys.	9	2	8	4	6	4	3	3	17	20	12	11		10
11 Other tuberculous diseases	1	2	3	1	2	—	—	1	3	6	1	2		11
12 Cancer, malignant disease	17	20	14	16	7	10	8	11	26	64	19	22		12
13 Rheumatic fever	—	—	3	1	—	—	—	—	2	3	—	1		13
14 Diabetes	—	—	—	3	1	1	1	1	2	3	1	1		14
15 Cerebral hæmorrhage, &c.	4	2	10	7	—	2	4	5	12	35	10	4		15
16 Heart disease	13	18	17	12	8	19	16	14	47	53	21	24		16
17 Arterio-sclerosis	8	15	8	6	3	3	5	6	21	25	5	4		17
18 Bronchitis	5	7	6	7	7	4	3	5	16	30	2	7		18
19 Pneumonia (all forms)	3	14	4	4	1	6	4	—	30	16	4	5		19
20 Other respiratory diseases	2	1	—	1	—	—	1	—	2	4	2	1		20
21 Ulcer of stomach or duodenum	3	1	1	—	3	1	—	—	1	2	1	1		21
22 Diarrhœa, &c. (under 2 years)	1	—	1	1	—	1	—	—	4	1	1	2		22
23 Appendicitis and typhlitis	1	—	2	2	2	1	—	—	—	3	1	2		23
24 Cirrhosis of liver	1	—	—	2	—	1	1	—	2	1	—	—		24
25 Acute and chronic nephritis	3	2	3	3	5	1	2	—	11	9	2	3		25
26 Puerperal sepsis	—	—	—	—	—	—	—	—	—	—	—	—		26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	2	—	—	—	—	—	—	—	1		27
28 Congenital debility and malformation, premature birth	2	3	4	4	4	1	—	1	10	6	3	—		28
29 Suicide	3	—	1	3	2	—	2	1	7	1	—	1		29
30 Other deaths from violence	5	1	2	1	—	1	5	—	13	3	7	4		30
31 Other defined diseases	11	22	29	41	22	20	17	14	48	55	20	20		31
32 Causes ill-defined or unknown	—	—	—	—	—	—	1	—	—	—	—	—		32

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1925 (Civilian population only)—*cont.*

SURREY—*cont.*

Causes of Death.	Chertsey R.D.		Dorking R.D.		Epsom R.D.		Farnham R.D.		Godstone R.D.		Guildford R.D.		Hambledon R.D.		Reigate R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	62	43	56	48	165	165	77	69	118	128	96	93	140	148	112	127	
Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
Measles	—	—	1	—	—	—	—	—	1	—	—	—	—	1	—	1	3
Scarlet fever	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	4
Whooping cough	—	—	—	—	1	1	—	—	—	1	1	3	—	—	—	1	5
Diphtheria	—	—	—	—	2	1	—	—	1	2	1	—	—	—	—	—	6
Influenza	1	2	—	1	10	7	3	3	6	2	1	6	4	1	12	11	7
Encephalitis lethargica	1	—	—	—	1	2	—	—	—	1	—	—	—	2	1	—	8
Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	1	9
Tuberculosis of respiratory sys.	3	3	4	1	16	5	2	7	6	6	6	5	7	4	6	5	10
Other tuberculous diseases	—	—	1	—	—	3	—	1	1	2	—	—	—	—	—	1	11
Cancer, malignant disease	5	6	8	7	19	25	13	8	20	23	18	14	24	22	16	23	12
Rheumatic fever	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	13
Diabetes	—	—	—	—	2	1	—	1	—	2	1	3	3	—	—	1	14
Cerebral hæmorrhage, &c.	3	1	3	4	6	11	3	4	4	9	5	3	5	10	10	3	15
Heart disease	7	8	10	9	19	31	11	11	25	18	14	11	23	22	15	20	16
Arterio-sclerosis	4	1	9	4	16	8	2	6	10	10	2	2	7	7	10	4	17
Bronchitis	7	3	2	3	10	6	6	5	7	5	4	5	8	12	4	6	18
Pneumonia (all forms)	6	4	5	6	13	11	6	1	6	4	6	5	5	9	5	3	19
Other respiratory diseases	2	—	—	1	—	—	2	1	2	2	1	1	—	2	—	4	20
Ulcer of stomach or duodenum	—	—	—	—	1	2	—	—	2	2	—	—	3	1	2	1	21
Diarrhœa, &c. (under 2 years)	—	—	—	—	1	—	1	—	—	1	—	—	—	1	—	—	22
Appendicitis and typhlitis	1	—	—	—	—	1	—	1	—	1	—	—	1	1	—	—	23
Cirrhosis of liver	—	—	—	—	1	—	—	—	—	—	—	2	1	—	—	1	24
Acute and chronic nephritis	2	—	2	2	3	7	2	—	4	3	3	2	6	—	3	2	25
Puerperal sepsis	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	1	26
Other accidents and diseases of pregnancy and parturition	—	—	—	1	—	2	—	—	—	—	—	—	—	2	—	—	27
Congenital debility and malformation, premature birth	2	—	—	1	3	4	4	2	3	6	6	5	5	2	4	2	28
Suicide	—	—	1	—	1	3	1	—	—	—	1	—	4	—	1	—	29
Other deaths from violence	6	3	1	2	8	9	1	3	3	—	5	—	5	6	8	4	30
Other defined diseases	12	12	8	5	31	23	20	15	17	28	21	25	28	42	15	31	31
Causes ill-defined or unknown	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	32

SUSSEX, EAST.

Causes of Death.	Bexhill M.B.		Hove M.B.		Lewes M.B.		Chailey R.D.		Cuckfield R.D.		East Grinstead R.D.		Hailsham R.D.		Ticehurst R.D.		Uckfield R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	84	131	286	405	65	81	60	74	106	82	73	68	112	87	75	75	130	138	
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	1	—	4	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	3
4 Scarlet fever	—	—	2	1	—	—	—	—	—	—	1	—	—	—	—	—	—	1	4
5 Whooping cough	—	—	—	—	—	1	—	1	2	1	—	3	2	—	—	1	3	2	5
6 Diphtheria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	6
7 Influenza	2	5	10	15	3	6	5	—	—	2	5	3	2	1	3	1	3	3	7
8 Encephalitis lethargica	—	—	1	1	1	—	1	—	—	—	—	1	—	—	—	—	—	—	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	4	—	11	12	2	7	1	6	5	2	4	2	10	7	4	10	8	6	10
11 Other tuberculous diseases	2	1	4	5	2	2	3	2	2	1	2	1	—	2	3	2	—	5	11
12 Cancer, malignant disease	13	18	38	61	5	14	7	9	12	11	7	8	15	12	7	5	17	27	12
13 Rheumatic fever	—	1	—	—	2	—	—	—	—	—	1	1	—	—	—	—	—	—	13
14 Diabetes	—	2	2	8	1	2	—	—	—	1	—	1	—	2	1	—	3	—	14
15 Cerebral hæmorrhage, &c.	8	14	17	27	1	5	6	6	5	7	5	6	10	8	5	6	12	12	15
16 Heart disease	6	22	51	76	14	13	12	18	19	14	13	9	22	16	13	14	24	31	16
17 Arterio-sclerosis	10	14	16	19	—	—	2	1	11	10	1	2	1	4	4	5	2	1	17
18 Bronchitis	4	5	9	17	4	7	4	4	6	1	3	2	7	6	5	5	7	7	18
19 Pneumonia (all forms)	3	4	16	25	6	4	2	5	4	6	4	8	3	—	1	3	8	3	19
20 Other respiratory diseases	1	4	10	8	—	—	1	2	—	1	—	1	2	—	1	—	2	1	20
21 Ulcer of stomach or duodenum	—	—	1	2	1	—	—	—	1	—	1	1	1	—	—	—	—	1	21
22 Diarrhœa, &c. (under 2 years)	—	1	—	2	2	—	1	—	—	—	—	—	1	—	—	—	—	1	22
23 Appendicitis and typhlitis	—	—	1	5	1	1	—	—	1	1	1	—	1	—	1	—	—	—	23
24 Cirrhosis of liver	—	1	3	6	—	—	—	—	—	—	—	—	2	—	—	—	2	—	24
25 Acute and chronic nephritis	—	6	6	11	1	—	—	2	4	1	2	1	2	1	2	—	1	4	25
26 Puerperal sepsis	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	1	26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	27
28 Congenital debility and malformation, premature birth	5	5	13	8	3	—	3	—	1	2	1	—	4	2	1	1	7	3	28
29 Suicide	—	1	5	3	2	—	2	—	2	—	2	2	1	—	2	1	1	1	29
30 Other deaths from violence	2	1	6	7	2	3	4	—	12	1	1	1	4	—	5	4	9	2	30
31 Other defined diseases	23	25	60	84	11	16	6	17	19	19	18	15	22	25	16	16	21	26	31
32 Causes ill-defined or unknown	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	32

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1925 (Civilian population only)—*cont.*

SUSSEX, WEST.

Causes of Death.	Bognor U.D.		Chichester M.B.		Horsham U.D.		Littlehampton U.D.		Worthing M.B.									
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.								
All Causes	52	66	67	75	57	72	49	53	189	263								
1 Enteric fever	—	—	—	—	—	—	—	—	—	—								1
2 Small-pox	—	—	—	—	—	—	—	—	—	—								2
3 Measles	—	—	—	—	—	—	—	—	—	1								3
4 Scarlet fever	—	—	—	—	—	—	—	—	1	—								4
5 Whooping cough	—	1	—	2	2	—	—	—	1	4								5
6 Diphtheria	—	—	—	—	—	—	—	—	—	1								6
7 Influenza	—	3	—	—	—	2	2	1	1	3								7
8 Encephalitis lethargica	—	—	—	—	—	—	—	—	—	—								8
9 Meningococcal meningitis	—	—	—	—	1	—	—	—	—	—								9
10 Tuberculosis of respiratory sys.	5	1	3	2	2	1	1	4	13	9								10
11 Other tuberculous diseases	—	—	1	1	1	—	—	—	2	4								11
12 Cancer, malignant disease	5	9	10	12	4	10	6	7	27	33								12
13 Rheumatic fever	—	—	—	—	—	—	—	—	—	1								13
14 Diabetes	—	1	—	1	1	3	1	3	3	7								14
15 Cerebral hæmorrhage, &c.	4	10	3	9	—	5	3	3	10	21								15
16 Heart disease	9	13	13	7	19	19	3	11	32	69								16
17 Arterio-sclerosis	—	3	4	2	—	2	7	4	12	15								17
18 Bronchitis	6	5	2	6	4	10	7	5	12	16								18
19 Pneumonia (all forms)	1	2	6	7	4	5	1	—	7	7								19
20 Other respiratory diseases	2	—	2	2	1	1	1	—	4	4								20
21 Ulcer of stomach or duodenum	1	—	2	1	—	—	1	1	2	1								21
22 Diarrhœa, &c. (under 2 years)	—	—	—	—	—	—	—	—	1	—								22
23 Appendicitis and typhlitis	—	1	1	1	—	—	—	—	—	1								23
24 Cirrhosis of liver	1	—	—	—	—	—	—	—	1	2								24
25 Acute and chronic nephritis	4	2	2	6	2	1	3	2	5	5								25
26 Puerperal sepsis	—	2	—	—	—	—	—	—	—	—								26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	—	—	—	—	—	—	1								27
28 Congenital debility and malformation, premature birth	4	1	4	2	1	3	4	2	5	4								28
29 Suicide	—	—	—	—	—	—	—	—	3	—								29
30 Other deaths from violence	—	1	2	—	4	—	—	1	4	6								30
31 Other defined diseases	10	11	12	14	11	10	9	9	43	47								31
32 Causes ill-defined or unknown	—	—	—	—	—	—	—	—	—	1								32

SUSSEX, WEST—*cont.* WARWICKSHIRE.

Causes of Death.	Horsham R.D.		Midhurst R.D.		Steyning West R.D.		Westhampnett R.D.			Nuneaton M.B.		Royal Leamington Spa M.B.		Rugby U.D.		Stratford on Avon M.B.		
	M.	F.	M.	F.	M.	F.	M.	F.		M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	142	112	81	89	55	71	109	89		266	235	203	258	99	129	77	67	
1 Enteric fever	—	1	—	—	—	1	—	—		—	—	—	—	1	—	—	—	
2 Small-pox	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	
3 Measles	—	—	—	—	—	—	—	—		5	5	2	1	2	4	—	—	
4 Scarlet fever	—	1	—	—	—	—	1	—		—	2	—	—	—	—	—	—	
5 Whooping cough	1	1	—	1	—	—	—	1		4	5	—	1	1	1	2	—	
6 Diphtheria	—	—	—	1	—	—	—	—		1	3	1	1	1	1	—	—	
7 Influenza	5	2	1	1	2	3	7	3		14	6	5	8	3	3	4	3	
8 Encephalitis lethargica	1	—	2	—	—	—	—	—		1	2	2	1	1	1	1	—	
9 Meningococcal meningitis	—	—	—	—	—	—	—	—		1	—	1	—	—	—	—	—	
10 Tuberculosis of respiratory sys.	6	5	5	1	7	4	7	3		19	14	13	12	4	9	1	3	
11 Other tuberculous diseases	—	—	1	2	—	1	—	3		11	2	5	4	4	3	1	—	
12 Cancer, malignant disease	13	21	10	14	7	9	19	14		20	25	23	32	10	25	7	12	
13 Rheumatic fever	—	—	—	1	—	1	—	—		4	1	—	1	—	2	—	—	
14 Diabetes	4	1	—	2	—	1	2	4		4	5	1	1	1	—	1	2	
15 Cerebral hæmorrhage, &c.	6	14	4	10	2	4	8	4		11	13	11	21	6	11	4	3	
16 Heart disease	33	21	10	13	14	8	15	14		33	37	34	59	17	15	8	5	
17 Arterio-sclerosis	5	3	1	2	2	6	6	2		3	5	7	10	1	3	—	3	
18 Bronchitis	6	5	12	9	1	5	5	5		16	14	14	17	8	11	2	2	
19 Pneumonia (all forms)	7	5	1	1	4	5	4	1		30	20	19	16	10	8	14	1	
20 Other respiratory diseases	2	3	—	—	1	1	3	—		2	2	1	4	—	—	3	—	
21 Ulcer of stomach or duodenum	4	1	—	—	—	—	1	2		3	2	—	3	4	1	1	—	
22 Diarrhœa, &c. (under 2 years)	—	—	—	—	1	—	—	1		1	2	2	—	—	—	—	—	
23 Appendicitis and typhlitis	—	—	1	—	—	—	—	—		4	1	1	3	1	1	—	1	
24 Cirrhosis of liver	1	1	1	—	—	—	—	—		2	1	2	1	—	—	—	—	
25 Acute and chronic nephritis	4	2	2	4	1	2	5	1		2	9	10	4	4	1	7	1	
26 Puerperal sepsis	—	—	—	1	—	—	—	2		—	1	—	—	—	1	—	—	
27 Other accidents and diseases of pregnancy and parturition	—	—	—	—	—	1	—	1		—	2	—	3	—	—	—	—	
28 Congenital debility and malformation, premature birth	7	1	4	6	6	2	4	2		20	13	7	4	3	1	1	2	
29 Suicide	—	—	2	2	—	—	1	1		2	2	1	—	1	2	—	—	
30 Other deaths from violence	3	2	1	—	2	1	6	1		14	5	9	7	4	3	1	—	
31 Other defined diseases	34	22	22	18	5	16	15	24		39	36	32	44	12	22	19	28	
32 Causes ill-defined or unknown	—	—	1	—	—	—	—	—		—	—	—	—	—	—	—	1	

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1925 (Civilian population only)—*cont.*

WARWICKSHIRE—*cont.*

Causes of Death.	Sutton Coldfield M.B.		Warwick M.B.		Alcester R.D.		Atherstone R.D.		Foleshill R.D.		Meriden R.D.		Rugby R.D.		Solihull R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	113	113	78	84	80	71	125	120	192	165	101	106	104	107	115	98	
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	2	—	—	—	6	4	4	1	—	1	—	—	—	—	3
4 Scarlet fever	—	—	—	—	—	—	—	—	—	1	—	—	—	2	—	—	4
5 Whooping cough	3	1	—	—	4	1	—	1	2	1	2	1	1	—	2	—	5
6 Diphtheria	—	—	—	2	—	1	2	2	—	1	—	—	—	—	—	—	6
7 Influenza	7	6	1	—	1	—	3	2	7	—	2	6	3	3	6	7	7
8 Encephalitis lethargica	—	1	1	2	—	—	—	1	—	1	—	—	2	—	—	—	8
9 Meningococcal meningitis	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	8	6	5	2	4	7	5	10	13	17	11	7	6	5	5	8	10
11 Other tuberculous diseases	2	2	1	2	1	2	1	1	1	1	5	1	2	2	1	1	11
12 Cancer, malignant disease	21	24	11	9	9	12	10	11	11	23	13	10	8	9	17	14	12
13 Rheumatic fever	—	—	—	—	2	1	1	1	—	2	2	1	—	—	—	—	13
14 Diabetes	—	—	2	1	1	—	2	2	3	4	1	3	—	3	1	—	14
15 Cerebral hæmorrhage, &c.	7	9	3	5	7	3	4	3	8	11	7	5	9	6	6	9	15
16 Heart disease	14	13	8	11	14	10	19	19	22	12	14	11	17	18	11	18	16
17 Arterio-sclerosis	5	4	—	2	4	1	2	2	8	7	1	3	2	11	11	3	17
18 Bronchitis	5	4	9	7	2	3	8	8	15	10	2	9	7	6	2	6	18
19 Pneumonia (all forms)	6	3	4	4	4	3	13	9	18	18	6	3	7	3	5	2	19
20 Other respiratory diseases	2	2	1	2	2	2	1	1	—	1	1	2	2	1	1	1	20
21 Ulcer of stomach or duodenum	2	—	2	—	—	—	4	1	2	1	1	—	—	2	5	3	21
22 Diarrhœa, &c. (under 2 years)	—	—	—	—	—	—	4	2	2	4	—	1	1	—	1	—	22
23 Appendicitis and typhlitis	2	2	2	—	1	2	1	1	2	1	—	1	1	1	1	—	23
24 Cirrhosis of liver	—	1	—	—	—	1	1	—	2	—	—	1	1	—	—	1	24
25 Acute and chronic nephritis	5	4	2	2	3	1	2	5	1	2	1	5	2	2	7	4	25
26 Puerperal sepsis	—	—	—	1	—	—	—	—	—	3	—	2	—	—	—	1	26
27 Other accidents and diseases of pregnancy and parturition	—	2	—	1	—	2	—	1	—	1	—	3	—	2	—	2	27
28 Congenital debility and malformation, premature birth	4	4	2	4	3	1	7	5	20	6	3	4	6	7	7	2	28
29 Suicide	1	1	2	2	—	—	2	3	1	3	1	—	—	—	1	—	29
30 Other deaths from violence	5	1	6	—	3	1	9	2	11	4	7	3	4	1	5	1	30
31 Other defined diseases	14	23	14	25	14	17	17	23	38	29	21	21	22	23	20	15	31
32 Causes ill-defined or unknown	—	—	—	—	—	—	1	—	1	—	—	2	1	—	—	—	32

WARWICKSHIRE—*cont.* WESTMORLAND.

Causes of Death.	Southam R.D.		Tamworth (part of) R.D.*		Warwick R.D.		Kendal M.B.		East Westmorland R.D.		South Westmorland R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	70	61	99	101	62	61	106	119	63	77	114	90	
1 Enteric fever	—	—	—	—	—	—	2	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	3	—	—	—	—	1	—	—	2	—	—	3
4 Scarlet fever	—	—	—	1	—	—	1	—	—	—	—	—	4
5 Whooping cough	1	—	—	—	—	—	—	—	—	—	1	—	5
6 Diphtheria	—	—	7	8	3	—	—	—	—	—	—	—	6
7 Influenza	2	3	5	6	2	2	5	1	2	7	4	3	7
8 Encephalitis lethargica	—	2	2	—	1	1	1	—	—	1	—	1	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	2	—	9
10 Tuberculosis of respiratory sys.	2	4	10	4	7	2	8	6	2	3	7	6	10
11 Other tuberculous diseases	3	—	—	4	2	1	—	1	—	1	1	—	11
12 Cancer, malignant disease	5	5	15	12	6	10	13	13	6	10	17	13	12
13 Rheumatic fever	1	—	1	—	—	—	1	1	—	—	1	—	13
14 Diabetes	1	1	1	1	—	2	1	—	—	1	—	1	14
15 Cerebral hæmorrhage, &c.	—	7	5	6	6	2	8	14	1	7	6	13	15
16 Heart disease	16	3	7	7	5	10	13	19	16	12	16	14	16
17 Arterio-sclerosis	—	1	2	4	4	1	4	4	1	2	7	3	17
18 Bronchitis	8	2	8	9	6	2	7	15	5	4	10	4	18
19 Pneumonia (all forms)	6	1	3	6	3	3	4	8	—	1	7	5	19
20 Other respiratory diseases	1	1	—	1	—	—	3	1	1	—	1	2	20
21 Ulcer of stomach or duodenum	—	—	—	1	—	—	—	—	—	1	1	—	21
22 Diarrhœa, &c. (under 2 years)	1	1	2	—	—	—	—	2	—	—	1	—	22
23 Appendicitis and typhlitis	—	2	—	1	—	—	1	2	2	2	—	1	23
24 Cirrhosis of liver	—	1	—	2	—	1	—	—	—	—	—	—	24
25 Acute and chronic nephritis	1	3	2	1	2	2	4	6	1	3	2	—	25
26 Puerperal sepsis	—	1	—	—	—	—	—	1	—	1	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	—	—	2	—	—	—	1	—	2	27
28 Congenital debility and malformation, premature birth	4	1	6	6	—	5	4	3	3	2	3	2	28
29 Suicide	3	—	1	—	2	1	1	2	1	—	2	1	29
30 Other deaths from violence	2	—	5	3	4	2	3	2	4	1	3	1	30
31 Other defined diseases	13	18	17	18	9	12	21	17	17	15	21	18	31
32 Causes ill-defined or unknown	—	—	—	—	—	—	—	1	1	—	1	—	32

* The remainder of Tamworth R.D. is in Staffordshire.

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1925 (Civilian population only)—*cont.*

WIGHT, ISLE OF. **WILTSHIRE.**

Causes of Death.	Cowes. U.D.		Newport M.B.		Ryde M.B.		I. of Wight R.D.						Salisbury M.B.		Swindon M.B.		Trowbridge U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.					M.	F.	M.	F.	M.	F.	
All Causes	75	54	67	66	70	108	156	183					123	136	331	300	59	85	
1 Enteric fever	—	—	1	—	—	—	—	—					—	—	—	1	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—					—	—	—	—	—	—	2
3 Measles	—	—	—	—	—	—	—	—					—	1	7	5	—	—	3
4 Scarlet fever	—	—	1	—	—	—	—	—					—	—	2	—	—	—	4
5 Whooping cough	—	—	1	2	—	1	1	2					3	2	2	6	—	—	5
6 Diphtheria	1	—	2	—	—	—	—	1					—	—	4	2	—	—	6
7 Influenza	3	2	3	1	4	1	6	8					2	1	7	9	2	4	7
8 Encephalitis lethargica	—	—	—	—	—	—	2	1					—	1	—	—	—	—	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—					—	—	2	—	—	—	9
10 Tuberculosis of respiratory sys.	13	5	3	2	5	6	13	4					6	12	28	14	3	5	10
11 Other tuberculous diseases	2	1	—	—	1	2	1	3					1	3	5	4	—	1	11
12 Cancer, malignant disease	14	8	9	10	5	15	16	42					19	13	47	42	6	14	12
13 Rheumatic fever	—	—	—	—	1	—	1	2					—	—	2	4	—	—	13
14 Diabetes	—	1	—	—	—	—	—	2					1	2	1	2	1	2	14
15 Cerebral hæmorrhage, &c.	4	4	2	1	3	10	10	16					6	9	18	21	2	6	15
16 Heart disease	7	10	9	8	9	19	31	28					16	18	56	47	8	17	16
17 Arterio-sclerosis	5	1	2	2	4	4	4	4					—	1	7	8	1	2	17
18 Bronchitis	1	4	8	5	2	4	7	13					7	14	15	25	6	8	18
19 Pneumonia (all forms)	—	—	1	1	4	6	3	2					8	9	21	16	4	4	19
20 Other respiratory diseases	2	—	1	2	3	3	3	2					1	1	4	3	—	—	20
21 Ulcer of stomach or duodenum	1	—	—	—	2	1	2	1					2	1	4	2	—	—	21
22 Diarrhœa, &c. (under 2 years)	—	—	—	2	—	—	—	1					3	—	3	—	1	—	22
23 Appendicitis and typhlitis	1	—	1	—	2	1	—	1					1	—	5	1	—	—	23
24 Cirrhosis of liver	—	—	1	—	—	—	—	—					—	—	2	—	—	—	24
25 Acute and chronic nephritis	3	3	3	5	4	3	3	4					4	1	15	7	4	3	25
26 Puerperal sepsis	—	—	—	—	—	—	—	1					—	—	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	—	—	—	—	2					—	2	—	4	—	—	27
28 Congenital debility and malformation, premature birth	2	1	2	5	1	3	11	5					5	3	15	9	1	1	28
29 Suicide	1	—	2	—	—	—	1	—					—	—	5	2	1	—	29
30 Other deaths from violence	1	—	1	—	1	4	10	—					8	3	7	4	4	2	30
31 Other defined diseases	14	14	14	20	18	25	30	38					30	36	45	61	15	16	31
32 Causes ill-defined or unknown	—	—	—	—	1	—	1	—					—	3	2	1	—	—	32

WILTSHIRE—*cont.*

Causes of Death.	Amesbury R.D.		Chippenham R.D.		Cricklade & Wootton Bassett R.D.		Devizes R.D.		Highworth R.D.		Pewsey R.D.		Salisbury R.D.						
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.					
All Causes	56	51	101	87	74	62	63	76	99	77	66	66	53	66					
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—					1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—					2
3 Measles	—	—	—	—	1	—	—	—	1	3	—	—	—	—					3
4 Scarlet fever	—	—	—	—	—	—	—	—	1	—	—	—	—	—					4
5 Whooping cough	—	—	—	1	—	—	—	—	3	—	1	—	—	—					5
6 Diphtheria	—	—	1	1	—	—	—	2	2	—	—	—	1	—					6
7 Influenza	4	—	4	4	5	7	4	8	2	3	3	3	—	—					7
8 Encephalitis lethargica	1	—	1	—	—	—	—	—	1	—	—	—	—	—					8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—					9
10 Tuberculosis of respiratory sys.	2	4	4	5	1	—	3	2	3	1	6	6	3	1					10
11 Other tuberculous diseases	—	—	2	—	1	1	1	1	2	1	—	3	—	2					11
12 Cancer, malignant disease	6	5	12	15	13	8	8	10	9	11	11	9	5	11					12
13 Rheumatic fever	—	—	—	1	—	—	—	—	—	—	—	2	—	—					13
14 Diabetes	—	—	1	1	1	1	2	1	2	1	—	1	1	—					14
15 Cerebral hæmorrhage, &c.	2	5	9	8	4	4	6	4	2	4	3	3	2	4					15
16 Heart disease	8	7	12	11	16	15	11	13	14	17	11	14	6	9					16
17 Arterio-sclerosis	1	3	8	3	2	2	2	3	5	1	2	1	4	3					17
18 Bronchitis	4	3	6	8	3	2	1	4	9	4	1	1	1	4					18
19 Pneumonia (all forms)	2	4	4	1	2	3	1	2	12	2	1	2	2	4					19
20 Other respiratory diseases	1	—	6	1	3	1	1	—	—	3	2	—	1	1					20
21 Ulcer of stomach or duodenum	2	—	1	—	—	—	—	—	—	1	—	—	—	—					21
22 Diarrhœa, &c. (under 2 years)	—	—	—	—	—	—	—	—	—	—	—	—	—	—					22
23 Appendicitis and typhlitis	—	1	—	—	—	—	—	1	1	1	1	3	—	—					23
24 Cirrhosis of liver	—	—	1	—	1	—	1	—	—	—	—	—	1	—					24
25 Acute and chronic nephritis	1	—	3	5	3	—	3	—	2	1	1	1	2	—					25
26 Puerperal sepsis	—	—	—	—	—	—	—	—	—	—	—	—	—	—					26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	—	—	1	—	—	—	2	—	1	—	—					27
28 Congenital debility and malformation, premature birth	5	4	2	4	6	2	3	9	7	7	4	3	2	3					28
29 Suicide	—	1	2	1	—	—	1	—	3	—	—	—	1	1					29
30 Other deaths from violence	—	—	5	1	3	—	3	1	2	—	3	1	4	—					30
31 Other defined diseases	17	9	17	16	9	15	12	15	16	14	16	12	16	23					31
32 Causes ill-defined or unknown	—	4	—	—	—	—	—	—	—	—	—	—	1	—					32

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1925 (Civilian population only)—*cont.*

WORCESTERSHIRE.

Causes of Death.	Halesowen U.D.*		Kidderminster M.B.		Lye & Wollescote U.D.		Malvern U.D.		Oldbury U.D.		Redditch U.D.		Stourbridge M.B.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
ll Causes	153	140	181	167	68	68	81	113	221	219	84	105	120	110	
nteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
nall-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
easles	5	1	1	1	2	3	1	—	7	7	—	—	1	1	3
carlet fever	—	—	—	—	—	—	—	—	—	—	—	1	—	—	4
hooping cough	—	1	2	4	2	—	—	—	5	5	3	2	—	1	5
iphtheria	2	1	1	1	—	—	—	—	4	—	—	1	1	—	6
nfluenza	5	1	7	13	—	7	—	4	6	4	6	4	4	4	7
ncephalitis lethargica	—	—	—	—	1	—	—	1	—	1	1	1	1	—	8
eningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
uberculosis of respiratory sys.	13	9	12	10	5	3	7	6	16	17	6	3	10	8	10
ther tuberculous diseases	1	4	1	2	1	—	—	1	2	2	1	1	—	1	11
ancer, malignant disease	11	18	25	18	9	8	11	13	20	24	10	20	14	12	12
heumatic fever	—	—	—	3	—	—	—	—	2	3	—	—	—	—	13
iabetes	1	1	3	1	—	—	2	1	—	5	—	1	—	—	14
erebral hæmorrhage, &c.	11	14	11	11	3	6	8	8	19	16	8	8	5	11	15
eart disease	16	15	23	29	2	11	15	25	9	21	11	10	28	16	16
rterio-sclerosis	5	3	9	4	5	1	1	4	5	5	3	—	—	1	17
ronchitis	9	20	24	21	8	4	5	8	23	22	3	14	6	14	18
neumonia (all forms)	18	5	9	9	4	9	1	9	25	20	6	7	15	6	19
ther respiratory diseases	4	2	5	—	3	—	2	1	2	2	—	—	—	7	20
lcer of stomach or duodenum	1	1	1	1	—	1	1	—	1	3	1	1	2	—	21
iarrhœa, &c. (under 2 years)	—	—	5	1	—	1	—	1	6	4	1	—	1	1	22
ppendicitis and typhlitis	—	—	1	—	—	—	2	—	1	1	—	—	1	—	23
irrhosis of liver	1	—	1	—	—	—	—	—	1	—	—	—	1	1	24
cute and chronic nephritis	—	5	7	7	1	2	2	4	5	1	6	1	3	2	25
uerperal sepsis	—	1	—	1	—	—	—	—	—	2	—	—	—	—	26
ther accidents and diseases of pregnancy and parturition	—	3	—	2	—	—	—	—	—	2	—	1	—	2	27
ongenital debility and malformation, premature birth	8	9	7	5	5	1	—	6	13	5	2	4	3	3	28
uicide	2	1	5	—	—	—	—	2	3	2	—	1	1	—	29
ther deaths from violence	9	4	4	3	3	1	2	—	8	6	2	2	1	4	30
ther defined diseases	31	21	15	19	14	10	21	18	38	38	14	22	22	15	31
auses ill-defined or unknown	—	—	2	1	—	—	—	1	—	1	—	—	—	—	32

WORCESTERSHIRE—*cont.*

Causes of Death.	Bromsgrove R.D.		Droitwich R.D.		Martley R.D.		Pershore R.D.		Upton on Severn R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
ll Causes	106	95	77	74	85	78	85	73	93	83	
nteric fever	—	—	—	—	—	—	—	—	—	—	1
mall-pox	—	—	—	—	—	—	—	—	—	—	2
leasles	1	1	—	—	—	—	—	—	2	—	3
carlet fever	—	—	—	—	—	—	—	—	—	—	4
hooping cough	—	1	1	1	—	1	—	—	—	1	5
iphtheria	3	2	—	—	—	—	—	—	—	—	6
nfluenza	3	1	4	3	3	3	6	1	3	5	7
ncephalitis lethargica	—	—	1	—	—	1	1	—	1	—	8
leningococcal meningitis	—	—	—	—	—	—	—	—	—	—	9
uberculosis of respiratory sys.	7	6	4	3	4	4	8	3	4	4	10
ther tuberculous diseases	4	2	—	—	—	—	1	—	2	2	11
ancer, malignant disease	10	9	11	14	9	9	9	7	10	10	12
heumatic fever	—	2	—	—	—	—	—	—	—	—	13
iabetes	1	1	—	—	—	—	1	3	—	3	14
erebral hæmorrhage, &c.	7	3	3	6	3	3	3	12	14	9	15
eart disease	13	18	8	11	15	15	14	9	15	20	16
rterio-sclerosis	6	5	6	2	11	8	3	1	5	—	17
ronchitis	3	4	7	1	8	3	7	8	5	7	18
neumonia (all forms)	6	5	2	2	3	4	—	4	4	—	19
ther respiratory diseases	4	3	—	1	1	2	1	3	1	—	20
lcer of stomach or duodenum	2	2	—	—	1	—	—	—	1	2	21
iarrhœa, &c. (under 2 years)	2	—	—	1	—	1	2	1	1	—	22
ppendicitis and typhlitis	1	1	1	—	1	1	1	1	1	—	23
irrhosis of liver	—	—	—	—	—	—	—	—	—	—	24
cute and chronic nephritis	2	—	3	2	3	3	4	1	4	1	25
uerperal sepsis	—	—	—	—	—	—	—	—	—	—	26
ther accidents and diseases of pregnancy and parturition	—	1	—	—	—	—	—	1	—	—	27
ongenital debility and malformation, premature birth	5	4	4	2	6	2	4	1	2	1	28
uicide	1	—	—	1	—	—	1	—	—	—	29
ther deaths from violence	3	—	3	1	5	2	4	—	4	—	30
ther defined diseases	22	24	17	23	12	16	15	17	14	18	31
auses ill-defined or unknown	—	—	2	—	—	—	—	—	—	—	32

Halesowen Rural District was created an Urban District on the 1st April, 1925. The figures relate to the whole year.

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1925 (Civilian population only)—*cont.*

YORKSHIRE, EAST RIDING.

Causes of Death.	Beverley M.B.		Bridlington M.B.				Beverley R.D.		Driffield R.D.		Howden R.D.		Pocklington R.D.		Sculcoates R.D.		
	M.	F.	M.	F.			M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	103	103	103	105			62	59	84	66	63	74	77	61	54	55	
1 Enteric fever	—	—	—	—			1	—	—	—	—	—	—	—	—	—	
2 Small-pox	—	—	—	—			—	—	—	—	—	—	—	—	—	—	
3 Measles	—	—	—	1			—	—	—	—	1	—	—	—	—	—	
4 Scarlet fever	—	—	—	—			—	—	—	—	—	—	—	—	—	—	
5 Whooping cough	1	3	—	1			1	1	2	1	—	1	4	—	—	—	
6 Diphtheria	—	—	—	—			—	—	—	—	—	1	—	—	—	—	
7 Influenza	4	—	1	1			2	5	8	1	4	3	3	1	1	4	
8 Encephalitis lethargica	—	—	—	—			—	—	—	—	—	—	—	—	—	—	
9 Meningococcal meningitis	—	—	—	—			1	—	—	—	—	—	—	—	—	—	
10 Tuberculosis of respiratory sys.	5	6	5	6			5	4	2	3	5	9	1	1	6	4	
11 Other tuberculous diseases	1	1	2	—			3	—	3	—	—	1	—	—	1	2	
12 Cancer, malignant disease	9	20	17	16			6	5	14	9	6	8	6	9	4	7	
13 Rheumatic fever	1	1	—	—			—	—	—	—	—	—	—	1	—	—	
14 Diabetes	—	—	1	2			—	—	1	—	1	—	—	1	—	2	
15 Cerebral hæmorrhage, &c.	10	7	10	10			5	7	4	3	4	4	6	7	2	3	
16 Heart disease	19	10	17	11			11	6	5	8	5	10	9	9	13	11	
17 Arterio-sclerosis	—	—	2	7			1	3	5	6	2	2	1	2	5	2	
18 Bronchitis	8	10	5	7			5	2	3	3	4	6	5	2	2	4	
19 Pneumonia (all forms)	8	10	3	1			—	4	3	4	4	2	2	2	2	3	
20 Other respiratory diseases	1	1	—	2			2	2	—	—	2	1	1	2	1	—	
21 Ulcer of stomach or duodenum	1	—	—	1			—	—	—	—	1	—	—	—	1	—	
22 Diarrhœa, &c. (under 2 years)	2	2	3	—			1	—	1	—	—	2	1	—	—	—	
23 Appendicitis and typhlitis	2	—	2	1			—	1	1	—	1	1	1	—	—	—	
24 Cirrhosis of liver	—	—	1	—			—	1	—	—	1	—	—	—	—	—	
25 Acute and chronic nephritis	3	2	—	2			1	—	3	1	3	1	2	—	1	—	
26 Puerperal sepsis	—	1	—	—			—	—	—	—	—	—	—	—	—	—	
27 Other accidents and diseases of pregnancy and parturition	—	—	—	—			—	—	—	1	—	1	—	3	—	—	
28 Congenital debility and malformation, premature birth	7	7	—	2			3	2	2	5	1	4	6	5	2	2	
29 Suicide	1	—	4	—			1	—	—	2	1	—	1	1	3	—	
30 Other deaths from violence	4	2	1	2			3	—	3	—	3	—	6	—	—	2	
31 Other defined diseases	16	20	29	32			9	16	24	19	14	17	21	15	9	8	
32 Causes ill-defined or unknown	—	—	—	—			1	—	—	—	—	—	1	—	1	1	

YORKSHIRE, NORTH RIDING.

Causes of Death.	Eston U.D.		Redcar M.B.		Scarborough M.B.		Skelton & Brotton U.D.		Thornaby on Tees M.B.		Whitby U.D.			Stokesley R.D.		Thirsk R.D.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.		M.	F.	M.	F
All Causes	219	206	95	98	239	305	95	70	168	153	67	62		88	84	75	76
1 Enteric fever	—	—	1	—	—	—	—	—	—	—	1	—		—	—	—	—
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—		—	—	—	—
3 Measles	2	5	1	4	—	1	4	5	5	4	—	1		—	—	—	—
4 Scarlet fever	—	2	—	—	—	—	—	1	1	2	—	—		—	—	—	—
5 Whooping cough	—	6	—	1	—	2	4	4	—	—	—	—		—	—	—	—
6 Diphtheria	3	3	1	—	1	1	—	—	—	1	—	—		—	—	—	—
7 Influenza	6	5	4	4	7	11	3	1	6	5	—	2		3	4	1	1
8 Encephalitis lethargica	—	—	—	1	1	1	—	1	—	1	1	—		—	—	—	—
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—		—	—	—	—
10 Tuberculosis of respiratory sys.	14	13	6	8	16	12	4	6	13	17	6	5		2	3	—	3
11 Other tuberculous diseases	6	9	1	1	2	5	—	2	4	4	—	3		3	2	2	—
12 Cancer, malignant disease	18	15	9	10	16	47	5	7	5	8	12	5		1	14	5	13
13 Rheumatic fever	1	1	—	—	1	—	—	1	1	2	—	—		—	2	—	—
14 Diabetes	—	1	—	1	—	5	2	1	—	3	1	2		—	—	—	1
15 Cerebral hæmorrhage, &c.	14	6	8	3	19	32	9	5	7	8	8	8		2	3	1	8
16 Heart disease	17	16	8	13	55	64	11	9	15	16	7	9		16	15	13	11
17 Arterio-sclerosis	10	5	4	5	11	20	—	—	7	5	7	5		4	5	11	2
18 Bronchitis	8	10	4	7	16	11	9	1	6	10	4	2		5	3	4	3
19 Pneumonia (all forms)	43	28	11	5	12	15	5	1	37	23	2	3		6	4	8	6
20 Other respiratory diseases	1	2	3	1	6	1	1	1	—	1	—	—		2	2	—	—
21 Ulcer of stomach or duodenum	2	4	1	—	3	—	1	—	3	—	—	1		2	—	—	1
22 Diarrhœa, &c. (under 2 years)	2	8	1	2	6	1	2	1	2	3	—	—		1	—	—	4
23 Appendicitis and typhlitis	2	—	1	—	—	1	—	—	2	—	—	—		—	—	1	1
24 Cirrhosis of liver	1	1	—	—	1	1	1	—	—	—	—	—		—	1	—	—
25 Acute and chronic nephritis	1	4	1	2	10	7	6	4	3	4	2	1		2	—	1	1
26 Puerperal sepsis	—	1	—	2	—	—	—	—	—	1	—	—		—	—	—	—
27 Other accidents and diseases of pregnancy and parturition	—	5	—	—	—	—	—	2	—	2	—	—		—	1	—	2
28 Congenital debility and malformation, premature birth	18	16	2	2	9	8	4	3	13	11	3	1		5	1	5	1
29 Suicide	1	—	1	—	2	1	3	—	2	—	—	—		4	1	2	1
30 Other deaths from violence	8	2	5	2	5	6	5	—	8	3	3	1		8	2	2	—
31 Other defined diseases	39	37	22	23	39	52	16	13	28	19	9	13		22	21	19	17
32 Causes ill-defined or unknown	2	1	—	1	1	—	—	1	—	—	1	—		—	—	—	—

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1925 (Civilian population only)—*cont.*

YORKSHIRE, WEST RIDING.

Causes of Death.	Adwick-le-Street U.D.		Barn-oldswick U.D.		Batley M.B.		Bentley with Arksey U.D.		Bingley U.D.		Bolton upon Dearne U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	92	68	84	78	247	247	90	66	132	154	75	82	
Enteric fever	—	—	—	—	1	—	—	—	—	—	—	—	1
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	2
Measles	1	1	—	—	2	7	—	2	2	2	—	3	3
Scarlet fever	1	—	—	—	1	—	—	—	—	—	—	1	4
Whooping cough	—	—	3	1	6	3	—	—	—	1	2	6	5
Diphtheria	—	—	—	—	—	—	5	2	1	—	—	—	6
Influenza	2	2	3	5	7	12	2	2	3	5	1	—	7
Encephalitis lethargica ..	—	—	—	—	—	—	—	—	—	—	—	—	8
Meningococcal meningitis ..	—	—	—	—	—	—	—	—	—	—	—	—	9
Tuberculosis of respiratory sys.	12	3	8	6	10	6	4	6	13	7	4	8	10
Other tuberculous diseases ..	1	—	—	3	5	6	—	1	1	3	2	5	11
Cancer, malignant disease ..	4	6	6	4	19	30	2	5	10	19	4	5	12
Rheumatic fever	1	—	—	—	2	2	—	—	1	1	—	1	13
Diabetes	—	—	2	2	1	3	1	—	2	1	—	—	14
Cerebral hæmorrhage, &c. ..	4	2	1	3	15	30	2	3	8	10	5	3	15
Heart disease	4	5	13	13	47	35	8	8	19	19	—	5	16
Arterio-sclerosis	3	3	9	11	11	9	2	1	3	5	2	2	17
Bronchitis	11	4	5	4	22	27	4	2	10	15	4	4	18
Pneumonia (all forms) ..	6	11	9	7	23	15	10	7	5	5	20	16	19
Other respiratory diseases ..	1	—	—	—	5	—	1	1	2	2	1	1	20
Ulcer of stomach or duodenum	—	—	1	—	2	1	—	—	1	1	1	—	21
Diarrhœa, &c. (under 2 years)	1	6	—	—	5	2	2	—	—	1	2	1	22
Appendicitis and typhlitis ..	1	—	—	—	2	3	—	—	1	2	2	—	23
Cirrhosis of liver	—	—	—	—	—	—	—	1	3	1	—	1	24
Acute and chronic nephritis ..	5	—	2	2	6	13	1	2	6	2	2	—	25
Puerperal sepsis	—	2	—	1	—	—	—	1	—	—	—	1	26
Other accidents and diseases of pregnancy and parturition..	—	1	—	2	—	1	—	5	—	—	—	1	27
Congenital debility and mal-formation, premature birth	8	5	4	1	10	10	12	5	12	9	11	5	28
Suicide	—	—	2	—	3	—	4	1	—	—	—	—	29
Other deaths from violence ..	10	5	1	2	6	4	7	—	4	4	4	1	30
Other defined diseases ..	16	12	14	11	36	28	23	10	24	38	7	11	31
Causes ill-defined or unknown	—	—	1	—	—	—	—	1	1	1	1	1	32

YORKSHIRE, WEST RIDING—*cont.*

Causes of Death.	Brig-house M.B.		Castle-ford U.D.		Conis-brough U.D.		Darton U.D.		Doncas-ter M.B.		Elland U.D.		Feather-stone U.D.		Golcar U.D.		Goole U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	146	168	188	143	154	97	70	64	353	335	72	70	101	78	79	73	142	115	
Enteric fever	1	—	—	2	—	—	—	—	—	—	—	—	1	—	1	1	—	—	1
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
Measles	2	5	1	2	5	1	3	1	7	1	1	—	—	—	1	—	9	3	3
Scarlet fever	1	—	—	—	—	2	2	—	4	1	—	—	—	—	—	—	—	—	4
Whooping cough	1	—	3	3	2	5	—	1	3	4	2	—	4	2	1	—	—	3	5
Diphtheria	—	—	1	—	—	—	2	—	3	2	—	—	1	—	—	—	2	1	6
Influenza	3	7	3	2	4	—	4	5	10	13	2	1	1	—	1	2	—	5	7
Encephalitis lethargica ..	—	—	—	—	—	—	—	—	1	3	1	—	—	—	—	1	1	—	8
Meningococcal meningitis ..	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	9
Tuberculosis of respiratory sys.	7	10	16	11	9	6	4	3	20	18	7	5	5	9	4	—	11	11	10
Other tuberculous diseases ..	5	1	4	3	3	2	—	2	6	4	2	—	2	—	4	2	3	6	11
Cancer, malignant disease ..	13	22	18	15	6	3	4	3	32	56	8	11	6	7	7	8	12	12	12
Rheumatic fever	—	1	—	3	1	—	—	—	1	—	—	—	—	—	2	—	1	—	13
Diabetes	—	1	1	2	2	—	—	1	6	3	1	1	2	1	3	—	—	—	14
Cerebral hæmorrhage, &c. ..	12	13	6	6	8	4	3	3	25	17	4	7	4	4	3	5	8	3	15
Heart disease	19	29	24	17	14	7	6	8	38	40	9	8	8	7	17	16	13	17	16
Arterio-sclerosis	11	13	3	1	2	2	—	—	12	10	5	1	—	—	5	3	1	—	17
Bronchitis	18	14	19	9	15	6	9	3	33	16	6	4	12	7	5	6	8	7	18
Pneumonia (all forms) ..	11	5	25	18	23	5	5	5	33	28	4	10	16	7	1	4	19	7	19
Other respiratory diseases ..	2	1	—	—	1	—	2	—	1	5	—	—	1	—	1	—	1	—	20
Ulcer of stomach or duodenum	1	—	2	—	—	—	1	—	2	3	—	1	1	—	2	—	1	—	21
Diarrhœa, &c. (under 2 years)	1	—	5	2	9	12	2	—	6	9	—	—	1	—	—	—	1	4	22
Appendicitis and typhlitis ..	1	1	2	—	3	—	1	—	1	—	—	1	1	—	—	—	1	—	23
Cirrhosis of liver	1	—	—	1	—	—	—	—	—	2	2	—	—	—	2	1	1	—	24
Acute and chronic nephritis ..	3	7	3	10	4	2	—	2	10	6	1	2	—	1	—	1	6	4	25
Puerperal sepsis	—	1	—	—	—	1	—	—	—	1	—	—	—	3	—	1	—	—	26
Other accidents and diseases of pregnancy and parturition..	—	2	—	3	—	2	—	1	—	2	—	—	—	2	—	2	—	—	27
Congenital debility and mal-formation, premature birth	4	5	17	12	9	11	3	12	15	17	1	3	8	4	5	2	7	6	28
Suicide	1	3	1	—	2	—	1	—	6	3	3	—	2	—	2	1	3	—	29
Other deaths from violence ..	6	1	10	2	10	3	3	—	17	6	1	—	9	2	1	—	9	2	30
Other defined diseases ..	22	25	23	19	21	21	15	14	60	64	12	15	16	20	11	17	24	24	31
Causes ill-defined or unknown	—	1	1	—	—	2	—	—	1	1	—	—	—	2	—	—	—	—	32

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1925 (Civilian population only)—*cont.*

YORKSHIRE, WEST RIDING—*cont.*

Causes of Death.	Harrogate M.B.		Hemsworth U.D.		Holmfirth U.D.		Hoyland Nether U.D.		Keighley M.B.		Mexborough U.D.		Mirfield U.D.		Morley M.B.		Normanton U.D.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Causes	195	261	77	83	70	75	89	79	292	291	102	90	74	94	147	152	105	85
1 Enteric fever	—	—	1	—	—	1	—	—	—	—	1	—	—	—	1	—	—	—
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	1	1	3	3	—	—	1	—	4	6	—	2	2	1	—	—	—	1
4 Scarlet fever	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—
5 Whooping cough	—	1	—	—	2	1	2	1	2	2	3	2	—	—	—	—	—	1
6 Diphtheria	—	—	—	—	—	—	—	2	—	1	—	—	—	—	2	1	2	—
7 Influenza	8	13	4	2	1	2	2	2	4	7	2	3	3	5	8	5	1	2
8 Encephalitis lethargica	1	—	1	—	—	—	1	1	—	—	—	—	1	—	—	1	—	1
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
10 Tuberculosis of respiratory sys.	13	7	3	6	2	3	8	4	18	18	11	7	1	5	7	6	13	12
11 Other tuberculous diseases	7	5	3	2	1	2	2	1	7	5	4	3	—	2	1	2	1	5
12 Cancer, malignant disease	12	37	5	4	9	7	5	10	25	35	8	7	6	11	11	22	9	5
13 Rheumatic fever	—	1	—	1	—	—	—	—	2	2	—	1	—	—	1	—	—	—
14 Diabetes	3	1	—	—	2	1	1	2	4	8	—	—	2	1	—	2	—	1
15 Cerebral hæmorrhage, &c.	13	14	1	6	5	6	8	4	21	25	3	—	12	8	5	10	13	3
16 Heart disease	29	48	5	2	6	13	8	8	34	38	5	10	12	16	15	24	5	12
17 Arterio-sclerosis	12	20	3	2	12	6	2	1	10	6	3	2	3	3	18	11	5	2
18 Bronchitis	7	12	5	4	2	5	13	8	27	27	3	10	6	7	5	6	3	8
19 Pneumonia (all forms)	12	14	11	9	6	2	8	6	26	18	10	7	3	5	18	10	15	7
20 Other respiratory diseases	4	8	—	1	3	—	2	—	4	2	3	3	—	—	—	2	3	1
21 Ulcer of stomach or duodenum	2	5	2	1	2	—	—	1	4	—	—	1	—	—	3	—	—	—
22 Diarrhœa, &c. (under 2 years)	—	1	1	2	—	—	—	2	1	1	4	2	—	—	1	1	6	1
23 Appendicitis and typhlitis	—	1	—	1	1	—	—	—	3	3	1	1	1	—	—	—	—	—
24 Cirrhosis of liver	4	2	—	—	—	—	1	1	—	1	—	—	—	—	—	1	—	—
25 Acute and chronic nephritis	8	6	3	1	—	1	1	—	8	19	1	—	1	5	8	7	4	1
26 Puerperal sepsis	—	1	—	—	—	—	—	—	—	1	—	1	—	3	—	2	—	—
27 Other accidents and diseases of pregnancy and parturition	—	1	—	3	—	1	—	1	—	3	—	2	—	—	—	1	—	2
28 Congenital debility and malformation, premature birth	10	7	7	8	5	8	7	6	11	5	8	7	1	3	9	11	9	7
29 Suicide	2	1	—	1	2	—	2	—	2	2	1	—	—	—	2	—	—	—
30 Other deaths from violence	7	6	8	2	2	3	—	1	10	3	8	—	6	—	7	2	3	2
31 Other defined diseases	40	48	11	21	7	13	14	17	64	52	21	19	14	19	25	25	12	11
32 Causes ill-defined or unknown	—	—	—	1	—	—	—	—	1	1	1	—	—	—	—	—	—	—

YORKSHIRE, WEST RIDING—*cont.*

Causes of Death.	Ossett M.B.		Pontefract M.B.		Pudsey M.B.		Rawmarsh U.D.		Rothwell U.D.		Saddleworth U.D.		Shipley U.D.		Skipton U.D.		Sowerby Bridge U.D.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Causes	113	100	101	108	100	108	118	86	91	59	63	88	220	201	84	102	90	100
1 Enteric fever	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	1	—	—	—	1	1	—	—	—	1	—	1	4	6	3	—	—	1
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—
5 Whooping cough	1	—	2	6	—	—	4	—	1	—	—	—	4	2	1	1	—	1
6 Diphtheria	1	—	—	—	—	—	—	1	—	—	—	—	—	1	—	1	—	—
7 Influenza	2	1	3	1	4	3	2	1	1	2	2	6	4	5	2	4	2	6
8 Encephalitis lethargica	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory sys.	4	5	7	9	5	8	7	8	5	2	4	4	10	8	5	6	8	5
11 Other tuberculous diseases	2	—	2	3	3	—	8	2	2	3	1	3	9	2	—	2	—	1
12 Cancer, malignant disease	6	15	6	15	8	10	6	5	8	2	5	6	25	26	6	12	5	10
13 Rheumatic fever	—	—	—	—	1	2	—	—	—	—	—	—	—	1	2	1	—	—
14 Diabetes	1	2	—	—	2	1	—	2	1	—	1	2	2	—	1	2	—	—
15 Cerebral hæmorrhage, &c.	7	8	7	2	5	11	11	7	7	6	2	5	14	16	10	9	8	6
16 Heart disease	23	20	4	9	14	18	7	7	12	9	10	22	30	31	8	20	20	29
17 Arterio-sclerosis	2	—	2	2	2	4	—	1	3	3	9	3	15	8	5	6	—	1
18 Bronchitis	11	7	16	18	8	9	7	8	11	7	5	5	17	13	6	11	6	12
19 Pneumonia (all forms)	18	15	10	7	14	1	9	7	12	5	3	3	21	19	8	6	10	9
20 Other respiratory diseases	1	3	—	—	2	1	2	—	1	—	1	—	6	—	—	—	1	—
21 Ulcer of stomach or duodenum	—	—	—	—	4	—	—	—	1	—	—	—	—	1	—	—	2	2
22 Diarrhœa, &c. (under 2 years)	—	1	4	4	1	1	4	—	2	—	—	—	2	1	—	—	2	—
23 Appendicitis and typhlitis	1	—	—	—	1	1	—	—	—	—	1	—	1	2	1	2	1	2
24 Cirrhosis of liver	—	—	2	1	1	1	1	1	—	—	—	1	—	1	1	1	—	—
25 Acute and chronic nephritis	2	6	1	6	1	2	2	1	1	—	5	6	2	8	2	2	5	1
26 Puerperal sepsis	—	—	—	—	—	3	—	1	—	—	—	—	—	1	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition	—	—	—	—	—	1	—	3	—	—	—	2	—	2	—	—	—	2
28 Congenital debility and malformation, premature birth	10	3	8	7	4	3	15	14	3	2	2	5	13	9	4	1	1	2
29 Suicide	2	—	1	—	1	—	—	—	2	—	2	—	4	—	1	—	2	—
30 Other deaths from violence	1	2	10	1	4	2	13	1	7	2	2	2	10	3	9	2	4	3
31 Other defined diseases	17	12	15	16	13	25	20	16	11	15	8	12	25	33	9	13	12	7
32 Causes ill-defined or unknown	—	—	—	—	1	—	—	—	—	—	—	—	2	—	—	—	1	—

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1925 (Civilian population only)—*cont.*

YORKSHIRE, WEST RIDING—*cont.*

Causes of Death.	Spenborough U.D.		Stanley U.D.		Swinton U.D.		Todmorden M.B.		Wath-upon-Dearne U.D.		Wombwell U.D.		Worsborough U.D.				Doncaster R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.			M.	F.	
All Causes	198	199	94	87	85	72	169	148	91	65	99	90	79	63			185	179	
Enteric fever	—	—	—	—	1	—	—	—	—	—	—	—	—	—			—	—	1
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—			—	—	2
Measles	2	2	1	—	2	1	—	—	1	—	—	—	3	3			3	5	3
Scarlet fever	1	—	—	—	—	—	—	—	—	—	—	1	—	—			1	—	4
Whooping cough	1	1	2	2	—	1	1	—	2	1	2	—	—	—			1	1	5
Diphtheria	1	—	—	—	—	—	—	2	—	—	—	1	1	1			—	—	6
Influenza	6	4	—	—	3	4	3	6	3	—	2	2	2	2			5	5	7
Encephalitis lethargica	2	1	—	—	1	—	—	—	—	—	2	—	1	—			—	—	8
Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	1	—			—	—	9
Tuberculosis of respiratory sys.	9	5	3	5	5	12	7	6	5	11	5	5	6	2			14	14	10
Other tuberculous diseases	2	5	2	1	1	—	7	3	1	1	4	6	3	5			4	4	11
Cancer, malignant disease	17	25	6	8	3	5	21	15	10	6	7	7	8	5			16	18	12
Rheumatic fever	—	3	—	1	—	—	3	—	—	—	—	—	—	—			—	—	13
Diabetes	3	3	—	2	—	—	2	1	1	1	—	2	—	—			2	2	14
Cerebral hæmorrhage, &c.	19	22	7	10	6	5	15	19	4	6	—	6	5	4			10	8	15
Heart disease	23	32	19	16	12	9	19	21	8	2	6	5	8	10			13	17	16
Arterio-sclerosis	9	4	1	1	2	1	11	5	1	2	2	1	2	—			3	6	17
Bronchitis	22	14	4	2	4	4	17	17	6	3	12	10	12	10			13	11	18
Pneumonia (all forms)	17	11	16	14	5	2	10	7	18	8	13	7	7	4			20	24	19
Other respiratory diseases	3	2	—	—	2	—	2	2	—	—	1	—	—	—			5	—	20
Ulcer of stomach or duodenum	5	1	—	1	1	1	1	—	—	—	—	—	1	1			—	2	21
Diarrhœa, &c. (under 2 years)	2	2	3	4	1	1	2	—	1	1	3	3	—	2			3	6	22
Appendicitis and typhlitis	3	—	3	1	2	—	3	—	—	1	—	—	1	—			—	—	23
Cirrhosis of liver	1	—	—	—	1	—	1	—	—	—	—	—	—	—			1	—	24
Acute and chronic nephritis	9	4	1	2	1	—	9	10	2	1	2	5	2	1			5	2	25
Puerperal sepsis	—	3	—	2	—	1	—	—	—	—	—	1	—	—			—	—	26
Other accidents and diseases of pregnancy and parturition	—	1	—	1	—	2	—	—	—	1	—	2	—	—			—	—	27
Congenital debility and malformation, premature birth	9	4	10	5	7	7	6	4	7	6	8	8	3	4			23	18	28
Suicide	4	1	2	—	1	—	2	1	1	—	2	—	1	—			2	—	29
Other deaths from violence	5	3	4	2	8	—	—	—	6	1	5	2	4	1			20	4	30
Other defined diseases	23	46	10	7	16	16	27	29	14	12	23	16	8	8			18	28	31
Causes ill-defined or unknown	—	—	—	—	—	—	—	—	—	1	—	—	—	—			3	4	32

YORKSHIRE, WEST RIDING—*cont.*

Causes of Death.	Great Ouseburn R.D.		Hemsworth R.D.		Kiveton Park R.D.		Pontefract R.D.		Rotherham R.D.		Settle R.D.		Skipton R.D.		Tadcaster R.D.		Thorne R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	60	74	280	230	87	77	148	106	204	147	82	98	114	121	158	152	122	98	
Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
Measles	—	—	12	11	—	1	—	1	1	1	—	—	—	1	1	—	3	3	3
Scarlet fever	—	—	1	1	2	1	—	—	1	—	—	—	—	—	—	—	—	—	4
Whooping cough	—	—	—	3	1	1	6	7	1	2	1	—	—	1	2	1	2	1	5
Diphtheria	—	—	2	—	—	1	1	—	1	2	—	—	—	1	1	1	—	—	6
Influenza	3	7	13	11	1	2	3	1	4	2	6	4	2	4	3	3	4	2	7
Encephalitis lethargica	—	—	—	—	—	—	—	—	1	—	1	—	1	—	1	—	—	1	8
Meningococcal meningitis	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	9
Tuberculosis of respiratory sys.	4	3	17	12	4	3	12	10	10	8	3	2	—	1	11	13	6	15	10
Other tuberculous diseases	1	1	2	7	1	—	4	6	3	3	—	2	4	4	5	5	5	5	11
Cancer, malignant disease	10	10	12	20	3	7	10	8	13	19	5	7	9	15	10	21	5	4	12
Rheumatic fever	1	—	—	5	—	—	—	—	4	2	—	—	1	—	—	1	1	—	13
Diabetes	2	1	—	—	1	3	1	—	4	1	3	2	—	1	1	4	—	—	14
Cerebral hæmorrhage, &c.	2	5	11	13	2	3	4	4	4	5	6	11	5	14	9	7	6	7	15
Heart disease	12	16	10	17	13	19	8	9	15	13	13	18	11	17	16	14	11	5	16
Arterio-sclerosis	4	3	5	1	—	1	2	—	7	3	5	5	10	8	6	7	4	3	17
Bronchitis	2	6	36	19	4	6	12	7	18	13	2	7	6	7	11	9	8	5	18
Pneumonia (all forms)	4	1	41	27	19	6	20	9	23	14	2	4	11	6	17	14	17	11	19
Other respiratory diseases	—	—	6	3	2	1	2	—	2	2	2	1	2	—	2	—	1	1	20
Ulcer of stomach or duodenum	—	—	4	—	—	—	1	—	2	—	—	—	4	—	4	—	—	—	21
Diarrhœa, &c. (under 2 years)	1	1	9	5	1	1	3	3	7	5	—	—	—	1	1	1	2	1	22
Appendicitis and typhlitis	—	1	2	2	1	1	1	—	2	—	—	1	1	—	1	1	—	—	23
Cirrhosis of liver	—	1	4	2	—	—	—	—	—	—	—	1	1	1	2	—	1	—	24
Acute and chronic nephritis	1	1	5	6	1	2	4	3	4	4	2	4	4	4	2	7	—	—	25
Puerperal sepsis	—	1	—	5	—	1	—	3	—	3	—	—	—	—	—	—	—	2	26
Other accidents and diseases of pregnancy and parturition	—	—	—	5	—	—	—	2	—	2	—	2	—	1	—	—	—	—	27
Congenital debility and malformation, premature birth	1	1	25	14	8	3	14	11	14	10	1	1	7	2	8	9	15	11	28
Suicide	1	1	2	1	—	—	1	1	1	—	1	—	3	1	3	—	—	—	29
Other deaths from violence	2	3	18	5	2	2	11	2	25	5	2	2	8	—	11	4	8	1	30
Other defined diseases	9	10	41	35	21	12	28	19	36	28	27	24	24	28	30	25	21	17	31
Causes ill-defined or unknown	—	1	2	—	—	—	—	—	—	—	—	—	—	3	—	—	2	3	32

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1925 (Civilian population only)—*cont.*

YORKSHIRE, WEST RIDING—*cont.* **ANGLESEY.**

Causes of Death.	Wakefield R.D.		Wetherby R.D.		Wharfedale North R.D.		Wharfedale South R.D.		Wortley R.D.		Holyhead U.D.		Valley R.D.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Causes	110	102	103	88	19	12	32	30	165	146	71	84	86	70
1 Enteric fever	—	1	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	3	3	—	—	—	—	—	—	1	—	—	—	—	—
4 Scarlet fever	—	—	—	—	—	—	—	—	—	2	—	—	1	—
5 Whooping cough	—	3	1	—	—	—	—	—	3	2	4	6	—	—
6 Diphtheria	1	1	—	—	—	—	—	—	3	—	1	2	—	—
7 Influenza	3	4	6	4	—	1	1	—	14	4	4	1	5	2
8 Encephalitis lethargica	—	—	—	—	—	—	—	—	3	1	—	1	—	—
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory sys.	5	3	3	2	—	—	2	—	4	11	2	9	7	7
11 Other tuberculous diseases	1	3	2	3	—	—	—	—	1	1	2	1	—	1
12 Cancer, malignant disease	12	6	13	15	2	1	6	5	13	14	3	12	8	14
13 Rheumatic fever	2	—	—	1	—	—	—	—	—	2	—	—	—	—
14 Diabetes	—	2	1	3	—	—	—	1	—	—	1	—	—	2
15 Cerebral hæmorrhage, &c.	3	7	5	7	1	2	2	5	12	12	2	8	9	8
16 Heart disease	19	12	19	13	3	1	5	6	24	28	10	8	14	9
17 Arterio-sclerosis	2	—	8	7	2	—	2	2	11	3	6	2	4	—
18 Bronchitis	4	3	1	6	1	2	—	3	13	12	3	4	5	4
19 Pneumonia (all forms)	13	10	7	3	—	—	2	—	15	8	3	4	8	4
20 Other respiratory diseases	1	1	1	—	—	—	1	—	5	2	—	—	1	1
21 Ulcer of stomach or duodenum	4	—	1	—	—	—	—	—	2	2	1	1	—	—
22 Diarrhœa, &c. (under 2 years)	2	3	3	—	—	—	—	—	3	1	1	—	1	1
23 Appendicitis and typhlitis	—	2	—	—	—	—	—	—	—	—	1	—	—	—
24 Cirrhosis of liver	—	—	—	1	—	—	—	—	—	—	—	—	1	—
25 Acute and chronic nephritis	3	5	3	—	—	1	2	—	6	1	3	3	2	5
26 Puerperal sepsis	—	—	—	—	—	—	—	—	—	1	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition	—	—	—	—	—	—	—	1	—	3	—	1	—	—
28 Congenital debility and malformation, premature birth	8	8	7	1	2	—	2	3	7	6	3	3	3	1
29 Suicide	1	1	1	—	1	—	1	—	1	—	—	—	—	—
30 Other deaths from violence	6	3	1	2	2	—	1	—	6	2	2	1	4	1
31 Other defined diseases	17	20	20	20	5	3	4	4	18	28	16	14	13	10
32 Causes ill-defined or unknown	—	1	—	—	—	1	1	—	—	—	3	3	—	—

BRECKNOCKSHIRE. **CARDIGANSHIRE.**

Causes of Death.	Ystradgynlais R.D.		Aberystwyth M.B.		Aberystwyth North R.D.		Aberystwyth South R.D.	
	M.	F.	M.	F.	M.	F.	M.	F.
All Causes	65	58	51	56	46	63	44	50
1 Enteric fever	—	—	—	—	—	—	—	—
2 Small-pox	—	—	—	—	—	—	—	—
3 Measles	1	1	—	—	—	1	—	1
4 Scarlet fever	—	—	—	—	—	—	—	—
5 Whooping cough	1	2	—	—	—	—	—	1
6 Diphtheria	1	—	—	—	—	—	—	—
7 Influenza	2	1	—	2	2	3	—	3
8 Encephalitis lethargica	—	—	1	1	—	—	—	—
9 Meningococcal meningitis	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory sys.	4	1	10	7	7	11	5	7
11 Other tuberculous diseases	—	1	2	—	—	2	1	1
12 Cancer, malignant disease	4	3	5	9	7	9	6	7
13 Rheumatic fever	—	1	—	—	—	—	—	—
14 Diabetes	—	1	2	—	—	—	3	—
15 Cerebral hæmorrhage, &c.	4	5	3	7	1	6	4	2
16 Heart disease	6	8	7	7	6	15	8	9
17 Arterio-sclerosis	—	2	1	2	1	1	—	1
18 Bronchitis	7	6	5	3	4	1	—	—
19 Pneumonia (all forms)	9	5	—	4	2	2	1	—
20 Other respiratory diseases	—	1	3	—	1	—	3	—
21 Ulcer of stomach or duodenum	1	—	1	—	1	—	—	—
22 Diarrhœa, &c. (under 2 years)	—	1	—	—	—	—	1	—
23 Appendicitis and typhlitis	—	—	—	1	—	—	1	—
24 Cirrhosis of liver	—	—	2	—	—	—	—	—
25 Acute and chronic nephritis	—	2	3	4	3	2	—	2
26 Puerperal sepsis	—	—	—	—	—	1	—	—
27 Other accidents and diseases of pregnancy and parturition	—	—	—	1	—	—	—	—
28 Congenital debility and malformation, premature birth	3	4	2	—	2	1	1	5
29 Suicide	—	—	1	—	—	1	1	1
30 Other deaths from violence	7	—	—	—	—	—	1	—
31 Other defined diseases	14	12	3	8	8	6	7	10
32 Causes ill-defined or unknown	1	1	—	—	1	1	1	—

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1925 (Civilian population only)—*cont.*

CARMARTHENSHIRE.

Causes of Death.	Carmarthen M.B.		Llanelly M.B.						Carmarthen R.D.		Llandilo Fawr R.D.		Llanelly R.D.						
	M.	F.	M.	F.					M.	F.	M.	F.	M.	F.					
All Causes	55	62	224	228					143	198	140	128	228	213					
1 Enteric fever	—	—	—	—					—	—	—	—	1	—					1
2 Small-pox	—	—	—	—					—	—	—	—	—	—					2
3 Measles	—	—	1	7					—	—	—	1	2	2					3
4 Scarlet fever	—	—	—	—					—	—	—	—	1	1					4
5 Whooping cough	2	—	—	7					2	3	1	—	4	3					5
6 Diphtheria	2	—	3	1					—	3	2	1	12	3					6
7 Influenza	1	—	6	5					4	6	4	3	3	5					7
8 Encephalitis lethargica	—	—	—	3					—	1	—	1	—	—					8
9 Meningococcal meningitis	—	—	—	—					—	—	—	—	—	—					9
10 Tuberculosis of respiratory sys.	—	3	18	14					11	16	7	6	17	23					10
11 Other tuberculous diseases	2	1	4	3					3	6	2	2	3	7					11
12 Cancer, malignant disease	6	7	11	28					12	14	15	15	25	19					12
13 Rheumatic fever	—	—	1	3					—	—	—	1	3	3					13
14 Diabetes	—	—	—	3					2	1	4	2	—	2					14
15 Cerebral hæmorrhage, &c.	5	3	9	11					9	19	9	9	14	9					15
16 Heart disease	9	19	29	33					21	43	19	33	21	26					16
17 Arterio-sclerosis	3	1	14	2					5	5	7	2	7	6					17
18 Bronchitis	3	6	13	8					17	14	7	4	7	16					18
19 Pneumonia (all forms)	4	4	23	20					9	11	7	6	13	15					19
20 Other respiratory diseases	1	—	4	4					1	1	—	2	2	3					20
21 Ulcer of stomach or duodenum	—	—	1	1					1	—	1	—	—	—					21
22 Diarrhœa, &c. (under 2 years)	—	1	7	1					3	1	4	—	4	—					22
23 Appendicitis and typhlitis	1	—	1	1					2	2	—	—	1	2					23
24 Cirrhosis of liver	—	—	1	1					1	1	—	—	—	—					24
25 Acute and chronic nephritis	2	2	4	6					9	14	3	3	3	6					25
26 Puerperal sepsis	—	—	—	—					—	—	—	2	—	1					26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	1					—	1	—	2	—	4					27
28 Congenital debility and malformation, premature birth	3	4	18	14					3	5	9	9	19	5					28
29 Suicide	2	1	2	1					2	2	1	1	2	2					29
30 Other deaths from violence	2	1	7	3					6	2	11	2	20	2					30
31 Other defined diseases	6	8	41	46					18	27	27	21	44	47					31
32 Causes ill-defined or unknown	1	1	6	1					2	—	—	—	—	1					32

CARNARVONSHIRE. DENBIGHSHIRE.

Causes of Death.	Bangor M.B.		Llandudno U.D.				Gwyrfai R.D.		Lleyn R.D.		Colwyn Bay & Colwyn U.D.		Wrexham M.B.				Wrexham R.D.		
	M.	F.	M.	F.			M.	F.	M.	F.	M.	F.	M.	F.			M.	F.	
All Causes	83	97	60	73			262	216	129	129	113	127	126	137			403	350	
1 Enteric fever	—	—	—	—			—	—	—	—	—	—	—	—			1	1	1
2 Small-pox	—	—	—	—			—	—	—	—	—	—	—	—			—	—	2
3 Measles	1	2	—	—			—	—	—	—	—	—	—	—			2	—	3
4 Scarlet fever	—	1	—	—			—	—	—	—	—	—	—	—			1	—	4
5 Whooping cough	—	—	1	—			1	6	—	—	—	1	—	1			4	8	5
6 Diphtheria	—	1	—	—			—	—	—	—	1	—	1	—			1	1	6
7 Influenza	3	5	2	3			5	6	4	2	6	10	1	1			7	1	7
8 Encephalitis lethargica	—	1	—	—			1	1	—	—	—	2	1	2			1	—	8
9 Meningococcal meningitis	—	—	—	—			—	—	—	—	—	—	—	—			1	—	9
10 Tuberculosis of respiratory sys.	10	8	3	1			35	13	2	6	6	6	11	15			23	16	10
11 Other tuberculous diseases	1	1	5	1			4	6	1	5	1	1	1	1			5	2	11
12 Cancer, malignant disease	11	9	8	11			25	28	14	20	15	22	9	17			43	34	12
13 Rheumatic fever	—	1	—	—			1	1	1	—	—	2	—	—			1	1	13
14 Diabetes	—	1	—	2			1	1	3	2	—	1	—	1			1	3	14
15 Cerebral hæmorrhage, &c.	5	6	4	6			9	19	9	12	6	14	6	9			30	41	15
16 Heart disease	4	15	8	14			36	27	21	24	19	19	19	28			55	63	16
17 Arterio-sclerosis	5	2	2	5			18	3	13	1	11	14	8	4			11	4	17
18 Bronchitis	9	13	2	2			13	14	4	14	5	8	8	16			33	38	18
19 Pneumonia (all forms)	3	3	2	5			21	10	9	11	7	2	12	10			45	21	19
20 Other respiratory diseases	1	1	—	—			2	3	—	—	2	—	—	—			4	8	20
21 Ulcer of stomach or duodenum	—	—	2	1			1	1	—	—	1	1	1	—			5	2	21
22 Diarrhœa, &c. (under 2 years)	—	—	—	—			2	1	3	1	—	1	3	2			6	2	22
23 Appendicitis and typhlitis	—	—	—	1			—	1	1	3	—	—	3	1			3	3	23
24 Cirrhosis of liver	—	—	—	—			—	—	—	—	1	—	—	—			1	2	24
25 Acute and chronic nephritis	3	3	5	4			12	20	11	6	7	5	3	3			6	4	25
26 Puerperal sepsis	—	—	—	—			—	—	—	1	—	1	—	—			—	3	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	1			—	2	—	—	—	1	—	—			—	7	27
28 Congenital debility and malformation, premature birth	1	3	9	3			8	7	3	2	8	—	13	4			23	28	28
29 Suicide	2	1	—	—			3	—	2	2	—	—	2	—			4	1	29
30 Other deaths from violence	3	—	1	1			5	2	6	1	2	2	6	—			26	5	30
31 Other defined diseases	20	20	6	12			59	44	21	16	15	14	18	22			58	51	31
32 Causes ill-defined or unknown	1	—	—	—			—	—	1	—	—	—	—	—			2	—	32

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1925 (Civilian population only)—*cont.*

FLINTSHIRE.

Causes of Death.	Rhyl U.D.		Hawarden R.D.		Holywell (Holywell Div.) R.D.		Holywell (Mold Div.) R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	75	73	156	106	150	134	61	62	
1 Enteric fever	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	2
3 Measles	—	—	1	2	—	—	—	—	3
4 Scarlet fever	—	—	—	—	—	—	—	—	4
5 Whooping cough	—	—	2	1	4	3	—	—	5
6 Diphtheria	—	—	2	—	1	3	1	1	6
7 Influenza	2	1	3	—	2	—	3	3	7
8 Encephalitis lethargica	—	2	—	1	1	—	—	—	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	4	5	9	8	10	9	4	5	10
11 Other tuberculous diseases	1	1	2	1	3	2	1	—	11
12 Cancer, malignant disease	12	13	18	23	5	16	6	10	12
13 Rheumatic fever	—	—	—	—	—	—	1	1	13
14 Diabetes	—	—	1	1	1	—	—	—	14
15 Cerebral hæmorrhage, &c.	9	9	14	9	11	11	3	4	15
16 Heart disease	8	15	17	13	15	13	5	5	16
17 Arterio-sclerosis	—	1	3	2	2	2	5	1	17
18 Bronchitis	5	4	14	6	8	4	4	3	18
19 Pneumonia (all forms)	4	2	17	8	17	10	2	3	19
20 Other respiratory diseases	1	3	2	—	6	1	1	—	20
21 Ulcer of stomach or duodenum	2	1	1	—	2	1	—	3	21
22 Diarrhœa, &c. (under 2 years)	—	1	2	—	1	2	—	—	22
23 Appendicitis and typhlitis	—	1	3	1	1	1	—	—	23
24 Cirrhosis of liver	—	—	—	—	1	—	—	—	24
25 Acute and chronic nephritis	6	2	3	3	4	4	3	4	25
26 Puerperal sepsis	—	—	—	1	—	2	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	2	—	2	—	3	27
28 Congenital debility and malformation, premature birth	1	2	6	4	4	5	2	4	28
29 Suicide	1	—	2	—	1	—	3	1	29
30 Other deaths from violence	3	2	12	1	8	6	6	2	30
31 Other defined diseases	15	8	20	17	40	36	8	9	31
32 Causes ill-defined or unknown	1	—	2	2	2	1	3	—	32

GLAMORGANSHIRE.

Causes of Death.	Aberdare U.D.		Barry U.D.		Caerphilly U.D.		Gelligaer U.D.		Glyncorwg U.D.		Maesteg U.D.		Mountain Ash U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	360	323	250	181	273	200	295	240	73	47	169	160	279	261	
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	4	7	7	7	11	7	13	12	—	1	6	6	9	16	3
4 Scarlet fever	—	—	2	—	—	1	—	—	—	—	—	—	—	1	4
5 Whooping cough	—	1	2	3	5	4	2	16	—	1	5	8	7	6	5
6 Diphtheria	4	4	2	3	3	1	7	7	—	—	—	3	—	1	6
7 Influenza	12	6	3	6	4	5	6	8	3	1	5	4	7	6	7
8 Encephalitis lethargica	2	—	—	—	—	—	1	—	—	—	—	—	—	—	8
9 Meningococcal meningitis	—	—	—	1	—	—	—	—	—	—	—	1	—	—	9
10 Tuberculosis of respiratory sys.	27	27	23	17	13	16	18	17	6	3	13	12	18	23	10
11 Other tuberculous diseases	4	1	4	3	4	6	9	5	2	—	4	2	5	2	11
12 Cancer, malignant disease	15	25	13	20	12	14	17	23	—	7	9	12	13	25	12
13 Rheumatic fever	3	2	1	1	1	3	1	2	1	—	1	2	1	5	13
14 Diabetes	—	4	—	1	1	1	—	1	—	2	1	—	—	2	14
15 Cerebral hæmorrhage, &c.	34	25	6	2	10	11	12	8	6	2	12	16	12	12	15
16 Heart disease	41	43	34	25	26	20	28	23	8	10	10	7	29	37	16
17 Arterio-sclerosis	7	5	8	9	4	—	6	3	—	1	4	3	6	4	17
18 Bronchitis	34	34	14	8	20	9	18	12	6	3	24	8	23	12	18
19 Pneumonia (all forms)	29	20	26	18	34	21	28	20	9	5	17	19	31	20	19
20 Other respiratory diseases	6	4	3	—	4	3	8	4	2	3	3	1	4	1	20
21 Ulcer of stomach or duodenum	3	1	2	—	3	1	3	1	1	—	1	2	3	—	21
22 Diarrhœa, &c. (under 2 years)	5	2	7	2	5	4	5	3	4	3	5	4	14	6	22
23 Appendicitis and typhlitis	—	2	3	—	3	1	2	—	1	—	1	3	2	—	23
24 Cirrhosis of liver	1	—	2	1	—	—	1	—	—	—	—	1	—	—	24
25 Acute and chronic nephritis	9	10	6	4	9	9	7	5	2	1	2	1	8	5	25
26 Puerperal sepsis	—	2	—	2	—	1	—	4	—	—	—	2	—	2	26
27 Other accidents and diseases of pregnancy and parturition	—	4	—	3	—	3	—	2	—	1	—	6	—	5	27
28 Congenital debility and malformation, premature birth	15	19	12	16	29	20	37	14	5	1	6	8	16	13	28
29 Suicide	4	1	5	1	3	1	3	1	1	—	1	—	3	1	29
30 Other deaths from violence	27	3	19	2	17	3	20	9	4	—	13	5	25	4	30
31 Other defined diseases	74	71	46	26	52	35	41	40	12	2	25	24	41	52	31
32 Causes ill-defined or unknown	—	—	—	—	—	—	2	—	—	—	1	—	2	—	32

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1925 (Civilian population only)—*cont.*

GLAMORGANSHIRE—*cont.*

Causes of Death.	Neath M.B.		Ogmore & Garw U.D.		Penarth U.D.		Pontypridd U.D.		Port Talbot M.B.		Rhondda U.D.		Cardiff R.D.		Llantrisant & Llantwitfardre R.D.		Neath R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	206	195	204	140	112	78	327	237	217	223	1122	898	127	137	183	130	210	201	
1 Enteric fever	—	—	2	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	4	7	10	7	4	2	8	14	11	7	55	38	2	2	—	4	5	8	3
4 Scarlet fever	—	1	1	—	—	—	1	—	—	—	4	2	—	—	—	—	1	—	4
5 Whooping cough	7	4	3	6	—	—	3	3	—	1	19	22	1	1	3	1	1	3	5
6 Diphtheria	5	3	—	—	—	—	—	—	—	1	7	3	—	—	—	1	2	1	6
7 Influenza	6	9	1	2	3	2	10	7	4	2	23	23	3	4	2	3	4	4	7
8 Encephalitis lethargica	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—	—	—	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	1	2	—	1	—	—	—	—	9
10 Tuberculosis of respiratory sys.	18	10	14	12	15	4	19	18	18	20	60	74	6	16	7	11	10	19	10
11 Other tuberculous diseases	1	5	3	2	—	1	9	5	7	3	15	15	2	2	6	5	8	3	11
12 Cancer, malignant disease	15	20	11	12	10	8	17	21	20	29	54	64	13	17	8	12	17	25	12
13 Rheumatic fever	—	1	3	2	1	1	—	3	6	4	5	6	—	1	—	2	2	4	13
14 Diabetes	2	2	3	3	—	1	2	3	2	2	3	6	—	—	5	3	—	5	14
15 Cerebral hæmorrhage, &c.	10	12	12	6	5	4	18	12	10	8	62	57	3	6	7	8	17	15	15
16 Heart disease	34	35	12	20	10	13	24	28	24	31	135	111	26	21	27	12	20	11	16
17 Arterio-sclerosis	5	4	5	3	2	3	4	—	3	5	18	9	7	4	2	6	—	1	17
18 Bronchitis	10	6	25	6	9	3	25	16	18	11	142	88	4	8	18	5	16	17	18
19 Pneumonia (all forms)	20	12	12	8	11	8	24	11	13	18	89	58	12	10	22	5	14	11	19
20 Other respiratory diseases	4	3	3	1	1	1	6	1	1	—	12	8	4	2	5	—	4	4	20
21 Ulcer of stomach or duodenum	3	—	1	—	—	—	2	—	1	1	8	3	1	5	1	—	1	—	21
22 Diarrhœa, &c. (under 2 years)	2	2	2	1	1	1	10	3	1	9	24	28	—	2	2	2	5	3	22
23 Appendicitis and typhlitis	—	1	3	—	—	—	4	4	3	2	10	9	—	—	1	—	—	—	23
24 Cirrhosis of liver	—	1	—	—	—	—	—	—	3	—	4	—	3	—	—	—	—	—	24
25 Acute and chronic nephritis	5	5	3	4	2	2	12	3	7	10	17	28	—	3	3	4	3	6	25
26 Puerperal sepsis	—	—	—	—	—	—	—	2	—	1	—	5	—	—	—	2	—	1	26
27 Other accidents and diseases of pregnancy and parturition	—	3	—	4	—	1	—	3	—	3	—	14	—	2	—	1	—	5	27
28 Congenital debility and malformation, premature birth	8	7	15	11	6	2	30	13	11	9	69	47	7	4	11	10	22	10	28
29 Suicide	3	—	3	—	1	—	2	1	3	—	5	1	—	1	2	1	1	1	29
30 Other deaths from violence	8	5	17	4	3	3	22	9	22	5	79	16	5	2	18	4	19	6	30
31 Other defined diseases	35	36	38	25	27	18	74	54	29	41	197	161	25	22	33	27	37	38	31
32 Causes ill-defined or unknown	1	1	2	1	—	—	1	2	—	—	4	—	2	—	—	1	1	—	32

GLAMORGANSHIRE—*cont.* MONMOUTHSHIRE.

Causes of Death.	Penybont R.D.		Pontardawe R.D.		Swansea R.D.		Abercarn U.D.		Abersychan U.D.		Abertillery U.D.		Bedwellty U.D.		Blaenavon U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	155	137	225	172	169	118	120	108	153	134	196	142	199	149	85	76	
1 Enteric fever	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	1	2	5	1	—	—	1	2	—	4	4	2	7	4	—	—	3
4 Scarlet fever	1	—	—	—	1	—	—	—	1	—	1	—	1	1	—	—	4
5 Whooping cough	3	2	3	1	3	4	3	6	1	1	4	4	4	3	1	—	5
6 Diphtheria	1	1	1	5	2	7	2	4	2	—	2	3	3	3	—	—	6
7 Influenza	1	2	7	6	3	1	5	2	3	4	4	5	15	9	1	—	7
8 Encephalitis lethargica	—	—	1	—	—	—	1	—	—	—	1	—	—	—	—	1	8
9 Meningococcal meningitis	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	10	10	18	13	13	10	3	3	9	8	12	17	7	8	1	2	10
11 Other tuberculous diseases	3	2	4	—	3	6	3	5	3	—	6	5	3	2	—	—	11
12 Cancer, malignant disease	10	14	19	19	17	9	8	5	8	9	15	12	9	10	7	1	12
13 Rheumatic fever	1	3	1	3	3	—	—	—	—	2	1	1	—	3	1	1	13
14 Diabetes	1	1	1	3	—	2	1	—	—	1	2	2	1	—	—	—	14
15 Cerebral hæmorrhage, &c.	10	11	12	11	6	6	10	9	6	6	4	6	2	8	7	6	15
16 Heart disease	13	22	22	16	18	13	8	12	8	12	23	23	11	14	8	7	16
17 Arterio-sclerosis	3	3	3	—	9	2	3	—	1	1	9	1	1	3	—	1	17
18 Bronchitis	14	5	19	7	15	7	6	3	20	11	15	4	10	8	17	15	18
19 Pneumonia (all forms)	4	7	16	9	13	10	21	19	17	9	19	12	24	13	1	2	19
20 Other respiratory diseases	4	3	5	3	2	1	3	1	4	3	4	1	—	2	4	1	20
21 Ulcer of stomach or duodenum	1	—	2	1	2	—	—	—	1	—	2	—	1	—	1	—	21
22 Diarrhœa, &c. (under 2 years)	3	1	3	3	—	1	1	3	7	3	3	5	6	6	—	1	22
23 Appendicitis and typhlitis	1	—	1	2	1	—	—	1	1	—	—	2	—	2	—	—	23
24 Cirrhosis of liver	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	24
25 Acute and chronic nephritis	5	5	4	3	8	6	1	—	1	—	3	4	9	1	5	6	25
26 Puerperal sepsis	—	1	—	3	—	—	—	4	—	1	—	1	—	1	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	4	—	3	—	2	—	1	—	3	—	1	—	4	—	1	27
28 Congenital debility and malformation, premature birth	7	4	11	5	6	6	8	9	18	14	18	13	16	12	1	2	28
29 Suicide	—	—	3	2	—	—	1	1	2	—	2	—	3	1	1	1	29
30 Other deaths from violence	27	3	25	3	21	3	9	1	10	4	16	3	16	4	3	—	30
31 Other defined diseases	30	31	38	47	23	21	21	17	30	38	25	14	48	27	26	28	31
32 Causes ill-defined or unknown	—	—	1	2	—	1	1	—	—	—	—	—	1	—	—	—	32

TABLE 21.—ENGLAND AND WALES.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1925 (Civilian population only)—*cont.*

MONMOUTHSHIRE—*cont.*

Causes of Death.	Ebbw Vale U.D.		Mynydd-dislwyn U.D.		Nanty-glo & Blaina U.D.		Panteg U.D.		Rhymney U.D.		Risca U.D.		Tredegar U.D.		St. Mellons R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	234	157	81	78	92	98	65	57	89	63	91	80	162	129	54	69	
1 Enteric fever	—	—	—	2	4	—	—	1	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	1	5	3	1	3	—	—	—	4	3	3	4	7	3	—	—	3
4 Scarlet fever	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5 Whooping cough	2	5	8	10	1	1	—	1	1	—	2	5	—	5	1	1	5
6 Diphtheria	1	1	—	—	—	—	—	—	1	3	—	1	1	—	1	2	6
7 Influenza	4	6	3	5	—	2	—	—	9	2	5	1	1	2	2	2	7
8 Encephalitis lethargica	1	1	—	—	1	—	—	1	—	—	2	2	—	—	1	—	8
9 Meningococcal meningitis	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	12	11	3	6	1	11	4	3	6	8	8	5	12	7	5	4	10
11 Other tuberculous diseases	4	6	1	—	2	—	—	—	1	1	1	1	4	3	—	—	11
12 Cancer, malignant disease	17	13	9	3	10	7	3	6	11	5	2	7	12	14	1	10	12
13 Rheumatic fever	1	3	—	—	—	2	—	1	—	—	1	—	1	—	—	2	13
14 Diabetes	1	1	—	—	1	—	1	—	—	—	—	1	—	—	—	1	14
15 Cerebral hæmorrhage, &c.	7	10	2	3	6	7	4	6	4	5	5	6	13	8	3	1	15
16 Heart disease	21	9	5	6	11	17	10	11	4	3	14	7	14	14	8	10	16
17 Arterio-sclerosis	2	6	—	1	—	—	3	—	4	—	3	1	2	—	3	2	17
18 Bronchitis	32	16	5	6	8	12	9	6	10	6	10	3	16	15	5	6	18
19 Pneumonia (all forms)	27	13	8	10	10	10	4	3	6	5	5	3	13	14	2	5	19
20 Other respiratory diseases	4	2	4	—	1	—	1	—	—	—	1	2	3	—	1	—	20
21 Ulcer of stomach or duodenum	1	1	—	1	—	—	3	—	1	—	1	—	—	—	1	1	21
22 Diarrhœa, &c. (under 2 years)	1	2	1	1	1	—	—	1	1	1	—	—	4	—	—	—	22
23 Appendicitis and typhlitis	—	1	—	—	1	—	—	—	1	—	—	2	2	1	—	1	23
24 Cirrhosis of liver	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	24
25 Acute and chronic nephritis	6	5	2	—	1	3	1	1	4	2	1	—	3	—	1	1	25
26 Puerperal sepsis	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	—	—	—	—	1	—	1	—	—	—	2	—	—	27
28 Congenital debility and malformation, premature birth	19	5	8	9	8	8	3	3	8	7	2	7	11	6	3	3	28
29 Suicide	1	1	1	1	1	2	1	—	—	—	—	—	2	1	—	—	29
30 Other deaths from violence	20	2	5	1	8	3	3	1	5	—	5	2	14	4	2	—	30
31 Other defined diseases	44	30	13	12	13	13	15	11	8	11	20	18	27	30	14	17	31
32 Causes ill-defined or unknown	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	32

MONTGOMERYSHIRE.

Causes of Death.	Llanfyllin R.D.		Newtown & Llanidloes R.D.		
	M.	F.	M.	F.	
All Causes	77	73	71	82	
1 Enteric fever	—	—	—	—	1
2 Small-pox	—	—	—	—	2
3 Measles	—	—	—	1	3
4 Scarlet fever	—	—	—	—	4
5 Whooping cough	—	—	1	—	5
6 Diphtheria	—	—	—	—	6
7 Influenza	3	1	2	4	7
8 Encephalitis lethargica	—	—	—	—	8
9 Meningococcal meningitis	—	—	—	—	9
10 Tuberculosis of respiratory sys.	3	4	2	3	10
11 Other tuberculous diseases	—	1	—	—	11
12 Cancer, malignant disease	9	10	7	4	12
13 Rheumatic fever	1	—	—	1	13
14 Diabetes	—	1	—	1	14
15 Cerebral hæmorrhage, &c.	7	7	8	12	15
16 Heart disease	9	7	13	19	16
17 Arterio-sclerosis	3	—	2	2	17
18 Bronchitis	4	9	3	7	18
19 Pneumonia (all forms)	4	1	6	4	19
20 Other respiratory diseases	1	—	1	—	20
21 Ulcer of stomach or duodenum	—	—	—	—	21
22 Diarrhœa, &c. (under 2 years)	1	—	—	—	22
23 Appendicitis and typhlitis	—	—	1	—	23
24 Cirrhosis of liver	—	1	—	—	24
25 Acute and chronic nephritis	4	6	1	3	25
26 Puerperal sepsis	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	—	27
28 Congenital debility and malformation, premature birth	6	2	8	4	28
29 Suicide	—	1	—	1	29
30 Other deaths from violence	3	4	5	1	30
31 Other defined diseases	19	17	10	15	31
32 Causes ill-defined or unknown	—	1	1	—	32

PEMBROKESHIRE.

Causes of Death.	Pembroke M.B.		Haverfordwest R.D.		Narberth R.D.		
	M.	F.	M.	F.	M.	F.	
All Causes	105	80	113	140	70	74	
1 Enteric fever	—	1	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	2
3 Measles	2	5	—	—	1	1	3
4 Scarlet fever	1	—	—	—	—	—	4
5 Whooping cough	—	—	—	—	—	—	5
6 Diphtheria	—	—	—	—	1	1	6
7 Influenza	3	1	4	2	1	1	7
8 Encephalitis lethargica	—	—	—	—	—	—	8
9 Meningococcal meningitis	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	9	9	8	18	3	10	10
11 Other tuberculous diseases	—	—	1	—	1	—	11
12 Cancer, malignant disease	6	11	10	12	5	7	12
13 Rheumatic fever	1	1	—	—	—	1	13
14 Diabetes	1	—	—	2	1	—	14
15 Cerebral hæmorrhage, &c.	5	4	5	5	7	6	15
16 Heart disease	17	8	21	23	8	7	16
17 Arterio-sclerosis	5	—	2	4	2	3	17
18 Bronchitis	10	3	4	9	5	4	18
19 Pneumonia (all forms)	6	3	10	8	3	6	19
20 Other respiratory diseases	2	2	3	1	3	1	20
21 Ulcer of stomach or duodenum	2	—	1	—	1	—	21
22 Diarrhœa, &c. (under 2 years)	—	—	1	1	—	—	22
23 Appendicitis and typhlitis	—	—	2	1	—	—	23
24 Cirrhosis of liver	—	1	1	—	—	1	24
25 Acute and chronic nephritis	5	1	6	5	5	5	25
26 Puerperal sepsis	—	—	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	4	—	1	27
28 Congenital debility and malformation, premature birth	4	4	5	7	2	5	28
29 Suicide	1	—	—	—	3	—	29
30 Other deaths from violence	4	3	3	2	—	—	30
31 Other defined diseases	21	22	24	35	16	13	31
32 Causes ill-defined or unknown	—	1	2	1	2	1	32

TABLE 22.—VIOLENT DEATHS, ENGLAND AND WALES, 1925.

(The deaths in these tables have been classified in accordance with the information recorded in the Death registers, and include deaths of non-civilians.)

International List No.	Cause or Character of Violence.		All Ages.	Under 1 year.	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
	Total	**M.**	**12782**	**362**	**866**	**562**	**420**	**777**	**899**	**1422**	**1602**	**2082**	**1781**	**1267**	**742**
		F.	**5532**	**334**	**464**	**260**	**119**	**223**	**226**	**410**	**457**	**633**	**652**	**702**	**1052**
165–174	Suicide	M.	2852	—	—	—	3	44	126	284	489	741	682	367	116
		F.	1232	—	—	—	2	47	81	174	251	328	220	101	28
	Murder	M.	63	23	7	4	3	1	3	7	4	3	4	4	—
		F.	111	24	13	5	4	8	14	21	10	5	5	2	—
197–199	Manslaughter	M.	53	12	—	1	—	3	7	8	6	7	5	3	1
		F.	33	10	—	—	—	2	6	3	4	5	2	1	—
	Justifiable Homicide	M.	2	—	—	—	—	—	—	1	—	1	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
190	Battle	M.	63	—	—	—	—	—	—	30	28	4	1	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
202 pt	Execution	M.	16	—	—	—	—	1	3	8	2	2	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Accident	M.	9733	327	859	557	414	728	760	1084	1073	1324	1089	893	625
		F.	4156	300	451	255	113	166	125	212	192	295	425	598	1024
	"Open Verdicts"*	M.	743	28	13	11	9	17	28	90	112	181	154	76	24
		F.	296	35	5	2	2	18	16	52	42	41	46	21	16
165–174	Suicide :—														
165 & 166	By Solid or Liquid Poisons and Corrosive Substances	M.	254	—	—	—	1	3	13	28	53	74	51	26	5
		F.	212	—	—	—	—	7	16	41	47	54	33	12	2
	Hydrochloric acid	M.	32	—	—	—	—	—	1	2	6	12	4	5	2
		F.	30	—	—	—	—	1	1	5	5	9	5	3	1
	Potassium cyanide	M.	27	—	—	—	—	—	2	2	6	6	9	2	—
		F.	4	—	—	—	—	1	1	—	1	1	—	—	—
	Prussic acid, hydrocyanic acid	M.	14	—	—	—	—	—	—	2	5	6	—	1	—
		F.	1	—	—	—	—	—	—	—	—	—	1	—	—
	Oxalic acid	M.	13	—	—	—	—	—	—	1	2	5	5	—	—
		F.	27	—	—	—	—	—	3	3	7	7	6	1	—
	Carbolic acid	M.	27	—	—	—	1	1	—	2	7	8	4	3	1
		F.	15	—	—	—	—	—	2	3	3	4	2	1	—
	Opium, laudanum, morphia	M.	3	—	—	—	—	—	—	2	—	—	1	—	—
		F.	2	—	—	—	—	—	—	1	—	—	—	1	—
	Ammonia	M.	7	—	—	—	—	—	—	—	2	—	2	2	1
		F.	9	—	—	—	—	—	2	—	3	3	1	—	—
	Lysol	M.	66	—	—	—	—	1	4	8	13	19	14	7	—
		F.	87	—	—	—	—	3	4	24	21	19	12	4	—
	Strychnine	M.	5	—	—	—	—	—	—	1	1	2	1	—	—
		F.	1	—	—	—	—	1	—	—	—	—	—	—	—
	Corrosive (not stated) ..	M.	4	—	—	—	—	—	—	1	—	—	3	—	—
		F.	2	—	—	—	—	—	—	1	—	1	—	—	—
	Other solid or liquid poisons (or kind not stated) † ..	M.	56	—	—	—	—	1	6	7	11	16	8	6	1
		F.	34	—	—	—	—	1	3	4	7	10	6	2	1

* These deaths (*i.e.* those which cannot be definitely classified as suicidal, homicidal, or accidental in causation) are included under "Accident" in the detailed tables as follows :—International List No. 177, 18 M., 22 F.; No. 178, 2 M., 1 F.; No. 179, 5 F; No. 180, 17 M., 14 F.; No. 181, 12 M., 8 F.; No. 182, 564 M., 185 F.; No. 183, 7 M., 1F.; No. 184, 2 M.; No. 185, 10 M., 12 F.; No. 186, 11 M.; No. 187, 1 M.; No. 188, 57 M., 7 F. No. 201, 16 M., 3 F.; No. 202, 22 M., 34 F.; No. 203, 4 M., 4 F.

† Including antimony chloride 1 M.; arsenic (not stated), 2 F.; mercury bichloride (corrosive sublimate), 3 M., 3 F; zinc sulphate, 1 M.; ammonia and carbolic disinfectant, 1 F.; sodium arsenate, 1 M.; sodium phenate, 1 F.; iodine, 2 F.; potassium oxalate, 1 F.; potassium bichromate, 1 F.; photographic intensifier (potassium bichromate), 1 F.; phosphorus (not stated), 1 M.; sulphuric acid, 3 M.; eserin, 1 F.; eserin sulphate, 1 M; glacial acetic acid, 1 M.; glacial acetic acid and salts of lemon, 1 F.; nitric acid, 1 M., 1 F.; chromic acid, 1 F.; morphine sulphate, atropine, and heroin hydrochloride, 1 F.; chloroform, 2 M., 1 F.; veronal, 4 M., 4 F.; medinal, 1 F.; chloral hydrate, 1 M.; narcotic poison (not stated), 1 M., 1 F.; creosote, 1 M., 1 F.; creolin, 1 F.; cyanide (not stated), 3 M.; liniment (camphorated), 2 M.; liniment (turpentine), 1 M.; liniment (aconite, belladonna, and chloroform), 1 M., 1 F.; liniment (not stated), 2 M.; eucalyptus oil, 1 F.; nicotine, 3 M.; belladonna and aconite, 1 M.; Easton's syrup tabloids, 2 M.; "Izal," 3 M., 2 F.; Jeyes fluid, 2 M.; "Toxol," 1 M.; vermin killer, 4 M., 1 F.; poison (not stated), 7 M., 3 F.

TABLE 22.—VIOLENT DEATHS, ENGLAND AND WALES, 1925—*cont.*

International List. No.	Cause or Character of Violence.		All Ages.	Under 1 year.	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
	Suicide—*cont.*														
167	By poisonous gas	M.	465	—	—	—	—	8	21	57	86	123	110	48	12
		F.	297	—	—	—	—	8	14	39	57	94	51	29	5
	Coal gas	M.	459	—	—	—	—	8	20	57	86	122	107	47	12
		F.	294	—	—	—	—	7	14	38	57	93	51	29	5
	Others*	M.	6	—	—	—	—	—	1	—	—	1	3	1	—
		F.	3	—	—	—	—	1	—	1	—	1	—	—	—
168	Hanging or strangulation ..	M.	608	—	—	—	1	15	21	48	101	145	152	100	25
		F.	172	—	—	—	—	—	8	18	29	44	46	23	4
169	Drowning	M.	508	—	—	—	1	5	20	39	74	139	131	73	26
		F.	327	—	—	—	2	25	33	45	59	83	50	20	10
170	Firearms	M.	197	—	—	—	—	6	19	24	36	54	40	13	5
		F.	14	—	—	—	—	1	2	3	6	1	—	—	1
171	Cutting or piercing instruments	M.	549	—	—	—	—	1	15	43	90	139	149	83	29
		F.	95	—	—	—	—	3	2	12	24	23	19	9	3
172	Jumping from high places ..	M.	83	—	—	—	—	1	3	9	13	18	20	11	8
		F.	57	—	—	—	—	—	3	2	11	17	15	6	3
173	Crushing	M.	182	—	—	—	—	5	14	35	33	48	29	12	6
		F.	35	—	—	—	—	3	3	6	7	11	4	1	—
	On railway	M.	171	—	—	—	—	4	12	32	31	45	29	12	6
		F.	35	—	—	—	—	3	3	6	7	11	4	1	—
	Others†	M.	11	—	—	—	—	1	2	3	2	3	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
174	Suicide by other means ..	M.	6	—	—	—	—	—	—	1	3	1	—	1	—
		F.	23	—	—	—	—	—	—	8	11	1	2	1	—
	Setting fire to clothing ..	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
		F.	2	—	—	—	—	—	—	—	2	—	—	—	—
	Burns (not stated)	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
		F.	7	—	—	—	—	—	—	1	3	—	2	1	—
	Operation, abortion.. ..	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
		F.	10	—	—	—	—	—	—	5	5	—	—	—	—
	Others (or not stated)‡ ..	M.	6	—	—	—	—	—	—	1	3	1	—	1	—
		F.	4	—	—	—	—	—	—	2	1	1	—	—	—
	Accident:—														
175	Food poisoning	M.	23	2	5	1	2	2	3	—	—	5	3	—	—
		F.	14	—	—	—	3	—	—	3	1	3	—	4	—
	"Ptomaine poisoning" ..	M.	13	—	3	1	—	2	2	—	—	3	2	—	—
		F.	10	—	—	—	3	—	—	2	1	1	—	3	—
	"Food poisoning" (undefined)	M.	3	—	1	—	—	—	—	—	—	1	1	—	—
		F.	3	—	—	—	—	—	—	1	—	1	—	1	—
	Others§	M.	7	2	1	—	2	—	1	—	—	1	—	—	—
		F.	1	—	—	—	—	—	—	—	—	1	—	—	—
176	Poisoning by venomous animals	M.	18	2	1	1	2	1	—	4	2	2	3	—	—
		F.	16	—	1	—	4	1	1	3	—	1	2	2	1
	"Insect" (undefined) ..	M.	13	2	1	1	2	—	—	3	1	2	1	—	—
		F.	10	—	1	—	2	1	1	1	—	1	2	1	—
	Others‖	M.	5	—	—	—	—	1	—	1	1	—	2	—	—
		F.	6	—	—	—	2	—	—	2	—	—	—	1	1

* Carbon monoxide, 2 M., 1 F.; nitrous oxide, 1 M.; fuming nitric acid, 1 M.

† Tram, 2 M.; motor bus, 4 M.; motor van, 3 M.; motor car, 1 M.

‡ Ignited explosive in mouth, 1 M.; blowing head off with gelignite, 1 M.; cutting throat with glass, 1 M.; forced spoon down throat, 1 M.; handkerchief pushed down throat, 1 M.; banged head on floor, 1 M.; swallowing knife, 1 F.; swallowing hair and safety pins, 1 F.; suffocating herself, 1 F.; throwing herself from train, 1 F.

§ Infected milk, 2 M.; fruit or vegetable matter, 2 M.; tinned salmon, 1 M.; infected mussels, 1 M.; botulism, 1 M. infected beef, 1 F.

‖ Gnat bite, 3 M., 4 F.; wasp sting, 1 M., 2 F.; sting of gadfly, 1 M.

TABLE 22.—VIOLENT DEATHS, ENGLAND AND WALES, 1925—*cont.*

International List. No.	Cause or Character of Violence.		All Ages.	Under 1 year.	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
	Accident—*cont.*														
177	Other acute accidental poisonings	M.	93	4	11	2	2	2	—	11	12	23	9	11	6
		F.	68	—	8	3	1	1	4	8	8	14	12	3	6
	Carbolic acid	M.	3	—	1	—	—	—	—	—	—	1	—	1	—
		F.	6	—	2	—	—	—	1	—	—	1	1	—	1
	Hydrochloric acid	M.	8	—	—	—	—	—	—	2	1	3	1	1	—
		F.	7	—	—	—	—	—	1	1	—	2	1	1	1
	Opium, laudanum, morphia ..	M.	7	—	—	—	—	—	—	1	1	2	—	2	1
		F.	–	—	—	—	—	—	—	—	—	—	—	—	—
	Belladonna	M.	1	—	—	—	—	—	—	—	—	1	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Others (or kind not stated)* ..	M.	74	4	10	2	2	2	—	8	10	16	8	7	5
		F.	55	—	6	3	1	1	2	7	8	11	10	2	4
178	Conflagration	M.	27	1	8	1	1	—	—	1	4	4	2	3	2
		F.	23	1	3	2	2	1	—	—	—	3	3	5	3
179	Accidental burns (Conflagration excepted)	M.	724	57	422	53	5	12	9	19	20	21	20	37	49
		F.	863	37	265	70	38	49	36	39	28	44	55	94	108
	1. Burns	M.	272	22	88	30	2	7	5	9	13	13	12	26	45
		F.	634	20	101	55	36	49	36	38	24	37	48	88	102
	By Flannelette clothes† ..	M.	5	—	3	—	—	—	—	—	—	—	—	2	—
		F.	28	—	7	6	1	—	1	—	1	2	2	4	4
	„ Clothes (other or not described)‡	M.	77	4	34	10	1	4	—	—	4	3	3	3	11
		F.	274	4	35	20	16	30	23	19	11	16	16	38	46
	„ Molten Metal	M.	5	—	—	—	—	1	—	1	2	1	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	„ Playing with Fire, &c. ..	M.	5	1	4	—	—	—	—	—	—	—	—	—	—
		F.	9	—	8	1	—	—	—	—	—	—	—	—	—
	„ Falling into Fire ..	M.	27	3	5	—	—	—	—	—	2	1	2	8	6
		F.	32	1	3	1	—	—	—	1	—	4	4	9	9
	„ Bedding	M.	9	2	—	1	—	—	—	—	1	—	—	1	4
		F.	2	2	—	—	—	—	—	—	—	—	—	—	—
	„ Lamp accident ..	M.	2	—	—	—	—	—	—	—	—	1	—	1	—
		F.	5	—	—	1	—	—	—	—	1	—	1	2	—
	Otherwise (or not stated how) :—														
	Ships, docks, etc. ..	M.	1	—	—	—	—	—	—	1	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Others‖	M.	141	12	42	19	1	2	5	7	4	7	7	11	24
		F.	284	13	48	26	19	19	12	18	11	15	25	35	43
	2. Scalds	M.	443	35	334	23	2	5	2	10	5	6	7	10	4
		F.	222	17	164	14	2	—	—	—	2	6	5	6	6
	By Steam	M.	5	—	—	—	—	—	1	1	1	—	1	—	1
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—

* Including mercury salts, 1 M.; mercury, 1 F.; mercury bichloride (corrosive sublimate), 1 M.; mercury cyanide, 1 F.; arsenious oxide, 1 F.; arsenical poisoning (not stated), 1 M.; arsenic and strychnine, 1 F.; sugar of lead, 1 M.; lead poisoning (not stated), 1 F.; zinc sulphate, 2 F.; metallic irritant (not stated), 1 F.; ammonia, 1 M., 3 F.; sodium nitrate, 2 M.; caustic soda, 1 M., 1 F.; potassium bichromate, 1 M.; iodine, 1 M.; chloral hydrate and potassium bromide, 1 M.; potassium permanganate, 1 M.; potassium cyanide, 3 M., 2 F.; hydrocyanic acid, 2 M., 2 F.; chloralhydrate (Indian hemp and potassium bromide), 1 M.; phosphorus (not stated), 1 M.; bromidia, 1 M.; corrosive acid (not stated), 1 M.; salts of lemon, 3 M., 2 F.; nitric acid, 2 M.; diallyl barbituric acid tablets, 1 M.; acetanilide and antipyrine, 1 F.; medinal, 2 F.; aspirin, 1 F.; veronal, 3 M., 6 F.; paraldehyde, 3 M.; luminal tablets, 1 M.; luminal, 1 F.; sulphonal, 2 M.; cresolin, 1 M., 1 F.; barbitone, 1 F.; creosote, 1 M., 1 F.; glycerine and nepenthe, 1 F.; cyanide (not stated), 2 M.; methyl salicylate liniment, 1 M.; liniment (aconite, belladonna, and chloroform), 1 M.; liniment (not stated), 1 M., 2 F.; neat whisky, 1 M.; methylated spirits, 1 M.; alcohol (not stated), 1 F.; varnish compound of shellac and methylated spirits, 1 M.; pitch, 1 M.; turpentine, 1 M., paraffin, 1 M.; crude paraffin, 1 F.; deadly nightshade, 2 F.; woody nightshade, 1 F.; nicotine, 1 F.; oil of chenopodium, 1 M.; narcotic poisoning by eating poisonous plant, 1 M.; fungus, 1 M., 1 F.; vegetable poison (not stated), 2 M.; strychnine, 2 M., 3 F.; nux vomica, 1 M.; formaldehyde, 1 M.; chlorodyne, 3 M.; quinine tablets, 1 M.; "Dial" tablets, 1 M.; "Lysol," 1 M., 7 F.; "Omnopon," 1 M.; Easton's syrup, 1 M.; hyoscine 1 F.; unclean water, 1 M.; weed killer, 1 M.; poison (not stated), 1 M., 2 F.

† Including striking matches, 1 M., 2 F.; candle, 1 M.; unguarded fire, 3 F.

‡ Including unguarded fire, 5 M., 5 F.; protected fire, 1 M., 2 F.; playing with fire, &c., 4 M., 2 F.; gas stove, ring, &c., 1 M., 11 F.; petrol, 3 M.; oil stove, 2 F.; paraffin candle grease, 1 M.; lighting fire, 2 F.; fall against fire, 1 M.; at copper, 1 F.; candle, 2 M., 10 F.; lamp, 1 M., 2 F.; matches, 2 M., 1 F.; brickworks, 1 M.; playing with matches, 1 F.; burning paper, 1 F.; grate (not stated), 20 F.; playing with London lights, 1 F.; cleaning flues, 1 F.; bonfire, 1 F.

‖ Including candle, 3 M., 2 F.; fall of soot, 1 M.; gas ring, 2 F.; protected grate, 1 M.; unprotected grate, 1 F.; fire in bucket, 1 M.; cleaning grate, 3 F.; grate (not stated), 3 M., 5 F.; motor car, 1 M.; methylated spirit, 2 F.; petrol, 2 M., 6 F.; inflammable mixture (not stated), 1 M.; turpentine, 1 F.; carbolic acid, 1 M.; paraffin, 2 F.; hat on fire, 1 M.; at brickworks, 1 M.; quick lime, 1 F.: placed on oven plate for warmth, 1 M.; application of over-heated salt, 1 F.; at Turkish baths, 1 M.; at flack making machine, 1 F.; at destructor, 1 M.; boiler ashes, 1 M.; at blast furnace, 3 M.; discharging bin of coal in fuel yard, 1 M.; tar boiler overturned, 1 M.; overheated hot water bottle in cot, 1 M.; hot water bottle, 1 F.

TABLE 22.—VIOLENT DEATHS, ENGLAND AND WALES, 1925—*cont.*

International List No.	Cause or Character of Violence.		All Ages	Under 1 year.	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
	Accident—*cont.*														
	2. Scalds—*cont.*														
	,, Drinking Hot Liquids..	M.	4	—	4	—	—	—	—	—	—	—	—	—	—
		F.	1	—	—	—	—	—	—	—	—	—	—	1	—
	In ships, docks, etc. ..	M.	1	—	—	—	—	—	—	—	—	—	—	1	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Otherwise (or not stated how)	M.	433	35	330	23	2	5	1	9	4	6	6	9	3
		F.	221	17	164	14	2	—	—	—	2	6	5	5	6
	3. Explosions	M.	9	—	—	—	1	—	2	—	2	2	1	1	—
		F.	7	—	—	1	—	—	—	1	2	1	2	—	—
	In Ships, Docks, etc. ..	M.	5	—	—	—	—	—	1	—	2	2	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other (or not stated)* ..	M.	4	—	—	—	1	—	1	—	—	—	1	1	—
		F.	7	—	—	1	—	—	—	1	2	1	2	—	—
180	Accidental Mechanical Suffocation	M.	300	228	10	3	2	5	6	9	8	9	5	10	5
		F.	262	218	11	5	2	—	2	3	2	4	8	1	6
	In bed	M.	184	179	2	1	—	1	—	—	—	—	—	1	—
		F.	184	175	2	1	—	—	—	1	1	—	3	—	1
	,, Cot, Cradle, etc.	M.	11	10	1	—	—	—	—	—	—	—	—	—	—
		F.	12	12	—	—	—	—	—	—	—	—	—	—	—
	Falling on face	M.	2	—	—	—	—	—	—	—	—	—	2	—	—
		F.	4	—	—	—	—	—	—	—	—	3	1	—	—
	Heavy substance on	M.	20	—	—	1	1	1	4	5	5	3	—	—	—
		F.	1	—	1	—	—	—	—	—	—	—	—	—	—
	Food, etc.	M.	63	26	6	1	1	2	2	3	3	2	3	9	5
		F.	42	17	7	4	1	—	1	1	—	1	4	1	5
	Others (or not stated) :—														
	In Ships, Docks, etc. ..	M.	1	—	—	—	—	—	—	1	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Others†	M.	19	13	1	—	—	1	—	—	—	4	—	—	—
		F.	19	14	1	—	1	—	1	1	1	—	—	—	—
181	Accidental absorption of irrespirable or poisonous gas	M.	103	—	4	—	1	10	9	10	11	19	13	11	15
		F.	60	3	—	—	—	4	—	10	7	6	5	9	16
	Coal gas	M.	60	—	2	—	1	2	4	7	4	11	7	9	13
		F.	55	3	—	—	—	4	—	8	6	5	5	9	15
	Carbon monoxide	M.	21	—	1	—	—	2	3	1	3	5	3	2	1
		F.	3	—	—	—	—	—	—	1	1	1	—	—	—
	Carbon dioxide	M.	1	—	—	—	—	—	—	—	1	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Others (or not stated) :—														
	Ships, docks etc.	M.	4	—	—	—	—	1	1	—	1	—	1	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Others‡	M.	17	—	1	—	—	5	1	2	2	3	2	—	1
		F.	2	—	—	—	—	—	—	1	—	—	—	—	1
182	Accidental Drowning	M.	1302	9	112	128	104	110	104	123	129	195	175	88	25
		F.	315	16	30	19	11	27	16	34	41	40	50	24	7
	Bathing	M.	180	—	—	2	38	66	46	14	8	4	2	—	—
		F.	18	—	1	—	4	6	4	1	2	—	—	—	—
	Private pleasure craft ..	M.	20	—	—	1	6	4	4	3	—	1	—	1	—
		F.	5	—	—	1	—	—	1	—	2	1	—	—	—
	Other ships and boats ..	M.	53	—	—	—	—	3	11	11	6	12	6	4	—
		F.	1	—	—	—	—	—	—	—	—	—	1	—	—
	Docks, etc.	M.	18	—	—	—	—	1	3	3	6	1	3	1	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Whilst attempting rescue ..	M.	5	—	—	—	2	—	2	1	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—

* Including paraffin blowlamp, 1 M.; petrol lamp, 1 F.; marsh gas from pump, 1 M.; primus stove, 2 F.; hydro carbon gasoline, 1 M.; oil stove, 1 F.; fireworks, 1 M.; benzine, 1 F.; petrol in bottle, 1 F.; paraffin, 1 F.

† Including rag in mouth, 1 M.; scarf round body slipped to neck, 1 M.; rubber bib over face, 1 F.; in attache case, 1 M.; suspended by safety strap, 1 M.; at mother's breast, 2 M., 2 F.; intoxicated, 1 M.

‡ Including smouldering bedclothes, 1 M.; fumes, coke brazier, 2 M.; fumes, oillamp, 1 F.; fumes, motor car exhaust, 2 M.; fumes, oil engine, 1 M.; fumes, hot ashes, dye works, 1 M.; tank at oil mill, 1 M.; nickel carbon gas at nickel works 1 M.; ironworks, 2 M., chloroform, 1 M.; fumes from preparation called "Dukeron," 1 M.; fumes of ammonia, 1 M.; fumes of nitric acid, 1 F.; fumes of sulphur and nitric acids, 1 M.; nitrous oxide gas, 1 M.; experimenting with poison gas, 1 M.

TABLE 22.—VIOLENT DEATHS, ENGLAND AND WALES, 1925—*cont.*

national List No.	Cause or Character of Violence.		All Ages.	Under 1 year.	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
182 -*cont.*	Accidental drowning—*cont.*														
	Otherwise (or not stated how)*	M.	466	2	101	114	51	25	20	27	23	40	35	20	8
		F.	106	2	24	17	6	9	7	2	9	8	12	8	2
	"Found" (open verdict) ..	M.	560	7	11	11	7	11	18	64	86	137	129	62	17
		F.	185	14	5	1	1	12	4	31	28	31	37	16	5
183	Accidental injury by firearms ..	M.	78	—	2	2	10	9	10	13	13	11	3	5	—
		F.	7	—	—	—	2	2	1	1	—	—	1	—	—
184	Accidental injury by cutting or piercing instruments	M.	6	1	—	—	1	1	1	—	1	1	—	—	
		F.	1	—	—	—	—	—	—	—	1	—	—	—	—
185	Accidental injury by fall ..	M.	1577	10	29	32	26	55	57	94	159	244	238	292	341
		F.	1385	5	20	12	7	5	7	16	22	74	136	304	777
	In Ships, Docks, etc.:— ..	M.	121	—	—	—	—	8	6	17	32	26	21	11	—
		F.	1	—	—	—	—	—	—	—	—	—	1	—	—
	Down hold	M.	46	—	—	—	—	4	3	8	9	9	7	6	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Into dock	M.	12	—	—	—	—	1	—	1	4	3	2	1	—
		F.	1	—	—	—	—	—	—	—	—	—	1	—	—
	Others (or not stated how) †	M.	63	—	—	—	—	3	3	8	19	14	12	4	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	In building operations ..	M.	211	—	—	—	3	10	20	29	38	45	36	29	1
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Downstairs	M.	262	2	3	1	—	—	1	3	13	47	48	70	74
		F.	358	1	6	—	2	2	1	4	8	25	60	95	154
	From window..	M.	62	2	7	2	—	4	4	3	9	13	10	3	5
		F.	31	—	3	1	—	—	—	2	2	9	4	5	5
	In house, room, etc.	M.	76	—	1	1	—	—	—	1	—	2	6	15	50
		F.	221	1	3	—	1	—	—	2	4	5	13	42	150
	Out of bed	M.	18	3	2	—	—	—	—	—	—	—	—	4	9
		F.	45	1	—	—	—	—	—	1	—	—	2	6	35
	In street..	M.	98	—	2	2	—	4	—	2	7	11	12	25	33
		F.	74	—	1	1	—	—	—	1	1	6	8	28	28
	Diving	M.	6	—	—	—	—	2	3	—	1	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Down area	M.	4	—	—	—	—	—	—	—	1	1	2	—	—
		F.	2	—	—	—	—	—	—	—	1	—	—	1	—
	Down lift well	M.	7	—	—	—	2	—	—	—	1	1	—	2	1
		F.	1	—	—	—	—	—	—	—	—	—	1	—	—
	From horse	M.	31	—	—	2	4	3	1	6	—	5	6	4	—
		F.	4	—	—	—	—	2	—	1	—	1	—	—	—
	From cliff	M.	8	—	—	1	1	1	—	—	—	4	1	—	—
		F.	4	—	—	1	1	—	—	1	—	1	—	—	—
	From ladder	M.	56	—	—	—	—	1	—	3	6	10	13	16	7
		F.	10	—	—	—	—	—	1	1	1	1	3	2	1
	Otherwise (or not stated how)‡	M.	617	3	14	23	16	22	22	30	51	79	83	113	161
		F.	634	2	7	9	3	1	5	3	5	26	44	125	404
186	Accidental injury in mining and quarrying.	M.	1015	—	—	—	18	127	104	188	222	202	109	43	2
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	1. Coal mining	M.	928	—	—	—	18	122	99	169	198	183	97	40	2
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Fall of coal, stone, &c.	M.	519	—	—	—	3	44	52	110	126	111	56	17	—
	Crushing	M.	7	—	—	—	1	1	—	2	2	—	—	1	—
	Fall down shaft ..	M.	8	—	—	—	—	1	1	—	2	3	1	—	—
	Fall (not otherwise described).	M.	12	—	—	—	1	1	—	2	2	2	2	1	1
	Machinery	M.	53	—	—	—	2	6	6	7	11	8	6	7	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—

* Including skating, sliding, 4 M., 1 F.; Motor car in river, 2 M., 1 F.; Dam burst, 2 M., 11 F.

† Including from staging, 16 M.

‡ Including 36 M., 145 F., aged 60 years and upwards, from fracture of leg; from hayrick, 7 M.; from oad of hay, etc., 13 M.; from bridge, 5 M.; from swing, 6 M., 5 F.

TABLE 22.—VIOLENT DEATHS, ENGLAND AND WALES, 1925—*cont.*

International List No.	Cause or Character of Violence.		All Ages.	Under 1 year.	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
186 —*cont.*	Accidental injury in mining and quarrying—*cont.*														
	1. Coal mining—*cont.*														
	Trams	M.	107	—	—	—	3	9	11	13	27	26	12	6	—
	Tubs	M.	130	—	—	—	4	45	18	16	12	15	14	5	1
	Electric shock	M.	1	—	—	—	—	—	1	—	—	—	—	—	—
	Explosion of gas ..	M.	9	—	—	—	—	1	1	3	1	2	1	—	—
	" Others (or not stated).*	M.	8	—	—	—	—	3	1	1	2	—	1	—	—
	Shot firing	M.	15	—	—	—	—	—	2	4	2	4	2	1	—
	Blow (not otherwise defined).	M.	13	—	—	—	1	4	1	2	2	2	1	—	—
	Otherwise (or not stated how).†	M.	46	—	—	—	3	7	5	9	9	10	1	2	—
	2. Other mining	M.	20	—	—	—	—	3	2	7	3	3	2	—	—
	Fall of stone, &c. ..	M.	17	—	—	—	—	1	2	6	3	3	2	—	—
	Others‡	M.	3	—	—	—	—	2	—	1	—	—	—	—	—
	3. Quarrying	M.	67	—	—	—	—	2	3	12	21	16	10	3	—
	Fall of stone, &c. ..	M.	26	—	—	—	—	2	1	5	8	8	2	—	—
	Fall (not otherwise described).	M.	12	—	—	—	—	—	—	3	1	3	4	1	—
	Machinery	M.	8	—	—	—	—	—	—	—	7	—	1	—	—
	Otherwise §	M.	21	—	—	—	—	—	2	4	5	5	3	2	—
187	Accidental injury by machines..	M.	213	—	1	5	8	23	26	34	44	40	20	11	1
		F.	5	—	1	—	—	—	2	—	1	1	—	—	—
	In ships, docks, &c. ..	M.	18	—	—	—	—	1	1	3	1	7	1	3	1
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	In metal works ..	M.	23	—	—	—	2	5	2	1	9	4	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	In textile factories ..	M.	10	—	—	—	—	1	2	3	3	1	—	—	—
		F.	3	—	—	—	—	—	2	—	—	1	—	—	—
	In other factories ..	M.	27	—	—	—	1	2	5	7	3	6	2	1	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Agricultural machinery	M.	20	—	—	3	—	2	1	3	4	3	2	2	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Lift	M.	19	—	—	—	3	3	—	2	4	2	3	2	—
		F.	1	—	—	—	—	—	—	—	1	—	—	—	—
	Crane	M.	20	—	—	—	—	1	4	5	3	4	3	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Circular saw	M.	5	—	—	—	—	—	—	2	2	1	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other machinery‖ ..	M.	71	—	1	2	2	8	11	8	15	12	9	3	—
		F.	1	—	1	—	—	—	—	—	—	—	—	—	—
188	Accidental injury by other forms of crushing	M.	3797	3	217	308	212	340	394	518	406	491	418	340	150
		F.	965	1	96	135	40	71	45	71	61	96	131	131	87
	1. Railways	M.	482	—	5	7	10	21	42	87	78	101	84	41	6
		F.	45	—	3	4	2	7	—	—	7	10	5	4	3
	Run over on line ..	M.	337	—	4	3	6	16	26	54	55	72	63	33	5
		F.	34	—	2	2	1	6	—	—	5	8	4	3	3
	Collision	M.	12	—	—	—	—	—	5	2	3	2	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Fall from carriage or engine	M.	32	—	—	2	1	2	4	4	4	5	6	3	1
		F.	9	—	1	1	—	1	—	—	2	2	1	1	—
	Fall (not otherwise described)	M.	7	—	—	—	1	—	—	—	—	2	4	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Crushing by carriage or engine	M.	64	—	1	—	2	2	3	18	10	16	9	3	—
		F.	1	—	—	1	—	—	—	—	—	—	—	—	—

* Including fire damp, 6 M.

† Including suffocation by gas, 6 M.; drowned by inrush of water 5 M.; pony, 8 M.; scalds, 2 M.

‡ Including tub, truck, &c., 2 M.

§ Including waggon, truck, &c., 8 M.; explosion and blasting operations, 11 M.

‖ Including building operations, 5 M. electrical machinery, 5 M.; clothes mangle, 1 F.

TABLE 22.—VIOLENT DEATHS, ENGLAND AND WALES, 1925—*cont*

International List No.	Cause or Character of Violence.		All Ages.	Under 1 year.	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
188 —*cont.*	Accidental injury by other forms of crushing—*cont.*														
	1. Railways—*cont.*														
	Striking bridge ..	M.	6	—	—	—	—	—	1	4	1	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Blow (not otherwise described)	M.	10	—	—	—	—	—	1	1	3	3	—	2	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Otherwise (or not stated how)*	M.	14	—	—	2	—	1	2	4	2	1	2	—	—
		F.	1	—	—	—	1	—	—	—	—	—	—	—	—
	2. Other vehicles mechanically propelled.	M.	2600	—	184	276	164	249	304	351	241	267	222	227	115
		F.	812	—	76	114	34	49	41	63	52	77	118	117	71
	Motor car	M.	645	—	64	107	40	27	31	50	49	79	89	65	44
		F.	342	—	31	57	13	7	11	16	25	37	58	55	32
	Motor van, lorry, &c. ..	M.	656	—	70	105	85	86	31	52	52	54	53	46	22
		F.	146	—	21	30	7	9	4	12	6	15	18	14	10
	Electric tramcar ..	M.	67	—	6	2	1	—	3	3	5	10	12	16	9
		F	28	—	5	3	—	—	1	—	2	1	4	6	6
	Motor cab	M.	33	—	2	4	2	2	—	1	4	3	3	9	3
		F.	20	—	1	1	2	—	1	2	—	4	2	5	2
	Motor omnibus ..	M.	276	—	27	38	20	27	17	33	21	29	20	31	13
		F.	105	—	9	14	8	10	8	9	5	9	11	16	6
	Motor char-a-banc, coach, &c.	M.	41	—	1	5	5	2	2	5	3	7	5	5	1
		F.	20	—	—	3	—	1	—	4	3	4	2	3	—
	Motor cycle	M.	447	—	9	6	—	42	104	96	55	46	26	42	21
		F.	96	—	5	5	2	15	6	11	3	6	16	15	12
	Aeroplane, airship ..	M.	40	—	—	—	—	4	15	19	1	—	—	—	1
		F.	4	—	—	—	1	—	1	—	—	—	2	—	—
	Motor vehicles (others or undefined)†	M.	42	—	1	5	4	5	6	2	6	3	5	4	1
		F.	9	—	1	1	1	1	—	1	—	—	2	—	2
	Collisions‡:—	M.	353	—	4	4	7	54	95	90	45	36	9	9	—
		F.	42	—	3	—	—	6	9	8	8	1	3	3	1
	Motor car and motor cycle	M.	93	—	2	—	2	10	29	24	10	14	2	—	—
		F.	14	—	1	—	—	1	3	2	3	1	1	1	1
	Motor car and cycle (not stated)	M.	26	—	—	2	—	6	5	2	2	6	1	2	—
		F.	4	—	—	—	—	—	—	1	2	—	—	1	—
	Motor van, &c., and motor cycle	M.	66	—	1	—	—	4	24	21	13	1	2	—	—
		F.	2	—	—	—	—	1	—	1	—	—	—	—	—
	Motor van, &c., and cycle (not stated)	M.	13	—	—	—	2	6	1	2	2	—	—	—	—
		F.	4	—	—	—	—	2	1	—	—	—	—	1	—
	Motor cycle and cycle (pedal or not stated)	M.	21	—	—	—	—	4	6	4	5	—	2	—	—
		F.	2	—	—	—	—	—	—	1	1	—	—	—	—
	Motor 'bus and motor cycle	M.	26	—	—	—	1	7	7	6	4	1	—	—	—
		F.	1	—	—	—	—	—	1	—	—	—	—	—	—
	Motor bus and cycle (not stated)	M.	3	—	—	1	—	2	—	—	—	—	—	—	—
		F.	2	—	—	—	—	1	1	—	—	—	—	—	—
	Others‖	M.	105	—	1	1	2	15	23	31	9	14	2	7	—
		F.	13	—	2	—	—	1	3	3	2	—	2	—	—

* Including train leaving rails, 1 M.; machinery, 4 M.; crushed by level crossing gates, 1 M.

† Including steam roller, 2 M., 1 F.; traction engine, 9 M.; oil tank, 1 F.; ambulance, 4 M., 2 F.; hearse, 1 M. fire engine, 1 F.; tractor, 4 M.

‡ The collisions in these cases are only those in which the information recorded in the Death register did not state which vehicle caused death.

‖ Including motor car and :—pedal cycle, 7 M.; motor lorry, 9 M., 5 F.; taxi cab, 1 M., 2 F.; motor 'bus 1 M. char-a-banc, 2 M.; carriage (not stated), 1 F.; horse cart, 3 M., 1 F.; lorry (not stated), 2 M.; flat cart, 1 F. Motor lorry, and :—pedal cycle, 5 M.; motor 'bus 1 M.; horse trap, 1 M.; horse lorry, 1 M.; milk float, 1 M.; cart, 1 M.; waggon (not stated), 1 M.; vehicle (not stated), 1 M. Tramcar and :—motor cycle, 5 M.; pedal cycle, 1 M.; van (not stated), 1 M.; cart, 1 M. Motor 'bus and :—pedal cycle, 2 M.; trap, 1 M.; horse van, 1 M. Motor cycle and :—char-a-banc, 6 M.; taxi cab, 4 M.; armoured car, 1 M.; motor (not stated), 1 M.; horse van, 5 M.; van (not stated), 1 F.; trap, 3 M.; cart, 14 M.; horse dray, 1 M.; dray (not stated), 1 M.; pony and tub, 1 M. horse vehicle (not stated), 2 M.; horse, 1 M.; lorry (not stated), 7 M.; vehicle (not stated), 1 M. Motor char-a banc and :—cycle (not stated), 1 M.; taxi cab, 1 M. Taxi cab, and :—cycle (not stated), 1 M.; horse float, 1 M. Motor (not stated) and :—cycle (not stated), 1 M.; pedal cycle, 1 M.

TABLE 22.—VIOLENT DEATHS, ENGLAND AND WALES, 1925—*cont.*

International List No.	Cause or Character of Violence.		All Ages.	Under 1 year.	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
188 —*cont.*	Accidental injury by other forms of crushing—(*cont.*)														
	3. Horse drawn vehicles and horses.	M.	206	—	12	7	8	15	6	15	23	36	42	33	9
		F.	37	—	12	6	2	4	1	2	1	2	1	1	5
	Dogcart, trap	M.	10	—	—	—	—	—	—	—	1	1	2	4	2
		F.	3	—	—	1	—	—	—	—	—	2	—	—	—
	Cart	M.	88	—	3	2	5	4	—	5	12	16	21	18	2
		F.	9	—	1	1	—	2	1	1	—	—	—	1	2
	Van, waggon	M.	67	—	6	4	3	7	2	6	7	10	11	8	3
		F.	16	—	8	3	2	—	—	—	—	—	—	—	3
	Dray	M.	5	—	—	—	—	2	—	—	1	1	—	1	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Collisions*	M.	3	—	—	—	—	1	—	1	—	1	—	—	—
		F.	1	—	—	—	—	1	—	—	—	—	—	—	—
	Others (or kind not stated)†	M.	23	—	1	1	—	1	4	3	1	5	3	2	2
		F.	6	—	2	1	—	1	—	1	—	—	1	—	—
	Horses	M.	10	—	2	—	—	—	—	—	1	2	5	—	—
		F.	2	—	1	—	—	—	—	—	1	—	—	—	—
	4. Other and undefined vehicles.	M.	266	3	9	10	23	44	22	28	16	35	30	27	19
		F.	55	1	1	4	2	10	3	6	1	6	5	9	7
	Truck	M.	9	—	—	—	1	1	—	—	1	2	1	2	1
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Van, waggon	M.	42	—	6	3	6	2	3	4	2	5	7	4	—
		F.	9	—	1	3	1	—	1	—	—	1	—	1	1
	Dray	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Bicycle, tricycle ..	M.	193	—	1	5	16	41	17	22	10	25	19	20	17
		F.	44	—	—	1	1	9	2	6	1	5	5	8	6
	Char-a-banc	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Collisions	M.	3	—	—	—	—	—	1	1	—	—	—	1	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Others (or kind not stated)‡	M.	19	3	2	2	—	—	1	1	3	3	3	—	1
		F.	2	1	—	—	—	1	—	—	—	—	—	—	—
	5. Other crushing	M.	243	—	7	8	7	11	20	37	48	52	40	12	1
		F.	16	—	4	7	—	1	—	—	—	1	2	—	1
	Fall of heavy substance—														
	In ships, docks, &c.	M.	47	—	—	—	—	1	3	8	8	16	10	1	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	In building operations	M.	21	—	—	—	—	1	2	2	5	4	6	1	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	In excavations ..	M.	16	—	—	—	—	—	2	—	4	5	5	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Trees	M.	16	—	—	1	3	—	2	3	2	—	3	2	—
		F.	4	—	—	2	—	—	—	—	—	—	2	—	—
	Others (or not stated how)	M.	125	—	7	6	4	7	8	21	26	24	13	8	1
		F.	12	—	4	5	—	1	—	—	—	1	—	—	1
	Other crushings (or not stated how):—														
	In ships, docks, etc.	M.	15	—	—	—	—	2	3	2	3	2	3	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Others	M.	3	—	—	1	—	—	—	1	—	1	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—

* Cart and cycle (not stated), 3 M.; milk float and fish van, 1 F.

† Including timber carriage, 5 M.; gun carriage, 5 M.; tumbril, 2 M.; float, 8 M., 2 F.; horse hay rake, 1 M.; tartank, 1 M.; waggonette, 1 F.; buggy, 1 F.

‡ Including balloon, 1 M.; perambulator 3 M.; go-cart, 1 F.; watercart (not stated), 1 M.; sledge, 1 M., 1 F.; car on scenic railway, 1 M.; ambulance, 1 M.

TABLE 22.—VIOLENT DEATHS, ENGLAND AND WALES, 1925—*cont.*

International List No.	Cause or Character of Violence.		All Ages.	Under 1 year.	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
189	Injury by animals (poisoning excepted)	M.	56	—	7	6	3	4	2	3	1	8	12	6	4
		F.	6	—	2	—	—	—	—	1	—	1	1	—	1
	Horse	M.	39	—	6	6	2	3	1	2	—	5	9	4	1
		F.	3	—	2	—	—	—	—	—	—	—	—	—	1
	Bull or cow, etc.	M.	17	—	1	—	1	1	1	1	1	3	3	2	3
		F.	3	—	—	—	—	—	—	1	—	1	1	—	—
190	Wounds of war	M.	63	—	—	—	—	—	—	30	28	4	1	—	—
192	Hunger or thirst	M.	7	—	—	—	—	—	—	1	1	—	2	2	1
		F.	6	—	—	1	—	—	—	—	—	—	—	4	1
193	Excessive cold	M.	40	—	—	—	1	—	2	—	—	5	10	12	10
		F.	16	1	—	—	—	—	—	—	1	—	4	6	4
194	Excessive heat	M.	76	1	7	2	2	1	3	5	6	10	18	13	8
		F.	45	3	6	5	2	—	—	1	2	5	8	9	4
195	Lightning..	M.	17	—	—	—	—	4	2	4	3	1	3	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
196	Electricity (lightning excepted)	M.	41	—	—	3	1	3	8	14	6	4	2	—	—
		F.	1	—	—	—	1	—	—	—	—	—	—	—	—
197	Homicide by firearms	M.	10	—	—	—	2	1	1	1	1	2	2	—	—
		F.	10	—	—	—	1	1	—	4	1	2	—	1	—
	Murder	M.	10	—	—	—	2	1	1	1	1	2	2	—	—
		F.	10	—	—	—	1	1	—	4	1	2	—	1	—
	Manslaughter	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Justifiable homicide	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
198	Homicide by cutting or piercing instruments	M.	21	2	3	2	—	—	2	6	2	1	1	2	—
		F.	39	3	6	3	1	5	8	4	5	—	4	—	—
	Murder	M.	18	2	3	2	—	—	2	5	2	—	1	1	—
		F.	39	3	6	3	1	5	8	4	5	—	4	—	—
	Manslaughter	M.	2	—	—	—	—	—	—	1	—	—	—	1	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Justifiable homicide	M.	1	—	—	—	—	—	—	—	—	1	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
199	Homicide by other means ..	M.	87	33	4	3	1	3	7	9	7	8	6	5	1
		F.	95	31	7	2	2	4	12	16	8	8	3	2	—
	Murder	M.	35	21	4	2	1	—	—	1	1	1	1	3	—
		F.	62	21	7	2	2	2	6	13	4	3	1	1	—
	By drowning	M.	5	3	2	—	—	—	—	—	—	—	—	—	—
		F.	12	6	5	—	—	—	1	—	—	—	—	—	—
	By strangulation	M.	12	11	1	—	—	—	—	—	—	—	—	—	—
		F.	9	8	—	—	—	—	1	—	—	—	—	—	—
	Attempt to procure abortion	F.	14	—	—	—	—	2	2	9	1	—	—	—	—
	Others (or not stated how)*	M.	18	7	1	2	1	—	—	1	1	1	1	3	—
		F.	27	7	2	2	2	—	2	4	3	3	1	1	—
	Manslaughter	M.	51	12	—	1	—	3	7	7	6	7	5	2	1
		F.	33	10	—	—	—	2	6	3	4	5	2	1	—
	By motor car	M.	18	—	—	—	—	1	7	3	2	4	—	1	—
		F.	6	—	—	—	—	1	1	—	—	3	1	—	—
	„ blow	M.	6	—	—	—	—	—	—	—	2	2	2	—	—
		F.	3	1	—	—	—	—	—	—	2	—	—	—	—
	„ attempt to procure abortion	F.	7	—	—	—	—	—	4	3	—	—	—	—	—
	Others (or not stated how)†	M.	27	12	—	1	—	2	—	4	2	1	3	1	1
		F.	17	9	—	—	—	1	1	—	2	2	1	1	—

* Including coal gas, 3 M., 3 F.; cyanide of potassium, 1 F.; motor car, 1 M.; burns, 2 M.; blow, 4 M., 4 F.; suffocation, 2 M., 3 F.; asphyxia, 1 M., 4 F.; inattention at birth, 2 M., 1 F.; rape, 1 F; not stated how, 3 M., 10 F.

† Including fight, 5 M., 2 F.; motor cycle, 3 M., 1 F.; motor van, 2 M., 2 F.; taxi-cab, 1 M., 1 F.; motor ambulance, 1 M., 1 F.; char-a-banc, 1 M.,; gross neglect by husband, 1 F.; inattention at birth, 8 M., 2 F.; strangulation, 2 M., 3 F.; asphyxia by flexing of head, 1 M.; asphyxia, 1 F.; lysol, 1 M.; exposure (abandonment), 1 F.; not stated, 2 M., 1 F.

TABLE 22.—VIOLENT DEATHS, ENGLAND AND WALES, 1925—*cont.*

International List No.	Cause or Character of Violence.		All Ages.	Under 1 year.	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
199	Homicide by other means—*cont.*														
	Justifiable Homicide.. ..	M.	1	—	—	—	—	—	—	1	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
201	Fracture (cause not specified) ..	M.	25	3	1	—	—	—	—	6	3	6	5	—	1
		F.	6	2	—	—	—	—	—	—	—	—	3	1	—
	In ships, docks, &c.	M.	1	—	—	—	—	—	—	—	—	—	1	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Others	M.	24	3	1	—	—	—	—	6	3	6	4	—	1
		F.	6	2	—	—	—	—	—	—	—	—	3	1	—
202	Other and unstated forms of accidental violence; execution	M.	207	6	21	10	13	20	23	35	24	24	19	8	4
		F.	88	12	8	3	—	5	10	22	17	3	5	1	2
	Swallowing foreign body ..	M.	35	2	10	2	—	—	—	3	5	4	7	1	1
		F.	15	1	4	2	—	—	—	3	3	—	1	—	1
	Blow :— In ships, docks, &c. ..	M.	3	—	—	—	—	—	—	1	1	1	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Others	M.	41	1	—	5	1	6	—	6	6	8	5	3	—
		F.	7	—	2	1	—	—	—	1	1	—	1	1	—
	Football, cricket, &c. ..	M.	19	—	—	—	3	3	7	5	—	—	1	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Strangulation	M.	12	1	3	—	4	2	2	—	—	—	—	—	—
		F.	9	8	1	—	—	—	—	—	—	—	—	—	—
	Explosions :— In ships, docks, &c. ..	M.	4	—	—	—	—	—	2	1	1	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Shell	M.	1	—	—	—	—	—	1	—	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Others*	M.	22	—	1	1	—	2	4	6	3	3	1	1	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Abortion :— By operation	F.	28	—	—	—	—	1	3	15	9	—	—	—	—
	,, irritant poison (not stated)	F.	2	—	—	—	—	—	2	—	—	—	—	—	—
	Not stated	F.	6	—	—	—	—	—	3	1	2	—	—	—	—
	Execution	M.	16	—	—	—	—	1	3	8	2	2	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other accidents (otherwise or not stated how) :— In ships, docks, &c. ..	M.	3	—	—	—	—	—	—	—	1	2	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Others†	M.	51	2	7	2	5	6	4	5	5	4	5	3	3
		F.	21	3	1	—	—	4	2	2	2	3	3	—	1
203	Violent deaths of unknown causation	M.	4	—	1	—	—	—	—	—	—	1	—	1	1
		F.	4	1	—	—	—	—	1	—	—	—	1	—	1
	Summarized headings :— Ships, docks, &c.	M.	295	—	—	—	—	17	31	48	62	69	46	21	1
		F.	2	—	—	—	—	—	—	—	—	—	2	—	—
	Building operations ..	M.	237	—	—	—	4	11	22	32	44	51	42	30	1
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Criminal abortion	F.	67	—	—	—	—	3	14	33	17	—	—	—	—

* Including blow lamp, 1 M.; acetylene generator, 4 M.; acetylene welding plant, 1 M.; gas (not stated), 2 M.; coal gas, 2 M.; petrol barrel, 1 M.; oil tank, 3 M.; blasting powder, 3 M.; dynamite, 2 M.; detonator, 2 M.; firework, 1 M.

† Including boxing, 3 M.; immersion, 6 M., 1 F.: strain, 3 M., 1 F.; head between rails of cot, 1 M., 2 F.; concussion of brain, 1 M.; jaw dislocated by yawning, 1 F.; roller skating, 1 M.; swing boat (thrown from seat to seat), 1 F.; caisson disease, 1 M.; inhaling seeds of chilli, 1 F.; throwing head back when dazzled by headlights, 1 M.; exposure, 4 M., 1 F.; wounds :—spiked railings, 3 M.; staked fence, 1 M.; penetration of stomach by needle, 1 F.; broken china, 3 M.; cane in mouth, 1 M.; fern penetrated to heart, 1 M.; pointed stick, 2 M.; crochet needle, 1 M.; prong of pick, 1 M.; wire, 1 M.; penholder, 1 M.; hands through glass door, 1 M.; broom handle, 1 M.; horns of ladder, 1 M.; hairpin in bladder, 1 F.; foreign body in intestine, 1 F.; foreign body in uterus, 1 F.; use of uterine syringe (misadventure), 4 F.

ENGLAND AND WALES AND CERTAIN AGGREGATES.

Disease.	Year.	England and Wales (including Ports).	England.	Wales (including Monmouth).	London.	Aggregate of Administrative Counties of— England (excluding London).	Aggregate of Administrative Counties of— Wales (including Monmouth).	Aggregate of County Boroughs of— England.	Aggregate of County Boroughs of— Wales (including Monmouth).	Aggregate of Non-County Boroughs and Urban Districts of— England (excluding London).	Aggregate of Non-County Boroughs and Urban Districts of— Wales (including Monmouth).	Aggregate of Rural Districts of— England.	Aggregate of Rural Districts of— Wales (including Monmouth).
Smallpox	1915	0·00	0·00	—	0·00	0·00	—	0·00	—	0·00	—	—	—
	1916	0·00	0·00	0·03	0·00	0·00	0·01	0·00	0·12	0·00	0·01	0·00	0·00
	1917	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00
	1918	0·00	0·00	0·00	0·01	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00
	1919	0·01	0·01	0·01	0·01	0·01	0·00	0·01	0·04	0·01	0·00	0·00	—
	1920	0·01	0·01	0·00	0·00	0·01	0·00	0·01	—	0·01	0·00	0·02	0·00
	1921	0·01	0·01	—	0·00	0·01	—	0·01	—	0·01	—	0·00	—
	1922	0·03	0·03	0·00	0·01	0·03	0·00	0·03	0·00	0·04	0·00	0·02	0·00
	1923	0·06	0·07	0·01	0·00	0·08	0·01	0·07	0·01	0·08	0·01	0·08	0·00
	1924	0·10	0·10	—	0·00	0·15	—	0·06	—	0·18	—	0·11	—
	1925	0·14	0·15	0·00	0·00	0·17	—	0·18	0·00	0·21	—	0·09	—
Scarlet Fever ..	1915	3·59	3·53	4·39	3·94	3·32	4·66	3·71	3·17	3·43	5·36	3·14	3·66
	1916	2·19	2·14	2·89	2·07	2·12	3·02	2·21	2·31	2·21	3·51	1·96	2·32
	1917	1·45	1·44	1·57	1·52	1·32	1·64	1·58	1·30	1·36	1·78	1·26	1·42
	1918	1·44	1·44	1·44	1·72	1·18	1·35	1·72	1·84	1·21	1·27	1·14	1·48
	1919	2·29	2·23	3·11	2·97	1·91	2·45	2·43	5·66	2·04	2·58	1·68	2·25
	1920	3·19	3·10	4·35	5·01	2·45	4·15	3·38	5·11	2·64	4·70	2·11	3·27
	1921	3·64	3·61	3·84	7·25	2·80	3·80	3·49	3·96	3·25	4·78	2·03	2·31
	1922	2·85	2·85	2·75	3·80	2·40	2·92	3·18	2·10	2·68	3·55	1·92	1·94
	1923	2·24	2·26	1·93	2·21	2·00	1·96	2·67	1·81	2·12	2·27	1·80	1·46
	1924	2·16	2·18	1·83	2·51	1·91	1·89	2·47	1·61	2·03	2·03	1·73	1·67
	1925	2·36	2·40	1·76	2·67	2·15	1·82	2·69	1·53	2·25	1·90	1·99	1·68
Diphtheria	1915	1·52	1·52	1·43	2·11	1·40	1·38	1·49	1·64	1·49	1·43	1·25	1·30
	1916	1·50	1·51	1·35	2·06	1·41	1·32	1·45	1·46	1·53	1·34	1·20	1·30
	1917	1·28	1·31	0·89	2·06	1·20	0·85	1·21	1·09	1·31	0·81	1·02	0·91
	1918	1·31	1·33	0·97	2·07	1·18	0·94	1·29	1·08	1·29	0·90	1·00	0·99
	1919	1·50	1·52	1·21	2·18	1·38	1·10	1·47	1·63	1·48	1·12	1·22	1·07
	1920	1·86	1·85	1·94	3·05	1·63	1·83	1·72	2·37	1·78	1·68	1·38	2·06
	1921	1·76	1·75	1·89	3·62	1·46	1·90	1·50	1·87	1·63	1·82	1·16	2·02
	1922	1·37	1·38	1·25	3·37	1·05	1·22	1·14	1·38	1·20	1·22	0·78	1·22
	1923	1·05	1·04	1·13	2·27	0·74	1·10	1·04	1·26	0·81	1·24	0·61	0·88
	1924	1·07	1·06	1·21	2·31	0·73	1·19	1·11	1·28	0·81	1·30	0·59	1·00
	1925	1·23	1·23	1·24	2·73	0·79	1·26	1·34	1·14	0·88	1·45	0·64	0·96

TABLE 23.—CASES OF CERTAIN INFECTIOUS DISEASES NOTIFIED PER 1,000 POPULATION IN THE YEARS 1915—1925. ENGLAND AND WALES AND CERTAIN AGGREGATES—*cont.*

Disease.	Year.	England and Wales (including Ports).	England.	Wales (including Monmouth).	London.	Aggregate of Administrative Counties of—		Aggregate of County Boroughs of—		Aggregate of Non-County Boroughs and Urban Districts of—		Aggregate of Rural Districts of—	
						England (excluding London).	Wales (including Monmouth).	England.	Wales (including Monmouth).	England (excluding London).	Wales (including Monmouth).	England.	Wales (including Monmouth).
Enteric Fever ..	1915	0·18	0·18	0·15	0·14	0·17	0·16	0·20	0·10	0·19	0·19	0·14	0·11
	1916	0·16	0·16	0·18	0·11	0·17	0·19	0·16	0·14	0·17	0·21	0·17	0·14
	1917	0·14	0·13	0·15	0·11	0·15	0·17	0·11	0·08	0·15	0·17	0·17	0·17
	1918	0·13	0·13	0·12	0·09	0·15	0·13	0·10	0·07	0·17	0·14	0·13	0·13
	1919	0·10	0·09	0·11	0·08	0·10	0·13	0·08	0·06	0·11	0·13	0·09	0·12
	1920	0·08	0·08	0·06	0·09	0·09	0·07	0·07	0·03	0·09	0·08	0·09	0·05
	1921	0·10	0·10	0·10	0·07	0·12	0·11	0·08	0·07	0·14	0·12	0·09	0·09
	1922	0·06	0·06	0·05	0·06	0·07	0·05	0·05	0·03	0·08	0·05	0·06	0·05
	1923	0·08	0·08	0·07	0·07	0·10	0·08	0·07	0·02	0·09	0·08	0·10	0·08
	1924	0·11	0·10	0·09	0·09	0·12	0·10	0·09	0·04	0·13	0·10	0·10	0·11
	1925	0·07	0·07	0·08	0·09	0·07	0·08	0·06	0·08	0·07	0·08	0·07	0·08
Puerperal Fever ..	1915	0·06	0·06	0·07	0·06	0·04	0·07	0·08	0·07	0·05	0·08	0·04	0·06
	1916	0·06	0·06	0·07	0·07	0·04	0·05	0·08	0·15	0·05	0·06	0·04	0·05
	1917	0·04	0·04	0·04	0·05	0·03	0·04	0·05	0·05	0·03	0·03	0·03	0·04
	1918	0·04	0·04	0·03	0·03	0·03	0·03	0·05	0·04	0·03	0·03	0·02	0·03
	1919	0·06	0·06	0·05	0·07	0·04	0·04	0·07	0·07	0·04	0·04	0·04	0·04
	1920	0·08	0·08	0·05	0·10	0·06	0·05	0·10	0·07	0·06	0·05	0·05	0·04
	1921	0·06	0·06	0·04	0·08	0·04	0·05	0·08	0·04	0·05	0·05	0·03	0·04
	1922	0·06	0·06	0·05	0·07	0·04	0·04	0·08	0·08	0·04	0·04	0·03	0·04
	1923	0·06	0·06	0·06	0·08	0·04	0·04	0·08	0·10	0·04	0·05	0·04	0·04
	1924	0·06	0·06	0·05	0·06	0·04	0·04	0·08	0·07	0·05	0·04	0·03	0·04
	1925	0·06	0·06	0·06	0·07	0·04	0·05	0·09	0·09	0·05	0·05	0·04	0·04
Erysipelas	1915	0·66	0·67	0·53	0·89	0·56	0·52	0·76	0·60	0·62	0·58	0·46	0·43
	1916	0·54	0·54	0·42	0·67	0·48	0·40	0·59	0·48	0·52	0·46	0·42	0·32
	1917	0·40	0·41	0·25	0·58	0·35	0·24	0·43	0·29	0·37	0·27	0·31	0·20
	1918	0·37	0·38	0·23	0·31	0·32	0·21	0·43	0·33	0·35	0·24	0·28	0·16
	1919	0·44	0·45	0·29	0·65	0·37	0·27	0·49	0·40	0·42	0·31	0·29	0·20
	1920	0·43	0·44	0·32	0·57	0·38	0·31	0·48	0·37	0·41	0·36	0·32	0·21
	1921	0·35	0·36	0·23	0·47	0·30	0·22	0·41	0·26	0·34	0·25	0·23	0·18
	1922	0·35	0·36	0·22	0·43	0·29	0·21	0·43	0·26	0·32	0·23	0·24	0·17
	1923	0·32	0·33	0·24	0·40	0·27	0·20	0·39	0·36	0·31	0·24	0·21	0·14
	1924	0·33	0·34	0·19	0·41	0·28	0·18	0·40	0·25	0·31	0·21	0·23	0·14
	1925	0·39	0·40	0·28	0·42	0·33	0·25	0·48	0·36	0·37	0·29	0·28	0·20

TABLE 23.—CASES OF CERTAIN INFECTIOUS DISEASES NOTIFIED PER 1,000 POPULATION IN THE YEARS 1915—1925.
ENGLAND AND WALES AND CERTAIN AGGREGATES—*cont.*

Disease.	Year.	England and Wales (including Ports).	England.	Wales (including Monmouth).	London.	Aggregate of Administrative Counties of—		Aggregate of County Boroughs of—		Aggregate of Non-County Boroughs and Urban Districts of—		Aggregate of Rural Districts of—	
						England (excluding London).	Wales (including Monmouth).	England.	Wales (including Monmouth).	England (excluding London).	Wales (including Monmouth).	England.	Wales (including Monmouth).
Cerebro-Spinal Fever	1915	0·07	0·08	0·04	0·14	0·07	0·03	0·06	0·07	0·07	0·03	0·07	0·02
	1916	0·04	0·04	0·01	0·10	0·03	0·01	0·03	0·02	0·03	0·01	0·02	0·01
	1917	0·04	0·05	0·01	0·09	0·04	0·01	0·04	0·02	0·04	0·01	0·03	0·01
	1918	0·02	0·02	0·01	0·05	0·02	0·01	0·02	0·01	0·02	0·01	0·02	0·01
	1919	0·02	0·02	0·01	0·04	0·02	0·01	0·02	0·01	0·02	0·02	0·02	0·01
	1920	0·02	0·02	0·01	0·03	0·01	0·01	0·02	0·01	0·01	0·01	0·01	0·00
	1921	0·01	0·01	0·01	0·02	0·01	0·01	0·01	0·01	0·01	0·01	0·01	0·01
	1922	0·01	0·01	0·00	0·02	0·01	0·00	0·01	0·01	0·01	0·01	0·01	0·00
	1923	0·01	0·01	0·00	0·01	0·01	0·00	0·01	0·01	0·01	0·00	0·01	0·00
	1924	0·01	0·01	0·01	0·02	0·01	0·01	0·01	0·01	0·01	0·01	0·00	0·00
	1925	0·01	0·01	0·01	0·02	0·01	0·01	0·01	0·02	0·01	0·01	0·01	0·00
Poliomyelitis ..	1915	0·01	0·02	0·01	0·02	0·02	0·01	0·01	0·01	0·02	0·00	0·01	0·01
	1916	0·02	0·02	0·01	0·04	0·02	0·00	0·01	0·02	0·02	0·01	0·01	0·00
	1917	0·01	0·01	0·00	0·01	0·01	0·00	0·01	0·01	0·01	0·00	0·01	0·00
	1918	0·01	0·01	0·00	0·01	0·01	0·00	0·01	0·00	0·01	0·00	0·01	0·00
	1919	0·02	0·02	0·01	0·02	0·02	0·01	0·01	0·01	0·01	0·01	0·02	0·01
	1920	0·01	0·01	0·00	0·01	0·01	0·00	0·01	0·01	0·01	0·00	0·01	0·00
	1921	0·01	0·01	0·01	0·01	0·01	0·01	0·01	0·01	0·01	0·02	0·01	0·01
	1922	0·01	0·01	0·01	0·01	0·01	0·01	0·01	0·00	0·01	0·01	0·01	0·00
	1923	0·02	0·01	0·03	0·02	0·01	0·01	0·01	0·13	0·01	0·01	0·01	—
	1924	0·02	0·02	0·02	0·03	0·02	0·01	0·02	0·06	0·02	0·02	0·02	0·01
	1925	0·01	0·01	0·01	0·01	0·01	0·01	0·01	0·01	0·01	0·01	0·01	0·01

TABLE 24.—SEASONAL INCIDENCE OF CERTAIN INFECTIOUS DISEASES. ENGLAND AND WALES, 1925.

(1925) Week ended	Scarlet Fever.	Diphtheria.	Enteric Fever.	Cerebro-Spinal Fever.	Poliomyelitis.	Encephalitis Lethargica.
Jan. 10	100	113	96	150	71	88
„ 17	110	117	47	100	86	59
„ 24	108	121	58	75	129	129
„ 31	100	118	106	188	86	92
Feb. 7	100	119	45	150	57	124
„ 14	94	112	79	100	86	88
„ 21	96	111	87	138	86	108
„ 28	98	106	60	88	100	114
March 7	91	102	77	75	29	122
„ 14	85	96	75	100	29	108
„ 21	97	96	64	150	71	122
„ 28	97	106	55	88	114	157
April 4	98	93	79	88	86	108
„ 11	90	84	66	125	—	90
„ 18	88	90	64	188	29	100
„ 25	87	84	53	125	57	106
May 2	89	83	74	125	43	108
„ 9	96	92	108	163	86	159
„ 16	97	88	104	100	43	135
„ 23	93	81	66	138	57	175
„ 30	89	75	102	175	57	143
June 6	73	74	94	75	71	125
„ 13	80	83	91	75	43	116
„ 20	74	90	109	100	43	120
„ 27	75	86	106	63	—	96
July 4	89	92	77	63	71	106
„ 11	93	97	85	150	114	100
„ 18	96	101	123	63	57	104
„ 25	89	93	111	38	86	100
Aug. 1	79	91	136	88	71	88
„ 8	72	75	151	38	100	80
„ 15	80	85	172	113	143	71
„ 22	76	77	164	63	229	88
„ 29	78	85	157	63	186	63
Sept. 5	79	81	166	100	186	80
„ 12	86	90	192	50	271	80
„ 19	108	103	170	25	186	80
„ 26	112	99	142	88	229	90
Oct. 3	126	108	111	63	214	86
„ 10	131	122	128	75	186	69
„ 17	135	124	108	88	143	104
„ 24	148	134	123	63	171	82
„ 31	147	128	168	88	186	104
Nov. 7	145	120	121	138	129	75
„ 14	128	113	119	50	86	82
„ 21	140	112	83	100	157	57
„ 28	128	117	104	88	100	82
Dec. 5	111	108	98	63	57	102
„ 12	112	106	72	125	143	86
„ 19	104	106	70	88	114	86
„ 26	89	93	43	75	100	65
Jan. 2 (1926)	113	117	85	50	29	65
Average weekly number of cases notified	100	100	100	100	100	100
	1,757	918	53	8	7	51

Note.—The actual average weekly number of cases is shown at the foot of each column. The proportion of the notifications to this average taken as 100 is shown for each week, any seasonal excess of 30 per cent. over the mean for the year being shown by black type.

Table 25.—Notifications of Tuberculosis, 1916–1925.

—	Tuberculosis of Respiratory System.																			
	1916.		1917.		1918.		1919.		1920.		1921.		1922.		1923.		1924.		1925.	
	No. of cases notified.	Rate per 1000 of population.	No. of cases notified.	Rate per 1000 of population.	No. of cases notified.	Rate per 1000 of population.	No. of cases notified.	Rate per 1000 of population.	No. of cases notified.	Rate per 1000 of population.	No. of cases notified.	Rate per 1000 of population.	No. of cases notified.	Rate per 1000 of population.	No. of cases notified.	Rate per 1000 of population.	No. of cases notified.	Rate per 1000 of population.	No. of cases notified.	Rate per 1000 of population.
England and Wales (including cases notified in Port Sanitary Districts)	72,479	2·10	73,654	2·18	72,741	2·17	65,229	1·81	61,655	1·65	59,299	1·57	55,798	1·47	57,007	1·49	57,737	1·47	58,545	1·51
England (excluding London)	54,643	1·96	54,928	2·01	53,714	1·98	49,514	1·70	47,893	1·58	46,503	1·52	43,528	1·41	45,133	1·46	46,172	1·45	46,668	1·49
London	13,544	3·19	14,869	3·69	15,286	3·86	12,386	2·84	10,653	2·35	9,731	2·16	8,721	1·92	8,165	1·79	7,941	1·71	8,071	1·75
Wales (including Monmouth) ..	4,107	1·74	3,741	1·57	3,675	1·57	3,208	1·26	2,922	1·10	2,897	1·09	3,415	1·27	3,504	1·30	3,390	1·22	3,560	1·30

—	Other Tuberculosis.																			
	1916.		1917.		1918.		1919.		1920.		1921.		1922.		1923.		1924.		1925.	
	No. of cases notified.	Rate per 1000 of population.	No. of cases notified.	Rate per 1000 of population.	No. of cases notified.	Rate per 1000 of population.	No. of cases notified.	Rate per 1000 of population.	No. of cases notified.	Rate per 1000 of population.	No. of cases notified.	Rate per 1000 of population.	No. of cases notified.	Rate per 1000 of population.	No. of cases notified.	Rate per 1000 of population.	No. of cases notified.	Rate per 1000 of population.	No. of cases notified.	Rate per 1000 of population.
England and Wales (including cases notified in Port Sanitary Districts)	23,777	0·69	22,096	0·66	19,391	0·58	16,821	0·47	15,851	0·42	15,653	0·42	16,178	0·43	18,494	0·48	18,711	0·48	19,228	0·50
England (excluding London)	18,432	0·66	17,122	0·63	14,927	0·55	12,721	0·44	12,458	0·41	12,644	0·41	12,909	0·42	15,022	0·49	15,212	0·48	15,894	0·51
London	4,083	0·96	3,864	0·96	3,447	0·87	3,233	0·74	2,511	0·55	2,267	0·50	2,235	0·49	2,298	0·50	2,330	0·50	2,150	0·47
Wales (including Monmouth) ..	1,221	0·52	1,055	0·44	999	0·43	850	0·33	874	0·33	732	0·28	1,020	0·38	1,154	0·43	1,156	0·42	1,160	0·42

TABLE 26—INFECTIOUS DISEASES; CASES NOTIFIED AND RATES PER 1,000 POPULATION IN ENGLAND AND WALES, IN ADMINISTRATIVE COUNTIES AND IN COUNTY BOROUGHS: 52 WEEKS ENDED 2ND JANUARY. 1926.

Note.—Cases notified in Port Sanitary Districts are included only in the figures for England and Wales as a whole.

	Scarlet Fever.		Diphtheria.		Enteric Fever.		Puerperal Fever.		Erysipelas.		Smallpox Cases.	Typhus Fever Cases.	Continued Fever Cases.	Cerebro-Spinal Fever Cases.	Poliomyelitis Cases.	Encephalitis Lethargica Cases.	Ophthalmia Neonatorum Cases.	Tuberculosis of Respiratory System Cases.	Other Tuberculosis Cases.
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.									
ENGLAND AND WALES	91,362	2·36	47,720	1·23	2,779	0·07	2,396	0·06	15,003	0·39	5,365	—	23	402	371	2,635	5,748	58,545	19,228
ENGLAND	86,510	2·40	44,297	1·23	2,485	0·07	2,242	0·06	14,231	0·40	5,358	—	17	380	350	2,548	5,421	54,739	18,044
ENGLAND AND WALES, Administrative Counties, excluding London	44,765	2·12	17,788	0·84	1,504	0·07	938	0·04	6,850	0·32	3,148	—	6	154	196	1,319	1,694	25,988	9,638
ENGLAND, Administrative Counties, excluding London	40,835	2·15	15,053	0·79	1,334	0·07	834	0·04	6,298	0·33	3,148	—	4	141	181	1,246	1,488	23,360	8,766
†ALL AREAS:																			
England and Wales	91,362	2·36	47,720	1·23	2,779	0·07	2,396	0·06	15,003	0·39	5,365	—	23	402	371	2,635	5,748	58,545	19,228
North	37,031	2·83	12,087	0·93	872	0·07	915	0·07	6,398	0·49	3,188	—	5	130	112	984	2,624	22,285	8,812
Midlands	26,143	2·13	14,483	1·18	697	0·06	765	0·06	4,348	0·35	2,156	—	3	99	145	880	1,625	16,655	4,682
South‡	23,336	2·20	17,727	1·67	916	0·09	562	0·05	3,485	0·33	14	—	9	151	93	684	1,172	15,799	4,550
Wales	4,801	1·76	3,387	1·24	218	0·08	154	0·06	758	0·28	1	—	5	22	21	86	327	3,560	1,160
Port Sanitary Districts.	51	?	36	?	76	?	—	?	14	?	6	—	1	—	—	1	—	246	24
LONDON	12,291	2·67	12,583	2·73	396	0·09	321	0·07	1,950	0·42	13	—	8	93	52	297	707	8,071	2,150
COUNTY BOROUGHS:																			
England and Wales	34,255	2·64	17,313	1·33	803	0·06	1,137	0·09	6,189	0·48	2,198	—	8	155	123	1,018	3,347	24,240	7,416
North	20,043	2·89	7,915	1·14	387	0·06	622	0·09	3,706	0·54	1,270	—	2	91	66	588	2,043	14,205	4,785
Midlands	9,862	2·40	6,864	1·67	234	0·06	404	0·10	1,863	0·45	927	—	3	39	43	337	1,023	6,952	1,638
South	3,479	2·52	1,882	1·37	134	0·10	61	0·04	414	0·30	—	—	—	16	8	80	160	2,151	705
Wales	871	1·53	652	1·14	48	0·08	50	0·09	206	0·36	1	—	3	9	6	13	121	932	288

OTHER URBAN DISTRICTS:																			
England and Wales	29,305	2·21	12,436	0·94	944	0·07	628	0·05	4,738	0·36	2,501	—	4	99	116	887	1,197	17,115	6,537
North	12,207	2·78	3,052	0·70	353	0·08	225	0·05	2,029	0·46	1,544	—	3	24	30	305	432	5,884	3,026
Midlands	9,915	2·03	5,196	1·07	267	0·05	220	0·05	1,615	0·33	956	—	—	38	58	342	412	6,284	1,883
South	4,642	1·76	2,243	0·85	217	0·08	115	0·04	705	0·27	1	—	—	28	20	183	178	3,395	1,030
Wales	2,541	1·90	1,945	1·45	107	0·08	68	0·05	389	0·29	—	—	1	9	8	57	175	1,552	598
RURAL DISTRICTS:																			
England and Wales	15,460	1·95	5,352	0·68	560	0·07	310	0·04	2,112	0·27	647	—	2	55	80	432	497	8,873	3,101
North	4,781	2·73	1,120	0·64	132	0·08	68	0·04	663	0·38	374	—	—	15	16	91	149	2,196	1,001
Midlands	6,366	1·92	2,423	0·73	196	0·06	141	0·04	870	0·26	273	—	—	22	44	201	190	3,419	1,161
South	2,924	1·46	1,019	0·51	169	0·08	65	0·03	416	0·21	—	—	1	14	13	124	127	2,182	665
Wales	1,389	1·68	790	0·96	63	0·08	36	0·04	163	0·20	—	—	1	4	7	16	31	1,076	274
ENGLAND, Administrative Counties, excluding London:																			
Bedfordshire ..	194	0·92	283	1·34	10	0·05	3	0·01	43	0·20	4	—	—	3	4	8	11	307	74
Berkshire.. ..	414	2·05	63	0·31	4	0·02	10	0·05	39	0·19	—	—	—	1	5	6	11	197	54
Buckinghamshire	340	1·41	142	0·59	12	0·05	6	0·02	49	0·20	—	—	—	1	3	9	7	142	53
Cambridgeshire ..	259	2·00	47	0·36	7	0·05	4	0·03	32	0·25	—	—	—	—	2	13	8	283	65
Cheshire.. ..	2,156	3·34	487	0·75	57	0·09	42	0·07	235	0·36	24	—	—	4	8	43	44	541	328
Cornwall	236	0·74	93	0·29	23	0·07	8	0·03	57	0·18	—	—	—	2	2	28	16	358	94
Cumberland ..	991	4·50	163	0·74	3	0·01	5	0·02	62	0·28	—	—	—	1	2	4	10	257	86
Derbyshire ..	1,864	3·05	676	1·11	37	0·06	42	0·07	243	0·40	339	—	—	2	7	47	47	697	246
Devonshire ..	594	1·38	182	0·42	64	0·15	15	0·03	102	0·24	—	—	—	2	2	19	11	582	123
Dorsetshire ..	192	0·86	74	0·33	6	0·03	6	0·03	36	0·16	—	—	—	4	3	20	11	266	70
Durham	3,340	3·36	854	0·86	78	0·08	42	0·04	494	0·50	1,006	—	—	3	5	62	172	1,334	1,033
Ely, Isle of ..	119	1·56	83	1·09	6	0·08	3	0·04	25	0·33	1	—	—	3	—	5	4	62	38
Essex	1,884	1·97	1,065	1·11	63	0·07	33	0·03	240	0·25	—	—	—	10	12	50	64	1,246	390
Gloucestershire ..	756	2·26	319	0·96	29	0·09	11	0·03	92	0·28	—	—	—	1	4	13	24	327	69
Herefordshire ..	178	1·56	120	1·05	8	0·07	4	0·04	19	0·17	—	—	—	—	—	8	6	105	43
Hertfordshire ..	578	1·67	151	0·44	29	0·08	14	0·04	78	0·23	5	—	—	—	3	18	5	526	158
Huntingdonshire..	129	2·32	20	0·36	4	0·07	3	0·05	11	0·20	—	—	—	—	2	3	2	74	29
Kent	1,580	1·45	1,118	1·03	111	0·10	42	0·04	305	0·28	—	—	1	10	7	64	76	1,524	581
Lancashire ..	4,427	2·48	1,292	0·72	103	0·06	92	0·05	854	0·48	40	—	—	11	13	181	139	2,039	1,125
Leicestershire ..	604	2·20	285	1·04	11	0·04	10	0·04	152	0·55	13	—	—	3	1	27	21	380	101

† For the constitution of the several areas, North, Midlands, South, and Wales, *see* the footnote to Table 14. ‡ Including London.

TABLE 26—INFECTIOUS DISEASES; CASES NOTIFIED AND RATES PER 1,000 POPULATION IN ENGLAND AND WALES—*cont.*

	Scarlet Fever.		Diphtheria.		Enteric Fever.		Puerperal Fever.		Erysipelas.		Smallpox Cases.	Typhus Fever Cases.	Continued Fever Cases.	Cerebro-Spinal Fever Cases.	Poliomyelitis Cases.	Encephalitis Lethargica Cases.	Ophthalmia Neonatorum Cases.	Tuberculosis of Respiratory System Cases.	Other Tuberculosis Cases.
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.									
ENGLAND, Administrative Counties, excluding London—*cont.*																			
Lincolnshire—																			
Holland	134	1·53	61	0·70	2	0·02	3	0·03	24	0·27	2	—	—	—	2	7	6	103	27
Kesteven	93	0·87	30	0·28	15	0·14	4	0·04	24	0·22	16	—	—	—	4	8	6	94	24
Lindsey	429	1·65	150	0·58	23	0·09	9	0·03	102	0·39	23	—	—	—	7	19	26	356	149
Middlesex ..	2,264	1·74	1,763	1·35	74	0·06	62	0·05	396	0·30	—	—	—	12	11	109	104	1,630	352
Norfolk	445	1·38	127	0·39	26	0·08	8	0·02	65	0·20	2*	—	—	3	—	7	12	325	141
Northamptonshire	842	3·91	132	0·61	7	0·03	7	0·03	79	0·37	187	—	—	—	2	14	13	241	55
Northumberland..	1,243	3·01	202	0·49	36	0·09	7	0·02	141	0·34	629	—	—	4	1	36	40	645	307
Nottinghamshire..	654	1·66	179	0·46	24	0·06	16	0·04	132	0·34	585	—	—	2	1	21	32	447	143
Oxfordshire ..	150	1·12	23	0·17	15	0·11	5	0·04	37	0·28	—	—	—	2	2	15	12	115	32
Peterborough, Soke of	69	1·42	5	0·10	5	0·10	2	0·04	17	0·35	2	—	—	2	—	3	4	72	14
Rutlandshire ..	17	0·93	12	0·66	—	—	—	—	—	—	—	—	—	—	—	—	—	11	5
Shropshire ..	532	2·16	158	0·64	6	0·02	13	0·05	57	0·23	—	—	—	2	1	17	19	247	126
Somersetshire ..	576	1·45	231	0·58	15	0·04	22	0·06	107	0·27	—	—	—	3	—	46	30	642	159
Southampton ..	805	1·98	259	0·64	30	0·07	28	0·07	108	0·27	—	—	—	1	1	19	53	384	132
Staffordshire ..	1,805	2·50	953	1·32	12	0·02	43	0·06	296	0·41	—	—	—	2	13	45	105	891	323
Suffolk—East ..	420	2·00	71	0·34	18	0·09	16	0·08	53	0·25	—	—	—	5	2	14	12	269	122
Suffolk—West ..	259	2·36	30	0·27	3	0·03	1	0·01	15	0·14	—	—	—	1	2	3	4	105	33
Surrey	1,597	2·13	746	1.00	79	0·11	20	0·03	181	0·24	1	—	—	10	5	59	48	713	166
Sussex—East ..	266	1·03	82	0·32	16	0·06	5	0·02	59	0·23	—	—	—	3	—	23	3	326	91
Sussex—West ..	376	1·94	78	0·40	17	0·09	5	0·03	40	0·21	—	—	—	1	2	4	15	199	65
Warwickshire ..	780	2·16	546	1·51	10	0·03	24	0·07	140	0·39	49	—	—	5	14	43	31	356	137
Westmorland ..	213	3·41	5	0·08	12	0·19	3	0·05	12	0·19	—	—	—	4	—	5	2	81	8

* These two cases were subsequently diagnosed as chicken-pox.

ENGLAND, Administrative Counties, excluding London—*cont.*																			
Wight, Isle of ..	396	4·62	51	0·60	5	0·06	3	0·04	17	0·20	—	—	—	—	—	7	7	110	9
Wiltshire ..	534	1·81	285	0·96	16	0·05	16	0·05	70	0·24	—	—	—	5	6	12	24	276	151
Worcestershire ..	483	1·57	188	0·61	7	0·02	15	0·05	64	0·21	1	—	—	1	3	17	17	292	95
Yorkshire—																			
East Riding	209	1·26	68	0·41	21	0·13	4	0·02	36	0·22	—	—	—	1	2	5	3	177	46
North Riding	542	1·71	130	0·41	28	0·09	10	0·03	101	0·32	52	—	—	4	2	13	10	294	134
West Riding	3,867	2·52	971	0·63	147	0·10	88	0·06	757	0·49	167	—	3	7	13	47	161	2,712	960
WALES, Administrative Counties, including Monmouthshire	3,930	1·82	2,735	1·26	170	0·08	104	0·05	552	0·25	—	—	2	13	15	73	206	2,628	872
Anglesey	124	2·37	52	0·99	1	0·02	—	—	7	0·13	—	—	—	—	1	1	2	69	29
Brecknockshire ..	67	1·08	32	0·52	2	0·03	2	0·03	9	0·15	—	—	—	—	—	1	2	63	17
Cardiganshire ..	58	1·00	19	0·33	7	0·12	3	0·05	11	0·19	—	—	—	—	—	6	2	128	16
Carmarthenshire ..	304	1·67	357	1·96	12	0·07	7	0·04	43	0·24	—	—	—	—	1	7	7	239	70
Carnarvonshire ..	148	1·23	67	0·56	3	0·03	2	0·02	31	0·26	—	—	—	1	—	5	6	233	51
Denbighshire ..	292	1·84	112	0·71	50	0·32	6	0·04	35	0·22	—	—	—	—	4	5	6	208	51
Flintshire ..	400	3·81	107	1·02	12	0·11	2	0·02	49	0·47	—	—	—	3	1	7	3	105	35
Glamorganshire ..	1,716	2·03	1,372	1·63	35	0·04	54	0·06	246	0·29	—	—	2	6	6	22	133	926	385
Merionethshire ..	64	1·49	11	0·26	2	0·05	5	0·12	12	0·28	—	—	—	—	—	—	4	82	22
Monmouthshire ..	543	1·45	528	1·41	40	0·11	19	0·05	71	0·19	—	—	—	3	2	15	34	365	136
Montgomeryshire	112	2·16	21	0·40	—	—	1	0·02	15	0·29	—	—	—	—	—	2	4	65	27
Pembrokeshire ..	81	0·88	52	0·57	6	0·07	3	0·03	17	0·19	—	—	—	—	—	1	3	111	26
Radnorshire ..	21	0·94	5	0·22	—	—	—	—	6	0·27	—	—	—	—	—	1	—	34	7

TABLE 26—INFECTIOUS DISEASES; CASES NOTIFIED AND RATES PER 1,000 POPULATION IN ENGLAND AND WALES—*cont.*

	Scarlet Fever.		Diphtheria.		Enteric Fever.		Puerperal Fever.		Erysipelas.		Smallpox Cases.	Typhus Fever Cases.	Continued Fever Cases.	Cerebro-Spinal Fever Cases.	Poliomyelitis Cases.	Encephalitis Lethargica Cases.	Ophthalmia Neonatorum Cases.	Tuberculosis of Respiratory System Cases.	Other Tuberculosis Cases.
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.									
ENGLAND, County Boroughs	33,384	2·69	16,661	1·34	755	0·06	1,087	0·09	5,983	0·48	2,197	—	5	146	117	1,005	3,226	23,308	7,128
Barnsley	235	3·30	91	1·28	7	0·10	11	0·15	49	0·69	—	—	—	2	1	4	16	129	46
Barrow in Furness	261	3·55	59	0·80	2	0·03	1	0·01	42	0·57	—	—	—	1	—	7	5	95	32
Bath, City of ..	261	3·78	46	0·67	2	0·03	3	0·04	18	0·26	—	—	—	2	1	7	5	70	14
Birkenhead ..	375	2·41	256	1·65	5	0·03	12	0·08	62	0·40	—	—	—	4	2	13	39	220	122
Birmingham, City of	2,029	2·15	2,242	2·37	34	0·04	145	0·15	383	0·40	1	—	—	10	13	105	329	1,620	324
Blackburn ..	304	2·40	67	0·53	2	0·02	13	0·10	39	0·31	—	—	—	—	—	5	26	175	74
Blackpool ..	209	2·59	105	1·30	1	0·01	4	0·05	31	0·38	—	—	—	2	1	4	20	133	38
Bolton	232	1·29	33	0·18	5	0·03	8	0·04	55	0·30	—	—	—	—	—	23	16	153	60
Bootle	158	1·90	71	0·85	5	0·06	6	0·07	27	0·32	—	—	—	2	—	4	37	236	50
Bournemouth ..	81	0·94	114	1·33	4	0·05	4	0·05	18	0·21	—	—	—	1	—	11	7	213	26
Bradford, City of	552	1·90	349	1·20	13	0·04	22	0·08	136	0·47	—	—	—	10	2	26	31	372	63
Brighton	286	2·08	117	0·85	7	0·05	1	0·01	52	0·38	—	—	—	—	1	4	5	211	99
Bristol, City of ..	1,501	3·89	1,138	2·95	24	0·06	70	0·18	255	0·66	—	—	—	2	6	62	57	700	152
Burnley	209	2·04	161	1·57	5	0·05	4	0·04	102	1·00	—	—	—	—	3	2	11	125	81
Burton upon Trent	110	2·22	14	0·28	—	—	4	0·08	12	0·24	1	—	—	1	2	7	22	87	32
Bury	178	3·14	69	1·22	—	—	4	0·07	27	0·48	—	—	—	—	—	3	13	71	31
Canterbury, City of	117	5·03	4	0·17	2	0·09	3	0·13	13	0·56	—	—	—	—	1	—	5	22	9
Carlisle, City of ..	366	6·64	13	0·24	—	—	4	0·07	23	0·42	—	—	—	—	—	—	8	94	22
Chester, City of ..	117	2·81	24	0·58	3	0·07	5	0·12	13	0·31	—	—	—	—	—	4	6	48	14
Coventry, City of	330	2·56	190	1·47	3	0·02	15	0·12	67	0·52	72	—	—	1	—	19	30	189	40
Croydon	343	1·72	102	0·51	36	0·18	10	0·05	54	0·27	—	—	—	—	1	13	20	223	208
Darlington ..	155	2·24	37	0·54	5	0·07	7	0·10	42	0·61	—	—	—	—	—	6	4	138	54
Derby	184	1·37	167	1·24	7	0·05	4	0·03	55	0·41	745	—	—	1	3	9	12	268	54
Dewsbury ..	56	1·03	29	0·53	2	0·04	2	0·04	15	0·27	—	—	—	—	—	4	7	27	8
Dudley	149	2·53	33	0·56	—	—	3	0·05	13	0·22	—	—	—	—	—	3	3	80	33
Eastbourne ..	85	1·54	20	0·36	1	0·02	—	—	18	0·33	—	—	—	—	—	3	4	72	21
East Ham ..	219	1·49	251	1·71	10	0·07	5	0·03	42	0·29	—	—	—	1	1	6	6	256	68
Exeter, City of ..	48	0·80	51	0·85	3	0·05	7	0·12	16	0·27	—	—	—	1	—	1	17	102	24
Gateshead ..	401	3·11	133	1·03	4	0·03	9	0·07	56	0·43	89	—	—	—	—	8	21	265	173

ENGLAND, County Boroughs—*cont.*																			
Gloucester, City of	49	0·92	69	1·30	6	0·11	4	0·08	18	0·34	—	—	—	—	—	7	9	73	20
Great Yarmouth..	118	2·04	21	0·36	1	0·02	—	—	13	0·22	—	—	—	—	1	2	8	87	13
Grimsby	107	1·23	87	1·00	7	0·08	2	0·02	17	0·19	—	—	—	3	—	5	11	145	49
Halifax	275	2·81	74	0·76	4	0·04	4	0·04	37	0·38	—	—	—	1	—	3	5	91	71
Hastings	100	1·65	15	0·25	4	0·07	2	0·03	17	0·28	—	—	—	—	—	4	8	99	38
Huddersfield ..	200	1·78	95	0·85	6	0·05	3	0·03	30	0·27	—	—	—	—	1	2	25	159	58
Ipswich	130	1·56	34	0·41	19	0·23	19	0·23	27	0·32	—	—	—	3	1	4	1	141	67
Kingston upon Hull, City of	416	1·40	497	1·67	26	0·09	14	0·05	120	0·40	59	—	—	8	2	23	67	570	146
Leeds, City of ..	1,158	2·45	419	0·89	9	0·02	54	0·11	323	0·68	—	—	—	1	3	21	49	1,722	150
Leicester, City of..	827	3·42	347	1·43	5	0·02	7	0·03	130	0·54	67	—	—	1	—	26	37	622	77
Lincoln, City of ..	442	6·64	48	0·72	—	—	—	—	15	0·23	1	—	—	—	—	7	3	125	36
Liverpool, City of	3,534	4·13	1,469	1·72	35	0·04	56	0·07	525	0·61	—	—	—	24	4	107	704	2,715	851
Manchester, City of	2,872	3·80	1,037	1·37	69	0·09	147	0·19	407	0·54	—	—	—	12	10	87	328	1,511	623
Middlesbrough ..	432	3·17	80	0·59	—	—	8	0·06	75	0·55	882	—	2	1	2	4	12	401	192
Newcastle upon Tyne, City of	1,220	4·26	198	0·69	24	0·08	22	0·08	203	0·71	82	—	—	4	8	47	51	545	306
Northampton ..	229	2·44	65	0·69	8	0·09	9	0·10	49	0·52	23	—	—	—	—	—	11	109	32
Norwich, City of..	190	1·53	69	0·56	15	0·12	9	0·07	73	0·59	—	—	—	—	—	5	18	139	34
Nottingham, City of	622	2·30	316	1·17	19	0·07	13	0·05	114	0·42	17	—	—	—	5	11	40	195	72
Oldham	398	2·72	148	1·01	7	0·05	3	0·02	50	0·34	—	—	—	1	—	7	16	150	80
Oxford, City of ..	109	1·91	24	0·42	15	0·26	4	0·07	10	0·18	—	—	—	—	—	5	5	66	13
Plymouth ..	634	3·30	284	1·48	5	0·03	7	0·04	45	0·23	—	—	—	4	3	12	16	389	105
Portsmouth ..	984	4·22	768	3·30	47	0·20	5	0·02	61	0·26	—	—	—	5	1	12	35	364	94
Preston	331	2·69	234	1·90	1	0·01	8	0·07	41	0·33	—	—	—	—	1	5	13	141	54
Reading	188	2·01	52	0·56	5	0·05	2	0·02	39	0·42	—	—	—	1	—	5	6	122	11
Rochdale ..	278	3·02	83	0·90	9	0·10	6	0·07	38	0·41	—	—	—	—	—	8	8	76	29
Rotherham ..	295	4·18	46	0·65	5	0·07	5	0·07	64	0·91	69	—	—	—	1	5	19	197	49
St. Helens ..	244	2·23	137	1·25	7	0·06	16	0·15	70	0·64	—	—	—	2	1	2	16	144	89
Salford	506	2·07	376	1·54	30	0·12	17	0·07	135	0·55	—	—	—	2	1	25	62	481	129
Sheffield, City of..	1,287	2·44	819	1·55	39	0·07	92	0·17	389	0·74	44	—	—	9	16	54	216	1,354	292
Smethwick ..	165	2·09	104	1·32	—	—	8	0·10	28	0·36	—	—	—	—	3	5	15	73	24
Southampton ..	352	2·09	309	1·83	18	0·11	17	0·10	63	0·37	—	—	—	2	—	8	32	264	56
Southend on Sea..	155	1·58	53	0·54	34	0·35	5	0·05	30	0·31	—	—	—	—	2	2	45	213	61

TABLE 26.—INFECTIOUS DISEASES; CASES NOTIFIED AND RATES PER 1,000 POPULATION IN ENGLAND AND WALES.—*cont.*

	Scarlet Fever.		Diphtheria.		Enteric Fever		Puerperal Fever.		Erysipelas.		Smallpox Cases.	Typhus Fever Cases.	Continued Fever Cases.	Cerebro-Spinal Fever Cases.	Poliomyelitis Cases.	Encephalitis Lethargica Cases.	Ophthalmia Neonatorum Cases.	Tuberculosis of Respiratory System Cases.	Other Tuberculosis Cases.
	Cases.	Rate.	Cases	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.									
ENGLAND, County Boroughs—*cont.*																			
Southport ..	132	1·78	46	0·62	3	0·04	1	0·01	36	0·48	—	—	—	—	—	3	2	79	35
South Shields ..	406	3·26	55	0·44	11	0·09	3	0·02	36	0·29	10	—	—	—	2	1	27	242	165
Stockport ..	639	5·08	96	0·76	4	0·03	7	0·06	46	0·37	—	—	—	—	1	20	34	123	73
Stoke on Trent, City of	997	3·57	275	0·99	9	0·03	35	0·13	165	0·59	—	—	—	7	3	18	245	453	106
Sunderland ..	174	1·05	106	0·64	7	0·04	8	0·05	103	0·62	3	—	—	1	—	28	66	322	155
Tynemouth ..	125	1·89	36	0·54	11	0·17	6	0·09	35	0·53	2	—	—	1	1	3	10	119	35
Wakefield ..	183	3·39	39	0·72	7	0·13	5	0·09	24	0·44	—	—	—	—	—	—	3	86	29
Wallasey ..	291	3·17	61	0·67	2	0·02	4	0·04	22	0·24	—	—	—	—	2	5	2	177	58
Walsall	198	1·94	349	3·41	—	—	8	0·08	29	0·28	—	—	1	1	—	6	32	204	85
Warrington ..	265	3·40	97	1·24	1	0·01	11	0·14	84	1·08	—	—	—	1	1	8	12	162	77
West Bromwich ..	170	2·14	101	1·27	—	—	8	0·10	49	0·62	—	—	—	1	1	2	5	73	24
West Ham ..	478	1·50	766	2·41	13	0·04	10	0·03	215	0·68	—	—	2	5	1	14	34	802	168
West Hartlepool..	254	3·55	41	0·57	2	0·03	5	0·07	26	0·36	30	—	—	1	—	1	14	91	63
Wigan	64	0·70	46	0·51	5	0·05	3	0·03	42	0·46	—	—	—	—	—	4	16	128	64
Wolverhampton	186	1·71	48	0·44	1	0·01	14	0·13	31	0·28	—	—	—	1	—	5	37	159	20
Worcester, City of	168	3·34	53	1·06	4	0·08	3	0·06	23	0·46	—	—	—	1	1	2	8	73	34
York, City of ..	256	3·02	83	0·98	4	0·05	2	0·02	26	0·31	—	—	—	1	—	2	6	138	44
WALES, including Monmouth, County Boroughs	871	1·53	652	1·14	48	0·08	50	0·09	206	0·36	1	—	3	9	6	13	121	932	288
Cardiff	323	1·42	205	0·90	5	0·02	18	0·08	92	0·41	1	—	—	3	2	5	88	392	106
Merthyr Tydfil ..	107	1·29	124	1·50	1	0·01	4	0·05	14	0·17	—	—	—	1	2	4	8	85	39
Newport (Mon.) ..	156	1·62	57	0·59	39	0·40	10	0·10	42	0·44	—	—	2	1	2	3	11	169	66
Swansea	285	1·75	266	1·63	3	0·02	18	0·11	58	0·36	—	—	1	4	—	1	14	286	77

TABLE 27.—CASES OF CERTAIN INFECTIOUS DISEASES NOTIFIED IN EACH YEAR 1915–1925. ENGLAND AND WALES.

(*a*) Civilians (excluding cases in Port Sanitary Districts).

Diseases.	Cases Notified.										
	1915.	1916.	1917.	1918.	1919.	1920.	1921.	1922.	1923.	1924.	1925.
Cerebro-spinal Fever	2,558	1,305	1,462	798	843	581	411	344	300	397	402
Cholera	—	—	—	—	—	—	—	—	—	—	—
Continued Fever	57	79	50	22	39	30	37	15	21	36	22
Diphtheria (including Membranous Croup)	53,549	51,674	43,274	43,678	53,843	69,407	66,452	52,072	39,953	41,948	47,684
‖Dysentery..	—	—	—	—	1,638	1,169	1,193	757	458	356	293
§Encephalitis Lethargica (Acute) ..	—	—	—	—	541	889	1,470	451	1,023	5,036	2,634
Enteric Fever	6,203	5,438	4,505	4,232	3,308	2,994	3,776	2,365	3,139	4,051	2,703
Erysipelas..	23,346	18,482	13,299	12,455	15,752	16,029	13,220	13,157	12,321	12,868	14,989
‖Malaria (contracted in England and Wales)	—	—	—	—	93	32	10	6	3	4	3
Ophthalmia Neonatorum	6,802	7,611	6,712	6,532	8,648	10,302	8,312	7,106	6,592	6,267	5,748
Plague	—	12	—	2	1	1	—	—	—	—	—
‖Pneumonia (Acute Primary and Acute Influenzal)	—	—	—	—	45,063	38,685	33,744	52,435	44,543	60,723	55,876
§Polio-encephalitis (Acute)	—	—	—	—	62	36	51	31	57	83	51
Poliomyelitis (Acute)	517	688	357	228	553	293	488	355	587	777	371
Puerperal Fever	2,057	1,993	1,344	1,206	2,016	2,898	2,211	2,134	2,190	2,183	2,396
Relapsing Fever	—	—	3	2	4	7	1	—	2	—	1
Scarlet Fever	127,021	75,683	48,785	48,170	82,358	119,445	137,012	108,199	85,582	84,621	91,311
Small-pox	78	135	6	51	262	243	311	967	2,477	3,757	5,359
‖Trench Fever	—	—	—	—	99	39	15	6	3	3	4
Tuberculosis of Respiratory System ..	73,354	72,294	73,538	72,675	65,108	61,468	59,131	55,664	56,802	57,503	58,299
Tuberculosis (other forms)	22,817	23,736	22,041	19,373	16,804	15,843	15,643	16,164	18,474	18,698	19,204
Typhus Fever	44	4	4	8	2	—	3	13	—	8	—

§ Notifiable since 1st January, 1919. ‖ Notifiable since 1st March, 1919.

TABLE 27—*continued.*—CASES OF CERTAIN INFECTIOUS DISEASES NOTIFIED IN EACH YEAR 1915–1919. ENGLAND AND WALES.

(*b*) Non-Civilians.

Diseases.	Cases Notified.				
	1915.	1916.	1917.	1918.	1919.*
Cerebro-spinal Fever	930	778	1,023	578	106
Continued Fever	3	3	—	1	—
Diphtheria (including Membranous Croup)	1,183	1,633	1,296	1,618	677
Encephalitis Lethargica (Acute)	—	—	—	—	11
Enteric Fever	594	893	177	425	467
Erysipelas	264	468	442	384	99
Poliomyelitis (Acute)	3	15	1	8	1
Scarlet Fever	1,998	1,783	1,244	1,457	402
Small-pox	2	10	2	2	67
Tuberculosis of Respiratory System	516	1,706	2,210	4,124	1,338
Tuberculosis (other forms)	64	122	122	149	99
Typhus Fever	1	4	—	1	151

* The figures for 1919 include the following convalescent cases:—Cerebro-spinal Fever, 1; Diphtheria, 8; Enteric Fever, 64; Scarlet Fever, 1; Small-pox, 50; and Typhus Fever, 149. Three convalescent cases of Cholera were also notified.

TABLE 27—*continued.*—CASES OF CERTAIN INFECTIOUS DISEASES NOTIFIED IN EACH YEAR 1915–1925. ENGLAND AND WALES

(*c*) In Port Sanitary Districts.

Diseases.	Cases Notified.										
	1915.	1916.	1917.	1918.	1919.	1920.	1921.	1922.	1923.	1924.	1925.
Cerebro-spinal Fever	8	1	3	—	5	2	—	—	1	—	—
Cholera	—	—	—	—	—	—	—	—	—	—	—
Continued Fever	6	3	8	2	—	5	8	3	4	1	1
Diphtheria (including Membranous Croup)	48	33	41	35	75	74	54	81	56	32	36
Dysentery	—	—	—	—	19	84	30	32	26	32	52
Encephalitis Lethargica (Acute) ..	—	—	—	—	—	1	—	3	2	3	1
Enteric Fever	161	126	96	74	139	115	59	49	72	70	76
Erysipelas	36	28	26	8	11	22	11	14	14	11	14
Ophthalmia Neonatorum	4	2	4	—	—	2	1	1	—	—	—
Plague	—	—	8	5	11	2	—	—	—	—	—
Pneumonia (Acute Primary and Acute Influenzal)	—	—	—	—	197	174	86	78	81	71	84
Polio-encephalitis (Acute)	—	—	—	—	—	—	—	—	—	—	—
Poliomyelitis (Acute)	—	1	—	—	—	—	—	—	—	—	—
Puerperal Fever	—	3	1	—	—	—	—	—	1	—	—
Relapsing Fever	—	—	—	—	—	—	—	—	1	—	—
Scarlet Fever	65	39	32	10	40	45	61	43	21	33	51
Small-pox	12	14	1	12	32	20	4	6	8	8	6
Tuberculosis of Respiratory System ..	184	185	116	66	121	187	168	134	205	234	246
Tuberculosis (other forms)	47	41	55	18	17	8	10	14	20	13	24
Typhus Fever	1	—	—	—	1	2	—	—	1	—	—

See footnotes to page 445.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 2nd January 1926, and the ATTACK-RATE per 1,000 of the civilian population.

(Excluding cases among men in Establishments of the Armed Forces.)

Cases of Membranous Croup are included under the heading of Diphtheria.

For the populations of the several areas see Table 14.

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Ery-sipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
BEDFORD*	4	0·02	194	0·92	283	1·34	10	0·05	3	0·01	43	0·20
AGGREGATE OF M.Bs. AND U.Ds.	4	0·03	127	0·98	219	1·70	8	0·06	2	0·02	27	0·21
AGGREGATE OF R.Ds. ..	–	–	67	0·82	64	0·79	2	0·02	1	0·01	16	0·20
BOROUGHS AND URBAN DISTRICTS :—												
Ampthill	–	–	1	0·47	–	–	–	–	–	–	1	0·47
Bedford M.B.	4	0·10	50	1·21	38	0·92	3	0·07	2	0·05	9	0·22
Biggleswade	–	–	–	–	–	–	1	0·18	–	–	1	0·18
Dunstable M.B.	–	–	2	0·22	11	1·23	–	–	–	–	–	–
Kempston	–	–	27	5·26	10	1·95	–	–	–	–	2	0·39
Leighton Buzzard ..	–	–	4	0·59	9	1·33	1	0·15	–	–	–	–
Luton M.B.	–	–	43	0·73	151	2·55	3	0·05	–	–	14	0·24
RURAL DISTRICTS :—												
Ampthill	–		13	0·68	20	1·04	–	–	–	–	7	0·37
Bedford	–	–	15	0·75	10	0·50	–	–	1	0·05	2	0·10
Biggleswade	–	–	19	0·82	19	0·82	1	0·04		–	5	0·22
Eaton Bray	–	–	3	0·78	3	0·78	–	–	–	–	–	–
Eaton Socon	–	–	1	0·30	–	–	1	0·30	–	–	1	0·30
Luton	–	–	16	1·34	12	1·01	–	–	–	–	1	0·08
BERKS†	–	–	602	2·04	115	0·39	9	0·03	12	0·04	78	0·26
READING C.B.	–	–	188	2·01	52	0·56	5	0·05	2	0·02	39	0·42
AGGREGATE OF M.Bs. AND U.D.	–	–	71	1·06	22	0·33	–	–	3	0·04	9	0·13
AGGREGATE OF R.Ds. ..	–	–	343	2·54	41	0·30	4	0·03	7	0·05	30	0·22
BOROUGHS AND URBAN DISTRICT :—												
Abingdon M.B.	–	–	5	0·69	4	0·55	–	–	–	–	3	0·41
Maidenhead M.B. ..	–	–	11	0·66	10	0·60	–	–	–	–	1	0·06
Newbury M.B.	–	–	36	2·90	4	0·32	–	–	1	0·08	–	–
New Windsor M.B. ..	–	–	16	0·83	1	0·05	–	–	2	0·10	3	0·16
Wallingford M.B... ..	–	–	1	0·37	3	1·11	–	–	–	–	–	–
Wantage	–	–	–	–	–	–	–	–	–	–	1	0·25
Wokingham M.B. ..	–	–	2	0·47	–	–	–	–	–	–	1	0·23
RURAL DISTRICTS :—												
Abingdon	–	–	16	1·48	3	0·28	1	0·09	1	0·09	2	0·19
Bradfield	–	–	20	1·40	–	–	–	–	1	0·07	5	0·35
Cookham	–	–	17	1·24	4	0·29	1	0·07	2	0·15	3	0·22
Easthampstead	–	–	64	3·55	4	0·22	1	0·06	–	–	1	0·06
Faringdon (part of)‡ ..	–	–	34	3·37	–	–	–	–	1	0·10	2	0·20
Hungerford	–	–	18	2·10	–	–	–	–	–	–	4	0·47
Newbury	–	–	34	3·19	7	0·66	–	–	–	–	3	0·28
Wallingford	–	–	15	1·80	4	0·48	–	–	–	–	1	0·12
Wantage	–	–	31	2·59	2	0·17	–	–	1	0·08	4	0·33
Windsor	–	–	37	3·87	7	0·73	–	–	–	–	2	0·21
Wokingham	–	–	57	2·95	10	0·52	1	0·05	1	0·05	3	0·16
‖ –	– ‖	34	3·06 ‖		– ‖	–	– ‖	1	0·09 ‖	3	0·27	

* Administrative County.

† Administrative County with associated County Borough.

‡ The remaining part of the Rural District of Faringdon is in the Administrative County of Gloucester. The figures for the entire District are :—

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 2nd January 1926, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Ery-sipelas.	
	Cases.	Rate	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases	Rate	Cases.	Rate.
BUCKINGHAM*	–	–	340	1·41	142	0·59	12	0·05	6	0·02	49	0·20
AGGREGATE OF M.Bs. AND U.Ds.	–	–	186	1·81	66	0·64	5	0·05	4	0·04	32	0·31
AGGREGATE OF R.Ds. ..	–	–	154	1·11	76	0·55	7	0·05	2	0·01	17	0·12
BOROUGHS AND URBAN DISTRICTS :—												
Aylesbury M.B.	–	–	43	3·38	–	–	–	–	1	0·08	1	0·08
Beaconsfield	–	–	6	1·59	1	0·26	–	–	–	–	–	–
Bletchley	–	–	7	1·26	32	5·76	2	0·36	1	0·18	3	0·54
Buckingham M.B. ..	–	–	–	–	–	–	–	–	1	0·34	–	–
Chepping Wycombe M.B.	–	–	43	1·87	3	0·13	–	–	1	0·04	–	–
Chesham	–	–	26	2·93	–	–	–	–	–	–	–	–
Eton	–	–	10	2·97	2	0·59	2	0·59	–	–	1	0·30
Linslade	–	–	1	0·43	1	0·43	–	–	–	–	–	–
Marlow	–	–	3	0·58	5	0·96	–	–	–	–	1	0·19
Newport Pagnell	–	–	8	1·98	–	–	–	–	–	–	–	–
Slough	–	–	17	1·00	9	0·53	–	–	–	–	15	0·88
Wolverton	–	–	22	1·56	13	0·92	1	0·07	–	–	11	0·78
RURAL DISTRICTS :—												
Amersham	–	–	32	1·34	14	0·59	1	0·04	–	–	–	–
Aylesbury	–	–	11	0·58	3	0·16	3	0·16	–	–	8	0·42
Buckingham	–	–	6	0·82	–	–	–	–	1	0·14	4	0·55
Eton	–	–	19	0·63	31	1·02	2	0·07	–	–	1	0·03
Hambleden	–	–	–	–	12	6·15	–	–	–	–	–	–
Long Crendon	–	–	–	–	–	–	1	0·27	–	–	–	–
Newport Pagnell	–	–	32	2·21	2	0·14	–	–	–	–	1	0·07
Wing	–	–	6	1·09	3	0·55	–	–	–	–	1	0·18
Winslow	–	–	10	1·61	–	–	–	–	1	0·16	–	–
Wycombe	–	–	38	1·45	11	0·42	–	–	–	–	2	0·08
CAMBRIDGE*	–	–	259	2·00	47	0·36	7	0·05	4	0·03	32	0·25
MUNICIPAL BOROUGH ..	–	–	85	1·44	36	0·61	–	–	3	0·05	13	0·22
AGGREGATE OF R.Ds. ..	–	–	174	2·48	11	0·16	7	0·10	1	0·01	19	0·27
BOROUGH :—												
Cambridge M.B.	–	–	85	1·44	36	0·61	–	–	3	0·05	13	0·22
RURAL DISTRICTS :—												
Caxton and Arrington ..	–	–	3	0·41	5	0·69	–	–	–	–	1	0·14
Chesterton	–	–	26	1·08	1	0·04	6	0·25	–	–	6	0·25
Linton	–	–	9	0·95	–	–	–	–	–	–	2	0·21
Melbourn	–	–	10	1·25	3	0·37	1	0·12	–	–	1	0·12
Newmarket	–	–	125	6·62	1	0·05	–	–	1	0·05	9	0·48
Swavesey	–	–	1	0·40	1	0·40	–	–	–	–	–	–
CHESTER†	24	0·02	3,578	3·37	924	0·87	71	0·07	70	0·07	378	0·36
BIRKENHEAD C.B.	–	–	375	2·41	256	1·65	5	0·03	12	0·08	62	0·40
CHESTER C.B...	–	–	117	2·81	24	0·58	3	0·07	5	0·12	13	0·31
STOCKPORT C.B.	–	–	639	5·08	96	0·76	4	0·03	7	0·06	46	0·37
WALLASEY C.B.	–	–	291	3·17	61	0·67	2	0·02	4	0·04	22	0·24
AGGREGATE OF M.Bs. AND U.Ds.	23	0·05	1,486	3·33	356	0·80	45	0·10	33	0·07	173	0·39
AGGREGATE OF R.Ds. ..	1	0·01	670	3·35	131	0·66	12	0·06	9	0·05	62	0·31
BOROUGHS AND URBAN DISTRICTS :—												
Alderley Edge	–	–	1	0·33	–	–	–	–	–	–	1	0·33
Alsager	–	–	7	2·58	–	–	–	–	–	–	2	0·74
Altrincham	–	–	56	2·67	12	0·57	2	0·10	1	0·05	9	0·43
Ashton upon Mersey ..	–	–	33	4·08	5	0·62	–	–	–	–	2	0·25
Bebington & Bromborough	–	–	56	2·72	6	0·29	2	0·10	2	0·10	10	0·49

* Administrative County.
† Administrative County with associated County Boroughs.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 2nd January 1926, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Ery-sipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
CHESTER—*cont.*												
BOROUGHS AND URBAN DISTRICTS—*cont.*												
Bollington..	–	–	5	0·96	2	0·38	1	0·19	–	–	3	0·57
Bowdon	–	–	7	2·38	2	0·68	–	–	–	–	1	0·34
Bredbury and Romiley ..	–	–	6	0·65	3	0·32	–	–	–	–	9	0·97
Buglawton	–	–	8	4·43	–	–	2	1·11	–	–	3	1·66
Cheadle and Gatley ..	–	–	23	1·93	15	1·26	3	0·25	1	0·08	5	0·42
Compstall	–	–	–	–	2	2·10	–	–	–	–	–	–
Congleton M.B.	2	0·16	42	3·46	7	0·58	5	0·41	1	0·08	6	0·49
Crewe M.B.	–	–	287	6·02	42	0·88	–	–	2	0·04	12	0·25
Dukinfield M.B.	14	0·71	54	2·73	8	0·40	2	0·10	1	0·05	14	0·71
Ellesmere Port and Whitby	–	–	31	2·07	14	0·93	–	–	3	0·20	–	–
Hale	–	–	16	1·71	4	0·43	–	–	–	–	1	0·11
Handforth	–	–	13	12·67	–	–	–	–	–	–	–	–
Hazel Grove and Bramhall	–	–	24	2·25	6	0·56	–	–	1	0·09	–	–
Hollingworth	–	–	28	11·50	–	–	–	–	–	–	–	–
Hoole	–	–	13	2·15	1	0·17	–	–	1	0·17	3	0·50
Hoylake and West Kirby	–	–	22	1·28	3	0·17	2	0·12	1	0·06	4	0·23
Hyde M.B.	–	–	107	3·19	18	0·54	6	0·18	3	0·09	17	0·51
Knutsford..	–	–	5	0·91	19	3·46	–	–	–	–	–	–
Lymm	–	–	19	3·46	3	0·55	–	–	–	–	–	–
Macclesfield M.B... ..	–	–	204	5·87	60	1·73	11	0·32	1	0·03	14	0·40
Marple	–	–	28	4·25	–	–	–	–	–	–	3	0·46
Middlewich	–	–	17	3·02	8	1·42	–	–	1	0·18	6	1·07
Mottram in Longdendale	–	–	15	5·32	1	0·35	–	–	–	–	–	–
Nantwich	–	–	33	4·46	2	0·27	–	–	–	–	4	0·54
Neston and Parkgate ..	–	–	3	0·55	–	–	–	–	1	0·18	–	–
Northwich..	–	–	62	3·29	19	1·01	1	0·05	–	–	9	0·48
Runcorn	–	–	43	2·23	43	2·23	–	–	8	0·41	10	0·52
Sale	–	–	56	3·41	21	1·28	1	0·06	–	–	5	0·30
Sandbach	–	–	26	4·25	5	0·82	–	–	2	0·33	6	0·98
Stalybridge M.B... ..	7	0·28	73	2·90	7	0·28	6	0·24	–	–	9	0·36
Tarporley	–	–	2	0·80	2	0·80	–	–	–	–	–	–
Wilmslow	–	–	14	1·63	1	0·12	1	0·12	–	–	–	–
Winsford	–	–	46	4·02	12	1·05	–	–	3	0·26	3	0·26
Yeardsley cum Whaley ..	–	–	1	0·60	3	1·80	–	–	–	–	2	1·20
RURAL DISTRICTS :—												
Bucklow	–	–	80	3·58	25	1·12	2	0·09	1	0·04	8	0·36
Chester	–	–	28	2·08	8	0·59	–	–	–	–	5	0·37
Congleton	1	0·07	57	4·25	9	0·67	1	0·07	1	0·07	12	0·90
Disley	–	–	4	1·32	1	0·33	1	0·33	1	0·33	1	0·33
Macclesfield	–	–	80	4·56	11	0·63	1	0·06	–	–	3	0·17
Malpas	–	–	4	0·90	4	0·90	–	–	–	–	–	–
Nantwich	–	–	129	5·02	9	0·35	2	0·08	2	0·08	5	0·19
Northwich..	–	–	87	3·39	16	0·62	1	0·04	1	0·04	14	0·54
Runcorn	–	–	86	2·91	19	0·64	3	0·10	–	–	9	0·30
Tarvin	–	–	23	1·71	2	0·15	–	–	–	–	1	0·07
Tintwistle	–	–	2	0·99	2	0·99	–	–	–	–	–	–
Wirral	–	–	90	3·09	25	0·86	1	0·03	3	0·10	4	0·14
CORNWALL*	–	–	236	0·74	93	0·29	23	0·07	8	0·03	57	0·18
AGGREGATE OF M.Bs. AND U.Ds.†	–	–	103	0·73	74	0·52	17	0·12	1	0·01	34	0·24
AGGREGATE OF R.Ds.† ..	–	–	133	0·76	19	0·11	6	0·03	7	0·04	23	0·13
BOROUGHS AND URBAN DISTRICTS :—												
Bodmin M.B.	–	–	9	1·65	2	0·37	5	0·92	–	–	2	0·37
Callington..	–	–	1	0·57	–	–	–	–	–	–	–	–
Camborne..	–	–	4	0·27	2	0·14	–	–	–	–	5	0·34
Falmouth M.B.	–	–	2	0.15	8	0·61	1	0·08	–	–	1	0·08
Fowey M.B.	–	–	–	–	–	–	–	–	–	–	–	–

* Administrative County.
† Rates adjusted to allow for changes in boundary during the year.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 2nd January 1926, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Ery-sipelas.	
	Cases.	Rate	Cases.	Rate.	Cases.	Rate.	Cases.	Rate	Cases	Rate	Cases.	Rate.
CORNWALL—*cont.*												
BOROUGHS AND URBAN DISTRICTS—*cont.*												
Hayle	–	–	9	9·44	–	–	–	–	–	–	1	1·05
Helston M.B.	–	–	11	4·16	–	–	–	–	–	–	1	0·38
Launceston M.B... ..	–	–	8	2·07	2	0·52	–	–	–	–	3	0·78
Liskeard M.B.	–	–	16	3·70	3	0·69	1	0·23	–	–	3	0·69
Looe	–	–	5	1·84	–	–	–	–	–	–	–	–
Lostwithiel M.B... ..	–	–	–	–	–	–	–	–	–	–	–	–
Ludgvan	–	–	4	1·97	–	–	–	–	–	–	–	–
Madron	–	–	–	–	2	0·58	–	–	–	–	–	–
Newquay	–	–	–	–	–	–	–	–	–	–	2	0·39
Padstow	–	–	–	–	–	–	–	–	–	–	–	–
Paul	–	–	–	–	1	0·18	3	0·53	–	–	–	–
Penryn M.B.	–	–	–	–	–	–	–	–	–	–	1	0·32
Penzance M.B.	–	–	5	0·43	28	2·43	–	–	–	–	–	–
Phillack	–	–	7	2·07	1	0·30	–	–	–	–	–	–
Redruth	–	–	4	0·41	6	0·62	–	–	–	–	5	0·51
St. Austell‡	–	–	4	0·59	2	0·29	–	–	–	–	1	0·15
St. Ives M.B.	–	–	1	0·16	3	0·47	1	0·16	–	–	1	0·16
St. Just	–		–	–	–	–	–	–	1	0·19	–	–
Saltash M.B.	–	–	–	–	3	0·85	2	0·56	–	–	–	–
Stratton and Bude ..	–	–	–	–	1	0·32	2	0·63	–	–	–	–
Torpoint	–	–	9	2·03	10	2·26	–	–	–	–	7	1·58
Truro M.B.	–	–	4	0·36	–	–	2	0·18	–	–	1	0·09
Wadebridge	–	–	–	–	–	–	–	–	–	–	–	–
RURAL DISTRICTS :—												
Bodmin	–	–	5	0·50	–	–	–	–	–	–	–	–
Calstock	–	–	3	0·64	1	0·21	1	0·21	–	–	–	–
Camelford..	–	–	39	5·12	–	–	–	–	1	0·13	–	–
East Kerrier	–	–	–	–	–	–	–	–	–	–	–	–
Helston	–	–	8	0·49	2	0·12	–	–	–	–	2	0·12
Holsworthy (part of)* ..	–	–	–	–	–	–	–	–	–	–	–	–
Launceston	–	–	–	–	–	–	–	–	1	0·14	5	0·69
Liskeard	–	–	25	1·69	–	–	–	–	1	0·07	1	0·07
Redruth	–	–	11	0·64	9	0·52	2	0·12	1	0·06	11	0·64
St. Austell‡	–	–	10	0·35	4	0·14	1	0·04	–	–	1	0·04
St. Columb Major ..	–	–	1	0·08	–	–	–	–	1	0·08	1	00·8
St. Germans	–	–	7	0·58	2	0·17	–	–	–	–	–	–
Scilly, Isles of	–	–	–	–	–	–	–	–	–	–	–	–
Stratton	–	–	–	–	–	–	–	–	–	–	–	–
Truro	–	–	13	0·69	–	–	1	0·05	2	0·11	2	0·11
West Penwith	–	–	11	1·05	1	0·10	1	0·10	–	–	–	–
CUMBERLAND†	–	–	1357	4·93	176	0·64	3	0·01	9	0·03	85	0·31
CARLISLE C.B.	–	–	366	6·64	13	0·24	–	–	4	0·07	23	0·42
AGGREGATE OF M.Bs. AND U.Ds.	–	–	643	5·25	105	0·86	2	0·02	2	0·02	35	0·29
AGGREGATE OF R.Ds. ..	–	–	348	3·57	58	0·59	1	0·01	3	0·03	27	0·28
BOROUGHS AND URBAN DISTRICTS :—												
Arlecdon and Frizington	–	–	27	5·23	3	0·58	–	–	–	–	2	0·39
Aspatria	–	–	62	16·89	8	2·18	–	–	–	–	5	1·36
Cleator Moor	–	–	12	1·44	4	0·48	–	–	–	–	1	0·12
Cockermouth	–	–	9	1·86	3	0·62	–	–	–	–	2	0·41
Egremont	–	–	49	6·94	8	1·13	–	–	–	–	4	0·57
Harrington	–	–	11	2·41	1	0·22	–	–	–	–	–	–
Holme Cultram	–	–	5	1·04	1	0·21	–	–	–	–	–	–
Keswick	–	–	38	9·08	3	0·72	1	0·24	–	–	1	0·24
Maryport	–	–	89	7·93	33	2·94	–	–	–	–	3	0·27
Millom	–	–	15	1·73	3	0·35	–	–	–	–	3	0·35
Penrith	–	–	46	5·57	–	–	–	–	2	0·24	3	0·36
Whitehaven M.B. ..	–	–	150	7·25	25	1·21	–	–	–	–	7	0·34
Wigton	–	–	13	3·48	1	0·27	–	–	–	–	1	0·27
Workington M.B. ..	–	–	117	4·29	12	0·44	1	0·04	–	–	3	0·11

* The remaining part of the Rural District of Holsworthy is in the Administrative County of Devon.
† Administrative County with associated County Borough.
‡ Rates adjusted to allow for changes in boundary during t e year.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 2nd January 1926, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Ery-sipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate	Cases.	Rate.	Cases.	Rate
CUMBERLAND—*cont.*												
RURAL DISTRICTS :—												
Alston with Garrigill ..	–	–	2	0·74	–	–	–	–	–	–	1	0·37
Bootle	–	–	6	1·00	5	0·84	–	–	–	–	–	–
Brampton..	–	–	30	3·70	8	0·99	–	–	–	–	1	0·12
Carlisle	–	–	25	2·09	–	–	–	–	–	–	2	0·17
Cockermouth	–	–	123	5·32	7	0·30	1	0·04	2	0·09	10	0·43
Longtown..	–	–	41	6·36	14	2·17	–	–	–	–	1	0·16
Penrith	–	–	37	3·06	7	0·58	–	–	–	–	–	–
Whitehaven	–	–	62	4·00	14	0·90	–	–	–	–	4	0·26
Wigton	–	–	22	1·90	3	0·26	–	–	1	0·09	8	0·69
DERBY*	1084	1·45	2,048	2·74	843	1·13	44	0·06	46	0·06	298	0·40
DERBY C.B.	745	5·54	184	1·37	167	1·24	7	0·05	4	0·03	55	0·41
AGGREGATE OF M.Bs. AND U.Ds.	157	0·49	894	2·79	322	1·00	17	0·05	21	0·07	128	0·40
AGGREGATE OF R.Ds. ..	182	0·62	970	3·33	354	1·22	20	0·07	21	0·07	115	0·39
BOROUGHS AND URBAN DISTRICTS :—												
Alfreton	–	–	44	2·01	25	1·14	1	0·05	1	0·05	7	0·32
Alvaston and Boulton ..	18	11·01	1	0·61	4	2·45	–	–	–	–	–	–
Ashbourne	–	–	1	0·22	2	0·45	–	–	–	–	1	0·22
Bakewell	–	–	4	1·35	–	–	–	–	1	0·34	2	0·68
Baslow and Bubnell ..	–	–	–	–	–	–	–	–	–	–	1	1·26
Belper	2	0·16	73	5·67	65	5·05	–	–	–	–	2	0·16
Bolsover	7	0·55	50	3·96	37	2·93	3	0·24	–	–	8	0·63
Bonsall	–	–	–	–	–	–	–	–	–	–	–	–
Brampton and Walton ..	–	–	10	4·61	–	–	–	–	–	–	–	–
Buxton M.B.	–	–	22	1·43	5	0·33	1	0·07	–	–	2	0·13
Chesterfield M.B... ..	76	1·16	209	3·18	78	1·19	3	0·05	6	0·09	44	0·67
Clay Cross..	52	5·57	30	3·21	3	0·32	–	–	–	–	4	0·43
Dronfield	–	–	8	1·80	1	0·22	1	0·22	–	–	1	0·22
Glossop M.B.	–	–	145	7·21	50	2·49	–	–	2	0·10	9	0·45
Heage	–	–	9	2·13	7	1·65	–	–	1	0·24	–	–
Heanor	1	0·04	76	3·39	15	0·67	2	0·09	7	0·31	6	0·27
Ilkeston M.B.	–	–	16	0·47	1	0·03	–	–	–	–	4	0·12
Long Eaton	–	–	52	2·32	5	0·22	–	–	–	–	15	0·67
New Mills	–	–	11	1·26	8	0·91	5	0·57	–	–	3	0·34
North Darley	–	–	4	1·17	4	1·17	–	–	–	–	–	–
Ripley	1	0·07	25	1·79	4	0·29	–	–	1	0·07	10	0·72
South Darley	–	–	1	1·48	–	–	–	–	–	–	–	–
Swadlincote District ..	–	–	93	4·29	7	0·32	1	0·05	2	0·09	9	0·41
The Matlocks	–	–	8	0·83	1	0·10	–	–	–	–	–	–
Wirksworth	–	–	2	0·52	–	–	–	–	–	–	–	–
RURAL DISTRICTS :—												
Ashbourne	–	–	7	0·67	1	0·10	1	0·10	–	–	2	0·19
Bakewell	–	–	22	1·20	3	0·16	–	–	2	0·11	10	0·55
Belper	–	–	92	3·81	39	1·62	5	0·21	–	–	9	0·37
Blackwell	77	1·67	235	5·11	55	1·20	3	0·07	6	0·13	20	0·43
Chapel en le Frith ..	–	–	62	3·84	2	0·12	–	–	1	0·06	1	0·06
Chesterfield	91	1·12	284	3·50	167	2·06	5	0·06	7	0·09	38	0·47
Clowne	1	0·05	24	1·28	23	1·23	2	0·11	2	0·11	11	0·59
Glossop Dale	–	–	8	2·15	3	0·81	–	–	–	–	3	0·81
Hartshorn and Seals ..	–	–	9	1·02	3	0·34	–	–	–	–	2	0·23
Hayfield	–	–	20	4·64	5	1·16	1	0·23	–	–	3	0·70
Norton	–	–	16	3·55	–	–	–	–	–	–	1	0·22
Repton	2	0·12	80	4·70	4	0·24	1	0·06	1	0·06	4	0·24
Shardlow	11	0·32	105	3·08	49	1·44	1	0·03	2	0·06	11	0·32
Sudbury	–	–	1	0·40	–	–	–	–	–	–	–	–
Codnor Park and Shipley (parishes).†	–	–	5	3·09	–	–	1	0·62	–	–	–	–

* Administrative County with associated County Borough.
† These Parishes are administered by the Rural District Council of Basford (Notts).

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 2nd January 1926, and the ATTACK RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Ery-sipelas	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate	Cases.	Rate.	Cases.	Rate
DEVON*	–	–	1,276	1·87	517	0·76	72	0·11	29	0·04	163	0·24
EXETER C.B.	–	–	48	0·80	51	0·85	3	0·05	7	0·12	16	0·27
PLYMOUTH C.B.	–	–	634	3·30	284	1·48	5	0·03	7	0·04	45	0·23
AGGREGATE OF M.Bs. AND U.Ds.	–	–	262	1·25	108	0·52	24	0·11	9	0·04	56	0·27
AGGREGATE OF R.Ds. ..	–	–	332	1·50	74	0·33	40	0·18	6	0·03	46	0·21
BOROUGHS AND URBAN DISTRICTS :—												
Ashburton..	–	–	1	0·42	–	–	–	–	–	–	1	0·42
Axminster..	–	–	1	0·47	–	–	–	–	–	–	–	–
Bampton	–	–	–	–	–	–	–	–	–	–	1	0·67
Barnstaple M.B.	–	–	7	0·48	4	0·27	5	0·34	–	–	11	0·75
Bideford M.B.	–	–	29	3·18	20	2·19	–	–	–	–	3	0·33
Brixham	–	–	4	0·49	23	2·84	1	0·12	1	0·12	10	1·24
Buckfastleigh	–	–	1	0·43	–	–	–	–	–	–	–	–
Budleigh Salterton ..	–	–	2	0·82	–	–	–	–	–	–	–	–
Crediton	–	–	3	0·85	–	–	–	–	–	–	–	–
Dartmouth M.B. ..	–	–	4	0·59	1	0·15	–	–	–	–	–	–
Dawlish	–	–	9	2·05	–	–	–	–	–	–	–	–
Exmouth	–	–	7	0·53	2	0·15	1	0·08	–	–	1	0·08
Great Torrington M.B. ..	–	–	13	4·26	1	0·33	–	–	–	–	–	–
Holsworthy	–	–	–	–	–	–	–	–	–	–	1	0·67
Honiton M.B.	–	–	2	0·64	–	–	–	–	1	0·32	–	–
Ilfracombe	–	–	9	1·01	4	0·45	1	0·11	1	0·11	2	0·23
Ivybridge	–	–	2	1·19	5	2·97	–	–	1	0·59	–	–
Kingsbridge	–	–	4	1·37	–	–	–	–	–	–	–	–
Lynton	–	–	14	7·80	–	–	–	–	–	–	–	–
Newton Abbot	–	–	31	2·18	6	0·42	2	0·14	–	–	6	0·42
Northam	–	–	4	0·66	11	1·82	–	–	–	–	1	0·17
Okehampton M.B. ..	–	–	–	–	–	–	–	–	2	0·58	1	0·29
Ottery St. Mary	–	–	1	0·28	5	1·39	1	0·28	2	0·56	1	0·28
Paignton	–	–	13	0·91	4	0·28	10	0·70	–	–	3	0·21
Salcombe	–	–	2	0·98	–	–	–	–	–	–	1	0·49
Seaton	–	–	2	1·10	1	0·55	–	–	–	–	–	–
Sidmouth	–	–	1	0·20	2	0·39	1	0·20	–	–	–	–
South Molton M.B. ..	–	–	–	–	–	–	–	–	–	–	–	–
Tavistock	–	–	3	0·70	–	–	–	–	–	–	–	–
Teignmouth	–	–	17	1·80	4	0·42	–	–	–	–	1	0·11
Tiverton M.B.	–	–	35	3·79	5	0·54	2	0·22	1	0·11	3	0·32
Torquay M.B.	–	–	41	1·17	10	0·29	–	–	–	–	7	0·20
Totnes M.B.	–	–	–	–	–	–	–	–	–	–	2	0·49
RURAL DISTRICTS :—												
Axminster..	–	–	1	0·10	–	–	1	0·10	–	–	2	0·20
Barnstaple	–	–	19	1·03	2	0·11	1	0·05	–	–	9	0·49
Bideford	–	–	13	2·13	2	0·33	–	–	2	0·33	3	0·49
Broadwood Widger ..	–	–	–	–	–	–	–	–	–	–	1	0·44
Crediton	–	–	6	0·58	4	0·39	1	0·10	–	–	3	0·29
Culmstock..	–	–	2	0·62	1	0·31	–	–	–	–	–	–
Holsworthy (part of)† ..	–	–	4	0·58	–	–	–	–	–	–	–	–
Honiton	–	–	3	0·32	1	0·11	3	0·32	1	0·11	–	–
Kingsbridge	–	–	3	0·27	–	–	–	–	–	–	1	0·09
Newton Abbot	–	–	42	2·05	3	0·15	3	0·15	–	–	7	0·34
Okehampton	–	–	6	0·45	21	1·56	2	0·15	1	0·07	6	0·45
Plympton St. Mary ..	–	–	90	4·04	20	0·90	1	0·04	–	–	4	0·18
St. Thomas	–	–	51	1·93	8	0·30	26	0·98	1	0·04	4	0·15
South Molton	–	–	17	1·68	–	–	–	–	–	–	–	–
Tavistock	–	–	6	0·39	2	0·13	–	–	–	–	–	–
Tiverton	–	–	35	2·43	2	0·14	–	–	–	–	6	0·42
Torrington	–	–	12	1·38	4	0·46	1	0·11	–	–	–	–
Totnes	–	–	22	1·83	4	0·33	1	0·08	1	0·08	–	–

* Administrative County with associated County Boroughs.

† The remaining part of the Rural District of Holsworthy is in the Administrative County of Cornwall. The figures for the entire District are :—

–	–	4	0·55	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 2nd January 1926, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Ery-sipelas.	
	Cases.	Rate	Cases.	Rate.	Cases.	Rate.	Cases.	Rate	Cases.	Rate.	Cases.	Rate.
DORSET*	–	–	192	0·86	74	0·33	6	0·03	6	0·03	36	0·16
AGGREGATE OF M.Bs. AND U.Ds.	–	–	123	1·03	46	0·38	3	0·03	5	0·04	24	0·20
AGGREGATE OF R.Ds. ..	–	–	69	0·66	28	0·27	3	0·03	1	0·01	12	0·11
BOROUGHS AND URBAN DISTRICTS :—												
Blandford Forum M.B. ..	–	–	2	0·63	1	0·31	–	–	1	0·31	–	–
Bridport M.B.	–	–	1	0·17	–	–	–	–	–	–	–	–
Dorchester M.B.	–	–	20	2·05	3	0·31	–	–	1	0·10	4	0·41
Lyme Regis M.B. ..	–	–	1	0·43	–	–	–	–	–	–	–	–
Poole M.B.	–	–	11	0·24	35	0·76	–	–	3	0·07	13	0·28
Portland	–	–	20	1·95	4	0·39	–	–	–	–	1	0·10
Shaftesbury M.B. ..	–	–	3	1·27	–	–	–	–	–	–	–	–
Sherborne	–	–	47	7·42	–	–	1	0·16	–	–	3	0·47
Swanage	–	–	7	1·25	–	–	1	0·18	–	–	1	0·18
Wareham M.B.	–	–	2	0·97	8	1·45	–	–	–	–	–	–
Weymouth and Melcombe Regis M.B.	–	–	9	0·41	–	–	1	0·05	–	–	1	0·05
Wimborne Minster ..	–	–	–	–	–	–	–	–	–	–	1	0·28
RURAL DISTRICTS :—												
Beaminster	–	–	10	1·20	2	0·24	–	–	–	–	–	–
Blandford	–	–	2	0·25	1	0·12	1	0·12	–	–	2	0·25
Bridport	–	–	2	0·29	–	–	–	–	1	0·14	1	0·14
Cerne	–	–	4	0·90	–	–	–	–	–	–	1	0·22
Dorchester	–	–	13	1·48	1	0·11	1	0·11	–	–	3	0·34
Poole	–	–	11	1·33	–	–	–	–	–	–	–	–
Shaftesbury	–	–	–	–	14	1·46	–	–	–	–	1	0·10
Sherborne..	–	–	1	0·18	2	0·36	–	–	–	–	–	–
Sturminster	–	–	1	0·13	–	–	1	0·13	–	–	1	0·13
Wareham and Purbeck ..	–	–	9	0·72	2	0·16	–	–	–	–	2	0·16
Weymouth	–	–	10	1·13	1	0·11	–	–	–	–	–	–
Wimborne and Cranborne	–	–	6	0·39	5	0·33	–	–	–	–	1	0·07
DURHAM†	1,138	0·73	4,730	3·04	1,226	0·79	107	0·07	74	0·05	757	0·49
DARLINGTON C.B.	–	–	155	2·24	37	0·54	5	0·07	7	0·10	42	0·61
GATESHEAD C.B.	89	0·69	401	3·11	133	1·03	4	0·03	9	0·07	56	0·43
SOUTH SHIELDS C.B. ..	10	0·08	406	3·26	55	0·44	11	0·09	3	0·02	36	0·29
SUNDERLAND C.B.	3	0·02	174	1·05	106	0·64	7	0·04	8	0·05	103	0·62
WEST HARTLEPOOL C.B. ..	30	0·42	254	3·55	41	0·57	2	0·03	5	0·07	26	0·36
AGGREGATE OF M.Bs. AND U.Ds.	707	1·25	2,040	3·62	496	0·88	35	0·06	27	0·05	291	0·52
AGGREGATE OF R.Ds. ..	299	0·69	1,300	3·01	358	0·83	43	0·10	15	0·03	203	0·47
BOROUGHS AND URBAN DISTRICTS :—												
Annfield Plain	4	0·23	123	7·21	49	2·87	–	–	2	0·12	13	0·76
Barnard Castle	–	–	10	2·06	–	–	–	–	–	–	–	–
Benfieldside	4	0·44	77	8·46	34	3·74	–	–	1	0·11	15	1·65
Billingham	9	0·98	54	5·88	4	0·44	–	–	3	0·33	6	0·65
Bishop Auckland.. ..	1	0·07	35	2·44	3	0·21	–	–	–	–	2	0·14
Blaydon	448	12·67	175	4·95	10	0·28	4	0·11	1	0·03	17	0·48
Brandon and Byshottles	19	0·97	76	3·88	13	0·66	3	0·15	–	–	11	0·56
Chester le Street	22	1·23	55	3·08	17	0·95	1	0·06	–	–	8	0·45
Consett	9	0·69	83	6·33	38	2·90	–	–	1	0·08	5	0·38
Crook	3	0·23	38	2·85	20	1·50	–	–	–	–	3	0·23

* Administrative County.

† Administrative County with associated County Boroughs.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 2nd January 1926, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Ery-sipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate	Cases.	Rate.	Cases.	Rate.
DURHAM—*cont.*												
BOROUGHS AND URBAN DISTRICTS—*cont.*												
Durham M.B.	2	0·12	57	3·28	10	0·58	2	0·12	–	–	11	0·63
Felling	1	0·04	107	3·83	7	0·25	–	–	–	–	19	0·68
Hartlepool M.B.	1	0·05	57	2·60	3	0·14	1	0·05	1	0·05	8	0·36
Hebburn	–	–	77	2·96	44	1·69	1	0·04	1	0·04	17	0·65
Hetton	2	0·11	111	6·09	8	0·44	3	0·16	3	0·16	19	1·04
Houghton le Spring ..	–	–	52	4·66	14	1·25	1	0·09	–	–	3	0·27
Jarrow M.B.	1	0·03	44	1·20	11	0·30	–	–	5	0·14	20	0·55
Leadgate	19	3·13	53	8·72	14	2·30	6	0·99	–	–	4	0·66
Ryton	92	5·90	85	5·45	4	0·26	–	–	–	–	3	0·19
Seaham Harbour.. ..	1	0·05	15	0·80	15	0·80	2	0·11	1	0·05	6	0·32
Shildon	–	–	12	0·82	22	1·50	–	–	–	–	6	0·41
Southwick on Wear ..	–	–	25	1·58	9	0·57	2	0·13	–	–	–	–
Spennymoor	–	–	53	2·81	14	0·74	3	0·16	2	0·11	11	0·58
Stanhope	–	–	12	6·37	–	–	–	–	–	–	–	–
Stanley	37	1·34	121	4·39	41	1·49	2	0·07	2	0·07	15	0·54
Stockton on Tees M.B. ..	5	0·07	168	2·47	42	0·62	3	0·04	2	0·03	31	0·46
Tanfield	2	0·19	93	8·67	25	2·33	–	–	–	–	11	1·03
Tow Law	–	–	–	–	1	0·22	–	–	–	–	2	0·45
Washington	–	–	80	4·46	11	0·61	1	0·06	1	0·06	13	0·73
Whickham	25	1·21	72	3·50	13	0·63	–	–	1	0·05	11	0·53
Willington..	–	–	20	2·03	–	–	–	–	–	–	1	0·10
RURAL DISTRICTS :—												
Auckland	17	0·27	92	1·47	53	0·85	11	0·18	3	0·05	19	0·30
Barnard Castle	–	–	32	2·75	–	–	–	–	–	–	3	0·26
Chester le Street ..	65	1·14	240	4·21	82	1·44	6	0·11	1	0·02	25	0·44
Darlington	–	–	15	1·50	1	0·10	–	–	–	–	2	0·20
Durham	–	–	99	3·00	27	0·82	3	0·09	–	–	2	0·06
Easington..	58	0·70	224	2·71	64	0·77	9	0·11	4	0·05	54	0·65
Hartlepool	–	–	5	1·27	–	–	–	–	–	–	3	0·76
Houghton le Spring ..	42	1·43	187	6·39	17	0·58	2	0·07	–	–	18	0·61
Lanchester	63	1·75	157	4·35	46	1·27	3	0·08	1	0·03	22	0·61
Sedgefield	–	–	74	1·91	30	0·77	1	0·03	2	0·05	21	0·54
South Shields	–	–	110	6·10	22	1·22	2	0·11	1	0·06	9	0·50
Stockton	–	–	6	0·89	3	0·44	1	0·15	–	–	1	0·15
Sunderland	54	1·68	51	1·59	9	0·28	–	–	3	0·09	21	0·65
Weardale	–	–	8	0·85	4	0·42	5	0·53	–	–	3	0·32
ELY, ISLE OF*	1	0·01	119	1·56	83	1·09	6	0·08	3	0·04	25	0·33
AGGREGATE OF M.B. AND U.Ds.	1	0·03	45	1·17	54	1·40	4	0·10	3	0·08	7	0·18
AGGREGATE OF R.Ds. ..	–	–	74	1·95	29	0·76	2	0·05	–	–	18	0·47
BOROUGH AND URBAN DISTRICTS :—												
Chatteris	–	–	9	1·72	12	2·30	–	–	–	–	1	0·19
Ely	–	–	11	1·44	1	0·13	2	0·26	1	0·13	1	0·13
March	1	0·10	11	1·14	6	0·62	–	–	–	–	–	–
Whittlesey	–	–	–	–	14	3·27	1	0·23	–	–	1	0·23
Wisbech M.B.	–	–	14	1·20	21	1·80	1	0·09	2	0·17	4	0·34
RURAL DISTRICTS :—												
Ely..	–	–	50	3·83	17	1·30	2	0·15	–	–	9	0·69
North Witchford.. ..	–	–	4	0·77	2	0·38	–	–	–	–	1	0·19
Thorney	–	–	–	–	–	–	–	–	–	–	–	–
Whittlesey	–	–	–	–	1	0·28	–	–	–	–	2	0·57
Wisbech	–	–	20	1·46	9	0·66	–	–	–	–	6	0·44

* Administrative County.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 2nd January 1926, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Ery-sipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate	Cases.	Rate	Cases.	Rate
ESSEX*	–	–	2,736	1·80	2,135	1·40	120	0·08	53	0·03	527	0·35
EAST HAM C.B.	–	–	219	1·49	251	1·71	10	0·07	5	0·03	42	0·29
SOUTHEND ON SEA C.B. ..	–	–	155	1·58	53	0·54	34	0·35	5	0·05	30	0·31
WEST HAM C.B.	–	–	478	1·50	766	2·41	13	0·04	10	0·03	215	0·68
AGGREGATE OF M.BS. AND U.DS.	–	–	1,403	2·11	910	1·37	49	0·07	22	0·03	193	0·29
AGGREGATE OF R.DS. ..	–	–	481	1·63	155	0·53	14	0·05	11	0·04	47	0·16
BOROUGHS AND URBAN DISTRICTS :—												
Barking Town	–	–	55	1·43	72	1·87	–	–	3	0·08	16	0·42
Braintree	–	–	14	1·97	4	0·56	1	0·14	–	–	2	0·28
Brentwood	–	–	36	5·09	30	4·24	–	–	–	–	1	0·14
Brightlingsea	–	–	9	2·09	1	0·23	2	0·46	–	–	1	0·23
Buckhurst Hill	–	–	3	0·59	1	0·20	3	0·59	–	–	–	–
Burnham on Crouch ..	–	–	1	0·29	–	–	1	0·29	–	–	1	0·29
Chelmsford M.B. ..	–	–	6	0·27	3	0·14	2	0·09	–	–	1	0·05
Chingford	–	–	18	1·75	4	0·39	–	–	–	–	6	0·58
Clacton	–	–	18	1·44	1	0·08	3	0·24	–	–	3	0·24
Colchester M.B.	–	–	301	6·81	26	0·59	8	0·18	3	0·07	20	0·45
Epping	–	–	–	–	8	1·81	2	0·45	–	–	–	–
Frinton on Sea	–	–	10	4·78	–	–	–	–	–	–	–	–
Grays Thurrock	–	–	51	2·78	74	4·04	–	–	–	–	3	0·16
Halstead	–	–	–	–	1	0·17	1	0·17	–	–	1	0·17
Harwich M.B.	–	–	44	3·59	7	0·57	1	0·08	–	–	2	0·16
Ilford	–	–	143	1·53	55	0·59	10	0·11	2	0·02	28	0·30
Leyton	–	–	206	1·55	289	2·18	3	0·02	5	0·04	38	0·29
Loughton	–	–	5	0·83	4	0·67	–	–	–	–	1	0·17
Maldon M.B.	–	–	7	1·11	6	0·95	–	–	–	–	–	–
Romford	–	–	25	1·21	16	0·77	2	0·10	2	0·10	4	0·19
Saffron Walden M.B. ..	–	–	4	0·72	2	0·36	–	–	–	–	–	–
Shoeburyness	–	–	21	4·07	12	2·32	–	–	1	0·19	–	–
Tilbury	–	–	11	0·89	26	2·10	5	0·40	–	–	4	0·32
Waltham Holy Cross ..	–	–	7	1·00	9	1·29	–	–	–	–	1	0·14
Walthamstow	–	–	350	2·68	198	1·51	2	0·02	4	0·03	50	0·38
Walton on the Naze ..	–	–	–	–	1	0·39	–	–	–	–	–	–
Wanstead	–	–	17	1·07	46	2·90	–	–	–	–	3	0·19
Witham	–	–	–	–	2	0·53	–	–	–	–	2	0·53
Wivenhoe	–	–	8	3·46	–	–	–	–	–	–	–	–
Woodford	–	–	33	1·51	12	0·55	3	0·14	2	0·09	5	0·23
RURAL DISTRICTS :—												
Belchamp	–	–	2	0·48	1	0·24	–	–	–	–	–	–
Billericay	–	–	42	1·52	12	0·43	5	0·18	–	–	3	0·11
Braintree	–	–	35	1·84	8	0·42	1	0·05	–	–	–	–
Bumpstead	–	–	–	–	–	–	–	–	–	–	–	–
Chelmsford	–	–	17	0·65	11	0·42	3	0·12	1	0·04	3	0·12
Dunmow	–	–	12	0·79	5	0·33	1	0·07	–	–	3	0·20
Epping	–	–	31	2·04	6	0·39	–	–	–	–	4	0·26
Halstead	–	–	12	1·25	2	0·21	–	–	–	–	–	–
Lexden and Winstree ..	–	–	51	2·61	3	0·15	–	–	1	0·05	3	0·15
Maldon	–	–	31	1·87	5	0·30	1	0·06	–	–	3	0·18
Ongar	–	–	10	0·97	2	0·19	–	–	1	0·10	–	–
Orsett	–	–	51	2·13	25	1·05	–	–	–	–	6	0·25
Rochford	–	–	64	2·32	22	0·80	–	–	2	0·07	6	0·22
Romford	–	–	59	1·53	33	0·85	1	0·03	4	0·10	9	0·23
Saffron Walden	–	–	1	0·10	1	0·10	–	–	–	–	2	0·20
Stansted	–	–	6	0·87	–	–	–	–	1	0·14	–	–
Tendring	–	–	57	2·55	19	0·85	2	0·09	1	0·04	5	0·22

* Administrative County with associated County Boroughs.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 2nd January 1926, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Ery-sipelas	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
GLOUCESTER*	–	–	2,306	2·98	1,526	1·97	59	0·08	85	0·11	365	0·47
BRISTOL C.B.	–	–	1,501	3·89	1,138	2·95	24	0·06	70	0·18	255	0·66
GLOUCESTER C.B.	–	–	49	0·92	69	1·30	6	0·11	4	0·08	18	0·34
AGGREGATE OF M.Bs. AND U.Ds.§	–	–	236	2·33	127	1·25	5	0·05	2	0·02	28	0·28
AGGREGATE OF R.Ds.§ ..	–	–	520	2·23	192	0·82	24	0·10	9	0·04	64	0·27
BOROUGHS AND URBAN DISTRICTS :—												
Awre	–	–	1	0·84	1	0·84	–	–	–	–	1	0·84
Charlton Kings	–	–	5	1·15	7	1·61	–	–	–	–	–	–
Cheltenham M.B.	–	–	26	0·53	42	0·86	5	0·10	1	0·02	12	0·25
Cirencester	–	–	6	0·80	9	1·20	–	–	–	–	1	0·13
Coleford	–	–	3	1·06	–	–	–	–	–	–	–	–
Kingswood	–	–	48	3·50	12	0·87	–	–	1	0·07	4	0·29
Nailsworth	–	–	23	7·06	8	2·45	–	–	–	–	–	–
Newnham	–	–	1	0·82	8	6·56	–	–	–	–	–	–
Stow on the Wold ..	–	–	3	2·55	–	–	–	–	–	–	2	1·70
Stroud	–	–	110	12·82	15	1·75	–	–	–	–	1	0·12
Tetbury§	–	–	2	0·99	25	12·35	–	–	–	–	3	1·48
Tewkesbury M.B. ..	–	–	6	1·26	–	–	–	–	–	–	4	0·84
Westbury on Severn ..	–	–	2	1·07	–	–	–	–	–	–	–	–
RURAL DISTRICTS :—												
Campden	–	–	2	0·37	1	0·19	1	0·19	–	–	1	0·19
Cheltenham	–	–	2	0·37	1	0·19	–	–	–	–	2	0·37
Chipping Sodbury ..	–	–	45	2·04	9	0·41	–	–	1	0·05	6	0·27
Cirencester	–	–	13	1·09	5	0·42	–	–	–	–	3	0·25
Dursley	–	–	12	0·94	5	0·39	1	0·08	1	0·08	1	0·08
East Dean and United Parishes	–	–	40	1·86	20	0·93	3	0·14	2	0·09	7	0·33
Faringdon (part of)† ..	–	–	–	–	–	–	–	–	–	–	1	0·98
Gloucester	–	–	16	1·21	4	0·30	15	1·13	1	0·08	4	0·30
Lydney	–	–	21	2·07	2	0·20	1	0·10	1	0·10	1	0·10
Marston Sicca	–	–	–	–	2	1·19	–	–	–	–	–	–
Newent	–	–	4	0·61	2	0·30	–	–	1	0·15	1	0·15
Northleach	–	–	13	1·75	–	–	–	–	–	–	1	0·13
Pebworth	–	–	–	–	1	0·31	–	–	–	–	1	0·31
Stow on the Wold (part of)‡	–	–	7	1·14	3	0·49	1	0·16	–	–	5	0·82
Stroud	–	–	248	8·76	86	3·04	–	–	–	–	5	0·18
Tetbury (part of)‡§ ..	–	–	1	0·33	1	0·33	–	–	–	–	3	0·98
Tewkesbury (part of)‡ ..	–	–	10	2·19	–	–	–	–	–	–	1	0·22
Thornbury	–	–	22	1·16	–	–	–	–	–	–	8	0·42
Warmley	–	–	43	2·21	8	0·41	1	0·05	1	0·05	5	0·26
West Dean	–	–	5	0·33	4	0·27	–	–	1	0·07	4	0·27
Wheatenhurst	–	–	10	1·60	14	2·24	–	–	–	–	–	–
Winchcomb (part of)‡ ..	–	–	6	0·68	24	2·73	1	0·11	–	–	4	0·45

* Administrative County with associated County Boroughs.

† The remaining part of the Rural District of Faringdon is in the Administrative County of Berks.

‡ The remaining parts of the Rural Districts of Stow on the Wold, Tewkesbury, and Winchcomb are in the Administrative County of Worcester, and the remaining part of the Rural District of Tetbury is in the Administrative County of Wilts. The figures for the entire Districts are :—

Stow on the Wold ..	–	–	7	1·09	3	0·47	1	0·16	–	–	5	0·78
Tetbury	–	–	2	0·58	1	0·29	–	–	–	–	4	1·17
Tewkesbury	–	–	11	1·64	–	–	–	–	–	–	2	0·30
Winchcomb	–	–	6	0·67	24	2·69	1	0·11	–	–	4	0·45

§ Rates adjusted to allow for changes in boundary during the year.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 2nd January 1926, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Ery-sipelas	
	Cases.	Rate	Cases.	Rate.	Cases.	Rate.	Cases.	Rate	Cases.	Rate.	Cases.	Rate.
HEREFORD*	–	–	178	1·56	120	1·05	8	0·07	4	0·04	19	0·17
AGGREGATE OF M.Bs. AND U.Ds.	–	–	54	1·30	61	1·47	5	0·12	2	0·05	5	0·12
AGGREGATE OF R.Ds. ..	–	–	124	1·70	59	0·81	3	0·04	2	0·03	14	0·19
BOROUGHS AND URBAN DISTRICTS :—												
Bromyard..	–	–	2	1·29	–	–	–	–	–	–	–	–
Hereford M.B.	–	–	44	1·81	38	1·56	5	0·21	2	0·08	3	0·12
Kington	–	–	1	0·59	5	2·93	–	–	–	–	–	–
Ledbury	–	–	–	–	6	1·86	–	–	–	–	1	0·31
Leominster M.B... ..	–	–	3	0·52	9	1·57	–	–	–	–	1	0·17
Ross	–	–	4	0·83	3	0·62	–	–	–	–	–	–
RURAL DISTRICTS :—												
Bredwardine	–	–	–	–	6	3·01	–	–	–	–	–	–
Bromyard..	–	–	23	2·93	1	0·13	–	–	–	–	2	0·25
Dore	–	–	16	2·57	1	0·16	–	–	–	–	2	0·32
Hereford	–	–	27	2·00	14	1·04	1	0·07	1	0·07	4	0·30
Kington	–	–	–	–	5	1·04	–	–	–	–	–	–
Ledbury	–	–	12	1·34	2	0·22	–	–	–	–	1	0·11
Leominster	–	–	10	1·33	7	0·93	–	–	–	–	2	0·27
Ross	–	–	2	0·20	6	0·60	2	0·20	–	–	–	–
Weobley	–	–	7	1·07	15	2·30	–	–	1	0·15	3	0·46
Whitchurch	–	–	19	10·96	2	1·15	–	–	–	–	–	–
Wigmore	–	–	8	2·22	–	–	–	–	–	–	–	–
HERTFORD*	5	0·01	578	1·67	151	0·44	29	0·08	14	0·04	78	0·23
AGGREGATE OF M.Bs. AND U.Ds.	–	–	404	1·70	120	0·50	17	0·07	11	0·05	50	0·21
AGGREGATE OF R.Ds. ..	5	0·05	174	1·60	31	0·29	12	0·11	3	0·03	28	0·26
BOROUGHS AND URBAN DISTRICTS :—												
Baldock		–	4	1·47	1	0·37	–	–	2	0·74	–	–
Barnet		–	32	2·63	3	0·25	1	0·08	–	–	5	0·41
Bishop's Stortford ..	–	–	7	0·80	4	0·46	1	0·11	–	–	1	0·11
Bushey	–	–	18	2·13	9	1·06	1	0·12	–	–	4	0·47
Cheshunt	–	–	5	0·35	6	0·42	2	0·14	1	0·07	4	0·28
Chorleywood		–	6	2·42	–	–	–	–	1	0·40	–	–
East Barnet Valley ..	–	–	18	1·26	11	0·77	–	–	2	0·14	–	–
Great Berkhampstead ..	–	–	10	1·34	1	0·13	–	–	1	0·13	6	0·80
Harpenden	–	–	2	0·30	13	1·95	1	0·15	–	–	3	0·45
Hemel Hempstead M.B...	–	–	18	1·28	5	0·35	3	0·21	–	–	2	0·14
Hertford M.B.	–	–	6	0·55	4	0·36	–	–	–	–	1	0·09
Hitchin	–	–	39	2·91	2	0·15	–	–	–	–	1	0·07
Hoddesdon	–	–	1	0·18	1	0·18	–	–	–	–	1	0·18
Letchworth	–	–	15	1·28	2	0·17	–	–	3	0·26	2	0·17
Rickmansworth	–	–	12	1·41	–	–	1	0·12	–	–	–	–
Royston	–	–	8	2·14	3	0·80	1	0·27	–	–	1	0·27
St. Albans M.B.	–	–	26	1·00	22	0·85	5	0·19	–	–	3	0·12
Sawbridgeworth	–	–	11	4·62	–	–	–	–	–	–	1	0·42
Stevenage..	–	–	–	–	1	0·20	–	–	–	–	1	0·20
Tring	–	–	6	1·40	3	0·70	–	–	–	–	1	0·23
Ware	–	–	11	1·82	–	–	1	0·17	–	–	2	0·33
Watford M.B.	–	–	149	3·04	29	0·59	–	–	1	0·02	11	0·22
RURAL DISTRICTS :—												
Ashwell	–	–	1	0·28	2	0·56	2	0·56	–	–	2	0·56
Barnet	–	–	6	1·26	1	0·21	–	–	–	–	1	0·21
Berkhampstead	–	–	7	1·47	1	0·21	–	–	–	–	1	0·21
Buntingford	–	–	–	–	1	0·20	–	–	1	0·20	1	0·20
Hadham	–	–	31	5·79	3	0·56	–	–	–	–	1	0·19

* Administrative County.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 2nd January 1926, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Ery-sipelas.	
	Cases.	Rate	Cases.	Rate.	Cases.	Rate.	Cases.	Rate	Cases.	Rate.	Cases	Rate.
HERTFORD—*cont.*												
RURAL DISTRICTS—*cont.*												
Hatfield	–	–	6	0·69	4	0·46	–	–	1	0·11	2	0·23
Hemel Hempstead ..	–	–	16	2·18	1	0·14	2	0·27	1	0·14	1	0·14
Hertford	–	–	5	0·69	2	0·28	–	–	–	–	1	0·14
Hitchin	4	0·29	18	1·33	1	0·07	–	–	–	–	3	0·22
St. Albans..	–	–	19	1·20	7	0·44	5	0·32	–	–	4	0·25
Ware	–	–	33	2·89	1	0·09	–	–	–	–	1	0·09
Watford	1	0·06	15	0·91	6	0·36	1	0·06	–	–	9	0·55
Welwyn	–	–	17	3·69	1	0·22	2	0·43	–	–	1	0·22
HUNTINGDON*	–	–	129	2·32	20	0·36	4	0·07	3	0·05	11	0·20
AGGREGATE OF M.Bs. AND U.Ds.	–	–	30	1·23	3	0·12	3	0·12	1	0·04	8	0·33
AGGREGATE OF R.Ds. ..	–	–	99	3·18	17	0·55	1	0·03	2	0·06	3	0·10
BOROUGHS AND URBAN DISTRICTS :—												
Godmanchester M.B. ..	–	–	1	0·48	–	–	1	0·48	–	–	1	0·48
Huntingdon M.B. ..	–	–	6	1·51	–	–	2	0·50	1	0·25	2	0·50
Old Fletton	–	–	8	1·34	1	0·17	–	–	–	–	3	0·50
Ramsey	–	–	9	1·68	2	0·37	–	–	–	–	–	–
St. Ives M.B.	–	–	–	–	–	–	–	–	–	–	–	–
St. Neots	–	–	6	1·42	–	–	–	–	–	–	2	0·47
RURAL DISTRICTS :—												
Huntingdon	–	–	54	8·01	–	–	1	0·15	–	–	1	0·15
Norman Cross	–	–	20	3·54	11	1·95	–	–	2	0·35	2	0·35
Oundle (part of)†.. ..	–	–	–	–	1	1·00	–	–	–	–	–	–
St. Ives	–	–	11	1·14	2	0·21	–	–	–	–	–	–
St. Neots	–	–	14	2·07	3	0·44	–	–	–	–	–	–
Thrapston (part of)† ..	–	–	–	–	–	–	–	–	–	–	–	–
Sibson cum Stibbington (parish)‡	–	–	–	–	–	–	–	–	–	–	–	–
KENT §	–	–	1,697	1·52	1,122	1·01	113	0·10	45	0·04	318	0·29
CANTERBURY C.B.	–	–	117	5·03	4	0·17	2	0·09	3	0·13	13	0·56
AGGREGATE OF M.Bs. AND U.Ds.	–	–	1,168	1·53	866	1·14	68	0·09	37	0·05	224	0·29
AGGREGATE OF R.Ds. ..	–	–	412	1·26	252	0·77	43	0·13	5	0·02	81	0·25
BOROUGHS AND URBAN DISTRICTS :—												
Ashford	–	–	19	1·38	3	0·22	–	–	1	0·07	6	0·43
Beckenham	–	–	53	1·57	12	0·35	5	0·15	2	0·06	9	0·27
Bexley	–	–	61	2·63	16	0·69	–	–	2	0·09	1	0·04
Broadstairs and St. Peter's	–	–	32	2·84	18	1·60	2	0·18	–	–	10	0·89
Bromley M.B.	–	–	31	0·87	18	0·51	–	–	1	0·03	7	0·20
Chatham M.B.	–	–	53	1·27	47	1·13	5	0·12	5	0·12	20	0·48
Cheriton	–	–	7	1·29	1	0·18	–	–	–	–	1	0·18
Chislehurst	–	–	12	1·31	2	0·22	–	–	–	–	1	0·11
Crayford	–	–	21	1·61	33	2·53	2	0·15	–	–	3	0·23
Dartford	–	–	68	2·50	49	1·80	2	0·07	–	–	10	0·37

* Administrative County.

† The remaining parts of the Rural Districts of Oundle and Thrapston are in the Administrative County of Northampton.

‡ This Parish is administered by the Rural District Council of Barnack (Soke of Peterborough).

§ Administrative County with associated County Borough.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 2nd January 1926, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Ery-sipelas	
	Cases.	Rate	Cases.	Rate.	Cases.	Rate.	Cases.	Rate	Cases.	Rate.	Cases.	Rate
KENT—*cont.*												
BOROUGHS AND URBAN DISTRICTS—*cont.*												
Deal M.B.	–	–	2	0·16	1	0·08	1	0·08	–	–	2	0·16
Dover M.B.	–	–	32	0·79	20	0·49	1	0·02	4	0·10	8	0·20
Erith	–	–	60	1·82	86	2·60	1	0·03	2	0·06	9	0·27
Faversham M.B.	–	–	13	1·21	4	0·37	–	–	–	–	4	0·37
Folkestone M.B.	–	–	44	1·28	28	0·82	3	0·09	3	0·09	3	0·09
Gillingham M.B. ..	–	–	58	1·19	17	0·35	2	0·04	1	0·02	23	0·47
Gravesend M.B.	–	–	22	0·67	208	6·36	–	–	2	0·06	14	0·43
Herne Bay	–	–	11	1·05	–	–	–	–	1	0·10	1	0·10
Hythe M.B.	–	–	13	1·77	1	0·14	–	–	–	–	–	–
Lydd M.B.	–	–	–	–	–	–	–	–	–	–	1	0·44
Maidstone M.B.	–	–	128	3·27	22	0·56	4	0·10	1	0·03	22	0·56
Margate M.B.	–	–	42	1·50	68	2·42	1	0·04	2	0·07	6	0·21
Milton Regis	–	–	16	2·11	4	0·53	1	0·13	1	0·13	3	0·39
New Romney M.B. ..	–	–	–	–	–	–	–	–	–	–	1	0·67
Northfleet..	–	–	17	1·01	84	4·97	2	0·12	1	0·06	4	0·24
Penge	–	–	31	1·13	27	0·99	15	0·55	1	0·04	5	0·18
Queenborough M.B. ..	–	–	2	0·62	–	–	–	–	–	–	1	0·31
Ramsgate M.B.	–	–	43	1·41	31	1·02	1	0·03	–	–	8	0·26
Rochester M.B.	–	–	25	0·78	12	0·38	–	–	2	0·06	10	0·31
Royal Tunbridge Wells M.B.	–	–	72	2·11	14	0·41	3	0·09	1	0·03	11	0·32
Sandgate	–	–	14	6·30	2	0·90	3	1·35	–	–	–	–
Sandwich M.B.	–	–	1	0·32	–	–	–	–	–	–	–	–
Sevenoaks..	–	–	14	1·52	6	0·65	–	–	1	0·11	–	–
Sheerness	–	–	17	1·00	6	0·35	1	0·06	–	–	5	0·29
Sidcup	–	–	5	0·54	4	0·43	–	–	1	0·11	1	0·11
Sittingbourne	–	–	40	4·10	10	1·02	8	0·82	–	–	3	0·31
Southborough	–	–	12	1·71	4	0·57	–	–	1	0·14	–	–
Tenterden M.B.	–	–	6	1·89	–	–	1	0·32	–	–	1	0·32
Tonbridge	–	–	46	2·89	4	0·25	1	0·06	–	–	9	0·57
Walmer	–	–	–	–	2	0·45	1	0·22	–	–	–	–
Whitstable	–	–	15	1·54	–	–	2	0·21	1	0·10	1	0·10
Wrotham	–	–	10	2·32	2	0·46	–	–	–	–	–	–
RURAL DISTRICTS :—												
Blean	–	–	10	1·14	–	–	–	–	–	–	2	0·23
Bridge	–	–	2	0·18	1	0·09	–	–	–	–	3	0·26
Bromley	–	–	17	0·62	10	0·37	6	0·22	1	0·04	3	0·11
Cranbrook..	–	–	6	0·46	4	0·31	1	0·08	–	–	2	0·15
Dartford	–	–	113	2·81	92	2·29	1	0·02	–	–	11	0·27
Dover	–	–	12	1·43	1	0·12	–	–	–	–	–	–
East Ashford	–	–	7	0·46	3	0·20	2	0·13	–	–	3	0·20
Eastry	–	–	11	0·82	10	0·74	–	–	–	–	2	0·15
Elham	–	–	3	0·38	4	0·51	–	–	–	–	7	0·89
Faversham	–	–	8	0·56	7	0·49	–	–	–	–	2	0·14
Hollingbourne	–	–	18	1·34	7	0·52	1	0·07	–	–	6	0·45
Hoo	–	–	3	0·63	4	0·84	–	–	–	–	–	–
Isle of Thanet	–	–	11	0·92	6	0·50	22	1·84	–	–	4	0·33
Maidstone..	–	–	31	1·81	21	1·23	4	0·23	1	0·06	2	0·12
Malling	–	–	27	1·04	43	1·66	1	0·04	2	0·08	6	0·23
Milton	–	–	14	0·97	10	0·69	1	0·07	–	–	3	0·21
Romney Marsh	–	–	2	0·64	–	–	–	–	–	–	1	0·32
Sevenoaks..	–	–	59	2·45	7	0·29	–	–	–	–	13	0·54
Sheppey	–	–	2	0·42	1	0·21	–	–	–	–	1	0·21
Strood	–	–	9	0·54	8	0·48	–	–	–	–	1	0·06
Tenterden..	–	–	6	1·02	–	–	2	0·34	–	–	1	0·17
Tonbridge	–	–	36	1·99	11	0·61	2	0·11	1	0·06	6	0·33
West Ashford	–	–	5	0·64	2	0·26	–	–	–	–	2	0·26

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 2nd January 1926, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Ery-sipelas.	
	Cases.	Rate	Cases.	Rate.	Cases.	Rate.	Cases	Rate	Cases.	Rate	Cases.	Rate.
LANCASTER* ..	40	0·01	14,602	2·89	5,530	1·09	290	0·06	400	0·08	2,605	0·51
BARROW IN FURNESS C.B. ..	–	–	261	3·55	59	0·80	2	0·03	1	0·01	42	0·57
BLACKBURN C.B.	–	–	304	2·40	67	0·53	2	0·02	13	0·10	39	0·31
BLACKPOOL C.B.	–	–	209	2·59	105	1·30	1	0·01	4	0·05	31	0·38
BOLTON C.B.	–	–	232	1·29	33	0·18	5	0·03	8	0·04	55	0·30
BOOTLE C.B.	–	–	158	1·90	71	0·85	5	0·06	6	0·07	27	0·32
BURNLEY C.B.	–	–	209	2·04	161	1·57	5	0·05	4	0·04	102	1·00
BURY C.B.	–	–	178	3·14	69	1·22	–	–	4	0·07	27	0·48
LIVERPOOL C.B.	–	–	3,534	4·13	1,469	1·72	35	0·04	56	0·07	525	0·61
MANCHESTER C.B.	–	–	2,872	3·80	1,037	1·37	69	0·09	147	0·19	407	0·54
OLDHAM C.B...	–	–	398	2·72	148	1·01	7	0·05	3	0·02	50	0·34
PRESTON C.B.	–	–	331	2·69	234	1·90	1	0·01	8	0·07	41	0·33
ROCHDALE C.B.	–	–	278	3·02	83	0·90	9	0·10	6	0·07	38	0·41
ST. HELENS C.B.	–	–	244	2·23	137	1·25	7	0·06	16	0·15	70	0·64
SALFORD C.B...	–	–	506	2·07	376	1·54	30	0·12	17	0·07	135	0·55
SOUTHPORT C.B.	–	–	132	1·78	46	0·62	3	0·04	1	0·01	36	0·48
WARRINGTON C.B.	–	–	265	3·40	97	1·24	1	0·01	11	0·14	84	1·08
WIGAN C.B.	–	–	64	0·70	46	0·51	5	0·05	3	0·03	42	0·46
AGGREGATE OF M.Bs. AND U.Ds.	33	0·02	3,805	2·48	1,123	0·73	85	0·06	82	0·05	770	0·50
AGGREGATE OF R.Ds. ..	7	0·03	622	2·47	169	0·67	18	0·07	10	0·04	84	0·33
BOROUGHS AND URBAN DISTRICTS :—												
Abram	–	–	8	1·17	4	0·58	1	0·15	–	–	2	0·29
Accrington M.B.	–	–	46	1·06	16	0·37	5	0·11	–	–	30	0·69
Adlington	–	–	4	0·88	2	0·44	–	–	–	–	6	1·32
Ashton in Makerfield ..	–	–	50	2·07	25	1·04	–	–	3	0·12	7	0·29
Ashton under Lyne M.B.	12	0·27	110	2·51	19	0·43	3	0·07	5	0·11	13	0·30
Aspull	–	–	29	3·57	16	1·97	3	0·37	1	0·12	10	1·23
Atherton	–	–	48	2·36	29	1·42	1	0·05	3	0·15	11	0·54
Audenshaw	16	1·94	36	4·36	5	0·61	–	–	–	–	6	0·73
Bacup M.B.	–	–	27	1·27	1	0·05	2	0·09	1	0·05	20	0·94
Barrowford	–	–	–	–	–	–	–	–	–	–	1	0·18
Billinge	–	–	4	0·76	4	0·76	–	–	–	–	5	0·95
Blackrod	–	–	13	3·26	5	1·26	–	–	–	–	3	0·75
Brierfield	–	–	21	2·53	1	0·12	–	–	–	–	7	0·84
Carnforth	–	–	8	2·45	1	0·31	3	0·92	–	–	–	–
Chadderton	–	–	107	3·71	16	0·56	–	–	–	–	9	0·31
Chorley M.B.	–	–	35	1·11	8	0·25	–	–	–	–	17	0·54
Church	–	–	9	1·32	7	1·02	–	–	1	0·15	3	0·44
Clayton le Moors.. ..	–	–	18	2·07	1	0·12	1	0·12	–	–	2	0·23
Clitheroe M.B.	–	–	26	2·13	43	3·52	–	–	1	0·08	3	0·25
Colne M.B.	–	–	46	1·82	7	0·28	–	–	1	0·04	30	1·19
Crompton	–	–	16	1·06	5	0·33	–	–	–	–	8	0·53
Croston	–	–	8	4·06	2	1·02	–	–	–	–	2	1·02
Dalton in Furness ..	–	–	25	2·07	6	0·50	–	–	–	–	2	0·17
Darwen M.B.	–	–	33	0·85	6	0·15	3	0·08	4	0·10	9	0·23
Denton	–	–	103	5·80	30	1·69	1	0·06	1	0·06	11	0·62
Droylsden..	5	0·36	64	4·57	15	1·07	–	–	–	–	6	0·43
Eccles M.B.	–	–	97	2·11	18	0·39	2	0·04	5	0·11	16	0·35
Failsworth	–	–	52	3·03	21	1·22	2	0·12	2	0·12	24	1·40
Farnworth	–	–	79	2·72	11	0·38	–	–	3	0·10	24	0·83
Fleetwood..	–	–	31	1·50	9	0·44	–	–	1	0·05	8	0·39
Formby	–	–	16	2·36	–	–	1	0·15	–	–	–	–
Fulwood	–	–	17	2·78	5	0·82	2	0·33	1	0·16	1	0·16
Golborne	–	–	60	7·88	20	2·63	–	–	1	0·13	2	0·26
Grange	–	–	–	–	1	0·50	–	–	–	–	–	–
Great Crosby	–	–	21	1·50	10	0·72	3	0·21	–	–	5	0·36

* Administrative County with associated County Boroughs.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 2nd January 1926, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Ery-sipelas.	
	Cases.	Rate	Cases.	Rate.	Cases.	Rate.	Cases.	Rate	Cases.	Rate.	Cases.	Rate.
LANCASTER—*cont.*												
BOROUGHS AND URBAN DISTRICTS—*cont.*:—												
Great Harwood	–	–	4	0·29	2	0·15	–	–	–	–	4	0·29
Haslingden M.B.	–	–	18	1·04	5	0·29	–	–	–	–	11	0·64
Haydock	–	–	36	3·22	3	0·27	–	–	–	–	12	1·07
Heysham	–	–	8	1·77	2	0·44	–	–	–	–	2	0·44
Heywood M.B.	–	–	100	3·75	9	0·34	–	–	2	0·08	17	0·64
Hindley	–	–	31	1·24	7	0·28	–	–	2	0·08	19	0·76
Horwich	–	–	85	5·28	8	0·50	–	–	1	0·06	6	0·37
Hurst	–	–	24	2·92	1	0·12	–	–	2	0·24	1	0·12
Huyton with Roby ..	–	–	8	1·50	3	0·56	–	–		–	–	–
Ince in Makerfield ..	–	–	16	0·65	6	0·25	2	0·08	–	–	9	0·37
Irlam	–	–	55	4·61	34	2·85	–	–	5	0·42	7	0·59
Kearsley	–	–	12	1·16	5	0·48	–	–	1	0·10	1	0·10
Kirkham	–	–	6	1·56	5	1·30	–	–	–	–	–	–
Lancaster M.B.	–	–	171	4·26	24	0·60	1	0·02	2	0·05	14	0·35
Lathom and Burscough ..	–	–	19	2·46	5	0·65	2	0·26	–	–	2	0·26
Lees	–	–	17	3·49	2	0·41	–	–	–	–	2	0·41
Leigh M.B.	–	–	54	1·15	57	1·22	4	0·09	3	0·06	23	0·49
Leyland	–	–	31	3·25	–	–	–	–	–	–	7	0·73
Litherland..	–	–	21	1·21	14	0·81	1	0·06	–	–	7	0·40
Littleborough	–	–	16	1·40	10	0·87	–	–	–	–	13	1·13
Little Crosby	–	–	1	0·79	–	–	–	–	–	–	–	–
Little Hulton	–	–	10	1·20	6	0·72	1	0·12	1	0·12	5	0·60
Little Lever	–	–	13	2·55	1	0·20	–	–	–	–	2	0·39
Longridge..	–	–	22	5·22	–	–	–	–	–	–	1	0·24
Lytham St. Anne's M.B.	–	–	71	3·26	6	0·28	–	–	2	0·09	1	0·05
Middleton M.B.	–	–	162	5·61	12	0·42	1	0·03	–	–	5	0·17
Milnrow	–	–	14	1·65	–	–	–	–	–	–	3	0·35
Morecambe M.B. ..	–	–	26	1·84	6	0·42	–	–	–	–	4	0·28
Mossley M.B.	–	–	24	1·92	2	0·16	–	–	3	0·24	1	0·08
Nelson M.B.	–	–	76	1·90	16	0·40	–	–	–	–	26	0·65
Newton in Makerfield ..	–	–	112	5·63	14	0·70	–	–	1	0·05	20	1·00
Norden	–	–	1	0·24	–	–	–	–	–	–	–	–
Ormskirk	–	–	25	3·28	10	1·31	–	–	–	–	–	–
Orrell	–	–	3	0·42	6	0·84	–	–	2	0·28	4	0·56
Oswaldtwistle	–	–	20	1·32	19	1·25	1	0·07	–	–	14	0·92
Padiham	–	–	18	1·45	62	4·98	1	0·08	1	0·08	6	0·48
Poulton le Fylde	–	–	2	0·71	2	0·71	–	–	–	–	–	–
Preesall	–	–	2	1·10	1	0·55	–	–	–	–	–	–
Prescot	–	–	40	4·03	22	2·22	1	0·10	1	0·10	8	0·81
Prestwich	–	–	30	1·53	6	0·31	–	–	–	–	10	0·51
Radcliffe	–	–	61	2·41	24	0·95	1	0·04	–	–	14	0·55
Rainford	–	–	7	1·86	10	2·66	4	1·07	–	–	1	0·27
Ramsbottom	–	–	118	7·76	22	1·45	–	–	2	0·13	2	0·13
Rawtenstall M.B. ..	–	–	116	4·01	15	0·52	–	–	4	0·14	23	0·79
Rishton	–	–	3	0·42	2	0·28	–	–	–	–	5	0·71
Royton	–	–	38	2·18	6	0·34	–	–	–	–	16	0·92
Skelmersdale	–	–	2	0·28	5	0·71	–	–	–	–	6	0·85
Standish with Langtree ..	–	–	4	0·52	–	–	2	0·26	–	–	4	0·52
Stretford	–	–	192	3·96	59	1·22	3	0·06	1	0·02	18	0·37
Swinton and Pendlebury	–	–	72	2·16	19	0·57	7	0·21	1	0·03	31	0·93
Thornton	–	–	18	2·89	1	0·16	–	–	–	–	–	–
Tottington	–	–	64	9·45	24	3·54	–	–	1	0·15	10	1·48
Trawden	–	–	2	0·73	2	0·73	–	–	–	–	–	–
Turton	–	–	28	2·28	10	0·82	–	–	–	–	5	0·41
Tyldesley with Shakerley	–	–	34	2·12	21	1·31	3	0·19	1	0·06	5	0·31
Ulverston	–	–	27	2·76	2	0·20	–	–	–	–	3	0·31
Upholland..	–	–	8	1·43	2	0·36	4	0·71	–	–	5	0·89
Urmston	–	–	10	1·19	1	0·12	–	–	–	–	4	0·48
Walton le Dale	–	–	19	1·55	6	0·49	–	–	–	–	4	0·33
Wardle	–	–	3	0·66	1	0·22	–	–	–	–	2	0·44
Waterloo with Seaforth ..	–	–	56	1·85	40	1·32	2	0·07	1	0·03	6	0·20
Westhoughton	–	–	28	1·66	15	0·89	8	0·48	3	0·18	4	0·24
Whitefield..	–	–	5	0·69	5	0·69	–	–	–	–	5	0·69
Whitworth	–	–	54	6·20	8	0·92	–	–	–	–	5	0·57
Widnes M.B.	–	–	147	3·49	58	1·38	1	0·02	3	0·07	16	0·38

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 2nd January 1926, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Ery-sipelas.	
	Cases.	Rate	Cases.	Rate.	Cases.	Rate.	Cases.	Rate	Cases.	Rate	Cases.	Rate
LANCASTER—*cont.*												
BOROUGHS AND URBAN DISTRICTS—*cont.*:—												
Withnell	–	–	1	0·28	–	–	–	–	–	–	5	1·42
Worsley	–	–	17	1·17	3	0·21	2	0·14	2	0·14	1	0·07
RURAL DISTRICTS :—												
Barton upon Irwell ..	–	–	10	0·97	2	0·19	–	–	–	–	–	–
Blackburn..	–	–	12	1·16	4	0·39	–	–	–	–	–	–
Burnley	–	–	28	1·44	12	0·62	1	0·05	1	0·05	3	0·15
Bury	–	–	13	1·34	9	0·92	–	–	–	–	1	0·10
Chorley	–	–	37	1·64	5	0·22	–	–	–	–	7	0·31
Clitheroe	–	–	12	1·31	3	0·33	2	0·22	–	–	7	0·76
Fylde	–	–	61	4·53	9	0·67	–	–	–	–	2	0·15
Garstang	–	–	19	1·71	9	0·81	–	–	–	–	4	0·36
Lancaster	–	–	18	1·94	2	0·22	–	–	1	0·11	2	0·22
Leigh	–	–	29	2·50	14	1·21	1	0·09	2	0·17	22	1·90
Limehurst	7	0·76	19	2·06	4	0·43	–	–	1	0·11	–	–
Lunesdale..	–	–	17	2·64	1	0·16	1	0·16	1	0·16	–	–
Preston	–	–	76	3·11	15	0·61	1	0·04	–	–	7	0·29
Sefton	–	–	9	1·99	14	3·09	–	–	–	–	3	0·66
Ulverston	–	–	27	1·56	2	0·12	–	–	–	–	2	0·12
Warrington	–	–	73	5·57	15	1·15	–	–	3	0·23	12	0·92
West Lancashire	–	–	60	2·71	3	0·14	8	0·36	1	0·05	2	0·09
Whiston	–	–	100	4·78	45	2·15	4	0·19	–	–	6	0·29
Wigan	–	–	2	0·31	1	0·16	–	–	–	–	4	0·63
LEICESTER*	80	0·15	1,431	2·77	632	1·22	16	0·03	17	0·03	282	0·55
LEICESTER C.B.	67	0·28	827	3·42	347	1·43	5	0·02	7	0·03	130	0·54
AGGREGATE OF M.B. AND U.Ds.	1	0·01	295	2·59	137	1·20	2	0·02	5	0·04	61	0·54
AGGREGATE OF R.Ds. ..	12	0·07	309	1·92	148	0·92	9	0·06	5	0·03	91	0·57
BOROUGH AND URBAN DISTRICTS :—												
Ashby de la Zouch ..	–	–	14	2·66	18	3·42	–	–	–	–	1	0·19
Ashby Woulds	–	–	16	4·52	2	0·57	–	–	–	–	2	0·57
Coalville	–	–	81	3·67	44	1·99	–	–	–	–	17	0·77
Hinckley	–	–	14	0·96	8	0·55	2	0·14	–	–	18	1·24
Loughborough M.B. ..	–	–	82	3·09	23	0·87	–	–	1	0·04	10	0·38
Market Harborough ..	–	–	2	0·23	–	–	–	–	1	0·11	2	0·23
Melton Mowbray.. ..	–	–	38	3·85	17	1·72	–	–	2	0·20	7	0·71
Oadby	–	–	6	1·89	–	–	–	–	–	–	1	0·32
Quorndon	–	–	6	2·42	–	–	–	–	–	–	–	–
Shepshed	–	–	2	0·35	2	0·35	–	–	–	–	2	0·35
Thurmaston	–	–	5	1·95	1	0·39	–	–	1	0·39	–	–
Wigston Magna	1	0·11	29	3·11	22	2·36	–	–	–	–	1	0·11
RURAL DISTRICTS :—												
Ashby de la Zouch ..	1	0·06	29	1·60	22	1·21	3	0·17	2	0·11	19	1·05
Barrow upon Soar ..	4	0·15	101	3·77	13	0·49	1	0·04	1	0·04	25	0·93
Belvoir	–	–	–	–	2	0·61	2	0·61	–	–	2	0·61
Billesdon	–	–	20	2·35	9	1·06	–	–	–	–	1	0·12
Blaby	6	0·32	45	2·42	10	0·54	1	0·05	–	–	13	0·70
Castle Donington.. ..	–	–	3	0·47	3	0·47	–	–	1	0·16	2	0·31
Hallaton	–	–	1	0·57	–	–	–	–	–	–	–	–
Hinckley	1	0·06	16	1·02	41	2·61	–	–	–	–	14	0·89
Loughborough	–	–	3	0·66	1	0·22	1	0·22	–	–	1	0·22
Lutterworth	–	–	3	0·29	6	0·58	1	0·10	–	–	1	0·10
Market Bosworth.. ..	–	–	25	1·04	32	1·33	–	–	1	0·04	6	0·25
Market Harborough ..	–	–	24	3·14	–	–	–	–	–	–	–	–
Melton Mowbray.. ..	–	–	39	2·65	9	0·61	–	–	–	–	7	0·48

* Administrative County with associated County Borough.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 2nd January 1926, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Ery-sipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases	Rate	Cases.	Rate	Cases.	Rate.
LINCOLN, PARTS OF HOLLAND*	2	0·02	134	1·53	61	0·70	2	0·02	3	0·03	24	0·27
AGGREGATE OF M.B. AND U.Ds.	1	0·03	66	1·72	46	1·20	1	0·03	–	–	12	0·31
AGGREGATE OF R.Ds. ..	1	0·02	68	1·38	15	0·30	1	0·02	3	0·06	12	0·24
BOROUGH AND URBAN DISTRICTS :—												
Boston M.B.	–	–	51	3·17	4	0·25	1	0·06	–	–	6	0·37
Holbeach	–	–	–	–	–	–	–	–	–	–	–	–
Long Sutton	–	–	–	–	–	–	–	–	–	–	–	–
Spalding	1	0·09	15	1·38	42	3·86	–	–	–	–	6	0·55
Sutton Bridge	–	–	–	–	–	–	–	–	–	–	–	–
RURAL DISTRICTS :—												
Boston	1	0·04	40	1·76	7	0·31	1	0·04	2	0·09	7	0·31
Crowland	–	–	–	–	–	–	–	–	–	–	3	1·08
East Elloe..	–	–	3	0·30	1	0·10	–	–	–	–	1	0·10
Spalding (part of) ‡ ..	–	–	25	1·82	7	0·51	–	–	1	0·07	1	0·07
LINCOLN, PARTS OF KESTEVEN*	16	0·15	93	0·87	30	0·28	15	0·14	4	0·04	24	0·22
AGGREGATE OF M.Bs. AND U.Ds.	13	0·31	10	0·24	16	0·38	6	0·14	3	0·07	10	0·24
AGGREGATE OF R.Ds. ..	3	0·05	83	1·27	14	0·21	9	0·14	1	0·02	14	0·21
BOROUGHS AND URBAN DISTRICTS :—												
Bourne	–	–	2	0·46	3	0·69	–	–	1	0·23	1	0·23
Grantham M.B.	4	0·21	–	–	3	0·16	3	0·16	1	0·05	6	0·31
Ruskington	–	–	–	–	1	0·90	–	–	–	–	–	–
Sleaford	8	1·13	4	0·56	8	1·13	3	0·42	1	0·14	1	0·14
Stamford M.B.	1	0·10	4	0·40	1	0·10	–	–	–	–	2	0·20
RURAL DISTRICTS :—												
Bourne	–	–	15	1·18	5	0·39	2	0·16	–	–	5	0·39
Branston	–	–	17	1·25	5	0·37	1	0·07	1	0·07	4	0·29
Claypole	3	0·38	15	1·92	2	0·26	2	0·26	–	–	2	0·26
Grantham..	–	–	23	1·92	–	–	3	0·25	–	–	1	0·08
Sleaford	–	–	10	0·58	2	0·12	1	0·06	–	–	2	0·12
Spalding (part of)‡ ..	–	–	3	4·68	–	–	–	–	–	–	–	–
Uffington	–	–	–	–	–	–	–	–	–	–	–	–
LINCOLN, PARTS OF LINDSEY†	24	0·06	978	2·36	285	0·69	30	0·07	11	0·03	134	0·32
GRIMSBY C.B.	–	–	107	1·23	87	1·00	7	0·08	2	0·02	17	0·19
LINCOLN C.B.	1	0·02	442	6·64	48	0·72	–	–	–	–	15	0·23
AGGREGATE OF M.B. AND U.Ds.§	23	0·19	178	1·46	85	0·70	13	0·11	4	0·03	71	0·58
AGGREGATE OF R.Ds.§ ..	–	–	251	1·82	65	0·47	10	0·07	5	0·04	31	0·22
BOROUGH AND URBAN DISTRICTS :—												
Alford	–	–	4	1·83	1	0·46	–	–	–	–	1	0·46
Barton upon Humber ..	–	–	5	0·78	9	1·40	–	–	–	–	3	0·47
Brigg	–	–	5	1·45	2	0·58	1	0·29	–	–	–	–
Cleethorpes	–	–	43	1·48	21	0·72	7	0·24	2	0·07	14	0·48
Crowle	–	–	1	0·34	–	–	–	–	–	–	4	1·34
Gainsborough	21	1·07	23	1·17	2	0·10	1	0·05	–	–	21	1·07
Horncastle	–	–	3	0·91	–	–	–	–	–	–	7	2·12
Louth M.B.	1	0·11	5	0·53	12	1·27	–	–	–	–	3	0·32
Mablethorpe and Sutton§	–	–	2	0·54	3	0·81	–	–	–	–	–	–
Market Rasen	1	0·50	1	0·50	–	–	–	–	–	–	1	0·50

* Administrative County.
† Administrative County with associated County Boroughs.
‡ The Rural District of Spalding is partly in the Parts of Holland and partly in the Parts of Kesteven. The figures for the entire District are:— – | – | 28 | 1·95 | 7 | 0·49 | – | – | 1 | 0·07 | 1 | 0·07
§ Rates adjusted to allow for changes in boundary during the year.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 2nd January 1926, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Ery-sipelas	
	Cases.	Rate	Cases.	Rate.	Cases.	Rate.	Cases	Rate	Cases.	Rate	Cases.	Rate
LINCOLN, PARTS OF LINDSEY—*cont.*												
BOROUGH AND URBAN DISTRICTS—*cont.*												
Roxby cum Risby ..	–	–	2	3·17	–	–	–	–	–	–	–	–
Scunthorpe and Frodingham	–	–	70	2·23	83	1·05	3	0·10	1	0·03	16	0·51
Skegness	–	–	13	2·69	1	0·21	–	–	–	–	1	0·21
Winterton..	–	–	–	–	1	0·56	1	0·56	1	0·56	–	–
Woodhall Spa	–	–	1	0·72	–	–	–	–	–	–	–	–
RURAL DISTRICTS :—												
Caistor	–	–	13	1·00	2	0·15	1	0·08	–	–	1	0·08
Gainsborough	–	–	15	1·05	6	0·42	–	–	–	–	3	0·21
Glanford Brigg	–	–	38	1·37	39	1·41	1	0·04	–	–	6	0·22
Grimsby	–	–	75	5·48	3	0·22	3	0·22	2	0·15	4	0·29
Horncastle	–	–	17	1·43	–	–	–	–	2	0·17	7	0·59
Isle of Axholme	–	–	5	0·73	1	0·15	1	0·15	–	–	1	0·15
Louth†	–	–	18	1·07	3	0·18	–	–	1	0·06	5	0·30
Sibsey	–	–	11	3·59	1	0·33	1	0·33	–	–	–	–
Spilsby†	–	–	35	1·77	6	0·30	3	0·15	–	–	1	0·05
Welton	–	–	24	2·18	4	0·36	–	–	–	–	3	0·27
LONDON*	13	0·00	12,291	2·67	12,583	2·73	396	0·09	321	0·07	1,950	0·42
CITY OF LONDON	–	–	24	1·80	19	1·42	–	–	1	0·07	7	0·52
Inner and Middle Temples	–	–	–	–	–	–	–	–	–	–	1	3·46
METROPOLITAN BOROUGHS :—												
Battersea	–	–	552	3·21	456	2·65	9	0·05	6	0·03	67	0·39
Bermondsey	–	–	357	2·90	535	4·35	5	0·04	9	0·07	35	0·28
Bethnal Green	11	0·09	332	2·77	500	4·17	12	0·10	7	0·06	95	0·79
Camberwell	–	–	895	3·25	923	3·35	15	0·05	10	0·04	119	0·43
Chelsea	–	–	87	1·34	172	2·65	4	0·06	3	0·05	33	0·51
Deptford	–	–	286	2·47	581	5·01	4	0·03	16	0·14	63	0·54
Finsbury	–	–	284	3·66	253	3·26	7	0·09	12	0·15	73	0·94
Fulham	–	–	394	2·41	271	1·66	10	0·06	21	0·13	73	0·45
Greenwich..	–	–	304	2·95	434	4·22	8	0·08	9	0·09	51	0·50
Hackney	–	–	527	2·31	660	2·89	7	0·03	13	0·06	56	0·25
Hammersmith	–	–	291	2·16	208	1·55	9	0·07	15	0·11	48	0·36
Hampstead	–	–	179	2·03	159	1·81	12	0·14	1	0·01	23	0·26
Holborn	–	–	116	2·68	101	2·33	7	0·16	2	0·05	15	0·35
Islington	–	–	1,139	3·36	913	2·69	10	0·03	23	0·07	109	0·32
Kensington	–	–	266	1·48	297	1·66	29	0·16	5	0·03	52	0·29
Lambeth	2	0·01	1,039	3·34	829	2·66	24	0·08	27	0·09	132	0·42
Lewisham..	–	–	378	2·04	245	1·32	45	0·24	11	0·06	54	0·29
Paddington	–	–	268	1·82	344	2·34	17	0·12	19	0·13	65	0·44
Poplar	–	–	470	2·79	367	2·18	1	0·01	15	0·09	77	0·46
St. Marylebone	–	–	177	1·67	183	1·72	19	0·18	7	0·07	39	0·37
St. Pancras	–	–	652	3·02	703	3·26	17	0·08	23	0·11	116	0·54
Shoreditch	–	–	485	4·52	440	4·10	2	0·02	13	0·12	71	0·66
Southwark	–	–	741	3·92	905	4·79	6	0·03	11	0·06	121	0·64
Stepney	–	–	596	2·33	647	2·53	27	0·11	15	0·06	134	0·52
Stoke Newington.. ..	–	–	69	1·30	75	1·41	–	–	3	0·06	10	0·19
Wandsworth	–	–	826	2·42	773	2·27	57	0·17	9	0·03	123	0·36
Westminster, City of ..	–	–	205	1·47	291	2·08	17	0·12	6	0·04	44	0·32
Woolwich	–	–	352	2·50	299	2·12	16	0·11	9	0·06	44	0·31

* Administrative County and City.
† Rates adjusted to allow for changes in boundary during the year.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 2nd January 1926, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Ery-sipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
MIDDLESEX*	–	–	2,264	1·74	1,763	1·35	74	0·06	62	0·05	396	0·30
AGGREGATE OF M.Bs. AND U.Ds.	–	–	2,167	1·75	1,717	1·38	70	0·06	61	0·05	383	0·31
AGGREGATE OF R.Ds. ..	–	–	97	1·57	46	0·74	4	0·06	1	0·02	13	0·21
BOROUGHS AND URBAN DISTRICTS:—												
Acton M.B.	–	–	82	1·30	64	1·01	5	0·08	4	0·06	16	0·25
Brentford	–	–	22	1·24	41	2·32	1	0·06	1	0·06	12	0·68
Chiswick	–	–	16	0·40	32	0·79	2	0·05	3	0·07	14	0·35
Ealing M.B.	–	–	107	1·56	38	0·56	5	0·07	6	0·09	17	0·25
Edmonton..	–	–	112	1·57	208	2·92	2	0·03	3	0·04	26	0·37
Enfield	–	–	94	1·47	140	2·20	1	0·02	2	0·03	16	0·25
Feltham	–	–	28	4·03	14	2·02	–	–	2	0·29	3	0·43
Finchley	–	–	90	1·86	79	1·63	2	0·04	1	0·02	16	0·33
Friern Barnet	–	–	24	1·29	23	1·24	5	0·27	–	–	7	0·38
Greenford	–	–	2	1·24	3	1·86	–	–	–	–	–	–
Hampton	–	–	32	2·93	21	1·92	2	0·18	–	–	2	0·18
Hampton Wick	–	–	7	2·30	18	5·92	1	0·33	–	–	–	–
Hanwell	–	–	29	1·38	9	0·43	4	0·19	1	0·05	11	0·52
Harrow on the Hill ..	–	–	36	1·72	9	0·43	–	–	–	–	8	0·38
Hayes	–	–	5	0·56	7	0·79	–	–	–	–	3	0·34
Hendon	–	–	136	2·30	115	1·94	12	0·20	–	–	22	0·37
Heston and Isleworth ..	–	–	85	1·76	74	1·53	–	–	3	0·06	20	0·41
Hornsey M.B.	–	–	122	1·40	53	0·61	9	0·10	1	0·01	25	0·29
Kingsbury..	–	–	4	1·74	1	0·43	–	–	–	–	–	–
Ruislip Northwood ..	–	–	18	1·75	1	0·10	–	–	–	–	–	–
Southall Norwood ..	–	–	59	1·83	11	0·34	2	0·06	1	0·03	5	0·16
Southgate..	–	–	69	1·73	21	0·53	2	0·05	1	0·03	10	0·25
Staines	–	–	17	2·26	6	0·80	1	0·13	1	0·13	–	–
Sunbury on Thames ..	–	–	4	0·68	–	–	1	0·17	–	–	3	0·51
Teddington	–	–	30	1·37	43	1·97	1	0·05	1	0·05	3	0·14
Tottenham	–	–	428	2·79	248	1·61	2	0·01	5	0·03	46	0·30
Twickenham	–	–	36	1·02	37	1·05	3	0·09	2	0·06	13	0·37
Uxbridge	–	–	15	1·25	4	0·33	–	–	2	0·17	5	0·42
Wealdstone	–	–	28	2·00	20	1·43	–	–	2	0·14	6	0·43
Wembley	–	–	39	1·92	12	0·59	1	0·05	1	0·05	8	0·39
Willesden	–	–	264	1·56	304	1·80	6	0·04	16	0·09	57	0·34
Wood Green	–	–	92	1·77	56	1·08	–	–	2	0·04	8	0·15
Yiewsley	–	–	35	6·25	5	0·89	–	–	–	–	1	0·18
RURAL DISTRICTS:—												
Hendon	–	–	40	2·05	15	0·77	1	0·05	–	–	5	0·26
South Mimms	–	–	–	–	–	–	–	–	1	0·29	–	–
Staines	–	–	43	1·62	24	0·90	1	0·04	–	–	3	0·11
Uxbridge	–	–	14	1·14	7	0·57	2	0·16	–	–	5	0·41
NORFOLK†	2‡	0·00	753	1·49	217	0·43	42	0·08	17	0·03	151	0·30
GREAT YARMOUTH C.B. ..	–	–	118	2·04	21	0·36	1	0·02	–	–	13	0·22
NORWICH C.B.	–	–	190	1·53	69	0·56	15	0·12	9	0·07	73	0·59
AGGREGATE OF M.Bs. AND U.Ds.§	–	–	53	0·86	33	0·54	6	0·10	1	0·02	14	0·23
AGGREGATE OF R.Ds.§ ..	2‡	0·01	392	1·50	94	0·36	20	0·08	7	0·03	51	0·20
BOROUGHS AND URBAN DISTRICTS:—												
Cromer	–	–	–	–	1	0·24	1	0·24	–	–	–	–
Diss	–	–	1	0·28	–	–	–	–	–	–	–	–
Downham Market ..	–	–	–	–	–	–	–	–	–	–	1	0·42
East Dereham	–	–	19	3·34	3	0·53	–	–	1	0·18	3	0·53
King's Lynn M.B. ..	–	–	8	0·39	12	0·59	4	0·20	–	–	7	0·34

* Administrative County.
† Administrative County with associated County Boroughs.
‡ These two cases were subsequently diagnosed as chicken-pox.
§ Rates adjusted to allow for changes in boundary during the year.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 2nd January 1926, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Ery-sipelas.	
	Cases.	Rate	Cases.	Rate.	Cases.	Rate.	Cases.	Rate	Cases.	Rate	Cases.	Rate.
NORFOLK—*cont.*												
BOROUGHS AND URBAN DISTRICTS—*cont.*												
New Hunstanton† ..	–	–	1	0·33	–	–	–	–	–	–	1	0·33
North Walsham	–	–	14	3·29	–	–	–	–	–	–	1	0·24
Sheringham	–	–	–	–	1	0·26	–	–	–	–	–	–
Swaffham	–	–	2	0·72	–	–	1	0·36	–	–	–	–
Thetford M.B.	–	–	3	0·63	9	1·90	–	–	–	–	–	–
Walsoken	–	–	4	1·01	7	1·77	–	–	–	–	1	0·25
Wells	–	–	1	0·37	–	–	–	–	–	–	–	–
RURAL DISTRICTS :—												
Aylsham	–	–	10	0·60	10	0·60	–	–	–	–	4	0·24
Blofield	–	–	17	1·30	2	0·15	3	0·23	–	–	1	0·08
Depwade	–	–	88	4·63	3	0·16	1	0·05	2	0·11	4	0·21
Docking†	–	–	4	0·24	4	0·24	4	0·24	–	–	1	0·06
Downham..	–	–	34	2·26	10	0·67	6	0·40	1	0·07	13	0·87
East and West Flegg ..	–	–	4	0·38	8	0·76	1	0·10	1	0·10	2	0·19
Erpingham	–	–	33	1·86	6	0·34	1	0·06	–	–	2	0·11
Forehoe	–	–	47	3·91	1	0·08	–	–	–	–	7	0·58
Freebridge Lynn	–	–	4	0·34	2	0·17	–	–	–	–	2	0·17
Henstead	–	–	13	1·26	1	0·10	1	0·10	–	–	2	0·19
King's Lynn	–	–	1	1·11	4	4·45	–	–	–	–	–	–
Loddon and Clavering ..	–	–	13	1·05	3	0·24	–	–	–	–	1	0·08
Marshland	2‡	0·14	5	0·34	5	0·34	1	0·07	–	–	–	–
Mitford and Launditch ..	–	–	18	1·00	2	0·11	–	–	–	–	2	0·11
St. Faith's	–	–	10	0·87	5	0·43	–	–	1	0·09	3	0·26
Smallburgh	–	–	25	1·78	6	0·43	1	0·07	–	–	1	0·07
Swaffham	–	–	16	2·22	–	–	–	–	–	–	1	0·14
Thetford	–	–	11	1·17	1	0·11	–	–	–	–	1	0·11
Walsingham	–	–	20	1·23	3	0·18	1	0·06	2	0·12	1	0·06
Wayland	–	–	19	1·45	18	1·37	–	–	–	–	3	0·23
NORTHAMPTON*	210	0·68	1,071	3·47	197	0·64	15	0·05	16	0·05	128	0·41
NORTHAMPTON C.B.	23	0·25	229	2·44	65	0·69	8	0·09	9	0·10	49	0·52
AGGREGATE OF M.Bs. AND U.Ds.	176	1·73	550	5·40	80	0·79	4	0·04	3	0·03	53	0·52
AGGREGATE OF R.Ds. ..	11	0·10	292	2·57	52	0·46	3	0·03	4	0·04	26	0·23
BOROUGHS AND URBAN DISTRICTS :—												
Brackley M.B.	–	–	–	–	–	–	–	–	–	–	1	0·43
Burton Latimer ..	–	–	–	–	–	–	–	–	–	–	2	0·57
Daventry M.B.	–	–	49	13·90	5	1·42	–	–	–	–	2	0·57
Desborough	19	4·37	7	1·61	1	0·23	–	–	–	–	3	0·69
Finedon	–	–	7	1·67	1	0·24	–	–	1	0·24	1	0·24
Higham Ferrers M.B. ..	–	–	18	6·00	2	0·67	–	–	–	–	–	–
Irthlingborough	–	–	18	3·64	3	0·61	–	–	–	–	1	0·20
Kettering	151	4·92	226	7·37	50	1·63	1	0·03	2	0·07	18	0·59
Oundle	–	–	1	0·38	–	–	1	0·38	–	–	–	–
Raunds	–	–	1	0·26	–	–	–	–	–	–	4	1·04
Rothwell	3	0·65	36	7·80	–	–	–	–	–	–	3	0·65
Rushden	3	0·22	17	1·23	10	0·73	–	–	–	–	7	0·51
Wellingborough	–	–	170	8·28	8	0·39	2	0·10	–	–	11	0·54
RURAL DISTRICTS :—												
Brackley	–	–	11	1·68	–	–	1	0·15	–	–	1	0·15
Brixworth..	–	–	9	0·76	1	0·08	–	–	–	–	1	0·08
Crick	–	–	1	0·41	–	–	–	–	–	–	1	0·41
Daventry	–	–	24	1·72	3	0·21	–	–	1	0·07	3	0·21
Easton on the Hill ..	–	–	–	–	–	–	–	–	–	–	–	–

* Administrative County with associated County Borough.
† Rates adjusted to allow for changes in boundary during the year.
‡ These two cases were subsequently diagnosed as chicken-pox.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 2nd January 1926, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever		Ery-sipelas	
	Cases.	Rate	Cases.	Rate.	Cases.	Rate.	Cases.	Rate	Cases	Rat	Cases	Rate
NORTHAMPTON—*cont.*												
RURAL DISTRICTS—*cont.*												
Gretton	–	–	5	3·64	–	–	–	–	–	–	–	–
Hardingstone	–	–	9	1·21	1	0·13	–	–	1	0·13	2	0·27
Kettering	10	1·06	77	8·12	5	0·53	–	–	1	0·11	1	0·11
Middleton Cheney ..	–	–	–	–	–	–	–	–	–	–	1	0·41
Northampton	–	–	27	3·44	7	0·89	1	0·13	–	–	6	0·76
Oundle (part of)*	–	–	25	3·82	2	0·31	–	–	–	–	–	–
Oxendon	1	0·25	8	2·01	1	0·25	–	–	–	–	2	0·50
Potterspury	–	–	3	0·63	6	1·26	–	–	–	–	2	0·42
Thrapston (part of)* ..	–	–	14	1·33	11	1·05	1	0·10	1	0·10	1	0·10
Towcester	–	–	8	0·80	4	0·40	–	–	–	–	1	0·10
Wellingborough	–	–	71	5·56	11	0·86	–	–	–	–	4	0·31
NORTHUMBERLAND† ..	713	0·93	2,588	3·38	436	0·57	71	0·09	35	0·05	379	0·49
NEWCASTLE UPON TYNE C.B.	82	0·29	1,220	4·26	198	0·69	24	0·08	22	0·08	203	0·71
TYNEMOUTH C.B.	2	0·03	125	1·89	36	0·54	11	0·17	6	0·09	35	0·53
AGGREGATE OF M.BS. AND U.DS.	570	1·85	898	2·91	147	0·48	30	0·10	7	0·02	108	0·35
AGGREGATE OF R.DS. ..	59	0·56	345	3·28	55	0·52	6	0·06	–	–	33	0·31
BOROUGHS AND URBAN DISTRICTS:—												
Alnwick	–	–	21	3·01	6	0·86	2	0·29	–	–	1	0·1
Amble	–	–	3	0·65	8	1·73	–	–	1	0·22	–	–
Ashington	208	6·55	94	2·96	9	0·28	2	0·06	2	0·06	11	0·35
Bedlingtonshire	145	5·06	102	3·56	–	–	2	0·07	–	–	6	0·21
Berwick upon Tweed M.B.	–	–	75	6·15	5	0·41	–	–	–	–	4	0·33
Blyth M.B.	17	0·50	62	1·82	11	0·32	1	0·03	2	0·06	10	0·29
Cramlington	2	0·21	8	0·86	2	0·21	–	–	–	–	3	0·32
Earsdon	1	0·08	22	1·82	6	0·50	2	0·17	–	–	2	0·17
Gosforth	4	0·25	34	2·14	13	0·82	3	0·19	–	–	7	0·44
Hexham	12	1·42	14	1·65	13	1·53	–	–	1	0·12	8	0·94
Longbenton	3	0·22	36	2·61	4	0·29	–	–	–	–	5	0·36
Morpeth M.B.	1	0·13	32	4·18	3	0·39	6	0·78	–	–	2	0·26
Newbiggin by the Sea ..	9	1·26	46	6·43	3	0·42	–	–	–	–	6	0·84
Newburn	35	1·70	133	6·47	6	0·29	4	0·19	–	–	5	0·24
Prudhoe	94	10·02	20	2·13	4	0·43	–	–	–	–	3	0·32
Rothbury	–	–	5	4·13	–	–	–	–	–	–	1	0·83
Seaton Delaval	1	0·12	7	0·86	4	0·49	–	–	–	–	5	0·62
Seghill	5	2·34	–	–	–	–	–	–	–	–	1	0·47
Wallsend M.B.	4	0·09	109	2·39	36	0·79	5	0·11	1	0·02	16	0·35
Weetslade	29	3·88	15	2·01	3	0·40	–	–	–	–	3	0·40
Whitley and Monkseaton	–	–	60	2·84	11	0·52	3	0·14	–	–	9	0·43
RURAL DISTRICTS:—												
Alnwick	2	0·16	44	3·53	2	0·16	2	0·16	–	–	5	0·40
Belford	–	–	17	3·46	1	0·20	1	0·20	–	–	2	0·41
Bellingham	–	–	13	2·29	1	0·18	1	0·18	–	–	2	0·35
Castle Ward	18	1·36	48	3·61	6	0·45	1	0·08	–	–	8	0·60
Glendale	–	–	15	1·87	–	–	–	–	–	–	2	0·25
Haltwhistle	5	0·53	10	1·06	5	0·53	–	–	–	–	–	–
Hexham	3	0·14	35	1·58	27	1·22	–	–	–	–	7	0·32
Morpeth	29	1·51	73	3·80	8	0·42	–	–		–	5	0·26
Newcastle upon Tyne (Moot Hall & Precincts)‡												
Norham and Islandshires	–	–	78	14·68	1	0·19	1	0·19	–	–	1	0·19
Rothbury	2	0·42	12	2·53	4	0·84	–	–	–	–	1	0·21

* The remaining parts of the Rural Districts of Oundle and Thrapston are in the Administrative County of Huntingdon. The figures for the entire Districts are:—

Oundle	–	–	25	3·32	3	0·40	–	–	–	–	–	–
Thrapston	–	–	14	1·24	11	0·97	1	0·09	1	0·09	1	0·09

† Administrative County with associated County Boroughs.

‡ Cases, if any, are included with those for Newcastle upon Tyne C.B.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 2nd January 1926, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Ery-sipelas.	
	Cases.	Rate	Cases.	Rate.	Cases.	Rate.	Cases	Rate	Cases.	Rate	Cases.	Rate.
NOTTINGHAM*	602	0·91	1,276	1·92	495	0·75	43	0·06	29	0·04	246	0·37
NOTTINGHAM C.B.	17	0·06	622	2·30	316	1·17	19	0·07	13	0·05	114	0·42
AGGREGATE OF M.BS. AND U.DS.	550	2·17	431	1·70	126	0·50	11	0·04	8	0·03	92	0·36
AGGREGATE OF R.DS. ..	35	0·25	223	1·60	53	0·38	13	0·09	8	0·06	40	0·29
BOROUGHS AND URBAN DISTRICTS :—												
Arnold	–	–	38	3·09	4	0·33	–	–	1	0·08	–	–
Beeston	–	–	4	0·31	12	0·92	1	0·08	–	–	2	0·15
Carlton	–	–	69	3·57	11	0·57	–	–	1	0·05	8	0·41
East Retford M.B. ..	1	0·08	10	0·76	16	1·21	–	–	–	–	12	0·91
Eastwood	–	–	30	5·54	2	0·37	–	–	–	–	1	0·18
Hucknall	120	6·82	19	1·08	3	0·17	–	–	2	0·11	6	0·34
Huthwaite	18	3·18	7	1·24	1	0·18	–	–	–	–	–	–
Kirkby in Ashfield ..	14	0·75	14	0·75	6	0·32	1	0·05	1	0·05	19	1·02
Mansfield M.B.	142	3·02	98	2·09	30	0·64	4	0·09	3	0·06	15	0·32
Mansfield Woodhouse ..	156	10·77	43	2·97	2	0·14	–	–	–	–	5	0·35
Newark M.B.	–	–	18	1·07	10	0·59	–	–	–	–	2	0·12
Sutton in Ashfield ..	95	3·82	23	0·92	10	0·40	1	0·04	–	–	10	0·40
Warsop	4	0·49	27	3·32	4	0·49	2	0·25	–	–	3	0·37
West Bridgford	–	–	16	1·23	7	0·54	1	0·08	–	–	4	0·31
Worksop	–	–	15	0·63	8	0·33	1	0·04	–	–	5	0·21
RURAL DISTRICTS :—												
Basford	1	0·02	68	1·52	21	0·47	6	0·13	2	0·04	9	0·20
Bingham	–	–	17	1·18	3	0·21	1	0·07	–	–	3	0·21
East Retford	–	–	14	0·95	3	0·20	2	0·14	–	–	3	0·20
Leake	–	–	1	0·27	–	–	–	–	–	–	–	–
Misterton	–	–	4	0·96	4	0·96	–	–	–	–	–	–
Newark	–	–	7	0·78	1	0·11	–	–	1	0·11	–	–
Nottingham (Shire Hall)†												
Skegby	26	2·56	16	1·57	7	0·69	2	0·20	1	0·10	4	0·39
Southwell	8	0·38	34	1·62	5	0·24	1	0·05	3	0·14	6	0·29
Stapleford	–	–	4	0·34	5	0·43	–	–	–	–	15	1·28
Worksop	–	–	55	9·26	3	0·51	1	0·17	–	–	–	–
Kingston upon Soar and Ratcliffe upon Soar (parishes)‡	–	–	3	7·52	1	2·51	–	–	1	2·51	–	–
OXFORD*	–	–	259	1·36	47	0·25	30	0·16	9	0·05	47	0·25
OXFORD C.B.	–	–	109	1·91	24	0·42	15	0·26	4	0·07	10	0·18
AGGREGATE OF M.BS. AND U.DS.	–	–	56	1·57	6	0·17	3	0·08	–	–	16	0·45
AGGREGATE OF R.DS. ..	–	–	94	0·96	17	0·17	12	0·12	5	0·05	21	0·21
BOROUGHS AND URBAN DISTRICTS :—												
Banbury M.B.	–	–	19	1·38	6	0·44	–	–	–	–	8	0·58
Bicester	–	–	19	6·37	–	–	–	–	–	–	–	–
Chipping Norton M.B. ..	–	–	1	0·28	–	–	1	0·28	–	–	2	0·56
Henley on Thames M.B. ..	–	–	5	0·77	–	–	–	–	–	–	4	0·61
Thame	–	–	6	2·09	–	–	1	0·35	–	–	2	0·70
Wheatley	–	–	–	–	–	–	1	1·07	–	–	–	–
Witney	–	–	2	0·58	–	–	–	–	–	–	–	–
Woodstock M.B.	–	–	4	2·58	–	–	–	–	–	–	–	–

* Administrative County with associated County Borough.
† Cases, if any, are included with those for Nottingham C.B.
‡ These Parishes are administered by the Rural District Council of Shardlow (Derbyshire).

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 2nd January 1926, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Ery-sipelas.	
	Cases.	Rate	Cases.	Rate.	Cases.	Rate.	Cases.	Rate	Cases.	Rate.	Cases.	Rate
OXFORD—*cont.*												
RURAL DISTRICTS:—												
Banbury	–	–	21	1·87	2	0·18	1	0·09	1	0·09	4	0·36
Bicester	–	–	3	0·34	–	–	–	–	1	0·11	4	0·46
Chipping Norton.. ..	–	–	2	0·26	–	–	1	0·10	–	–	1	0·10
Crowmarsh	–	–	3	0·59	–	–	–	–	1	0·20	–	–
Culham	–	–	5	1·97	7	2·76	–	–	–	–	–	–
Goring	–	–	1	0·31	–	–	–	–	–	–	–	–
Headington	–	–	24	1·63	1	0·07	6	0·41	1	0·07	3	0·20
Henley	–	–	8	0·74	5	0·46	2	0·18	1	0·09	1	0·09
Thame	–	–	8	1·56	1	0·19	1	0·19	–	–	–	–
Witney	–	–	8	0·50	–	–	1	0·06	–	–	3	0·19
Woodstock	–	–	11	1·05	1	0·10	–	–	–	–	5	0·48
PETERBOROUGH, SOKE OF*	2	0·04	69	1·42	5	0·10	5	0·10	2	0·04	17	0·35
MUNICIPAL BOROUGH ..	–	–	44	1·20	4	0·11	4	0·11	2	0·05	16	0·44
AGGREGATE OF R.Ds. ..	2	0·17	25	2·11	1	0·08	1	0·08	–	–	1	0·08
BOROUGH:—												
Peterborough M.B. ..	–	–	44	1·20	4	0·11	4	0·11	2	0·05	16	0·44
RURAL DISTRICTS:—												
Barnack	–	–	–	–	–	–	–	–	–	–	–	–
Peterborough	2	0·20	25	2·52	1	0·10	1	0·10	–	–	1	0·10
RUTLAND*	–	–	17	0·93	12	0·66	–	–	–	–	–	–
URBAN DISTRICT	–	–	–	–	–	–	–	–	–	–	–	–
AGGREGATE OF R.Ds. ..	–	–	17	1·13	12	0·80	–	–	–	–	–	–
URBAN DISTRICT:—												
Oakham	–	–	–	–	–	–	–	–	–	–	–	–
RURAL DISTRICTS:—												
Ketton	–	–	5	1·74	1	0·35	–	–	–	–	–	–
Oakham	–	–	8	1·35	1	0·17	–	–	–	–	–	–
Uppingham	–	–	4	0·65	10	1·62	–	–	–	–	–	–
SALOP*	–	–	532	2·16	158	0·64	6	0·02	13	0·05	57	0·23
AGGREGATE OF M.Bs. AND U.Ds.	–	–	277	2·43	80	0·70	6	0·05	6	0·05	38	0·33
AGGREGATE OF R.Ds. ..	–	–	255	1·93	78	0·59	–	–	7	0·05	19	0·14
BOROUGHS AND URBAN DISTRICTS:—												
Bishop's Castle M.B. ..	–	–	1	0·79	–	–	–	–	–	–	3	2·38
Bridgnorth M.B.	–	–	4	0·81	1	0·20	1	0·20	–	–	4	0·81
Church Stretton	–	–	–	–	–	–	–	–	–	–	–	–
Dawley	–	–	10	1·33	8	1·06	–	–	1	0·13	–	–
Ellesmere	–	–	3	1·62	2	1·08	1	0·54	–	–	1	0·54
Ludlow M.B.	–	–	3	0·56	1	0·19	–	–	–	–	–	–
Market Drayton	–	–	13	2·77	4	0·85	–	–	–	–	–	–
Newport	–	–	–	–	9	2·88	–	–	–	–	2	0·64
Oakengates	–	–	32	2·69	6	0·50	–	–	2	0·17	4	0·34
Oswestry M.B.	–	–	34	3·41	5	0·50	–	–	–	–	5	0·50
Shrewsbury M.B. ..	–	–	86	2·71	19	0·60	1	0·03	2	0·06	7	0·22
Wellington	–	–	14	1·71	–	–	–	–	–	–	5	0·61
Wem	–	–	2	0·90	–	–	–	–	–	–	–	–
Wenlock M.B.	–	–	73	5·31	20	1·45	–	–	1	0·07	5	0·36
Whitchurch	–	–	2	0·36	5	0·90	3	0·54	–	–	2	0·36

* Administrative County.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 2nd January 1926, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Ery-sipelas.	
	Cases.	Rate	Cases.	Rate.	Cases.	Rate.	Cases.	Rate	Cases.	Rate	Cases.	Rate
SALOP—*cont.*												
RURAL DISTRICTS :—												
Atcham	–	–	68	3·02	15	0·67	–	–	2	0·09	5	0·22
Bridgnorth	–	–	8	0·94	–	–	–	–	–	–	2	0·23
Burford	–	–	–	–	–	–	–	–	–	–	–	–
Chirbury	–	–	9	2·70	8	2·40	–	–	–	–	–	–
Church Stretton	–	–	4	0·89	–	–	–	–	–	–	–	–
Cleobury Mortimer ..	–	–	4	0·52	2	0·26	–	–	–	–	–	–
Clun	–	–	17	2·69	2	0·32	–	–	1	0·16	1	0·16
Drayton	–	–	27	3·66	18	2·44	–	–	–	–	2	0·27
Ellesmere	–	–	7	0·87	4	0·50	–	–	1	0·12	–	–
Ludlow	–	–	8	0·89	1	0·11	–	–	2	0·22	–	–
Newport	–	–	10	1·73	3	0·52	–	–	1	0·17	–	–
Oswestry	–	–	20	1·21	14	0·84	–	–	–	–	2	0·12
Shifnal	–	–	18	2·37	5	0·66	–	–	–	–	1	0·13
Teme	–	–	3	1·80	–	–	–	–	–	–	–	–
Wellington	–	–	15	1·33	3	0·27	–	–	–	–	4	0·35
Wem	–	–	30	3·48	2	0·23	–	–	–	–	1	0·12
Whitchurch	–	–	7	3·33	1	0·48	–	–	–	–	1	0·48
SOMERSET*	–	–	837	1·79	277	0·59	17	0·04	25	0·05	125	0·27
BATH C.B.	–	–	261	3·78	46	0·67	2	0·03	3	0·04	18	0·26
AGGREGATE OF M.Bs. AND U.Ds.	–	–	277	1·66	89	0·53	4	0·02	6	0·04	51	0·31
AGGREGATE OF R.Ds. ..	–	–	299	1·29	142	0·61	11	0·05	16	0·07	56	0·24
BOROUGHS AND URBAN DISTRICTS :—												
Bridgwater M.B.	–	–	52	3·17	27	1·65	–	–	1	0·06	5	0·30
Burnham on Sea	–	–	6	1·19	2	0·40	–	–	–	–	–	–
Chard M.B.	–	–	2	0·47	1	0·23	–	–	1	0·23	1	0·23
Clevedon	–	–	–	–	4	0·64	–	–	–	–	–	–
Crewkerne	–	–	39	10·68	–	–	–	–	–	–	–	–
Frome	–	–	8	0·75	–	–	–	–	–	–	3	0·28
Glastonbury M.B. ..	–	–	11	2·48	2	0·45	–	–	–	–	–	–
Highbridge	–	–	–	–	–	–	–	–	–	–	–	–
Ilminster	–	–	2	0·88	–	–	–	–	1	0·44	3	1·32
Midsomer Norton ..	–	–	16	1·95	4	0·49	–	–	–	–	6	0·73
Minehead	–	–	5	0·92	5	0·92	–	–	–	–	3	0·55
Portishead	–	–	6	1·55	1	0·26	–	–	–	–	–	–
Radstock	–	–	–	–	–	–	–	–	–	–	3	0·78
Shepton Mallet	–	–	2	0·46	1	0·23	–	–	–	–	3	0·69
Street	–	–	22	4·92	–	–	–	–	1	0·22	–	–
Taunton M.B.	–	–	49	2·00	10	0·41	–	–	–	–	13	0·53
Watchet	–	–	28	15·23	–	–	–	–	–	–	–	–
Wellington	–	–	5	0·71	–	–	–	–	–	–	1	0·14
Wells M.B.	–	–	1	0·23	7	1·60	1	0·23	–	–	1	0·23
Weston super Mare ..	–	–	21	0·82	24	0·93	3	0·12	–	–	6	0·23
Wiveliscombe	–	–	2	1·60	1	0·80	–	–	–	–	2	1·60
Yeovil M.B.	–	–	–	–	–	–	–	–	2	0·12	1	0·06
RURAL DISTRICTS :—												
Axbridge	–	–	6	0·25	23	0·97	6	0·25	5	0·21	9	0·38
Bath	–	–	62	4·21	8	0·54	1	0·07	–	–	1	0·07
Bridgwater	–	–	28	1·59	13	0·74	–	–	1	0·06	2	0·11
Chard	–	–	22	1·74	–	–	–	–	1	0·08	4	0·32
Clutton	–	–	10	0·61	5	0·31	–	–	–	–	9	0·55
Dulverton	–	–	–	–	–	–	–	–	–	–	–	–
Frome	–	–	20	1·83	3	0·27	–	–	1	0·09	2	0·18
Keynsham	–	–	22	1·99	4	0·36	2	0·18	–	–	8	0·72
Langport	–	–	4	0·31	3	0·23	–	–	1	0·08	2	0·16
Long Ashton	–	–	43	2·28	15	0·80	–	–	–	–	3	0·16

* Administrative County with associated County Borough.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 2nd January 1926, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Ery-sipelas	
	Cases.	Rate	Cases.	Rate.	Cases.	Rate.	Cases	Rate	Cases.	Rate	Cases.	Rate
SOMERSET—*cont.*												
RURAL DISTRICTS—*cont.*												
Shepton Mallet	–	–	17	1·72	38	3·85	–	–	–	–	2	0·20
Taunton	–	–	16	0·98	5	0·31	–	–	3	0·18	9	0·55
Wellington	–	–	2	0·35	1	0·17	–	–	1	0·17	1	0·17
Wells	–	–	7	0·67	12	1·14	1	0·10	1	0·10	–	–
Williton	–	–	8	0·68	1	0·08	–	–	–	–	–	–
Wincanton	–	–	25	1·55	11	0·68	1	0·06	2	0·12	2	0·12
Yeovil	–	–	7	0·41	–	–	–	–	–	–	2	0·12
SOUTHAMPTON*	–	–	2,222	2·49	1,450	1·62	99	0·11	54	0·06	250	0·28
BOURNEMOUTH C.B.	–	–	81	0·94	114	1·33	4	0·05	4	0·05	18	0·21
PORTSMOUTH C.B.	–	–	984	4·22	768	3·30	47	0·20	5	0·02	61	0·26
SOUTHAMPTON C.B.	–	–	352	2·09	309	1·83	18	0·11	17	0·10	63	0·37
AGGREGATE OF M.Bs. AND U.Ds.†	–	–	383	2·17	154	0·87	14	0·08	20	0·11	52	0·29
AGGREGATE OF R.Ds.† ..	–	–	422	1·84	105	0·46	16	0·07	8	0·03	56	0·24
BOROUGHS AND URBAN DISTRICTS :—												
Aldershot M.B.	–	–	28	1·10	16	0·63	1	0·04	1	0·04	4	0·16
Alton	–	–	12	2·22	1	0·18	–	–	1	0·18	4	0·74
Andover M.B.	–	–	14	1·63	2	0·23	–	–	2	0·23	1	0·12
Basingstoke M.B. ..	–	–	123	9·46	1	0·08	2	0·15	2	0·15	7	0·54
Christchurch M.B. ..	–	–	4	0·57	19	2·73	1	0·14	2	0·29	7	1·01
Eastleigh and Bishopstoke	–	–	19	1·18	4	0·25	–	–	–	–	14	0·87
Fareham	–	–	16	1·54	17	1·64	3	0·29	1	0·10	1	0·10
Farnborough	–	–	4	0·36	–	–	1	0·09	1	0·09	3	0·27
Fleet†	–	–	5	1·35	–	–	–	–	–	–	1	0·27
Gosport M.B.	–	–	74	2·41	83	2·71	–	–	1	0·03	4	0·13
Havant	–	–	3	0·69	1	0·23	1	0·23	–	–	–	–
Lymington M.B.	–	–	2	0·43	–	–	–	–	–	–	4	0·86
Petersfield	–	–	9	2·30	–	–	1	0·26	–	–	2	0·51
Romsey M.B.	–	–	3	0·62	2	0·42	–	–	1	0·21	–	–
Warblington	–	–	3	0·76	–	–	2	0·51	–	–	–	–
Winchester M.B. ..	–	–	64	2·68	8	0·33	2	0·08	8	0·33	–	–
RURAL DISTRICTS :—												
Alresford	–	–	6	0·80	–	–	–	–	2	0·27	–	–
Alton	–	–	53	3·39	11	0·70	–	–	2	0·13	6	0·38
Andover	–	–	15	1·30	1	0·09	3	0·26	1	0·09	3	0·26
Basingstoke	–	–	53	4·11	–	–	2	0·16	–	–	4	0·31
Catherington	–	–	31	7·02	1	0·23	1	0·23	–	–	1	0·23
Christchurch	–	–	8	1·43	1	0·18	–	–	–	–	1	0·18
Droxford	–	–	9	0·67	12	0·90	2	0·15	–	–	3	0·22
Fareham	–	–	15	0·97	11	0·71	1	0·06	–	–	3	0·19
Fordingbridge	–	–	34	5·37	–	–	–	–	1	0·16	3	0·47
Hartley Wintney† ..	–	–	12	0·60	27	1·34	1	0·05	–	–	1	0·05
Havant	–	–	13	1·73	7	0·93	2	0·27	1	0·13	–	–
Hursley	–	–	15	3·11	1	0·21	1	0·21	–	–	–	–
Kingsclere	–	–	27	3·15	3	0·35	–	–	–	–	3	0·35
Lymington	–	–	4	0·30	5	0·38	–	–	–	–	7	0·53
New Forest	–	–	21	1·09	6	0·31	1	0·05	1	0·05	–	–
Petersfield	–	–	10	0·89	–	–	1	0·09	–	–	–	–
Ringwood	–	–	22	2·93	2	0·27	–	–	–	–	5	0·67
Romsey	–	–	2	0·28	–	–	–	–	–	–	–	–
South Stoneham ..	–	–	23	1·84	9	0·72	1	0·08	–	–	3	0·24
Stockbridge	–	–	3	0·48	–	–	–	–	–	–	1	0·16
Whitchurch	–	–	20	3·13	2	0·31	–	–	–	–	8	1·25
Winchester	–	–	26	2·21	6	0·51	–	–	–	–	4	0·34

* Administrative County with associated County Boroughs.
† Rates adjusted to allow for changes in boundary during the year.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 2nd January 1926, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Ery-sipelas.	
	Cases.	Rate	Cases.	Rate.	Cases.	Rate.	Cases	Rate	Cases	Rate	Cases	Rate
STAFFORD*	1	0·00	3,631	2·56	1,844	1·30	22	0·02	120	0·08	610	0·43
BURTON UPON TRENT C.B. ..	1	0·02	110	2·22	14	0·28	–	–	4	0·08	12	0·24
SMETHWICK C.B.	–	–	165	2·09	104	1·32	–	–	8	0·10	28	0·36
STOKE ON TRENT C.B. ..	–	–	997	3·57	275	0·99	9	0·03	35	0·13	165	0·59
WALSALL C.B.	–	–	198	1·94	349	3·41	–	–	8	0·08	29	0·28
WEST BROMWICH C.B. ..	–	–	170	2·14	101	1·27	–	–	8	0·10	49	0·62
WOLVERHAMPTON C.B. ..	–	–	186	1·71	48	0·44	1	0·01	14	0·13	31	0·28
AGGREGATE OF M.BS. AND U.DS.	–	–	1,219	2·39	634	1·24	10	0·02	24	0·05	226	0·44
AGGREGATE OF R.DS. ..	–	–	586	2·76	319	1·50	2	0·01	19	0·09	70	0·33
BOROUGHS AND URBAN DISTRICTS :—												
Amblecote..	–	–	3	0·93	1	0·31	–	–	–	–	–	–
Audley	–	–	92	6·04	24	1·58	–	–	1	0·07	20	1·31
Biddulph	–	–	24	2·84	8	0·95	–	–	–	–	8	0·95
Bilston	–	–	53	1·75	53	1·75	1	0·03	1	0·03	14	0·46
Brierley Hill	–	–	17	1·30	10	0·76	1	0·08	1	0·08	8	0·61
Brownhills	–	–	73	3·59	40	1·97	–	–	2	0·10	10	0·49
Cannock	–	–	108	3·05	65	1·83	1	0·03	2	0·06	15	0·42
Coseley	–	–	20	0·78	20	0·78	–	–	–	–	9	0·35
Darlaston	–	–	29	1·51	16	0·83	–	–	–	–	3	0·16
Heath Town or Wednesfield Heath	–	–	25	1·76	10	0·70	–	–	1	0·07	6	0·42
Kidsgrove	–	–	31	3·00	17	1·64	–	–	2	0·19	8	0·77
Leek	–	–	107	6·35	9	0·53	–	–	–	–	8	0·47
Lichfield M.B.	–	–	4	0·48	2	0·24	–	–	–	–	3	0·36
Newcastle under Lyme M.B.	–	–	50	2·32	31	1·44	–	–	–	–	3	0·14
Perry Barr	–	–	5	1·59	2	0·63	–	–	–	–	1	0·32
Quarry Bank	–	–	8	0·93	14	1·62	–	–	1	0·12	2	0·23
Rowley Regis	–	–	95	2·22	54	1·26	1	0·02	1	0·02	16	0·37
Rugeley	–	–	4	0·77	–	–	–	–	–	–	1	0·19
Sedgley	–	–	53	2·74	24	1·24	–	–	1	0·05	10	0·52
Short Heath	–	–	21	4·36	8	1·66	–	–	1	0·21	3	0·62
Stafford M.B.	–	–	98	3·38	10	0·34	–	–	2	0·07	2	0·07
Stone	–	–	11	1·95	1	0·18	–	–	–	–	3	0·53
Tamworth M.B.	–	–	1	0·12	66	8·02	–	–	–	–	–	–
Tettenhall..	–	–	15	2·75	3	0·55	–	–	–	–	1	0·18
Tipton	–	–	63	1·71	18	0·49	3	0·08	–	–	19	0·51
Uttoxeter	–	–	3	0·54	2	0·36	–	–	–	–	3	0·54
Wednesbury M.B. ..	–	–	68	2·06	49	1·49	–	–	1	0·03	27	0·82
Wednesfield	–	–	5	0·62	2	0·25	–	–	–	–	–	–
Willenhall	–	–	48	2·23	25	1·16	2	0·09	5	0·23	10	0·46
Wolstanton United ..	–	–	85	2·82	50	1·66	1	0·03	2	0·07	13	0·43
RURAL DISTRICTS :—												
Blore Heath	–	–	5	2·02	2	0·81	–	–	–	–	–	–
Cannock	–	–	33	1·42	42	1·81	–	–	–	–	7	0·30
Cheadle	–	–	102	3·86	39	1·48	1	0·04	1	0·04	20	0·76
Dudley†												
Gnosall	–	–	4	0·85	1	0·21	–	–	–	–	–	–
Kingswinford	–	–	48	2·11	31	1·36	–	–	2	0·09	5	0·22
Leek	–	–	95	6·50	15	1·03	–	–	3	0·21	3	0·21
Lichfield	–	–	66	2·10	37	1·18	–	–	12	0·38	18	0·57
Mayfield	–	–	3	0·77	2	0·51	–	–	–	–	1	0·26
Newcastle under Lyme ..	–	–	15	2·41	9	1·45	–	–	–	–	3	0·48

* Administrative County with associated County Boroughs.
† Cases, if any, are included with those for Dudley C.B.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 2nd January 1926, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Ery-sipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
STAFFORD—*cont.*												
RURAL DISTRICTS—*cont.*												
Seisdon	–	–	72	4·07	16	0·90	–	–	–	–	3	0·17
Stafford	–	–	9	0·98	13	1·41	–	–	–	–	–	–
Stone	–	–	53	4·37	3	0·25	–	–	1	0·08	3	0·25
Tamworth (part of)† ..	–	–	3	0·51	55	9·36	–	–	–	–	3	0·51
Tutbury	–	–	34	3·78	10	1·11	–	–	–	–	–	–
Uttoxeter	–	–	8	0·97	–	–	–	–	–	–	–	–
Walsall	–	–	36	2·61	42	3·04	1	0·07	–	–	4	0·29
Blymhill and Weston under Lizard (parishes)‡	–	–	–	–	2	2·92	–	–	–	–	–	–
SUFFOLK, EAST*	–	–	550	1·88	105	0·36	37	0·13	35	0·12	80	0·27
IPSWICH C.B...	–	–	130	1·56	34	0·41	19	0·23	19	0·23	27	0·32
AGGREGATE OF M.BS. AND U.DS.	–	–	197	2·18	37	0·41	10	0·11	4	0·04	25	0·28
AGGREGATE OF R.DS. ..	–	–	223	1·87	34	0·28	8	0·07	12	0·10	28	0·23
BOROUGHS AND URBAN DISTRICTS :—												
Aldeburgh M.B.	–	–	–	–	–	–	–	–	1	0·40	2	0·81
Beccles M.B.	–	–	24	3·41	–	–	4	0·57	–	–	6	0·85
Bungay	–	–	8	2·51	2	0·63	–	–	–	–	1	0·31
Eye M.B.	–	–	–	–	–	–	–	–	2	1·08	–	–
Felixstowe	–	–	1	0·10	1	0·10	1	0·10	–	–	1	0·10
Halesworth	–	–	–	–	–	–	–	–	–	–	1	0·48
Leiston cum Sizewell ..	–	–	4	0·84	4	0·84	1	0·21	–	–	1	0·21
Lowestoft M.B.	–	–	117	2·54	29	0·63	3	0·07	1	0·02	12	0·26
Saxmundham	–	–	2	1·49	–	–	–	–	–	–	–	–
Southwold M.B.	–	–	9	3·24	–	–	–	–	–	–	1	0·36
Stowmarket	–	–	31	7·29	–	–	1	0·24	–	–	–	–
Woodbridge	–	–	1	0·22	1	0·22	–	–	–	–	–	–
RURAL DISTRICTS :—												
Blything	–	–	19	1·07	1	0·06	–	–	–	–	3	0·17
Bosmere and Claydon ..	–	–	36	2·54	2	0·14	2	0·14	3	0·21	4	0·28
East Stow..	–	–	30	4·59	11	1·68	–	–	2	0·31	3	0·46
Hartismere	–	–	31	2·87	4	0·37	1	0·09	3	0·28	6	0·56
Hoxne	–	–	18	1·85	2	0·21	–	–	1	0·10	1	0·10
Mutford and Lothingland	–	–	57	4·68	4	0·33	1	0·08	–	–	2	0·16
Plomesgate	–	–	12	0·79	4	0·26	1	0·07	–	–	2	0·13
Samford	–	–	9	0·72	3	0·24	–	–	3	0·24	2	0·16
Wangford	–	–	5	1·08	–	–	1	0·22	–	–	3	0·65
Woodbridge	–	–	6	0·38	3	0·19	2	0·13	–	–	2	0·13
SUFFOLK, WEST§	–	–	259	2·36	30	0·27	3	0·03	1	0·01	15	0·14
AGGREGATE OF M.BS. AND U.DS.	–	–	204	4·92	9	0·22	–	–	1	0·02	7	0·17
AGGREGATE OF R.DS. ..	–	–	55	0·80	21	0·31	3	0·04	–	–	8	0·12
BOROUGHS AND URBAN DISTRICTS :—												
Bury St. Edmunds M.B.	–	–	31	1·94	4	0·25	–	–	1	0·06	5	0·31
Glemsford..	–	–	–	–	–	–	–	–	–	–	–	–
Hadleigh	–	–	38	12·37	2	0·65	–	–	–	–	–	–
Haverhill	–	–	1	0·24	–	–	–	–	–	–	–	–
Newmarket	–	–	119	12·10	1	0·10	–	–	–	–	1	0·10
Sudbury M.B.	–	–	15	2·14	2	0·29	–	–	–	–	1	0·14

* Administrative County with associated County Borough.

† The remaining part of the Rural District of Tamworth is in the Administrative County of Warwick.

‡ These Parishes are administered by the Rural District Council of Shifnal (Salop).

§ Administrative County.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 2nd January 1926, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Ery-sipelas.	
	Cases.	Rate	Cases.	Rate.	Cases.	Rate.	Cases	Rate	Cases.	Rate	Cases.	Rate.
SUFFOLK, WEST—*cont.*												
RURAL DISTRICTS :—												
Brandon	–	–	–	–	3	0·52	–	–	–	–	–	–
Clare	–	–	–	–	–	–	–	–	–	–	1	0·14
Cosford	–	–	13	1·25	–	–	1	0·10	–	–	3	0·29
Melford	–	–	9	0·73	2	0·16	1	0·08	–	–	2	0·16
Mildenhall	–	–	12	1·45	4	0·48	1	0·12	–	–	–	–
Moulton	–	–	4	1·86	–	–	–	–	–	–	1	0·46
Thedwastre	–	–	9	1·06	12	1·42	–	–	–	–	–	–
Thingoe	–	–	8	0·59	–	–	–	–	–	–	1	0·07
SURREY*	1	0·00	1,940	2·04	848	0·89	115	0·12	30	0·03	235	0·25
CROYDON C.B.	–	–	343	1·72	102	0·51	36	0·18	10	0·05	54	0·27
AGGREGATE OF M.Bs. AND U.Ds.	1	0·00	1,333	2·28	614	1·05	65	0·11	16	0·03	152	0·26
AGGREGATE OF R.Ds. ..	–	–	264	1·60	132	0·80	14	0·08	4	0·02	29	0·18
BOROUGHS AND URBAN DISTRICTS :—												
Barnes	–	–	106	3·02	44	1·25	1	0·03	–	–	12	0·34
Beddington and Wallington	–	–	33	1·98	10	0·60	–	–	–	–	7	0·42
Carshalton	–	–	28	1·79	27	1·72	1	0·06	–	–	4	0·26
Caterham	–	–	53	4·52	26	2·22	2	0·17	1	0·09	6	0·51
Chertsey	–	–	7	0·45	2	0·13	–	–	–	–	3	0·19
Coulsdon and Purley ..	–	–	35	1·47	13	0·54	25	1·05	–	–	10	0·42
Dorking	–	–	2	0·25	2	0·25	1	0·13	–	–	3	0·38
East and West Molesey..	–	–	6	0·82	1	0·14	2	0·27	–	–	–	–
Egham	–	–	32	2·35	5	0·37	2	0·15	–	–	2	0·15
Epsom	–	–	4	0·21	8	0·41	7	0·36	1	0·05	8	0·41
Esher and the Dittons ..	–	–	26	1·80	10	0·69	1	0·07	–	–	–	–
Farnham	–	–	38	2·28	8	0·48	2	0·12	–	–	1	0·06
Frimley	–	–	6	0·51	–	–	–	–	1	0·08	1	0·08
Godalming M.B.	–	–	21	2·26	4	0·43	1	0·11	–	–	2	0·22
Guildford M.B.	–	–	14	0·54	25	0·96	1	0·04	–	–	3	0·12
Ham	–	–	–	–	–	–	–	–	–	–	–	–
Haslemere..	–	–	11	2·87	2	0·52	–	–	–	–	–	–
Kingston on Thames M.B.	–	–	213	5·32	25	0·62	7	0·17	4	0·10	21	0·52
Leatherhead	–	–	7	1·16	3	0·50	1	0·17	–	–	2	0·33
Merton and Morden ..	–	–	74	3·90	25	1·32	–	–	–	–	6	0·32
Mitcham	–	–	108	2·85	201	5·30	4	0·11	5	0·13	10	0·26
Reigate M.B.	–	–	47	1·64	6	0·21	1	0·03	1	0·03	3	0·10
Richmond M.B.	–	–	114	3·29	23	0·66	1	0·03	–	–	8	0·23
Surbiton	–	–	33	1·65	7	0·35	–	–	–	–	3	0·15
Sutton	1	0·05	45	2·11	11	0·52	–	–	–	–	2	0·09
The Maldens and Coombe	–	–	28	1·81	34	2·20	–	–	–	–	4	0·26
Walton upon Thames ..	–	–	24	1·65	1	0·07	–	–	–	–	4	0·28
Weybridge	–	–	4	0·63	1	0·16	1	0·16	–	–	–	–
Wimbledon M.B. ..	–	–	169	2·91	33	0·57	3	0·05	3	0·05	20	0·34
Windlesham	–	–	14	2·97	–	–	–	–	–	–	–	–
Woking	–	–	31	1·17	57	2·16	1	0·04	–	–	7	0·27
RURAL DISTRICTS :—												
Chertsey	–	–	18	1·56	15	1·30	1	0·09	–	–	1	0·09
Dorking	–	–	19	1·83	2	0·19	–	–	–	–	–	–
Epsom	–	–	37	1·00	18	0·49	6	0·16	2	0·05	18	0·49
Farnham	–	–	37	2·68	2	0·15	3	0·22	–	–	1	0·07
Godstone	–	–	46	1·79	56	2·18	2	0·08	–	–	2	0·08
Guildford	–	–	28	1·38	9	0·44	–	–	–	–	1	0·05
Hambledon	–	–	43	1·86	8	0·35	1	0·04	1	0·04	5	0·22
Reigate	–	–	36	1·52	22	0·93	1	0·04	1	0·04	1	0·04

* Administrative County with associated County Borough.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 2nd January 1926, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Ery-sipelas.	
	Cases.	Rate	Cases.	Rate.	Cases.	Rate.	Cases	Rate	Cases	Rate	Cases.	Rate.
SUSSEX, EAST*	–	–	737	1·44	234	0·46	28	0·05	8	0·02	146	0·29
BRIGHTON C.B.	–	–	286	2·08	117	0·85	7	0·05	1	0·01	52	0·38
EASTBOURNE C.B.	–	–	85	1·54	20	0·36	1	0·02	–	–	18	0·33
HASTINGS C.B.	–	–	100	1·65	15	0·25	4	0·07	2	0·03	17	0·28
AGGREGATE OF M.Bs. AND U.Ds.	–	–	133	1·05	49	0·39	7	0·06	3	0·02	35	0·28
AGGREGATE OF R.Ds. ..	–	–	133	1·01	33	0·25	9	0·07	2	0·02	24	0·18
BOROUGHS AND URBAN DISTRICTS:—												
Battle	–	–	13	4·28	–	–	–	–	–	–	–	–
Bexhill M.B.	–	–	7	0·37	10	0·53	1	0·05	–	–	3	0·16
Burgess Hill	–	–	5	0.89	3	0·54	–	–	–	–	2	0·36
Cuckfield	–	–	2	1·08	–	–	–	–	–	–	–	–
East Grinstead	–	–	15	1·89	9	1·13	–	–	–	–	4	0·50
Haywards Heath.. ..	–	–	6	1·22	–	–	1	0·20	–	–	–	–
Hove M.B.	–	–	41	0·91	12	0·27	3	0·07	1	0·02	18	0·40
Lewes M.B.	–	–	18	1·62	4	0·36	–	–	–	–	2	0·18
Newhaven..	–	–	7	1·05	1	0·15	2	0·30	–	–	2	0·30
Portslade by Sea.. ..	–	–	7	0·86	5	0·62	–	–	1	0·12	3	0·37
Rye M.B...	–	–	–	–	2	0·52	–	–	–	–	–	–
Seaford	–	–	10	1·54	1	0·15	–	–	1	0·15	1	0·15
Uckfield	–	–	2	0·59	2	0·59	–	–	–	–	–	–
RURAL DISTRICTS:—												
Battle	–	–	10	1·58	–	–	–	–	–	–	–	–
Chailey	–	–	7	0·55	7	0·55	–	–	–	–	1	0·08
Cuckfield	–	–	34	2·06	2	0·12	–	–	–	–	2	0·12
Eastbourne	–	–	6	1·00	1	0·17	–	–	–	–	4	0·67
East Grinstead	–	–	10	0·71	1	0·07	2	0·14	–	–	4	0·29
Hailsham	–	–	15	0·81	4	0·22	3	0·16	1	0·05	4	0·22
Hastings	–	–	1	0·52	–	–	–	–	–	–	–	–
Newhaven..	–	–	5	0·64	1	0·13	1	0·13	–	–	2	0·26
Rye	–	–	10	1·45	3	0·44	3	0·44	–	–	2	0·29
Steyning East	–	–	1	0·28	4	1·11	–	–	–	–	1	0·28
Ticehurst	–	–	4	0·31	3	0·24	–	–	–	–	–	–
Uckfield	–	–	30	1·22	7	0·28	–	–	1	0·04	4	0·16
SUSSEX, WEST†	–	–	376	1·94	78	0·40	17	0·09	5	0·03	40	0·21
AGGREGATE OF M.Bs. AND U.Ds.	–	–	176	1·87	29	0·31	8	0·08	2	0·02	18	0·19
AGGREGATE OF R.Ds. ..	–	–	200	2·02	49	0·49	9	0·09	3	0·03	22	0·22
BOROUGHS AND URBAN DISTRICTS:—												
Arundel M.B.	–	–	–	–	–	–	–	–	–	–	1	0·38
Bognor	–	–	22	1·72	6	0·47	–	–	1	0·08	–	–
Chichester M.B.	–	–	15	1·14	4	0·30	2	0·15	–	–	2	0·15
Horsham	–	–	22	1·94	1	0·09	–	–	–	–	3	0·26
Littlehampton	–	–	9	1·00	2	0·22	2	0·22	–	–	–	–
Shoreham by Sea ..	–	–	18	2·43	7	0·94	1	0·13	–	–	2	0·27
Southwick..	–	–	6	1·22	1	0·20	1	0·20	–	–	1	0·20
Worthing M.B.	–	–	84	2·55	8	0·24	2	0·06	1	0·03	9	0·27
RURAL DISTRICTS:—												
East Preston	–	–	14	1·79	5	0·64	–	–	–	–	2	0·26
Horsham	–	–	47	2·24	11	0·52	3	0·14	–	–	6	0·29
Midhurst	–	–	59	3·96	9	0·60	–	–	–	–	1	0·07
Petworth	–	–	29	3·56	1	0·12	–	–	2	0·25	1	0·12
Steyning West	–	–	12	1·15	–	–	1	0·10	–	–	3	0·29
Thakeham..	–	–	5	0·58	–	–	–	–	–	–	3	0·35
Westbourne	–	–	11	1·20	2	0·22	2	0·22	1	0·11	–	–
Westhampnett	–	–	23	1·21	21	1·11	3	0·16	–	–	6	0·32

* Administrative County with associated County Boroughs.
† Administrative County.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 2nd January 1926, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diph-theria.		Enteric fever		Puerperal fever.		Ery-sipelas.	
	Cases.	Rate	Cases.	Rate.	Cases.	Rate.	Cases.	Rate	Cases.	Rate.	Cases.	Rate
WARWICK*	122	0·08	3,139	2·18	2,978	2·07	47	0·03	184	0·13	590	0·41
BIRMINGHAM C.B.	1	0·00	2,029	2·15	2,242	2·37	34	0·04	145	0·15	383	0·40
COVENTRY C.B.	72	0·56	330	2·56	190	1·47	3	0·02	15	0·12	67	0·52
AGGREGATE OF M.Bs. AND U.Ds.	29	0·18	369	2·34	139	0·88	4	0·03	13	0·08	59	0·37
AGGREGATE OF R.Ds. ..	20	0·10	411	2·01	407	1·99	6	0·03	11	0·05	81	0·40
BOROUGHS AND URBAN DISTRICTS :—												
Bulkington	–	–	–	–	–	–	–	–	–	–	3	1·23
Kenilworth	–	–	4	0·56	–	–	–	–	2	0·28	4	0·56
Nuneaton M.B.	29	0·64	164	3·63	44	0·97	1	0·02	5	0·11	21	0·46
Royal Leamington Spa M.B.	–	–	40	1·36	31	1·06	1	0·03	1	0·03	12	0·41
Rugby	–	–	72	2·79	28	1·09	1	0·04	3	0·12	11	0·43
Stratford on Avon M.B.	–	–	46	4·41	6	0·57	–	–	–	–	1	0·10
Sutton Coldfield M.B. ..	–	–	18	0·76	21	0·88	1	0·04	–	–	5	0·21
Warwick M.B.	–	–	25	1·87	9	0·67	–	–	2	0·15	2	0·15
RURAL DISTRICTS :—												
Alcester	–	–	19	1·51	34	2·69	1	0·08	1	0·08	4	0·32
Atherstone	5	0·22	75	3·35	150	6·70	–	–	–	–	11	0·49
Brailes	–	–	4	0·71	–	–	–	–	–	–	5	0·88
Coventry	2	0·31	36	5·57	8	1·24	–	–	–	–	2	0·31
Farnborough	–	–	–	–	–	–	–	–	–	–	–	–
Foleshill	4	0·11	62	1·65	12	0·32	1	0·03	4	0·11	22	0·59
Meriden	–	–	46	2·52	14	0·77	2	0·11	2	0·11	9	0·49
Monks Kirby	–	–	–	–	–	–	–	–	–	–	–	–
Nuneaton	2	0·46	12	2·76	3	0·69	–	–	2	0·46	1	0·23
Rugby	–	–	52	2·52	6	0·29	–	–	–	–	6	0·29
Solihull	–	–	21	0·96	16	0·73	–	–	–	–	4	0·18
Southam	–	–	11	1·10	3	0·30	–	–	1	0·10	5	0·50
Stratford on Avon ..	–	–	22	2·22	2	0·20	–	–	–	–	2	0·20
Tamworth (part of)† ..	–	–	23	1·24	152	8·16	–	–	1	0·05	6	0·32
Warwick	7	0·55	28	2·18	7	0·55	2	0·16	–	–	4	0·31
WESTMORLAND‡	–	–	213	3·41	5	0·08	12	0·19	3	0·05	12	0·19
AGGREGATE OF M.Bs. AND U.Ds.	–	–	106	3·98	4	0·15	11	0·41	1	0·04	3	0·11
AGGREGATE OF R.Ds. ..	–	–	107	2·99	1	0·03	1	0·03	2	0·06	9	0·25
BOROUGHS AND URBAN DISTRICTS :—												
Ambleside	–	–	–	–	–	–	–	–	–	–	–	–
Appleby M.B.	–	–	3	1·84	–	–	–	–	–	–	1	0·61
Grasmere	–	–	–	–	1	1·14	–	–	–	–	–	–
Kendal M.B.	–	–	61	4·27	3	0·21	11	0·77	1	0·07	2	0·14
Kirkby Lonsdale	–	–	19	15·07	–	–	–	–	–	–	–	–
Shap	–	–	–	–	–	–	–	–	–	–	–	–
Windermere	–	–	23	4·33	–	–	–	–	–	–	–	–
RURAL DISTRICTS :—												
East Westmorland ..	–	–	50	4·55	–	–	–	–	1	0·09	3	0·27
South Westmorland ..	–	–	41	2·19	1	0·05	1	0·05	–	–	4	0·21
West Ward	–	–	16	2·64	–	–	–	–	1	0·17	2	0·33
† –	–	26	1·06	207	8·45	–	–	1	0·04	9	0·37	

* Administrative County with associated County Boroughs.

† The remaining part of the Rural District of Tamworth is in the Administrative County of Stafford. The figures for the entire District are :—

‡ Administrative County.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 2nd January 1926, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Ery-sipelas.	
	Cases.	Rate	Cases.	Rate.	Cases.	Rate.	Cases.	Rate	Cases.	Rate.	Cases.	Rate.
WIGHT, ISLE OF* ..	–	–	396	4·62	51	0·60	5	0·06	3	0·04	17	0·20
AGGREGATE OF M.BS. AND U.DS.	–	–	323	5·66	30	0·53	3	0·05	2	0·04	13	0·23
RURAL DISTRICT	–	–	73	2·55	21	0·73	2	0·07	1	0·03	4	0·14
BOROUGHS AND URBAN DISTRICTS :—												
Cowes	–	–	145	13·56	7	0·65	–	–	–	–	6	0·56
East Cowes	–	–	12	2·50	4	0·83	–	–	–	–	2	0·42
Newport M.B.	–	–	100	8·83	4	0·35	2	0·18	2	0·18	2	0·18
Ryde M.B.	–	–	28	2·68	9	0·86	–	–	–	–	1	0·10
St. Helens..	–	–	11	2·15	2	0·39	1	0·20	–	–	1	0·20
Sandown	–	–	13	2·41	4	0·74	–	–	–	–	1	0·19
Shanklin	–	–	–	–	–	–	–	–	–	–	–	–
Ventnor	–	–	14	2·81	–	–	–	–	–	–	–	–
RURAL DISTRICT :— Isle of Wight	–	–	73	2·55	21	0·73	2	0·07	1	0·03	4	0·14
WILTS*	–	–	534	1·81	285	0·96	16	0·05	16	0·05	70	0·24
AGGREGATE OF M.BS. AND U.DS.	–	–	290	2·12	162	1·18	4	0·03	11	0·08	37	0·27
AGGREGATE OF R.DS. ..	–	–	244	1·53	123	0·77	12	0·08	5	0·03	33	0·21
BOROUGHS AND URBAN DISTRICTS:—												
Bradford on Avon	–	–	1	0·20	–	–	–	–	–	–	–	–
Calne M.B.	–	–	2	0·55	–	–	–	–	–	–	–	–
Chippenham M.B. ..	–	–	9	1·13	4	0·50	–	–	–	–	–	–
Devizes M.B	–	–	8	1·33	13	2·17	–	–	1	0·17	2	0·33
Malmesbury M.B.. ..	–	–	–	–	1	0·42	–	–	1	0·42	–	–
Marlborough M.B. ..	–	–	1	0·24	13	3·09	–	–	–	–	2	0·48
Melksham	–	–	–	–	1	0·27	–	–	–	–	–	–
Salisbury M.B.	–	–	25	1·07	49	2·09	1	0·04	–	–	6	0·26
Swindon M.B.	–	–	173	3·04	62	1·09	3	0·05	7	0·12	24	0·42
Trowbridge	–	–	62	5·05	–	–	–	–	–	–	–	–
Warminster	–	–	4	0·73	5	0·92	–	–	1	0·18	3	0·55
Westbury	–	–	4	1·04	–	–	–	–	1	0·26	–	–
Wilton M.B.	–	–	1	0·50	14	6·99	–	–	–	–	–	–
RURAL DISTRICTS :—												
Amesbury	–	–	13	0·98	1	0·08	1	0·08	–	–	4	0·30
Bradford on Avon ..	–	–	6	1·07	–	–	–	–	–	–	2	0·36
Calne	–	–	5	1·05	1	0·21	–	–	–	–	–	–
Chippenham	–	–	37	2·57	15	1·04	1	0·07	1	0·07	1	0·07
Cricklade and Wootton Bassett	–	–	13	1·17	4	0·36	–	–	–	–	7	0·63
Devizes	–	–	14	1·13	3	0·24	1	0·08	–	–	–	–
Highworth	–	–	32	1·84	59	3·40	1	0·06	–	–	4	0·23
Malmesbury	–	–	2	0·24	1	0·12	–	–	–	–	2	0·24
Marlborough	–	–	7	1·65	5	1·18	–	–	–	–	1	0·24
Melksham	–	–	8	1·54	1	0·19	–	–	–	–	–	–
Mere	–	–	4	0·88	5	1·10	–	–	–	–	–	–
Pewsey	–	–	37	2·82	5	0·38	–	–	1	0·08	1	0·08
Ramsbury..	–	–	–	–	6	0·95	–	–	–	–	2	0·32
Salisbury	–	–	6	0·59	3	0·30	–	–	–	–	–	–
Tetbury (part of)† ..	–	–	1	2·70	–	–	–	–	–	–	1	2·70
Tisbury	–	–	15	2·11	2	0·28	8	1·12	1	0·14	3	0·42
Warminster	–	–	4	0·66	1	0·17	–	–	–	–	2	0·33
Westbury and Whorwellsdown	–	–	14	2·13	1	0·15	–	–	1	0·15	–	–
Wilton	–	–	26	3·21	10	1·24	–	–	1	0·12	3	0·37

* Administrative County.
† The remaining part of the Rural District of Tetbury is in the Administrative County of Gloucester.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 2nd January 1926, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox		Scarlet fever		Diph-theria		Enteric fever		Puerperal fever.		Ery-sipelas.	
	Cases.	Rate	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases	Rate.	Cases.	Rate
WORCESTER*	1	0·00	800	1·92	274	0·66	11	0·03	21	0·05	100	0·24
DUDLEY C.B. (INCLUDING DUDLEY CASTLE HILL)	–	–	149	2·53	33	0·56	–	–	3	0·05	13	0·22
WORCESTER C.B.	–	–	168	3·34	53	1·06	4	0·08	3	0·06	23	0·46
AGGREGATE OF M.BS. AND U.DS.§	1	0·01	335	1·73	129	0·67	4	0·02	14	0·07	41	0·21
AGGREGATE OF R.DS.§ ..	–	–	148	1·30	59	0·52	3	0·03	1	0·01	23	0·20
BOROUGHS AND URBAN DISTRICTS :—												
Bewdley M.B.	–	–	3	1·15	5	1·92	–	–	2	0·77	2	0·77
Bromsgrove	–	–	16	1·64	2	0·20	–	–	–	–	–	–
Droitwich M.B.	–	–	7	1·82	5	1·30	–	–	–	–	–	–
Evesham M.B.	–	–	4	0·46	2	0·23	–	–	–	–	1	0·12
Halesowen§	–	–	28	1·23	29	1·28	–	–	–	–	3	0·13
Kidderminster M.B. ..	–	–	48	1·76	13	0·48	–	–	3	0·11	3	0·11
Lye and Wollescote ..	–	–	29	2·39	15	1·24	–	–	–	–	1	0·08
Malvern	–	–	54	3·18	8	0·47	–	–	3	0·18	2	0·12
North Bromsgrove ..	–	–	54	6·15	5	0·57	–	–	1	0·11	–	–
Oldbury	–	–	30	0·74	25	0·61	–	–	2	0·05	13	0·32
Redditch	–	–	16	0·95	5	0·30	3	0·18	–	–	5	0·30
Stourbridge M.B... ..	1	0·05	30	1·60	14	0·75	1	0·05	3	0·16	6	0·32
Stourport	–	–	16	3·26	1	0·20	–	–	–	–	5	1·02
RURAL DISTRICTS :—												
Bromsgrove	–	–	37	2·09	16	0·90	–	–	–	–	5	0·28
Droitwich	–	–	8	0·68	6	0·51	–	–	–	–	–	–
Evesham	–	–	3	0·30	1	0·10	–	–	–	–	1	0·10
Feckenham	–	–	7	1·27	4	0·73	–	–	–	–	1	0·18
Halesowen§	–	–	9	1·21	6	0·81	–	–	–	–	4	0·54
Kidderminster	–	–	11	1·45	3	0·40	–	–	1	0·13	3	0·40
Martley	–	–	36	2·87	1	0·08	2	0·16	–	–	3	0·24
Pershore	–	–	8	0·62	6	0·46	–	–	–	–	2	0·15
Rock	–	–	6	2·74	1	0·46	–	–	–	–	–	–
Shipston on Stour ..	–	–	6	1·40	–	–	1	0·23	–	–	–	–
Stow on the Wold (part of)†	–	–	–	–	–	–	–	–	–	–	–	–
Tenbury	–	–	5	1·13	–	–	–	–	–	–	–	–
Tewkesbury (part of)† ..	–	–	1	0·47	–	–	–	–	–	–	1	0·47
Upton on Severn ..	–	–	9	0·67	15	1·11	–	–	–	–	3	0·22
Winchcomb (part of)† ..	–	–	–	–	–	–	–	–	–	–	–	–
Redmarley d'Abitôt and Staunton (parishes)‡ ..	–	–	2	1·99	–	–	–	–	–	–	–	–
YORKS, EAST RIDING* ..	59	0·13	625	1·35	565	1·22	47	0·10	18	0·04	156	0·34
KINGSTON UPON HULL C.B...	59	0·20	416	1·40	497	1·67	26	0·09	14	0·05	120	0·40
AGGREGATE OF M.BS. AND U.DS.	–	–	93	1·39	27	0·40	13	0·19	2	0·03	22	0·33
AGGREGATE OF R.DS. ..	–	–	116	1·17	41	0·41	8	0·08	2	0·02	14	0·14
BOROUGHS AND URBAN DISTRICTS :—												
Beverley M.B.	–	–	27	1·97	–	–	1	0·07	–	–	9	0·66
Bridlington M.B... ..	–	–	20	1·24	–	–	1	0·06	–	–	1	0·06
Cottingham	–	–	12	2·23	3	0·56	1	0·19	–	–	3	0·56
Filey	–	–	1	0·28	–	–	–	–	–	–	2	0·56
Great Driffield	–	–	10	1·77	11	1·95	7	1·24	2	0·35	4	0·71
Hedon M.B.	–	–	–	–	1	0·70	–	–	–	–	–	–
Hessle	–	–	3	0·47	4	0·63	1	0·16	–	–	2	0·32
Hornsea	–	–	2	0·51	1	0·25	–	–	–	–	–	–
Norton	–	–	1	0·26	1	0·26	–	–	–	–	–	–
Pocklington	–	–	12	4·40	1	0·37	–	–	–	–	–	–
Withernsea	–	–	5	1·17	5	1·17	2	0·47	–	–	1	0·23

* Administrative County with associated County Boroughs.

† The remaining parts of the Rural Districts of Stow on the Wold, Tewkesbury, and Winchcomb are in the Administrative County of Gloucester.

‡ These Parishes are administered by the Rural District Council of Newent (Glos.).

§ On 1st April, 1925, Halesowen Rural District was created an Urban District. Rates are adjusted to allow for this change.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 2nd January, 1926, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Ery-sipelas.	
	Cases.	Rate	Cases.	Rate.	Cases.	Rate.	Cases.	Rate	Cases	Rate.	Cases.	Rate.
YORKS, EAST RIDING—*cont.*												
RURAL DISTRICTS :—												
Beverley	–	–	28	2·39	7	0·60	1	0·09	–	–	4	0·34
Bridlington	–	–	5	0·64	2	0·26	1	0·13	–	–	–	–
Driffield	–	–	10	0·86	6	0·52	–	–	–	–	1	0·09
Escrick	–	–	43	7·29	1	0·17	2	0·34	–	–	1	0·17
Howden	–	–	4	0·31	8	0·61	–	–	–	–	–	–
Norton	–	–	–	–	1	0·19	2	0·37	–	–	–	–
Patrington	–	–	–	–	2	0·27	1	0·13	1	0·13	3	0·40
Pocklington	–	–	8	0·73	–	–	–	–	–	–	3	0·27
Riccall	–	–	1	0·18	–	–	–	–	–	–	–	–
Sculcoates..	–	–	11	1·01	3	0·27	–	–	–	–	2	0·18
Sherburn	–	–	3	1·39	2	0·92	1	0·46	1	0·46	–	–
Skirlaugh	–	–	3	0·43	9	1·28	–	–	–	–	–	–
YORKS, NORTH RIDING*	934	2·06	974	2·15	210	0·46	28	0·06	18	0·04	176	0·39
MIDDLESBROUGH C.B. ..	882	6·48	432	3·17	80	0·59	–	–	8	0·06	75	0·55
AGGREGATE OF M.BS. AND U.DS.	49	0·27	385	2·13	88	0·49	12	0·07	8	0·04	68	0·38
AGGREGATE OF R.DS. ..	3	0·02	157	1·15	42	0·31	16	0·12	2	0·01	33	0·24
BOROUGHS AND URBAN DISTRICTS :—												
Eston	1	0·03	198	5·86	24	0·71	–	–	1	0·03	26	0·77
Guisborough	–	–	20	2·87	7	1·00	–	–	–	–	3	0·43
Hinderwell	–	–	–	–	3	1·18	–	–	–	–	–	–
Kirklington cum Upsland	–	–	–	–	–	–	–	–	–	–	–	–
Loftus	–	–	4	0·43	–	–	–	–	–	–	3	0·32
Malton	–	–	2	0·45	3	0·68	–	–	–	–	1	0·23
Masham	–	–	–	–	–	–	–	–	–	–	2	0·94
Northallerton	–	–	7	1·45	–	–	–	–	–	–	–	–
Pickering	–	–	–	–	–	–	1	0·30	–	–	–	–
Redcar M.B.	13	0·80	24	1·48	5	0·31	–	–	1	0·06	10	0·62
Richmond M.B.	–	–	35	9·39	10	2·68	–	–	–	–	6	1·61
Saltburn by the Sea ..	–	–	4	1·05	–	–	–	–	–	–	–	–
Scalby	–	–	1	0·60	–	–	2	1·20	–	–	–	–
Scarborough M.B. ..	28	0·73	38	0·99	21	0·55	7	0·18	2	0·05	7	0·18
Skelton and Brotton ..	–	–	16	1·01	5	0·32	–	–	–	–	1	0·06
Thornaby on Tees M.B...	7	0·33	24	1·12	6	0·28	1	0·05	3	0·14	3	0·14
Whitby	–	–	12	0·96	4	0·32	1	0·08	1	0·08	6	0·48
RURAL DISTRICTS :—												
Aysgarth	–	–	3	0·70	2	0·47	–	–	–	–	–	–
Bedale	–	–	4	0·61	1	0·15	–	–	–	–	2	0·31
Croft	–	–	1	0·44	–	–	–	–	–	–	–	–
Easingwold	–	–	13	1·32	3	0·30	3	0·30	–	–	4	0·41
Flaxton	–	–	13	1·29	6	0·60	7	0·69	1	0·10	4	0·40
Guisborough	3	0·36	20	2·43	1	0·12	1	0·12	–	–	2	0·24
Helmsley	–	–	10	2·07	3	0·62	–	–	–	–	–	–
Kirkby Moorside.. ..	–	–	4	0·84	–	–	–	–	–	–	3	0·63
Leyburn	–	–	–	–	15	2·45	–	–	–	–	–	–
Malton	–	–	5	0·86	–	–	–	–	–	–	3	0·52
Middlesbrough	–	–	1	0·39	–	–	–	–	–	–	1	0·39
Northallerton	–	–	1	0·13	1	0·13	1	0·13	–	–	–	–
Pickering	–	–	5	0·84	–	–	–	–	1	0·17	–	–
Reeth	–	–	2	0·84	–	–	–	–	–	–	3	1·27
Richmond	–	–	10	1·19	2	0·24	–	–	–	–	–	–
Scarborough	–	–	17	2·75	2	0·32	1	0·16	–	–	–	–
Startforth..	–	–	4	0·86	–	–	–	–	–	–	3	0·64
Stokesley	–	–	18	1·44	1	0·08	–	–	–	–	3	0·24
Thirsk	–	–	14	1·12	3	0·24	2	0·16	–	–	3	0·24
Wath	–	–	5	2·45	–	–	–	–	–	–	–	–
Whitby	–	–	7	0·80	2	0·23	1	0·11	–	–	2	0·23

* Administrative County with associated County Borough.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 2nd January 1926, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Ery-sipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
YORKS, WEST RIDING*	280	0·09	8,108	2·47	2,932	0·89	239	0·07	286	0·09	1,824	0·56
BARNSLEY C.B.	–	–	235	3·30	91	1·28	7	0·10	11	0·15	49	0·69
BRADFORD C.B.	–	–	552	1·90	349	1·20	13	0·04	22	0·08	136	0·47
DEWSBURY C.B.	–	–	56	1·03	29	0·53	2	0·04	2	0·04	15	0·27
HALIFAX C.B..	–	–	275	2·81	74	0·76	4	0·04	4	0·04	37	0·38
HUDDERSFIELD C.B.. ..	–	–	200	1·78	95	0·85	6	0·05	3	0·03	30	0·27
LEEDS C.B.	–	–	1,158	2·45	419	0·89	9	0·02	54	0·11	323	0·68
ROTHERHAM C.B.	69	0·98	295	4·18	46	0·65	5	0·07	5	0·07	64	0·91
SHEFFIELD C.B.	44	0·08	1,287	2·44	819	1·55	39	0·07	92	0·17	389	0·74
WAKEFIELD C.B.	–	–	183	3·39	39	0·72	7	0·13	5	0·09	24	0·44
AGGREGATE OF M.Bs. AND U.Ds.	162	0·14	2,751	2·41	706	0·62	120	0·11	63	0·06	559	0·49
AGGREGATE OF R.Ds. ..	5	0·01	1,116	2·83	265	0·67	27	0·07	25	0·06	198	0·50
BOROUGHS AND URBAN DISTRICTS:—												
Adwick le Street	35	2·19	58	3·63	25	1·57	2	0·13	2	0·13	4	0·25
Altofts	–	–	4	0·76	1	0·19	5	0·94	2	0·38	8	1·51
Ardsley East and West ..	–	–	15	1·68	12	1·34	1	0·11	1	0·11	4	0·45
Baildon	1	0·15	14	2·10	3	0·45	–	–	–	–	3	0·45
Barkisland	–	–	–	–	–	–	–	–	–	–	1	0·63
Barnoldswick	–	–	3	0·24	–	–	2	0·16	1	0·08	10	0·78
Batley M.B.	–	–	19	0·52	3	0·08	2	0·06	3	0·08	6	0·16
Bentley with Arksey ..	–	–	70	4·69	69	4·62	–	–	–	–	2	0·13
Bingley	1	0·05	40	2·06	6	0·31	–	–	1	0·05	18	0·93
Birkenshaw	–	–	2	0·75	–	–	1	0·37	–	–	1	0·37
Birstal	–	–	1	0·14	3	0·41	1	0·14	–	–	4	0·55
Bolton upon Dearne ..	–	–	58	4·04	11	0·77	4	0·28	–	–	11	0·77
Brighouse M.B.	2	0·10	61	3·06	2	0·10	1	0·05	–	–	11	0·55
Burley in Wharfedale ..	–	–	5	1·27	–	–	–	–	–	–	–	–
Calverley	–	–	7	2·08	1	0·30	–	–	–	–	4	1·19
Castleford..	–	–	30	1·20	8	0·32	3	0·12	1	0·04	7	0·28
Clayton	–	–	4	0·78	1	0·20	–	–	1	0·20	5	0·98
Clayton West	–	–	10	4·87	2	0·97	1	0·49	–	–	1	0·49
Conisbrough	–	–	121	7·11	16	0·94	2	0·12	1	0·06	2	0·12
Cudworth	–	–	14	1·66	13	1·54	2	0·24	–	–	18	2·13
Darfield	–	–	22	3·82	1	0·17	3	0·52	1	0·17	2	0·35
Darton	–	–	54	4·56	10	0·85	1	0·08	–	–	13	1·10
Denby and Cumberworth	–	–	4	1·08	–	–	1	0·27	1	0·27	1	0·27
Denholme	–	–	13	4·32	–	–	–	–	–	–	–	–
Dodworth..	–	–	13	3·64	1	0·28	–	–	–	–	–	–
Doncaster M.B.	5	0·09	276	4·96	53	0·95	3	0·05	5	0·09	22	0·40
Drighlington	–	–	1	0·24	1	0·24	–	–	–	–	5	1·21
Earby	–	–	1	0·17	–	–	–	–	–	–	6	1·01
Elland	–	–	11	1·03	3	0·28	–	–	–	–	9	0·85
Emley	–	–	1	0·58	2	1·15	1	0·58	–	–	1	0·58
Farsley	–	–	5	0·82	1	0·16	–	–	–	–	4	0·66
Featherstone	–	–	17	1·07	5	0·31	1	0·06	3	0·19	9	0·57
Flockton	–	–	5	3·52	9	6·34	–	–	–	–	2	1·41
Garforth	–	–	13	3·25	2	0·50	–	–	–	–	1	0·25
Gildersome	–	–	3	1·08	9	3·24	1	0·36	–	–	–	–
Golcar	–	–	3	0·29	2	0·19	10	0·96	1	0·10	3	0·29
Goole	–	–	29	1·45	37	1·85	2	0·10	–	–	12	0·60
Greasbrough	1	0·31	41	12·61	–	–	–	–	–	–	1	0·31
Greetland	–	–	13	3·03	4	0·93	1	0·23	–	–	4	0·93
Guiseley	–	–	9	1·67	–	–	–	–	–	–	1	0·19

* Administrative County with associated County Boroughs.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 2nd January 1926, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox		Scarlet fever		Diph-theria		Enteric fever		Puerperal fever		Ery-sipelas	
	Cases.	Rate	Cases.	Rate.	Cases.	Rate.	Cases.	Rate	Cases.	Rate	Cases.	Rate.
YORKS, WEST RIDING—*cont.*												
BOROUGHS AND URBAN DISTRICTS—*cont.*												
Gunthwaite and Ingbirchworth	–	–	–	–	–	–	–		–	–	–	–
Harrogate M.B.	–	–	60	1·76	19	0·56	4	0·12	1	0·03	13	0·38
Haworth	–	–	11	1·69	3	0·46	–	–	–	–	3	0·46
Hebden Bridge	–	–	6	0·95	15	2·38	1	0·16	–	–	5	0·79
Heckmondwike	–	–	20	2·25	4	0·45	–	–	–	–	7	0·79
Hemsworth	–	–	22	1·70	16	1·24	1	0·08	1	0·08	12	0·93
Hipperholme	2	0·43	12	2·56	–	–	–	–	1	0·21	5	1·07
Holme	–	–	–	–	–	–	–	–	–	–	–	–
Holmfirth	–	–	28	2·68	2	0·19	10	0·96	1	0·10	4	0·38
Honley	–	–	–	–	1	0·22	–	–	–	–	–	–
Horbury	–	–	14	1·74	5	0·62	–	–	–	–	4	0·50
Horsforth	–	–	13	1·32	4	0·41	–	–	–	–	4	0·41
Hoyland Nether	–	–	73	4·54	20	1·24	1	0·06	2	0·12	14	0·87
Hoyland Swaine	–	–	–	–	–	–	–	–	1	1·35	–	–
Hunsworth	–	–	1	0·76	–	–	–	–	–	–	–	–
Ilkley	–	–	3	0·34	1	0·11	–	–	–	–	3	0·34
Keighley M.B.	–	–	203	4·84	20	0·48	1	0·02	1	0·02	21	0·50
Kirkburton	–	–	11	3·14	2	0·57	1	0·29	–	–	–	–
Kirkheaton	–	–	2	0·73	–	–	–	–	–	–	1	0·36
Knaresborough	–	–	6	1·10	1	0·18	–	–	–	–	–	–
Knottingley	–	–	5	0·71	2	0·28	1	0·14	–	–	–	–
Lepton	–	–	2	0·62	3	0·92	1	0·31	–	–	–	–
Linthwaite	–	–	3	0·31	1	0·10	2	0·20	–	–	3	0·31
Luddenden Foot	–	–	7	2·50	1	0·36	–	–	–	–	–	–
Maltby	–	–	32	3·48	13	1·41	–	–	1	0·11	4	0·43
Marsden	–	–	28	4·74	3	0·51	3	0·51	–	–	4	0·68
Meltham	–	–	12	2·36	1	0·20	–	–	1	0·20	–	–
Methley	–	–	9	1·93	2	0·43	–	–	1	0·21	12	2·57
Mexborough	–	–	32	1·94	4	0·24	1	0·06	–	–	8	0·48
Midgley	–	–	3	1·60	–	–	–	–	–	–	–	–
Mirfield	–	–	9	0·73	1	0·08	–	–	2	0·16	10	0·81
Morley M.B.	–	–	40	1·69	35	1·48	–	–	1	0·04	11	0·46
Mytholmroyd	–	–	1	0·24	2	0·49	–	–	–	–	2	0·49
New Mill	–	–	13	2·93	–	–	3	0·68	–	–	2	0·45
Normanton	–	–	13	0·77	21	1·24	1	0·06	–	–	19	1·13
Oakworth	–	–	15	3·69	1	0·25	–	–	–	–	–	–
Ossett M.B.	–	–	17	1·14	6	0·40	2	0·13	–	–	7	0·47
Otley	–	–	8	0·83	6	0·62	–	–	–	–	3	0·31
Oxenhope	–	–	–	–	3	1·25	–	–	–	–	–	–
Penistone	–	–	11	2·73	2	0·50	–	–	–	–	1	0·25
Pontefract M.B.	–	–	25	1·40	6	0·34	1	0·06	1	0·06	9	0·50
Pudsey M.B.	–	–	11	0·78	18	1·28	1	0·07	3	0·21	8	0·57
Queensbury	–	–	1	0·17	1	0·17	–	–	–	–	4	0·70
Rawdon	–	–	16	4·05	2	0·51	–	–	–	–	–	–
Rawmarsh..	106	5·68	57	3·06	13	0·70	–	–	2	0·11	11	0·59
Ripon M.B.	–	–	33	4·06	4	0·49	–	–	–	–	1	0·12
Rishworth	–	–	–	–	–	–	–	–	–	–	–	–
Rothwell	–	–	11	0·70	5	0·32	–	–	–	–	13	0·83
Royston	–	–	1	0·14	–	–	–	–	–	–	2	0·28
Saddleworth	–	–	10	0·81	5	0·40	–	–	–	–	2	0·16
Scammonden	–	–	–	–	–	–	–	–	–	–	–	–
Selby	–	–	10	0·97	4	0·39	–	–	–	–	3	0·29
Shelf	–	–	5	2·06	–	–	1	0·41	–	–	–	–
Shelley	–	–	3	1·78	2	1·18	–	–	–	–	–	–
Shepley	–	–	4	2·36	–	–	–	–	–	–	2	1·18
Shipley	–	–	65	2·28	8	0·28	–	–	–	–	8	0·28
Silsden	–	–	10	2·10	–	–	–	–	–	–	–	–
Skelmanthorpe	–	–	3	0·76	2	0·51	5	1·27	–	–	1	0·25
Skipton	–	–	12	0·99	21	1·74	–	–	–	–	–	–
Slaithwaite	–	–	2	0·38	1	0·19	–	–	1	0·19	–	–

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 2nd January 1926, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Ery-sipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate	Cases.	Rate.	Cases.	Rate.
YORKS, WEST RIDING—*cont.*												
BOROUGHS AND URBAN DISTRICTS—*cont.*												
South Crosland	–	–	3	1·01	–	–	–	–	–	–	1	0·34
Southowram	–	–	8	2·96	–	–	–	–	–	–	–	–
Sowerby	–	–	11	3·50	2	0·64	–	–	–	–	–	–
Sowerby Bridge	–	–	31	2·73	2	0·18	1	0·09	–	–	4	0·35
Soyland	–	–	3	1·11	1	0·37	–	–	–	–	–	–
Spenborough	–	–	58	1·87	3	0·10	2	0·06	5	0·16	13	0·42
Springhead	–	–	15	2·88	–	–	–	–	–	–	–	–
Stainland	–	–	18	4·09	2	0·45	2	0·45	–	–	4	0·91
Stanley	–	–	31	2·04	6	0·39	–	–	2	0·13	9	0·59
Stocksbridge	9	0·94	40	4·16	4	0·42	–	–	1	0·10	9	0·94
Swinton	–	–	51	3·49	6	0·41	6	0·41	2	0·14	16	1·09
Thurlstone	–	–	6	2·34	–	–	–	–	–	–	–	–
Thurnscoe..	–	–	9	1·20	2	0·27	–	–	–	–	2	0·27
Thurstonland and Farnley Tyas	–	–	2	0·66	–	–	4	1·32	–	–	4	1·32
Tickhill	–	–	11	4·97	–	–	–	–	–	–	1	0·45
Todmorden M.B... ..	–	–	31	1·33	20	0·86	–	–	1	0·04	8	0·34
Wath upon Dearne ..	–	–	86	6·03	–	–	–	–	–	–	3	0·21
Whitley Upper	–	–	1	1·17	3	3·52	–	–	–	–	–	–
Whitwood..	–	–	5	0·80	6	0·96	5	0·80	1	0·16	3	0·48
Wombwell..	–		180	8·77	8	0·39	6	0·29	5	0·24	14	0·68
Worsborough	–	–	46	3·70	13	1·05	1	0·08	1	0·08	6	0·48
Yeadon	–	–	11	1·48	–	–	1	0·13	–	–	–	–
RURAL DISTRICTS:—												
Barnsley	–	–	5	1·14	5	1·14	–	–	–	–	1	0·23
Bishopthorpe	–	–	4	1·81	–	–	–	–	1	0·45	–	–
Bowland	–	–	4	0·74	1	0·18	–	–	1	0·18	1	0·18
Doncaster..	2	0·06	76	2·24	40	1·18	3	0·09	1	0·03	12	0·35
Goole	–	–	6	0·69	10	1·15	3	0·34	–	–	–	–
Great Ouseburn	–	–	21	1·87	8	0·71	–	–	1	0·09	2	0·18
Halifax	1	0·16	18	2·92	1	0·16	–	–	–	–	1	0·16
Hemsworth	1	0·02	162	3·81	60	1·41	1	0·02	5	0·12	26	0·61
Hunslet	–	–	4	0·51	3	0·38	–	–	–	–	9	1·15
Keighley	–	–	6	0·84	7	0·98	1	0·14	–	–	–	–
Kiveton Park	–	–	211	12·63	21	1·26	–	–	–	–	3	0·18
Knaresborough	–	–	17	1·97	2	0·23	–	–	–	–	1	0·12
Pateley Bridge	–	–	5	0·70	–	–	–	–	–	–	1	0·14
Penistone	–	–	24	4·12	1	0·17	–	–	–	–	5	0·86
Pontefract..	–	–	33	1·53	8	0·37	3	0·14	2	0·09	5	0·23
Ripon	–	–	21	4·18	–	–	–	–	–	–	–	–
Rotherham	1	0·03	177	5·15	34	0·99	4	0·12	3	0·09	24	0·70
Sedbergh	–	–	27	6·70	1	0·25	–	–	–	–	1	0·25
Selby	–	–	–	–	–	–	2	0·32	–	–	1	0·16
Settle	–	–	49	3·26	3	0·20	1	0·07	1	0·07	4	0·27
Skipton	–	–	11	0·59	4	0·22	1	0·05	–	–	5	0·27
Tadcaster	–	–	57	1·93	7	0·24	4	0·14	1	0·03	11	0·37
Thorne	–	–	21	1·46	10	0·70	1	0·07	1	0·07	13	0·91
Todmorden	–	–	16	3·50	4	0·88	–	–	1	0·22	1	0·22
Wakefield	–	–	47	2·57	14	0·77	2	0·11	1	0·05	38	2·08
Wetherby	–	–	23	1·58	3	0·21	–	–	1	0·07	3	0·21
Wharfedale (North Division)	–	–	13	3·29	–	–	–	–	–	–	1	0·25
Wharfedale (South Division)	–	–	5	0·67	5	0·67	–	–	–	–	8	1·07
Wortley	–	–	53	1·82	13	0·45	1	0·03	5	0·17	21	0·72
YORK, CITY OF*	–	–	256	3·02	83	0·98	4	0·05	2	0·02	26	0·31
YORK C.B.	–	–	256	3·02	83	0·98	4	0·05	2	0·02	26	0·31

* The City of York is a County of itself, outside any of the three Ridings.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 2nd January 1926, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox		Scarlet fever		Diph-theria.		Enteric fever.		Puerperal fever.		Ery-sipelas	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
ANGLESEY*	–	–	124	2·37	52	0·99	1	0·02	–	–	7	0·13
AGGREGATE OF M.B. AND U.Ds.	–	–	19	0·94	43	2·14	–	–	–	–	5	0·25
AGGREGATE OF R.Ds. ..	–	–	105	3·26	9	0·28	1	0·03	–	–	2	0·06
BOROUGH AND URBAN DISTRICTS:—												
Amlwch	–	–	8	3·05	–	–	–	–	–	–	–	–
Beaumaris M.B.	–	–	–	–	3	1·81	–	–	–	–	–	–
Holyhead	–	–	8	0·64	31	2·49	–	–	–	–	5	0·40
Llangefni	–	–	1	0·59	2	1·19	–	–	–	–	–	–
Menai Bridge	–	–	2	1·18	7	4·12	–	–	–	–	–	–
RURAL DISTRICTS:—												
Aethwy	–	–	14	1·66	4	0·48	–	–	–	–	1	0·12
Dwyran	–	–	17	5·90	–	–	–	–	–	–	–	–
Twrcelyn	–	–	43	4·70	4	0·44	–	–	–	–	1	0·11
Valley	–	–	31	2·64	1	0·09	1	0·09	–	–	–	–
BRECKNOCK*	–	–	67	1·08	32	0·52	2	0·03	2	0·03	9	0·15
AGGREGATE OF M.B. AND U.Ds.	–	–	16	0·89	12	0·67	1	0·06	1	0·06	–	–
AGGREGATE OF R.Ds. ..	–	–	51	1·16	20	0·45	1	0·02	1	0·02	9	0·20
BOROUGH AND URBAN DISTRICTS:—												
Brecknock M.B. ..	–	–	6	1·10	7	1·28	–	–	–	–	–	–
Brynmawr	–	–	10	1·15	3	0·35	1	0·12	1	0·12	–	–
Builth Wells	–	–	–	–	1	0·64	–	–	–	–	–	–
Hay	–	–	–	–	–	–	–	–	–	–	–	–
Llanwrtyd..	–	–	–	–	1	1·32	–	–	–	–	–	–
RURAL DISTRICTS:—												
Brecknock (Defynnock and Llangorse Div.) ..	–	–	3	0·46	3	0·46	1	0·15	–	–	–	–
Brecknock (Merthyr Cynog Div.)	–	–	5	2·30	–	–	–	–	–	–	–	–
Builth	–	–	14	3·51	1	0·25	–	–	1	0·25	–	–
Crickhowell	–	–	14	1·70	3	0·36	–	–	–	–	–	–
Hay	–	–	4	0·95	3	0·72	–	–	–	–	1	0·24
Vaynor and Penderyn ..	–	–	1	0·17	3	0·51	–	–	–	–	–	–
Ystradgynlais	–	–	9	0·75	7	0·58	–	–	–	–	6	0·50
Llanwrthwl (parish)† ..	–	–	–	–	–	–	–	–	–	–	–	–
Ystradfellte (parish)‡ ..	–	–	1	1·49	–	–	–	–	–	–	2	2·98
CARDIGAN*	–	–	58	1·00	19	0·33	7	0·12	3	0·05	11	0·19
AGGREGATE OF M.Bs. AND U.Ds.	–	–	8	0·49	4	0·24	6	0·36	–	–	1	0·06
AGGREGATE OF R.Ds ..	–	–	50	1·20	15	0·36	1	0·02	3	0·07	10	0·24
BOROUGHS AND URBAN DISTRICTS:—												
Aberayron..	–	–	1	0·82	–	–	1	0·82	–	–	–	–
Aberystwyth M.B. ..	–	–	5	0·55	2	0·22	5	0·55	–	–	–	–
Cardigan M.B.	–	–	–	–	2	0·60	–	–	–	–	–	–
Lampeter M.B.	–	–	2	1·17	–	–	–	–	–	–	1	0·58
New Quay..	–	–	–	–	–	–	–	–	–	–	–	–
RURAL DISTRICTS:—												
Aberayron..	–	–	2	0·26	6	0·79	–	–	1	0·13	3	0·39
Aberystwyth (North Div.)	–	–	11	1·61	–	–	–	–	1	0·15	1	0·15
Aberystwyth (South Div.)	–	–	4	0·79	–	–	1	0·20	–	–	3	0·59
Cardigan	–	–	3	0·97	–	–	–	–	–	–	–	–
Lampeter	–	–	8	2·28	4	1·14	–	–	1	0·28	–	–
Llandyssil..	–	–	6	0·75	2	0·25	–	–	–	–	–	–
Tregaron	–	–	15	2·13	3	0·43	–	–	–	–	3	0·45
Ysgubor y Coed (parish)§	–	–	1	2·92	–	–	–	–	–	–	–	–

* Administrative County.
† This Parish is administered by the Rural District Council of Rhayader (Radnor).
‡ This Parish is administered by the Rural District Council of Neath (Glamorgan).
§ This Parish is administered by the Rural District Council of Machynlleth (Montgomery).

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 2nd January 1926, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Ery-sipelas.	
	Cases.	Rate	Cases.	Rate.	Cases.	Rate.	Cases.	Rate	Cases.	Rate.	Cases.	Rate.
CARMARTHEN*	–	–	304	1·67	357	1·96	12	0·07	7	0·04	43	0·24
AGGREGATE OF M.BS. AND U.DS.	–	–	161	2·09	188	2·44	3	0·04	2	0·03	22	0·29
AGGREGATE OF R.DS. ..	–	–	143	1·36	169	1·61	9	0·09	5	0·05	21	0·20
BOROUGHS AND URBAN DISTRICTS :—												
Ammanford	–	–	4	0·53	12	1·58	–	–	2	0·26	2	0·26
Burry Port	–	–	56	8·63	18	2·77	–	–	–	–	4	0·62
Carmarthen M.B... ..	–	–	1	0·10	11	1·11	1	0·10	–	–	4	0·41
Cwmamman	–	–	3	0·53	24	4·22	–	–	–	–	–	–
Kidwelly M.B.	–	–	21	6·30	4	1·20	1	0·30	–	–	2	0·60
Llandilo	–	–	1	0·49	2	0·97	–	–	–	–	3	1·46
Llandovery M.B... ..	–	–	1	0·51	1	0·51	–	–	–	–	–	–
Llanelly M.B.	–	–	73	1·87	116	2·97	1	0·03	–	–	7	0·18
Newcastle Emlyn ..	–	–	1	1·22	–	–	–	–	–	–	–	–
RURAL DISTRICTS :—												
Carmarthen	–	–	32	1·31	14	0·57	1	0·04	–	–	4	0·16
Llandilo Fawr	–	–	11	0·48	43	1·89	–	–	1	0·04	5	0·22
Llandovery	–	–	2	0·29	–	–	1	0·15	–	–	–	–
Llanelly	–	–	95	2·61	97	2·66	7	0·19	4	0·11	12	0·33
Llanybyther	–	–	–	–	11	3·23	–	–	–	–	–	–
Newcastle in Emlyn ..	–	–	1	0·16	3	0·49	–	–	–	–	–	–
Whitland	–	–	2	0·40	1	0·20	–	–	–	–	–	–
CARNARVON*	–	–	148	1·23	67	0·56	3	0·03	2	0·02	31	0·26
AGGREGATE OF M.BS. AND U.DS.	–	–	75	1·24	51	0·84	3	0·05	1	0·02	22	0·36
AGGREGATE OF R.DS. ..	–	–	73	1·23	16	0·27	–	–	1	0·02	9	0·15
BOROUGHS AND URBAN DISTRICTS :—												
Bangor M.B.	–	–	19	1·76	15	1·39	–	–	–	–	8	0·74
Bethesda	–	–	9	2·20	–	–	–	–	–	–	2	0·49
Bettws y Coed	–	–	–	–	–	–	–	–	–	–	–	–
Carnarvon M.B.	–	–	10	1·22	5	0·61	2	0·24	–	–	4	0·49
Conway M.B.	–	–	16	2·39	5	0·75	–	–	–	–	3	0·45
Criccieth	–	–	–	–	–	–	–	–	–	–	–	–
Llandudno	–	–	11	0·81	2	0·15	1	0·07	1	0·07	3	0·22
Llanfairfechan	–	–	7	2·27	5	1·62	–	–	–	–	–	–
Penmaenmawr	–	–	2	0·50	–	–	–	–	–	–	–	–
Portmadoc	–	–	–	–	18	4·31	–	–	–	–	1	0·24
Pwllheli M.B.	–	–	1	0·28	1	0·28	–	–	–	–	1	0·28
RURAL DISTRICTS :—												
Conway	–	–	28	4·82	6	1·03	–	–	–	–	1	0·17
Geirionydd	–	–	4	0·97	–	–	–	–	–	–	1	0·24
Glaslyn	–	–	4	1·32	–	–	–	–	–	–	–	–
Gwyrfai	–	–	15	0·63	5	0·21	–	–	–	–	6	0·25
Lleyn	–	–	6	0·36	5	0·30	–	–	1	0·06	1	0·06
Ogwen	–	–	16	2·81	–	–	–	–	–	–	–	–
DENBIGH*	–	–	292	1·84	112	0·71	50	0·32	6	0·04	35	0·22
AGGREGATE OF M.BS. AND U.DS.	–	–	90	1·59	48	0·85	25	0·44	1	0·02	13	0·23
AGGREGATE OF R.DS. ..	–	–	202	1·99	64	0·63	25	0·25	5	0·05	22	0·22
BOROUGHS AND URBAN DISTRICTS :—												
Abergele and Pensarn ..	–	–	25	10·96	2	0·88	–	–	–	–	–	–
Colwyn Bay and Colwyn	–	–	17	0·85	11	0·55	–	–	1	0·05	8	0·40
Denbigh M.B.	–	–	7	1·03	11	1·62	22	3·23	–	–	2	0·29
Llangollen..	–	–	3	0·93	–	–	–	–	–	–	–	–
Llanrwst	–	–	2	0·85	3	1·28	1	0·43	–	–	–	–
Ruthin M.B.	–	–	1	0·36	1	0·36	–	–	–	–	–	–
Wrexham M.B.	–	–	35	1·82	20	1·04	2	0·10	–	–	3	0·16

* Administrative County.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 2nd January 1926, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Ery-sipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
DENBIGH—*cont.*												
RURAL DISTRICTS :—												
Chirk	–	–	1	0·21	6	1·24	–	–	–	–	1	0·21
Llangollen..	–	–	6	1·65	1	0·27	–	–	–	–	–	–
Llanrwst	–	–	9	2·10	4	0·94	–	–	–	–	–	–
Llansilin	–	–	–	–	–	–	–	–	1	0·35	–	–
Ruthin	–	–	38	4·13	2	0·22	9	0·98	–	–	3	0·33
St. Asaph (Denbigh) ..	–	–	8	1·19	6	0·89	4	0·60	–	–	–	–
Uwchaled	–	–	–	–	–	–	–	–	–	–	2	0·95
Wrexham	–	–	127	1·92	44	0·66	12	0·18	4	0·06	14	0·21
Llanelian yn Rhôs and Llansantffraid Glan Conway (parishes)* ..	–	–	13	7·21	1	0·55	–	–	–	–	2	1·11
FLINT†	–	–	400	3·81	107	1·02	12	0·11	2	0·02	49	0·47
AGGREGATE OF M.B. AND U.Ds.	–	–	174	4·23	38	0·92	6	0·15	1	0·02	20	0·49
AGGREGATE OF R.Ds. ..	–	–	226	3·55	69	1·08	6	0·09	1	0·02	29	0·46
BOROUGH AND URBAN DISTRICTS :—												
Buckley	–	–	31	4·52	3	0·44	–	–	1	0·15	5	0·73
Connah's Quay	–	–	8	1·42	2	0·36	–	–	–	–	2	0·36
Flint M.B...	–	–	40	5·96	12	1·79	6	0·89	–	–	6	0·89
Holywell	–	–	12	3·96	4	1·32	–	–	–	–	3	0·99
Mold	–	–	46	9·58	–	–	–	–	–	–	–	–
Prestatyn	–	–	2	0·57	–	–	–	–	–	–	–	–
Rhyl	–	–	35	3·29	17	1·60	–	–	–	–	4	0·38
RURAL DISTRICTS :—												
Hawarden..	–	–	73	2·89	17	0·67	3	0·12	1	0·04	11	0·44
Holywell (Holywell Div.)	–	–	51	2·92	33	1·89	–	–	–	–	17	0·97
Holywell (Mold Div.) ..	–	–	39	4·51	8	0·93	–	–	–	–	1	0·12
Overton	–	–	29	5·66	8	1·56	–	–	–	–	–	–
St. Asaph (Flint) ..	–	–	34	4·66	3	0·41	3	0·41	–	–	–	–
GLAMORGAN‡	1	0·00	2,431	1·85	1,967	1·49	44	0·03	94	0·07	410	0·31
CARDIFF C.B.	1	0·00	323	1·42	205	0·90	5	0·02	18	0·08	92	0·41
MERTHYR TYDFIL C.B. ..	–	–	107	1·29	124	1·50	1	0·01	4	0·05	14	0·17
SWANSEA C.B.	–	–	285	1·75	266	1·63	3	0·02	18	0·11	58	0·36
AGGREGATE OF M.Bs. AND U.Ds.	–	–	1,397	2·20	1,057	1·66	28	0·04	40	0·06	211	0·33
AGGREGATE OF R.Ds. ..	–	–	319	1·53	315	1·51	7	0·03	14	0·07	35	0·17
BOROUGHS AND URBAN DISTRICTS :—												
Aberdare	–	–	104	1·80	49	0·85	8	0·14	2	0·03	17	0·29
Barry	–	–	150	3·71	99	2·45	3	0·07	2	0·05	16	0·40
Bridgend	–	–	2	0·21	1	0·10	–	–	–	–	–	–
Caerphilly	–	–	146	3·65	79	1·97	1	0·02	–	–	18	0·45
Cowbridge M.B.	–	–	–	–	–	–	–	–	1	0·86	1	0·86
Gelligaer	–	–	42	0·88	184	3·87	1	0·02	1	0·02	34	0·72
Glyncorwg	–	–	15	1·28	15	1·28	–	–	–	–	3	0·26
Maesteg	–	–	33	1·11	191	6·40	–	–	–	–	8	0·27
Mountain Ash	–	–	53	1·16	45	0·99	2	0·04	6	0·13	10	0·22
Neath M.B.	–	–	53	1·53	117	3·38	1	0·03	1	0·03	14	0·40
Ogmore and Garw ..	–	–	82	2·55	17	0·53	3	0·09	3	0·09	11	0·34
Penarth	–	–	16	0·88	7	0·38	–	–	3	0·16	7	0·38
Pontypridd	–	–	96	1·94	15	0·30	–	–	4	0·08	16	0·32
Porthcawl..	–	–	14	2·28	37	6·03	–	–	–	–	4	0·65
Port Talbot M.B. ..	–	–	34	0·78	64	1·47	–	–	1	0·02	5	0·11
Rhondda	–	–	557	3·32	137	0·82	9	0·05	16	0·10	47	0·28

* These Parishes are administered by the Rural District Council of Conway (Carnarvon).
† Administrative County.
‡ Administrative County with associated County Boroughs.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 2nd January 1926, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Ery-sipelas.	
	Cases.	Rate	Cases.	Rate.	Cases.	Rate.	Cases	Rate	Cases.	Rate.	Cases.	Rate.
GLAMORGAN—*cont.*												
RURAL DISTRICTS:—												
Cardiff	–	–	19	0·75	14	0·55	1	0·04	2	0·08	3	0·12
Cowbridge..	–	–	7	0·65	4	0·37	–	–	–	–	5	0·46
Gower	–	–	17	1·75	16	1·65	–	–	–	–	5	0·51
Llantrisant and Llantwit-fardre	–	–	39	1·42	35	1·28	5	0·18	7	0·26	4	0·15
Neath	–	–	75	1·87	24	0·60	–	–	2	0·05	4	0·10
Penybont	–	–	35	1·13	22	0·71	–	–	–	–	–	–
Pontardawe	–	–	29	0·79	71	1·92	1	0·03	2	0·05	6	0·16
Swansea	–	–	98	3·64	129	4·79	–	–	1	0·04	8	0·30
MERIONETH*	–	–	64	1·49	11	0·26	2	0·05	5	0·12	12	0·28
AGGREGATE OF U.Ds. ..	–	–	25	1·34	9	0·48	1	0·05	2	0·11	10	0·53
AGGREGATE OF R.Ds. ..	–	–	39	1·62	2	0·08	1	0·04	3	0·12	2	0·08
URBAN DISTRICTS:												
Bala	–	–	–	–	2	1·39	1	0·69	1	0·69	2	1·39
Barmouth..	–	–	1	0·47	–	–	–	–	–	–	–	–
Dolgelley	–	–	–	–	1	0·46	–	–	–	–	–	–
Festiniog	–	–	21	2·49	4	0·47	–	–	–	–	7	0·83
Mallwyd	–	–	–	–	–	–	–	–	–	–	–	–
Towyn	–	–	3	0·78	2	0·52	–	–	1	0·26	1	0·26
RURAL DISTRICTS:—												
Deudraeth..	–	–	5	0·69	–	–	1	0·14	1	0·14	1	0·14
Dolgelley	–	–	4	0·51	2	0·26	–	–	1	0·13	1	0·13
Edeirnion	–	–	30	6·04	–	–	–	–	–	–	–	–
Penllyn	–	–	–	–	–	–	–	–	1	0·27	–	–
Pennal (parish)‡	–	–	–	–	–	–	–	–	–	–	–	–
MONMOUTH†	–	–	699	1·48	585	1·24	79	0·17	29	0·06	113	0·24
NEWPORT C.B.	–	–	156	1·62	57	0·59	39	0·40	10	0·10	42	0·44
AGGREGATE OF M.Bs. AND U.Ds.	–	–	477	1·46	464	1·42	33	0·10	19	0·06	65	0·20
AGGREGATE OF R.Ds. ..	–	–	66	1·39	64	1·34	7	0·15	–	–	6	0·13
BOROUGHS AND URBAN DISTRICTS:—												
Abercarn	–	–	6	0·28	40	1·88	–	–	2	0·09	2	0·09
Abergavenny M.B. ..	–	–	14	1·53	–	–	–	–	–	–	1	0·11
Abersychan	–	–	40	1·37	20	0·69	–	–	–	–	9	0·31
Abertillery	–	–	37	0·94	65	1·66	4	0·10	3	0·08	7	0·18
Bedwas and Machen ..	–	–	24	2·56	14	1·49	–	–	–	–	4	0·43
Bedwellty..	–	–	37	1·09	86	2·54	1	0·03	1	0·03	6	0·18
Blaenavon..	–	–	7	0–54	3	0·23	1	0·08	–	–	–	–
Caerleon	–	–	3	1·32	1	0·44	–	–	–	–	–	–
Chepstow	–	–	14	2·72	3	0·58	–	–	–	–	–	–
Ebbw Vale	–	–	169	4·53	23	0·62	7	0·19	6	0·16	18	0·48

* Administrative County.

† Administrative County with associated County Borough.

‡ This Parish is administered by the Rural District Council of Machynlleth (Montgomery).

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 2nd January 1926, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diph-theria.		Enteric fever		Puerperal fever.		Ery-sipelas.	
	Cases.	Rate	Cases.	Rate.	Cases.	Rate.	Cases.	Rate	Cases.	Rate.	Cases.	Rate.
MONMOUTH—*cont.*												
BOROUGHS AND URBAN DISTRICTS—*cont.*												
Llanfrechfa Upper ..	–	–	4	0·81	16	3·26	1	0·20	–	–	2	0·41
Llantarnam	–	–	1	0·13	63	7·92	1	0·13	–	–	2	0·25
Monmouth M.B.	–	–	6	1·19	17	3·37	–	–	–	–	–	–
Mynyddislwyn	–	–	7	0·44	12	0·75	3	0·19	2	0·12	–	–
Nantyglo and Blaina ..	–	–	29	1·71	1	0·06	13	0·77	–	–	6	0·35
Panteg	–	–	11	0·94	3	0·26	–	–	–	–	–	–
Pontypool..	–	–	12	1·60	6	0·80	–	–	–	–	1	0·13
Rhymney	–	–	23	1·86	48	3·89	–	–	–	–	5	0·41
Risca	–	–	6	0·34	19	1·07	1	0·06	2	0·11	1	0·06
Tredegar	–	–	27	1·02	24	0·91	1	0·04	2	0·08	1	0·04
Usk	–	–	–	–	–	–	–	–	1	0·71	–	–
RURAL DISTRICTS :—												
Abergavenny	–	–	11	1·18	3	0·32	2	0·21	–	–	–	–
Chepstow	–	–	10	1·11	3	0·33	–	–	–	–	2	0·22
Magor	–	–	14	2·42	–	–	–	–	–	–	1	0·17
Monmouth	–	–	6	0·91	10	1·52	1	0·15	–	–	1	0·15
Pontypool..	–	–	10	1·84	4	0·74	2	0·37	–	–	–	–
St. Mellons	–	–	15	1·31	44	3·85	2	0·17	–	–	2	0·17
MONTGOMERY*	–	–	112	2·16	21	0·40	–	–	1	0·02	15	0·29
AGGREGATE OF M.BS. AND U.DS.	–	–	32	1·71	11	0·59	–	–	–	–	6	0·32
AGGREGATE OF R.DS. ..	–	–	80	2·41	10	0·30	–	–	1	0·03	9	0·27
BOROUGHS AND URBAN DISTRICTS :—												
Llanfyllin M.B.	–	–	3	1·86	3	1·86	–	–	–	–	–	–
Llanidloes M.B.	–	–	20	8·06	4	1·61	–	–	–	–	–	–
Machynlleth	–	–	–	–	–	–	–	–	–	–	–	–
Montgomery M.B. ..	–	–	1	1·03	1	1·03	–	–	–	–	2	2·05
Newtown and Llanllwchaiarn	–	–	4	0·69	1	0·17	–	–	–	–	3	0·51
Welshpool M.B.	–	–	4	0·68	2	0·34	–	–	–	–	1	0·17
RURAL DISTRICTS :—												
Forden	–	–	7	1·22	–	–	–	–	–	–	1	0·17
Llanfyllin	–	–	26	2·13	5	0·41	–	–	1	0·08	4	0·33
Machynlleth	–	–	1	0·26	–	–	–	–	–	–	–	–
Newtown and Llanidloes	–	–	46	4·00	5	0·44	–	–	–	–	4	0·35
PEMBROKE*	–	–	81	0·88	52	0·57	6	0·07	3	0·03	17	0·19
AGGREGATE OF M.BS. AND U.DS.	–	–	58	1·36	20	0·47	1	0·02	1	0·02	12	0·28
AGGREGATE OF R.DS. ..	–	–	23	0·47	32	0·66	5	0·10	2	0·04	5	0·10
BOROUGHS AND URBAN DISTRICTS :—												
Fishguard..	–	–	3	0·98	2	0·66	–	–	–	–	–	–
Goodwick	–	–	–	–	2	0·83	–	–	–	–	–	–
Haverfordwest M.B. ..	–	–	5	0·83	11	1·84	–	–	1	0·17	7	1·17
Milford Haven	–	–	11	1·27	1	0·12	–	–	–	–	4	0·46
Narberth	–	–	–	–	–	–	–	–	–	–	–	–
Neyland	–	–	1	0·37	2	0·74	–	–	–	–	–	–
Pembroke M.B. ..	–	–	30	2·04	1	0·07	–	–	–	–	1	0·07
Tenby M.B.	–	–	8	2·00	1	0·25	1	0·25	–	–	–	–
RURAL DISTRICTS :—												
Haverfordwest	–	–	12	0·62	17	0·88	–	–	1	0·05	2	0·10
Llanfyrnach	–	–	–	–	2	0·88	–	–	–	–	–	–
Narberth	–	–	4	0·36	8	0·73	–	–	–	–	1	0·09
Pembroke	–	–	5	0·58	1	0·12	2	0·23	–	–	–	–
St. Dogmells	–	–	2	0·26	4	0·52	3	0·39	1	0·13	2	0·26

* Administrative County.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 52 weeks ended 2nd January 1926, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox		Scarlet fever.		Diph-theria.		Enteric fever.		Puerperal fever.		Ery-sipelas.	
	Cases.	Rate	Cases.	Rate.	Cases.	Rate.	Cases.	Rate	Cases.	Rate.	Cases.	Rate.
RADNOR*	–	–	21	0·94	5	0·22	–	–	–	–	6	0·27
AGGREGATE OF U.Ds. ..	–	–	9	1·57	–	–	–	–	–	–	2	0·35
AGGREGATE OF R.Ds. ..	–	–	12	0·73	5	0·30	–	–	–	–	4	0·24
URBAN DISTRICTS :—												
Knighton	–	–	8	4·58	–	–	–	–	–	–	–	–
Llandrindod Wells ..	–	–	1	0·35	–	–	–	–	–	–	–	–
Presteigne..	–	–	–	–	–	–	–	–	–	–	2	1·75
RURAL DISTRICTS :—												
Colwyn	–	–	1	0·46	1	0·46	–	–	–	–	–	–
Knighton	–	–	1	0·23	–	–	–	–	–	–	–	–
New Radnor	–	–	5	1·89	3	1·13	–	–	–	–	–	–
Painscastle	–	–	1	0·43	–	–	–	–	–	–	–	–
Rhayader	–	–	4	0·78	1	0·20	–	–	–	–	4	0·78

* Administrative County.

TABLE 29.—AIR TEMPERATURE, RAINFALL AND SUNSHINE, ENGLAND AND WALES, DURING THE YEAR 1925*

District.	Air Temperature.						Rainfall.			Sunshine.	
	Highest.	Lowest.	Means of				Total.	Deviation from Normal.	Number of Days.	Daily Mean.	Deviation from Normal.
			Daily Maximum.	Daily Minimum.	Daily Mean.	Deviation from Normal.					
	° F.	° F.	° F.	° F.	° F.	° F.	mm.	mm.		hr.	hr.
England N.E. ..	91	13	54·0	41·5	47·7	+0·1	619	− 16	183	3·85	−0·08
England E. ..	92	9	55·5	43·0	49·3	+0·7	587	− 23	180	4·16	−0·16
Midland Counties	91	9	55·5	41·4	48·5	+0·3	708	+ 22	172	3·69	−0·13
England S.E. ..	90	14	56·2	43·3	49·7	0·0	816	+107	182	4·66	+0·17
England N.W.† .	89	11	53·7	43·2	48·5	0·0	865	− 36	202	4·01	+0·12
England S.W.† ..	87	11	55·6	43·9	49·8	+0·1	1048	+ 47	194	4·48	+0·20
Mean	92	9	55·1	42·7	48·9	+0·2	773	+ 17	186	4·14	+0·02

* For similar values for each month and quarter, *see* the Registrar-General's Quarterly Returns.

† The district known as England N.W. includes the northern half of Wales, whilst England S.W. includes the southern half.

Table 30.—Quarterly Meteorological Elements. Greenwich, 1925.

1st Quarter: Jan., Feb., Mar. 2nd " April, May, June. 3rd " July, Aug., Sept. 4th " Oct., Nov., Dec.	Temperature of Air. Mean of Maximum and Minimum.	Temperature of Air. Difference from Normal of 130 years.	Temperature of Air. Difference from Normal of 60 years.	Temperature of Evaporation. Mean of "Wet Bulb" Readings at 9h. and 21h.	Temperature of Evaporation. Difference from Normal of 60 years.	Temperature of Dew Point. Mean.	Temperature of Dew Point. Difference from Normal of 60 years.	Temperature of Air Daily Range. Mean.	Temperature of Air Daily Range. Difference from Normal of 60 years.	Vapour Pressure in Millibars. Mean.	Vapour Pressure in Millibars. Difference from Normal of 60 years.	Mass of Vapour in a Cubic Metre of Air. Mean.	Mass of Vapour in a Cubic Metre of Air. Difference from Normal of 60 years.	Degree of Humidity. Mean of 9h. and 21h.	Degree of Humidity. Difference from Normal of 60 years.	Mean Air Pressure at Station Level* in Millibars. Mean.	Mean Air Pressure at Station Level* in Millibars. Difference from Normal of 60 years.	Mass of a Cubic Metre of Air. Mean.	Mass of a Cubic Metre of Air. Difference from Normal of 60 years.	Rain. Amount in Millimetres.	Rain. Difference from Normal of 86 years.	Readings of Thermometer on Grass. Number of Nights it was At or below 30° F.	Readings of Thermometer on Grass. Number of Nights it was Between 30° and 40° F.	Readings of Thermometer on Grass. Number of Nights it was Above 40° F.	Readings of Thermometer on Grass. Lowest Reading at Night.	Readings of Thermometer on Grass. Highest Reading at Night.
1924.	° F.	° F.	° F.	°F.	° F.	° F.	° F.	° F.	° F.	mb.	mb.	gms.	gms.	%	%	mb.	mb.	gms.	gms.	mm.	mm.				° F.	° F.
Year ..	50·5	+1·8	+1·1	46·7	+0·2	43·8	+0·3	15·1	−0·7	10·2	+0·3	7·8	0·0	81	−1	1011·2	+2·3	1240	−1	594	−36	120	128	117	10·4	60·0
1st Quarter	42·2	+3·3	+2·4	39·1	+1·3	36·7	+1·5	10·4	−1·4	7·5	+0·5	5·9	+0·4	85	+1	1012·9	+4·1	1264	0	135	+10	47	32	11	11·0	45·7
2nd "	55·0	+2·6	+2·1	49·7	+0·6	45·5	+0·3	20·1	+0·2	10·7	+0·3	8·3	+0·5	75	−2	1010·7	+1·5	1228	−4	88	−55	26	34	31	15·8	51·0
3rd "	60·9	+1·1	+0·5	55·9	−0·6	52·6	−0·4	18·5	−1·2	13·7	+0·1	10·3	−0·2	77	0	1012·6	+3·0	1216	+2	204	+22	4	30	58	25·8	60·0
4th "	44·0	+0·3	−0·4	41·9	−0·7	40·3	−0·3	11·2	−0·5	8·8	+0·1	6·8	−0·3	88	−1	1008·7	+0·6	1252	−1	167	−13	43	32	17	10·4	56·0

* Height of barometer cistern above mean sea level=152 feet (average correction to sea level +5·6 mb.).

In this table + and − respectively signify that the numbers in the preceding column are above or below the average to the amount of the quantities to which the signs are affixed.

Pressure is expressed in millibars (1,000 mb. = 29·531 mercury inches).

Density is expressed in grams per cubic metre (2·294 grams per cubic metre=1 grain per cubic foot).

TABLE 31.—METEOROLOGICAL

Year.	Mean Weekly Movement of the Air in Miles.	Departure from Average of 50 Years (1861-1910).	Fall of Rain in Inches and in Millimetres.		Departure from Average of 50 Years (1861-1910).	Mean Degree of Humidity of the Air (Saturation =100).	Departure from Average of 50 Years (1861-1910).	Mean Temperature of the Air.	Departure from Average of 50 Years (1861-1910).
	Miles.	Miles.	in.	mm.	mm.	%	%	° F.	° F.
1876 ..	2036	+ 85	24·1	612	+ 2	80	− 1	50·1	+ 0·6
1877 ..	2184	+233	27·3	693	+ 83	79	− 2	49·4	− 0·1
1878 ..	1880	− 71	29·0	736	+126	81	0	49·6	+ 0·1
1879 ..	1873	− 78	31·4	797	+187	83	+ 2	46·2	− 3·3
1880 ..	1928	− 23	29·7	754	+144	84	+ 3	49·4	− 0·1
1881 ..	2030	+ 79	25·7	653	+ 43	81	0	48·7	− 0·8
1882 ..	2151	+200	25·2	640	+ 30	84	+ 3	49·7	+ 0·2
1883 ..	2058	+107	21·9	557	− 53	82	+ 1	49·4	− 0·1
1884 ..	2034	+ 83	18·1	458	−152	80	− 1	50·7	+ 1·2
1885 ..	2008	+ 57	24·0	610	0	81	0	48·6	− 0·9
1886 ..	1962	+ 11	24·2	615	+ 5	81	0	48·7	− 0·8
1887 ..	1927	− 24	19·9	504	−106	79	− 2	47·8	− 1·7
1888 ..	2049	+ 98	27·5	699	+ 89	82	+ 1	47·7	− 1·8
1889 ..	1934	− 17	23·3	591	− 19	83	+ 2	48·8	− 0·7
1890 ..	1946	− 5	21·9	555	− 55	81	0	48·6	− 0·9
1891 ..	1945	− 6	25·0	636	+ 26	82	+ 1	48·4	− 1·1
1892 ..	1863	− 88	22·3	567	− 43	80	− 1	48·1	− 1·4
1893 ..	1909	− 42	20·1	511	− 99	76	− 5	51·1	+ 1·6
1894 ..	2019	+ 68	26·9	683	+ 73	81	0	49·9	+ 0·4
1895 ..	1951	0	19·7	501	−109	78	− 3	49·3	− 0·2
1896 ..	1932	− 19	22·4	569	− 41	79	− 2	50·2	+ 0·7
1897 ..	2033	+ 82	22·1	562	− 48	79	− 2	50·3	+ 0·8
1898 ..	1956	+ 5	18·9	479	−131	78	− 3	51·3	+ 1·8
1899 ..	1911	− 40	22·3	567	− 43	77	− 4	50·6	+ 1·1
1900 ..	2050	+ 99	22·3	567	− 43	79	− 2	50·4	+ 0·9
1901 ..	1970	+ 19	20·3	515	− 95	78	− 3	49·2	− 0·3
1902 ..	1933	− 18	19·3	491	−119	80	− 1	49·2	− 0·3
1903 ..	2226	+275	35·5	903	+293	80	− 1	50·1	+ 0·6
1904 ..	1913	− 38	20·7	525	− 85	82	+ 1	49·8	+ 0·3
1905 ..	2063	+112	23·0	585	− 25	81	0	49·9	+ 0·4
1906 ..	2093	+142	24·7	628	+ 18	79	− 2	50·7	+ 1·2
1907 ..	1977	+ 26	22·3	565	− 45	81	0	49·7	+ 0·2
1908 ..	1932	− 19	23·8	604	− 6	83	+ 2	50·1	+ 0·6
1909 ..	2041	+ 90	25·7	653	+ 43	83	+ 2	48·9	− 0·6
1910 ..	2155	+204	28·1	713	+103	84	+ 3	50·2	+ 0·7
1911 ..	2140	+189	23·7	601	− 9	79	− 2	51·8	+ 2·3
1912 ..	2085	+134	24·9	632	+ 22	83	+ 2	51·0	+ 1·5
1913 ..	2030	+ 79	22·4	570	− 40	83	+ 2	51·3	+ 1·8
1914 ..	2087	+136	23·9	606	− 4	81	0	51·5	+ 2·0
1915 ..	1932	− 19	30·6	776	+166	82	+ 1	49·9	+ 0·4
1916 ..	2040	+ 89	29·8	757	+147	84	+ 3	49·9	+ 0·4
1917 ..	2059	+108	26·0	660	+ 50	82	+ 1	48·9	− 0·6
1918 ..	1993	+ 42	28·4	722	+112	82	+ 1	50·6	+ 1·1
1919 ..	1940	− 11	23·0	586	− 24	81	0	48·8	− 0·7
1920 ..	1918	− 33	21·5	546	− 64	82	+ 1	51·1	+ 1·6
1921 ..	1855	− 96	12·8	318	−292	77	− 4	52·7	+ 3·2
1922 ..	2043	+ 92	23·2	589	− 21	80	− 1	49·4	− 0·1
1923 ..	2055	+104	24·0	610	0	81	0	50·3	+ 0·8
1924 ..	1947	− 4	30·6	779	+169	83	+ 2	50·6	+ 1·1
1925 ..	1957	+ 6	23·4	594	− 26	81	0	50·5	+ 1·0
Average 50 years (1861-1910)	1951	—	24·0	610	—	81	—	49·5	—

Corresponding values from the year 1849 are

ELEMENTS, GREENWICH, 1876–1925.

Mean Temperature of the Air in the Quarters ended the last day of								
March.	Departure from Average of 50 Years (1861-1910).	June.	Departure from Average of 50 Years (1861-1910).	September.	Departure from Average of 50 Years (1861-1910).	December.	Departure from Average of 50 Years (1861-1910).	Year.
° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	
39·5	− 0·5	51·7	− 1·3	61·8	+ 1·3	47·0	+ 2·7	1876
42·3	+ 2·3	51·9	− 1·1	58·5	− 2·0	45·0	+ 0·7	1877
41·5	+ 1·5	54·6	+ 1·6	60·8	+ 0·3	41·6	− 2·7	1878
37·1	− 2·9	49·5	− 3·5	58·1	− 2·4	39·9	− 4·4	1879
39·8	− 0·2	52·4	− 0·6	61·4	+ 0·9	44·0	− 0·3	1880
37·3	− 2·7	52·9	− 0·1	60·0	− 0·5	44·6	+ 0·3	1881
42·3	+ 2·3	53·0	0·0	58·1	− 2·4	44·7	+ 0·4	1882
40·0	0·0	53·0	0·0	59·5	− 1·0	44·9	+ 0·6	1883
43·4	+ 3·4	52·5	− 0·5	62·7	+ 2·2	44·1	− 0·2	1884
40·3	+ 0·3	52·4	− 0·6	59·1	− 1·4	42·8	− 1·5	1885
36·5	− 3·5	52·5	− 0·5	61·2	+ 0·7	44·6	+ 0·3	1886
37·3	− 2·7	51·6	− 1·4	61·0	+ 0·5	41·3	− 3·0	1887
36·9	− 3·1	51·6	− 1·4	57·6	− 2·9	44·6	+ 0·3	1888
38·2	− 1·8	54·5	+ 1·5	58·9	− 1·6	43·5	− 0·8	1889
41·4	− 1·4	52·8	− 0·2	58·4	− 2·1	40·8	− 3·5	1890
37·6	− 2·4	51·6	− 1·4	59·3	− 1·2	45·0	+ 0·7	1891
37·5	− 2·5	53·4	+ 0·4	59·2	− 1·3	42·3	− 2·0	1892
40·9	+ 0·9	57·0	+ 4·0	61·9	+ 1·4	44·6	+ 0·3	1893
41·4	+ 1·4	53·3	+ 0·3	58·6	− 1·9	46·4	+ 2·1	1894
35·2	− 4·8	55·1	+ 2·1	62·3	+ 1·8	44·7	+ 0·4	1895
42·2	+ 2·2	55·6	+ 2·6	60·4	− 0·1	42·4	− 1·9	1896
41·1	+ 1·1	53·1	+ 0·1	60·9	+ 0·4	46·0	+ 1·7	1897
41·5	+ 1·5	52·4	− 0·6	62·7	+ 2·2	48·5	+ 4·2	1898
41·8	+ 1·8	52·8	− 0·2	63·0	+ 2·5	44·7	+ 0·4	1899
39·2	− 0·8	52·8	− 0·2	61·8	+ 1·3	47·6	+ 3·3	1900
37·8	− 2·2	53·4	+ 0·4	61·7	+ 1·2	43·9	− 0·4	1901
40·5	+ 0·5	51·0	− 2·0	59·6	− 0·9	45·2	+ 0·9	1902
43·9	+ 3·9	51·2	− 1·8	60·0	− 0·5	45·2	+ 0·9	1903
39·5	− 0·5	53·8	+ 0·8	61·5	+ 1·0	44·3	0·0	1904
41·9	+ 1·9	53·8	+ 0·8	61·7	+ 1·2	42·2	− 2·1	1905
41·1	+ 1·1	52·8	− 0·2	63·2	+ 2·7	45·8	+ 1·5	1906
40·0	0·0	52·9	− 0·1	60·1	− 0·4	45·8	+ 1·5	1907
39·5	− 0·5	53·8	+ 0·8	60·3	− 0·2	46·6	+ 2·3	1908
38·4	− 1·6	52·5	− 0·5	59·7	− 0·8	44·8	+ 0·5	1909
41·5	+ 1·5	54·2	+ 1·2	59·3	− 1·2	45·6	+ 1·3	1910
40·3	+ 0·3	54·9	+ 1·9	65·7	+ 5·2	46·2	+ 1·9	1911
43·6	+ 3·6	55·3	+ 2·3	58·9	− 1·6	45·9	+ 1·6	1912
42·4	+ 2·4	54·5	+ 1·5	60·2	− 0·3	47·8	+ 3·5	1913
42·5	+ 2·5	54·9	+ 1·9	62·2	+ 1·7	46·5	+ 2·2	1914
40·8	+ 0·8	53·4	+ 0·4	60·9	+ 0·4	44·3	0·0	1915
41·5	+ 1·5	53·0	0·0	60·4	− 0·1	44·7	+ 0·4	1916
36·4	− 3·6	54·5	+ 1·5	61·7	+ 1·2	43·1	− 1·2	1917
42·3	+ 2·3	53·2	+ 0·2	60·7	+ 0·2	46·1	+ 1·8	1918
38·1	− 1·9	54·3	+ 1·3	60·2	− 0·3	42·5	− 1·8	1919
44·3	+ 4·3	55·3	+ 2·3	59·1	− 1·4	45·4	+ 1·1	1920
44·5	+ 4·5	54·9	+ 1·9	64·2	+ 3·7	47·2	+ 2·9	1921
41·2	+ 1·2	54·2	+ 1·2	58·1	− 2·4	44·2	− 0·1	1922
44·8	+ 4·8	51·4	− 1·6	61·8	+ 1·3	43·0	− 1·3	1923
39·8	− 0·2	54·6	+ 1·6	60·8	+ 0·3	47·1	+ 2·8	1924
42·2	+ 2·2	55·0	+ 2·0	60·9	+ 0·4	44·0	− 0·3	1925
40·0	—	53·0	—	60·5	—	44·3	—	Average 50 years (1861-1910)

published in previous Annual Reports.

APPENDIX TABLES.

A1. Infant Mortality by Sex, Age, Cause and Legitimacy, England and Wales, 1921–1925.

A2. Infant Mortality by Age, Cause and Legitimacy, and by Class of Administrative Area, 1921–1925.

B. Deaths by Cause and Place of Occurrence, and by Class of Administrative Area, 1921–1925.

APPENDIX A1.—ENGLAND AND WALES.—INFANT MORTALITY BY SEX, AGE, CAUSE, AND LEGITIMACY, 1921–25.

Cause of Death.	Sex.	Proportion of Deaths to 1,000 Births.																	
		All Infants.						Legitimate Infants.						Illegitimate Infants.					
		Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.
All Causes	M	37·68	14·69	13·13	10·64	9·45	85·60	36·42	13·99	12·53	10·33	9·27	82·54	66·19	30·43	26·62	17·75	13·40	154·39
	F	28·88	10·91	9·83	8·35	8·07	66·04	27·75	10·36	9·32	8·07	7·88	63·37	54·32	23·35	21·25	14·59	12·29	125·82
	P	33·39	12·85	11·52	9·52	8·78	76·05	32·18	12·22	10·96	9·22	8·59	73·18	60·38	26·97	23·99	16·20	12·86	140·40
I. Common Infectious Diseases (6–10, 25 : 2) ..	M	0·10	0·61	0·84	1·28	1·76	4·58	0·10	0·60	0·81	1·24	1·73	4·49	0·05	0·66	1·39	2·18	2·35	6·63
	F	0·11	0·68	0·75	1·20	1·70	4·44	0·11	0·68	0·74	1·17	1·67	4·37	0·05	0·69	0·96	1·76	2·45	5·91
	P	0·11	0·64	0·80	1·24	1·73	4·51	0·11	0·64	0·78	1·21	1·70	4·43	0·05	0·67	1·18	1·98	2·40	6·28
II. Tuberculous Diseases (31–37)	M	0·02	0·14	0·40	0·50	0·50	1·56	0·02	0·13	0·39	0·48	0·49	1·51	0·02	0·32	0·67	0·92	0·66	2·60
	F	0·01	0·09	0·30	0·39	0·42	1·22	0·01	0·08	0·29	0·39	0·42	1·19	0·04	0·19	0·60	0·56	0·50	1·89
	P	0·02	0·11	0·35	0·45	0·46	1·39	0·01	0·11	0·34	0·43	0·46	1·35	0·03	0·26	0·64	0·75	0·58	2·25
Diarrhœa and Enteritis (113)	M	1·03	2·40	3·14	1·76	1·10	9·44	0·99	2·27	2·96	1·68	1·06	8·97	1·79	5·35	7·19	3·61	2·03	19·96
	F	0·60	1·58	2·27	1·37	0·95	6·77	0·58	1·45	2·10	1·30	0·89	6·32	1·07	4·60	5·95	2·90	2·31	16·83
	P	0·82	2·00	2·72	1·57	1·03	8·14	0·79	1·87	2·54	1·50	0·98	7·68	1·44	4·98	6·58	3·26	2·17	18·43
IV. Developmental and Wasting Diseases (159, 160, 161 : 1, 162 : 2) ..	M	27·82	4·54	1·63	0·51	0·28	34·79	27·18	4·28	1·49	0·48	0·26	33·70	42·23	10·43	4·75	1·26	0·60	59·26
	F	21·92	3·43	1·25	0·45	0·25	27·29	21·36	3·22	1·16	0·42	0·24	26·40	34·30	8·08	3·29	1·19	0·47	47·33
	P	24·94	4·00	1·45	0·48	0·26	31·13	24·34	3·76	1·33	0·45	0·25	30·13	38·34	9·28	4·03	1·22	0·54	53·42
V. Miscellaneous Diseases (Remainder)	M	8·72	7·00	7·12	6·59	5·81	35·23	8·12	6·70	6·87	6·45	5·72	33·86	22·10	13·68	12·62	9·78	7·77	65·95
	F	6·25	5·14	5·26	4·93	4·75	26·32	5·68	4·93	5·02	4·79	4·67	25·09	18·87	9·80	10·46	8·18	6·56	53·86
	P	7·51	6·09	6·21	5·78	5·29	30·88	6·93	5·84	5·97	5·64	5·21	29·58	20·52	11·78	11·56	9·00	7·18	60·03

APPENDIX A1.—ENGLAND AND WALES.—INFANT MORTALITY BY SEX, AGE, CAUSE, AND LEGITIMACY, 1921–25—*continued.*

Cause of Death.	Sex.	Proportion of Deaths to 1,000 Births.																	
		All Infants.						Legitimate Infants.						Illegitimate Infants.					
		Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.
Measles (7)	M	0·02	0·05	0·13	0·42	0·83	1·44	0·02	0·04	0·12	0·40	0·81	1·39	0·01	0·08	0·26	0·92	1·22	2·51
	F	0·01	0·03	0·08	0·35	0·68	1·15	0·01	0·03	0·08	0·34	0·67	1·12	—	0·09	0·07	0·65	1·06	1·87
	P	0·01	0·04	0·10	0·39	0·76	1·30	0·01	0·03	0·10	0·37	0·74	1·26	0·01	0·09	0·17	0·79	1·14	2·20
Whooping cough (9) ..	M	0·07	0·54	0·67	0·76	0·79	2·83	0·07	0·54	0·65	0·75	0·78	2·79	0·01	0·49	1·02	1·03	0·99	3·55
	F	0·09	0·63	0·65	0·78	0·91	3·05	0·09	0·63	0·64	0·77	0·89	3·03	0·04	0·51	0·80	1·01	1·31	3·67
	P	0·08	0·58	0·66	0·77	0·85	2·94	0·08	0·58	0·65	0·76	0·83	2·91	0·02	0·50	0·91	1·02	1·15	3·61
Diphtheria (10)	M	0·01	0·02	0·03	0·07	0·11	0·22	0·01	0·01	0·02	0·06	0·11	0·21	0·02	0·06	0·06	0·18	0·10	0·42
	F	0·01	0·02	0·02	0·04	0·08	0·16	0·01	0·01	0·02	0·04	0·08	0·16	0·01	0·06	0·05	0·04	0·07	0·24
	P	0·01	0·02	0·02	0·05	0·09	0·19	0·01	0·01	0·02	0·05	0·09	0·19	0·02	0·06	0·06	0·11	0·09	0·33
Influenza (11)	M	0·08	0·14	0·21	0·23	0·23	0·89	0·08	0·14	0·21	0·23	0·22	0·87	0·05	0·18	0·28	0·32	0·41	1·23
	F	0·06	0·12	0·13	0·17	0·17	0·64	0·06	0·11	0·13	0·16	0·17	0·63	0·05	0·15	0·20	0·21	0·17	0·79
	P	0·07	0·13	0·17	0·20	0·20	0·77	0·07	0·13	0·17	0·20	0·19	0·75	0·05	0·17	0·24	0·27	0·29	1·02
Tuberculosis of nervous system (32)	M	0·01	0·05	0·18	0·24	0·24	0·72	0·01	0·05	0·17	0·24	0·24	0·70	—	0·05	0·37	0·34	0·32	1·08
	F	0·01	0·03	0·13	0·21	0·22	0·60	0·01	0·02	0·13	0·21	0·22	0·59	0·01	0·06	0·21	0·16	0·17	0·62
	P	0·01	0·04	0·16	0·23	0·23	0·66	0·01	0·04	0·15	0·22	0·23	0·65	0·01	0·06	0·29	0·25	0·25	0·86
Tuberculosis of intestines and peritoneum (33)	M	0·01	0·06	0·11	0·12	0·11	0·41	0·01	0·06	0·11	0·11	0·11	0·40	0·02	0·17	0·14	0·30	0·14	0·78
	F	0·00	0·04	0·08	0·07	0·07	0·27	0·00	0·04	0·07	0·07	0·07	0·25	0·02	0·[illegible]0	0·20	0·16	0·20	0·69
	P	0·00	0·05	0·09	0·10	0·09	0·34	0·00	0·05	0·09	0·09	0·09	0·32	0·02	0·[illegible]3	0·17	0·23	0·17	0·73
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)

		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
Other tuberculous diseases (31, 34–37)	M	0·00	0·03	0·11	0·14	0·15	0·43	0·00	0·03	0·10	0·13	0·14	0·41	—	0·11	0·16	0·29	0·19	0·74
	F	0·00	0·02	0·10	0·11	0·13	0·36	0·00	0·02	0·09	0·10	0·13	0·35	—	0·02	0·19	0·24	0·12	0·57
	P	0·00	0·03	0·10	0·12	0·14	0·39	0·00	0·02	0·10	0·12	0·14	0·38	—	0·07	0·17	0·26	0·16	0·66
Syphilis (38)	M	0·47	0·45	0·21	0·07	0·04	1·23	0·39	0·36	0·15	0·05	0·03	0·98	2·27	2·45	1·57	0·50	0·26	7·05
	F	0·32	0·33	0·18	0·06	0·03	0·92	0·27	0·26	0·12	0·04	0·03	0·72	1·54	1·85	1·31	0·42	0·22	5·35
	P	0·40	0·39	0·19	0·06	0·04	1·08	0·33	0·31	0·14	0·05	0·03	0·85	1·91	2·15	1·44	0·46	0·24	6·22
Meningitis (71)	M	0·05	0·09	0·22	0·20	0·20	0·75	0·05	0·09	0·21	0·20	0·20	0·76	0·01	0·12	0·26	0·14	0·19	0·73
	F	0·03	0·07	0·14	0·17	0·16	0·58	0·03	0·07	0·14	0·17	0·16	0·57	0·05	0·15	0·21	0·24	0·15	0·80
	P	0·04	0·08	0·18	0·19	0·18	0·67	0·04	0·08	0·18	0·19	0·18	0·66	0·03	0·13	0·24	0·19	0·17	0·76
Convulsions (80)	M	2·45	1·04	0·73	0·52	0·39	5·12	2·41	0·99	0·69	0·50	0·37	4·97	3·34	2·07	1·59	0·83	0·73	8·57
	F	1·57	0·75	0·56	0·40	0·32	3·61	1·54	0·70	0·53	0·39	0·32	3·48	2·21	1·82	1·25	0·80	0·44	6·52
	P	2·02	0·90	0·65	0·46	0·36	4·38	1·99	0·85	0·61	0·45	0·35	4·24	2·79	1·95	1·43	0·81	0·59	7·57
Bronchitis (99)	M	0·81	1·70	1·45	1·19	0·87	6·02	0·81	1·66	1·43	1·17	0·85	5·92	0·68	2·47	2·03	1·86	1·22	8·26
	F	0·58	1·28	1·11	0·92	0·77	4·66	0·59	1·27	1·08	0·89	0·75	4·57	0·49	1·49	1·95	1·61	1·19	6·72
	P	0·70	1·49	1·29	1·06	0·82	5·36	0·70	1·47	1·26	1·03	0·80	5·26	0·59	1·99	1·99	1·74	1·21	7·51
Pneumonia (100, 101) ..	M	0·78	2·09	2·89	3·31	3·17	12·24	0·77	2·04	2·83	3·25	3·14	12·02	1·02	3·20	4·25	4·66	3·90	17·03
	F	0·59	1·54	2·10	2·43	2·59	9·26	0·58	1·51	2·04	2·38	2·55	9·06	0·81	2·26	3·45	3·65	3·42	13·59
	P	0·69	1·82	2·50	2·88	2·89	10·78	0·68	1·78	2·44	2·82	2·85	10·58	0·92	2·74	3·86	4·17	3·66	15·35
Other respiratory diseases (97, 98, 102–107)	M	0·10	0·08	0·09	0·08	0·08	0·44	0·10	0·08	0·09	0·08	0·09	0·43	0·22	0·17	0·10	0·13	0·05	0·66
	F	0·06	0·05	0·07	0·06	0·06	0·30	0·07	0·05	0·07	0·06	0·06	0·30	0·05	0·06	0·10	0·11	0·11	0·44
	P	0·09	0·06	0·08	0·07	0·07	0·37	0·08	0·06	0·08	0·07	0·07	0·37	0·13	0·12	0·10	0·12	0·08	0·55
Inflammation of the stomach (112 : 1)	M	0·19	0·37	0·27	0·11	0·07	1·01	0·19	0·35	0·26	0·10	0·07	0·96	0·40	0·87	0·67	0·22	0·08	2·24
	F	0·13	0·24	0·21	0·11	0·07	0·76	0·13	0·22	0·19	0·10	0·07	0·71	0·19	0·57	0·67	0·19	0·07	1·70
	P	0·16	0·30	0·24	0·11	0·07	0·89	0·16	0·28	0·22	0·10	0·07	0·84	0·29	0·73	0·67	0·20	0·08	1·98
Diarrhœa and enteritis (113)	M	1·03	2·40	3·14	1·76	1·10	9·44	0·99	2·27	2·96	1·68	1·06	8·97	1·79	5·35	7·19	3·61	2·03	19·96
	F	0·60	1·58	2·27	1·37	0·95	6·77	0·58	1·45	2·10	1·30	0·89	6·32	1·07	4·60	5·95	2·90	2·31	16·83
	P	0·82	2·00	2·72	1·57	1·03	8·14	0·79	1·87	2·54	1·50	0·98	7·68	1·44	4·98	6·58	3·26	2·17	18·43
Hernia, intestinal obstruction (118)	M	0·10	0·09	0·27	0·25	0·12	0·83	0·09	0·09	0·27	0·25	0·12	0·83	0·16	0·16	0·25	0·16	0·04	0·76
	F	0·06	0·03	0·14	0·11	0·06	0·40	0·06	0·03	0·14	0·11	0·06	0·40	0·05	0·04	0·09	0·12	0·02	0·32
	P	0·08	0·06	0·20	0·18	0·09	0·62	0·08	0·06	0·21	0·18	0·09	0·62	0·10	0·10	0·17	0·14	0·03	0·54

APPENDIX A1.—ENGLAND AND WALES.—INFANT MORTALITY BY SEX, AGE, CAUSE, AND LEGITIMACY, 1921–25—*continued.*

Cause of Death.	Sex.	Proportion of Deaths to 1,000 Births.																	
		All Infants.						Legitimate Infants.						Illegitimate Infants.					
		Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.
Congenital malformations (159)	M	2·87	1·01	0·46	0·18	0·12	4·65	2·87	0·99	0·45	0·18	0·12	4·61	2·90	1·40	0·65	0·31	0·12	5·38
	F	2·42	0·74	0·34	0·17	0·10	3·77	2·41	0·73	0·33	0·17	0·11	3·75	2·57	0·99	0·41	0·15	0·06	4·19
	P	2·65	0·88	0·40	0·18	0·11	4·22	2·65	0·86	0·39	0·17	0·11	4·19	2·74	1·20	0·53	0·23	0·09	4·80
Congenital debility and sclerema (160 : 1)	M	4·01	1·79	0·98	0·30	0·14	7·22	3·86	1·61	0·86	0·27	0·13	6·73	7·31	5·80	3·66	0·87	0·46	18·10
	F	2·92	1·17	0·71	0·25	0·13	5·18	2·83	1·03	0·63	0·22	0·12	4·84	4·94	4·25	2·39	0·94	0·41	12·92
	P	3·48	1·49	0·85	0·28	0·14	6·22	3·36	1·33	0·75	0·25	0·13	5·81	6·15	5·04	3·03	0·91	0·43	15·56
Icterus (160 : 2)	M	0·74	0·09	0·00	—	—	0·84	0·73	0·09	0·00	—	—	0·83	0·89	0·14	—	—	—	1·03
	F	0·44	0·05	0·01	0·00	—	0·50	0·44	0·05	0·01	0·00	—	0·49	0·56	0·05	0·02	—	—	0·64
	P	0·59	0·07	0·00	0·00	—	0·67	0·59	0·07	0·00	0·00	—	0·66	0·73	0·10	0·01	—	—	0·84
Premature birth (161 : 1) ..	M	18·52	1·60	0·20	0·03	0·01	20·35	18·07	1·54	0·18	0·03	0·01	19·83	28·62	2·96	0·44	0·07	0·02	32·12
	F	14·82	1·41	0·20	0·03	0·01	16·47	14·40	1·36	0·18	0·03	0·01	15·98	24·11	2·64	0·46	0·10	—	27·31
	P	16·71	1·51	0·20	0·03	0·01	18·45	16·28	1·45	0·18	0·03	0·01	17·95	26·41	2·80	0·45	0·09	0·01	29·77
Injury at birth (161 : 2) ..	M	1·66	0·03	0·01	0·00	0·00	1·69	1·63	0·03	0·01	0·00	0·00	1·67	2·25	0·02	—	—	—	2·28
	F	1·06	0·03	0·00	—	—	1·09	1·01	0·03	0·00	—	—	1·04	2·07	0·05	—	—	—	2·12
	P	1·36	0·03	0·00	0·00	0·00	1·40	1·33	0·03	0·00	0·00	0·00	1·36	2·17	0·04	—	—	—	2·20
Disease of umbilicus (162 : 1)	M	0·15	0·03	—	—	—	0·18	0·14	0·03	—	—	—	0·17	0·29	0·05	—	—	—	0·34
	F	0·14	0·02	—	—	—	0·17	0·14	0·02	—	—	—	0·16	0·25	0·05	—	—	—	0·30
	P	0·15	0·03	—	—	—	0·17	0·14	0·02	—	—	—	0·16	0·27	0·05	—	—	—	0·32
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)

		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
Atelectasis (162 : 2)	M	1·68	0·06	—	—	—	1·74	1·65	0·05	—	—	—	1·70	2·51	0·12	—	—	—	2·62
	F	1·32	0·05	—	—	—	1·38	1·29	0·05	—	—	—	1·34	2·11	0·16	—	—	—	2·27
	P	1·51	0·05	—	—	—	1·56	1·47	0·05	—	—	—	1·52	2·31	0·14	—	—	—	2·45
Suffocation—in bed or not stated how (180 pt.)	M	0·29	0·18	0·10	0·02	0·01	0·59	0·25	0·17	0·09	0·02	0·01	0·54	1·11	0·48	0·25	0·05	0·01	1·91
	F	0·24	0·18	0·10	0·03	0·01	0·55	0·21	0·17	0·10	0·03	0·01	0·51	0·95	0·27	0·15	0·02	0·01	1·41
	P	0·26	0·18	0·10	0·03	0·01	0·57	0·23	0·17	0·09	0·02	0·01	0·52	1·03	0·38	0·20	0·04	0·01	1·66
Other causes	M	1·61	0·72	0·69	0·64	0·67	4·33	1·22	0·69	0·66	0·62	0·66	3·85	10·31	1·46	1·41	0·96	0·91	15·05
	F	1·41	0·51	0·53	0·49	0·52	3·47	1·02	0·49	0·51	0·48	0·52	3·01	10·16	1·05	1·11	0·86	0·74	13·92
	P	1·51	0·62	0·62	0·57	0·60	3·91	1·12	0·59	0·59	0·55	0·59	3·44	10·23	1·26	1·27	0·91	0·83	14·50

APPENDIX A2.—CLASSES OF ADMINISTRATIVE AREAS.—INFANT MORTALITY BY AGE, CAUSE, AND LEGITIMACY, 1921–25.

Cause of Death.	Proportion of Deaths to 1,000 Births.																	
	All Infants.						Legitimate Infants.						Illegitimate Infants.					
	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.
All Causes—																		
London	27·39	11·87	12·84	9·82	9·21	71·14	26·09	10·99	11·93	9·47	8·91	67·38	58·19	32·70	34·49	18·17	16·21	159·76
County Boroughs	35·61	14·85	13·87	11·62	11·07	87·02	34·36	14·17	13·18	11·23	10·80	83·74	63·66	30·33	29·47	20·51	17·10	161·07
Other Urban Districts ..	33·54	12·34	10·48	8·86	7·90	73·12	32·34	11·79	10·05	8·58	7·79	70·56	61·68	25·23	20·37	15·30	10·68	133·26
Rural Districts	32·80	10·75	8·36	6·77	5·96	64·63	31·71	10·22	8·01	6·62	5·87	62·44	54·52	21·29	15·30	9·78	7·66	108·55
All Urban Districts ..	33·53	13·37	12·31	10·21	9·48	78·90	32·30	12·71	11·69	9·87	9·27	75·84	62·06	28·59	26·48	18·05	14·35	149·53
I.—Common Infectious Diseases (6–10, 25 : 2)—																		
London	0·11	0·59	0·86	1·55	2·33	5·42	0·11	0·58	0·81	1·50	2·26	5·26	0·11	0·70	2·06	2·55	3·80	9·22
County Boroughs ..	0·09	0·64	0·87	1·54	2·18	5·31	0·09	0·64	0·85	1·48	2·13	5·20	0·04	0·48	1·29	2·70	3·33	7·83
Other Urban Districts ..	0·10	0·62	0·76	1·08	1·51	4·08	0·11	0·61	0·76	1·05	1·50	4·04	0·04	0·79	0·87	1·72	1·75	5·17
Rural Districts	0·14	0·71	0·68	0·80	0·95	3·29	0·14	0·70	0·66	0·80	0·94	3·25	0·05	0·80	1·02	0·93	1·15	3·96
All Urban Districts ..	0·10	0·62	0·83	1·35	1·92	4·82	0·10	0·62	0·81	1·31	1·89	4·73	0·05	0·64	1·23	2·27	2·75	6·94
II—Tuberculous Diseases (31–37)—																		
London	0·02	0·07	0·36	0·41	0·49	1·36	0·02	0·07	0·35	0·40	0·49	1·33	—	0·22	0·65	0·60	0·54	2·01
County Boroughs	0·01	0·14	0·41	0·54	0·55	1·66	0·01	0·14	0·40	0·53	0·54	1·61	0·05	0·33	0·76	0·92	0·74	2·80
Other Urban Districts ..	0·02	0·11	0·32	0·43	0·44	1·33	0·02	0·11	0·31	0·41	0·44	1·28	—	0·21	0·69	0·79	0·64	2·33
Rural Districts	0·01	0·09	0·29	0·34	0·32	1·05	0·01	0·08	0·29	0·33	0·32	1·03	0·05	0·22	0·36	0·49	0·27	1·40
All Urban Districts ..	0·02	0·12	0·37	0·48	0·50	1·48	0·02	0·12	0·35	0·46	0·49	1·43	0·02	0·27	0·72	0·82	0·67	2·49
III.—Diarrhœa and Enteritis (113)																		
London	0·72	2·15	4·07	2·20	1·34	10·48	0·70	1·86	3·68	2·06	1·26	9·54	1·41	9·06	13·29	5·53	3·42	32·70
County Boroughs	1·01	2·51	3·46	1·99	1·32	10·29	0·99	2·36	3·26	1·89	1·24	9·73	1·41	5·76	8·04	4·28	3·26	22·75
Other Urban Districts ..	0·81	1·84	2·22	1·33	0·86	7·05	0·77	1·73	2·10	1·27	0·84	6·70	1·68	4·45	4·99	2·70	1·33	15·15
Rural Districts	0·56	1·30	1·44	0·88	0·62	4·80	0·53	1·24	1·35	0·86	0·60	4·58	1·15	2·44	3·19	1·32	1·02	9·12
All Urban Districts ..	0·88	2·18	3·04	1·74	1·13	8·97	0·86	2·02	2·84	1·65	1·07	8·45	1·52	5·71	7·56	3·82	2·49	21·09
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
IV—Developmental and Wasting Diseases (159, 160, 161 : 1 162 : 2)—																		
London	20·08	3·87	1·70	0·56	0·29	26·50	19·59	3·54	1·51	0·51	0·25	25·41	31·62	11·66	6·34	1·74	1·03	52·39
County Boroughs ..	26·26	4·43	1·67	0·54	0·30	33·20	25·58	4·19	1·51	0·49	0·28	32·04	41·59	9·98	5·38	1·57	0·67	59·18
Other Urban Districts ..	25·22	3·89	1·26	0·44	0·23	31·04	24·63	3·69	1·20	0·41	0·22	30·14	38·97	8·62	2·87	1·14	0·42	52·02
Rural Districts	25·05	3·50	1·20	0·41	0·25	30·41	24·51	3·28	1·14	0·41	0·25	29·59	35·79	7·94	2·42	0·55	0·25	46·94
All Urban Districts ..	24·91	4·12	1·51	0·50	0·27	31·31	24·30	3·89	1·38	0·46	0·25	30·27	39·08	9·66	4·49	1·42	0·62	55·27
V—Miscellaneous Diseases (Remainder)—																		
London	6·46	5·19	5·85	5·11	4·76	27·37	5·67	4·94	5·59	5·00	4·64	25·84	25·05	11·06	12·15	7·75	7·43	63·45
County Boroughs ..	8·24	7·13	7·45	7·02	6·72	36·57	7·70	6·84	7·16	6·84	6·62	35·15	20·57	13·78	14·01	11·05	9·09	68·51
Other Urban Districts ..	7·40	5·87	5·91	5·58	4·87	29·63	6·82	5·65	5·69	5·44	4·80	28·40	20·99	11·16	10·95	8·96	6·53	58·59
Rural Districts	7·04	5·16	4·75	4·34	3·81	25·09	6·52	4·92	4·57	4·23	3·75	23·99	17·47	9·89	8·32	6·48	4·97	47·13
All Urban Districts ..	7·63	6·32	6·57	6·14	5·66	32·32	7·03	6·06	6·32	5·98	5·57	30·96	21·39	12·32	12·49	9·72	7·81	63·72
Measles (7)—																		
London	0·02	0·04	0·14	0·54	1·06	1·80	0·02	0·04	0·12	0·52	1·01	1·71	0·05	0·16	0·54	1·03	2·22	4·01
County Boroughs	0·01	0·05	0·15	0·53	1·03	1·77	0·01	0·05	0·14	0·51	1·00	1·71	—	0·07	0·19	1·20	1·64	3·10
Other Urban Districts ..	0·01	0·03	0·07	0·31	0·63	1·06	0·02	0·03	0·07	0·29	0·62	1·04	—	0·12	0·06	0·75	0·73	1·66
Rural Districts	0·01	0·02	0·05	0·16	0·33	0·57	0·01	0·02	0·05	0·17	0·33	0·57	—	0·03	0·11	0·08	0·41	0·63
All Urban Districts ..	0·01	0·04	0·11	0·44	0·87	1·48	0·01	0·04	0·11	0·42	0·85	1·43	0·01	0·10	0·19	0·99	1·35	2·64
Whooping cough (9)—																		
London	0·06	0·50	0·66	0·83	1·00	3·05	0·06	0·50	0·63	0·81	0·99	2·99	—	0·33	1·41	1·30	1·41	4·45
County Boroughs ..	0·07	0·56	0·68	0·91	1·01	3·22	0·07	0·57	0·67	0·89	0·98	3·18	0·02	0·32	0·92	1·32	1·53	4·11
Other Urban Districts ..	0·08	0·57	0·67	0·70	0·78	2·80	0·08	0·57	0·67	0·70	0·77	2·79	0·02	0·60	0·75	0·73	0·96	3·06
Rural Districts	0·11	0·68	0·61	0·61	0·58	2·60	0·11	0·67	0·60	0·60	0·58	2·57	0·05	0·74	0·88	0·82	0·69	3·19
All Urban Districts ..	0·07	0·56	0·67	0·81	0·91	3·02	0·07	0·56	0·66	0·80	0·90	2·99	0·02	0·43	0·92	1·08	1·28	3·73
Diphtheria (10)—																		
London	0·02	0·04	0·05	0·13	0·20	0·45	0·02	0·04	0·05	0·13	0·21	0·45	0·05	0·16	0·11	0·11	0·11	0·54
County Boroughs ..	0·00	0·02	0·03	0·06	0·11	0·21	0·00	0·01	0·03	0·05	0·11	0·21	0·02	0·07	0·07	0·12	0·12	0·41
Other Urban Districts ..	0·01	0·01	0·01	0·04	0·08	0·15	0·00	0·01	0·01	0·04	0·08	0·14	0·02	0·06	0·04	0·15	0·06	0·33
Rural Districts	0·01	0·01	0·01	0·02	0·03	0·07	0·01	0·01	0·01	0·02	0·03	0·07	—	—	0·03	0·03	0·05	0·11
All Urban Districts ..	0·01	0·02	0·02	0·06	0·11	0·22	0·01	0·02	0·02	0·06	0·11	0·21	0·02	0·08	0·06	0·13	0·09	0·39
Influenza (11)—																		
London	0·04	0·09	0·12	0·13	0·14	0·52	0·04	0·08	0·12	0·13	0·13	0·50	0·05	0·11	0·22	0·16	0·27	0·81
County Boroughs ..	0·07	0·13	0·19	0·21	0·22	0·82	0·07	0·13	0·18	0·21	0·22	0·81	0·05	0·16	0·23	0·32	0·33	1·09
Other Urban Districts ..	0·07	0·11	0·17	0·21	0·20	0·76	0·07	0·11	0·17	0·21	0·20	0·76	0·04	0·17	0·19	0·23	0·23	0·87
Rural Districts	0·07	0·18	0·18	0·20	0·19	0·82	0·07	0·18	0·17	0·19	0·18	0·80	0·05	0·19	0·33	0·30	0·33	1·21
All Urban Districts ..	0·07	0·12	0·17	0·20	0·20	0·75	0·07	0·12	0·17	0·20	0·20	0·74	0·05	0·16	0·21	0·26	0·28	0·96

APPENDIX A2.—CLASSES OF ADMINISTRATIVE AREAS.—INFANT MORTALITY BY AGE, CAUSE, AND LEGITIMACY, 1921–25.—*continued.*

Cause of Death.	Proportion of Deaths to 1,000 Births.																	
	All Infants.						Legitimate Infants.						Illegitimate Infants.					
	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.
Tuberculosis of nervous system (32)—																		
London	0·01	0·02	0·16	0·20	0·28	0·66	0·01	0·01	0·16	0·20	0·28	0·66	—	0·05	0·16	0·22	0·33	0·76
County Boroughs	0·01	0·05	0·19	0·28	0·27	0·79	0·01	0·05	0·19	0·28	0·27	0·79	0·02	0·05	0·30	0·28	0·28	0·93
Other Urban Districts ..	0·01	0·04	0·14	0·21	0·21	0·60	0·01	0·04	0·13	0·20	0·21	0·59	—	0·06	0·39	0·27	0·25	0·96
Rural Districts	0·00	0·03	0·13	0·18	0·17	0·51	0·00	0·03	0·12	0·18	0·17	0·50	—	0·05	0·22	0·19	0·16	0·63
All Urban Districts ..	0·01	0·04	0·16	0·24	0·25	0·70	0·01	0·04	0·16	0·24	0·25	0·69	0·01	0·06	0·31	0·27	0·28	0·92
Tuberculosis of intestines and peritoneum (33)—																		
London	0·01	0·03	0·05	0·05	0·03	0·16	0·01	0·02	0·05	0·04	0·03	0·14	—	0·16	0·11	0·22	—	0·49
County Boroughs	0·01	0·07	0·11	0·10	0·12	0·41	0·00	0·06	0·11	0·10	0·12	0·38	0·04	0·19	0·16	0·26	0·23	0·88
Other Urban Districts ..	0·00	0·05	0·10	0·12	0·10	0·37	0·00	0·05	0·10	0·11	0·09	0·35	—	0·08	0·25	0·29	0·21	0·83
Rural Districts	0·01	0·04	0·08	0·08	0·08	0·29	0·00	0·03	0·08	0·08	0·08	0·28	0·05	0·11	0·11	0·11	0·11	0·49
All Urban Districts ..	0·00	0·05	0·10	0·10	0·10	0·35	0·00	0·05	0·09	0·09	0·09	0·34	0·02	0·14	0·19	0·27	0·19	0·80
Other tuberculous diseases (31, 34–37)—																		
London	0·00	0·03	0·16	0·16	0·19	0·54	0·00	0·03	0·15	0·16	0·18	0·53	—	—	0·38	0·16	0·22	0·76
County Boroughs	0·00	0·03	0·11	0·16	0·16	0·46	0·00	0·03	0·11	0·15	0·15	0·44	—	0·09	0·30	0·37	0·23	0·99
Other Urban Districts ..	0·01	0·03	0·08	0·10	0·13	0·35	0·01	0·03	0·08	0·10	0·13	0·34	—	0·08	0·06	0·23	0·17	0·54
Rural Districts	0·00	0·02	0·08	0·08	0·07	0·26	0·00	0·02	0·08	0·07	0·08	0·25	—	0·05	0·03	0·19	—	0·27
All Urban Districts ..	0·00	0·03	0·11	0·14	0·15	0·43	0·00	0·03	0·10	0·13	0·15	0·41	—	0·07	0·21	0·28	0·20	0·77
Syphilis (38)—																		
London	0·35	0·35	0·21	0·06	0·03	1·00	0·32	0·25	0·14	0·04	0·02	0·77	1·19	2·60	1·84	0·54	0·27	6·45
County Boroughs	0·59	0·57	0·31	0·11	0·05	1·62	0·49	0·46	0·23	0·07	0·04	1·28	2·70	3·07	2·33	0·67	0·41	9·16
Other Urban Districts ..	0·32	0·32	0·13	0·05	0·03	0·85	0·26	0·26	0·10	0·04	0·02	0·67	1·83	1·79	0·91	0·31	0·15	4·99
Rural Districts	0·22	0·21	0·08	0·04	0·02	0·58	0·17	0·17	0·05	0·03	0·02	0·45	1·15	1·02	0·63	0·33	0·11	3·24
All Urban Districts ..	0·44	0·43	0·22	0·07	0·04	1·21	0·37	0·35	0·16	0·05	0·03	0·95	2·12	2·48	1·68	0·50	0·28	7·07
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
Meningitis (71)—																		
London	0·04	0·06	0·14	0·13	0·14	0·51	0·03	0·06	0·14	0·13	0·14	0·51	0·05	0·05	0·22	0·16	0·05	0·54
County Boroughs	0·05	0·08	0·21	0·22	0·21	0·77	0·05	0·08	0·21	0·23	0·21	0·77	0·02	0·14	0·23	0·16	0·23	0·78
Other Urban Districts ..	0·04	0·07	0·18	0·18	0·17	0·64	0·04	0·07	0·17	0·18	0·17	0·63	0·02	0·19	0·35	0·21	0·19	0·96
Rural Districts	0·03	0·10	0·15	0·17	0·17	0·62	0·03	0·10	0·15	0·16	0·18	0·63	0·05	0·08	0·11	0·22	0·11	0·58
All Urban Districts ..	0·04	0·08	0·19	0·19	0·18	0·68	0·04	0·07	0·18	0·19	0·18	0·67	0·02	0·15	0·28	0·18	0·19	0·82
Convulsions (80)—																		
London	0·96	0·27	0·25	0·16	0·15	1·80	0·96	0·27	0·24	0·16	0·15	1·77	0·98	0·43	0·65	0·33	0·33	2·71
County Boroughs	2·14	0·99	0·67	0·49	0·39	4·68	2·11	0·95	0·64	0·47	0·38	4·55	2·86	1·92	1·43	0·79	0·69	7·68
Other Urban Districts ..	2·20	0·96	0·74	0·53	0·36	4·80	2·17	0·92	0·70	0·50	0·35	4·65	3·05	2·02	1·62	1·00	0·66	8·35
Rural Districts	2·12	0·99	0·67	0·49	0·40	4·69	2·07	0·91	0·63	0·48	0·40	4·49	3·24	2·66	1·54	0·82	0·47	8·73
All Urban Districts ..	1·99	0·87	0·64	0·46	0·35	4·31	1·97	0·83	0·61	0·44	0·33	4·18	2·66	1·75	1·39	0·81	0·62	7·23
Bronchitis (99)—																		
London	0·48	0·86	0·86	0·56	0·44	3·20	0·50	0·86	0·83	0·55	0·43	3·16	0·22	0·98	1·57	0·65	0·65	4·07
County Boroughs	0·84	1·82	1·56	1·33	1·02	6·58	0·85	1·80	1·53	1·28	1·01	6·47	0·69	2·26	2·36	2·27	1·41	8·99
Other Urban Districts ..	0·66	1·52	1·30	1·10	0·83	5·42	0·66	1·49	1·27	1·07	0·81	5·31	0·58	2·29	2·10	1·68	1·35	8·00
Rural Districts	0·64	1·24	1·04	0·83	0·66	4·41	0·64	1·22	1·01	0·80	0·65	4·32	0·63	1·65	1·46	1·54	0·96	6·23
All Urban Districts ..	0·71	1·56	1·35	1·12	0·86	5·59	0·72	1·53	1·32	1·09	0·84	5·50	0·57	2·09	2·14	1·79	1·27	7·87
Pneumonia (100, 101)—																		
London	1·12	2·40	3·05	3·04	2·99	12·59	1·10	2·31	2·95	2·99	2·92	12·28	1·41	4·39	5·26	4·28	4·56	19·90
County Boroughs	0·77	2·13	3·06	3·64	3·87	13·47	0·76	2·08	2·99	3·57	3·83	13·23	1·08	3·17	4·56	5·34	4·85	19·00
Other Urban Districts ..	0·57	1·63	2·26	2·66	2·53	9·65	0·57	1·60	2·20	2·59	2·51	9·46	0·75	2·31	3·70	4·16	3·10	14·03
Rural Districts	0·47	1·26	1·61	1·83	1·71	6·88	0·46	1·23	1·57	1·81	1·68	6·76	0·66	1·84	2·28	2·28	2·17	9·23
All Urban Districts ..	0·74	1·96	2·73	3·15	3·18	11·75	0·73	1·92	2·66	3·08	3·14	11·52	0·99	3·00	4·31	4·71	4·09	17·10
Other respiratory diseases (97, 98, 102–107)—																		
London	0·09	0·06	0·06	0·05	0·06	0·33	0·09	0·06	0·07	0·05	0·06	0·33	0·27	0·05	—	—	—	0·33
County Boroughs	0·08	0·06	0·09	0·08	0·09	0·40	0·08	0·06	0·09	0·07	0·09	0·39	0·09	0·12	0·11	0·19	0·07	0·58
Other Urban Districts ..	0·09	0·06	0·08	0·07	0·07	0·38	0·08	0·06	0·08	0·07	0·07	0·37	0·17	0·08	0·12	0·08	0·12	0·56
Rural Districts	0·09	0·08	0·07	0·07	0·05	0·35	0·09	0·07	0·07	0·06	0·05	0·34	0·08	0·19	0·11	0·14	0·08	0·60
All Urban Districts ..	0·08	0·06	0·08	0·07	0·08	0·38	0·08	0·06	0·08	0·07	0·08	0·37	0·15	0·09	0·09	0·12	0·08	0·54
Inflammation of the stomach (112 : 1)—																		
London	0·06	0·12	0·11	0·07	0·04	0·40	0·06	0·11	0·10	0·06	0·03	0·37	—	0·33	0·49	0·22	0·11	1·14
County Boroughs	0·20	0·37	0·28	0·11	0·08	1·06	0·20	0·35	0·26	0·11	0·08	1·00	0·30	0·90	0·88	0·18	0·11	2·36
Other Urban Districts ..	0·17	0·32	0·25	0·12	0·08	0·95	0·17	0·30	0·24	0·12	0·08	0·90	0·37	0·69	0·60	0·27	0·10	2·02
Rural Districts	0·14	0·27	0·22	0·09	0·05	0·78	0·13	0·25	0·20	0·09	0·06	0·73	0·33	0·71	0·55	0·14	—	1·73
All Urban Districts ..	0·17	0·31	0·25	0·11	0·07	0·91	0·17	0·29	0·23	0·11	0·07	0·87	0·28	0·73	0·71	0·22	0·10	2·05

APPENDIX A2.—CLASSES OF ADMINISTRATIVE AREAS.—INFANT MORTALITY BY AGE, CAUSE, AND LEGITIMACY, 1921–25.—*continued.*

Cause of Death.	Proportion of Deaths to 1,000 Births.																	
	All Infants.						Legitimate Infants.						Illegitimate Infants.					
	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.
Diarrhœa and enteritis (113)—																		
London	0·72	2·15	4·07	2·20	1·34	10·48	0·70	1·86	3·68	2·06	1·26	9·54	1·41	9·06	13·29	5·53	3·42	32·70
County Boroughs	1·01	2·51	3·46	1·99	1·32	10·29	0·99	2·36	3·26	1·89	1·24	9·73	1·41	5·76	8·04	4·28	3·26	22·75
Other Urban Districts ..	0·81	1·84	2·22	1·33	0·86	7·05	0·77	1·73	2·10	1·27	0·84	6·70	1·68	4·45	4·99	2·70	1·33	15·15
Rural Districts	0·56	1·30	1·44	0·88	0·62	4·80	0·53	1·24	1·35	0·86	0·60	4·58	1·15	2·44	3·19	1·32	1·02	9·12
All Urban Districts ..	0·88	2·18	3·04	1·74	1·13	8·97	0·86	2·02	2·84	1·65	1·07	8·45	1·52	5·71	7·56	3·82	2·49	21·09
Hernia, intestinal obstruction (118)—																		
London	0·09	0·05	0·22	0·22	0·09	0·67	0·09	0·06	0·22	0·23	0·09	0·68	0·05	—	0·22	0·11	0·05	0·43
County Boroughs	0·06	0·07	0·25	0·20	0·10	0·68	0·06	0·06	0·25	0·20	0·10	0·68	0·05	0·18	0·21	0·19	0·04	0·67
Other Urban Districts ..	0·08	0·07	0·19	0·17	0·08	0·59	0·07	0·07	0·19	0·17	0·09	0·60	0·17	0·08	0·10	0·08	0·04	0·46
Rural Districts	0·10	0·05	0·15	0·15	0·08	0·52	0·10	0·05	0·15	0·15	0·08	0·52	0·11	0·05	0·19	0·16	—	0·52
All Urban Districts ..	0·07	0·07	0·22	0·19	0·09	0·64	0·07	0·07	0·22	0·19	0·09	0·65	0·10	0·11	0·17	0·13	0·04	0·55
Congenital malformations (159)																		
London	2·26	0·96	0·37	0·16	0·12	3·87	2·26	0·92	0·36	0·16	0·12	3·81	2·39	1·84	0·60	0·27	0·11	5·21
County Boroughs	2·66	0·90	0·39	0·16	0·11	4·22	2·66	0·89	0·38	0·16	0·11	4·19	2·59	1·34	0·63	0·19	0·14	4·90
Other Urban Districts ..	2·80	0·86	0·40	0·19	0·10	4·34	2·79	0·85	0·40	0·19	0·10	4·33	3·01	0·94	0·39	0·29	0·04	4·66
Rural Districts	2·62	0·82	0·43	0·20	0·14	4·21	2·61	0·81	0·42	0·20	0·15	4·18	2·77	1·02	0·55	0·19	0·08	4·61
All Urban Districts ..	2·66	0·89	0·39	0·17	0·11	4·22	2·65	0·88	0·39	0·17	0·11	4·19	2·73	1·25	0·53	0·24	0·09	4·85
Congenital debility and sclerema (160 : 1)—																		
London	1·96	1·36	1·15	0·37	0·17	5·00	1·85	1·15	0·99	0·33	0·14	4·45	4·50	6·18	5·04	1·36	0·92	18·00
County Boroughs	3·32	1·71	1·06	0·34	0·17	6·60	3·20	1·55	0·92	0·30	0·16	6·13	5·94	5·36	4·21	1·27	0·49	17·27
Other Urban Districts ..	3·92	1·43	0·67	0·21	0·12	6·35	3·81	1·30	0·61	0·19	0·11	6·02	6·51	4·49	2·10	0·75	0·39	14·24
Rural Districts	3·92	1·27	0·59	0·20	0·09	6·07	3·77	1·10	0·54	0·19	0·09	5·70	6·78	4·75	1·51	0·33	0·16	13·54
All Urban Districts ..	3·37	1·54	0·91	0·29	0·15	6·26	3·25	1·39	0·80	0·26	0·14	5·84	5·97	5·12	3·47	1·07	0·51	16·14
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
Icterus (160 : 2)—																		
London	0·38	0·07	0·00	—	—	0·46	0·38	0·07	0·00	—	—	0·45	0·49	0·11	0·05	—	—	0·65
County Boroughs	0·59	0·07	0·01	0·00	—	0·67	0·60	0·07	0·00	0·00	—	0·67	0·51	0·11	—	—	—	0·62
Other Urban Districts ..	0·59	0·08	0·00	—	—	0·67	0·57	0·08	0·00	—	—	0·65	0·94	0·10	—	—	—	1·04
Rural Districts	0·73	0·07	0·01	0·00	—	0·81	0·72	0·07	0·01	0·00	—	0·80	0·88	0·08	0·03	—	—	0·99
All Urban Districts ..	0·56	0·07	0·00	0·00	—	0·64	0·55	0·07	0·00	0·00	—	0·63	0·68	0·10	0·01	—	—	0·79
Premature birth (161 : 1)—																		
London	13·84	1·41	0·18	0·03	0·00	15·46	13·50	1·33	0·16	0·02	0·00	15·02	21·80	3·31	0·65	0·11	—	25·87
County Boroughs	18·07	1·69	0·22	0·03	0·01	20·02	17·55	1·63	0·20	0·03	0·01	19·42	29·73	3·07	0·53	0·11	0·04	33·47
Other Urban Districts ..	16·55	1·47	0·19	0·04	0·01	18·25	16·12	1·41	0·18	0·03	0·01	17·76	26·60	2·91	0·39	0·10	—	29·99
Rural Districts	16·32	1·30	0·18	0·01	0·01	17·82	15·97	1·26	0·17	0·01	0·01	17·43	23·32	1·98	0·33	0·03	—	25·65
All Urban Districts ..	16·81	1·56	0·20	0·03	0·01	18·61	16·36	1·49	0·19	0·03	0·01	18·08	27·30	3·04	0·49	0·10	0·02	30·95
Injury at birth (161 : 2)—																		
London	1·28	0·02	0·00	0·00	—	1·30	1·24	0·02	0·00	0·00	—	1·27	2·11	0·05	—	—	—	2·17
County Boroughs	1·37	0·03	0·00	0·00	—	1·41	1·32	0·03	0·00	0·00	—	1·36	2·47	0·05	—	—	—	2·52
Other Urban Districts ..	1·38	0·03	0·01	—	0·00	1·41	1·35	0·03	0·01	—	0·00	1·38	2·02	0·02	—	—	—	2·04
Rural Districts	1·37	0·03	0·01	—	—	1·41	1·35	0·03	0·01	—	—	1·38	1·92	0·03	—	—	—	1·95
All Urban Districts ..	1·36	0·03	0·00	0·00	0·00	1·39	1·32	0·03	0·00	0·00	0·00	1·36	2·24	0·04	—	—	—	2·27
Disease of umbilicus (162 : 1)—																		
London	0·19	0·03	—	—	—	0·22	0·17	0·03	—	—	—	0·20	0·65	0·05	—	—	—	0·70
County Boroughs	0·13	0·02	—	—	—	0·15	0·13	0·02	—	—	—	0·15	0·16	0·04	—	—	—	0·19
Other Urban Districts ..	0·15	0·03	—	—	—	0·18	0·15	0·03	—	—	—	0·18	0·29	0·10	—	—	—	0·39
Rural Districts	0·13	0·02	—	—	—	0·15	0·13	0·02	—	—	—	0·15	0·22	—	—	—	—	0·22
All Urban Districts ..	0·15	0·03	—	—	—	0·18	0·14	0·03	—	—	—	0·17	0·28	0·06	—	—	—	0·35
Atelectasis (162 : 2)—																		
London	1·64	0·07	—	—	—	1·71	1·61	0·06	—	—	—	1·67	2·44	0·22	—	—	—	2·66
County Boroughs	1·62	0·06	—	—	—	1·68	1·57	0·06	—	—	—	1·63	2·82	0·11	—	—	—	2·93
Other Urban Districts ..	1·36	0·05	—	—	—	1·42	1·34	0·05	—	—	—	1·39	1·91	0·17	—	—	—	2·08
Rural Districts	1·47	0·04	—	—	—	1·51	1·44	0·04	—	—	—	1·48	2·03	0·11	—	—	—	2·14
All Urban Districts ..	1·52	0·06	—	—	—	1·58	1·48	0·05	—	—	—	1·53	2·39	0·15	—	—	—	2·54
Suffocation—in bed or not stated how (180 pt.)—																		
London	0·29	0·22	0·12	0·04	0·01	0·67	0·23	0·21	0·12	0·04	0·01	0·61	1·57	0·49	—	—	—	2·06
County Boroughs	0·31	0·22	0·11	0·02	0·01	0·67	0·28	0·21	0·10	0·02	0·01	0·62	1·04	0·37	0·32	0·04	0·02	1·78
Other Urban Districts ..	0·24	0·15	0·08	0·03	0·01	0·51	0·21	0·14	0·08	0·02	0·01	0·46	1·04	0·42	0·15	0·06	—	1·68
Rural Districts	0·21	0·12	0·08	0·02	0·01	0·44	0·18	0·12	0·08	0·02	0·01	0·40	0·74	0·27	0·19	0·03	0·03	1·26
All Urban Districts ..	0·28	0·19	0·10	0·03	0·01	0·61	0·24	0·18	0·10	0·03	0·01	0·55	1·12	0·41	0·20	0·04	0·01	1·78
Other causes—																		
London	1·47	0·66	0·72	0·70	0·73	4·28	0·84	0·62	0·68	0·67	0·71	3·51	16·49	1·57	1·68	1·41	1·19	22·34
County Boroughs	1·62	0·66	0·73	0·65	0·71	4·37	1·29	0·62	0·70	0·64	0·69	3·94	9·08	1·43	1·46	0·95	0·99	13·91
Other Urban Districts ..	1·44	0·58	0·53	0·49	0·52	3·56	1·05	0·56	0·50	0·47	0·52	3·10	10·66	1·00	1·14	0·96	0·60	14·36
Rural Districts	1·45	0·60	0·50	0·46	0·47	3·48	1·11	0·57	0·48	0·46	0·46	3·08	8·27	1·21	0·93	0·52	0·71	11·65
All Urban Districts ..	1·52	0·63	0·64	0·59	0·63	4·02	1·12	0·60	0·61	0·57	0·62	3·53	10·80	1·27	1·36	1·02	0·86	15·32

Appendix B.—Deaths tabulated by Cause and Place of Occurrence, 1921–1925.

In this, as in all other tables, deaths occurring away from home, are transferred to the area of residence of the deceased perso
In the third column, the letters P.L. denote Poor Law Institutions, L.A. Lunatic Asylums, and Imbecile Asylums (Metropolita
Asylums Board), Idiot Asylums, and other Institutions certified under the Mental Deficiency Act, 1913, H. Hospitals ar
Nursing Homes and E. elsewhere.

International List No.	Cause of Death.	Place of Occurrence.	Males.						Females.				
			Non-civilians.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.
1 (a)	Typhoid fever ..	P.L.	—	21	50	15	2	88	23	24	19	5	71
		L.A.	—	9	7	6	11	33	35	17	29	25	106
		H.	13	51	226	253	111	654	56	177	208	115	556
		E.	—	13	84	175	104	376	20	78	192	92	382
1 (b)	Paratyphoid fever ..	P.L.	—	5	2	1	—	8	3	1	1	—	5
		L.A.	—	—	—	—	1	1	—	1	2	4	7
		H.	—	4	9	8	4	25	3	13	9	8	33
		E.	1	2	12	9	7	31	4	10	10	12	36
2	Typhus	P.L.	—	—	1	—	—	1	—	1	—	—	1
		H.	—	—	3	—	1	4	—	3	—	1	4
3	Relapsing fever .. (Spirillum obermeieri)	H.	—	—	—	—	1	1	—	—	—	—	—
4	Mediterranean fever	H.	2	—	2	—	—	4	1	—	1	—	2
5	Malaria	P.L.	—	7	17	17	3	44	1	—	—	—	1
		L.A.	—	—	1	2	—	3	—	—	—	—	—
		H.	9	9	36	36	8	98	4	2	2	1	9
		E.	8	32	114	127	55	336	4	6	7	2	19
6	Small-pox	P.L.	—	—	—	—	1	1	—	—	1	1	2
		H.	—	17	5	9	4	35	6	4	6	1	17
		E.	—	—	1	1	1	3	—	2	—	1	3
7	Measles	P.L.	—	668	668	110	15	1,461	578	619	95	16	1,308
		L.A.	—	6	3	2	4	15	—	2	2	3	7
		H.	1	473	582	102	32	1,190	444	473	85	28	1,030
		E.	—	898	4,558	3,287	1,065	9,808	801	4,033	2,853	916	8,603
8	Scarlet fever.. ..	P.L.	—	2	11	1	2	16	5	3	5	—	13
		L.A.	—	1	—	3	—	4	3	3	1	2	9
		H.	14	469	886	502	211	2,082	415	933	555	202	2,105
		E.	—	13	177	248	143	581	32	222	326	166	746
9	Whooping cough ..	P.L.	—	616	605	123	25	1,369	664	674	118	30	1,486
		L.A.	—	—	1	3	2	6	1	1	2	2	6
		H.	—	285	202	60	19	566	323	184	66	24	597
		E.	—	668	3,791	3,316	1,737	9,512	935	4,749	3,937	1,986	11,607
10	Diphtheria	P.L.	—	64	64	24	5	157	55	65	21	10	151
		L.A.	—	1	—	1	4	6	1	6	2	1	10
		H.	2	1,830	1,977	1,516	552	5,877	1,838	2,140	1,649	535	6,162
		E.	—	77	563	941	602	2,183	103	577	1,023	595	2,298
11	Influenza	P.L.	—	636	1,073	674	434	2,817	632	904	496	271	2,303
		L.A.	7	50	89	118	95	359	83	183	165	116	547
		H.	63	173	436	372	170	1,214	191	307	337	134	969
		E.	17	2,398	9,951	10,618	7,245	30,229	2,987	10,639	11,272	7,325	32,223
11(a) : 1	With pneumonic complications.	P.L.	—	445	665	275	126	1,511	418	494	187	81	1,180
		L.A.	6	29	48	63	45	191	50	97	91	50	288
		H.	46	124	276	220	85	751	124	197	181	59	561
		E.	8	1,226	4,995	4,985	2,977	14,191	1,363	4,533	4,375	2,513	12,784
11(a) : 2	With other pulmonary complications	P.L.	—	86	168	154	123	531	101	142	100	68	411
		L.A.	—	7	8	12	3	30	3	25	21	9	58
		H.	6	12	36	32	20	106	16	27	34	10	87
		E.	2	591	2,085	2,091	1,569	6,338	822	2,680	2,713	1,762	7,977
11(b) : 1	With non - pulmonary complications	P.L.	—	58	115	98	73	344	58	122	85	49	314
		L.A.	1	5	22	23	34	85	13	33	29	29	104
		H.	7	35	96	110	57	305	40	63	100	63	266
		E.	4	352	1,682	2,053	1,526	5,617	440	1,921	2,240	1,678	6,279
11(b) : 2	Without stated complication	P.L.	—	47	125	147	112	431	55	146	124	73	398
		L.A.	—	9	11	20	13	53	17	28	24	28	97
		H.	4	2	28	10	8	52	11	20	22	2	55
		E.	3	229	1,189	1,489	1,173	4,083	362	1,505	1,944	1,372	5,183
13	Mumps	P.L.	—	—	—	—	—	—	—	—	1	—	1
		L.A.	—	—	1	—	—	1	—	—	—	—	—
		H.	—	—	—	1	—	1	—	—	1	—	1
		E.	—	2	20	13	19	54	4	10	17	16	47
15	Cholera nostras ..	H.	—	—	1	—	—	1	—	—	—	—	—
		E.	—	—	4	2	3	9	—	1	3	—	4

DEATHS TABULATED BY CAUSE AND PLACE OF OCCURRENCE—*continued.*

International List No.	Cause of Death.	Place of Occurrence.	Males.						Females.				
			Non-civilians.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.
16 (a)	Dysentery-Amoebic	P.L.	—	—	1	2	—	3	1	—	—	—	1
		L.A.	—	1	—	—	—	1	—	1	—	—	1
		H.	4	7	12	8	2	33	2	1	—	1	4
		E.	—	3	1	1	1	6	—	2	1	1	4
16 (b)	Dysentery-Bacillary	P.L.	—	—	2	—	—	2	—	1	—	—	1
		L.A.	—	2	2	1	1	6	9	14	7	2	32
		H.	1	5	8	5	3	22	2	1	—	—	3
		E.	—	1	—	4	—	5	—	1	3	1	5
16 (c)	Dysentery—Other or unspecified.	P.L.	1	6	11	6	1	25	—	—	1	—	1
		L.A.	3	34	35	48	39	159	97	84	91	48	320
		H.	5	9	26	23	11	74	2	3	3	3	11
		E.	—	8	43	47	26	124	4	8	25	11	48
19	Spirochætosis icterohæmorrhagica.	P.L.	—	—	2	—	—	2	—	—	—	—	—
		H.	—	—	1	—	1	2	—	1	—	—	1
		E.	—	—	—	—	3	3	1	—	1	—	2
20	Leprosy	P.L.	—	—	—	—	1	1	—	—	—	—	—
		L.A.	—	—	—	1	—	1	—	—	—	—	—
		H.	—	1	—	—	1	2	—	—	—	—	—
		E.	—	—	—	—	3	3	—	—	—	—	—
21	Erysipelas	P.L.	—	164	259	102	39	564	175	224	93	32	524
		L.A.	—	8	10	4	6	28	8	18	11	10	47
		H.	2	31	206	76	30	345	34	149	77	33	293
		E.	—	49	321	334	213	917	38	307	327	190	862
22 : 1	Acute poliomyelitis	P.L.	—	3	12	3	3	21	4	12	9	3	28
		L.A.	—	—	—	—	1	1	—	—	—	—	—
		H.	—	9	20	18	8	55	9	17	15	12	53
		E.	—	11	66	72	51	200	15	59	69	54	197
22 : 2	Acute polioencephalitis.	P.L.	—	—	2	1	—	3	2	—	—	—	2
		H.	—	10	13	9	3	35	8	11	6	4	29
		E.	—	8	22	22	16	68	2	13	20	10	45
23	Encephalitis lethargica	P.L.	—	64	121	65	17	267	94	102	64	22	282
		L.A.	—	7	4	1	7	19	4	6	3	1	14
		H.	11	87	283	231	93	705	91	258	220	102	671
		E.	2	50	358	484	300	1,194	59	387	510	270	1,226
24	Meningococcal meningitis.	P.L.	—	30	34	19	4	87	20	28	9	3	60
		L.A.	—	—	—	—	—	—	—	1	—	—	1
		H.	12	126	200	97	47	482	111	165	66	38	380
		E.	—	23	137	138	87	385	20	102	123	75	320
25 : 1	German measles ..	P.L.	—	4	3	—	1	8	5	6	—	—	11
		H.	—	1	2	—	—	3	—	—	1	1	2
		E.	—	5	23	10	3	41	4	15	8	9	36
25 : 2	Varicella	P.L.	—	18	21	7	—	46	10	20	4	1	35
		L.A.	—	—	—	1	—	1	—	—	—	—	—
		H.	—	4	8	2	1	15	1	5	2	—	8
		E.	—	8	53	41	12	114	5	25	28	14	72
25 : 3	Other diseases included under 25.	P.L.	—	—	1	—	—	1	—	1	—	—	1
		L.A.	—	2	—	—	—	2	—	—	—	—	—
		H.	—	4	6	1	2	13	2	2	3	3	10
		E.	—	1	1	10	4	16	—	1	2	2	5
26	Glanders	H.	—	—	—	—	1	1	—	—	—	1	1
27	Anthrax	P.L.	—	1	5	2	—	8	—	1	—	—	1
		H.	1	9	16	5	1	32	—	1	—	—	1
		E.	—	—	3	7	1	11	—	1	—	—	1
29	Tetanus	P.L.	—	18	17	24	15	74	10	9	7	2	28
		H.	2	34	89	134	132	391	15	28	38	30	111
		E.	1	2	13	40	61	117	2	9	23	20	54
30 : 1	Actinomycosis ..	P.L.	—	6	3	3	—	12	2	3	—	2	7
		L.A.	—	—	1	—	—	1	1	—	—	1	2
		H.	1	18	19	23	12	73	11	10	9	7	37
		E.	—	8	9	16	15	48	2	10	6	6	24
30 : 2	Other mycoses ..	P.L.	—	—	4	—	3	7	2	6	—	—	8
		L.A.	—	1	—	—	—	1	—	—	—	—	—
		H.	3	8	7	8	7	33	7	3	5	1	16
		E.	—	7	57	63	37	164	8	38	43	33	122

DEATHS TABULATED BY CAUSE AND PLACE OF OCCURRENCE—*continued.*

International List No.	Cause of Death.	Place of Occurrence.	Males.						Females.				
			Non-civilians.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.
31–37	Tuberculosis (all forms)	P.L.	2	5,238	8,406	2,849	855	17,350	3,452	5,057	2,141	687	11,337
		L.A.	108	603	879	875	585	3,050	654	1,053	1,077	715	3,499
		H.	318	3,981	9,992	5,906	2,558	22,755	2,364	6.224	3,835	1,689	14,112
		E.	76	5,852	26,164	24,319	13,318	69,729	5,219	23,465	23,458	13,759	65,901
31	Respiratory system	P.L.	1	4,543	6,712	2,238	636	14,130	2,862	3,721	1,606	467	8,656
		L.A.	101	546	779	754	503	2,683	577	911	927	616	3,031
		H.	247	2,919	7,486	4,170	1,677	16,499	1,501	4,119	2,451	1,004	9,075
		E.	70	5,356	21,674	19,320	10,581	57,001	4,676	19,239	18,637	10,966	53,518
32	Nervous system ..	P.L.	—	270	450	153	45	918	250	406	125	46	827
		L.A.	1	6	5	3	5	20	4	12	10	9	35
		H.	18	459	1,048	572	252	2,349	409	964	505	235	2,113
		E.	2	209	1,896	2,024	1,034	5,165	224	1,666	1,819	958	4,667
33	Intestines and peritoneum.	P.L.	—	88	318	112	45	563	78	279	117	46	520
		L.A.	—	16	22	28	15	81	25	36	47	31	139
		H.	13	81	508	412	212	1,226	84	406	353	179	1,022
		E.	1	91	1,037	1,127	584	2,840	100	1,086	1,246	713	3,145
34	Vertebral column ..	P.L.	—	53	175	63	31	322	46	122	60	30	258
		L.A.	—	3	5	10	5	23	4	15	8	7	34
		H.	11	74	157	127	101	470	38	90	87	42	257
		E.	2	29	266	332	236	865	40	264	364	207	875
35	Joints	P.L.	—	49	109	61	19	238	28	72	35	19	154
		L.A.	—	4	2	5	1	12	5	11	4	7	27
		H.	1	38	53	75	54	221	20	26	38	17	101
		E.	—	16	112	148	93	369	8	110	107	82	307
36 (a)	Skin and subcutaneous tissue.	P.L.	—	4	25	10	5	44	19	34	18	8	79
		L.A.	—	—	2	1	—	3	—	2	2	1	5
		H.	—	1	4	4	4	13	1	5	4	3	13
		E.	—	2	34	33	21	90	10	43	53	42	148
36 (b)	Bones (vertebral column excepted)	P.L.	—	11	53	9	2	75	11	23	17	7	58
		L.A.	—	—	2	3	3	8	1	2	2	2	7
		H.	1	2	28	25	10	66	2	18	13	11	44
		E	—	2	39	47	29	117	10	43	44	24	121
36 (c)	Lymphatic system (abdominal glands excepted).	P.L.	—	14	27	20	4	65	16	29	10	2	57
		L.A.	—	1	1	2	1	5	2	4	3	1	10
		H.	1	7	25	32	10	75	8	30	27	10	75
		E.	—	6	19	60	33	118	10	50	65	30	155
36 (d)	Genito - urinary system.	P.L.	1	28	44	18	12	103	24	27	15	1	67
		L.A.	—	3	—	4	2	9	7	3	6	3	19
		H.	3	33	81	79	28	224	30	67	60	34	191
		E.	—	31	108	142	102	383	22	78	122	57	279
36 (e)	Others in 36 ..	P.L.	—	2	4	4	—	10	1	3	—	1	5
		L.A.	—	—	—	—	1	1	—	—	1	—	1
		H.	—	2	12	8	5	27	7	6	7	4	24
		E.	—	2	8	12	11	33	1	17	15	8	41
37 (a)	Disseminated tuberculosis, acute.	P.L.	—	73	78	41	10	202	48	69	32	12	161
		L.A.	4	4	13	23	22	66	7	17	24	10	58
		H.	13	179	239	128	60	619	143	202	129	62	536
		E.	1	32	315	284	152	784	41	309	323	226	899
37 (b)	Disseminated tuberculosis, chronic or unstated.	P.L.	—	103	411	120	46	680	69	272	106	48	495
		L.A.	2	20	48	42	27	139	22	40	43	28	133
		H.	10	186	351	274	145	966	121	291	161	88	661
		E.	—	76	656	790	442	1,964	77	560	663	446	1,746
38	Syphilis	P.L.	—	241	680	265	84	1,270	183	513	191	74	961
		L.A.	1	14	28	19	6	68	12	13	9	6	40
		H.	10	220	368	169	80	847	97	252	95	46	490
		E.	—	132	928	720	285	2,065	88	619	477	216	1,400
39	Soft Chancre ..	H.	—	—	1	—	—	1	—	—	—	—	—
40 : 1	Gonococcal infection (ophthalmia excepted).	P.L.	—	5	15	6	2	28	5	7	4	—	16
		H.	1	5	18	5	6	35	3	11	9	4	27
		E.	—	—	4	8	3	15	1	6	2	1	10
40 : 2	Gonorrhœal or purulent ophthalmia.	P.L.	—	1	5	—	—	6	2	4	2	—	8
		H.	—	8	5	8	1	22	13	6	7	1	27
		E.	—	—	12	17	3	32	—	12	5	3	20
41	Purulent infection, septicæmia.	P.L.	—	71	103	54	21	249	53	60	23	16	152
		L.A.	—	3	7	4	—	14	3	6	16	3	28
		H.	13	80	299	256	169	817	81	157	107	67	412
		E.	2	33	155	234	185	609	34	131	188	129	482

DEATHS TABULATED BY CAUSE AND PLACE OF OCCURRENCE—*continued.*

International List No.	Cause of Death.	Place of Occurrence.	Males.						Females.				
			Non-civilians.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.
42 : 1	Vaccinia	P.L.	—	—	1	—	1	2	—	—	—	—	—
		H.	1	—	—	—	—	1	—	2	—	1	3
		E.	—	1	3	—	2	6	—	3	4	—	7
42 : 2	Other diseases included under 42.	P.L.	—	—	—	—	1	1	—	—	—	—	—
43–49	Cancer, malignant disease.	P.L.	—	5,228	8,043	4,519	1,943	19,733	4,711	6,250	3,755	1,408	16,124
		L.A.	5	208	222	221	122	778	325	319	299	176	1,119
		H.	117	3,369	5,775	5,501	2,831	17,593	3,170	4,767	5,162	2,529	15,628
		E.	17	5,946	22,871	25,803	18,340	72,977	8,552	32,199	35,988	23,230	99,969
43	Buccal cavity ..	P.L.	—	782	1,586	864	374	3,606	78	160	96	33	367
		L.A.	—	20	20	22	8	70	3	2	3	1	9
		H.	10	335	452	408	176	1,381	49	60	69	35	213
		E.	1	559	2,636	2,585	1,763	7,544	100	408	504	383	1,395
44	Pharynx, œsophagus, stomach, liver and annexa	P.A.	—	1,672	2,388	1,360	602	6,022	910	1,136	675	288	3,009
		L.A.	1	88	84	74	54	301	86	88	65	50	289
		H.	33	1,130	1,969	1,737	855	5,724	640	1,008	1,058	545	3,251
		E.	6	2,533	9,427	10,539	7,443	29,948	2,319	8,972	10,337	7,299	28,927
45	Peritoneum, intestines and rectum	P.L.	—	1,108	1,594	914	373	3,989	983	1,184	698	279	3,144
		L.A.	1	40	41	35	23	140	49	40	49	32	170
		H.	20	732	1,591	1,645	948	4,936	701	1,312	1,469	707	4,189
		E.	3	1,223	4,869	5,765	4,539	16,399	1,647	5,831	6,957	4,552	18,987
46	Female genital organs	P.L.	—	—	—	—	—	—	1,263	1,869	1,048	350	4,530
		L.A.	—	—	—	—	—	—	57	73	48	30	208
		H.	—	—	—	—	—	—	741	1,091	1,083	590	3,505
		E.	—	—	—	—	—	—	1,663	6,964	6,932	3,891	19,450
47	Breast	P.L.	—	12	10	11	4	37	889	1,065	752	267	2,973
		L.A.	—	—	—	1	1	2	71	67	70	32	240
		H.	—	6	6	4	5	21	527	598	701	273	2,099
		E.	—	12	33	46	35	126	1,827	6,392	7,167	4,333	19,719
48	Skin	P.L.	—	160	453	352	197	1,162	83	186	137	60	466
		L.A.	1	1	6	13	5	26	8	8	7	2	25
		H.	1	51	86	101	60	299	32	35	43	14	124
		E.	—	114	625	847	740	2,326	91	446	559	448	1,544
49	Other or unspecified organs	P.L.	—	1,494	2,012	1,018	393	4,917	505	650	349	131	1,635
		L.A.	2	59	71	76	31	239	51	41	57	29	178
		H.	53	1,115	1,671	1,606	787	5,232	480	663	739	365	2,247
		E.	7	1,505	5,281	6,021	3,820	16,634	905	3,186	3,532	2,324	9,947
50	Tumours not returned as malignant, (brain and female genital organs excepted)	P.L.	—	54	86	47	27	214	33	54	47	18	152
		L.A.	—	2	2	3	2	9	3	2	2	3	10
		H.	4	102	200	162	93	561	62	104	141	68	375
		E.	—	99	357	398	261	1,115	98	334	383	262	1,077
51	Rheumatic fever ..	P.L.	—	79	126	69	33	307	110	162	71	16	359
		L.A.	—	2	1	—	—	3	2	4	4	1	11
		H.	10	147	209	134	68	568	177	208	188	71	644
		E.	1	199	1,093	1,200	678	3,171	259	1,373	1,327	745	3,704
52 : 1	Chronic rheumatism, chronic arthritis	P.L.	—	12	87	65	41	205	7	92	100	41	240
		L.A.	—	—	—	1	—	1	—	—	1	1	2
		H.	—	2	8	3	3	16	3	9	8	6	26
		E.	—	36	202	237	210	685	58	277	313	269	917
52 : 2	Rheumatoid and osteo-arthritis	P.L.	—	121	193	122	86	522	274	476	341	174	1,265
		L.A.	—	1	1	—	1	3	3	11	11	1	26
		H.	—	15	23	26	14	78	50	76	73	33	232
		E.	—	137	513	641	592	1,883	399	1,601	1,837	1,299	5,136
52 : 3	Gout	P.L.	—	36	21	28	12	97	8	1	6	1	16
		L.A.	—	1	—	—	—	1	—	—	—	1	1
		H.	—	5	8	5	3	21	2	3	2	1	8
		E.	—	69	220	261	155	705	21	50	44	25	140
53	Scurvy	P.L.	—	—	5	5	1	11	1	7	3	1	12
		H.	—	8	13	6	2	29	3	13	4	2	22
		E.	—	2	19	18	10	49	3	13	11	5	32
54	Pellagra	P.L.	—	—	—	1	—	1	—	—	—	—	—
		L.A.	—	—	6	—	—	6	1	15	10	9	35
		H.	—	—	—	—	1	1	1	1	—	1	3
		E.	—	—	—	—	—	—	—	—	2	1	3
55	Beri-beri	P.L.	—	—	1	—	—	1	—	—	—	—	—
		H.	—	—	3	2	—	5	—	—	—	—	—
		E.	—	1	2	—	1	4	—	—	—	—	—

DEATHS TABULATED BY CAUSE AND PLACE OF OCCURRENCE—*continued.*

International List No.	Cause of Death.	Place of Occurrence.	Males.						Females.				
			Non-civilians.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.
56	Rickets	P.L.	—	36	157	25	2	220	29	108	14	4	155
		H.	—	32	84	33	10	159	15	62	16	11	104
		E.	—	47	402	347	205	1,001	35	287	254	135	711
57	Diabetes	P.L.	—	218	414	240	89	961	324	422	284	90	1,120
		L.A.	—	14	22	29	20	85	13	30	26	13	82
		H.	6	200	484	422	234	1,346	191	441	425	250	1,307
		E.	6	506	2,188	2,711	1,841	7,252	728	2,950	3,539	2,244	9,461
58 (a)	Pernicious anæmia	P.L.	—	74	186	144	90	494	114	241	150	62	567
		L.A.	—	4	14	12	13	43	15	25	28	16	84
		H.	8	77	185	193	102	565	104	242	219	120	685
		E.	—	187	1,301	1,625	1,003	4,116	308	1,910	2,301	1,449	5,968
58 (b)	Other anæmias and chlorosis.	P.L.	—	11	24	16	10	61	16	29	22	13	80
		L.A.	—	—	1	—	—	1	1	3	2	—	6
		H.	2	31	57	46	31	167	27	60	55	21	163
		E.	—	17	125	158	98	398	28	241	253	164	686
59	Diseases of the pituitary gland.	P.L.	—	2	3	1	—	6	1	2	2	—	5
		L.A.	—	—	1	—	—	1	—	—	—	—	—
		H.	—	1	1	1	—	3	—	4	—	—	4
		E.	—	4	3	8	10	25	4	10	9	5	28
60 (a)	Expohthalmic goitre	P.L.	—	4	5	5	1	15	49	71	44	19	183
		L.A.	—	1	1	1	1	4	7	20	13	14	54
		H.	1	6	24	32	16	79	111	178	228	154	671
		E.	—	12	67	67	39	185	111	568	740	620	2,039
60(b) : 1	Myxœdema ..	P.L.	—	4	7	5	2	18	45	56	28	12	141
		L.A.	—	1	1	—	2	4	5	5	9	1	20
		H.	—	1	—	2	—	3	5	12	8	2	27
		E.	—	4	15	25	24	68	68	183	212	107	570
60(b) : 2	Cretinism	P.L.	—	3	1	1	—	5	3	9	5	4	21
		L.A.	—	2	1	2	—	5	2	1	1	2	6
		H.	—	4	3	2	1	10	1	4	6	3	14
		E.	—	4	23	46	28	101	7	35	50	39	131
60(b) : 3	Other diseases of the thyroid gland.	P.L.	—	1	3	2	1	7	7	12	8	5	32
		L.A.	—	—	1	—	—	1	—	—	2	1	3
		H.	—	3	17	16	9	45	13	32	30	36	111
		E.	—	6	21	28	23	78	14	96	138	157	405
61	Diseases of the parathyroid glands.	P.L.	—	1	2	—	—	3	1	—	—	1	2
		H.	—	—	5	—	1	6	1	5	1	—	7
		E.	—	2	12	14	9	37	1	17	13	5	36
62	Diseases of the thymus.	P.L.	—	11	11	4	—	26	5	7	4	4	20
		L.A.	—	—	1	2	—	3	5	2	1	1	9
		H.	1	27	27	23	18	96	8	24	14	3	49
		E.	2	63	124	129	72	390	34	77	82	48	241
63	Diseases of the adrenals.	P.L.	—	15	16	19	7	57	15	20	14	4	53
		L.A.	—	—	1	1	—	2	6	5	8	2	21
		H.	—	19	27	16	12	74	13	33	31	16	93
		E.	2	27	93	139	86	347	28	129	222	109	488
64	Diseases of the spleen.	P.L.	—	1	3	1	1	6	1	—	1	—	2
		H.	—	3	12	5	10	30	3	6	7	4	20
		E.	—	3	10	17	15	45	7	17	18	10	52
65 (a)	Leukæmia ..	P.L.	—	25	39	14	6	84	29	24	22	3	78
		L.A.	—	—	—	1	—	1	—	1	—	1	2
		H.	12	100	169	122	85	488	66	111	91	46	314
		E.	—	53	230	307	196	786	50	211	277	216	754
65 (b)	Lymphadenoma (Hodgkin's disease).	P.L.	—	23	49	27	11	110	12	21	9	2	44
		L.A.	1	3	—	2	3	9	2	1	2	1	6
		H.	8	71	86	90	42	297	24	36	36	20	116
		E.	2	67	244	301	199	813	49	150	193	132	524
66	Alcoholism (acute or chronic).	P.L.	—	27	61	24	8	120	16	13	10	2	41
		L.A.	—	2	3	1	1	7	1	—	1	1	3
		H.	5	5	10	11	5	36	2	2	8	1	13
		E.	3	23	103	158	87	374	19	59	64	38	180
67 : 1	Occupational lead poisoning.	P.L.	—	8	15	8	—	31	—	3	—	—	3
		H.	—	3	15	6	3	27	1	—	—	—	1
		E.	—	7	86	53	21	167	—	11	1	—	12
67 : 2	Other chronic poisoning by mineral substances.	P.L.	—	—	2	2	—	4	—	1	—	—	1
		H.	—	—	—	1	—	1	—	—	—	—	—
		E.	—	1	2	6	3	12	—	—	3	—	3

DEATHS TABULATED BY CAUSE AND PLACE OF OCCURRENCE—*continued.*

International List No.	Cause of Death.	Place of Occurrence.	Males.						Females.				
			Non-civilians.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.
68	Chronic poisoning by organic substances.	P.L.	—	1	—	—	—	1	—	—	—	1	1
		H.	—	—	1	1	—	2	1	—	1	—	2
		E.	—	2	3	10	6	21	3	2	6	6	17
69 : 1	Purpura	P.L.	—	11	29	8	5	53	22	33	15	6	76
		L.A.	—	—	1	—	2	3	4	2	1	—	7
		H.	3	20	71	46	31	171	30	56	48	31	165
		E.	—	19	126	148	93	386	22	130	162	112	426
69 : 2	Hæmophilia ..	P.L.	—	9	10	5	1	25	2	11	—	—	13
		H.	1	15	42	31	18	107	—	17	6	6	29
		E.	—	10	73	84	54	221	7	50	45	27	129
69 3	Other diseases included under 69.	P.L.	—	1	10	3	2	16	5	4	9	2	20
		L.A.	—	1	—	—	1	2	1	1	—	—	2
		H.	—	7	25	10	8	50	9	21	11	6	47
		E.	—	12	49	63	34	158	8	69	79	44	200
70 : 1	Cerebral abscess ..	P.L.	—	25	39	19	4	87	17	28	11	2	58
		L.A.	—	3	8	3	5	19	2	3	3	5	13
		H.	7	46	112	86	44	295	20	57	40	18	135
		E.	—	12	62	72	45	191	13	41	64	26	144
70 : 2	Other diseases included under 70.	P.L.	—	12	11	8	4	35	4	9	6	3	22
		L.A.	1	—	3	—	—	4	2	7	2	1	12
		H.	5	13	19	11	11	59	14	23	15	7	59
		E.	—	15	51	68	54	188	15	66	64	43	188
71	Meningitis	P.L.	—	120	284	88	29	521	96	230	65	19	410
		L.A.	2	6	14	10	4	36	11	15	9	9	44
		H.	11	175	434	302	152	1,074	127	304	205	113	749
		E.	1	167	1,476	1,518	906	4,068	167	1,306	1,343	736	3,552
72	Tabes dorsalis .. (locomotor ataxy).	P.L.	—	334	405	238	66	1,043	64	119	32	11	226
		L.A.	—	10	18	16	14	58	3	8	1	2	14
		H.	—	52	68	47	16	183	5	13	8	3	29
		E.	—	201	636	650	296	1,783	34	140	129	58	361
73	Other diseases f the spinal cord.	P.L.	—	154	353	214	96	817	114	196	161	75	546
		L.A.	1	3	10	9	7	30	3	13	11	3	30
		H.	8	56	127	131	88	410	58	74	84	50	266
		E.	—	169	787	1,045	709	2,710	180	638	787	566	2,171
74(a) : 1	Cerebral hæmorrhage, so returned.	P.L.	—	1,527	3,382	2,542	1,125	8,576	1,687	3,179	2,232	997	8,095
		L.A.	2	82	129	147	112	472	92	122	144	98	456
		H.	11	286	763	455	155	1,670	226	540	453	125	1,344
		E.	17	1,949	10,962	12,782	8,998	34,708	3,236	15,097	17,053	11,343	46,729
74(a) : 2	Apoplexy, lesion unstated.	P.L.	—	28	276	158	163	625	21	218	138	112	489
		L.A.	—	2	10	8	11	31	15	22	25	21	83
		H.	2	21	38	41	13	115	21	31	40	10	102
		E.	—	276	1,633	2,258	1,563	5,730	411	2,099	2,792	1,944	7,246
74(b) :1	Cerebral embolism..	P.L.	—	43	53	62	37	195	59	60	71	27	217
		L.A.	—	—	4	3	—	7	2	5	5	4	16
		H.	1	8	20	24	13	66	11	19	20	13	63
		E.	1	76	350	490	402	1,319	163	589	777	554	2,083
74(b) : 2	Cerebral thrombosis	P.L.	—	439	542	281	153	1,415	530	544	333	152	1,559
		L.A.	—	6	28	18	8	60	13	37	18	10	78
		H.	3	65	115	81	26	290	86	86	111	32	315
		E.	—	246	1,006	1,324	880	3,456	491	1,549	2,061	1,261	5,362
75 (a)	Hemiplegia ..	P.L.	—	112	492	384	173	1,161	148	459	348	188	1,143
		L.A.	—	2	5	5	3	15	2	5	6	4	17
		H.	—	10	39	19	6	74	24	36	43	8	111
		E.	—	176	992	1,145	821	3,134	251	1,356	1,455	1,078	4,140
75 (b)	Other forms of paralysis.	P.L.	—	13	117	52	40	222	13	114	54	29	210
		L.A.	—	—	1	1	2	4	1	1	—	1	3
		H.	—	2	10	7	3	22	9	9	4	1	23
		E.	—	30	98	159	155	442	42	120	179	139	480
76	General paralysis of the insane.	P.L.	1	84	353	153	36	627	25	61	26	6	118
		L.A.	116	1,064	2,013	1,519	495	5,207	236	469	325	125	1,155
		H.	11	23	31	32	13	110	5	3	5	—	13
		E.	1	52	197	233	138	621	8	55	52	59	174
77	Other forms of insanity.	P.L.	—	42	398	113	27	580	54	391	146	46	637
		L.A.	7	74	144	235	159	619	184	391	381	248	1,204
		H.	1	9	16	5	4	35	10	13	21	16	60
		E.	—	13	97	119	105	334	47	213	323	225	808

DEATHS TABULATED BY CAUSE AND PLACE OF OCCURRENCE—*continued.*

International List No.	Cause of Death.	Place of Occurrence.	Males.						Females.				
			Non-civilians.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.
78	Epilepsy	P.L.	—	109	540	633	181	1,163	157	514	350	169	1,190
		L.A.	1	173	350	391	224	1,139	181	341	316	175	1,013
		H.	1	26	73	55	22	177	9	37	47	18	111
		E.	3	195	846	1,152	918	3,114	203	864	1,159	812	3,038
79 & 80	Convulsions (non-puerperal).	P.L.	—	45	139	54	32	270	29	84	47	26	186
		L.A.	—	—	2	1	—	3	—	—	—	—	—
		H.	—	62	203	100	44	409	43	129	66	25	263
		E.	—	446	4,086	4,156	2,445	11,133	329	2,917	3,049	1,715	8,010
81	Chorea	P.L.	—	4	12	4	1	21	13	38	12	9	72
		L.A.	—	—	2	1	2	5	—	5	3	1	9
		H.	—	2	11	6	5	24	8	25	28	10	71
		E.	—	5	26	23	11	65	9	76	70	43	198
82	Hysteria and Neuritis	P.L.	—	6	17	12	2	37	23	36	23	9	91
		L.A.	—	1	—	2	—	3	1	1	3	—	5
		H.	—	11	21	10	7	49	16	31	23	11	81
		E.	—	34	132	160	101	427	58	209	209	120	596
83	Cerebral softening	P.L.	—	42	267	137	87	533	32	222	138	87	479
		L.A.	1	59	92	92	63	307	86	93	138	65	382
		H.	—	4	9	4	5	22	11	10	13	5	39
		E.	—	36	233	327	296	892	62	319	452	326	1,159
84 : 1	Idiocy, imbecility ..	P.L.	—	11	87	49	25	172	16	81	48	29	174
		L.A.	—	27	17	36	11	91	23	22	23	14	82
		H.	—	17	11	11	4	43	15	16	11	4	46
		E.	—	16	104	130	100	350	36	125	152	133	446
84 : 2	Cerebral tumour ..	P.L.	—	82	140	92	30	344	65	118	72	39	294
		L.A.	—	19	18	17	7	61	17	15	8	8	48
		H.	18	170	280	256	154	878	127	176	176	101	580
		E.	—	95	422	520	329	1,366	124	497	655	362	1,638
84 : 3	Disseminated sclerosis	P.L.	—	57	137	116	54	364	72	108	97	43	320
		L.A.	—	4	7	1	5	17	5	9	9	7	30
		H.	1	10	26	29	15	81	29	32	47	26	134
		E.	—	63	374	500	303	1,240	97	407	495	309	1,308
84 : 4	Paralysis agitans ..	P.L.	—	132	165	124	66	487	114	149	107	41	411
		L.A.	—	1	—	3	1	5	—	1	3	3	7
		H.	—	16	26	13	2	57	20	17	31	10	78
		E.	—	107	406	574	438	1,525	104	411	565	350	1,430
84 : 5	Other diseases included under 84.	P.L.	—	30	116	132	40	318	24	120	110	34	288
		L.A.	—	39	138	63	51	291	38	158	76	55	327
		H.	—	7	36	25	16	84	14	27	26	11	78
		E.	—	43	228	278	200	749	56	222	329	205	812
85	Diseases of the eye and annexa.	P.L.	—	5	13	3	2	23	7	7	3	1	18
		L.A.	—	1	—	—	—	1	—	—	—	—	—
		H.	1	6	29	21	12	69	8	20	17	12	57
		E.	—	4	21	20	16	61	5	29	30	13	77
86 : 1	Diseases of the mastoid sinus.	P.L.	—	42	46	18	—	106	34	37	11	1	83
		L.A.	—	1	1	1	2	5	—	—	—	1	1
		H.	5	132	282	234	101	754	107	212	174	82	575
		E.	—	7	33	40	27	107	6	27	39	25	97
86 : 2	Diseases of the ear	P.L.	—	144	134	46	9	333	98	94	37	7	236
		L.A.	—	4	2	3	4	13	3	2	8	4	17
		H.	29	155	482	383	163	1,212	110	324	250	104	788
		E.	—	40	238	332	176	786	30	243	300	157	730
87	Pericarditis	P.L.	—	39	57	12	5	113	27	33	9	2	71
		L.A.	—	6	9	8	13	36	10	8	11	5	34
		H.	1	64	79	63	35	242	53	65	38	16	172
		E.	2	64	187	219	131	603	53	163	152	97	465
88 : 1	Infective endocarditis	P.L.	—	142	85	43	4	274	151	94	46	10	301
		L.A.	—	11	4	2	3	20	12	19	15	10	56
		H.	17	377	463	324	163	1,344	218	272	201	81	772
		E.	1	108	419	483	297	1,308	116	451	497	254	1,318
88 : 2	Other acute endocarditis.	P.L.	—	28	76	24	3	131	33	75	35	7	150
		L.A.	—	5	2	2	3	12	3	8	9	1	21
		H.	5	41	106	66	20	238	38	91	58	18	205
		E.	—	52	401	379	151	983	74	463	447	193	1,177
88 : 3	Acute myocarditis ..	P.L.	—	18	55	19	7	99	17	45	19	3	84
		L.A.	—	—	1	1	—	2	—	6	3	2	11
		H.	—	22	46	28	15	111	7	35	15	12	69
		E.	1	46	233	194	75	549	62	278	233	105	678

DEATHS TABULATED BY CAUSE AND PLACE OF OCCURRENCE—*continued.*

International List No.	Cause of Death.	Place of Occurrence.	Males.						Females.				
			Non-civilians.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.
89	Angina pectoris ..	P.L.	—	15	32	18	7	72	7	11	5	5	28
		L.A.	—	1	2	2	2	7	2	3	1	1	7
		H.	—	19	35	29	17	100	5	9	17	4	35
		E.	2	503	1,693	1,910	1,011	5,119	202	786	880	458	2,326
90 : 1	Aortic valve disease	P.L.	—	319	480	246	124	1,169	127	183	92	37	439
		L.A.	—	15	49	44	29	137	24	48	25	16	113
		H.	3	223	296	195	75	792	31	45	37	14	127
		E.	2	803	2,640	2,559	1,870	7,874	435	1,273	1,328	939	3,975
90 : 2	Mitral valve disease	P.L.	—	523	986	649	352	2,510	885	1,426	746	338	3,395
		L.A.	—	22	39	43	29	133	46	124	87	46	303
		H.	9	207	344	274	96	930	369	517	383	195	1,464
		E.	1	1,045	3,936	4,338	3,675	12,995	2,146	7,455	7,610	5,587	22,798
90 : 3	Aortic and mitral valve disease.	P.L.	—	57	80	47	25	209	45	56	36	9	146
		L.A.	—	2	7	9	8	26	10	15	10	8	43
		H.	5	62	80	62	23	232	36	40	35	13	124
		E.	—	288	592	581	386	1,847	264	483	544	341	1,632
90 : 4	Other or unspecified valve disease.	P.L.	—	323	1,404	1,032	417	3,176	396	1,374	923	299	2,992
		L.A.	5	151	225	273	210	864	295	473	363	239	1,370
		H.	9	130	332	237	132	840	140	263	244	107	754
		E.	4	2,070	7,499	8,092	5,356	23,021	2,703	9,794	10,371	6,468	29,336
90 : 5	Fatty heart ..	P.L.	—	102	103	64	61	330	82	107	75	38	302
		L.A.	1	47	106	101	81	336	81	211	188	109	589
		H.	1	32	52	44	16	145	34	61	65	27	187
		E.	6	900	1,434	1,717	1,112	5,169	1,041	1,827	2,207	1,328	6,403
90 : 6	Cardiac dilatation, cause unspecified.	P.L.	—	13	47	75	43	178	16	46	60	51	173
		L.A.	—	2	17	18	28	65	5	33	38	20	96
		H.	1	8	9	22	12	52	11	15	17	3	46
		E.	1	133	524	660	546	1,864	148	597	730	513	1,988
90 : 7	Other or unspecified myocardial disease.	P.L.	—	2,903	2,736	1,569	658	7,866	3,760	2,576	1,489	525	8,350
		L.A.	2	228	213	239	207	889	292	312	266	176	1,046
		H.	5	293	466	312	134	1,210	225	364	294	124	1,007
		E.	4	2,176	7,144	7,990	5,600	22,914	2,545	9,635	10,172	6,370	28,722
90 : 8	Disordered action of the heart	P.L.	—	96	146	55	20	317	175	166	57	18	416
		L.A.	—	—	—	—	1	1	1	—	—	—	1
		H.	4	35	78	35	21	173	57	73	52	20	202
		E.	—	108	368	461	370	1,307	170	541	737	529	1,977
90 : 9	Heart disease .. (undefined)	P.L.	—	875	1,361	1,341	747	4,324	689	1,263	1,093	503	3,548
		L.A.	—	30	24	17	23	94	28	22	34	26	110
		H.	7	90	155	154	88	494	88	146	142	64	440
		E.	10	1,459	5,597	7,202	6,330	20,598	2,147	7,231	9,189	7,537	26,104
91 (a)	Aneurysm	P.L.	—	132	194	71	26	423	45	33	17	3	98
		L.A.	1	14	11	10	11	47	8	8	9	3	28
		H.	10	169	246	141	73	639	40	46	30	11	127
		E.	5	472	1,088	894	471	2,930	187	270	255	115	827
91(b) : 1	Arterio-sclerosis with record of cerebral vascular lesion	P.L.	—	419	918	519	278	2,134	360	613	391	138	1,502
		L.A.	—	62	96	82	62	302	61	82	75	24	242
		H.	1	123	263	193	52	632	94	164	147	34	439
		E.	1	737	3,204	3,794	2,434	10,170	878	3,127	3,297	2,115	9,417
91(b) : 2	Arterio-sclerosis without record of cerebral vascular lesion.	P.L.	—	1,764	3,808	1,588	909	8,069	1,420	2,565	1,038	463	5,486
		L.A.	3	224	520	347	254	1,348	291	385	302	167	1,145
		H.	5	188	303	230	98	824	104	132	160	38	434
		E.	6	1,755	6,400	6,991	5,106	20,258	1,190	4,518	5,034	3,234	13,976
91 (c)	Other diseases of the arteries	P.L.	—	41	13	15	12	81	40	17	12	6	75
		L.A.	—	2	—	—	—	2	2	—	1	—	3
		H.	—	20	17	19	6	62	7	10	12	2	31
		E.	—	40	134	139	82	395	40	117	149	71	377
92	Embolism and thrombosis (not cerebral)	P.L.	—	27	32	21	3	83	24	22	18	4	68
		L.A.	1	2	3	3	2	11	3	6	4	1	14
		H.	2	32	74	66	35	209	28	62	70	39	199
		E.	1	55	140	186	128	510	42	165	239	166	612
93	Diseases of the veins (varices, hæmorrhoids, phlebitis, etc.)	P.L.	—	25	33	21	5	84	26	42	25	7	100
		L.A.	—	—	—	—	—	—	2	1	1	1	5
		H.	2	23	35	35	23	118	25	44	40	22	131
		E.	—	38	130	164	123	455	67	334	332	255	988
94	Diseases of the lymphatic system (lymphangitis etc.)	P.L.	—	13	20	8	3	44	6	13	6	1	26
		L.A.	—	—	—	—	—	—	2	—	—	—	2
		H.	1	18	29	26	12	86	9	17	15	11	52
		E.	—	3	43	54	25	125	5	42	47	31	125

DEATHS TABULATED BY CAUSE AND PLACE OF OCCURRENCE—*continued.*

International List No.	Cause of Death.	Place of Occurrence.	Males.						Females.				
			Non-civilians.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.
95	Hæmorrhage without stated cause	P.L.	—	—	1	1	1	3	—	—	1	—	[illegible]
		L.A.	—	—	—	1	—	1	—	—	1	1	[illegible]
		H.	—	2	8	2	3	15	3	4	5	—	1[illegible]
		E.	—	2	25	41	38	106	1	21	29	23	7[illegible]
97 : 1	Diseases of the nose	P.L.	—	4	2	1	1	8	5	1	2	—	[illegible]
		H.	—	4	15	16	5	40	5	7	7	6	2[illegible]
		E.	—	3	33	23	26	85	4	30	16	8	5[illegible]
97 : 2	Diseases of the accessory nasal sinuses.	P.L.	—	13	5	6	1	25	9	10	5	1	2[illegible]
		L.A.	—	—	2	1	—	3	—	1	—	1	[illegible]
		H.	4	36	76	53	27	196	22	45	42	23	13[illegible]
		E.	1	2	15	21	9	48	4	11	18	6	3[illegible]
98 : 1	Laryngismus stridulus	P.L.	—	1	4	—	—	5	1	3	—	—	[illegible]
		H.	—	4	14	8	5	31	—	9	4	2	1[illegible]
		E.	—	16	96	124	83	319	9	54	80	38	18[illegible]
98 : 2	Laryngitis	P.L.	—	6	25	17	3	51	10	14	2	1	2[illegible]
		L.A.	—	1	—	—	—	1	—	—	—	1	[illegible]
		H.	2	14	47	27	14	104	6	24	25	9	6[illegible]
		E.	—	41	275	362	224	902	33	208	272	197	71[illegible]
98 : 3	Other diseases of the larynx	P.L.	—	3	2	1	1	7	1	—	—	—	[illegible]
		H.	—	2	5	3	1	11	3	1	2	2	[illegible]
		E.	—	1	5	10	2	18	1	6	5	4	1[illegible]
99 (a)	Bronchitis—acute ..	P.L.	—	397	648	485	274	1,804	330	413	349	142	1,23[illegible]
		L.A.	2	21	28	25	18	94	52	54	49	27	18[illegible]
		H.	5	85	127	85	31	333	72	202	88	15	37[illegible]
		E.	—	1,661	7,015	6,494	3,563	18,733	2,600	9,198	8,281	4,327	24,40[illegible]
99 (b)	,, —chronic	P.L.	—	1,607	3,178	1,444	544	6,773	1,238	1,963	713	228	4,14[illegible]
		L.A.	—	29	68	81	39	217	40	94	90	51	27[illegible]
		H.	2	250	381	212	70	915	106	151	71	21	34[illegible]
		E.	—	2,494	8,587	7,552	4,417	23,050	2,326	7,931	6,605	3,483	20,34[illegible]
99 (c & d)	,, —not stated whether acute or chronic.	P.L.	—	1,506	2,462	1,580	687	6,235	1,323	1,845	1,206	348	4,72[illegible]
		L.A.	—	4	2	5	7	18	9	7	7	3	2[illegible]
		H.	4	156	199	143	48	550	82	138	113	31	36[illegible]
		E.	1	2,376	12,100	9,838	5,608	29,923	3,281	14,322	11,602	6,069	35,27[illegible]
100	Broncho-pneumonia	P.L.	—	2,471	2,992	968	238	6,669	2,059	2,145	645	167	5,01[illegible]
		L.A.	1	109	171	162	123	566	204	227	238	144	81[illegible]
		H.	43	1,326	2,274	935	293	4,871	989	1,586	627	181	3,38[illegible]
		E.	2	3,646	17,365	13,360	5,940	40,313	3,737	15,693	11,802	5,137	36,36[illegible]
101 (a)	Lobar pneumonia ..	P.L.	1	1,544	2,467	784	224	5,020	729	1,053	281	87	2,15[illegible]
		L.A.	5	126	207	191	143	672	221	268	282	188	95[illegible]
		H.	86	717	1,860	1,002	431	4,096	380	807	531	241	1,95[illegible]
		E.	18	1,742	7,696	6,551	3,124	19,131	1,213	4,763	4,077	2,020	12,07[illegible]
101 (b)	Pneumonia not otherwise defined	P.L.	—	714	1,235	704	240	2,893	303	565	340	94	1,30[illegible]
		L.A.	4	60	54	28	25	171	59	61	38	26	18[illegible]
		H.	67	243	939	539	244	2,032	162	394	299	129	98[illegible]
		E.	13	1,721	7,037	6,963	3,581	19,315	1,427	5,057	4,979	2,607	14,07[illegible]
102 : 1	Empyema	P.L.	—	82	94	38	17	231	27	46	11	2	8[illegible]
		L.A.	1	3	6	4	2	16	3	2	8	2	1[illegible]
		H.	7	124	395	317	154	997	66	195	167	52	48[illegible]
		E.	—	18	105	140	75	338	13	52	67	29	16[illegible]
102 : 2	Other pleurisy ..	P.L.	—	61	88	45	22	216	34	39	16	7	9[illegible]
		L.A.	1	10	13	10	12	46	5	9	5	5	2[illegible]
		H.	6	24	79	60	27	196	19	36	39	15	10[illegible]
		E.	1	149	598	642	370	1,760	146	483	549	321	1,49[illegible]
103	Congestion and hæmorrhagic infarct of lung.	P.L.	—	156	154	97	49	456	208	165	119	43	53[illegible]
		L.A.	1	31	30	35	18	115	57	39	41	28	16[illegible]
		H.	—	19	37	28	10	94	16	40	29	16	10[illegible]
		E.	1	164	635	748	531	2,079	283	825	1,005	691	2,80[illegible]
104	Gangrene of lung ..	P.L.	—	7	18	14	3	42	2	15	5	2	2[illegible]
		L.A.	—	7	10	12	6	35	21	5	6	5	3[illegible]
		H.	1	11	6	8	1	27	—	6	2	3	1[illegible]
		E.	—	5	21	19	15	60	—	7	6	3	1[illegible]
105	Asthma	P.L.	—	92	149	124	56	421	40	93	69	20	22[illegible]
		L.A.	—	3	4	10	7	24	5	4	4	2	1[illegible]
		H.	1	26	40	46	16	129	8	20	34	12	7[illegible]
		E.	—	485	1,499	1,867	1,082	4,933	446	1,358	1,429	759	3,99[illegible]

DEATHS TABULATED BY CAUSE AND PLACE OF OCCURRENCE—*continued.*

International List No.	Cause of Death.	Place of Occurrence.	Males.						Females.				
			Non-civilians.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.
106	Pulmonary emphysema.	P.L.	—	55	72	32	10	169	25	22	4	3	54
		L.A.	—	3	3	1	1	8	1	—	3	—	4
		H.	1	24	16	11	3	55	5	3	3	1	12
		E.	—	70	150	204	136	560	18	46	84	59	207
107 (a)	Chronic interstitial pneumonia.	P.L.	—	30	27	10	4	71	18	2	3	3	26
		L.A.	—	—	4	4	1	9	4	1	1	—	6
		H.	—	15	30	13	6	64	6	6	5	1	18
		E.	—	39	196	277	260	772	28	57	86	50	221
107 (b)	Diseases of the mediastinum.	P.L.	—	—	1	—	—	1	2	1	—	—	3
		L.A.	—	—	—	—	—	—	1	—	—	—	1
		H.	—	3	—	3	2	8	2	—	1	2	5
		E.	—	—	2	8	4	14	1	4	—	1	6
107 (c)	Other diseases included under 107.	P.L.	—	20	25	12	5	62	8	11	—	2	21
		L.A.	—	1	1	—	2	4	4	6	5	3	18
		H.	1	19	54	33	9	116	13	18	17	9	57
		E.	—	21	120	111	66	318	15	73	70	45	203
108 : 1	Diseases of the teeth and gums.	P.L.	—	26	50	33	11	120	35	46	16	9	106
		L.A.	—	1	5	3	2	11	4	9	4	—	17
		H.	4	19	57	61	36	177	20	41	40	28	129
		E.	—	31	143	228	137	539	34	136	183	119	472
108 : 2	Ludwig's angina ..	P.L.	—	13	22	9	4	48	11	17	11	1	40
		L.A.	—	1	1	—	1	3	—	1	1	1	3
		H.	3	14	46	37	32	132	11	39	23	13	86
		E.	—	5	26	44	25	100	5	26	28	13	72
108 : 3	Other diseases included under 108.	P.L.	—	11	12	3	—	26	6	20	5	3	34
		L.A.	—	2	2	2	1	7	2	6	3	6	17
		H.	—	6	18	10	10	44	4	6	13	5	28
		E.	—	4	20	24	15	63	5	28	21	17	71
109 : 1	Tonsillitis, etc., adenoid vegetations.	P.L.	—	21	27	18	3	69	18	31	8	3	60
		L.A.	—	2	2	2	2	8	2	5	1	2	10
		H.	6	47	96	77	44	270	46	80	63	20	209
		E.	—	53	246	302	197	798	69	268	274	184	795
109 : 2	Other diseases included under 109.	P.L.	—	13	8	2	2	25	3	8	1	1	13
		L.A.	—	1	2	—	—	3	—	—	1	—	1
		H.	2	23	33	21	12	91	18	22	26	10	76
		E.	—	11	61	80	50	202	4	51	69	37	161
110	Diseases of the œsophagus.	P.L.	—	2	5	6	4	17	4	1	2	2	9
		L.A.	—	1	—	—	—	1	—	—	—	—	—
		H.	—	5	19	14	8	46	5	9	8	4	26
		E.	—	13	33	35	19	100	3	16	28	18	65
111(a)	Ulcer of the stomach	P.L.	—	273	222	126	29	650	121	98	47	20	286
		L.A.	—	9	6	10	9	34	9	6	6	5	26
		H.	29	539	1,311	1,111	552	3,542	212	494	467	245	1,418
		E.	5	262	689	772	484	2,212	184	611	753	483	2,031
111 (b)	Ulcer of the duodenum.	P.L.	—	133	109	45	17	304	17	18	9	1	45
		L.A.	—	5	3	8	4	20	5	3	9	2	19
		H.	29	248	789	807	358	2,231	30	101	122	46	299
		E.	1	99	279	364	262	1,005	31	90	141	107	369
112 : 1	Inflammation of the stomach.	P.L.	—	33	110	72	35	250	39	94	53	30	216
		L.A.	—	1	—	3	—	4	4	2	6	5	17
		H.	2	27	75	45	21	170	24	47	39	10	120
		E.	1	260	1,692	1,646	955	4,554	274	1,784	1,784	1,056	4,898
112 : 2	Other diseases included under 112.	P.L.	—	3	14	19	5	41	4	12	13	7	36
		L.A.	1	—	6	—	3	10	2	2	—	—	4
		H.	1	18	44	42	19	124	13	31	26	21	91
		E.	1	41	252	292	213	799	39	224	237	173	673
113 & 114 : 1	Ulceration of the intestines.	P.L.	—	21	20	11	2	54	29	26	10	5	70
		L.A.	—	4	6	4	5	19	4	7	10	4	25
		H.	2	39	82	83	41	247	57	104	98	68	327
		E.	1	17	81	78	67	244	28	107	114	81	330
113 & 114 : 2	Colitis	P.L.	—	93	80	15	10	198	79	75	25	14	193
		L.A.	—	5	16	18	14	53	10	37	40	37	124
		H.	—	109	40	39	19	207	60	54	42	23	179
		E.	—	33	183	174	136	526	58	224	282	171	735
113 & 114 : 3	Other diseases included under 113 and 114.	P.L.	—	1,215	1,901	380	109	3,605	890	1,321	294	95	2,600
		L.A.	—	2	8	24	21	55	19	15	22	19	75
		H.	2	1,067	1,429	529	169	3,196	757	954	345	116	2,172
		E.	—	1,009	7,499	6,643	3,089	18,240	830	6,163	5,525	2,549	15,067

DEATHS TABULATED BY CAUSE AND PLACE OF OCCURRENCE—*continued.*

International List No.	Cause of Death.	Place of Occurrence.	Males.						Females.				
			Non-civilians.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and
116 (a)	Cestodes (hydatids of the liver excepted).	P.L.	—	—	—	—	—	—	1	2	1	—	
		L.A.	—	—	—	1	—	1	—	—	—	—	—
		H.	—	1	5	3	1	10	1	3	4	1	
		E.	—	2	2	3	—	7	—	5	2	—	
116 (b)	Trematodes ..	H.	—	—	—	—	1	1	—	1	—	—	
116 (c)	Nematodes.. ..	P.L.	—	—	—	1	—	1	—	—	—	—	—
		H.	—	—	1	1	—	2	—	—	1	1	
		E.	—	—	2	2	3	7	—	3	2	7	1
116 (f)	Undefined parasites	P.L.	—	2	—	—	—	2	—	—	—	—	—
		H.	—	—	—	—	1	1	—	—	—	—	—
		E.	—	—	—	2	2	4	—	1	6	4	1
117	Appendicitis and typhlitis.	P.L.	—	234	268	116	24	642	202	185	87	26	50
		L.A.	1	5	11	6	4	27	9	9	7	4	2
		H.	68	623	1,981	2,315	1,354	6,341	491	1,558	1,729	946	4,72
		E.	1	69	206	282	207	765	68	245	311	238	86
118 (a)	Hernia	P.L.	—	184	177	108	41	510	229	246	119	25	61
		L.A.	—	7	9	8	3	27	8	8	3	5	2
		H.	4	207	763	816	499	2,289	235	846	784	411	2,27
		E.	—	92	348	440	395	1,275	124	557	596	383	1,66
118 (b)	Intestinal obstruction	P.L.	—	178	211	112	34	535	164	176	102	18	46
		L.A.	2	6	11	15	10	44	12	22	20	18	7
		H.	29	425	1,432	1,329	770	3,985	372	1,001	994	493	2,86
		E.	3	147	533	742	558	1,983	209	770	1,016	627	2,62
119	Other diseases of the intestines.	P.L.	—	49	56	44	13	162	57	42	23	6	12
		L.A.	—	1	9	4	3	17	4	6	8	3	2
		H.	3	63	158	179	84	487	74	130	122	54	38
		E.	—	51	141	164	129	485	62	206	215	166	64
120	Acute yellow atrophy of the liver	P.L.	—	2	1	4	—	7	14	13	6	1	3
		L.A.	—	1	—	—	—	1	1	1	—	—	
		H.	4	6	12	15	7	44	18	40	28	14	10
		E.	—	1	17	22	16	56	13	46	49	38	14
121	Hydatid tumour of the liver	P.L.	—	1	3	—	—	4	1	3	—	—	
		L.A.	—	—	—	—	—	—	—	1	1	—	
		H.	—	5	9	9	4	27	5	10	10	8	3
		E.	—	1	4	7	4	16	1	5	2	3	1
122 (a)	Cirrhosis of the liver returned as alcoholic	P.L.	—	14	30	19	3	66	16	6	5	—	2
		L.A.	—	—	1	1	—	2	—	—	—	—	—
		H.	—	11	20	12	3	46	9	8	5	1	2
		E.	—	62	121	115	66	364	55	67	62	27	21
122 (b)	Cirrhosis of the liver not returned as alcoholic	P.L.	1	226	281	199	67	774	114	114	83	29	34
		L.A.	2	9	13	10	7	41	7	12	16	3	3
		H.	2	165	225	185	77	654	75	111	109	38	33
		E.	1	376	1,321	1,567	843	4,108	280	682	801	420	2,18
123	Biliary calculi ..	P.L.	—	30	28	13	5	76	67	100	30	6	20
		L.A.	—	2	1	4	3	10	14	10	7	3	3
		H.	1	69	278	244	115	707	145	525	514	268	1,45
		E.	—	44	178	260	147	629	110	614	770	462	1,95
124	Other diseases of the liver	P.L.	1	53	52	27	13	146	55	95	38	11	19
		L.A.	—	4	4	4	7	19	6	11	13	4	3
		H.	17	76	273	223	116	705	92	331	333	169	92
		E.	—	68	333	393	277	1,071	102	566	655	435	1,75
125	Diseases of the pancreas	P.L.	—	28	23	10	1	62	24	23	6	1	5
		L.A.	—	1	3	3	1	8	4	3	1	4	1
		H.	1	43	123	90	62	319	41	142	125	73	38
		E.	1	22	61	98	40	222	20	76	86	40	22
126	Peritonitis of unstated origin	P.L.	—	23	18	15	7	63	56	45	30	4	13
		L.A.	1	4	1	—	3	9	2	3	2	—	
		H.	2	55	135	110	70	372	104	281	273	135	79
		E.	—	14	89	105	85	293	25	102	126	86	33
128	Acute nephritis (including unspecified under 10 years of age)	P.L.	—	118	211	113	31	473	70	171	68	27	33
		L.A.	—	4	11	2	6	23	5	21	16	12	5
		H.	10	70	266	188	86	620	60	163	149	70	44
		E.	—	128	926	1,017	555	2,626	131	805	974	540	2,45
129	Chronic nephritis (including unspecified over 10 years of age)	P.L.	—	1,424	2,067	1,148	441	5,080	1,150	1,389	679	244	3,46
		L.A.	3	83	319	273	186	864	203	454	421	256	1,33
		H.	27	594	1,268	912	398	3,199	404	785	613	252	2,05
		E.	10	1,529	6,396	7,261	4,666	19,862	1,645	6,470	7,217	4,331	19,66

DEATHS TABULATED BY CAUSE AND PLACE OF OCCURRENCE—*continued.*

International List No.	Cause of Death.	Place of Occurrence.	Males.						Females.				
			Non-civilians.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.
130	Chyluria	H.	—	1	—	—	—	1	—	—	—	—	—
		E.	—	—	3	—	—	3	—	—	—	—	—
131	Other diseases of the kidneys and annexa	P.L.	—	99	93	52	17	261	72	67	26	5	170
		L.A.	—	13	18	16	8	55	11	9	16	9	45
		H.	12	89	208	192	104	605	93	214	192	92	591
		E.	—	57	179	253	173	662	76	233	287	168	764
132	Calculi of the urinary passages	P.L.	—	23	55	16	3	97	28	19	7	4	58
		L.A.	—	4	—	1	1	6	3	5	3	2	13
		H.	2	76	190	175	103	546	32	82	78	31	223
		E.	—	19	101	133	96	349	23	55	61	64	203
133 : 1	Cystitis	P.L.	—	188	313	255	91	847	53	74	42	18	187
		L.A.	—	7	10	10	7	34	9	6	9	1	25
		H.	2	56	142	142	91	433	19	44	30	16	109
		E.	—	143	593	786	741	2,263	74	230	282	207	793
133 : 2	Other diseases of the bladder	P.L.	—	3	13	15	6	37	2	8	9	1	20
		L.A.	—	1	—	—	—	1	—	1	1	—	2
		H.	—	11	41	43	19	114	2	4	4	3	13
		E.	—	7	38	47	57	149	6	12	17	6	41
134 (a)	Stricture of the urethra	P.L.	—	151	220	82	18	471	—	—	—	—	—
		L.A.	—	1	2	—	1	4	—	—	—	—	—
		H.	2	91	299	257	127	776	—	—	—	—	—
		E.	—	33	110	108	62	313	—	—	—	—	—
134 (b)	Other diseases of the urethra, etc.	P.L.	—	21	56	29	9	115	—	1	2	1	4
		L.A.	—	—	—	1	—	1	—	—	—	—	—
		H.	1	7	54	41	17	120	—	5	7	3	15
		E.	—	6	36	48	17	107	1	7	5	5	18
135	Diseases of the prostate	P.L.	—	596	692	487	226	2,001	—	—	—	—	—
		L.A.	—	4	9	10	10	33	—	—	—	—	—
		H.	2	437	1,274	1,445	952	4,110	—	—	—	—	—
		E.	1	328	1,400	1,990	1,814	5,533	—	—	—	—	—
136	Non-venereal diseases of the male genital organs	P.L.	—	14	19	8	5	46	—	—	—	—	—
		L.A.	—	1	—	—	—	1	—	—	—	—	—
		H.	—	13	44	33	21	111	—	—	—	—	—
		E.	—	10	54	55	25	144	—	—	—	—	—
137	Cysts and other tumours of the ovary not returned as malignant	P.L.	—	—	—	—	—	—	29	62	34	15	140
		L.A.	—	—	—	—	—	—	2	3	5	1	11
		H.	—	—	—	—	—	—	62	183	243	119	607
		E.	—	—	—	—	—	—	53	198	218	187	656
138 : 1	Salpingitis	P.L.	—	—	—	—	—	—	28	56	20	4	108
		L.A.	—	—	—	—	—	—	2	3	5	—	10
		H.	—	—	—	—	—	—	78	326	250	127	781
		E.	—	—	—	—	—	—	8	36	49	24	117
138 : 2	Pelvic abscess in females	P.L.	—	—	—	—	—	—	3	7	8	2	20
		L.A.	—	—	—	—	—	—	1	1	—	—	2
		H.	—	—	—	—	—	—	11	44	44	22	121
		E.	—	—	—	—	—	—	7	33	25	16	81
139	Tumours of the uterus not returned as malignant	P.L.	—	—	—	—	—	—	39	43	22	8	112
		L.A.	—	—	—	—	—	—	4	5	2	1	12
		W.	—	—	—	—	—	—	133	397	384	220	1,134
		E.	—	—	—	—	—	—	33	203	197	144	577
140	Non-puerperal uterine hæmorrhage	P.L.	—	—	—	—	—	—	1	2	1	1	5
		H.	—	—	—	—	—	—	2	24	20	15	61
		E.	—	—	—	—	—	—	5	34	29	28	96
141 : 1	Other diseases of the uterus	P.L.	—	—	—	—	—	—	20	36	10	2	68
		L.A.	—	—	—	—	—	—	2	2	1	—	5
		H.	—	—	—	—	—	—	24	108	96	74	302
		E.	—	—	—	—	—	—	10	66	78	48	202
141 - 2	Diseases of the other female genital organs not included in other headings	P.L.	—	—	—	—	—	—	4	11	7	—	22
		L.A.	—	—	—	—	—	—	2	—	1	1	4
		H.	—	—	—	—	—	—	16	25	33	25	99
		E.	—	—	—	—	—	—	4	5	7	7	43
142	Non-puerperal diseases of the breast	P.L.	—	2	1	—	—	3	2	6	2	1	11
		L.A.	—	—	—	—	1	1	—	—	—	—	—
		H.	—	—	1	—	—	1	2	7	5	7	21
		E.	—	—	5	10	—	5	2	24	16	10	52

DEATHS TABULATED BY CAUSE AND PLACE OF OCCURRENCE—*continued.*

International List No.	Cause of Death.	Place of Occurrence.	Males.						Females.				
			Non-civilians.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England
143–150	The puerperal state	P.L.	—	—	—	—	—	—	522	1,100	455	105	2,
		L.A.	—	—	—	—	—	—	2	27	31	13	
		H.	—	—	—	—	—	—	525	2,173	1,597	914	5,
		E.	—	—	—	—	—	—	309	2,085	2,980	2,094	7,
143 (a)	Abortion	P.L.	—	—	—	—	—	—	16	35	11	—	
		H.	—	—	—	—	—	—	10	60	48	25	
		E.	—	—	—	—	—	—	14	84	123	74	
143 (b)	Ectopic gestation..	P.L.	—	—	—	—	—	—	18	25	8	—	
		L.A.	—	—	—	—	—	—	—	—	1	—	
		H.	—	—	—	—	—	—	30	109	104	56	
		E.	—	—	—	—	—	—	9	16	39	11	
143 (c)	Other accidents of pregnancy.	P.L.	—	—	—	—	—	—	20	55	24	2	
		H.	—	—	—	—	—	—	20	119	83	30	
		E.	—	—	—	—	—	—	9	139	134	79	
144	Puerperal hæmorrhage.	P.L.	—	—	—	—	—	—	37	60	29	12	
		L.A.	—	—	—	—	—	—	—	1	1	—	
		H.	—	—	—	—	—	—	61	199	142	54	
		E.	—	—	—	—	—	—	77	436	543	399	1,
145	Other accidents of childbirth.	P.L.	—	—	—	—	—	—	29	66	30	11	
		H.	—	—	—	—	—	—	60	275	194	109	
		E.	—	—	—	—	—	—	31	212	373	252	
146	Puerperal sepsis ..	P.L.	—	—	—	—	—	—	290	618	234	46	1,
		L.A.	—	—	—	—	—	—	1	15	21	8	
		H.	—	—	—	—	—	—	258	1,013	659	417	2,
		E.	—	—	—	—	—	—	71	505	724	483	1,
147 : 1	Puerperal phlegmasia alba dolens not returned as septic.	P.L.	—	—	—	—	—	—	6	18	8	2	
		L.A.	—	—	—	—	—	—	—	—	1	—	
		H.	—	—	—	—	—	—	5	16	13	6	
		E.	—	—	—	—	—	—	7	50	92	48	
147 : 2	Puerperal embolism and sudden death.	P.L.	—	—	—	—	—	—	11	23	10	4	
		L.A.	—	—	—	—	—	—	—	1	—	2	
		H.	—	—	—	—	—	—	10	40	35	16	
		E.	—	—	—	—	—	—	59	285	358	257	
148	Puerperal albuminuria and convulsions	P.L.	—	—	—	—	—	—	89	167	92	25	
		L.A.	—	—	—	—	—	—	—	2	5	1	
		H.	—	—	—	—	—	—	69	334	314	196	
		E.	—	—	—	—	—	—	32	341	566	468	1,
149	Childbirth not assignable to other headings (puerperal insanity).	P.L.	—	—	—	—	—	—	5	29	9	3	
		L.A.	—	—	—	—	—	—	1	8	2	2	
		H.	—	—	—	—	—	—	1	2	2	2	
		E.	—	—	—	—	—	—	—	15	25	19	
150	Puerperal diseases of the breast.	P.L.	—	—	—	—	—	—	1	4	—	—	
		H.	—	—	—	—	—	—	1	6	3	3	
		E.	—	—	—	—	—	—	—	2	3	4	
151 : 1	Senile gangrene ..	P.L.	—	149	430	359	262	1,200	144	280	312	130	8
		L.A.	—	3	5	7	10	25	13	12	6	9	
		H.	—	11	65	80	57	213	12	37	41	23	1
		E.	—	55	383	535	610	1,583	97	450	577	509	1,6
151 : 2	Other gangrene ..	P.L.	—	12	45	24	10	91	13	34	25	4	
		L.A.	—	1	2	1	1	5	3	5	3	1	
		H.	—	11	22	17	17	67	8	24	20	18	
		E.	—	5	31	41	27	104	12	37	62	36	1
152	Carbuncle, boil ..	P.L.	—	67	102	66	15	250	41	34	25	12	1
		L.A.	—	7	7	5	7	26	2	10	12	6	
		H.	9	43	109	102	55	318	13	47	35	19	1
		E.	2	36	154	193	123	508	23	90	109	55	2
153 : 1	Cellulitis	P.L.	—	110	158	93	37	398	85	102	75	28	2
		L.A.	—	10	12	10	20	52	19	14	18	14	
		H.	4	46	244	160	99	553	43	109	97	56	3
		E.	—	15	99	147	106	367	22	113	146	90	3
153 : 2	Acute abscess ..	P.L.	—	27	61	30	18	136	24	37	21	14	
		L.A.	—	2	1	3	2	8	—	4	5	1	
		H.	5	20	85	53	22	185	21	47	40	26	1
		E.	—	11	67	90	51	219	14	60	104	46	2
154 : 1	Ulcer, bedsore ..	P.L.	—	49	65	68	37	219	58	104	101	53	3
		L.A.	—	—	2	1	—	3	—	2	1	1	
		H.	—	2	6	8	3	19	4	9	12	3	
		E.	—	19	81	78	92	270	51	176	193	218	6

DEATHS TABULATED BY CAUSE AND PLACE OF OCCURRENCE—*continued.*

International List No.	Cause of Death.	Place of Occurrence.	Males.						Females.				
			Non-civilians.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.	London.	County Boroughs.	Other Urban Districts.	Districts. Rural	England and Wales.
54 : 2	Eczema	P.L.	—	13	37	13	4	67	8	14	6	6	34
		L.A.	—	—	1	—	—	1	—	—	—	—	—
		H.	—	5	22	18	11	56	4	12	14	6	36
		E.	—	10	88	104	74	276	6	50	66	41	163
54 : 3	Pemphigus ..	P.L.	—	15	62	11	6	94	9	51	9	4	73
		H.	—	7	45	26	6	84	13	35	8	14	70
		E.	—	11	125	97	48	281	7	104	68	43	222
54 : 4	Other diseases included under 154.	P.L.	—	24	60	35	13	132	26	48	21	11	106
		L.A.	—	—	—	1	—	1	1	—	1	1	3
		H.	2	24	62	41	19	148	18	52	40	16	126
		E.	—	24	151	136	96	407	33	127	174	126	460
55 : 1	Acute infective osteomyelitis and periostitis.	P.L.	—	86	97	46	6	235	40	43	24	8	115
		L.A.	—	1	3	4	—	8	1	1	1	—	3
		H.	7	153	391	357	200	1,108	76	156	153	80	465
		E.	—	9	43	63	35	150	4	38	36	33	111
55 : 2	Other diseases of the bones.	P.L.	—	27	27	31	14	99	14	29	21	12	76
		L.A.	—	—	1	2	—	3	—	1	1	1	3
		H.	2	17	43	60	24	146	13	23	25	18	79
		E.	—	18	70	78	66	232	25	77	118	94	314
56	Diseases of the joints	P.L.	—	29	42	14	7	92	19	31	12	3	65
		L.A.	—	—	1	2	—	3	—	2	1	2	5
		H.	2	18	90	73	49	232	11	54	35	21	121
		E.	—	6	29	41	36	112	5	31	42	34	112
57	Amputation ..	H.	—	—	1	1	—	2	—	—	—	—	—
		E.	—	—	—	—	1	1	—	—	—	—	—
58	Other diseases of the organs of locomotion.	P.L.	—	3	11	5	1	20	5	9	3	2	19
		L.A.	—	—	1	—	—	1	—	—	1	—	1
		H.	—	5	9	13	5	32	5	11	4	2	22
		E.	—	5	20	40	17	82	7	18	18	15	58
59 : 1	Congenital hydrocephalus.	P.L.	—	31	38	16	3	88	22	37	14	7	80
		L.A.	—	2	2	2	—	6	—	3	2	2	7
		H.	—	38	52	28	20	138	25	31	19	8	83
		E.	—	37	172	227	182	618	21	145	145	108	419
59 : 2	Congenital malformation of heart.	P.L.	—	43	75	45	18	181	28	64	37	7	136
		L.A.	—	4	4	2	5	15	3	1	2	2	8
		H.	—	117	140	89	40	386	100	103	49	26	278
		E.	—	323	1,180	1,261	715	3,479	223	890	927	516	2,556
59 : 3	Other congenital malformations.	P.L.	—	85	153	68	25	331	71	139	50	20	280
		L.A.	—	1	1	—	—	2	—	1	2	2	5
		H.	1	309	633	474	190	1,607	187	389	251	143	970
		E.	—	180	1,070	1,347	813	3,410	138	1,041	1,197	870	3,246
60 : 1	Congenital debility and sclerema.	P.L.	—	529	943	295	104	1,871	371	632	210	70	1,283
		L.A.	—	1	1	—	1	3	—	—	1	1	2
		H.	—	357	859	385	150	1,751	206	499	215	101	1,021
		E.	—	493	3,440	4,081	2,495	10,509	314	2,460	2,894	1,715	7,383
60 : 2	Icterus neonatorum	P.L.	—	16	18	14	10	58	16	14	7	1	38
		L.A.	—	—	—	—	—	—	—	1	—	—	1
		H.	—	21	39	27	10	97	21	25	18	7	71
		E.	—	85	497	528	371	1,481	50	299	258	218	825
61 : 1	Premature birth ..	P.L.	—	556	917	377	133	1,983	457	794	297	94	1,642
		L.A.	—	1	2	2	2	7	1	3	2	—	6
		H.	—	794	1,585	809	358	3,546	636	1,266	634	296	2,832
		E.	—	2,505	12,607	11,948	7,255	34,315	2,066	9,609	9,149	5,478	26,302
61 : 2	Injury at birth ..	P.L.	—	31	57	22	12	122	14	38	13	3	68
		H.	—	140	250	129	46	565	50	133	86	33	302
		E.	—	224	845	939	622	2,630	133	562	606	359	1,660
62 : 1	Diseases of the umbilicus.	P.L.	—	8	13	3	—	24	4	9	3	2	18
		H.	—	21	34	24	4	83	21	26	13	7	67
		E.	—	21	72	86	58	237	23	53	106	45	227
62 : 2	Atelectasis	P.L.	—	50	75	29	8	162	40	53	28	11	132
		H.	—	92	193	92	41	418	71	133	52	28	284
		E.	—	281	997	929	619	2,826	243	797	671	447	2,158
62 : 3	Other diseases included under 162.	P.L.	—	2	7	2	2	13	5	8	4	3	20
		H.	—	14	53	20	13	100	18	37	23	14	92
		E.	—	15	113	124	114	366	10	139	169	113	431

DEATHS TABULATED BY CAUSE AND PLACE OF OCCURRENCE—*continued.*

International List No.	Cause of Death.	Place of Occurrence.	Males.						Females.				
			Non-civilians.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and
163	Lack of care ..	P.L.	—	1	4	2	1	8	3	—	2	—	
		H.	—	—	1	—	1	2	—	2	—	2	
		E.	—	113	221	195	118	647	111	191	222	96	
164 : 1	Senile dementia ..	P.L.	—	101	1,547	475	189	2,312	111	1,658	641	222	2,
		L.A.	—	1	27	79	36	143	9	77	82	67	
		H.	—	2	14	7	11	34	9	21	15	6	
		E.	—	53	194	285	264	796	91	421	536	381	1,
164 : 2	Other forms of senile decay.	P.L.	—	1,373	4,038	3,895	2,599	11,905	1,615	4,656	4,667	2,651	13,
		L.A.	1	572	270	453	409	1,705	943	429	627	441	2,
		H.	—	43	99	95	48	285	128	184	187	65	
		E.	—	1,614	9,133	13,304	13,028	37,079	3,311	15,357	21,215	17,182	57,
165–174	Suicide	P.L.	—	200	251	178	63	692	98	89	92	25	
		L.A.	—	12	26	29	24	91	13	17	27	16	
		H.	24	192	501	319	148	1,184	108	192	126	35	
		E.	117	1,465	3,782	3,949	2,674	11,987	596	1,472	1,617	911	4,
175–203	Violence excluding suicide.	P.L.	2	1,136	1,101	761	285	3,285	987	1,102	596	246	2,
		L.A.	—	32	33	29	19	113	45	23	22	20	
		H.	195	1,770	6,142	5,336	2,937	16,380	709	2,614	1,848	881	6,
		E.	373	2,199	7,186	9,511	6,946	26,215	1,092	3,472	3,850	2,611	11,
204 & 205	Ill-defined diseases	P.L.	—	35	110	40	22	207	32	99	34	13	
		L.A.	—	—	4	5	2	11	1	1	2	1	
		H.	3	13	64	33	18	131	13	52	37	19	
		E.	6	54	1,208	1,791	1,549	4,608	54	902	1,245	1,162	3,
All causes.	Poor Law Institutions ..		9	44,518	74,653	39,644	17,675	176,499	38,679	58,933	32,676	13,265	143
	Lunatic Asylums, etc. ..		295	4,639	7,190	6,801	4,351	23,276	5,519	7,466	7,086	4,399	24,
	Hospitals		1600	26,784	58,577	42,505	20,890	150,356	19,697	40,144	30,185	14,356	104,
	Nursing Homes		23	1,761	3,456	3,484	1,688	10,412	2,172	4,229	4,377	1,803	12,
	Total in Institutions ..		1927	77,702	143,876	92,434	44,604	360,543	66,067	110,772	74,324	33,823	284
	Elsewhere than Institutions.		771	64,787	279,561	293,503	190,700	829,322	71,393	291,312	306,736	191,978	861,
	Total		2698	142,489	423,437	385,937	235,304	1189865	137,460	402,084	381,060	225,801	1146

Printed by H.M.S.O. Press, Harrow.